

FLORIDA POWER & LIGHT COMPANY

BILLING ADJUSTMENTS

The following charges are applied to the Monthly Rate of each rate schedule as indicated and are calculated in accordance with the formula specified by the Florida Public Service Commission.

| RATE SCHEDULE | FUEL | | | CONSERVATION | | CAPACITY | | ENVIRON- MENTAL ¢/kWh |
|---|--------------------|------------------|-------------------|--------------|-------|----------|-------|-----------------------------|
| | ¢/kWh Levelized | ¢/kWh On-Peak | ¢/kWh Off-Peak | ¢/kWh | \$/kW | ¢/kWh | \$/kW | |
| RS-1, RS-1 w/RTR-1 1 st 1,000 kWh | 3.067 | | | 0.337 | | 0.786 | | 0.224 |
| RS-1, RS-1 w/ RTR-1 all addn kWh | 4.067 | | | 0.337 | | 0.786 | | 0.224 |
| RS-1 w/RTR-1 All kWh | | 1.462 | (0.624) | 0.337 | | 0.786 | | 0.224 |
| GS-1 | 3.393 | | | 0.301 | | 0.665 | | 0.191 |
| GST-1 | | 4.855 | 2.769 | 0.301 | | 0.665 | | 0.191 |
| GSD-1, GSD-1 w/SDTR (Jan – May)(Oct – Dec) | 3.393 | | | | 1.09 | | 2.32 | 0.184 |
| GSD-1 w/SDTR (Jun-Sept) | | 6.239 | 2.887 | | 1.09 | | 2.32 | 0.184 |
| GSDT-1, HLFT-1 GSDT-1w/SDTR (Jan – May)(Oct – Dec) | | 4.855 | 2.769 | | 1.09 | | 2.32 | 0.184 |
| GSDT-1 w/SDTR (Jun-Sept) | | 6.239 | 2.887 | | 1.09 | | 2.32 | 0.184 |
| GSLD-1, CS-1, GSLD-1w/SDTR (Jan – May)(Oct – Dec) | 3.389 | | | | 1.19 | | 2.60 | 0.183 |
| GSLD-1 w/SDTR (Jun-Sept) | | 6.233 | 2.884 | | 1.19 | | 2.60 | 0.183 |
| GSLDT-1, CST-1, HLFT-2, GSLDT-1 w/SDTR (Jan–Mar & Nov–Dec) | | 4.850 | 2.766 | | 1.19 | | 2.60 | 0.183 |
| GSLDT-1 w/SDTR (Jun-Sept) | | 6.233 | 2.884 | | 1.19 | | 2.60 | 0.183 |
| GSLD-2, CS-2, GSLD-2 w/SDTR (Jan – May)(Oct – Dec) | 3.358 | | | | 1.29 | | 2.59 | 0.160 |
| GSLD-2 w/SDTR (Jun- Sept) | | 6.179 | 2.860 | | 1.29 | | 2.59 | 0.160 |
| GSLDT-2, CST-2, HLFT-3 , GSLDT-2 w/SDTR (Jan – May)(Oct – Dec) | | 4.808 | 2.742 | | 1.29 | | 2.59 | 0.160 |
| GSLDT-2 w/SDTR (Jun-Sept) | | 6.179 | 2.860 | | 1.29 | | 2.59 | 0.156 |
| GSLD-3, CS-3 | 3.264 | | | | 1.43 | | 2.95 | 0.156 |
| GSLDT-3, CST-3 | | 4.671 | 2.664 | | 1.43 | | 2.95 | 0.156 |

NOTE: The Billing Adjustments for additional Rate Schedules are found on Sheet No. 8.030.1
 (Continued on Sheet No. 8.030.1)

(Continued from Sheet No. 8.030)
 BILLING ADJUSTMENTS (Continued)

| RATE SCHEDULE | FUEL | | | CONSERVATION | | | CAPACITY | | ENVIRON- -MENTAL ¢/kWh | |
|------------------|-----------|-------------|--------------|--------------|------------|------------|----------|------------|------------------------------|-------|
| | ¢/kWh | ¢/kWh | ¢/kWh | ¢/kWh | \$/kW | | ¢/kWh | \$/kW | | |
| | Levelized | On- Peak | Off- Peak | | | | | | | |
| OS-2 | 3.358 | | | 0.273 | | | 0.569 | | 0.174 | |
| MET | 3.358 | | | | 1.34 | | | 2.98 | 0.182 | |
| CILC-1(G) | | 4.855 | 2.769 | | 1.42 | | | 2.80 | 0.155 | |
| CILC-1(D) | | 4.805 | 2.740 | | 1.42 | | | 2.80 | 0.155 | |
| CILC-1(T) | | 4.671 | 2.664 | | 1.40 | | | 2.73 | 0.147 | |
| SL-1,OL-1, PL-1 | 3.102 | | | 0.171 | | | 0.159 | | 0.070 | |
| SL-2, GSCU-1 | 3.393 | | | 0.259 | | | 0.530 | | 0.151 | |
| | | | | | <u>RDD</u> | <u>DDC</u> | | <u>RDD</u> | <u>DDC</u> | |
| SST-1(T) | | 4.671 | 2.664 | | 0.15 | 0.07 | | 0.33 | 0.15 | 0.173 |
| SST-1(D1) | | 4.855 | 2.769 | | 0.15 | 0.07 | | 0.34 | 0.16 | 0.168 |
| SST-1(D2) | | 4.850 | 2.766 | | 0.15 | 0.07 | | 0.34 | 0.16 | 0.168 |
| SST-1(D3) | | 4.808 | 2.742 | | 0.15 | 0.07 | | 0.34 | 0.16 | 0.168 |
| ISST-1(D) | | 4.805 | 2.740 | | 0.15 | 0.07 | | 0.34 | 0.16 | 0.168 |
| ISST-1(T) | | 4.671 | 2.664 | | 0.15 | 0.07 | | 0.33 | 0.15 | 0.173 |

STORM CHARGE

The following charges are applied to the Monthly Rate of each rate schedule as indicated and are calculated in accordance with the formula approved by the Public Service Commission.

| <u>Cents/kWh</u> | | | |
|--|--|----------------------------------|-------------------------------|
| <u>Rate Schedule</u> | <u>STORM BOND REPAYMENT CHARGE</u> | <u>STORM BOND TAX CHARGE</u> | <u>TOTAL STORM CHARGE</u> |
| RS-1, RTR-1 | 0.059 | 0.025 | 0.084 |
| GS-1, GST-1 | 0.050 | 0.025 | 0.075 |
| GSD-1, GSDT-1, HLFT-1, SDTR (21-499 KW) | 0.033 | 0.021 | 0.054 |
| GSLD-1, GSLDT-1, CS-1, CST-1, HLFT-2, SDTR (500- 1,999 KW) | 0.031 | 0.021 | 0.052 |
| GSLD-2, GSLDT-2, CS-2, CST-2, HLFT-3, SDTR (2000+ KW) | 0.024 | 0.008 | 0.032 |
| GSLD-3, GSLDT-3, CS-3, CST-3 | 0.004 | 0.000 | 0.004 |
| OS-2 | 0.208 | 0.102 | 0.310 |
| MET | 0.037 | 0.021 | 0.058 |
| CILC-1(G) | 0.031 | 0.021 | 0.052 |
| CILC-1(D) | 0.024 | 0.008 | 0.032 |
| CILC-1(T) | 0.004 | 0.000 | 0.004 |
| SL-1, PL-1 | 0.366 | 0.170 | 0.536 |
| OL-1 | 0.372 | 0.170 | 0.542 |
| SL-2, GSCU-1 | 0.024 | 0.008 | 0.032 |
| SST-1(T), ISST-1(T) | 0.004 | 0.000 | 0.004 |
| SST-1(D1), SST-1(D2) SST-1(D3), ISST-1(D) | 0.079 | 0.037 | 0.116 |

(Continued on Sheet No. 8.041)