# BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In re: Request for approval of interconnection, unbundling, and resale agreement between BellSouth Telecommunications, Inc. and Diamond Telephone Services, Inc., pursuant to Sections 251, 252, and 271 of the Telecommunications Act of 1996.

DOCKET NO. 980967-TP ORDER NO. PSC-98-1430-FOF-TP ISSUED: October 23, 1998

The following Commissioners participated in the disposition of this matter:

JULIA L. JOHNSON, Chairman J. TERRY DEASON SUSAN F. CLARK JOE GARCIA E. LEON JACOBS, JR.

# ORDER APPROVING RESALE, INTERCONNECTION, AND UNBUNDLING AGREEMENT

### BY THE COMMISSION:

On July 30, 1998, BellSouth Telecommunications, Inc. (BellSouth) and Diamond Telephone Services, Inc. (Diamond Telephone Services) filed a request for approval of a resale, interconnection, and unbundling agreement under 47 U.S.C. \$252(e) of the Telecommunications Act of 1996 (the Act). The agreement is attached to this Order as Attachment A and incorporated by reference herein.

Both the Act and Chapter 364, Florida Statutes, encourage parties to enter into negotiated agreements to bring about local exchange competition as quickly as possible. Under the requirements of 47 U.S.C. § 252(e), negotiated agreements must be submitted to the state commission for approval. Section 252(e)(4) requires the state to reject or approve the agreement within 90 days after submission or it shall be deemed approved.

11859 CCT 23 3

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 2

This agreement covers a two-year period and governs the relationship between the companies regarding local interconnection and the exchange of traffic pursuant to 47 U.S.C. § 251. Under 47 U.S.C. § 252(a)(1), the agreement shall include a detailed schedule of itemized charges for interconnection and each service or network element included in the agreement.

Upon review of the proposed agreement, we find that it complies with the Telecommunications Act of 1996; thus, we hereby approve it. BellSouth and Diamond Telephone Services must file any supplements or modifications to their agreement with the Commission for review under the provisions of 47 U.S.C. § 252(e). We note that approval of this agreement does not constitute a determination that BellSouth has met the requirements of Section 271 of the Telecommunications Act. We note that Diamond Telephone Services, Inc. does not currently hold a Florida certificate to provide alternative local exchange telecommunications service, and therefore, it cannot provide alternative local exchange telecommunications service under this agreement until it obtains a certificate.

Based on the foregoing, it is

ORDERED by the Florida Public Service Commission that the resale, interconnection, and unbundling agreement between BellSouth Telecommunications, Inc. and Diamond Telephone Services, Inc., as set forth in Attachment A and incorporated by reference in this Order, is hereby approved. It is further

ORDERED that any supplements or modifications to this agreement must be filed with the Commission for review under the provisions of 47 U.S.C. § 252(e). It is further

ORDERED that Diamond Telephone Services, Inc. shall not provide alternative local exchange telecommunications service under this agreement until it obtains a certificate to provide alternative local exchange telecommunications service from this Commission. It is further

ORDERED that this docket shall be closed.

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 3

By ORDER of the Florida Public Service Commission, this 23rd day of October, 1998.

BLANCA S. BAYÓ, Director O Division of Records and Reporting

(SEAL)

CBW

# NOTICE OF FURTHER PROCEEDINGS OR JUDICIAL REVIEW

The Florida Public Service Commission is required by Section 120.569(1), Florida Statutes, to notify parties of any administrative hearing or judicial review of Commission orders that is available under Sections 120.57 or 120.68, Florida Statutes, as well as the procedures and time limits that apply. This notice should not be construed to mean all requests for an administrative hearing or judicial review will be granted or result in the relief sought.

Any party adversely affected by the Commission's final action in this matter may request: 1) reconsideration of the decision by filing a motion for reconsideration with the Director, Division of Records and Reporting, 2540 Shumard Oak Boulevard, Tallahassee, Florida 32399-0850, within fifteen (15) days of the issuance of this order in the form prescribed by Rule 25-22.060, Florida Administrative Code; or 2) judicial review in Federal district court pursuant to the Federal Telecommunications Act of 1996, 47 U.S.C. § 252(e)(6).

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 4

ATTACHMENT A

INTERCONNECTION AGREEMENT
BETWEEN
BELLSOUTH TELECOMMUNICATIONS INC.
AND
DIAMOND TELEPHONE SERVICES, INC.

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 5

ATTACHMENT A

# TABLE OF CONTENTS

### General Terms and Conditions

### Part A

- 1. Purpose
- 2. Term of the Agreement
- 3. **Ordering Procedures**
- 4. **Parity**
- 5. White Pages Listings
- Bona Fide Request/New Business Request Process for Further 6. Unbundling
- 7. Liability and Indemnification
- Intellectual Property Rights and Indemnification 8.
- Treatment of Proprietary and Confidential Information 9.
- Assignments 10.
- Resolution of Disputes 11.
- Limitation of Use 12.
- 13. Taxes
- 14. Force Majeure
- 15. Year 2000 Compliance
- 16. Modification of Agreement
- Waivers 17.
- 18. Governing Law
- 19. Arm's Length Negotiations
- 20. Notices
- Rule of Construction 21.
- 22. Headings of No Force or Effect
- Multiple Counterparts 23.
- 24. Entire Agreement

### Part B - Definitions

- Attachment 1 Resale
- Attachment 2 Unbundled Network Elements
- Attachment 3 Local Interconnection
- Attachment 4 Physical Collocation
- Attachment 5 Access to Numbers and Number Portability
- Attachment 6 Ordering and Provisioning
- Attachment 7 Billing and Billing Accuracy Certification
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- Attachment 9 Bona Fide Request/New Business Request Process
- Attachment 10- Performance Measurements
- Attachment 11- Rates

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 6

### ATTACHMENT A

General Terms and Conditions - Part A Page 1

### **AGREEMENT**

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Diamond Telephone Services, Inc., a <a href="Mississippi">Mississippi</a> corporation, and shall be deemed effective as of <a href="July 14">July 14</a>, 1998
<a href="Telephone Services">This agreement may refer to either BellSouth or Diamond or both as a "Party" or "Parties."</a>

### WITNESSETH

WHEREAS. BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Diamond is an alternative local exchange telecommunications company ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, the Parties wish to interconnect their facilities, purchase unbundled elements, and exchange traffic specifically for the purposes of fulfilling their obligations pursuant to sections 251 and 252 of the Telecommunications Act of 1996 ("the Act").

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Diamond agree as follows:

### 1. Purpose

The Parties agree that the rates, terms and conditions contained within this Agreement, including all Attachments, comply and conform with each Parties' obligations under sections 251 and 252 of the Act. The access and interconnection obligations contained herein enable Diamond to provide competing telephone exchange service to residential and business subscribers within the territory of BellSouth. The Parties agree that Diamond will not be considered to have offered interconnection in any state within BellSouth's region until such time as it has ordered interconnection facilities for the purposes of providing business and/or residential local exchange service to customers

### ATTACHMENT A

General Terms and Conditions - Part A Page 2

# Term of the Agreement

- 2.1 The term of this Agreement shall be two years, beginning <u>July 14</u>, 1998\_.
- The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations with regard to the terms, conditions and prices of local interconnection to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement"). The Parties further agree that any such Subsequent Agreement shall be for a term of no less than two (2) years unless the Parties agree otherwise.
- If, within one hundred and thirty-five (135) days of commencing the 2.3 negotiation referred to in Section 2.2, above, the Parties are unable to satisfactorily negotiate new local interconnection terms, conditions and prices, either Party may petition the Commission to establish appropriate local interconnection arrangements pursuant to 47 U.S.C. 252. The Parties agree that, in such event, they shall encourage the Commission to issue its order regarding the appropriate local interconnection arrangements no later than the expiration date of this Agreement. The Parties further agree that in the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the local interconnection arrangements without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective retroactive to the day following the expiration date of this Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to exchange traffic pursuant to the terms and conditions of this Agreement.

# 3. Ordering Procedures

- 3.1 Detailed procedures for ordering and provisioning BellSouth services are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate.
- BellSouth has developed electronic systems for placing most resale and some UNE orders. BellSouth has also developed electronic systems for accessing data needed to place orders including valid address, available services and features, available telephone numbers, due date estimation on pre-order and calculation on firm order, and customer service records where applicable. Charge for Operational Support Systems (OSS) shall be as set forth in this agreement in Exhibit A of Attachment 1 and in Attachment 11.

### ATTACHMENT A

General Terms and Conditions - Part A Page 3

# 4. Parity

The services and service provisioning that BellSouth provides Diamond for resale will be at least equal in quality to that provided to BellSouth, or any BellSouth subsidiary, affiliate or end user. In connection with resale, BellSouth will provide Diamond with pre-ordering, ordering, maintenance and trouble reporting, and daily usage data functionality that will enable Diamond to provide equivalent levels of customer service to their local exchange customers as BellSouth provides to its own end users. BellSouth shall also provide Diamond with unbundled network elements, and access to those elements, that is at least equal in quality to that which BellSouth provides BellSouth, or any BellSouth subsidiary, affiliate or other CLEC. BellSouth will provide number portability to Diamond and their customers with minimum impairment of functionality, quality, reliability and convenience.

# 5. White Pages Listings

BellSouth shall provide Diamond and their customers access to white pages directory listings under the following terms:

- 5.1 <u>Listings.</u> BellSouth or its agent will include Diamond residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Diamond and BellSouth subscribers.
- 5.2 Rates. Subscriber primary listing information in the White Pages shall be provided at no charge to Diamond or its subscribers provided that Diamond provides subscriber listing information to BellSouth at no charge.
- Procedures for Submitting Diamond Subscriber Information. BellSouth will provide to Diamond a magnetic tape or computer disk containing the proper format for submitting subscriber listings. Diamond will be required to provide BellSouth with directory listings and daily updates to those listings, including new, changed, and deleted listings, in an industry-accepted format. These procedures are detailed in BellSouth's Local Interconnection and Facility Based Ordering Guide.
- 5.4 <u>Unlisted Subscribers.</u> Diamond will be required to provide to BellSouth the names, addresses and telephone numbers of all Diamond customers that wish to be omitted from directories.
- 5.5 Inclusion of Diamond Customers in Directory Assistance Database.

  BellSouth will include and maintain Diamond subscriber listings in

  BellSouth's directory assistance databases at no charge. BellSouth and

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 9
ATTACHMENT A

General Terms and Conditions - Part A
Page 4

Diamond will formulate appropriate procedures regarding lead time, timeliness, format and content of listing information.

- 5.6 <u>Listing Information Confidentiality</u>. BellSouth will accord Diamond's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Diamond's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.
- 5.7 Optional Listings. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.8 <u>Delivery.</u> BellSouth or its agent shall deliver White Pages directories to Diamond subscribers at no charge.

# 6. Bona Fide Request/New Business Request Process for Further Unbundling

BellSouth shall, upon request of Diamond, provide to Diamond access to its unbundled elements at any technically feasible point for the provision of Diamond's telecommunications service where such access is necessary and failure to provide access would impair the ability of Diamond to provide services that it seeks to offer. Any request by Diamond for access to an unbundled element that is not already available shall be treated as an unbundled element Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Attachment 9.

# 7. Liability and Indemnification

- 7.1 <u>BellSouth Liability</u>. BellSouth shall take financial responsibility for its own actions in causing, or its lack of action in preventing, unbillable or uncollectible Diamond revenues.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. Neither BellSouth nor Diamond shall be liable for any act or omission of another telecommunications company providing a portion of the services provided under this Agreement.

General Terms and Conditions - Part A Page 5

# 7.3 Limitation of Liability.

- 7.3.1 Each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorney's fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its Customer and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law. such Party shall not be liable to Customer or third Party for (I) any Loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such party would have charged that applicable person for the service, product or function that gave rise to such Loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a Loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the Loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such Loss.
- 7.3.3 Neither BellSouth nor Diamond shall be liable for damages to the other's terminal location, POI or other company's customers' premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a company's negligence or willful misconduct or by a company's failure to properly ground a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 7.4 Indemnification for Certain Claims. BellSouth and Diamond providing services, their affiliates and their parent company, shall be indemnified,

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 11 ATTACE

ATTACHMENT A

General Terms and Conditions - Part A Page 6

defended and held harmless by each other against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander, invasion of privacy or copyright infringement arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the other company's customer arising from one company's use or reliance on the other company's services, actions, duties, or obligations arising out of this Agreement.

- No liability for Certain Inaccurate Data. Neither BellSouth nor Diamond assumes any liability for the accuracy of data provided by one Party to the other and each Party agrees to indemnify and hold harmless the other for any claim, action, cause of action, damage, or injury that might result from the supply of inaccurate data in conjunction with the provision of any service provided pursuant to this Agreement.
- 7.6 Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

### 8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Diamond is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark.
- Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain in the exclusive ownership of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party

### ATTACHMENT A

to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

- 8.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 of this Agreement.
- Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense, but subject to the limitations of liability set forth below:
- 8.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.4.2 obtain a license sufficient to allow such use to continue.
- 8.4.3 In the event 8.4.1 or 8.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 8.6 Exclusive Remedy. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this agreement.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 13
ATTACH

ATTACHMENT A s and Conditions - Part A

# 9. Treatment of Proprietary and Confidential Information

- 9.1 Confidential Information. It may be necessary for BellSouth and Diamond to provide each other with certain confidential information, including trade secret information, including but not limited to, technical and business plans, technical information, proposals, specifications, drawings, procedures, customer account data, call detail records and like information (hereinafter collectively referred to as "Information"). All Information shall be in writing or other tangible form and clearly marked with a confidential, private or proprietary legend and that the Information will be returned to the owner within a reasonable time. The Information shall not be copied or reproduced in any form. BellSouth and Diamond shall receive such Information and not disclose such Information. BellSouth and Diamond shall protect the Information received from distribution, disclosure or dissemination to anyone except employees of BellSouth and Diamond with a need to know such Information and which employees agree to be bound by the terms of this Section. BellSouth and Diamond will use the same standard of care to protect Information received as they would use to protect their own confidential and proprietary Information.
- 9.2 Exception to Obligation. Notwithstanding the foregoing, there will be no obligation on BellSouth or Diamond to protect any portion of the Information that is: (1) made publicly available by the owner of the Information or lawfully disclosed by a Party other than BellSouth or Diamond; (2) lawfully obtained from any source other than the owner of the Information; or (3) previously known to the receiving Party without an obligation to keep it confidential.

### 10. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate company of the Party without the consent of the other Party. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment of delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

# 11. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement

### ATTACHMENT A

General Terms and Conditions - Part A Page 9

or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

# 12. Limitation of Use

The Parties agree that this Agreement shall not be offered by either Party in another jurisdiction as evidence of any concession or as a waiver of any position taken by the other Party in that jurisdiction or for any other purpose.

### 13. Taxes

- Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 13.2 Taxes and Fees Imposed Directly On Either Seller or Purchaser.
- 13.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 13.3 Taxes and Fees Imposed on Purchaser But Collected And Remitted By Seller.
- 13.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they

3 and Conditions - Part A Page 10

are actually billed by the providing Party at the time that the respective service is billed.

- If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 13.4 Taxes and Fees Imposed on Seller But Passed On To Purchaser.

### ATTACHMENT A

General Terms and Conditions - Part A Page 11

- 13.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 13.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 17
ATTACHMENT A

General Terms and Conditions - Part A Page 12

appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

# 14. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay. restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

# 15. Year 2000 Compliance

All software and related materials (collectively called "Software") delivered, connected with BellSouth or supplied in the furtherance of the terms and conditions specified in this Agreement: (i) will record, store, process and display calendar dates falling on or after January 1, 2000, in the same manner, and with the same functionality as such software records, stores, processes and calendar dates falling on or before December 31, 1999; and (ii) shall include without limitation date data century recognition, calculations that accommodate same century and multicentury formulas and date values, and date data interface values that reflect the century.

ATTACHMENT A

General Terms and Conditions - Part A Page 13

# 16. <u>Modification of Agreement</u>

- BellSouth shall make available to Diamond any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252; provided however the parties shall adopt such other agreement in its entirety. The adopted agreement shall apply to the same states as such other agreement and for the identical term.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).
- In the event that any final and nonappealable legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Diamond or BellSouth to perform any material terms of this Agreement, Diamond or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 11.
- If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be effective thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

### 17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the specific performance of any and all of the provisions of this Agreement.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 19
ATTACHMENT A

ATTACHMENT

General Terms and Conditions - Part A Page 14

# 18. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

# 19. Arm's Length Negotiations

This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

# 20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

### BellSouth Telecommunications, Inc.

CLEC Account Team 9th Floor 600 North 19th Street Birmingham, Alabama 35203

and

General Attorney - COU Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

Diamond Telephone Services, Inc. 12 Third Street P.O. Box 922 Jackson, Mississippi 39422

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

Where specifically required, notices shall be by certified or registered mail.

Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 20

ATTACHMENT A

General Terms and Conditions - Part A Page 15

presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

20.3 BellSouth shall provide Diamond 45-day advance notice via Internet posting of price changes and of changes to the terms and conditions of services available for resale. To the extent that revisions occur between the time BellSouth notifies Diamond of changes under this Agreement and the time the changes are scheduled to be implemented, BellSouth will immediately notify Diamond of such revisions consistent with its internal notification process. Diamond may not hold BellSouth responsible for any cost incurred as a result of such revisions, unless such costs are incurred as a result of BellSouth's intentional misconduct. Diamond may not utilize any notice given under this subsection concerning a service to market resold offerings of that service in advance of BellSouth.

# 21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

# 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

# 23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

# 24. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them, and neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 21

ATTAC

ATTACHMENT A

General Terms and Conditions - Part A Page 16

This agreement includes attachments with provisions for the following services:

Unbundled Network Elements (UNEs) Local Interconnection Resale Collocation

The following services are included as options for purchase by Diamond. Diamond shall elect said services by written request to its Account Manager:

Optional Daily Usage File (ODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

| BellSouth Telecommunications, Inc. | Diamond Telephone Services, Inc. |
|------------------------------------|----------------------------------|
| Signature                          | Signature                        |
| Jerry D. Hendrix                   | Jonathan McKinley                |
| Name                               | Name                             |
| Director                           | President                        |
| Title                              | Title                            |
| alulax                             | 7-14-98                          |
| Date                               | Date                             |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 22

ATTACHMENT A 1s and Conditions - Part B
Page 17

#### Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Centralized Message Distribution System is the BellCore administered national system, based in Kansas City, Missouri, used to exchange Exchange Message Interface (EMI) formatted data among host companies.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Daily Usage File is the compilation of messages or copies of messages in standard Exchange Message Interface (EMI) format exchanged from BellSouth to an CLEC.

Exchange Message Interface is the nationally administered standard format for the exchange of data among the Exchange Carriers within the telecommunications industry.

Intercompany Settlements (ICS) is the revenue associated with charges billed by a company other than the company in whose service area such charges were incurred. ICS on a national level includes third number and credit card calls and is administered by BellCore's Credit Card and Third Number Settlement System (CATS). Included is traffic that originates in one Regional Bell Operating Company's (RBOC) territory and bills in another RBOC's territory.

Intermediary function is defined as the delivery of traffic from Diamond; a CLEC other than Diamond or another telecommunications carrier through the network of BellSouth or Diamond to an end user of Diamond; a CLEC other than Diamond or another telecommunications carrier.

Local Interconnection is defined as 1) the delivery of local traffic to be terminated on each Party's local network so that end users of either Party have the ability to reach end users of the other Party without the use of any access code or substantial delay in the processing of the call; 2) the LEC unbundled network features, functions, and capabilities set forth in this Agreement; and 3) Service Provider Number Portability sometimes referred to as temporary telephone number portability to be implemented pursuant to the terms of this Agreement.

Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS"). The terms Exchange and EAS exchanges are defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff. Local Traffic does not

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 23
ATTACHMENT A

General Terms and Conditions -- Part B

Page 18

currently include traffic that originates from or terminates to an Enhanced Service Provider (ESP) or Information Service Provider. The parties agree that until the Commission or the FCC determines, in a final and non-appealable Order, whether ESP and ISP traffic is within the definition of Local Traffic, such traffic will not be treated in this agreement.

Message Distribution is routing determination and subsequent delivery of message data from one company to another. Also included is the interface function with CMDS, where appropriate.

Multiple Exchange Carrier Access Billing ("MECAB") means the document prepared by the Billing Committee of the Ordering and Billing Forum ("OBF:), which functions under the auspices of the Carrier Liaison Committee of the Alliance for Telecommunications Industry Solutions ("ATIS") and by Bellcore as Special Report SR-BDS-000983, Containing the recommended guidelines for the billing of Exchange Service access provided by two or more LECs and/or CLECs or by one LEC in two or more states within a single LATA.

Non-Intercompany Settlement System (NICS) is the BellCore system that calculates non-intercompany settlements amounts due from one company to another within the same RBOC region. It includes credit card, third number and collect messages.

Percent of Interstate Usage (PIU) is defined as a factor to be applied to terminating access services minutes of use to obtain those minutes that should be rated as interstate access services minutes of use. The numerator includes all interstate "non-intermediary" minutes of use, including interstate minutes of use that are forwarded due to service provider number portability less any interstate minutes of use for Terminating Party Pays services, such as 800 Services. The denominator includes all "non-intermediary", local, interstate, intrastate, toll and access minutes of use adjusted for service provider number portability less all minutes attributable to terminating Party pays services.

Percent Local Usage (PLU) is defined as a factor to be applied to intrastate terminating minutes of use. The numerator shall include all "non-intermediary" local minutes of use adjusted for those minutes of use that only apply local due to Service Provider Number Portability. The denominator is the total intrastate minutes of use including local, intrastate toll, and access, adjusted for Service Provider Number Portability less intrastate terminating Party pays minutes of use.

Revenue Accounting Office (RAO) Status Company is a local exchange company/alternate local exchange company that has been assigned a unique RAO code. Message data exchanged among RAO status companies is grouped (i.e. packed) according to From/To/Bill RAO combinations.

Service Control Points ("SCPs") are defined as databases that store information and have the ability to manipulate data required to offer particular services.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 24

ATTACHMENT A

General Terms and Conditions - PartB Page 19

Signal Transfer Points ("STPs") are signaling message switches that interconnect Signaling Links to route signaling messages between switches and databases. STPs enable the exchange of Signaling System 7 ("SS7") messages between switching elements, database elements and STPs. STPs provide access to various BellSouth and third party network elements such as local switching and databases.

Signaling links are dedicated transmission paths carrying signaling messages between carrier switches and signaling networks. Signal Link Transport is a set of two or four dedicated 56 kbps transmission paths between Diamond designated Signaling Points of Interconnection that provide a diverse transmission path and cross connect to a BellSouth Signal Transfer Point.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 25
ATTACHMENT A

Attachment 1

Resale

Attachment 1 Page 2

BellSouth shall make available telecommunications services for resale at the rates set forth in Exhibit A to this agreement and subject to the exclusions and limitations set forth in Exhibit B to this agreement. It does not however waive its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. BellSouth reserves the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.

- B. Reseller may purchase resale services from BellSouth for their own use in operating their business.
  The resale discount will apply to those services under the following conditions:
  - 1. Reseller must resell services to other end users.
  - Reseller must order services through resale interfaces, i. e., the LCSC and/or appropriate Resale Account Teams pursuant to Section 3 of General Terms and Conditions.
  - Reseller cannot be an alternative local exchange telecommunications company for the single purpose of selling to themselves.
- C. The provision of services by the Company to Reseller does not constitute a joint undertaking for the furnishing of any service.
- D. Reseller will be the customer of record for all services purchased from BellSouth. Except as specified herein, the Company will take orders from, bill and expect payment from Reseller for all services.
- E. Reseller will be the Company's single point of contact for all services purchased pursuant to this Agreement. The Company shall have no contact with the end user except to the extent provided for herein.
- F. The Company will continue to bill the end user for any services that the end user specifies it wishes to receive directly from the Company.
- G. The Company maintains the right to serve directly any end user within the service area of Reseller. The Company will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of Reseller.
- H. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- I. Current telephone numbers may normally be retained by the end user. However, telephone numbers are the property of the Company and are assigned to the service furnished. Reseller has no property right to the telephone number or any other call number designation associated with services furnished by the Company, and no right to the continuance of service through any particular central office. The Company reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever the Company deems it necessary to do so in the conduct of its business.
- J. The Company may provide any service or facility for wiffch a charge is not established herein, as long as it is offered on the same terms to Reseller.

Attachment 1 Page 3

- K. Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- M. The Company can refuse service when it has grounds to believe that service will be used in violation of the law.
- N. The Company accepts no responsibility to any person for any unlawful act committed by Reseller or its end users as part of providing service to Reseller for purposes of resale or otherwise.
- O. The Company will cooperate fully with law enforcement agencies with subpoenas and court orders for assistance with the Company's customers. Law enforcement agency subpoenas and court orders regarding end users of Reseller will be directed to Reseller. The Company will bill Reseller for implementing any requests by law enforcement agencies regarding Reseller end users.
- P. The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than the Company shall not:
  - Interfere with or impair service over any facilities of the Company, its affiliates, or its connecting and concurring carriers involved in its service;
  - 2. Cause damage to their plant;
  - 3. Impair the privacy of any communications; or
  - 4. Create hazards to any employees or the public.
- Q. Reseller assumes the responsibility of notifying the Company regarding less than standard operations with respect to services provided by Reseller.
- R. Facilities and/or equipment utilized by BellSouth to provide service to Reseller remain the property of BellSouth.
- White page directory listings will be provided in accordance with regulations set forth in Section A6
  of the General Subscriber Service Tariff and will be available for resale.
- T. BellSouth will provide customer record information to Reseller provided Reseller has the appropriate Letter(s) of Authorization. BellSouth may provide customer record information via one of the following methods: US mail, fax, or by electronic interface. BellSouth will provide customer record information via US mail or fax on an interim basis only.
  - Reseller agrees to compensate BellSouth for all BellSouth incurred expenditures associated with providing such information to Reseller. Reseller will adopt and adhere to the BellSouth guidelines associated with each method of providing customer record information.
  - All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from Reseller who utilize the services. Charges for use of Operational Support Systems (OSS) shell be as set forth in Exhibit A of this attachment.
- U. BellSouth will provide certain selected messaging services to Reseller for resale of messaging service without the wholesale discount.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 28
ATTACHMENT A

Attachment 1 Page 4

- V. BellSouth's Inside Wire Maintenance Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- W. All costs incurred by BellSouth for providing services requested by Reseller that are not covered in the BellSouth tariffs shall be recovered from the Reseller(s) who utilize those services.

#### IV. BellSouth's Provision of Services to Reseller

- A. Reseller agrees that its resale of BellSouth services shall be as follows:
  - The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
  - 2. To the extent Reseller is a telecommunications carrier that serves greater than 5 percent of the Nation's presubscribed access lines, Reseller shall not jointly market its interLATA services with the telecommunications services purchased from BellSouth pursuant to this Agreement in any of the states covered under this Agreement. For the purposes of this subsection, to jointly market means any advertisement, marketing effort or billing in which the telecommunications services purchased from BellSouth for purposes of resale to customers and interLATA services offered by Reseller are packaged, tied, bundled, discounted or offered together in any way to the end user. Such efforts include, but are not limited to, sales referrals, resale arrangements, sales agencies or billing agreements. This subsection shall be void and of no effect for a particular state covered under this Agreement as of February 8, 1999 or on the date BellSouth is authorized to offer interLATA services in that state, whichever is earlier.
  - 3. Hotel and Hospital PBX service are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those telecommunications services available in the Company's A23 Shared Tenant Service Tariff (A27 in the state of Tennessee).
  - Reseller is prohibited from furnishing both flat and measured rate service on the same business
    premises to the same subscribers (end users) as stated in A2 of the Company's Tariff except for
    backup service as indicated in the applicable state tariff Section A3.
  - 5. If telephone service is established and it is subsequently determined that the class of service restriction has been violated, Reseller will be notified and billing for that service will be immediately changed to the appropriate class of service. Service charges for changes between class of service, back billing, and interest as described in this subsection shall apply at the Company's sole discretion. Interest at a rate as set forth in Section, A2 of the General Subscriber Service Tarriff and Section B2 of the Private Line Service Tarriff for the applicable state, compounded daily for the number of days from the back billing date to and including the date that Reseller actually makes the payment to the Company may be assessed.
  - The Company reserves the right to periodically audit services purchased by Reseller to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Reseller shall

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 29
ATTACHMENT A

Attachment 1 Page 5

make any and all records and data available to the Company or the Company's auditors on a reasonable basis. The Company shall bear the cost of said audit.

- B. Resold services can only be used in the same manner as specified in the Company's Tariff. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of the Company in the appropriate section of the Company's Tariffs. Specific tariff features, e.g. a usage allowance per month, shall not be aggregated across multiple resold services. Resold services cannot be used to aggregate traffic from more than one end user customer except as specified in Section A23. of the Company's Tariff referring to Shared Tenant Service.
- C. Reseller may resell services only within the specific resale service area as defined in its certificate.
- D. Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.
- E. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Reseller is strictly prohibited from any use, including but not limited to sales, marketing or advertising, of any BellSouth name or trademark.

### V. Maintenance of Services

- A. Reseller will adopt and adhere to the standards contained in the applicable BellSouth Work Center Interface Agreement regarding maintenance and installation of service.
- B. Services resold under the Company's Tariffs and facilities and equipment provided by the Company shall be maintained by the Company.
- C. Reseller or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by the Company, other than by connection or disconnection to any interface means used, except with the written consent of the Company.
- Reseller accepts responsibility to notify the Company of situations that arise that may result in a service problem.
- E. Reseller will be the Company's single point of contact for all repair calls on behalf of Reseller's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.
- F. Reseller will contact the appropriate repair centers in accordance with procedures established by the Company.
- G. For all repair requests, Reseller accepts responsibility for adhering to the Company's prescreening guidelines prior to referring the trouble to the Company.
- H. The Company will bill Reseller for handling troubles that are found not to be in the Company's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 30
ATTACHMENT A

Attachment 1 Page 6

 The Company reserves the right to contact Reseller's customers, if deemed necessary, for maintenance purposes.

#### VI. Establishment of Service

- A. After receiving certification as a local exchange company from the appropriate regulatory agency, Reseller will provide the appropriate Company service center the necessary documentation to enable the Company to establish a master account for Reseller. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, the Company will begin taking orders for the resale of service.
- Service orders will be in a standard format designated by the Company.
- C. When notification is received from Reseller that a current customer of the Company will subscribe to Reseller's service, standard service order intervals for the appropriate class of service will apply.
- D. The Company will not require end user confirmation prior to establishing service for Reseller's end user customer. Reseller must, however, be able to demonstrate end user authorization upon request.
- E. Reseller will be the single point of contact with the Company for all subsequent ordering activity resulting in additions or changes to resold services except that the Company will accept a request directly from the end user for conversion of the end user's service from Reseller to the Company or will accept a request from another CLEC for conversion of the end user's service from Reseller to the other LEC. The Company will notify Reseller that such a request has been processed.
- F. If the Company determines that an unauthorized change in local service to Reseller has occurred, the Company will reestablish service with the appropriate local service provider and will assess Reseller as the CLEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4. of the General Subscriber Service Tariff, will also be assessed to Reseller. These charges can be adjusted if Reseller provides satisfactory proof of authorization.
- G. In order to safeguard its interest, the Company reserves the right to secure the account with a suitable form of security deposit, unless satisfactory credit has already been established.
  - Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to the Company. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.
  - If a security deposit is required, such security deposit shall be made prior to the inauguration of service.
  - 3. Such security deposit may not exceed two months' estimated billing.
  - 4. The fact that a security deposit has been made in no way relieves Reseller from complying with the Company's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of the

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 31

ATTACHMENT A

Attachment 1 Page 7

Company providing for the discontinuance of service for non-payment of any sums due the Company.

- The Company reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.
- In the event that Reseller defaults on its account, service to Reseller will be terminated and any security deposits held will be applied to its account.
- Interest on a security deposit shall accrue and be refunded in accordance with the terms in the appropriate BellSouth tariff.

### VII. Payment And Billing Arrangements

- A. Prior to submitting orders to the Company for local service, a master account must be established for Reseller. The Reseller is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- B. The Company shall bill Reseller on a current basis all applicable charges and credits.
- C. Payment of all charges will be the responsibility of Reseller. Reseller shall make payment to the Company for all services billed. The Company is not responsible for payments not received by Reseller from Reseller's customer. The Company will not become involved in billing disputes that may arise between Reseller and its customer. Payments made to the Company as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- D. The Company will render bills each month on established bill days for each of Reseller's accounts.
- E. The Company will bill Reseller, in advance, charges for all services to be provided during the ensuing billing period except charges associated with service usage, which charges will be billed in arrears. Charges will be calculated on an individual end user account level, including, if applicable, any charges for usage or usage allowances. BellSouth will also bill all charges, including but not limited to 911 and E911 charges, telecommunications relay charges, and franchise fees, to Reseller.
- F. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by the Company.
  - If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the
    payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the
    payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday,
    Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such
    Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty,
    as set forth in I. following, shall apply.
  - If Reseller requests multiple billing media or additional copies of bills, the Company will provide these at an appropriate charge to RESELLER.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 32

ATTACHMENT A

Attachment 1 Page 8

### 3. Billing Disputes

- Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a
  billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the
  Bill Date on which such disputed charges appear. Resolution of the dispute is expected to occur at the
  first level of management resulting in a recommendation for settlement of the dispute and closure of a
  specific billing period. If the issues are not resolved within the allotted time frame, the following
  resolution procedure will begin:
- 1.1 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.
- 1.2. If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.
- 2. If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. In no event, however, shall any late payment charges be assessed on any previously assessed late payment charges.
- G. Upon proof of tax exempt certification from Reseller, the total amount billed to Reseller will not include any taxes due from the end user. Reseller will be solely responsible for the computation. tracking, reporting and payment of all federal, state and/or local jurisdiction taxes associated with the services resold to the end user.
- H. As the customer of record, Reseller will be responsible for, and remit to the Company, all charges applicable to its resold services for emergency services (E911 and 911) and Telecommunications Relay Service (TRS) as well as any other charges of a similar nature.
- If any portion of the payment is received by the Company after the payment due date as set forth preceding, or if any portion of the payment is received by the Company in funds that are not immediately available to the Company, then a late payment penalty shall be due to the Company. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff and Section B2 of the Private Line Service Tariff.
- J. Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, the Company. No additional charges are to be assessed to Reseller.
- K. The Company will not perform billing and collection services for Reseller as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within the Company.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 33
ATTACHMENT A

Attachment 1 Page 9

- L. Pursuant to 47 CFR Section 51.617, the Company will bill Reseller end user common line charges identical to the end user common line charges the Company bills its end users.
- M. In general, the Company will not become involved in disputes between Reseller and Reseller's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of the Company, Reseller shall contact the designated Service Center for resolution. The Company will make every effort to assist in the resolution of the dispute and will work with Reseller to resolve the matter in as timely a manner as possible. Reseller may be required to submit documentation to substantiate the claim.

#### VIII. Discontinuance of Service

- A. The procedures for discontinuing service to an end user are as follows:
  - Where possible, the Company will deny service to Reseller's end user on behalf of, and at the
    request of, Reseller. Upon restoration of the end user's service, restoral charges will apply and
    will be the responsibility of Reseller.
  - 2. At the request of Reseller, the Company will disconnect a Reseller end user customer.
  - All requests by Reseller for denial or disconnection of an end user for nonpayment must be in writing.
  - Reseller will be made solely responsible for notifying the end user of the proposed disconnection
    of the service.
  - 5. The Company will continue to process calls made to the Annoyance Call Center and will advise Reseller when it is determined that annoyance calls are originated from one of their end user's locations. The Company shall be indemnified, defended and held harmless by Reseller and/or the end user against any claim, loss or damage arising from providing this information to Reseller. It is the responsibility of Reseller to take the corrective action necessary with its customers who make annoying calls. Failure to do so will result in the Company's disconnecting the end user's service.
- B. The procedures for discontinuing service to Reseller are as follows:
  - The Company reserves the right to suspend or terminate service for nonpayment or in the event
    of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any
    other violation or noncompliance by Reseller of the rules and regulations of the Company's
    Tariffs. -
  - 2. If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Reseller, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by Reseller to receive notices of noncompliance, discontinue the provision of existing services to Reseller at any time thereafter.
  - In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 34

ATTACHMENT A

Attachment I Page 10

- 4. If BellSouth does not discontinue the progrision of the services involved on the date specified in the thirty days notice and Reseller's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Reseller without further notice.
- 5. If payment is not received or arrangements made for payment by the date given in the written notification, Reseller's services will be discontinued. Upon discontinuance of service on a Reseller's account, service to Reseller's end users will be denied. The Company will also reestablish service at the request of the end user or Reseller upon payment of the appropriate connection fee and subject to the Company's normal application procedures. Reseller is solely responsible for notifying the end user of the proposed disconnection of the service.
- If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 35

ATTACHMENT A

Attachment 1 Page 11

EXHIBIT A

Page 1 of 2

### APPLICABLE DISCOUNTS

The telecommunications services available for purchase by Reseller for the purposes of resale to Reseller end users shall be available at the following discount off of the retail rate.

### **DISCOUNT**

| STATE          | RESIDENCE | BUSINESS |
|----------------|-----------|----------|
| ALABAMA        | 16.3%     | 16.3%    |
| FLORIDA        | 21.83%    | 16.81%   |
| GEORGIA        | 20.3%     | 17.3%    |
| KENTUCKY       | 16.79%    | 15.54%   |
| LOUISIANA      | 20.72%    | 20.72%   |
| MISSISSIPPI    | 15.75%    | 15.75%   |
| NORTH CAROLINA | 21.5%     | 17.6%    |
| SOUTH CAROLINA | 14.8%     | 14.8%    |
| TENNESSEE**    | 16%       | 16%      |

When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of
another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from
the serving state.

<sup>••</sup> In Tennessee, if CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 36

ATTACHMENT A

Attachment 1
Page 12
Exhibit A
Page 2 of 2

|                | Interactive Ordering and Trouble Maintenance System |   | OSS Order Charge<br>(per end user account) |  |
|----------------|---|---|--|--|
|                | Non-Recurring<br>Establishment<br>Charge            | Recurring Charge,<br>per month  | Charge per order                           | Surcharge for<br>manually placed<br>orders |
| ALABAMA        | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |
| FLORIDA        | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |
| GEORGIA        | \$200.00  | \$550.00 per first 1000<br>electronic orders <sup>1</sup><br>\$110.00 per each add <sup>1</sup> 1<br>1000 electronic<br>orders <sup>1</sup> | Note <sup>2</sup>                          | \$22.00 <sup>3</sup><br>Note <sup>4</sup>  |
| KENTUCKY       | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |
| LOUISIANA      | \$100.00  | \$50.00   | \$9.16                                     | \$22.00 <sup>3</sup><br>Note <sup>4</sup>  |
| MISSISSIPPI    | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |
| NORTH CAROLINA | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |
| SOUTH CAROLINA | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |
| TENNESSEE      | \$100.00  | \$50.00   | \$10.80                                    | \$22.00                                    |

<sup>&#</sup>x27;The Charge per order applies on a per end user account basis.

<sup>&</sup>lt;sup>2</sup> The Georgia Public Service Commission ("PSC") ordered in Docket 7061 that there would be no OSS charge within the Charge per Electronic Order column. Instead the Georgia PSC ordered monthly recurring charges based on the number of orders.

Applies to Resale only.

<sup>\*</sup>Applies to UNEs - Incremental cost for manual service order vs. electronic is assessed on an elemental basis as set forth in Attachment 11.

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 37

#### ATTACHMENT A

Attachment 1 Page 13 EXHIBIT B

|    | Type of                         | AL      |           | FL      |           | GA      |           | KY      |           | LA      |          |
|----|---------------------------------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|----------|
|    | Service                         | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? | Resale? | Discount |
| 1  | Grandfathered Services          | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes      |
| 2  | Contract Service Arrangements   | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | No        | Yes     | Yes      |
| 3  | Promotions - > 90 Days          | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes      |
| 4  | Promotions - < 90 Days          | Yes     | No        | Yes     | No        | Yes     | No        | No      | No        | Yes     | No       |
| 5  | Lifeline/Link Up Services       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | No      | No        | Yes     | Yes      |
| 6  | 911/E911 Services (See Note8)   | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | No      | No       |
| 7  | N11 Services (See Note 8)       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | No      | No        | No      | No       |
| 8  | AdWatchSM Svc (See Note 7)      | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No       |
| 9  | MemoryCall® Service             | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No       |
| 10 | Mobile Services                 | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No       |
| 11 | Federal Subscriber Line Charges | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No       |
| 12 | Non-Recurring Charges           | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes      |

|    | Type of                         | MS      |           | NC      |           | SC      |           | TN      |           |
|----|---------------------------------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|
|    | Service                         | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? | Resale? | Discount? |
| 1  | Grandfathered Services          | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       |
| 2  | Contract Service Arrangements   | Note 5  | Note 5    | Yes     | Yes       | Yes     | No        | Yes     | Yes       |
| 3  | Promotions - > 90 Days          | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Note 3    |
| 4  | Promotions - < 90 Days          | Yes     | No        | No      | No        | Yes     | No        | No      | No        |
| 5  | Lifeline/Link Up Services       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Note 4    |
| 6  | 911 E911 Services (See Note8)   | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       |
| 7  | N11 Services (See Note 8)       | No      | No        | No      | No        | Yes     | Yes       | Yes     | Yes       |
| 8  | AdWatchs Svc (See Note 7)       | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        |
| 9  | MemoryCall® Service             | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        |
| 10 | Mobile Services                 | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        |
| 11 | Federal Subscriber Line Charges | Yes     | No        | Yes     | No        | Yes     | No        | Yes     | No        |
| 12 | Non-Recurring Charges           | Yes     | Yes       | Yes     | Yes       | Yes     | Yes       | Yes     | No        |

#### Applicable Notes:

- 1 Grandfathered services can be resold only to existing subscribers of the grandfathered service.
- 2 Where available for resale, promotions will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
- 3 In Tennessee, long-term promotions (offered for more than ninety (90) days) may be obtained at one of the following rates:

   (a) the stated tariff rate, less the wholesale discount:
  - (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)
- 4 Lifeline/Link Up services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services. In Tennesses, Reseller shall purchase BellSouth's Message Rate Service at the stated tariff rate, less the wholesale discount. Reseller must further discount the wholesale Message Rate Service to LifeLine customers with a discount which is no less than the minimum discount that BellSouth now provides. Reseller is responsible for recovering the Subscriber Line Charge from the National Exchange Carriers Association interstate toll settlement pool just as BellSouth does today. The maximum rate that Reseller may charge for LifeLine Service shall be capped at the flat retail rate offered by BellSouth.
- 5 In Mississippi, all Contract Service Arrangements entered into by BellSouth or terminating after the effective date of the Commission Order (3/10/97) will be subject to resale without the wholesale discount. All CSAs which are in place as of the effective date of the Commission order (3/10/97) will not be available for resale.
- 6 Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
- 7 AdWatchSM Service is tariffed as BellSouth® AIN Virtual Number Call Detail Service.
- 8 Exclusions for N11/911/E911 are also applicable to equipment associated with the service.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 38
ATTACHMENT A

Attachment 1 Page 14 ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 39

ATTACHMENT A

# Attachment 2

**Unbundled Network Elements** 

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 40

ATTACHMENT A

Attachment 2 Page 1

# TABLE OF CONTENTS

| 1. INTRODUCTION                              |    |
|--|----|
| 2. UNBUNDLED LOOPS                           | 3  |
| 3. INTEGRATED DIGITAL LOOP CARRIERS          | 5  |
| 4. NETWORK INTERFACE DEVICE                  | 5  |
| 5. UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM |    |
| 6. SUB-LOOP ELEMENTS                         |    |
| 7. LOCAL SWITCHING                           | 10 |
| 8. TRANSPORT                                 | 15 |
| 9. OPERATOR SYSTEMS                          | 23 |
| 10. SIGNALING                                | 29 |
| 11. SIGNALING TRANSFER POINTS (STPS)         | 30 |
| 12. SERVICE CONTROL POINTS/DATABASES         | 35 |
| 13. DARK FIBER                               | 44 |
| 14. SS7 NETWORK INTERCONNECTION              | 45 |
| 15 BASIC 911 AND E911                        | 49 |

ATTACHMENT A

Attachment 2 Page 2

# ACCESS TO UNBUNDLED NETWORK ELEMENTS

### Introduction 1. BellSouth shall, upon request of Diamond, and to the extent technically 1.1.1 feasible, provide to Diamond access to its unbundled network elements for the provision of Diamond's telecommunications service. Access to unbundled Network Elements provided pursuant to this 1.1.2 Agreement may be connected to other Services and Elements provided by BellSouth or to any Services and Elements provided by CLEC itself or by any other vendor. Diamond may purchase unbundled Network Elements for the purpose of .1.1.3 combining such Network Elements by Diamond in any manner that is technically feasible. BellSouth shall comply with the requirements as set forth in the technical 1.1.4 references within Attachment 2 to the extent that they are consistent with the greater of BellSouth's actual performance or applicable industry standards. BellSouth Order Coordination referenced in Attachment 2 includes two 1.1.5 types: "Order Coordination" and "Order Coordination - Time Specific." "Order Coordination" refers to standard BellSouth service order 1.1.5.1 coordination. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and Diamond advised. Order coordination for new service or non-physical conversions will be performed by BellSouth at non-scheduled intervals on the committed due date and Diamond

"Order Coordination - Time Specific" refers to service order coordination in which Diamond requests a specific time for a service order conversion to take place. This is a chargeable option for any coordinated order.

advised. Where facilities are available, BellSouth will install unbundled loops within a 5-7 business days interval. For orders of 14 or more unbundled loops, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some unbundled loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Diamond, expedite charges will apply for intervals less than 5 days. The charges outlined in BST's FCC # 1 Tariff, Section 5.1.1, will apply.

ATTACHMENT A

Attachment 2 Page 3

# 2. Unbundled Loops

- 2.1.1 BellSouth agrees to offer access to unbundled loops pursuant to the following terms and conditions and at the rates set forth in Attachment 11.
- 2.2 Definition
- 2.2.1 The loop is the physical medium or functional path on which a subscriber's traffic is carried from the MDF or similar terminating device in a central office or similar environment up to the termination at the NID at the customer's premise. Each unbundled loop will be provisioned with a NID.
- 2.2.2 The provisioning of service to a customer will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment in co-located space.
- 2.2.3 BST will offer voice loops in two different service levels Service Level
  One (SL1) and Service Level Two (SL2). SL1 loops will be non-designed,
  will not have test points, and will not come with any Order Coordination
  (OC) or engineering information/circuit make-up data. Since SL1 loops do
  not come standard with OC, these loops will be activated on the due date
  in the same manner and time frames that BST normally activates POTStype loops for its customers.
- 2.2.4 The OC and El feature will be provided as a chargeable option on SL1 loops. The OC feature will allow Diamond to coordinate the installation of the loop with the disconnect of an existing customers service and/or number portability service, whereby, the end-user would normally be out of service for an average of less than 15 minutes. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.2.5 SL2 loops will be designed, will be provisioned with test points (where appropriate), and will come with standard Order Coordination and a designed layout record (DLR).
- 2.2.6 BST will offer digital loops as Service Level One elements. They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a DLR.
- 2.2.7 As a chargeable option on all unbundled loops, BST will offer Order Coordination Time Specific (OC-TS). This will allow Diamond the ability to specify the time that the coordinated conversion takes place.

- 2.2.8 Diamond will be responsible for testing and isolating troubles on the unbundled loops. Once Diamond has isolated a trouble to the BST provided loop, Diamond will issue a trouble to BST on the loop. BST will take the actions necessary to repair the loop if a trouble actually exists. BST will repair these loops in the same time-frames that BST repairs loops to its customers.
- 2.2.9 If Diamond reports a trouble on SL1 loops and no trouble actually exists, BST will charge Diamond for any dispatching and testing (both inside and outside the CO) required by BST in order to confirm the loop's working status.
- 2.2.10 If Diamond reports a trouble on SL2 loops and no trouble actually exists, BST will charge Diamond for any dispatching and testing, (outside the CO) required by BST in order to confirm the loop's working status.
- 2.3 Technical Requirements
- 2.3.1 BST will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, and digital data (up to 64 kb/s). Additional services may include digital PBXs, primary rate iSDN, Nx 64 kb/s, and DS1/DS3 and SONET private lines.
- 2.3.1.1 The loop will support the transmission, signaling, performance and interface requirements of the services described in 2.3.1 above. It is recognized that the requirements of different services are different, and that a number of types or grades of loops are required to support these services. Services provided over the loop by Diamond will be consistent with industry standards.
- 2.3.1.2 In some instances, Diamond will require access to copper twisted pair loop combination unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Diamond can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. Diamond will determine the type of service that will be provided over the loop. In some cases, Diamond may be required to pay additional charges for the removal of certain types of equipment.
- 2.3.2 The loop shall be provided to Diamond in accordance with the following Technical References:
- 2.3.2.1 Bellcore TR-NWT-000057, Functional Criteria for Digital Loop Carrier Systems, Issue 2, January 1993.

|         | NO. PSC-98-1430-FOF-TP NO. 980967-TP   |
|---------|--|
| PAGE 4  |  |
| 2.3.2.2 | Bellcore TR-NWT-000393, Generic Requirements for ISDN Basic Access Digital Subscriber Lines.   |
| 2.3.2.3 | ANSI T1.106 - 1988, American National Standard for Telecommunications - Digital Hierarchy - Optical Interface Specifications (Single Mode).  |
| 2.3.2.4 | ANSI T1.102 - 1993, American National Standard for Telecommunications - Digital Hierarchy - Electrical Interfaces.   |
| 2.3.2.5 | ANSI T1.403 - 1989, American National Standard for Telecommunications - Carrier to Customer Installation, DS1 Metallic Interface Specification.  |
| 2.3.2.6 | Bellcore TR-TSY-000008, Digital Interface Between the SLC 96 Digital Loop Carrier System and a Local Digital Switch, Issue 2, August 1987.   |
| 2.3.2.7 | Bellcore TR-NWT-000303, Integrated Digital Loop Carrier System Generic Requirements, Objectives and Interface, Issue 2, December 1992; Rev.1, December 1993; Supplement 1, December 1993.  |
| 2.3.2.8 | Bellcore TR-TSY-000673, Operations Systems Interface for an IDLC System, (LSSGR) FSD 20-02-2100, Issue 1, September 1989.  |
| 3.      | Integrated Digital Loop Carriers   |
| 3.1.1   | Where BellSouth uses Integrated Digital Loop Carrier (IDLCs) systems to provide the local loop and BellSouth has an alternate facility available, BellSouth will make alternative arrangements to permit Diamond to order a contiguous unbundled local loop. To the extent it is technically feasible, these arrangements will provide Diamond with the capability to serve end users at the same level BellSouth provides its customers. If no alternate facility is available, BST will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Diamond will then have the option of paying the one-time SC rates to place the loop facilities or Diamond may chose some other method of providing service to the end-user (e.g., Resale, private facilities, etc.) |
| 4.      | Network Interface Device   |

The Network Interface Device (NID) is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit. The fundamental function of the NID is to establish

4.1

4.1.1

Definition

the official network demarcation point between a carrier and its end-user customer. The NID features two independent chambers or divisions which separate the service provider's network from the customer's inside wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider, and the end-user customer each make their connections. The NID provides a protective ground connection, and is capable of terminating cables such as twisted pair cable.

- 4.2 Technical Requirements
- 4.2.1 The Network Interface Device shall provide a clean, accessible point of connection for the inside wiring and for the Distribution Media and shall maintain a connection to ground that meets the requirements set forth below.
- The NID shall be capable of transferring electrical analog or digital signals between the customer's inside wiring and the Distribution Media.
- 4.2.3 All NID posts or connecting points shall be in place, secure, usable and free of any rust or corrosion. The protective ground connection shall exist and be properly installed. The ground wire will also be free of rust or corrosion and have continuity relative to ground.
- 4.2.4 The NID shall be capable of withstanding all normal local environmental variations.
- 4.2.5 Where feasible, the NID shall be physically accessible to Diamond designated personnel. In cases where entrance to the customer premises is required to give access to the NID, Diamond shall obtain entrance permission directly from the customer.
- 4.2.6 BellSouth shall offer the NID as a stand-alone component. Additionally, Diamond may connect its loop to any spare capacity on the BST NID. Where necessary to comply with an effective Commission order, BST will allow Diamond to disconnect the BST loop from the BST NID in order to connect Diamond's loop to the BST NID. In these cases, Diamond accepts all liability associated with this process and it is Diamond's responsibility to make sure the disconnected BST loop is properly grounded.
- 4.3 Interface Requirements
- 4.3.1 The NID shall be the interface to customers' premises wiring for alternative loop technologies.

|         | R NO. PSC-98-1430-FOF-TP<br>ET NO. 980967-TP   |
|---------|--|
| PAGE    | ATTACHMENT A  Attachment 2 Page 7  |
| 4.3.2   | The NID shall be equal to or better than all of the requirements for NIDs set forth in the following technical references:   |
| 4.3.2.1 | Bellcore Technical Advisory TAJTSY-000120 "Customer Premises or Network Ground Wire";  |
| 4.3.2.2 | Bellcore Generic Requirement GR-49-CORE "Generic Requirements for Outdoor Telephone Network Interface Devices";  |
| 4.3.2.3 | Bellcore Technical Requirement TR-NWT-00239 "Indoor Telephone Network Interfaces";   |
| 4.3.2.4 | Bellcore Technical Requirement TR-NWT-000937 "Generic Requirements for Outdoor and Indoor Building Entrance"   |
| 5.      | Unbundled Loop Concentration (ULC) System  |
| 5.1.1   | BellSouth will provide to Diamond unbundled loop concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.  |
| 5.1.2   | ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high speed connection from the concentrator will be at the electrical DS1 level and may connect to Diamond at Diamond's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each unbundled loop that is terminated onto the ULC system. Rates for ULC are as set forth in Attachment 11. |
| 6.      | Sub-loop Elements  |
| 6.1     | Where facilities permit and where necessary to comply with an effective Commission order, BellSouth shall offer access to its Unbundled Sub-Loop (USL), Unbundled Sub-Loop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements.   |

| 6.2 | Unbundled | Suþ-loop | (USL) |
|-----|-----------|----------|-------|
|-----|-----------|----------|-------|

#### 6.2.1 Definition

- 6.2.1.1 Unbundled Sub-Loop provides connectivity between the NID component of the unbundled sub-loop and the terminal block on the customer-side of a Feeder Distribution Interface (FDI). This termination and cross-connect field may be in the form of an outside plant distribution closure, remote terminal or fiber node, or an underground vault. Riser Cable that extends from BST's point-of-entry into a building (e.g., equipment closet, terminal room, etc.) to the NID on a particular floor or office space in a multi-tenant building is also classified as a USL. Unbundled Sub-Loops will be provisioned as 2-wire or 4-wire circuits and will include a NID.
- The Unbundled Sub-Loop may be copper twisted pair, coax cable, or single or multi-mode fiber optic cable. A combination that includes two or more of these media is also possible. If Diamond requires a copper twisted pair Unbundled Sub-Loop in instances where the Unbundled Sub-Loop for services that BellSouth offers is other than a copper facility, BellSouth will provide that media if those facilities exist. If there are no copper facilities available, BellSouth will use its Special Construction process to determine if facilities can be provided to Diamond.

# 6.2.2 Requirements for All Unbundled Sub-Loop

- 6.2.2.1 Unbundled Sub-Loops shall be capable of carrying all signaling messages or tones needed to provide telecommunications services.
- Unbundled Sub-Loop shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop itself, as well as provide necessary access to provisioning, maintenance and testing functions for Network Elements to which it is associated.
- 6.2.2.3 Unbundled Sub-Loop shall be equal to or better than all of the applicable requirements set forth in the following technical references:
- 6.2.2.3.1 Bellcore TR-TSY-000057, "Functional Criteria for Digital Loop Carrier Systems"; and
- 6.2.2.3.2 Bellcore TR-NWT-000393, "Generic Requirements for ISDN Basic Access Digital Subscriber Lines."

## 6.2.3 Interface Requirements

| ORDER | NO. PSC-98-1430- | FOF-TP  |
|-------|------------------|---|
| DOCKE | T NO. 980967-TP  |   |
| PAGE  |                  | ATTACHMENT A  |
| 2.3.1 |                  | all be equal to or better than eac<br>irements set forth in the following |

- 6.2 h of the g technical references:
- 6.2.3.2 Bellcore TR-NWT-000049, "Generic Requirements for Outdoor Telephone Network Interface Devices," Issued December 1,1994;
- 6.2.3.3 Bellcore TR-NWT-000057, "Functional Criteria for Digital Loop Carrier Systems," Issued January 2, 1993;
- 6234 Bellcore TR-NWT-000393, "Generic Requirements for ISDN Basic Access Digital Subscriber Lines":
- 6.2.3.5 Bellcore TR-NWT-000253, SONET Transport Systems: Common Criteria (A module of TSGR, FR-NWT-000440), Issue 2, December 1991)
- 6.3 Unbundled Sub-Loop Concentration System (USLC)
- 6.3.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to Diamond with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Diamond's collocation space. TR-008 and TR303 interface standards are available.
- 6.3.2 USLC, using the Lucent Series 5 equipment, will be offered in two sizes. System A will allow up to 96 of Diamond's sub-loops to be concentrated onto multiple DS1s. System B will allow up to 192 of Diamond's subloops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.
- 6.3.3 In these scenarios Diamond would be required to place a cross-box. remote terminal (RT), or other similar device and deliver a cable to the BST remote terminal. This cable would be connected to a cross-connect panel within the BST RT and would allow Diamond's sub-loops to then be placed on the ULSC and transported tetheir collocation space at a DS1 level.

# 6.4 Unbundled Network Terminating Wire (UNTW)

6.4.1 BellSouth shall offer its Network Terminating Wire to Diamond pursuant to the following terms and conditions. Unbundled Network Terminating Wire will be provided via the Bona Fide Request/New Business Request Process as set forth in Attachment 9.

#### 6.5 Definition

6.5.1 UNTW is twisted copper wire that extends from BST's point-of-entry into a multi-tenant building (MTB) or multi-dwelling unit (MDU) to the NID at the end-users location.

#### 6.6 Technical Requirements

- In these scenarios Diamond will be required to place a cross-box, terminal, or other similar device and deliver a cable to the BST terminal located at the buildings point-of-entry or garden terminal. BST will then connect Diamond's cable to a cross-connect panel within the BST terminal.
- 6.6.2 This arrangement would then provide Diamond with connectivity from its feeder and/or distribution facilities (terminated in CLEC's terminal) to the NTW and the NID at the end-user premises.

# 7. Local Switching

BellSouth agrees to offer access to local switching pursuant to the following terms and conditions and at the rates set forth in Attachment 11.

### 7.1 Definition

7.1.1 Local Switching is the Network Element that provides the functionality required to connect the appropriate originating lines or trunks wired to the Main Distributing Frame (MDF) or Digital Cross Connect (DSX) panel to a desired terminating line or trunk. Such functionality shall include access to all of the features, functions, and capabilities that the underlying BellSouth switch that is providing such Local Switching function is then capable of providing, including but not limited to: line signaling and signaling software, digit reception, dialed number translations, call screening, routing, recording, call supervision, dial tone, switching, telephone number provisioning, announcements, calling features and capabilities (including call processing), CENTREX, Automatic Call Distributor (ACD), Carrier presubscription (e.g. long distance carrier, intraLATA toll), Carrier Identification Code (CIC) portability capabilities, testing and other

operational features inherent to the switch and switch software. It also provides access to transport, signaling (ISDN User Part (ISUP) and Transaction Capabilities Application Part (TCAP), and platforms such as adjuncts, Public Safety Systems (911), operator services, Directory Assistance Services and Advanced Intelligent Network (AIN). Remote Switching Module functionality is included in the Local Switching function. The switching capabilities used will be based on the line side features they support. Local Switching will also be capable of routing local. intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g., call forwarding) and CENTREX capabilities. Where required to do so in order to comply with an effective Commission order, Local Switching, including the ability to route to Diamond's transport facilities, dedicated facilities and systems, shall be unbundled from all other unbundled Network Elements, i.e., Operator Systems, Shared Transport, and Dedicated Transport. BellSouth and Diamond shall continue to work with the appropriate industry groups to develop a longterm solution for selective routing.

- A featureless port is one that has a line port, switching functionality, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Diamond. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.
- 7.1.3 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to Diamond purchasing unbundled local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. Diamond customers may use the same dialing arrangements as BellSouth customers, but obtain an Diamond branded service.

### 7.2 Technical Requirements

- 7.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.
- 7.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in Bellcore's Local Switching Systems General Requirements (FR-NWT-000064).
- 7.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.

Attachment 2

Page 12 Subject to sections 10.1.1 and 10.1.3, BellSouth shall route calls on a per 7.2.1.3 line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Diamond will be made pursuant to the Bona Fide Request Process of Attachment 9. 7.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition. 7.2.1.5 BellSouth shall activate service for an Diamond customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Diamond's services without loss of switch feature functionality as defined in this Agreement. 7216 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule. 7217 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching. 7.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non discriminatory manner. 7.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace. 7 2 1 10 Special Services provided by BellSouth will include the following: 7.2.1.10.1 Telephone Service Prioritization; 7.2.1.10.2 Related services for handicapped: 7.2.1.10.3 Soft dial tone where required by law; and 7.2.1.10.4 Any other service required by law. BellSouth shall provide Switching Service Point (SSP) capabilities and 7.2.1.11 signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to Bellcore specifications - TCAP (GR-1432-CORE), ISUP(GR-905-

CORE), Call Management (GR-1429-CORE), Switched Fractional DS1 (GR-1357-CORE), Toll Free Service (GR-1428-CORE), Calling Name

| (GR-1597-CORE), Line Information Database (GR-954-CORE), ar | nd |
|---|----|
| Advanced Intelligent Network (GR-2863-CORE).                |    |

- 7.2.1.12 BellSouth shall provide interfaces to adjuncts through Bellcore standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.
- 7.2.1.13

  BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to Diamond, upon a reasonable request from Diamond. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.
- 7.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other party. Such feature offerings shall include but are not limited to:
- 7.2.1.14.1 Basic and primary rate ISDN;
- 7.2.1.14.2 Residential features;
- 7.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);
- 7.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and
- 7.2.1.14.5 Advanced intelligent network triggers supporting Diamond and BellSouth service applications.

  RellSouth shall offer to Diamond all AIN triggers in connection with its

BellSouth shall offer to Diamond all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are:

- 7.2.1.14.5.1 Off-Hook Immediate
- 7.2.1.14.5.2 Off-Hook Delay
- 7.2.1.14.5.3 Termination Attempt
- 7.2.1.14.5.4 6/10 Public Office Dialing Plan
- 7.2.1.14.5.5 Feature Code Dialing
- 7.2.1.14.5.6 Customer Dialing Plan
- 7.2.1.14.6 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to Diamond:

ATTACHMENT A
Attachment 2
Page 14

| 7.2.1.14.6.1 | Private EAMF Trunk  |
|--------------|---|
| 7.2.1.14.6.2 | Shared Interoffice Trunk (EAMF, SS7)  |
| 7.2.1.14.6.3 | N11   |
| 7.2.1.14.6.4 | Automatic Route Selection   |
| 7.2.1.15     | Where capacity exists, BellSouth shall assign each Diamond customer line the class of service designated by Diamond (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from Diamond customers to Diamond directory assistance operators at Diamond's option.  |
| 7.2.1.16     | Where capacity exists, BellSouth shall assign each Diamond customer line the class of services designated by Diamond (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from Diamond customers to Diamond operators at Diamond's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to an Diamond Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged. |
| 7.2.1.17     | Local Switching shall be offered in accordance with the requirements of the following technical references:   |
| 7.2.1.17.1   | BellCore GR-1298-CORE, AIN Switching System Generic Requirements as implemented in BellSouth's switching equipment;   |
| 7.2.1.17.2   | BellCore GR-1299-CORE, AIN Switch-Service Control Point (SCP)/Adjunct Interface Generic Requirements;   |
| 7.2.1.17.3   | BellCore TR-NWT-001284, AIN 0.1 Switching System Generic Requirements;  |
| 7.2.1.17.4   | BellCore SR-NWT-002247, AIN Release 1 Update.   |
| 7.2.2        | Interface Requirements  |
| 7.2.2.1      | BellSouth shall provide the following interfaces to loops:  |
| 7.2.2.2      | Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);  |
| 7.2.2.3      | Coin phone signaling;   |

DOCKET NO. 980967-TP PAGE 54 ATTACHMENT A Attachment 2 Page 15 Basic Rate Intefface ISDN adhering to appropriate Bellcore Technical 7.2.2.4 Requirements: Two-wire analog interface to PBX; 7.2.2.5 Four-wire analog interface to PBX; 7.2.2.5.1 Four-wire DS1 interface to PBX or customer provided equipment (e.g. 7.2.2.6 computers and voice response systems); Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and 7227 appropriate Bellcore Technical Requirements; Switched Fractional DS1 with capabilities to configure Nx64 channels 7.2.2.8 (where N = 1 to 24); and Loops adhering to Bellcore TR-NWT-08 and TR-NWT-303 specifications 7229 to interconnect Digital Loop Carriers. BellSouth shall provide access to the following but not limited to: 7.2.2.10 SS7 Signaling Network or Multi-Frequency trunking if requested by 7.2.2.11 Diamond; Interface to Diamond operator services systems or Operator Services 7 2 2 12 through appropriate trunk interconnections for the system; and Interface to Diamond directory assistance services through the Diamond 7.2.2.13 switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other Diamond required access to interexchange carriers as requested through appropriate trunk interfaces. Transport 8. BellSouth agrees to offer access to unbundled transport including Shared Transport, Dedicated Transport and Tandem Switching pursuant to following terms and conditions and at the rates set forth in Attachment 11. **Definition of Shared Transport** 8.1 Shared Transport is an interoffice transmission path between BellSouth Network Elements. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Shared Transport. Shared Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

ORDER NO. PSC-98-1430-FOF-TP

| INGL    | ATTACHMENT A Attachment 2 Page 16  |
|---------|--|
| 8.2     | Technical Requirements of Shared Transport   |
| 8.2.1   | Shared Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.                               |
| 8.2.2   | Shared Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, Shared Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards. |
| 8.2.3   | BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Shared Transport.  |
| 8.2.4   | At a minimum, Shared Transport shall meet all of the requirements set forth in the following technical references (as applicable for the transport technology being used):   |
| 8.2.4.1 | ANSI T1.101-1994, American National Standard for Telecommunications - Synchronization Interface Standard Performance and Availability;   |
| 8.2.4.2 | ANSI T1.102-1993, American National Standard for Telecommunications - Digital Hierarchy - Electrical Interfaces;   |
| 8,2.4.3 | ANSI T1.102.01-199x, American National Standard for Telecommunications - Digital Hierarchy - VT1.5;  |
| 8.2.4.4 | ANSI T1.105-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Basic Description including Multiplex Structure, Rates and Formats;  |
| 8.2.4.5 | ANSI T1.105.01-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Automatic Protection Switching;   |
| 8.2.4.6 | ANSI T1.105.02-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Payload Mappings;   |
| 8.2.4.7 | ANSI T1.105.03-1994, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Jitter at Network Interfaces:   |

| ORDER<br>DOCKET | NO. PSC-98-1430-FOF-TP<br>NO. 980967-TP   |
|-----------------|---|
| PAGE 5          | 6 ATTACHMENT A Attachment 2 Page 17   |
| 8.2.4.8         | ANSI T1.105.03a-1995, American National Standard for Telecommunications - Synchronous Optical Network (SONET): Jitter at Network Interfaces - DS1 Supplement;   |
| 8.2.4.9         | ANSI T1.105.05-1994, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Tandem Connection;                               |
| 8.2.4.10        | ANSI T1.105.06-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Physical Layer Specifications;                   |
| 8.2.4.11        | ANSI T1.105.07-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Sub STS-1 Interface Rates and Formats;           |
| 8.2.4.12        | ANSI T1.105.09-199x, American National Standard for Telecommunications - Synchronous Optical Network (SONET) - Network Element Timing and Synchronization;      |
| 8.2.4.13        | ANSI T1.106-1988, American National Standard for Telecommunications - Digital Hierarchy - Optical Interface Specifications (Single Mode);                       |
| 8.2.4.14        | ANSI T1.107-1988, American National Standard for Telecommunications - Digital Hierarchy - Formats Specifications;   |
| 8.2.4.15        | ANSI T1.107a-1990 - American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);     |
| 8.2.4.16        | ANSI T1.107b-1991 - American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications;                               |
| 8.2.4.17        | ANSI T1.117-1991, American National Standard for Telecommunications - Digital Hierarchy - Optical Interface Specifications (SONET) (Single Mode - Short Reach); |
| 8.2.4.18        | ANSI T.1.403-1989, Carrier to Customer Installation, DS1 Metallic Interface Specification;  |
| 8.2.4.19        | ANSI T1.404-1994, Network-to-Customer Installation - DS3 Metallic Interface Specification;  |
| 8.2.4.20        | ITU Recommendation G.707, Network node interface for the synchronous digital hierarchy (SDH);   |
|                 |   |

|           | NO. PSC-98-1430-FOF-TP<br>NO. 980967-TP  |
|-----------|--|
| PAGE 5    |  |
| 8.2.4.21  | ITU Recommendation G.704, Synchronous frame structures used at 1544, 6312, 2048, 8488 and 44736 kbit/s hierarchical levels;                                  |
| 8.2.4.22  | Bellcore FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;   |
| 8.2.4.23  | Bellcore GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;  |
| 8.2.4.24  | Bellcore GR-253-CORE, Synchronous Optical Network Systems (SONET); Common Generic Criteria;  |
| 8.2.4.25  | Bellcore TR-NWT 000507, Transmission, Section 7, Issue 5 (Bellcore, December 1993). (A module of LSSGR, FR-NWT-000064.);                                     |
| 8.2.4.26  | Bellcore TR-NWT-000776, Network Interface Description for ISDN Customer Access;  |
| 8.2.4.27  | Bellcore TR-INS-000342, High-Capacity Digital Special Access Service-<br>Transmission Parameter Limits and Interface Combinations, Issue 1<br>February 1991; |
| 8.2.4.28  | Bellcore ST-TEC 000052, Telecommunications Transmission Engineering Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;                         |
| 8.2.4.29  | Bellcore ST-TEC-000051, Telecommunications Transmission Engineering Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987.                       |
| 8.3       | Dedicated Transport  |
| 8.3.1     | Definition   |
| 8.3.1.1   | Dedicated Transport is an interoffice transmission path between BellSouth central offices unbundled from local switching.                                    |
| 8.3.1.2   | BellSouth shall offer Dedicated Transport in each of the following ways:   |
| 8.3.1.2.1 | As capacity on a shared facility.  |
| 8.3.1.2.2 | As a circuit (e.g., DS0, DS1 or DS3) dedicated to Diamond.   |
| 8.3.1.3   | When Dedicated Transport is provided as a system it shall include:   |
| 8.3.1.3.1 | Transmission equipment such as multiplexers, line terminating equipment, amplifiers, and regenerators;   |

SONET standard interface rates in accordance with ANSI T1.105 and

ANSI T1.105.07 and physical interfaces per ANSI T1.106.06 (including referenced interfaces). In particular, \( \frac{1}{2} \) T1.5 based STS-1s will be the

be provided):

interface at an Diamond service node.

8.3.2.5.4

| NO. 980967-TP  |
|--|
| ATTACHMENT A Attachment 2 Page 20  |
| SDH Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. |
| When Dedicated Transport is provided as a system, BellSouth shall design the system according to Diamond's architectural requirements. This includes, but is not limited to:                     |
| Facility routing and termination points,   |
| 2. Interface selection among those available on the system,  |
| 3. System provisionable parameters. This does not include specification of the vendor to be used by BellSouth, except where mutually agreed.   |
| At a minimum, Dedicated Transport shall meet each of the requirements set forth in the following technical references:   |
| ANSI T1.231-1993 -American National Standard for Telecommunications - Digital Hierarchy - Layer 1 In-Service Digital Transmission performance monitoring.  |
| ANSI T1.102-1993, American National Standard for Telecommunications<br>Digital Hierarchy - Electrical Interfaces;  |
| ANSI T1.106-1988, American National Standard for Telecommunications<br>Digital Hierarchy - Optical Interface Specifications (Single Mode);   |
| ANSI T1.107-1988, American National Standard for Telecommunications<br>Digital Hierarchy - Formats Specifications;   |
| ANSI T1.107a-1990 - American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications (DS3 Format Applications);                                      |
| ANSI T1.107b-1991 - American National Standard for Telecommunications - Digital Hierarchy - Supplement to Formats Specifications;  |
| Bellcore FR-440 and TR-NWT-000499, Transport Systems Generic Requirements (TSGR): Common Requirements;   |
| Bellcore GR-820-CORE, Generic Transmission Surveillance: DS1 & DS3 Performance;  |
|  |

ORDER NO. PSC-98-1430-FOF-TP

| ORDER<br>DOCKET | NO. PSC-98-1430-FOF-TP<br>NO. 980967-TP  |  |  |
|-----------------|--|--|--|
| PAGE 6          |  |  |  |
| 8.3.3.1.8       | Bellcore TR-NWT 000507, Transmission, Section 7, Issue 5 (Bellcore, December 1993). (A module of LSSGR, FR-NWT-000064.);   |  |  |
| 8.3.3.1.9       | Bellcore TR-INS-000342, High-Capacity Digital Special Access Service-<br>Transmission Parameter Limits and Interface Combinations, Issue 1<br>February 1991;   |  |  |
| 8.3.3.1.10      | Bellcore ST-TEC 000052, Telecommunications Transmission Engineerin Textbook, Volume 2: Facilities, Third Edition, Issue I May 1989;  |  |  |
| 8.3.3.1.11      | Bellcore ST-TEC-000051, Telecommunications Transmission Engineerin Textbook Volume 1: Principles, Third Edition. Issue 1 August 1987;  |  |  |
| 8.4             | Tandem Switching   |  |  |
| 8.4.1           | Definition   |  |  |
|                 | Tandem Switching is the function that establishes a communications patibetween two switching offices through a third switching office (the tander switch).   |  |  |
| 8.4.2           | Technical Requirements   |  |  |
| 8.4.2.1         | Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following: |  |  |
| 8.4.2.1.1       | Tandem Switching shall provide signaling to establish a tandem connection;   |  |  |
| 8.4.2.1.2       | Tandem Switching will provide screening as jointly agreed to by Diamond and BellSouth;   |  |  |
| 8.4.2.1.3       | Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability  |  |  |
| 8.4.2.1.4       | Tandem Switching shall provide access to Toll Free number portabilit database as designated by Diamond;  |  |  |
| 8.4.2.1.5       | Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));  |  |  |
|                 |  |  |  |

| ORDE      | R NO. PSC-98-1430-FC<br>ET NO. 980967-TP  | F-TP  |  |
|-----------|---|---|--|
| PAGE      |   | ATTACHMENT A  | Attachment 2<br>Page 22                                |
| 8.4.2.1.6 | Tandem Switching shall prov<br>solutions are deployed and the   |   |  |
| 8.4.2.1.7 | Where appropriate, Tandem Switching shall provide connectivity to transitraffic to and from other carriers.   |   |  |
| 8.4.2.2   | Tandem Switching shall accessignaling and trunking intercestandems, IXCs, ICOs, CAPs  | nnections) between end of   | ne necessary<br>fices, other                           |
| 8.4.2.3   | Tandem Switching shall prove<br>end offices including two office<br>between a CLEC end office a   | es belonging to different C   | LEC's (e.g.,   |
| 8.4.2.4   | Tandem Switching shall present traffic is processed.  | erve CLASS/LASS features  | and Caller ID as                                       |
| 8.4.2.5   | Tandem Switching shall reco-<br>billing centers designated by<br>recording of all billable events<br>BellSouth.                                     | Diamond. Tandem Switchi   | ing will provide                                       |
| 8.4.2.6   | Upon a reasonable request fra testing and fault isolation on the Tandem Switching and all its the testing shall be made immore.                     | the underlying switch that is<br>interconnections. The resu                                 | providing<br>ults and reports of                       |
| 8.4.2.7   | BellSouth shall maintain Dian associated with Tandem Swit interconnections.   |   |  |
| 8.4.2.8   | BellSouth shall control conge<br>traffic will be restricted in a no   | stion points and network at<br>on discriminatory manner.                                    | onormalities. All                                      |
| 8.4.2.9   | Selective Call Routing through the use of tandem swuse of line class codes is an and overflow routing plans for switching network shall be missing. | vitching. Selective Call Rouend office capability only. It is all interfaces available with | uting through the<br>Detailed primary<br>hin BellSouth |
| 8.4.2.10  | Tandem Switching shall proceed Diamond local switch.  | ess originating toll-free traff   | ic received from                                       |
| 8.4.2.11  | In support of AIN triggers and SSP capabilities when these  | l features, Tandem Switchi<br>capabiliti <u>e</u> s are not availab                         | ng shall provide<br>le from the Local                  |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 62 ATTACHMENT A

Attachment 2 Page 23

Switching Network Element, to the extent such Tandem Switch has such capability.

# 8.4.3 Interface Requirements Tandem Switching shall provide interconnection to the E911 PSAP where 8.4.3.1 the underlying Tandem is acting as the E911 Tandem. Tandem Switching shall interconnect, with direct trunks, to all carriers with 8.4.3.2 which BellSouth interconnects. 8.4.3.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality. 8.4.3.4 Tandem Switching shall interconnect with Diamond's switch, using twoway trunks, for traffic that is transiting via BellSouth network to interLATA or intraLATA carriers. At Diamond's request, Tandem Switching shall record and keep records of traffic for billing. Tandem Switching shall provide an alternate final routing pattern for 8.4.3.5 Diamond traffic overflowing from direct end office high usage trunk groups. Tandem Switching shall meet or exceed (i.e., be more favorable to 8.4.4 Diamond) each of the requirements for Tandem Switching set forth in the following technical references: Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem

- 8.4.4.1 Supplement, 6/1/90:
- 8.4.4.2 GR-905-CORE covering CCSNIS;
- 8.4.4.3 GR-1429-CORE for call management features; and GR-2863-CORE and BellCore GR-2902-CORE covering CCS AIN interconnection

#### 9. **Operator Systems**

BellSouth agrees to offer access to operator systems pursuant to the terms and conditions following and at the rates set forth in Attachment 11.

#### 9.1 Definition

Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, customer telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service

ATTACHMENT A

Attachment 2 Page 24

functions and Directory Assistance Service functions, each of which are described in detail below.

#### 9.2 Operator Service

### 9.2.1 **Definition**

Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the customer has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

#### 9.2.2 Requirements

- 9.2.2.1 When Diamond requests BellSouth to provide Operator Services, the following requirements apply:
- 9.2.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.
- 9.2.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.
- 9.2.2.1.3 BellSouth shall complete calls that are billed to Diamond customer's calling card that can be validated by BellSouth.
- 9.2.2.1.4 BellSouth shall complete person-to-person calls.
- 9.2.2.1.5 BellSouth shall complete collect calls.
- 9.2.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.
- 9.2.2.1.7 BellSouth shall complete station-to-station calls.
- 9.2.2.1.8 BellSouth shall process emergency calls.
- 9.2.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.
- 9.2.2.1.10 BellSouth shall process emergency call trace, as they do for their Customers prior to the Effective Date. Call must originate from a 911 provider.
- 9.2.2.1.11 BellSouth shall process operator-assisted directory assistance calls.

| ORDER<br>DOCKE | R NO. PSC-98-1430-FOF-TP<br>TT NO. 980967-TP   |  |
|----------------|--|--|
| PAGE           |  |  |
| 9.2.2.2        | BellSouth shall adhere to equal access requirements, providing Diamond local customers the same IXC access as provided to BellSouth customers.   |  |
| 9.2.2.3        | BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Diamond that BellSouth provides for its own operator service.   |  |
| 9.2.2.4        | BellSouth shall perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.  |  |
| 9.2.2.5        | BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Diamond.  |  |
| 9.2.2.6        | BellSouth shall provide a feed of customer call records in "EMI" format to Diamond in accordance with CLECODUF standards specified in Attachment 7.  |  |
| 9.2.3          | Interface Requirements:  |  |
|                | With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Diamond, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.  |  |
| 9.3            | Directory Assistance Service   |  |
| 9.3.1          | Definition   |  |
|                | Directory Assistance Service provides local customer telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.   |  |
| 9.3.2          | Requirements   |  |
| 9.3.2.1        | Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Diamond's customer, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in Attachment 11 to one of the provided listings, equal to that which BellSouth provides its customers. If not available, Diamond may request such requirement pursuant to the Bona Fide Request Process of Attachment 9. |  |
| 9.3.2.2        | Directory Assistance Service Updates   |  |
| 9.3.2.2.1      | BellSouth shall update customer listings changes daily. These changes include:   |  |

|             | O. PSC-98-1430-FOF-TP<br>NO. 980967-TP   |  |
|-------------|--|--|
| PAGE 65     | ATTACHMENT A Attachment 2 Page 26  |  |
| 9.3.2.2.1.1 | New customer connections: BellSouth will provide service to Diamond that is equal to the service it provides to itself and its customers;  |  |
| 9.3.2.2.1.2 | Customer disconnections: BellSouth will provide service to Diamond that is equal to the service it provides to itself and its customers; and   |  |
| 9.3.2.2.1.3 | Customer address changes: BellSouth will provide service to Diamond that is equal to the service it provides to itself and its customers;  |  |
| 9.3.2.3     | These updates shall also be provided for non-listed and non-published numbers for use in emergencies.  |  |
| 9.4         | Branding for Operator Call Processing and Directory Assistance   |  |
| 9.4.1       | The BellSouth Operator Systems Branding Feature Provides a definable announcement to CLEC end users using Directory Assistance/Operator Call Processing prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows the CLEÇ to have its calls custom branded with the CLEC name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. |  |
| 9.4.2       | BellSouth offers four services levels of branding to CLEC's ordering<br>Directory Assistance and/or Operator Call Processing.  |  |
| 9.4.2.1     | Service Level 1 - BellSouth Branding   |  |
| 9.4.2.2     | Service Level 2 - Unbranded  |  |
| 9.4.2.3     | Service Level 3 - Custom Branding  |  |
| 9.4.2.4     | Service Level 4 - Self Branding (only applicable for Resale or Unbundled Port CLEC's who route to an operator service provider other than BellSouth).  |  |
| 9.4.3       | Resellers and Unbundled Port CLECS   |  |
| 9.4.3.1     | BellSouth Branding is the Default Service Level.   |  |
| 9.4.3.2     | Unbranding, Custom Branding, and Self Branding require the CLEC to order selective routing for each originating BellSouth end office identified by the CLEC. Rates for Selective Routing are set forth in Attachment 11.   |  |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 66
ATTACHMENT A
Attachment 2
Page 27

- 9.4.3.3 Customer Branding and Self Branding require the CLEC to order dedicated trunking from each BellSouth end office identified by the CLEC, to either the BellSouth TOPS or the CLEC Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.
- 9.4.3.4 Unbranding Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by the CLEC to the BellSouth TOPS. These calls are routed to "No Announcement."
- 9.4.4 Facilities Based CLECS
- 9.4.4.1 Unbranding is the Default Service Level.
- 9.4.4.2 All Service Levels require the CLEC to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 9.4.4.3 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch for which the CLEC requires service. The recording and loading charges are non-recurring unless the CLEC elects to change the recorded name or requires access to additional TOPS Switches. Customized Branding is limited to the CLEC name.
- 9.5 Directory Assistance Database Service (DADS)
- 9.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available to Diamond solely for the expressed purpose of providing Directory Assistance type services to Diamond end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator System assisted). Diamond agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, Diamond agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, Diamond authorizes the inclusion of Diamond Subscriber listings in the BellSouth Directory Assistance products.

#### ATTACHMENT A

Attachment 2 Page 28

- BellSouth shall provide Diamond initially with daily updates which reflect all listing change activity occurring since Diamond's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by Diamond and BellSouth. Diamond agrees to assume the costs associated with CONNECT: Direct connectivity, which will vary depending upon volume and mileage.
- 9.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listings change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Diamond on a Business, Residence, or combined Business and Residence basis. Diamond agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Diamond receives the Base File.
- 9.5.4 Rates for DADS are as set forth in Attachment 11.
- 9.6 Direct Access to Directory Assistance Services
- 9.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Diamond's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance Service format. Subscription to DADAS will allow Diamond to utilize its own switch, operator workstations and optional audio subsystems.
- 9.6.2 BellSouth will provide DADAS from its DA location. Diamond will access the DADAS system via a telephone company provided point of availability. Diamond has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.
- 9.6.3 A specified interface to each Diamond subsystem will be provided by BellSouth. Interconnection between Diamond system and a specified BellSouth location will be pursuant to the use of Diamond owned or Diamond leased facilities and shall be appropriate sized based upon the volume of gueries being generated by Diamond.

|         | O. PSC-98-1430-FOF-TP<br>NO. 980967-TP   |  |
|---------|--|--|
| PAGE 68 | ATTACHMENT A Attachment 2 Page 29  |  |
| 9.6.4   | The specifications for the three interfaces necessary for interconnection are available in the following documents:  |  |
|         |  |  |
| 9.6.4.1 | DADAS to Subscriber Operator Position System—Northern Telecom<br>Document CSI-2300-07; Universal Gateway/ Position Message Interfact<br>Format Specification   |  |
| 9.6.4.2 | DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT& Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification   |  |
| 9.6.4.3 | DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification   |  |
| 9.6.5   | Rates for DADAS are as set forth in Attachment 11.   |  |
| 10.     | Signaling  |  |
|         | BellSouth agrees to offer access to unbundled signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in Attachment 11. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service contropoints. Signaling functionality will be available with both A-link and B-link connectivity. |  |
| 10.1    | Definition of Signaling Link Transport   |  |
|         | Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.  |  |
| 10.2    | Technical Requirements   |  |
| 10.2.1  | Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.   |  |

| ORDER    | NO. PSC-98-1430-FOF-TP<br>NO. 980967-TP  |  |
|----------|--|--|
| PAGE 6   | Attachment 2   |  |
| 10.2.2   | Of the various options available, Signaling Link Transport shall perform in the following two ways:  |  |
| 10.2.2.1 | As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STPS) pair; and   |  |
| 10.2.2.2 | As a "B-link" which is a connection between two STPS pairs in different company networks (e.g., between two STPS pairs for two Competitive Local Exchange Carriers (CLECs)).                                     |  |
| 10.2.3   | Signaling Link Transport shall consist of two or more signaling link layers as follows:  |  |
| 10.2.3.1 | An A-link layer shall consist of two links.  |  |
| 10.2.3.2 | A B-link layer shall consist of four links.  |  |
| 10.2.4   | A signaling link layer shall satisfy a performance objective such that:  |  |
| 10.2.4.1 | There shall be no more than two minutes down time per year for an A-lini layer; and  |  |
| 10.2.4.2 | There shall be negligible (less than 2 seconds) down time per year for a B-link layer.   |  |
| 10.2.5   | A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:   |  |
| 10.2.5.1 | No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and                |  |
| 10.2.5.2 | No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end). |  |
| 10.3     | Interface Requirements   |  |
| 10.3.1   | There shall be a DS1 (1.544 Mbps) interface at the Diamond-designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.  |  |
| 11.      | Signaling Transfer Points (STPs)   |  |

| ORDER NO.  | PSC-98-1430-FOF-TP   |
|------------|--|
| DOCKET NO. | 980967-TP  |
| PAGE 70    | ATTACHMENT A   |
|            | The same than th |

- Definition Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPSs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 11.2 Technical Requirements
- 11.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:
- 11.2.1.1 BellSouth Local Switching or Tandem Switching;
- 11.2.1.2 BellSouth Service Control Points/DataBases;
- 11.2.1.3 Third-party local or tandem switching
- 11.2.1.4 Third-party-provided STPs.
- The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to BellSouth SS7 network. This explicitly includes the use of BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to BellSouth SS7 network (i.e., transient messages). When BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 11.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between an Diamond local switch and third party local switch, BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Diamond local STPSs and the STPSs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPSs.
- 11.2.4 STPs shall provide all functions of the MTP as defined in Bellcore ANSI Interconnection Requirements. This includes:
- 11.2.4.1 Signaling Data Link functions, as defined in Bellcore ANSI Interconnection Requirements,
- 11.2.4.2 Signaling Link functions, as defined in Bellcore ANSI Interconnection Requirements, and

- 11.2.4.3 Signaling Network Management functions, as defined in Bellcore ANSI Interconnection Requirements.
- STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Bellcore ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a Diamond or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPSs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Diamond database, then Diamond agrees to provide BellSouth with the Destination Point Code for the Diamond database.
- 11.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 10.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:
- 11.2.6.1 MTP Routing Verification Test (MRVT) and
- 11.2.6.2 SCCP Routing Verification Test (SRVT).
- In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is an Diamond or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPSs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPSs, and if mutually agreed upon by Diamond and BellSouth.
- 11.2.8 STPs shall be on parity with BellSouth.
- 11.2.9 SS7 Advanced Intelligent Network (AIN) Access
- 11.2.9.1 When technically feasible and upon request by Diamond, SS7 Access shall be made available in association with unbundled switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth

local switch and interconnection of the BellSouth SS7 network with the Diamond SS7 network to exchange TCAP queries and responses with an Diamond SCP.

- SS7 AIN Access shall provide Diamond SCP access to BellSouth local switch in association with unbundled switching via interconnection of BellSouth SS7 and Diamond SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Diamond SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.
- 11.3 Interface Requirements
- 11.3.1 BellSouth shall provide the following STPs options to connect Diamond or Diamond-designated local switching systems or STPSs to BellSouth SS7 network:
- 11.3.1.1 An A-link interface from Diamond local switching systems; and,
- 11.3.1.2 A B-link interface from Diamond local STPs.
- 11.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.
- 11.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STPS is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting Diamond local switching systems or STPSs with BellSouth STPSs as soon as these become approved ANSI standards and available capabilities of BellSouth STPSs. BellSouth and Diamond will work jointly to establish mutually acceptable SPOIs.
- BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPS, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STPS. BellSouth and Diamond will work jointly to establish mutually acceptable SPOIs.

| DOCKE<br>PAGE | T NO. 980967-TP  | ATTACHMENT A  | Attachment 2 |  |
|---------------|--|---|--------------|--|
| PAGE          | 73   |   | Page 34      |  |
| 11.3.5        | BellSouth shall provide MTP and SCCP protocol interfaces that shall conform to all sections relevant to the MTP or SCCP in the following specifications:   |   |              |  |
| 11.3.5.1      | Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);   |   |              |  |
| 11.3.5.2      | Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS)<br>Supporting Signaling Connection Control Part (SCCP) and Transaction<br>Capabilities Application Part (TCAP).  |   |              |  |
| 11.3.6        | Message Screening  |   |              |  |
| 11.3.6,1      | BellSouth shall set message screening parameters so as to accept valid messages from Diamond local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Diamond switching system has a legitimate signaling relation.                    |   |              |  |
| 11.3.6.2      | BellSouth shall set message screening parameters so as to pass valid messages from Diamond local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Diamond switching system has a legitimate signaling relation. |   |              |  |
| 11.3.6.3      | BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Diamond from any signaling point or network interconnected through BellSouth's SS7 network where the Diamond SCP has a legitimate signaling relation.                 |   |              |  |
| 11.4          | STPs shall be equal to or better than all of the requirements for STPs set forth in the following technical references:  |   |              |  |
| 11.4.1        | ANSI T1.111-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP);  |   |              |  |
| 11.4.2        | ANSI T1.111A-1994 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;  |   |              |  |
| 11.4.3        |  | can National Standard for Tele<br>r 7 (SS7) - Signaling Conhect |              |  |
|               |  |   |              |  |

ORDER NO. PSC-98-1430-FOF-TP

- 11.4.4 ANSI T1.115-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Monitoring and Measurements for Networks;
- 11.4.5 ANSI T1.116-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Operations, Maintenance and Administration Part (OMAP);
- 11.4.6 ANSI T1.118-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Intermediate Signaling Network Identification (ISNI):
- 11.4.7 Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP); and
- 11.4.8 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS)
  Supporting Signaling Connection Control Part (SCCP) and Transaction
  Capabilities Application Part (TCAP).

# 12. Service Control Points/DataBases

#### 12.1 Definition

- Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system-also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

# 12.2 Technical Requirements for SCPs/Databases

Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response

times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to Diamond in accordance with the following requirements.

- 12.2.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 12.2.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 12.2.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

#### 12.2.4 Database Availability

Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

- 12.2.5 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for Diamond customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.
- 12.3 Local Number Portability Database

#### 12.3.1 Definition

The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

#### 12.4 Line Information Database (LIDB):

BellSouth will store in its LIDB only records relating to service in the BellSouth region.

## 12.4.1 Definition

The Line Information Database (LIDE) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It

contains records associated with customer Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth CCS network and other CCS networks. LIDB also interfaces to administrative systems.

# 12.4.2 Technical Requirements:

BellSouth will offer to Diamond any additional capabilities that are developed for LIDB during the life of this Agreement.

- Prior to the availability of a long-term solution for Local Number Portability, BellSouth shall enable Diamond to store in BellSouth's LIDB any customer Line Number or Special Billing Number record, whether ported or not, for which the non-Diamond dedicated NPA-NXX or RAO-0/1XX Group is supported by that LIDB, except for numbers ported from a third party local services provider.
- Prior to the availability of a long-term solution for Local Number Portability, BellSouth shall enable Diamond to store in BellSouth's LIDB any customer Line Number or Special Billing Number record, whether ported or not, and Diamond dedicated NPA-NXX or RAO-0/1XX Group Records, except for numbers ported from a third party local services provider.
- Subsequent to the availability of a long-term solution for Local Number Portability, BellSouth shall enable Diamond to store in BellSouth's LIDB any customer Line Number or Special Billing Number record, whether ported or not, regardless of the number's dedicated NPA-NXX or RAO[NXX]-0/1XX., except for numbers ported from a third party local services provider.
- 12.4.2.4 BellSouth shall perform the following LIDB functions (i.e., processing of the following query types as defined in the technical reference in Section 13.8.5 of this Attachment) for Diamond's customer records in LIDB:
- 12.4.2.4.1 Billed Number Screening (provides information such as whether the Billed Number may accept Collect or Third Number Billing calls); and
- 12.4.2.4.2 Calling Card Validation: If Diamond chooses to offer Tel Line Number TLN and/or Special Billing Number (SBN credit cards, calling card validation will be supported for Diamond customer data in the LIDB.

- 12.4.2.5 BellSouth shall process Diamond's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Diamond what additional functions (if any) are performed by LIDB'in the BellSouth network.
- 12.4.2.6 Withir. two (2) weeks after a request by Diamond, BellSouth shall provide Diamond with a list of the customer data items which Diamond would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 12.4.2.7 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked, shall not exceed 30 minutes per year.
- 12.4.2.8 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 12.4.2.9 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- BellSouth shall provide Diamond with the capability to provision (e.g., to add, update, and delete) NPA-NXX and RAO-0/1XX Group Records, and Line Number and Special Billing Number Records, associated with Diamond customers, directly into the BellSouth's LIDB provisioning process. The capability to provision (e.g., to add, update, and delete) NPA-NXX and RAO-01/1XX Group records, and Line Number and Special Billing Number Records, associated with Diamond customers will be provided by BellSouth's DBAC. Direct access into BellSouth's LIDB process is not currently available. Once Direct access becomes available with the appropriate security measures, BellSouth will offer such access to Diamond. In the interim, BellSouth will provide access by electronic mail, facsimile or password-protected phone call (applicable to Group level NPA-NXX and RAO-01/1XX, updated within the same day if notification to BellSouth is received by 1:00 PM central time).
- 12.4.2.11 BellSouth shall maintain customer data (for line numbers, card numbers, and for any other types of data maintained in LIDB) so that such customers shall not experience any interruption of service due to the lack of such maintenance of customer data. In the event that end user customers change their local services provider, BellSouth will use its best efforts to minimize service interruption in those situations where BellSouth has control over additions and deletions to the database as the LIDB provider.

PAGE 78

ATTACHMENT A

- All additions, updates and deletions of Diamond data to the LIDB shall be 12.4.2.12 solely at the direction of Diamond. Such direction from Diamond will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- BellSouth shall provide priority updates to LIDB for Diamond data upon 12.4.2.13 Diamond's request (e.g., to support fraud detection), via passwordprotected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- BellSouth shall provide Diamond with the capability to directly obtain. 12.4.2.14 through an electronic interface, reports of all Diamond data in LIDB. Such capability will be through the data migration format (FCIF Interface) that can be used to electronically obtain reports of Diamond data in LIDB.
- BellSouth shall provide LIDB systems such that no more than 0.01% of 12.4.2.15 Diamond customer records will be missing from LIDB, as measured by Diamond audits. BellSouth will audit Diamond records in LIDB against DBAS to identify record mismatches and provide this data to a designated Diamond contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Diamond within one business day of audit. Once reconciled records are received back from Diamond, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Diamond to negotiate a time frame for the updates, not to exceed three business days.
- BellSouth shall perform backup and recovery of all of Diamond's data in 12.4.2.16 LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.
- BellSouth shall provide to Diamond access to LIDB measurements and 12.4.2.17 reports at least at parity with the capability that BellSouth has for its own customer records and that BellSouth provides to any other party. Electronic access shall be offered to Diamond when it becomes available. Currently, BellSouth provides the following information from the Billing Measurements System summarized by Data Owner/Query Originator:

Calling Card Queries Billed Number Screening Queries 1 Calling Card Successful

Calling Card Denied
Calling Card CCAN Service Denied
Calling Card Pin Match Field
Calling Card Record Not Found
Billed Number Screening Successful
Billed Number Screening Not Found
Group Not Found
BNS/C Processing Indicator Not Enabled
Group Status/Nonparticipating

As additional LIDB measurements and reports become available, such measurements and reports also will be provided to Diamond.

- 12.4.2.18 BellSouth shall provide Diamond with LIDB reports of data which are missing or contain errors, as well as any misroute errors, within a reason time period as negotiated between Diamond and BellSouth.
- BellSouth shall prevent any access to or use of Diamond data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other party that is not authorized by Diamond in writing.
- BellSouth shall provide Diamond performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Diamond at least at parity with BellSouth Customer Data. BellSouth shall obtain from Diamond the screening information associated with LIDB Data Screening of Diamond data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Diamond under the Bona Fide Request process of Attachment 9.
- 12.4.2.21 BellSouth shall accept queries to LIDB associated with Diamond customer records, and shall return responses in accordance with industry standards.
- 12.4.2.22 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 12.4.2.23 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 12.4.2.24 BellSouth shall provide 99.9 % of all LIDB queries in a round trip within 2 seconds as defined in industry standards.

|            | NO. PSC-98-1430-FOF-TP  |  |  |  |
|------------|---|--|--|--|
| PAGE       | 80 ATTACHMENT A Attachment 2 Page 41  |  |  |  |
| 12.4.3     | Interface Requirements  |  |  |  |
|            | BellSouth shall offer LIDB in accordance with the requirements of this subsection.  |  |  |  |
| 12.4.3.1   | The interface to LIDB shall be in accordance with the technical references contained within.  |  |  |  |
| 12.4.3.2   | The CCS interface to LIDB shall be the standard interface described herein.   |  |  |  |
| 12.4.3.3   | The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.  |  |  |  |
| 12.5       | Toll Free Number Database   |  |  |  |
|            | The Toll Free Number Database is a SCP that provides functionality necessary for toll free (e.g., 800 and 888) number services by providing routing information and additional so-called vertical features during call set-up in response to queries from SSPs. BellSouth shall provide the Toll Free Number Database in accordance with the following: |  |  |  |
| 12.5.1     | Technical Requirements  |  |  |  |
| 12.5.1.1   | BellSouth shall make BellSouth Toll Free Number Database available for Diamond to query with a toll-free number and originating information.  |  |  |  |
| 12.5.1.2   | The Toll Free Number Database shall return carrier identification and, where applicable, the queried toll free number, translated numbers and instructions as it would in response to a query from a BellSouth switch.  |  |  |  |
| 12.5.1.3   | The SCP shall also provide, at Diamond's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR TSV-002275, Issue 2, (Bellcore, April 1994)) as are available to BellSouth These may include but are not limited to:  |  |  |  |
| 12.5.1.3.1 | Network Management;   |  |  |  |
| 12.5.1.3.2 | Customer Sample Collection; and   |  |  |  |
| 12.5.1.3.3 | Service Maintenance   |  |  |  |
| 12.6       | Automatic Location Identification/Data Management System (ALI/DMS)  |  |  |  |

The ALI/DMS Database contains customer information (including name, address, telephone information, and sometimes special information from the local service provider or customer) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

# 12.6.1 Technical Requirements

- BellSouth shall offer Diamond a data link to the ALI/DMS database or permit Diamond to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Diamond immediately after Diamond inputs information into the ALI/DMS database. Alternately, Diamond may utilize BellSouth, to enter customer information into the data base on a demand basis, and validate customer information on a demand basis.
- 12.6.1.2 The ALI/DMS database shall contain the following customer information:
- 12.6.1.2.1 Name;
- 12.6.1.2.2 Address:
- 12.6.1.2.3 Telephone number; and
- 12.6.1.2.4 Other information as appropriate (e.g., whether a customer is blind or deaf or has another disability).
- 12.6.1.3 When the BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Diamond requests otherwise and shall be updated if Diamond requests, provided Diamond supplies BellSouth with the updates.
- 12.6.1.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local customer and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 12.6.1.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN

ATTACHMENT A

Attachment 2 Page 43

interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

# 12.6.2 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for Diamond customers shall meet industry standards.

#### 12.7 Directory Assistance Database

BellSouth shall make its directory assistance database available to Diamond in order to allow Diamond to provide its customers with the same directory assistance telecommunications services BellSouth provides to BellSouth customers. BellSouth shall provide Diamond with an initial feed via magnetic tape and daily update initially via magnetic tape and subsequently via an electronic gateway to be developed mutually by Diamond and BellSouth of customer address and number changes. Directory Assistance Services must provide both the ported and Diamond telephone numbers to the extent available in BellSouth's database assigned to a customer. Privacy indicators must be properly identified to assure the non-published numbers are accurately identified.

- 12.8 Calling Name Database. BellSouth shall make available its calling name database at rates, terms and conditions contained in BellSouth's calling name database Agreement.
- 12.9 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the following technical references:
- 12.9.1 GR-246-CORE, Bell Communications Research Specification of Signaling System Number 7, ISSUE 1 (Bellcore, December 199);
- 12.9.2 GR-1432-CORE, CCS Network Interface Specification (CCSNIS)
  Supporting Signaling Connection Control Part (SCCP) and Transaction
  Capabilities Application Part (TCAP). (Bellcore, March 1994);
- 12.9.3 GR-954-CORE, CCS Network Interface Specification (CCSNIS)
  Supporting Line Information Database (LIDB) Service 6, Issue 1, Rev. 1
  (Bellcore, October 1995);
- 12.9.4 GR-1149-CORE, OSSGR Section 10: System Interfaces, Issue 1 (Bellcore, October 1995) (Replaces TR-NWT-001149);
- 12.9.5 BellCore GR-1158-CORE, OSSGR Section 22.3: Line Information Database 6, Issue (Bellcore, October 1995);
- 12.9.6 BellCore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service (Bellcore, May 1995); and

| ORD     | ER NO. PSC-98-143<br>KET NO. 980967-TP  | 0-FOF-TP  |                         |  |  |
|---------|---|---|-------------------------|--|--|
|         | E 83  | ATTACHMENT A  | Attachment 2<br>Page 44 |  |  |
| 12.9.7  | BOC Notes on BellSou<br>April 1994).  | BOC Notes on BellSouth Networks, SR-TSV-002275, ISSUE 2, (Bellcore April 1994).   |                         |  |  |
| 12.10   | Service Creation Environment (SCE/SMS) Advanced   | Creation Environment and Service Management System (MS) Advanced Intelligent Network (AIN) Access   |                         |  |  |
| 12.10.1 | BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Diamond the capability that will allow Diamond and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP. |   |                         |  |  |
| 12.10.2 | software; testing and te<br>administrator) resource   | AIN Access shall provide access to SCE hardware echnical support (e.g., help desk, system as available to Diamond. Scheduling procedures equivalent priority to these resources |                         |  |  |
| 12.10.3 | BellSouth SCP shall pa<br>from unauthorized acce  | th SCP shall partition and protect Diamond service logic and data authorized access, execution or other types of compromise.  |                         |  |  |
| 12.10.4 | When Diamond selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Diamond to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support the creation of a specific service application.   |   |                         |  |  |
| 12.10.5 | When Diamond selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. Diamond access will be provided via remote data connection (e.g., dial-in, ISDN).  |   |                         |  |  |
| 12.10.6 | When Diamond selects SCE/SMS AIN Access, BellSouth shall allow Diamond to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and customer subscription).   |   |                         |  |  |
|         |   |   |                         |  |  |

BellSouth agrees to offer access to Dark Fiber where the state commissions have required such access pursuant to the terms and conditions following and at the rates set forth in Attachment 11. The

DARK FIBER

13.

parties agree that Dark Fiber will be used in the provisioning of local service.

13.1.1 Dark Fiber is unused strands of optical fiber. It may be strands of optical fiber existing in aerial or underground structure. No line terminating elements terminated to such strands to operationalize its transmission capabilities will be available. No regeneration or optical amplification will be included with this element.

# 13.2 Requirements

- 13.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. BellSouth shall offer all Dark Fiber to Diamond pursuant to the prices set forth in Attachment 11 of this Agreement.
- 13.2.2 Diamond may test the quality of the Dark Fiber to confirm its usability and performance specifications.
- BellSouth shall use its best efforts to provide to Diamond information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from Diamond ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation").
- BellSouth shall use its best efforts to make Dark Fiber available to Diamond within thirty (30) business days after it receives written confirmation from Diamond that the Dark Fiber previously deemed available by BellSouth is wanted for use by Diamond. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Diamond to connect or splice Diamond provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

#### 14. SS7 Network Interconnection

#### 14.1.1 Definition

SS7 Network Interconnection is the interconnection of Diamond local Signaling Transfer Point Switches (STPS) and Diamond local or tandem switching systems with BellSouth STPSs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Diamond local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

| ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP  |  |  |  |
|--|--|--|--|
| PAGE   | ATTACHMENT A Attachment 2 Page 46  |  |  |
| 14.1.2   | Technical Requirements   |  |  |
| 14.1.2.1   | SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:  |  |  |
| 14.1.2.1.1   | BellSouth local or tandem switching systems;   |  |  |
| 14.1.2.1.2   | BellSouth DBs; and   |  |  |
| 14.1.2.1.3   | Other third-party local or tandem switching systems.   |  |  |
| 14.1.2.2 The connectivity provided by SS7 Network Interconnection sha support the functions of BellSouth switching systems and DBs Diamond or other third-party switching systems with A-link acc BellSouth SS7 network. |  |  |  |
|  | If traffic is routed based on dialed or translated digits between an Diamond local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Diamond local STPSs and BellSouth or other third-party local switch. |  |  |
| 14.1.2.3   | When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPSs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).  |  |  |
| 14.1.2.4   | SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:   |  |  |
| 14.1.2.4.1   | Signaling Data Link functions, as specified in ANSI T1.111.2;  |  |  |
| 14.1.2.4.2   | Signaling Link functions, as specified in ANSI T1.111.3; and   |  |  |
| 14.1.2.4.3   | Signaling Network Management functions, as specified in ANSI T1.111.4.   |  |  |
| 14.1.2.5   | SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include  |  |  |

final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an Diamond local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Diamond local STPSs, and shall not include SCCP Subsystem Management of the destination.

- 14.1.2.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.
- 14.1.2.7 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.
- 14.1.2.8 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPSs, SS7 Network Interconnection shall provide these functions of the OMAP.
- 14.1.2.9 SS7 Network Interconnection shall be equal to or better than the following performance requirements:
- 14.1.2.9.1 MTP Performance, as specified in ANSI T1.111.6;
- 14.1.2.9.2 SCCP Performance, as specified in ANSI T1.112.5; and
- 14.1.2.9.3 ISDNUP Performance, as specified in ANSI T1.113.5.
- 14.1.3 Interface Requirements
- 14.1.3.1 BellSouth shall offer the following SS7 Network Interconnection options to connect Diamond or Diamond-designated local or tandem switching systems or STPSs to the BellSouth SS7 network:
- 14.1.3.1.1 A-link interface from Diamond local or tandem switching systems; and
- 14.1.3.1.2 B-link interface from Diamond STPSs.
- 14.1.3.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STPS is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Diamond local switching systems or SIPSs with BellSouth STPSs as soon as these become approved ANSI standards and available

ATTACHMENT A Attachment 2
Page 48

capabilities of BellSouth STPSs. BellSouth and Diamond will work jointly to establish mutually acceptable SPOI.

- 14.1.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STPS, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STPS. BellSouth and Diamond will work jointly to establish mutually acceptable SPOI.
- 14.1.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
- 14.1.3.4.1 Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 14.1.3.4.2 Bellcore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 14.1.3.4.3 Bellcore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and
- 14.1.3.4.4 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 14.1.3.5 BellSouth shall set message screening parameters to block accept messages from Diamond local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Diamond switching system has a legitimate signaling relation.
- 14.1.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
- 14.1.4.1 ANSI T1.110-1992 American National Standard Telecommunications Signaling System Number 7 (SS7) General Information;
- 14.1.4.2 ANSI T1.111-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Message Transfer Part (MTP);
- 14.1.4.3 ANSI T1.111A-1994 American National Standard for Telecommunications
   Signaling System Number 7 (SS7) Message Transfer Part (MTP)
  Supplement;

- 14.1.4.4 ANSI T1.112-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Signaling Connection Control Part (SCCP);
- 14.1.4.5 ANSI T1.113-1995 American National Standard for Telecommunications Signaling System Number 7 (SS7) Integrated Services Digital Network (ISDN) User Part;
- 14.1.4.6 ANSI T1.114-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Transaction Capabilities Application Part (TCAP);
- 14.1.4.7 ANSI T1.115-1990 American National Standard for Telecommunications -Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 14.1.4.8 ANSI T1.116-1990 American National Standard for Telecommunications Signaling System Number 7 (SS7) Operations, Maintenance and Administration Part (OMAP):
- 14.1.4.9 ANSI T1.118-1992 American National Standard for Telecommunications Signaling System Number 7 (SS7) Intermediate Signaling Network Identification (ISNI);
- 14.1.4.10 Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 14.1.4.11 Bellcore GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- 14.1.4.12 Bellcore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 14.1.4.13 Belicore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 14.1.4.14 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).

# 15. Basic 911 and E911

If CLEC orders unbundled network elements, then CLEC is also responsible for providing E911 to its end users. BellSouth agrees to offer

ATTACHMENT A

Attachment 2 Page 50

access to the 911/E911 network pursuant to the following terms and conditions and at the rates set forth in Attachment 11.

#### 15.1 Definition

Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

#### 15.2 Requirements

- Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to Diamond a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Diamond will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Diamond will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Diamond will be required to discontinue the Basic 911 procedures and being using E911 procedures.
- E911 Service Provisioning. For E911 service, Diamond will be required to 15.2.2 install a minimum of two dedicated trunks originating from the Diamond serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Diamond will be required to provide BellSouth daily updates to the E911 database. Diamond will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Diamond will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 90
ATTACHMENT A
Attachment 2
Page 51

- 15.2.3 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Diamond beyond applicable charges for BellSouth trunking arrangements.
- 15.2.4 Basic 911 and E911 functions provided to Diamond shall be at least at parity with the support and services that BellSouth provides to its customers for such similar functionality.
- 15.2.5 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Diamond to follow in providing 911/E911 services.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 91

ATTACHMENT A

# Attachment 3

Local Interconnection

Attachment 3 Page 1

# Local Interconnection

BellSouth shall provide Diamond interconnection with BellSouth's network for the transmission and routing of telephone exchange service and exchange access on the following terms:

# 1. Local Traffic Exchange

- Local Traffic. Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or a corresponding Extended Area Service ("EAS"). The terms Exchange and EAS exchanges are defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff. Local Traffic does not currently include traffic that originates from or terminates to an Enhanced Service Provider (ESP) or Information Service Provider. The parties agree that until the Commission or the FCC determines, in a final and non-appealable Order, whether ESP and ISP traffic is within the definition of Local Traffic, will not be treated in this agreement.
- 1.2 <u>Interconnection Points.</u> Local interconnection is available at any technically feasible point within BellSouth's network. Interconnection is currently available at the following points:
- 1.2.1 Trunk-side of local switch.
- 1.2.2 Trunk interconnection points for tandem switch.
- 1.2.3 Central office cross-connect points.
- 1.2.4 Out-of-band signal transfer points.
- 1.2.5 Interconnection at applicable unbundled network element points is also available.
- 1.2.6 BellSouth may provide local interconnection at any other technically feasible point. Requests for interconnection at other points may be made through the Bona Fide Request/New Business Request process set out in Attachment 9.
- 1.3 Percent Local Use. Each Party will report to the other a Percentage Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other party. For purposes of developing the PLU, each party shall consider every local call and every long distance call, excluding intermediary traffic. Effective on the first of

January, April, July and October of each year, BellSouth and Diamond shall provide a positive report updating the PLU. Detailed requirements associated with PLU reporting shall be as set forth in BellSouth's Standard Percent Local Use Reporting Platform for Interconnection Purchasers, as it is amended from time to time during this Agreement. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall be utilized to determine the appropriate local usage compensation to be paid.

- On thirty (30) days written notice, each party must provide 1.3.1 the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Diamond shall retain records of call detail for a minimum of nine months from which a PLU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the party requesting the audit. The PLU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either party is found to have overstated the PLU by twenty percentage points (20%) or more, that party shall reimburse the auditing party for the cost of the audit.
- Percentage Interstate Usage. For combined interstate and intrastate Diamond traffic terminated by BellSouth over the same facilities, Diamond will be required to provide a projected Percentage Interstate Usage ("PIU") to BellSouth. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Diamond. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of local interconnection. Notwithstanding the foregoing, where the terminating company has message recording technology that identifies the traffic terminated, such information, in lieu of the PLU factor, shall be utilized to determine the appropriate local usage compensation to be paid.
- 1.5 . Unidentified local traffic. Whenever BellSouth delivers traffic to Diamond for termination on the Diamond's network, if BellSouth cannot determine because of the manner in which Diamond has utilized its NXX codes whether the traffic is local or toll, BellSouth will charge the applicable rates for originating intrastate network access service as reflected in BellSouth's Intrastate Access Service Tariff. BellSouth will make appropriate billing

adjustments if Diamond can provide sufficient information for BellSouth to determine whether said traffic is local or toll. If BellSouth deploys an NXX code across its local calling areas in such a manner that Diamond cannot determine whether the traffic it delivers to BellSouth is local or toll, this subsection shall apply to BellSouth and the Diamond.

- 1.6 Intermediary Tandem Switching. BellSouth will provide intermediary tandem switching and transport services for Diamond's connection of its end user to a local end user of a telecommunications carrier where both the CLEC and telecommunications carrier are connected at the same tandem. Rates for intermediary tandem switching and transport will be as set forth in Attachment 11. The Parties agree that any billing to another telecommunication carrier under this section shall be pursuant to MECAB procedures.
- Mutual Provision of Access Service. When BellSouth and Diamond 1.7 provide an access service connection between an interexchange carrier ("IXC") and each other, each party will provide its own access services to the IXC on a multi-bill, multi-tariff meet-point basis. Each party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the party providing the end office function. BellSouth will use the Multiple Exchange Carrier Access Billing system to establish meet point billing for all applicable traffic, including traffic terminating to ported numbers. 30day billing periods will be employed for these arrangements. recording party agrees to provide to the initial billing company, at no charge, the switched access detailed usage data within no more than 60 (60) days after the recording date. The initial billing company will provide the switched access summary usage data to all subsequent billing companies within 10 days of rendering the initial bill to the IXC. Each company will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording cr billing. As business requirements change data reporting requirements may be modified as necessary.
- 1.7.1 Where either company has been notified that the other company has a Billing Guarantee Practice, each company so notified (the Initial Billing Company or the recording company) will be held liable for any access revenues which it has caused to be determined unfailable under the guidelines of such Billing Guarantee Practice of the other company. Each company will provide complete documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.

- 1.7.2 Each company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- 1.7.3 Each company agrees to recreate the lost or damaged data within fortyeight \*48) hours of notification by the other or by an authorized third party handling the data.
- 1.7.4 Each company also agrees to process the recreated data within fortyeight (48) hours of receipt at its data processing center.
- 1.7.5 All claims should be filed with the other company with 120 days of the receipt of the date of the unbillable usage.
- 1.7.6 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Company to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Company. Each company agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 1.8 Rates. Rates for interconnection for local traffic on the BellSouth network as set out in this Section are set out in Attachment 11. Compensation for interconnection is reciprocal, as set out in Section 8 below.

# 2. Exchange of intraLATA toll traffic

Exchange of intraLATA toll traffic between BellSouth and Diamond networks shall occur as follows:

- 2.1 IntraLATA Toll Traffic. IntraLATA toll traffic is traffic that is not Local Traffic as defined in Section 1.1 above.
- 2.2 <u>Delivery of intraLATA toll traffic.</u> For terminating its toll traffic on the other company's network, each party will pay BellSouth's current intrastate terminating switched access rate, inclusive of the Interconnection Charge and the Carrier Common Line rate elements of the switched access rate. See BellSouth's Intrastate Access Services Tariff.
- 2.3 Rates. For originating and terminating intraLATA toll traffic, each party shall pay the other BellSouth's intrastate or interstate whichever is appropriate, switched network access service rate elements on a per

minute of use basis. Applicable rate elements are set out in BellSouth's Access Services Tariffs. The appropriate charges will be determined by the routing of the call. If Diamond is the BellSouth end user's presubscribed interexchange carrier or if the BellSouth end user uses Diamond as an interexchange carrier on a 10XXX/101XXXX basis, BellSouth will charge Diamond the appropriate BellSouth tariff charges for originating switched access services. If BellSouth is serving as the Diamond end user's presubscribed interexchange carrier or if the Diamond end user uses BellSouth as an interexchange carrier on a 10XXX/101XXXX basis, the Diamond will charge BellSouth the appropriate BellSouth tariff charges for originating switched access services.

- Additional Interconnection. To the extent Diamond provides intraLATA toll service to its customers, it may be necessary for it to interconnect to additional BellSouth access tandems that serve end offices outside the local calling area.
- 2.5 <u>Compensation for 800 Traffic</u>. Each party shall compensate the other pursuant to the appropriate originating switched access charges, including the database query charge, for the origination of 800 traffic terminated to the other party.
- 2.6 Records for 800 Billing. Each party will provide to the other the appropriate records necessary for billing intraLATA 800 customers. The records provided will be in a standard EMR format for a fee of \$0.013 per record.
- 2.7

  800 Access Screening. Should Diamond require 800 Access Ten Digit Screening Service from BellSouth, it shall have signaling transfer points connecting directly to BellSouth's local or regional signaling transfer point for service control point database query information. Diamond shall utilize SS7 signaling links, ports and usage as set forth in Attachment 2. Diamond will not utilize switched access FGD service. 800 Access Ten Digit Screening Service is an originating service that is provided via 800 Switched Access Service trunk groups from BellSouth's SS7 equipped end office or access tandem providing an IXC identification function and delivery of a call to the IXC based on the dialed ten digit number. The terms and conditions for this service are set out in BellSouth's Intrastate Access Services Tariff as amended

## 3. Methods of Interconnection

Interconnection for telephone exchange service and exchange access shall be either at every BellSouth access tandem and/or at every

ATTACHMENT A Attachment 3
Page 6

BellSouth end office within a local calling area or other authorized area (e.g., an Extended Area Service Zone). Interconnection is available through: (1) virtual collocation; (2) physical collocation; and (3) interconnection via purchase of facilities from either party by the other company.

# 4. Trunk Groups

BellSouth and Diamond shall establish interconnecting trunk groups betweennetworks. Trunks may be either one-way or two-way. Two-way trunking may be provided by BellSouth consistent with BellSouth engineering specifications. Local and intraLATA traffic only may be routed over the same one-way trunk group. Requests for alternative trunking arrangements may require submission of a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in Attachment 9.

# 5. Network Design and Management for Interconnection

- Network Management and Changes. BellSouth will work cooperatively with Diamond to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. BellSouth agrees to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID when technically feasible.
- 5.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that BellSouth provides to Diamond will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible.

or to any other party to which BellSouth provides local interconnection. Attachment 2 contains detailed service descriptions, technical requirements and quality measures provided to Diamond.

- 5.4 Network Management Controls. BellSouth will work cooperatively with Diamond to apply sound network management principles by invoking appropriate network management controls, e.g., call gapping, to alleviate or prevent network congestion.
- Common Channel Signaling. BellSouth will provide LEC-to-LEC Common Channel Signaling ("CCS") to Diamond, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and BellSouth will cooperate with Diamond on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks.
- 5.6 Forecasting Requirements.
- 5.6.1 The Parties shall exchange technical descriptions and forecasts of their interconnection and traffic requirements in sufficient detail necessary to establish the interconnections required to assure traffic completion to and from all customers in their respective designated service areas.
- Both parties shall meet every six months or at otherwise mutually agreeable intervals for the purpose of exchanging non-binding forecast of its traffic and volume requirements for the interconnection and network elements provided under this Agreement, in the form and in such detail as agreed by the Parties. Section 5.6.3 contains guidelines regarding trunk forecasts, the forecast meetings and meeting intervals, that the Parties can use to form the basis of their agreement. The Parties agree that each forecast provided under this Section 5.6.2 shall be deemed "Confidential Information" under Section 9 of the General Terms and Conditions Part A of this Agreement.
- The trunk forecast should include trunk requirements for all of the interconnecting trunk groups for the current year plus the next two future years. The forecast meeting between the two companies may be a face-to-face meeting, video conference or audio conference. It may be held regionally or geographically. Ideally, these forecast meetings should be held at least semi-annually, or more often if the forecast is no longer usable. Updates to a forecast or portions thereof should be made whenever the Party providing the forecast deems that the latest trunk

requirements exceed the original quantities by 24 trunks or 10%, whichever is greater. Either Party should notify the other Party if they have measurements indicating that a trunk group is exceeding its designed call carrying capacity and is impacting other trunk groups in the network. Also, either Party should notify the other Party if they know of situations in which the traffic load is expected to increase significantly and thus affect the interconnecting trunk requirements as well as the trunk requirements within the other Party's network. The Parties agree that the forecast information provided under this Section shall be deemed "Confidential Information" under Section 9 of the General Terms and Conditions of this Agreement.

- In addition to, and not in lieu of, the non-binding forecasts required by 5.6.4 Section 5.6.2, a Party that is required pursuant to this Agreement to provide a forecast (the "Forecast Provider") or a Party that is entitled pursuant to this Agreement to receive a forecast (the "Forecast Recipient") with respect to traffic and volume requirements for the services and network elements provided under this Agreement may request that the other Party enter into negotiations to establish a forecast (a "Binding Forecast") that commits such Forecast Provider to purchase, and such Forecast Recipient to provide, a specified volume to be utilized as set forth in such Binding Forecast. The Forecast Provider and Forecast Recipient shall negotiate the terms of such Binding Forecast in good faith and shall include in such Binding Forecast provisions regarding price, quantity, liability for failure to perform under a Binding Forecast and any other terms desired by such Forecast Provider and Forecast Recipient. The Parties agree that each forecast provided under this Section shall be deemed "Confidential Information" under Section 10.1 of the General Terms and Conditions - Part A of this Agreement. Notwithstanding the foregoing, under no circumstance should either Party be required to enter into a Binding Forecast as described in this Section.
- 5.6.5 For a non-binding trunk forecast, agreement between the two Parties on the trunk quantities and the timeframe of those trunks does not imply any liability for failure to perform if the trunks are not available for use at the required time.
- 5.7 <u>Call Information.</u> BellSouth and Diamond will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.
- 6. Parity in Ordering and Provisioning

BellSouth shall provide interconnection ordering and provisioning services to Diamond that are equal to the ordering and provisioning services

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP ATTACHMENT A

PAGE 100

Attachment 3 Page 9

BellSouth provides to itself. Detailed procedures for ordering and provisioning BellSouth interconnection services are set forth in the Local Interconnection and Facility Based Ordering Guide.

#### 7. **Local Dialing Parity**

BellSouth shall provide local dialing parity, meaning that Diamond customers will not have to dial any greater number of digits than BellSouth customers to complete the same call. In addition, Diamond local service customers will experience at least the same quality as BellSouth local service customers regarding post-dial delay, call completion rate and transmission quality.

#### Local Interconnection Compensation 8.

- The Parties shall provide for the mutual and reciprocal recovery of the 8.1 costs of transporting and terminating local calls on each other's network. The parties agree that charges for transport and termination of calls on its respective networks are as set forth in Attachment 11. BST will pay transport from and to Diamond's point of termination located within the LATA in which the call originated.
- The delivery of traffic which transits the BellSouth network and is 8.2 transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates stipulated in this agreement to a terminating carrier. The delivery of this traffic is contingent upon Diamond negotiating and executing valid contractual agreements or the placement of valid orders with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier. An agreement or valid order with the terminating carrier will be established prior to the delivery of any transit traffic to BellSouth destined for the particular carrier's network. Further, Diamond agrees to compensate BellSouth for any charges or costs for the delivery of transit traffic to a connecting carrier on behalf of Diamond for which a valid contract or order has not been established. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.
- Interconnection with Enhanced Service Providers (ESPs)/Information 8.3 Service Providers (ISPs). Traffic originated to and terminated by ESPs/ISPs shall not be included in the local interconnection compensation arrangements of this Agreement.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 101
ATTACHMENT A

# Attachment 4

Physical Collocation

PAGE 102

# ATTACHMENT A

Attachment 4 Page 1

# BELLSOUTH PHYSICAL COLLOCATION

#### 1. SCOPE OF ATTACHMENT

- 1.1 Right to occupy. BellSouth hereby grants to Diamond a right to occupy that certain enclosed area designated by BellSouth within a BellSouth Central Office, of a size and dimension which is specified by Diamond and agreed to by BellSouth (hereinafter "Collocation Space"). BellSouth will design and construct at Diamond's expense and agreed to specifications, a wall or other delineation to establish a clear division between the Collocation Space and other areas of the Central Office dedicated to BellSouth's use.
- of installing, maintaining and operating Diamond's equipment (to include testing and monitoring equipment) which is used to interconnect with telecommunications services and facilities provided by BellSouth. Pursuant to Article III, following, Diamond may place Diamond-owned fiber entrance facilities to the Collocation Space, in which case the arrangement is designated "Expanded Interconnection." Placement of equipment in the Collocation Space without the use of Diamond-owned entrance facilities is designated "Service Interconnection." In addition to, and not in lieu of, interconnection to BellSouth services and facilities, Diamond may connect to other Interconnectors within the designated BellSouth Central Office (including to its own virtual or physical collocated arrangements) through facilities designated by Diamond. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.
- 1.3 No right to sublease. Diamond may not provide or make available space within the collocation space to any third party. Any violation of this provision shall be deemed a material breach of this Agreement.
- 1.4 Rates and charges. Diamond agrees to pay the rates and charges identified at Exhibit A attached hereto.
- 1.5 Location of Arrangement. A Collocation Space will be provided to Diamond at each Central Office identified at Exhibit B attached hereto, which Exhibit shall be updated from time to time as additional Central Offices are made subject to the terms of this Agreement.

#### 2. OCCUPANCY

2.1 <u>Commencement Date</u>. The "Commencement Date" shall be the day Diamond's equipment becomes operational as described in Article 2.2, following.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 103
ATTACHMENT A

Attachment 4 Page 2

- Occupancy. BellSouth will notify Diamond in writing that the Collocation 2.2 Space is ready for occupancy. Diamond must place operational telecommunications equipment in the Collocation Space and connect with BellSouth's network within one hundred eighty (180) days after receipt of such notice. Diamond must notify BellSouth in writing that collocation equipment installation is complete and is operational with If Diamond fails to place operational telecommunications BellSouth's network. equipment in the Collocation Space within 180 days and such failure continues for a period of thirty (30) days after receipt of written notice from BellSouth, then and in that event Diamond's right to occupy the Collocation Space terminates and BellSouth shall have no further obligations to Diamond with respect to said Collocation Space. Termination of Diamond's rights to the Collocation Space pursuant to this paragraph shall not operate to release Diamond from its obligation to reimburse BellSouth for all costs reasonably incurred by BellSouth in preparing the Collocation Space, but rather such obligation shall survive this Agreement. For purposes of this paragraph, Diamond's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 2.3 Termination. Diamond may terminate occupancy in a particular Collocation Space upon thirty (30) days prior written notice to BellSouth. Upon termination of such occupancy, Diamond at its expense shall remove its equipment and other property from the Collocation Space. Diamond shall have thirty (30) days from the termination date to complete such removal; provided, however, that Diamond shall continue payment of monthly fees to BellSouth until such date as Diamond has fully vacated the Collocation Space. Should Diamond fail to vacate the Collocation Space within thirty (30) days from the termination date, BellSouth shall have the right to remove the equipment and other property of Diamond at Diamond's expense and with no liability for damage or injury to Diamond's property unless caused by the gross negligence or intentional misconduct of BellSouth.

#### 3. USE OF COLLOCATION SPACE

- 3.1 Equipment Type. BellSouth shall not restrict the types of equipment or vendors of equipment to be installed provided such equipment is used to provide telecommunications services which Diamond has the legal authority to provide. Such equipment must at a minimum comply with the BellCore Network Equipment Building Systems (NEBS) General Equipment Requirements and National Electric Code standards. For purposes of this paragraph, enhanced services and information services are not considered to be telecommunications services. Diamond shall not use the Collocation Space for marketing purposes. Diamond shall place no signs or marking of any kind (except for a plaque or other identification affixed to Diamond's equipment and reasonably necessary to identify Diamond's equipment, and which shall include a list of emergency contacts with telephone numbers), in the area surrounding the Collocation Space or on the grounds of the Central Office housing the Collocation Space.
- 3.2 <u>Entrance Facilities.</u> Diamond may elect to place Diamond-owned or Diamond-leased entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in proximity to the Central office building housing the Collocation Space, such as an entrance manhole or a cable vault. Diamond will provide

and place cable at the point of interconnection of sufficient length to be pulled through conduit and into the splice location. Diamond will provide a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to the Diamond's equipment in the Collocation Space. Diamond must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Diamond is responsible for maintenance of the entrance facilities.

- 3.2.1 Dual entrance will be permitted where capacity exists. Upon receipt of a request for collocation under this Agreement, BellSouth shall provide Diamond with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Diamond's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application response.
- 3.2.2 The interconnection point for entrance facilities extending from a rooftop antenna will be designated by BellSouth on the Application/Inquiry response. The terms and conditions for rooftop antenna placement are contained in Attachment—to this agreement.
- 3.2.3 Diamond may utilize spare capacity on an existing Diamond entrance facility for the purpose of providing an entrance facility to another Diamond collocation arrangement within the same BellSouth Central Office.
- 3.3 Splicing in the Entrance Manhole. Although not generally permitted, should Diamond request a splice to occur in the entrance manhole(s), BellSouth, at its sole discretion, may grant such a request, provided that BellSouth will not unreasonably withhold approval of requests to make such a splice. When the request for a splice is granted to Diamond by BellSouth, Diamond shall ensure its employees or agents entering and/or performing work in the entrance manhole(s) are trained and comply with BellSouth procedures and OSHA requirements regarding access to manholes and that BellSouth personnel are notified and present for all entrances and work performed in the entrance manhole(s). Manholes covers shall be properly closed and secured at the conclusion of entry and/or work. Advance notification to BellSouth shall occur at a minimum of 48 hours prior to desired entry for normal work activities and at a minimum of 2 hours prior to desired entry in an out of service condition.
- 3.4 <u>Demarcation Point.</u> A point-of-termination bay(s) will designate the point(s) of interconnection between Diamond's equipment and/or network and BellSouth's network. Each party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Diamond may, at its option, provide its own point-of-termination bay(s) in accordance with BellSouth's guidelines and specifications, which BellSouth will provide upon request. Diamond or its agent may perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to subsection 3.5, following, and may self-provision cross-connects that may be required within the collocation space to activate service requests. With the exception of cross-connects provisioned as set forth in this subsection, a certified vendor

ATTACHMENT A

Attachment 4
Page 4

is required to perform all other equipment installation or provisioning activities within the collocation space, pursuant to Section 4.3.

- 3.5 <u>Diamond's Equipment and Facilities</u>. Diamond is solely responsible for the design, engineering, testing, performance, monitoring, maintenance, and repair of the equipment and facilities used by Diamond in the Collocation Space. Without limitation of the foregoing provisions, Diamond will be responsible for servicing, supplying, repairing, installing and maintaining the following: (1) cable(s); (2) equipment; (3) point-of-termination cross-connects; (4) point of termination maintenance, including replacement fuses and circuit breaker restoration, if not performed by BellSouth; and (5) connection cable(s) and associated equipment which may be required within the Collocation Space to the points of interconnection.
- 3.6 Easement Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give reasonable notice to Diamond when access to the Collocation Space is required. Diamond may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Diamond will not bear any of the expense associated with this work.
- Access and Administration. Diamond shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. A security escort will be required at Central Offices where separate, secured ingress and egress are not available and access would require Diamond to traverse restricted areas. All employees, agents and contractors of Diamond having access to the Collocation Space shall comply with BellSouth's policies and practices pertaining to fire, safety and security, and each such employee, agent or contractor shall display an identification badge issued by Diamond or certified vendor which contains a current photo, the individual's name and company name/logo. Diamond agrees to comply with all laws, ordinances and regulations affecting the use of the Collocation Space. For central offices in which an escort is required. BellSouth will establish procedures to provide expedited access in the event of an emergency. Such procedures shall, at a minimum, assign Diamond's request for access a priority level at parity with that which BellSouth assigns itself or any other telecommunications service provider for similar central office emergencies. Upon expiration of this Agreement, Diamond shall surrender the Collocation Space to BellSouth in the same condition as when first occupied by the Diamond except for ordinary wear and tear.
- 3.8 Interference or Impairment. Notwithstanding any other provisions of this Agreement, equipment and facilities placed in the Collocation Space shall not interfere with or impair service provided by BellSouth or by any other Interconnector located in the Central Office; shall not endanger or damage the facilities of BellSouth or of any other Interconnector, the Collocation Space, or the Central Office; shall not compromise the privacy of any communications carried in, from, or through the Central Office; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Diamond violate the provisions of this paragraph, BellSouth shall give written notice to Diamond, which notice shall direct Diamond to cure the violation within forty-eight (48) hours of Diamond's

actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the parties agree to consult immediately and, if necessary, to inspect the arrangement. If Diamond fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or interference/impairment of the services provided by BellSouth or any other Interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Diamond's equipment. BellSouth will endeavor, but is not required, to provide notice to Diamond prior to taking such action and shall have no liability to Diamond for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 3.9 Personalty and its Removal. Subject to requirements of this Agreement, Diamond may place or install in or on the Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business; Provided that such equipment is telecommunications equipment, does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by Diamond in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personalty and may be removed by Diamond at any time. Any damage caused to the Collocation Space by Diamond's employees, agents or representatives during the removal of such property shall be promptly repaired by Diamond at its expense.
- 3.10 <u>Alterations</u>. In no case shall Diamond or any person acting on behalf of Diamond make any rearrangement, modification, improvement, addition, repair, or other alteration to the Collocation Space or the BellSouth Central Office without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Diamond.

#### 4. ORDERING AND PREPARATION OF COLLOCATION SPACE

- 4.1 Application for Space. Diamond shall submit to BellSouth a complete and accurate Application and Inquiry document, together with payment of the Application Fee as stated in Exhibit A. The Application shall contain a detailed description and schematic drawing of the equipment to be placed in Diamond's Collocation Space(s) and an estimate of the amount of square footage required.
- 4.1.1 Application Response. BellSouth will respond to up to three (3) applications for space within the same state submitted within a fifteen (15) business day interval within thirty (30) business days of receipt of the complete application. When Diamond submits more than three (3) applications in the same state within 15 business days and BellSouth is processing multiple applications from other Interconnectors, BellSouth and Diamond will negotiate in good faith a prioritization of the requests and a reasonable response time frame. All negotiations small consider the total volume from all requests from telecommunications companies for collocation. The Application Response

ATTACHMENT A Attachment 4
Page 6

will detail whether the amount of space requested is available or if the amount of space requested is not available, the amount of space that is available. The response will also include the configuration of the space. When BellSouth's response includes an amount of space less than that requested by Diamond or differently configured, Diamond must amend its application to reflect the actual space available prior to submitting a Bona Fide Firm Order.

- 4.2 Bona Fide Firm Order. Diamond shall indicate its intent to proceed with equipment installation in a BellSouth Central Office by submitting a Bona Fide Firm Order to BellSouth. A Bona Fide Firm Order requires Diamond to complete the Application/Inquiry process described in Subsection 4.1, preceding, submit an updated Application document that is complete and accurate based on the outcome of the Application/Inquiry process, and pay all applicable fees referenced in Article 5, following. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) days after BellSouth's response to Diamond's Application/Inquiry.
- 4.2.1 BellSouth will establish a firm order date, per request, based upon the date BellSouth is in receipt of a complete and accurate firm order. BellSouth will acknowledge the receipt of Diamond's Bona Fide Firm Order within 15 days of receipt indicating that the Bona Fide Firm Order has been received and that the order is accurate and complete or if the order is not accurate and complete, details as to the necessary information needed to cause the order to be accurate and complete. A BellSouth response to a complete and accurate firm order will include a Firm Order Confirmation containing the firm order date.
- ~4.2.2 BellSouth will permit one site visit after receipt of the Bona Fide Firm Order. Security escort charges will be assessed for the site visit.
- 4.2.3 Space preparation for the Collocation Space will not begin until BellSouth receives the Bona Fide Firm Order and all applicable fees.
- Construction and Provisioning Interval. BellSouth will negotiate construction and provisioning intervals per request on an individual case basis. Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 days from receipt of a complete and accurate Bona Fide Firm Order where the infrastructure rearrangement or accommodations allow. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will use best efforts to complete construction of all other collocation space ("extraordinary conditions") within 180 days of the receipt of a complete and accurate Bona Fide Firm Order. Extraordinary conditions are defined to include but are not limited to multiple orders in excess of five (5) from one customer per state; major BellSouth equipment rearrangement; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; mainframe addition; environmental hazard or hazardous materials abatement.

ATTACHMENT A

Attachment 4 Page 7

- 4.3.1 Joint Planning Meeting. A joint planning meeting between BellSouth and Diamond will commence within a maximum of 20 days from BellSouth's receipt of a complete and accurate firm order and the payment of agreed upon fees. At such meeting, the parties will agree to the preliminary design of the collocation space and the equipment configuration requirements as designated by Diamond on its Bona Fide Firm Order. In the event Diamond materially modifies its request as a result of the coordination meeting outcome, such modifications must be submitted to BellSouth in writing and a firm order date reestablished. The Collocation Space Completion time period will be provided to Diamond during the joint planning meeting or as soon as possible thereafter. BellSouth will complete all design work following the joint planning meeting. If BellSouth needs to reevaluate Diamond's application as a result of changes requested by Diamond to Diamond's original application, then BellSouth will charge Diamond a fee based upon the additional engineering hours required to do the reassessment. Major changes such as requesting additional space or adding additional equipment may require Diamond to resubmit the application with an application fee.
- 4.3.2 Permits. BellSouth or its agents will diligently pursue filing for the required permits within 7 business days of the completion of finalized construction designs and specifications.
- 4.4 <u>Use of Certified Vendor.</u> Diamond shall select an equipment installation vendor which has been approved as a BellSouth Certified Vendor to perform all engineering and installation work required in the Collocation Space. BellSouth shall provide Diamond with a list of Certified Vendors upon request. The Certified Vendor shall be responsible for installing Diamond's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Diamond upon successful completion of installation. The Certified Vendor shall bill Diamond directly for all work performed for Diamond pursuant to this Agreement and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Vendor. BellSouth shall consider certifying Diamond or any vendor proposed by Diamond.
- Alarm and monitoring. BellSouth shall place environmental alarms in the Central Office for the protection of BellSouth equipment and facilities. Diamond shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Diamond's Collocation Space. Upon request, BellSouth will provide Diamond with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Diamond. Both parties shall use best efforts to notify the other of any verified environmental hazard known to that party. The parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit C attached hereto.
- 4.6 <u>Basic Telephone Service</u>. Upon request of Diamond, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.

Attachment 4 ATTACHMENT A

Page 8

- 4.7 Space Preparation. BellSouth shall pro rate the costs of any renovation or upgrade to Central Office space or support mechanisms which is required to accommodate physical collocation. Diamond's pro rated share will be calculated by multiplying such cost by a percentage equal to the amount of square footage occupied by Diamond divided by the total Central Office square footage receiving renovation or upgrade. For this section, support mechanisms provided by BellSouth may include, but not be limited to heating/ventilation/air conditioning (HVAC) equipment, HVAC duct work, cable support structure, fire wall(s), mechanical upgrade, asbestos abatement, ground plane addition, or separate ingress/egress construction. Such renovation or upgrade will be evaluated and the charges assessed on a per Central Office basis. BellSouth will reimburse Diamond in an amount equal to Diamond reasonable, demonstrative and mitigated expenditures incurred as a direct result of delays to the completion and turnover dates caused by BellSouth.
- Space Enclosure. Upon request of Diamond, BellSouth shall construct an equipment arrangement enclosure of a size and dimension jointly agreed upon by the Parties. Diamond may request enclosed floor space in increments of fifty (50) square feet, with a minimum of one hundred (100) square feet. Diamond may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. Such contractor shall directly bill Diamond for activities associated with the space enclosure construction. Diamond must provide the local BellSouth building contact with a card, key or other access device used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Diamond's locked enclosure prior to notifying Diamond .
- Virtual Collocation Transition. To the extent space becomes available, Diamond may transition its virtual collocation arrangements to physical collocation arrangements and pay the appropriate non-recurring fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement. Diamond must arrange with a BellSouth certified vendor for the relocation of equipment from its virtual collocation space to its physical collocation space and will bear the cost of such relocation.
- 4.10 Cancellation, If Diamond cancels its order for the Collocation Space(s), Diamond will reimburse BellSouth for any expenses incurred up to the date that written notice of the cancellation is received. In no event will the level of reimbursement under this paragraph exceed the maximum amount Diamond would have otherwise paid for work undertaken by BellSouth if no cancellation of the order had occurred.

#### RATES AND CHARGES

Non-recurring Fees. In addition to the Application Fee referenced in Section 4, preceding, Diamond shall remit payment of a Cable Installation Fee, Space Construction Fee, as applicable, and one-half (1/2) of the estimated Space Preparation Fee coincident with submission of a Bona Fide Firm Order. The outstanding balance of the actual Space Preparation Fee shall be due thirty (30) days following Diamond's receipt of a bill or invoice from BellSouth. Once the installation of the initial equipment arrangement is complete, a subsequent application fee may apply (as described in subsection 5.5) when Diamond requests a modification to the arrangement.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 110
ATTACHMENT A

Attachment 4 Page 9

- 5.2 <u>Documentation</u>. BellSouth shall provide documentation to establish the actual Space Preparation Fee. The Space Preparation Fee will be pro rated as prescribed in Section 4, preceding.
- 5.3 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance fiber placed. No Cable Installation Fee is required for Service Interconnection.
- 5.4 <u>Space Enclosure Fees</u>. The Space Enclosure Construction Fee will be assessed for the materials and installation cost of the equipment enclosure. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specifications, the additional costs will be included in the space preparation charge. In such cases, BellSouth shall provide documentation to establish these costs separately from Diamond's pro-rated share of renovation or upgrade costs.
- 5.5 Additional Engineering. BellSouth's engineering and other labor time associated with establishing the Physical Collocation Arrangement will be assessed as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. An estimate of the Additional Engineering charges will be provided by BellSouth to Diamond in the Application Response.
- 5.5 <u>Subsequent Application Fee.</u> BellSouth requires the submission of additional documentation when Diamond desires to modify the use of the collocation space. Diamond shall complete an additional application form including all information regarding the modification to the collocation arrangement. BellSouth shall determine what modifications to the premises are required to accommodate the change requested by Diamond in the application. Such modifications to the premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements and changes to power plant requirements. The fee paid by Diamond for its request to modify the use of the collocation space shall be dependent upon the modification requested. Where the subsequent application does not require provisioning or construction work by BellSouth, no subsequent application fee will be assessed. The fee for an application where the modification requested has limited effect, e.g. does not require capital expenditure by BellSouth, shall not exceed \$1600.00. All other subsequent application fees shall be assessed at \$3850.00.
- 5.6 Floor Space. The floor space charge includes reasonable charges for lighting, heat, air conditioning, ventilation and other allocated expenses associated with maintenance of the Central Office but does not include amperage necessary to power Diamond's equipment. When the Collocation Space is enclosed by walls or other divider, Diamond shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Diamond shall pay floor space charges based upon the number of square feet contained in a shadow print of Diamond's equipment racks and POT bay, plus a factor of 2.50 multiplied by the shadow print, which represents Diamond's share of wiring and provisioning aisle space for provisioning and maintenance activities. Floor space charges are due beginning with the date on which BellSouth releases the Collocation Space for occupancy or on the date Diamond first occupies the Collocation Space, whichever is sooner.

ATTACHMENT A

Attachment 4
Page 10

- Power. (1) Charges for 48V DC power will be assessed per ampere per month based upon the certified vendor engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and cable rack to Diamond's equipment or space enclosure. Ruses and power feed cables (A&B) must be engineered (sized), furnished and installed by Diamond's certified vendor. The Diamond's certified vendor must also provide a copy of the engineering power specification prior to the Commencement Date. In the event BellSouth shall be required to construct additional DC power plant or upgrade the existing DC power plant in a central office as a result of Diamond's request to collocate in that central office ("Power Plant Construction"), Diamond shall pay-its pro-rata share of costs associated with the Power Plant Construction. The determination of whether Power Plant Construction is necessary shall be within BellSouth's sole, but reasonable, discretion. BellSouth shall comply with all BellCore and ANSI Standards regarding power cabling, including BellCore Network Equipment Building System (NEBS) Standard TR-EOP-000063. BellSouth will notify Diamond of the need for the Power Plant Construction and will estimate the costs associated with the Power Plant Construction if BellSouth were to perform the Power Plant Construction. The costs of power plant construction shall be pro-rated and shared among all who benefit from that construction. Diamond shall pay BellSouth one-half of its prorata share of the estimated Power Plant Construction costs prior to commencement of the work. Diamond shall pay BellSouth the balance due (actual cost less one-half of the estimated cost) within thirty (30) days of completion of the Power Plant Co ... ruction. Diamond has the option to perform the Power Plant Construction itself; provided, however, that such work shall be performed by a BellSouth certified contractor and such contractor shall comply with BellSouth's guidelines and specifications. Where the Power Plant Construction results in construction of a new power plant room, upon termination of this Agreement Diamond shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact. Where the Power Plant Construction results in an upgrade to BellSouth's existing power plant, upon termination of this Agreement, such upgrades shall become the property of BellSouth.
- 5.8 Security Escort. A security escort will be required whenever Diamond or its approved agent desires access to the entrance manhole or must traverse a restricted area within BellSouth's central office. Rates for a BellSouth security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit A.
- 5.9 Other. Payment of all other charges under this Agreement shall be due thirty (30) days after receipt of the bill (payment due date). Diamond will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

### 6. INSURANCE

6.1 Diamond shall, at its sole cost and exgense, procure, maintain, and keep in force insurance as specified in this Article VI and underwritten by insurance

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 112
ATTACHMENT A

Attachment 4 Page 11

companies licensed to do business in the states contained in Exhibit B attached hereto and having a BEST insurance Rating of B ++ X (B ++ ten).

- 6.2 Diamond shall maintain the following specific coverage:
- 6.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an ADDITIONAL INSURED on ALL applicable policies as specified herein.
- 6.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 6.2.3 Diamond may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 6.3 The limits set forth in subsection 6.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) days notice to Diamond to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 6.4 All policies purchased by Diamond shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Central Office and shall remain in effect for the term of this Agreement or until all Diamond's property has been removed from BellSouth's Central Office, whichever period is longer. If Diamond fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Diamond.
- 6.5 Diamond shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Diamond shall arrange for BellSouth to receive thirty (30) days advance notice of cancellation from Diamond's insurance company. Diamond shall forward a certificate of insurance and notice of cancellation to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 3535 Colonnade Parkway, S9A1 Birmingham, Alabama 35243

6.6 Diamond must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 113
ATTACHMENT A

Attachment 4 Page 12

6.7 Failure to comply with the provisions of this Section will be deemed a material breach of this Agreement.

#### 7. MECHANICS LIENS

7.1 If any mechanics lien or other liens shall be filed against property of either party (BellSouth or Diamond), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other party or by reason of any changes, or additions to said property made at the request or under the direction of the other party, the other party directing or requesting those changes shall, within thirty (30) days after receipt of written notice from the party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 8. INSPECTIONS

8.1 BellSouth shall conduct an inspection of Diamond's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Diamond's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Diamond adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties BellSouth shall provide Diamond with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

#### 9. SECURITY.

9.1 Only BellSouth employees, BellSouth certified vendors and authorized employees or agents of Diamond will be permitted in the BellSouth Central Office. Diamond shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Central Office. BellSouth may refuse entry to any person who fails to display the identification required by this section.

#### 10. DESTRUCTION OF COLLOCATION SPACE.

10.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Diamond's permitted use hereunder, then either party may elect within ten (10) days after such damage, to terminate this Agreement, and if either party shall so elect, by giving the other written notice of termination, both parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Diamond's permitted use, or is damaged and the option to terminate is not exercised by

ATTACHMENT A

Attachment 4 Page 13

either party, BellSouth covenants and agrees to proceed promptly without expense to Diamond, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Diamond may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a certified vendor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Diamond's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Diamond. Where allowed and where practical, Diamond may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired. Diamond shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Diamond's permitted use, until such Collocation Space is fully repaired and restored and Diamond's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored).

#### 11. EMINENT DOMAIN

11.1 If the whole of a Collocation Space shall be taken by any public authority under the power of eminent domain, then this Agreement shall terminate as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space shall be taken under eminent domain, BellSouth and Diamond shall each have the right to terminate this Agreement and declare the same null and void, by written notice of such intention to the other party within ten (10) days after such taking.

## 12. NONEXCLUSIVITY

12.1 Diamond understands that this Agreement is not exclusive and that BellSouth may enter into similar agreements with other parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

PAGE 115

ATTACHMENT A

Attachment 4 Page 14

#### NOTICES 13.

Except as otherwise provided herein, any notices or demands that are required by law or under the terms of this Agreement shall be given or made by Diamond or BellSouth in writing and shall be given by hand delivery, or by certified or registered mail, ar.d addressed to the parties as follows:

To BellSouth: 600 North 19th Street 9th Floor Birmingham, Alabama 34203

To Diamond: 12 Third Street P.O. Box 922 Jackson, Mississippi 39422

13.2 Such notices shall be deemed to have been given in the case of certified or registered mail when deposited in the United States mail with postage prepaid.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 116 ATTACHMENT A

Attachment 4 Page 15

EXHIBIT A
Page 1 of 3

# Schedule of Rates and Charges

| Rate Element Description  |        | Type of Charge                      | Charge           |
|---|--------|-------------------------------------|------------------|
| Application Fee   |        | NRC (per Arrangement, per C.O.)     | \$3,850.00       |
| Subsequent Application Fee (Note 1) No greater than \$1,600.00                |        | NRC (per Arrangement, per C.O.)     | ICB              |
| Space Preparation Fee (Note 2)  |        | NRC (per Arrangement, per C.O. )    | ICB              |
| Space Enclosure Construction Fee (Note 2) Additional Engineering Fee (Note 3) |        | NRC (per Arrangement, per C.O.) NRC | \$4500.00<br>ICB |
| Cable Installation  |        | NRC (per entrance cable)            | 2,750.00         |
| Floor Space   |        | RC (per square foot)                | \$7.50           |
| Power   |        | RC (per amp)                        | \$5.00           |
| Cable Support structure   |        | RC (per entrance cable)             | \$13.35          |
| Cross-Connects  | 2-wire | RC (per cross-connect)              | \$0.30           |
|   | 4-wire | RC (per cross-connect)              | \$0.50           |
|   | DS1    | RC (per cross-connect)              | \$8.00           |
|   | DS3    | RC (per cross-connect)              | \$72.00          |
|   | 2-wire | NRC (first cross-connect)           | \$19.20          |
|   | 4-wire | NRC (first cross-connect)           | \$19.20          |
|   | DS1    | NRC (first cross-connect)           | \$155.00         |
|   | DS3    | NRC (first cross-connect)           | \$155.00         |
|   | 2-wire | NRC (each additional cross-connect) | \$19.20          |
|   | 4-wire | NRC (each additional cross-connect) | \$19.20          |
|   | DS1    | NRC (each additional cross-connect) | \$27.00          |
|   | DS3    | NRC (each additional cross-connect) | \$27.00          |
| POT Bay   | 2-wire | RC (per cross-connect)              | \$0.40           |
| , , ,   | 4-wire | RC (per cross-connect)              | \$1.20           |
|   | DS1    | RC (per cross-connect)              | \$1.20           |
|   | DS3    | RC (per cross-connect)              | \$8.00           |
| Additional Security Access Cards  |        | NRC-ICB (each)                      | \$10.00          |

PAGE 117

#### ATTACHMENT A

Attachment 4
Page 16

EXHIBIT A
Page 2 of 3

# Schedule of Rates and Charges (cont.)

| Rate Element Description          | Type of Charge                  | Charge   |
|-----------------------------------|---------------------------------|----------|
| Direct Connection (Note 4)        |                                 |          |
| (1) Fiber Arrangement             | RC (per cable, per linear foot) | \$0.06   |
| -with Initial Application         | NRC (per Arrangement)           | n/a      |
| -Subsequent to Application        | NRC (per Arrangement)           | \$246.00 |
| (2) Copper or Coaxial Arrangement | RC (per cable, per linear foot) | \$0.03   |
| -with Initial Application         | NRC (per Arrangement)           | n/a      |
| -Subsequent to Application        | NRC (per Arrangement)           | \$246.00 |
| Security Escort                   |                                 |          |
| Basic - first half hour           | NRC-ICB                         | \$41.00  |
| Overtime - first half hour        | NRC-ICB                         | \$48.00  |
| Premium - first half hour         | NRC-ICB                         | \$55.00  |
| Basic - additional half hour      | NRC-ICB                         | \$25.00  |
| Overtime - additional half hour   | NRC-ICB                         | \$30.00  |
| Premium - additional half hour    | NRC-ICB                         | \$35.00  |

#### Notes

NRC: Non-recurring Charge - one-time charge RC: Recurring Charge - charged monthly ICB: Individual Case Basis - one-time charge

- (1) Subsequent Application Fee. BellSouth requires the submission of an Application Fee for modifications to an existing arrangement. However, when the modifications do not require BellSouth to expend capital, BellSouth will assess the Subsequent Application Fee in lieu of the Application Fee. Proposed modifications that could result in assessment of a Subsequent Application Fee would cause BellSouth to analyze the following but are not limited to: floor loading changes, changes to HVAC requirements, power requirement changes which may result in a power plant upgrade, environmental or safety requirements, or equipment relocation.
- (2) Space Preparation Fee. The Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers costs associated with the shared physical collocation area within a central office, which include survey, engineering, design and building modification costs. BellSouth will pro rate the total shared space preparation costs among the collocators at each location based on the amount of square footage occupied by each collocator. This charge may vary depending on the location and the type of arrangement requested.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 118 ATTACHMENT A

Attachment 4
Page 17
EXHIBIT A
Page 3 of 3

# Schedule of Rates and Charges (cont.)

# Notes (cont.)

- (2) (cont.) Space Enclosure Construction Fee. The Space Enclosure Construction Fee is a one-time fee, assessed per enclosure, per location. It recovers costs associated with providing an optional equipment arrangement enclosure, which include architectural and engineering fees, materials, and installation costs. This fee is assessed in fifty (50) square-foot increments, with a minimum space enclosure size of one hundred (100) square feet. Diamond may, at its option, arrange with a BellSouth certified contractor to construct the space enclosure in accordance with BellSouth's guidelines and specifications. In this event, the contractor shall directly bill Diamond for the space enclosure, and this fee shall not be applicable.
- (3) Additional Engineering Fee. BellSouth's engineering and other labor costs associated with establishing the Physical Collocation Arrangement shall be recovered as Additional Engineering charges, under provisions in BellSouth's F.C.C. Number 1 Tariff, Sections 13.1 and 13.2. An estimate of the Additional Engineering charges shall be provided by BellSouth in the Application Response.
- (4) <u>Direct Connection.</u> As stated in Article I.B of the Collocation Agreement, Diamond may connect to other Interconnectors within the designated Central Office in addition to, and not in lieu of, interconnection to BellSouth services and facilities. Diamond must use its Certified Vendor to place the direct connection. The Direct Connection NRC is assessed when direct connection is the only work requested by Diamond. If any other work in addition to the direct connection is being requested, whether for an initial installation of a Collocation Space or for an augmentation to an existing Collocation Space, an Application Fee or a Subsequent Application Fee will be assessed in lieu of the Direct Connection NRC. Construction charges may also apply; BellSouth shall provide an estimate of these charges in the Application Response.

ATTACHMENT A

Attachment 4 Page 18

# Exhibit B Bona Fide Physical Collocation Arrangements

Central Office Name: Central Office CLLI Code: City: State:

Date of Bona Fide Firm Order:

Central Office Name:
Central Office CLLI Code:
City:
State:
Date of Bona Fide Firm Order:

Central Office Name:
Central Office CLLI Code:
City:
State:
Date of Bona Fide Firm Order:

Central Office Name: Central Office CLLI Code: City: State: Date of Bona Fide Firm Order:

Central Office Name:
Central Office CLLI Code:
City:
State:
Date of Bona Fide Firm Order:

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 120
ATTACHMENT A

Attachment 5

Access to Numbers and Number Portability ATTACHMENT A

Attachment 5 Page 1

# ACCESS TO NUMBERS and NUMBER PORTABILITY

# 1. Non-Discriminatory Access to Telephone Numbers

BellSouth currently serves as a North American Numbering Plan administrator for its territory. During the term of this Agreement, and while BellSouth continues to serve as the numbering plan administrator, BellSouth will ensure that Allegiance, whether facilities-based or reseller, has nondiscriminatory access to telephone numbers for assignment to their customers under the same terms that BellSouth has access to telephone numbers. BellSouth provides numbering resources pursuant to the Bellcore Guidelines regarding number assignment. Diamond will be required to complete the NXX code application in accordance with Industry Carriers Compatibility Forum, Central Office Code Assignment Guidelines, ICCF 93-0729-010. If BellSouth transfers a block of NXX numbers to Allegiance, Diamond will be responsible for the update to the RDBS/BRIDS Bellcore database. At Allegiance's request through the BOR Process, BellSouth will update the database for a fee at an hourly rate.

#### 2. Permanent Solution

The FCC, the Commissions and industry forums are working towards a permanent approach to providing service provider number portability. BellSouth will implement a permanent approach as developed and approved by the Commission, the FCC and industry forums. Consistent with the requirements to move to Permanent Number Portability, Interim Service Provider Number Portability may be available only until such permanent solution is implemented.

#### 3. Service Provider Number Portability

- Definition. Until an industry-wide permanent solution can be achieved, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same serving wire center of his existing number.
- 3.2 <u>Methods of Providing Number Portability.</u> SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of Allegiance. Remote call forwarding (SPNP-RCF) is an existing

ATTACHMENT A

Attachment 5 Page 2

switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the Diamond switch that serves the subscriber. SS7 Signaling is required for the provision of either of these services.

Signaling Requirements. SS7 Signaling is required for the provision of SPNP services. SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic local exchange service.

# 4. SPNP Implementation

Interim SPNP is available through remote call forwarding and direct inward dialing, under the following terms:

- SPNP is available only where a CLEC or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic local exchange service to the affected end user. SPNP for a particular telephone number is available only from the central office originally providing local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.
- SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by the CLEC or BellSouth, as appropriate. The forwarding company will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at separate rates in addition to the rates for SPNP-RCF.
- 4.3 SPNP-DID service, as contemplated by this Statement, provides trunk side access to end office switches for direct inward dialing to the other company's premises equipment from the telecommunications network to

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 123
ATTACHMENT A

44

Attachment 5 Page 3

lines associated with the other company's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as said tariff is amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering company is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-Party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or the CLEC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either company may request that the other block collect and third company non-sent paid calls to the SPNP-assigned telephone number. If a company does not request blocking, the other company will provide itemized local usage data for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each company-shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards for exchange of billing data. Files of usage data will be created daily for the optional service. originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. CLEC usage

ATTACHMENT A

Attachment 5 Page 4

originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

- 4.5 Each company shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service. the provision of new local service and the provision of SPNP services. Each company shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each company shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other company or any of its end users. In the event that either company determines in its reasonable judgment that the other company will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that company may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.
- 4.6 Each company shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either company chooses to disconnect or terminate any SPNP service, that company shall be responsible for designating the preferred standard type of announcement to be provided.
- Each company shall be the other company's single point of contact for all 4.7 repair calls on behalf of each company's end user. Each company reserves the right to contact the other company's customers if deemed necessary for maintenance purposes.
- Neither company shall be responsible for adverse effects on any service, 48 facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, endto-end transmission characteristics cannot be specified by either company for such calls. Neither company shall be responsible to the other if any necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other company obsolete or renders flecessary modification of the other company's equipment.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 125
ATTACHMENT A

Attachment 5 Page 5

- For terminating IXC traffic ported to either company which requires use of either company's tandem switching, the tandem provider will bill the IXC tandem switching, the intersonnection charge, and a portion of the transport, and the other company will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other company to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate, keep the interconnection charge, tandem switching and a portion of transport, and remit the local switching, a portion of transport and CCL revenues to the other company. If an intraLATA toll call is delivered, the delivering company will pay terminating access rates to the other company. This subsection does not apply in cases where SPNP-DID is utilized for number portability.
- 4.10 If, through a final and nonappealable order, the Federal Communications Commission ("FCC") issues regulations pursuant to 47 U.S.C. § 251 to require number portability different than that provided pursuant to this section, BellSouth will comply with that order.

## 5. Rates

Rates for service provider number portability are set out in Attachment 11.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 126
ATTACHMENT A

# Attachment 6

Ordering and Provisioning

ATTACHMENT A Attachment 6

# Page 1

# ORDERING AND PROVISIONING

# **Quality of Ordering and Provisioning**

1.

- BellSouth shall provide ordering and provisioning services to Diamond that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC, where technically feasible. Detailed guidelines for ordering and provisioning are set forth in BellSouth's Local Interconnection and Facility Based Ordering Guide and Resale Ordering Guide, as appropriate, and as they are amended from time to time during this Agreement.
- 1.2 BellSouth will perform provisioning services during the following normal hours of operation:

Monday - Friday - 8:00AM - 5:00PM (excluding holidays)
- (Resale/UNE non coordinated, coordinated orders and order coordinated - Time Specific)

Saturday - 8:00 AM - 5:00 PM (excluding holidays)
(Resale/UNE non coordinated orders)

All other Diamond requests for provisioning and installation services are considered outside of the normal hours of operation and may be performed subject to the application of extra-ordinary billing charges.

# 2. Access to Operational Support Systems

- 2.1 BellSouth shall provide Diamond access to several operations support systems. Access to these support systems is available through a variety of means, including electronic interfaces. BellSouth also provides the option of placing orders manually (e.g., via facsimile) through the Local Carrier Service Center. The operations support systems available are:
- Pre-Ordering. BellSouth provides electronic access to the following preordering functions: service address validation, telephone number
  selection, service and feature availability, due date information, and upon
  Commission approval of confidentiality protections, to customer record
  information. Access is provided through the Local Exchange Navigation
  System (LENS). Customer record information includes any and all
  customer specific information, including but not limited to, customer
  specific information in CRIS and RSAG. Diamond agrees not to view,
  copy, or otherwise obtain access to the customer record information of
  any customer without that customer's permission and further agrees that

ATTACHMENT A

Attachment 6 Page 2

Diamondwill obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.

- Service Ordering and Provisioning. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides and Electronic Data Interchange (EDI) arrangement for resale requests and certain unbundled network elements. As an alternative to the EDI arrangement, BellSouth also provides through LENS an ordering and provisioning capability that is integrated with the LENS pre-ordering capability.
- Service Trouble Reporting and Repair. Service trouble reporting and . 2.4 repair allows Diamond to report and monitor service troubles and obtain repair services. BellSouth shall offer Diamond service trouble reporting in a non-discriminatory manner that provides Diamond the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides Diamond an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. BellSouth provides two options for electronic trouble reporting. For exchange services, BellSouth offers Diamond access to the Trouble Analysis Facilitation Interface (TAFI). For individually designed services, BellSouth provides electronic trouble reporting through an electronic communications gateway. If the CLEC requests BellSouth to repair a trouble after normal working hours, the CLEC will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.
  - 2.5 Migration of CLEC-1to New BellSouth Software Releases. BellSouth will issue new software releases for its electronic interfaces as needed to meet regulatory and standard requirements and to improve operations. Diamond will migrate with BellSouth to new electronic interface system releases. BellSouth will continue to support CLEC-1on old releases for 60 days after the date of the release. If CLEC-1is unable or does not want to migrate within that time frame, CLEC-1will have the option of paying a fee to maintain the old platform. BellSouth will issue documents to Diamond within sufficient notice to allow CLEC-1to make the necessary changes to their systems and operations and allow CLEC-1to migrate with BellSouth.
  - 2.6 Rates. All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from the carriers who utilize the services. Charge for use of Operational Support Systems shall be as set forth in Attachment 11 of this agreement.
  - 3. Miscellaneous Ordering and Provisioning Guidelines

- AGE 129 ATTACHMENT A
- Pending Orders. To ensure the most efficient use of facilities and resources, orders placed in the hold or pending status by Diamond will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, if Diamond wishes to reinstate an order, Diamond may be required to submit a new service order.
- 3.2 Single Point of Contact. Diamond will be the single point of contact with BellSouth for ordering activity for unbundled network elements used by Diamond to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Diamond and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders; provided, however, that such processes shall comply with applicable state and federal law, including until superseded the FCC guidelines applicable to Presubscribed Interexchange Carrier (PIC) changes. Pursuant to such an order, BellSouth may disconnect any unbundled network element associated with the service to be disconnected and being used by Diamond to provide service to that end user and reuse such unbundled network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify Diamond that such an order has been processed, but will not be required to notify Diamond in advance of such processing.
- Use of Facilities. When a customer of the LEC elects to discontinue service from the LEC and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Diamond by BellSouth for retail or resale service, unbundled loop and/or unbundled port for that customer under the following conditions:
- BellSouth has received a new order from the customer or the customer's new local exchange carrier for a retail service or resale service or for an unbundled network element which the customer or the customer's new local exchange carrier has indicated that the order constitutes a transfer of service from the LEC to another provider (i.e., the order is not for a new line or an additional line).
- The order for retail service, resale service, unbundled loop and/or port can be for either exchange service or private line.
- 3.3.3 Upon receipt of a transfer of service order from a customer or the customer's new local exchange carrier, BellSouth will do the following:

|         | DOCKET NO. 980967-TP   |
|---------|--|
|         | PAGE 130 ATTACHMENT A Attachment 6   |
| 3.3.3.1 | Process disconnect and reconnect orders to transfer the service which shall be due dated using current interval guidelines.  |
| 3.3.3.2 | Reuse the serving facility for the retail or resale service, unbundled Network Element for the same customer at the same location.   |
| 3.3.3.3 | Notify Diamond subsequent to the disconnect order being completed.   |
| 3.4     | Contact Numbers. The parties agree to provide one another with toll-free contact numbers for the purpose of ordering, provisioning and maintenance of services.  |
| 3.5     | Subscription Functions. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)). BellSouth will provide the |

affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription

ORDER NO. PSC-98-1430-FOF-TP

requirements.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 131 . ATTACHMENT A

# Attachment 7

Billing and Billing Accuracy Certification

ATTACHMENT A

Attachment 7 Page 1

# **BILLING AND BILLING ACCURACY CERTIFICATION**

# 1. Payment and Billing Arrangements

Billing. Currently, BellSouth provides billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that Diamond requests. BellSouth will bill and record in accordance with this agreement those charges Diamond incurs as a result of Diamond purchasing from BellSouth Network Elements, Combinations, and Local Services, as set forth in this agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.

1.1.1 If the Diamond requests multiple billing media or additional copies of bills BellSouth will provide these at a reasonable cost.

- Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, Reseller will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.
- 1.3 Payment Responsibility. Payment of all charges will be the responsibility of Allegiance. Diamond shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Diamond from Allegiance's customer. BellSouth will not become involved in billing disputes that may arise between Diamond and its customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.
- 1.4 Payment Due. The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday & Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 133
ATTACHMENT A

Page 2 ay preceding such Saturday or Holiday. If payment is not

Attachment 7

non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.»

- 1.5 <u>Tax Exemption</u>. Upon proof of tax exempt certification from Allegiance, the total amount billed to Diamond will not include any taxes due from the end user. Diamond will be solely responsible for the computation, tracking, reporting and payment of all federal, state and/or local jurisdiction taxes associated with the services resold to the end user.
- Miscellaneous. As the customer of record for resold services, Diamond will be responsible for, and remit to BellSouth, all charges applicable to its resold services for emergency services (E911 and 911) and Telecommunications Relay Service (TRS) as well as any other charges of a similar nature.
- Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor. The late factor shall be as set forth in Section A2 of the General Subscriber Service Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate.
- 1.8 Access Charges for Resellers. Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to Allegiance.
- 1.9 End User Common Line Charge for Resellers. Pursuant to 47 CFR Section 51.617, BellSouth will bill Diamond end user common line charges identical to the end user common line charges BellSouth bills its end users.
- 1.10 <u>Discontinuing Service to Allegiance.</u> The procedures for discontinuing service to Diamond are as follows:
- 1.10.1 BellSouth reserves the right to suspend or 'terminate service for nonpayment or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by Diamond of the rules and regulations contained in BellSouth's tariffs.

ATTACHMENT A Attachment 7
Page 3

- 1.10.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Diamond that additional applications for segrice will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by Diamond to receive notices of noncompliance, discontinue the provision of existing services to Diamond at any time thereafter.
- 1.10.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.10.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Allegiance's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Diamond without further notice.
- 1.10.5

  If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, Allegiance's services will be discontinued. Upon discontinuance of service on Allegiance's account, service to the Allegiance's end users will be denied. BellSouth will reestablish service at the request of the end user or Diamond for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Diamond is solely responsible for notifying the end user of the proposed service disconnection.
- 1.10.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.
- Deposit Policy. When purchasing services from BellSouth, Diamond may be required to provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of an irrevocable Letter of Credit or in its sole discretion some other form of security acceptable to the Company. Any such security deposit shall in no way release the customer from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of the Company, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, the Company reserves the right to request additional security.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 135
ATTACHMENT A

Interest on a security deposit shall accrue and be refunded in accordance with the terms in the appropriate BellSouth tariff.

# 2. Billing and Billing Accuracy Certification

- 2.1 BellSouth and Diamond will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.
- As part of the billing quality assurance program, BellSouth and Diamond will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide Diamond with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, Diamond will pay all bills received from BellSouth in full by the payment due date.
- 2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process
- 2.3.1 Each party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within sixty (60) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.
- 2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the Bill Date. The month being closed represents those charges that were billed or should have been billed by the designated Bill Date.

## 3 Billing Disputes

3.1 Where the parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.

Attachment 7

Page 4

ATTACHMENT A Attachment 7
Page 5

- Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:
- 1.1 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.
- 1.2. If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.
- 2. If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. In no event, however, shall any late payment charges be assessed on any previously assessed late payment charges.

# RAO Hosting

- 4.1 RAO Hosting, Credit Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Diamond by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 4.2 Diamond shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 137
ATTACHMENT A

- 4.3 Applicable compensation amounts will be billed by BellSouth to Diamond on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- Diamond must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected CMDS interfacing host, require written notification from Diamond to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required BellCore functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently BellCore, on behalf of Diamond and will coordinate all associated conversion activities.
- 4.5 BellSouth will receive messages from Diamond that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.
- 4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Allegiance.
- 4.7 All data received from Diamond that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.
- All data received from Diamond that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently BellCore).
- 4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Diamond and will forward them to Diamond on a daily basis.
- 4.10 Transmission of message data between BellSouth'and Diamond will be via CONNECT:Direct. .
- 4.11 All messages and related data excharged between BellSouth and
  Diamond will be formatted in accordance with accepted industry
  standards for EMI formatted records and packed between appropriate

ATTACHMENT A

Attachment 7 Page 7

EMI header and trailer records, also in accordance with accepted industry standards.

- 4.12 Diamond will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.
- 4.13 Should it become necessary for Diamond to send data to BellSouth more than sixty (60) days past the message date(s), Diamond will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Diamond to notify all affected Parties.
- In the event that data to be exchanged between the two Parties should 4.14. become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been determined and the responsible Party (BellSouth or Allegiance) identified and agreed to, the company responsible for creating the data (BellSouth or Allegiance) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.
- Should an error be detected by the EMI format edits performed by BellSouth on data received from Allegiance, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Diamond of the error condition. Diamond will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Diamond will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 4.16 In association with message distribution service, BellSouth will provide Diamond with associated intercompany settlements reports (CATS and NICS) as appropriate.

ATTACHMENT A

Attachment 7 Page 8

- 4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.
- 4.18 RAO Compensation
- 4.18.1 Rates for message distribution service provided by BellSouth for Diamond are as set forth in Attachment 11 of this Agreement.
- 4.18.2 Rates for data transmission associated with message distribution service are as set forth in Attachment 11 of this Agreement.
- Data circuits (private line or dial-up) will be required between BellSouth and Diamond for the purpose of data transmission. Where a dedicated line is required, Diamond will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Diamond will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Allegiance. Additionally, all message toll charges associated with the use of the dial circuit by Diamond will be the responsibility of Allegiance. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.
- 4.18.4 All equipment, including modems and software, that is required on the Diamond end for the purpose of data transmission will be the responsibility of Allegiance.
- 4.19 Intercompany Settlements Messages
- This Section addresses the settlement of revenues associated with traffic originated from or billed by Diamond as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Diamond and the involved company(ies), unless that company is participating in NICS.
- 4.19.2 Both traffic that originates outside the SellSouth region by Diamond and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Allegiance,

is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Allegiance, involves a company other than Allegiance, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region. (NICS).

- 4.19.3 Once Diamond is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via BellCore's, its successor or assign, NICS system.
- 4.19.4 BellSouth will receive the monthly NICS reports from BellCore, its successor or assign, on behalf of Allegiance. BellSouth will distribute copies of these reports to Diamond on a monthly basis.
- 4.19.5 BellSouth will receive the monthly Credit Card and Third Number Settlement System (CATS) reports from BellCore, its successor or assign, on behalf of Allegiance. BellSouth will distribute copies of these reports to Diamond on a monthly basis.
- BellSouth will collect the revenue earned by Diamond from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents (\$0.05), on behalf of Allegiance. BellSouth will remit the revenue billed by Diamond to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Allegiance. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Diamond via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- BellSouth will collect the revenue earned by Diamond within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Allegiance. BellSouth will remit the revenue billed by Diamond within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Diamond via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Diamond agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

5. Optional Daily Usage File

|         | ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 141  ATTACHMENT A  Attachment 7 Page 10   |  |
|---------|--|--|
| 5.1     | Upon written request from Allegiance, BellSouth will provide the Optional Daily Usage File (ODUF) service to Diamond pursuant to the terms and conditions set forth in this section.   |  |
| 5.2     | The Diamond shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.   |  |
| 5.3     | The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Diamond customer.   |  |
|         | Charges for delivery of the Optional Daily Usage File will appear on the Allegiances' monthly bills. The charges are as set forth in Attachment 11 of this Agreement.  |  |
| 5.4     | The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.  |  |
| 5.5     | Messages that error in the billing system of the Diamond will be the responsibility of the Allegiance. If, however, the Diamond should encounter significant volumes of errored messages that prevent processing by the Diamond within its systems, BellSouth will work with the Diamond to determine the source of the errors and the appropriate resolution. |  |
| 5.6     | The following specifications shall apply to the Optional Daily Usage Feed.   |  |
| 5.6.1   | USAGE TO BE TRANSMITTED  |  |
| 5.6.1.1 | The following messages recorded by BellSouth will be transmitted to the Allegiance:  |  |
|         | <ul> <li>message recording for per use/per activation type services<br/>(examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)</li> </ul>   |  |
|         | - measured billable Local  |  |
|         | - Directory Assistance messages  |  |
|         | - intraLATA Toll   |  |
|         | - WATS & 800 Service   |  |

-N11

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 142 ATTACHMENT A

Attachment 7
Page 11

- 5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Allegiance.
- 5.6.1.4 In the event that Diamond detects a duplicate on Optional Daily Usage File they receive from BellSouth, Diamond will drop the duplicate message (Diamond will not return the duplicate to BellSouth).
- 5.6.2 PHYSICAL FILE CHARACTERISTICS
- The Optional Daily Usage File will be distributed to Diamond via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be one dataset per workday.
- Data circuits (private line or dial-up) may be required between BellSouth 5.6.2.2 and Diamond for the purpose of data transmission. Where a dedicated line is required, Diamond will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Diamond will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Allegiance. Additionally, all message toll charges associated with the use of the dial circuit by Diamond will be the responsibility of Allegiance. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Diamond end for the purpose of data transmission will be the responsibility of Allegiance.

ATTACHMENT A

Attachment 7 Page 12

## 5.6.3 PACKING SPECIFICATIONS

- 5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 5.6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Diamond which BellSouth RAO that is sending the message. BellSouth and Diamond will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Diamond and resend the data as appropriate.

The data will be packed using ATIS EMI records.

## 5.6.4 PACK REJECTION

Diamond will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Diamond will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Diamond by BellSouth.

## 5.6.5 CONTROL DATA

Diamond will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Diamond received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Diamond for reasons stated in the above section.

#### 5.6.6 TESTING

5.6.6.1 Upon request from Allegiance, BellSouth shall send test files to Diamond for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Diamond set up a production (LIVE) file. The live test may consist of Allegiance's employees making test calls for the types of services Diamond requests on the Optional Daily Usage File. These test calls are logged by Allegiance, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 144
ATTACHMENT A
Attachment 7
Page 13

completed within 30 calendar days from the date on which the initial test file was sent.

- 6. Access Daily Usage File
- SCOPE OF AGREEMENT
- 1.1 This agreement shall apply to the service of the Access Daily Usage File (ADUF) as provided by BellSouth to Allegiance. The specifications, terms and conditions for the provisions of this service are outlined in Exhibit A of this Agreement.
- 2. DEFINITIONS
- 2.1 <u>Compensation</u> is the amount of money due from Diamond to BellSouth for services provided under this Agreement.
- 2.2 Access Daily Usage File (ADUF) is the compilation of interstate access messages associated with an unbundled port in standard Exchange Message Interface (EMI) format exchanged from BellSouth to Allegiance.
- 2.3 Exchange Message Interface is the nationally administered standard format for the exchange of data within the telecommunications industry.
- 2.4 <u>Message Distribution</u> is routing determination and subsequent delivery of message data from one company to another.
- 3. RESPONSIBILITIES OF THE PARTIES
- 3. 1 ADUF service provided to Diamond by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this agreement, including such revisions as may be made from time to time by BellSouth.
- 3. 2 Diamond shall furnish in a timely manner all relevant information required by BellSouth for the provision of the ADUF.
- 4. COMPENSATION ARRANGEMENTS
- 4.1 Applicable compensation amounts will be billed by BellSouth to Diamond on a monthly basis in arrears. Amounts due from Diamond to BellSouth (excluding

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 145

ATTACHMENT A

Attachment 7
Page 14

adjustments) are payable within 30 days of the date of the billing statement. Rates for ADUF are as set forth in Attachment 11.

- 5. ASSOCIATED EXHIBIT
- 5. 1 Listed below is the exhibit associated with this Agreement, incorporated herein by this reference.

Exhibit A Access Daily Usage File (ADUF)

5. 2 From time to time by written agreement of the parties, new exhibits may be substituted for the attached Exhibit A, superseding and canceling the Exhibit(s) then in effect.

- 3.2 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to Allegiance.
- 3.3 In the event that Diamond detects a duplicate on the Access Daily Usage File they receive from BellSouth, Diamond will drop the duplicate message (CLEC will not return the duplicate to BellSouth).
- 4. File Characteristics and Transmission Method
- 4.1 The Access Daily Usage Feed will be distributed to Diamond via an agreed upon medium with CONNECT:Direct being the preferred transport method. The Access Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Access Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be one dataset per workday.
- Data circuits (private line or dial-up) may be required between BellSouth and 4.2 Diamond for the purpose of data transmission. Where a dedicated line is required. Diamond will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Diamond will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Allegiance. Additionally, all message toll charges associated with the use of the dial circuit by Diamond will be the responsibility of Allegiance. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Diamond end for the purpose of data transmission will be the responsibility of Allegiance.

#### 5. Packing Specifications

5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

# Exhibit A Access Daily Usage File

- SCOPE OF EXHIBIT
- 1.1 Upon request from Allegiance, BellSouth will provide the Access Daily Usage File service to Diamond pursuant to the rates, terms and conditions set forth in this exhibit.
- 2. GENERAL INFORMATION
- 2.1 Diamond shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.
- 2.2 The Access Daily Usage File will contain access records associated with an unbundled port that Diamond has purchased from BellSouth. Charges for the Access Daily Usage File will be as follows:

\$0.004 per message - Message Distribution \$0.001 per message - Data Transmission (CONNECT:Direct) \$54.95 per magnetic tape

Charges for delivery of the Access Daily Usage Feed will appear on Allegiance's monthly bills.

- 2.3 All messages provided with the Access Daily Usage File will be in the standard Bellcore EMI record format.
- 2.4 Messages that error in the billing system of Diamond will be the responsibility of Allegiance. If, however, Diamond should encounter significant volumes of errored messages that prevent processing by Diamond within its systems, BellSouth will work with Diamond to determine the source of the errors and the appropriate resolution.
- 3. Usage To Be Transmitted
- 3.1 The following messages recorded by BellSouth will be transmitted to Allegiance:
  - Interstate access records associated with an unbundled port
  - Undetermined jurisdiction access records associated with an unbundled port

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 148

ATTACHMENT A
Page 17

The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Diamond which BellSouth RAO that is sending the message. BellSouth and Diamond will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Diamond and resend the data as appropriate.

The data will be packed using Bellcore EMI records.

#### Pack Rejection

6.1 Diamond will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Diamond will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and/or retransmitted to Diamond by BellSouth.

#### Control Data

Diamond will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Diamond received the pack and the acceptance or rejection of the pack. Pack status Code(s) will be populated using standard Bellcore EMI codes for packs that were rejected by Diamond for reasons stated in the above section.

- 8. TESTING
- 8.1 Upon request from Allegiance, BellSouth shall send test file(s) to Diamond for the Access Daily Usage File. The parties agree to review and discuss the file's content or format.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 149, ATTACHMENT A

# Attachment 8

Rights-of-Way, Conduits and Pole Attachments

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 150 ATTACHMENT A

#### Attachment 8

# Rights-of-Way, Conduits and Pole Attachments

BellSouth agrees to provide Diamond, pursuant to 47 U.S.C. § 224, as amended by the Act, nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to terms and conditions that are subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 151

ATTACHMENT A

# Attachment 9

Bona Fide Request/New Business Request Process

ATTACHMENT A

Attachment 9 Page 1

### **BONA FIDE REQUEST/NEW BUSINESS REQUEST PROCESS**

- Bona Fide Request/New Business Requests are to be used when Diamond makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Telecommunications Act of 1996; or to provide a new or custom capability or function to meet Diamond 's business needs, referred to as a Business Opportunity Request (BOR). The BFR process is intended to facilitate the two way exchange of information between the requesting Party and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.
- A Bona Fide Request/New Business Request shall be submitted in writing by Diamond and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Diamond 's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business. The request shall be sent to Diamond 's Account Executive.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 153

ATTACHMENT A

### Attachment 10

Performance Measurements

PAGE 154

#### ATTACHMENT A

Attachment 10 Page 1

# PERFORMANCE MEASUREMENT

# TABLE OF CONTENTS

| CATEGORY              | FUNCTION                                     | PAGE # |  |  |
|-----------------------|--|--------|--|--|
| Pre-Ordering          | Average Response Interval                    | 2      |  |  |
| The second second     | 2. OSS Interface Availability                | 2      |  |  |
| Ordering              | Firm Order Confirmation Timeliness           | 5      |  |  |
|                       | 2. Reject Interval                           | 5      |  |  |
|                       | 3. Percent Rejected Service Requests         | 5      |  |  |
|                       | Percent Flow-through Service Requests        | 6      |  |  |
|                       | 5. Total Service Order Cycle Time            | 6      |  |  |
|                       | 6. Service Request Submissions per Request   | 6      |  |  |
|                       | 7 Speed of Answer in Ordering Center         | 6      |  |  |
| Provisioning          | Order Completion Intervals                   |        |  |  |
|                       | Average Completion Interval                  | 9      |  |  |
|                       | 2. Order Completion Interval Distribution    | 9      |  |  |
|                       | Held Orders                                  |        |  |  |
|                       | 3. Mean Held Order Interval                  | 12     |  |  |
|                       | Installation Timeliness, Quality & Accuracy  |        |  |  |
|                       | 4. Percent Missed Installation Appointments  | 14     |  |  |
|                       | 5. Percent Provisioning Troubles w/i 30 days | 14     |  |  |
| B. Talkan             | 6. Percent Order Accuracy                    | 14     |  |  |
| Maintenance & Repair  | Customer Trouble Report Rate                 | 16     |  |  |
|                       | 2. Missed Repair Appointments                | 18     |  |  |
|                       | Quality of Repair & Time to Restore          |        |  |  |
| - 1                   | 3. Out of Service > 24 Hours                 | 19     |  |  |
|                       | 4. Percent Repeat Troubles w/i 30 days       | 19     |  |  |
|                       | 5. Maintenance Average Duration              | 19     |  |  |
|                       | 6. Average Answer Time - Repair Center       | 21     |  |  |
| Billing               | Invoice Accuracy & Timeliness                |        |  |  |
|                       | 1. Invoice Accuracy                          | 22     |  |  |
|                       | 2. Mean Time to Deliver Invoices             | 22     |  |  |
| Operator Services and | Directory Assistance                         |        |  |  |
| Directory Assistance  | 1. Average Speed to Answer                   | 24     |  |  |
|                       | 2. Mean Time to Answer                       | 24     |  |  |
|                       | Operator Services                            |        |  |  |
|                       | 3. Average Speed to Answer                   | 24     |  |  |
|                       | 4. Mean Time to Answer                       | 24     |  |  |
| E911                  | 1. Timeliness                                | 25     |  |  |
|                       | 2. Accuracy                                  | 25     |  |  |
| Frunking              | 1. CLEC Trunk Group Service Report           | 26     |  |  |
|                       | 2. BellSouth CTTG Blocking Report            | 26     |  |  |
|                       | 3. Local Network Trunk Group Service Report  | 26     |  |  |
|                       | 4. BellSouth Local Network Blocking Report   | 26     |  |  |
| Appendix A            | Additional Information                       | 28     |  |  |

#### PRE-ORDERING (PO)

| Function:                   | Average Response Interval for Pre-Ordering Information & OSS Interface Availability   |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|
| Measurement<br>Overview:    | As an initial step of establishing service, the customer service agent must establish such basic facts as availability of desired features, likely service delivery intervals, the telephone number to be assigned, the current products and features the customer has, and the validity of the street address. Typically, this type of information is gathered from supporting OSSs while the customer (or potential customer) is on the telephone with the customer service agent. Pre-ordering activities are the first contact that a customer may have with a CLEC. This measure is designed to monitor the time required for CLECs to obtain the pre-ordering information necessary to establish and modify service. Comparison to BST results allow conclusions as to whether an equal opportunity exists for the CLEC to deliver a comparable customer experience (compared to BST) when a retail customer calls the CLEC with a service inquiry. |  |  |  |  |  |
| Measurement<br>Methodology: | 1. Average Response Interval = \( \sumeq \) [ (Query Response Date & Time) - (Query Submission Date & Time) ] / (Number of Queries Submitted in Reporting Period)  The response interval for each pre-ordering query is determined by computing the elapsed time from BST receipt of a query from the CLEC, whether or not syntactically correct, to the time BST returns the requested data to the CLEC. Elapsed time is accumulated for each major query type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by BST during the reporting period.   |  |  |  |  |  |
| -                           | Objective:  |  |  |  |  |  |
|                             | Average response time per transaction for a query for appointment scheduling, service & feature availability, address verification, request for Telephone Numbers (TNs), and Customer Service Records (CSRs). The query interval starts with the request message leaving the CLEC and ends with the response message arriving at the CLEC.  |  |  |  |  |  |
| - 1                         | 2. OSS Interface Availability = (Actual Availability) / (Scheduled Availability) X 100  |  |  |  |  |  |
|                             | Ohjective:  |  |  |  |  |  |
|                             | Percent of times OSS interface is actually available compared to scheduled availability.  |  |  |  |  |  |

Attachment 10 Page 3

# ATTACEMENT A

| Reporting Dimensions:  | Excluded Situations:                                  |
|--|---|
| <ul> <li>Not carrier specific.</li> <li>Not product/service specific.</li> </ul> | • None  |
| Data Retained Relating to CLEC Experience:                                       | Data Retained Relating to BST Performance:            |
| Report Month     Query Type (per reporting dimension)                            | Report Month     Query Type (per reporting dimension) |
| Response interval     Regional Scope   | Response interval     Regional Scope                  |

RNS Response Times

| KIND KESPONSE TIM |            |          |           |            |
|-------------------|------------|----------|-----------|------------|
| System            | < 2.3 Sec. | > 6 Sec. | Avg. Sec. | # of Calls |
| RSAG              |            |          |           |            |
| - by TN           | X          | X        | X         | X          |
| - by ADDR         | x          | ,        | x         | X          |
| ATLAS             | X          | X        | <b>x</b>  | X          |
| DSAP              |            | X        | X         | X          |
| CSR               | X          | X        | X         | X          |
| PSIMS/COFFI       | N N        | x        | x         | X          |

LENS Response Times

| System          | < 2.3 Sec. | > 6 Sec. | Avg. Sec. | # of Calls |
|-----------------|------------|----------|-----------|------------|
| RSAG<br>- by TN | Χ.         | X        | x         | x          |
| - by ADDR       | X          | X        | X         | X          |
| ATLAS ~         | X          | S .      | N N       | X          |
| DSAP            | X          | X        | x         | X          |
| CSR             | X          | X .      | x         | X          |
| PSIMS/COFFI     | X          | X        | X         | X          |

EC-LITE Response Times

| System      | < 2.3 Sec. | > 6 Sec.                              | Avg. Sec. | # of Calls    |
|-------------|------------|---------------------------------------|-----------|---------------|
| RSAG        |            |                                       |           |               |
| - by TN     | X          | · · · · · · · · · · · · · · · · · · · | N         | 7 son y 0 13. |
| - by ADDR   | X          | X                                     | X         | X             |
| ATLAS       | X          | X                                     | X         | ×             |
| DSAP        | ×          | X                                     | X         | X             |
| CSR         | X          | X                                     | X         | ×             |
| PSIMS/COFFI | X          | X                                     | X         | X             |

PAGE 157

ATTACHMENT A

Attachment 10 Page 4

OSS Interface Availability

| Application   | % Availability CLEC                   | % Availability BS7 |
|---------------|---------------------------------------|--------------------|
| LENS          | 3 X                                   | N                  |
| LEO           | e y v                                 | X                  |
| LESOG         | regional and the second of the second | X                  |
| EDI           | X                                     | X                  |
| CLEC TAFI     | A X                                   | X                  |
| PSIMS         | X X                                   | X                  |
| HAL           | X                                     | X                  |
| BOCRIS        | X                                     | X                  |
| ATLAS/COFFI   | X                                     | X                  |
| RSAG/DSAP     | entriples content to the X content to | Х                  |
| LMOS HOST     | X X                                   | X                  |
| SOCS (update) | X                                     | N N                |

#### 6.....

| Function:                   | Ordering   |
|-----------------------------|--|
| Measurement<br>Overview:    | When a customer calls their service provider, they expect to get information promptly regarding the progress on their order(s). Likewise, when changes must be made, such as to the expected delivery date, customers expect that they will be immediately notified so that they may modify their own plans. The order status measurements monitor, when compared to BST result, that the CLEC has timely access to order progress information so that the customer may be updated or notified when changes and rescheduling are necessary. Furthermore, the "% jeopardies returned" measure for the CLEC, when reported in comparison to BST result, will gauge whether initial commitments to the CLEC for order processing are as reliable as the commitments BST makes for its own operations. |
| Measurement<br>Methodology: | 1. Firm Order Confirmation Timeliness = ∑ [ (Date and Time of Firm Order Confirmation) - (Date and Time of Service Request Acknowledgment)   / (Number of Service Requests Confirmed in Reporting Period)  |
|                             | Objective: Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid service order request to distribution of order confirmation.   |
|                             | Methodology:   |
|                             | Non-Mechanized Results are based on a 100% sample  |
|                             | Mechanized Results are based on actual data for all orders from the OSS  |
| _                           | 2. Reject Interval = \( \sum \) (Date and Time of Service Request Rejection) - (Date and Time of Service Request Acknowledgment)   / (Number of Service Requests Rejected in Reporting Period)   |
|                             | Objective: Reject Interval is the average reject time from receipt of service order request to distribution of rejection.  |
|                             | Methodology:   |
|                             | Non-Mechanized Results are based on a 100% sample  |
|                             | Mechanized Results are based on actual data for all orders from the OSS  |
|                             | 3. Percent Rejected Service Requests = ∑ (Total Number of Rejected Service Requests) / (Total Number of Service Requests Received) X 100.  |
|                             | Objective: Percent Rejected Service Requests is the percent of total orders received rejected due to error or omissions.   |
|                             | Methodology:  Manual tracking for non flow-through service requests  Mechanized tracking for flow-through service requests   |

ATTACHMENT A

4. Percent Flow-through Service Requests = Σ (Total of Service Requests that flow-through to the BST OSS) / \*Total Number of Service Requests delivered to BST OSS) X 100.

Objective: Percent Flow-through Service Requests measures the percentage of orders that utilize BSTs' OSS without manual (human) intervention.

#### Methodology:

- Mechanized tracking for flow-through service requests
- 5. Total Service Request Cycle Time = ( \( \subseteq \) Date & Time CLEC Service Requests placed in queue for completion) ( \( \subseteq \) Date & Time CLEC Service Requests first reaches BST Interface) / Total Number of Service Requests

Objective: The average time it takes to process a CLEC service request, measured from the first time the request reaches the BST interface to the order being placed in queue for completion. Comparisons can be made to equivalent BST cycle times to assure the CLEC of processing parity. Service Request Cycle Time captures both reject and communiment intervals.

#### Methodology:

Mechanized tracking for flow-through orders

6. Service Requests submissions per request = \( \subseteq \text{(Total Service Requests that flow-through to the BST OSS) + (Total Rejects) / (Total Service Requests Received)

Objective: Measures the average number of times the same service request is resubmitted due to changes and/or updates.

#### Methodology:

Mechanized tracking for flow-through service requests

7. Speed of Answer in Ordering Center =  $\sum$  (Total time in seconds to reach LCSC) / (Total # of Calls) in Reporting Period.

Objective: Measures the average time to reach a BST representative. This can be an important measure of adequacy in a manual environment or even in a mechanized environment where CLEC service representatives have a need to speak with their BST peers.

#### Methodology:

Mechanized tracking through LCSC Automatic Call Distributor.

Attachment 10 Page 7

# PAGE 160 ATTACHMENT A

| Reporting Dimensions:  | _ Excluded Situations:   |
|--|--|
| See Appendix A. item 1 See Appendix A. item 4  | Firm Order Confirmation Interval - Invalid Service Requests Rejection Interval Percent Rejected Service Requests - None Percent Flow-through Service Requests - Rejected Service Requests Service Requests canceled by the CLEC Service Request Activities of BSTassociated with internal or administrative use of local services. |
| Data Retained Relating to CLEC Experience:   | Data Retained Relating to BST Performance:   |
| Report Month     Interval for FOC     Reject Interval     Total number of LSRs     Total number of Errors     Adjusted Error Volume     Total number of flow through service requests     Adjusted number of flow through service requests | Report Month Interval for FOC Reject Interval Total number of LSRs Total number of Errors Adjusted Error Volume Total number of flow through service requests Adjusted number of flow through service requests   |
| Geographic Scope   | Geographic Scope   |

Firm Order Confirmation Timeliness

|                    |           | Mechan   | nzed     | Non-Mech   | anized    | Mechan   | ized       | Non-Mech | anized    |
|--------------------|-----------|----------|----------|------------|-----------|----------|------------|----------|-----------|
|                    | %<10 days | <5 citts | >=5 cuts | +5 cares   | >#5 cuts  | <10 cuts | >= 10 ckts | <10 chts | >=10 cits |
| Trunks             | x         |          |          |            |           |          |            |          |           |
| UNE                |           |          | T        |            |           | X        | ×          | X        | x         |
| UNE (Specials)     |           |          | 100      |            |           | x        | ×          | ×        | ×         |
| Resale - Residence |           |          |          | We did not | #2 185 °S | x        | ×          | ×        | X         |
| Resale - Business  |           |          |          | 1000       |           | ×        | ×          | ×        | x         |
| Resale - Specials  |           |          |          |            |           | X        | X          | x        | ×         |
| LINE . LOOS WAND   |           | *        |          | ×          | ×         |          |            |          | BALLIN    |

Reject Timeliness

|                    |  | Mechan | wzed .    | Non-Mech   | anized    | Mechan   | nzed        | Non-Mech | anized    |
|--------------------|--|--------|-----------|------------|-----------|----------|-------------|----------|-----------|
|                    | %<10 days  | 45 mts | >=5 citts | <5 cum     | >+5 cirts | <10 cets | >= 10 circs | <10 chts | >=10 ctes |
| Trunks             | ×  |        |           | ADDRESS, N |           |          |             |          |           |
| UNE                |  |        |           |            |           | ×        | ×           | ×        | X         |
| UNE (Specials)     |  |        |           |            |           | ×        | x           | X        | ×         |
| Resole - Residence | 11 2 2 19  |        |           | 12/11/19   |           | ×        | ×           | ×        | X         |
| Resere - Business  |  |        |           |            |           | ×        | ×           | ×        | ×         |
| Resale - Speciells | 1  |        |           |            |           | X        |             | *        | ×         |
| UNE - LOOPS WALNP  | La Company of the Assessment o | I      | X         | X          | X         |          | US TO VENE  |          |           |

ATTACHMENT A

Attachment 10 Page 8

Percent Rejected Service Requests

|                    | AVA EM      | Mechar | nzed       | Non-Mech | enzed    | Mechan   | pozed     | Non-Mech | anized   |
|--------------------|-------------|--------|------------|----------|----------|----------|-----------|----------|----------|
|                    | % < 10 days | <5 cm  | >+5 cuts   | 15 citts | - es cum | <10 cats | >=10 cuts | < 10 cms | >=10 cut |
| Trunis             | x           |        |            |          |          |          |           |          |          |
| UNE                |             |        |            |          |          | x        | ×         | ×        | X        |
| UNE (Specials)     | 1111        |        |            | 100      |          | x        | x         | X        | X        |
| Resale - Residence | - 1         |        |            |          |          | x        | ×         | ×        | X        |
| Pesse - Business   |             |        |            |          |          | x        | x         | x        | ×        |
| Resele - Speciele  | - 100       |        | No. of the |          |          | x        | x         | X .      | ×        |
| INE I more and NP  | 1.00        |        |            | x        | ×        |          |           |          |          |

Percent Flow-Through Service Requests

|                    |           | Mechanized |           | Non-Mechanized |          | Mechanized |            | Non-Mechanized |           |
|--------------------|-----------|------------|-----------|----------------|----------|------------|------------|----------------|-----------|
|                    | %-10 days | <5 cats    | >=5 cirts | <5 cim         | >#5 cuts | <10 cits   | >= 10 ctrs | <10 cats       | >=10 cats |
| Trunis             | x         |            |           |                |          |            |            | PALLED         |           |
| UNE                |           |            |           | 15 30 5        |          | x          | ×          | ×              | X         |
| UNE (Specials)     |           |            |           |                |          | x          | ×          | ×              | ×         |
| Resale - Residence | 1 0       |            |           |                |          | x          | X          | ×              | X         |
| Pessie - Business  | 1         |            |           |                |          | x          | ×          |                | X         |
| Resale - Specials  |           |            |           |                |          | ×          | ×          | ×              |           |
| UNE LOOPS WILNE    |           | ×          | ×         | ×              | x        |            |            |                |           |

Service Request Cycle Time

|                      |           | Mechanized |                | Non-Mechanized |           | Mechan    | uzed     | Non-Mechanized |           |
|----------------------|-----------|------------|----------------|----------------|-----------|-----------|----------|----------------|-----------|
|                      | %<10 days | 45 cats    | >=5 cirts      | +5 cuts        | >#5 citts | <10 cirts | >=10 cum | <10 cets       | >=10 cies |
| Trunks               | ×         |            |                |                |           |           |          |                |           |
| UNE                  | 42.1      |            | ATT TO SEE     |                |           | X         | X        | X              | X         |
| UNE (Specials)       | 200       |            | Control of the |                | E015 001  | x         | ×        | x              | X         |
| Resale - Residence   |           |            |                |                |           | x         | ×        | ×              | x         |
|                      | + 1       |            | 201            |                |           | ×         | ×        | x              | X         |
| Resale - Business    | The Dust  |            | 12.            |                |           |           |          |                | x         |
| Resale - Specials    |           |            | Carlo Sale     |                |           |           |          | -              |           |
| INE . I more will NP |           | x          | X              | X              | X         | 3.        |          |                |           |

Service Request Submissions per Request

| Service Reques     | 1 Post (1891) | Mechanized |           | Non-Mechanized |            | Mechanized |            | Non-Mechanized |           |
|--------------------|---------------|------------|-----------|----------------|------------|------------|------------|----------------|-----------|
|                    | % < 10 days   | +5 cats    | >=5 cirts | <5 circs       | ++5 cim    | <10 cets   | >= 10 cats | <10 cuts       | >#10 cids |
| Trunks             | ×             |            |           |                |            |            |            | Mary Control   |           |
| UNE                |               |            |           |                |            | X          | X          | X              | ×         |
| UNE (Specials)     |               |            |           |                | Contracted | x          | ×          | ×              | X         |
|                    |               |            |           |                |            | ×          |            | x              | ×         |
| Resale - Residence |               |            |           |                |            | 0          |            |                |           |
| Resale - Business  |               |            |           |                |            |            | •          | 2              | 0         |
| Resale - Speciels  |               |            |           | 1068 C L 4     | 5.5        | X          | ×          | X              |           |
| UNE - LOODS WALNE  |               | x          | ×         | X              | ×          |            |            |                |           |

Speed of Answer in Ordering Center

| Speed of Answer in Ord |   | Ave. Answer time (Sec.) / year |
|------------------------|---|--------------------------------|
| LCSC                   | X | X action                       |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 162 ATTACHMENT A

Attachment 10 Page 9

### PROVISIONING

| Function:                   | Order Completion Intervals  |  |  |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|--|--|
| Measurement<br>Overview:    | The "average completion interval" measure monitors the time required by BST to deliver integrated and operable service components requested by the CLEC, regardle of whether resale services or unbundled network elements are employed. When the service delivery interval of BST is measured for comparable services, then conclusion to the drawn regarding whether or not CLECs have a reasonable opportunity to compete for customers. The "order completion interval distribution" measure monit the reliability of BST commitments with respect to committed due dates to assure the CLECs can reliably quote expected due dates to their retail customer. In addition, when monitored over time, the "average completion interval" and "percent complete on time" may prove useful in detecting developing capacity issues. |  |  |  |  |  |  |  |
| Measurement<br>Methodology: | 1. Average Completion Interval = ∑ [ (Completion Date & Time) - (Order Submission Date & Time) ] / (Count of Orders Completed in Reporting Period)  |  |  |  |  |  |  |  |
|                             | 2. Order Completion Interval Distribution = $\Sigma$ (Service Orders Completed in "X" days) / (Total Service Orders Completed in Reporting Period) X 100  |  |  |  |  |  |  |  |
|                             | The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from BST receipt of a syntactically correct order from the CLEC to BST's return of a valid completion notification to the CLEC. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed within the reporting period.   |  |  |  |  |  |  |  |
|                             | The distribution of completed orders is determined by first counting, for each specified reporting dimension, both the total numbers of orders completed within the reporting interval and the number of orders completed by the committed due date (as specified of the initial FOC returned to the CLEC). For each reporting dimension, the resulting count of orders completed for each specified time period following the committed due date is divided by the total number of orders completed with the resulting fraction expressed as a percentage.   |  |  |  |  |  |  |  |
|                             | Objective: Average time from receipt of (confirmed) service request to actual order completion date. Excludes orders where customer requested dates are beyond offered interval.  |  |  |  |  |  |  |  |
|                             | Methodology:  Mechanized metric from ordering system  If mechanical not available, a (BST & CLEC) statistically validated sample should be used.  |  |  |  |  |  |  |  |

ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

PAGE 163

#### ATTACHMENT A

Attachment 10 Page 10

| Reporting Dimensions:  | Excluded Situations:  |
|--|---|
| See Appendix A. item 2     See Appendix A. item 4  | Orders where customer requested dates are beyond offered interval   |
| Data Retained Relating to CLEC Experience:   | Data Retained Relating to BST Performance:  |
| Report Month CLEC Order Number Order Submission Date Order Submission Time Order Completion Date Order Completion Time Service Type Activity Type Geographic Scope | Report Month Average Order Completion Interval Order Completion by Interval Service Type Activity Type Geographic Scope |

#### Order Completion Interval Distribution

#### Average Completion

| Interval                                    |          |   |   |   |   |   | 1  |      |                         |
|---|----------|---|---|---|---|---|----|------|-------------------------|
| UNE LOOPS                                   | Same Day | 1 | 2 | ) |   | 1 | -5 | otal | Ave Completion Interval |
| Dispatch<br>4 10 circuits<br>>= 10 circuits |          | : |   | : | : | : | :  | :    | :                       |
| No Dispatch<br>• 10 circuits                |          | : | : | : | 1 |   | :  | :    | 1                       |

| UNE LOOPS WILMP | Same Day | 1        | 2 | 1 | 4  | 3 | >5 | Total | Ave Completion Interva |
|-----------------|----------|----------|---|---|----|---|----|-------|------------------------|
| Dispatch        |          | Yellin I |   |   | 16 |   | -  |       |                        |
| < 5 arouts      |          |          |   | • |    |   |    |       |                        |
| - = 5 circuits  | 1        |          |   |   |    |   |    |       | 4 ***                  |
| No Dispatch     |          |          |   |   |    |   |    |       |                        |
| < 5 arcuits     |          |          |   |   |    |   |    |       |                        |
|                 |          |          |   |   |    |   |    |       |                        |

| TRUNKS                  | 1 5 Dave | 10 | 15 | 20 | 25 | 30 | >30 | Total | Ave Completion interve |
|-------------------------|----------|----|----|----|----|----|-----|-------|------------------------|
| Dispatch % < 10 days    | X .      |    |    |    |    |    |     | ×     |                        |
| No Preparen & c 10 days |          |    |    |    | ×  | *  |     |       |                        |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 98Q967-TP PAGE 164

#### ATTACHMENT A

# Order Completion Interval Distribution

| Average | Comp | let | on |
|---------|------|-----|----|
|---------|------|-----|----|

| nterval          |          | - |     |   |   |         | T     |  |
|------------------|----------|---|-----|---|---|---------|-------|--|
| RESALE RESIDENCE | Same Day | • | 1 2 | 1 | 4 | <br>,,, | Total | Ave Completion Interva   |
| Dispatch         |          |   |     |   |   |         |       |  |
| LCSC orders      |          |   |     |   |   |         |       |  |
| < 10 crouts      |          |   |     |   |   |         |       |  |
| >= 10 circuits   |          | × |     | • |   |         |       | •  |
| BST orders       | 1        |   |     |   |   |         |       |  |
| < 10 crouss      |          | X |     | × |   |         |       |  |
| >= 10 circuits   |          | 1 |     |   |   |         |       | 1  |
| No Dispatch      | 10000    |   |     |   |   |         |       | Victoria de la companya della companya della companya de la companya de la companya della compan |
| LCSC orders      |          |   |     |   |   |         |       | No. 10 Part 1  |
| < 10 crouts      |          | x |     |   |   |         |       | 6 m 3 m  |
| >= 10 circuts    |          |   |     |   | * |         |       |  |
| BST orders       |          |   |     |   |   |         |       |  |
| 10 crouts        |          |   |     |   |   |         |       |  |
| > 10 circuits    |          |   |     |   |   |         |       |  |

| RESALE BUSINESS | Same Day | 1    | 2   | 100    | 4  | 1     | >5         | Total | Ave Completion Interva |
|-----------------|----------|------|-----|--------|----|-------|------------|-------|------------------------|
| Dispatch        |          |      |     |        |    |       |            |       |                        |
| LCSC orders     |          | -    | 1.0 |        |    |       |            |       |                        |
| · 10 crcues     |          |      |     |        |    | 48.00 | 2          | - 1   | 1 0                    |
| ># 10 circuits  |          |      |     |        |    |       |            |       |                        |
| BST orders      | 500      |      |     |        |    |       |            |       | Annual Park            |
| < 10 crouts     |          |      | x   | ×      |    | *     | ×          | ×     |                        |
| ># 10 circuits  |          |      |     |        |    |       |            |       |                        |
| No Dispatch     |          | 3 11 |     | - TSEY |    |       | 7411 P. C. |       | 777 8. 127-1           |
| LCSC orders     | 911      |      |     |        |    |       |            |       |                        |
|                 |          |      |     |        |    |       | *          |       |                        |
|                 |          |      |     |        |    |       |            |       |                        |
| >= 10 circuits  |          |      |     |        |    |       |            |       |                        |
| BST orsers      |          |      |     |        |    |       |            | 557   |                        |
| < 10 crcu4s     |          |      | *   | *      | X. |       |            | ×     |                        |
| • 10 circuits   |          |      |     |        |    |       |            | 1     |                        |

| RESALE SPECIALS | Seme Day          | 1 | 2 | 1 | • | 3 | -5 | Total | Ave Completion Interva |
|-----------------|-------------------|---|---|---|---|---|----|-------|------------------------|
| Dispatch        |                   |   |   |   |   |   |    |       |                        |
| LCSC orders     |                   |   |   |   |   |   |    |       | 1                      |
| < 10 crouts     |                   | × | × |   |   |   |    |       |                        |
| >= 10 circuits  | _L <b>P</b> III.e |   | × |   | × |   | *  |       | 10 5 2 11 12           |
| BST orders      |                   |   |   |   |   |   |    |       |                        |
| < 10 crouse     |                   |   |   |   |   |   |    |       |                        |
| >= 10 circuits  |                   |   |   |   |   |   |    |       |                        |
| No Dispatch     |                   |   |   |   |   |   |    |       | 1                      |
| LCSC orders     | 1000              |   |   |   |   |   |    |       | 4                      |
| < 10 crouss     |                   | × |   |   |   |   |    |       |                        |
| >= 10 circuits  |                   |   |   |   |   |   | •  | ×     | ile Life in            |
| BST orders      | 1                 |   |   |   |   |   |    |       |                        |
| < 10 croues     |                   |   |   |   |   |   |    |       | 1 .                    |
| >= 10 crouds    |                   | X |   | × |   |   |    |       |                        |

ORDER NO. PEC-16-1430-FOF-TP DOCKET NO. 900007-TP PAGE 165

| Function:                   | Held Orders   |  |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|--|
| Measurement<br>Overview:    | When delays occur in completing CLEC orders, the average period that CLEC orders are held for BST reasons, pending a delayed completion, should be no worse for the CLEC when compared to BST orders.   |  |  |  |  |  |  |
| Measurement<br>Methodology: | 1. Mean Held Order Interval = \( \) (Reporting Period Close Date - Committed Order Due Date) / (Number of Orders Pending and Past The Committed Due Date) for all orders pending and past the committed due date.   |  |  |  |  |  |  |
|                             | This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as "completed" via a valid completion notice and have passed the currently "committed completion date" for the order. For each such order the number of calendar days between the committed completion date and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings in Appendix A, item 2, and the reason for the order being held, if identified. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. |  |  |  |  |  |  |
|                             | (# of Orders Held for ≥ 90 days) / (Total # of Orders Pending But Not Completed) X 100.   |  |  |  |  |  |  |
|                             | (# of Orders Held for ≥ 15 days) / (Total # of Orders Pending But Not Completed) X 100.   |  |  |  |  |  |  |
|                             | This "percentage orders held" measure is complementary to the held order interval but is designed to detect orders continuing in a "non-completed" state for an extended period of time. Computation of this metric utilizes a subset of the data accumulated for the "held order interval" measure. All orders, for which the "held order interval" equals or exceeds 90 or 15 days, are counted for order type. The total number of pending and past due orders for order type are counted (as was done for the held order interval) and divided into the count of orders held past 90 or 15 days.  |  |  |  |  |  |  |
|                             | Objective: Average time to detect orders continuing in a "non-complete" state for extended period of time.  |  |  |  |  |  |  |

ATTACHMENT A Attachment 10
Page 14

| Reporting Dimensions:   | Excluded Situations:  |
|---|---|
| See Appendix A. item 2 See Appendix A. item 4   | Any order canceled by the CLEC will be excluded from this measurement.     Orders held for CLEC end user reasons     Orders held for BST end user reasons     Order Activities of BST associated with internal or administrative use of local services. |
| Data Retained Relating to CLEC Experience:  | Data Retained Relating to BST Performance:  |
| Report Month CLEC Order Number Order Submission Date Committed Due Date Service Type Hold Reason Geographic Scope | Report Month     Average Held Order Interval     Standard Error for the Average Held Order Interval     Service Type     Hold Reason     Geographic Scope   |

Mean Held Order Interval

| Mean Held Or       | 200       | Dispatch |           | No-Dispate   | h         | Dispatch  |            | No-Dispat    | ch        |
|--------------------|-----------|----------|-----------|--------------|-----------|-----------|------------|--------------|-----------|
|                    | %<10 days |          | - =5 cuts | 5 cirts      | +5 cirts  | 110 cuts  | e 10 cirts | <10 cms      | >=10 citt |
| Trunks             |           |          |           | 1            |           | 1. 1      |            |              | 15.4      |
| - = 90 days        | x         |          | 11 117    | 1000         |           |           |            | 1.575        | 상태 하시.    |
| ** 15 days         | *         |          |           | 100          |           | - 24.5    |            |              | 8. 11.    |
| UNE                | 0.00      |          |           |              | 51        |           |            |              |           |
| >= 90 days         |           |          | 1 00      |              | 1989      | X         | X          | ×            |           |
| >= 15 days         | 1 2 1     |          | 37        |              |           | ×         | ×          | x            | ×         |
| Resale - Residence |           |          |           | 1 1          |           |           | 94 . A.    |              | S         |
| >= 90 days         |           |          | 1.00      |              |           | ×         | X          | ×            | ×         |
| >= 15 days         | -         |          |           |              |           | ×         | X          | ×            | x         |
| Resale - Business  |           |          |           |              |           | 1 1 1 1 1 |            |              | 0.72      |
| >= 90 days         |           |          | 24 (200   | 1            | 46,59     | ×         | x          | X            |           |
| >= 15 days         |           |          |           | 1            |           | X         | x          | ×            | ×         |
| Resale - Specials  |           |          |           | Laborate and | E la loui | 2 10 32   |            |              |           |
| » 90 days          | 18 18     |          |           |              |           | ×         | X          | ×            | X         |
| >= 15 days         | 1 1978    |          | 1         | 1            |           | x         | x          | X            | X         |
| UNE - LOOPS WALNE  | THE STATE |          | 1 44      |              | 1 100     | 1 39 6    |            |              |           |
| -= 90 days         |           |          | ×         | ×            | x         | 100       |            |              |           |
| >= 15 days         | 100       | *        |           | x            | ×         |           |            | The state of |           |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 168 ATTACHMENT A

Attachment 10 Page 15

| Function:                   | Installation Timeliness, Quality & Accuracy   |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|
| Measurement<br>Overview:    | The "percent missed installation appointments" measure monitors the reliability of BST commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer. Percent Provisioning Troubles within 30 days of Installation measures the quality of installation activities and Percent Order Accuracy measures the accuracy with which services ordered by the CLECs were provided. |  |  |  |  |  |
| Measurement<br>Methodology: | 1. Percent Missed Installation Appointments = 5 (Number of Orders missed in Reporting Period) / (Number of Orders Completed in Reporting Period) X 100  |  |  |  |  |  |
|                             | Percent Missed Installation Appointments is the percentage of total orders processed for which BST notifies the CLEC that the work will not be completed as committed on the original FOC. The measurement result is derived by dividing the count on misses BST issues to the CLEC by the count of FOCs returned by BST during the identical period.   |  |  |  |  |  |
|                             | Objective: Percent of orders where completion's are not done by due date on order confirmation. Misses due to competing carrier or end user causes should be aggregated out and indicated.  |  |  |  |  |  |
|                             | Methodology:  Mechanized metric from ordering system  |  |  |  |  |  |
|                             | 2. % Provisioning Troubles within 30 days of Installation = ∑ (All Troubles on Services installed ≤ 30 days in a calendar month) / (All Installations in same calendar month) X 100   |  |  |  |  |  |
|                             | Objective: Measures the quality of completed orders   |  |  |  |  |  |
|                             | Methodology: Mechanized metric from ordering system   |  |  |  |  |  |
|                             | 3. Percent Order Accuracy = ( $\Sigma$ Orders Completed w/o error)/( $\Sigma$ Orders Completed) X 100.  |  |  |  |  |  |
|                             | Objective: Measures the accuracy and completeness of BST provisioning or disconnecting service by comparing what was ordered and what was completed.  |  |  |  |  |  |
|                             | Methodology: Non-Mechanized Results are based on an audit of a statistically valid sample Mechanized Results are based on an audit of a statistically valid sample  |  |  |  |  |  |

Attachment 10 Page 16

PAGE 169

#### ATTACHMENT A

| Reporting Dimensions:                         | Excluded Situations:                      |
|---|---|
| See Appendix A, item 2 See Appendix A, item 4 | • None                                    |
| Data Retained Relating to CLEC Experience:    | Data Retained Relating to BST Performance |
| Report Month                                  | Report Month                              |
| CLEC Order Number                             | BST Order Number                          |
| Order Submission Date                         | Order Submission Date                     |
| Order Submission Time                         | Order Submission Time                     |
| Status Type                                   | Status Type                               |
| Status Notice Date                            | Status Notice Date                        |
| Status Notice Time                            | Status Notice Time                        |
| Standard Order Activity                       | Standard Order Activity                   |
| Geographic Scope                              | Geographic Scope                          |

Percent Missed Appointments

|                    |             | Dispetch |              | No-Dispate | No-Dispatch |                | Dispatch |            | ch        |
|--------------------|-------------|----------|--------------|------------|-------------|----------------|----------|------------|-----------|
|                    | % < 10 days | <5 ons   | -=5 cvts     | +5 cate    | -5 cms      | <10 cats       | 10 cum   | < 10 cirts | >=10 cies |
| Trunks             | x           | -0-1     |              | 11-75      |             | Company of the |          | 100        |           |
| UNE                |             |          | and the same |            |             | X              | ×        | *          | X         |
| UNE (Specials)     | 100         |          |              |            |             | x              | X        | ×          | x         |
| Resale - Residence | 7. 2        | - 1 - 3  |              |            |             | ×              | ×        | X          | X         |
| Pesale - Business  |             |          |              | 1          |             | x              | ×        | ×          | ×         |
|                    | s i sull'   | 1 7 65   | 2.7          | 1          |             |                |          |            |           |
| Resale - Specials  |             |          | x            | ×          | ×           |                | •        |            |           |

Percent Provisioning Troubles within 30 days of Installation

|                    | A PERSONAL PROPERTY. | Dispatch |           | No-Dispatch |          | Dispatch |            | No-Dispatch |           |
|--------------------|----------------------|----------|-----------|-------------|----------|----------|------------|-------------|-----------|
|                    | %=10 days            | -5 cons  | 1 +5 cuts | 5 cms       | >+5 cms  | <10 pms  | >= 10 ckts | <10 cats    | >=10 cits |
| Trunks             | ×                    |          | 3000      | 1000        |          |          |            |             |           |
| UNE                |                      |          |           | 1 - 1 D     | 8 43     | ×        | ×          | ×           | X         |
| UNE (Species)      |                      |          | 3 7 7     | 100         |          | ×        | ×          | ×           | ×         |
| Resole - Residence |                      | Santa 1  |           |             | Land Art | ×        | ×          | x           | X         |
|                    |                      |          | 100       |             |          |          |            | ×           | x         |
| Resale - Business  |                      |          | 165       |             |          | 2        |            |             |           |
| Resale - Specials  | 200                  |          | 2         |             |          |          | ^          | •           | •         |
| UNE - LOOPS WALNE  |                      | X        | ×         | x           | X        |          |            |             |           |

Percent Provisioning Order Accuracy

| r Creent r totis   |           | Discatch |           | No-Dispat                    | No-Dispatch   |           | Dispatch  |          | ch        |
|--------------------|-----------|----------|-----------|------------------------------|---------------|-----------|-----------|----------|-----------|
|                    | %<10 days | <5 cits  | >=5 cats  | TOWN THE PLANT OF THE PARTY. | >=5 cats      | <10 cets  | >=10 cats | <10 cata | >=10 cids |
| Trunks             | ×         |          |           |                              |               |           |           |          | 7         |
| UNE                |           |          |           |                              |               | X         | ×         | X        | ×         |
| T-10-17 (1)        |           |          |           |                              |               | x         | X         | ×        | ×         |
| UNE (Specials)     | 4-0-0     |          | 010       |                              |               |           |           | ×        | ×         |
| Resear - Readence  |           |          |           |                              | 10000         | 2         |           |          |           |
| Resale - Bueness   | 5.67      |          |           |                              | 3 15          |           |           |          | 1 2       |
| Resole - Speciello | 3.4       |          | le chi ne |                              | Programme and | ×         | ×         |          |           |
| UNE - LOOPS WALNE  |           | ×        | x         | x                            | X             | The sales | - 10 DAGS |          |           |

Attachment 10 Page 17

#### MAINTENANCE & REPAIR (MR)

| Function:                   | Customer Trouble Report Rate   |
|-----------------------------|--|
| Measurement<br>Overview:    | This measure can be used to establish that CLECs are not competitively disadvantaged, compared to BST, as a result of experiencing more frequent incidents of trouble reports.   |
| Measurement<br>Methodology: | I. Customer Trouble Report Rate = (Count of Initial & Repeated Trouble Reports in the Current Period) / (Number of Service Access Lines in Service at End of the Report Period) X 100. Note: Local Interconnection Trunks are reported only as total troubles. No meaningful count of lines in service exists.  The frequency of trouble metric is computed by accumulating the total number of maintenance tickets logged by a CLEC (with BST) during the reporting period. The resulting number of tickets is divided by the total number of "service access lines" existing for the CLEC at the end of the report period. |
|                             | Objective: Initial customer direct or referred troubles reported within a calendar month where cause is in the network (not customer premises equipment, inside wire, or carrier equipment) per 100 lines/circuits in service.  Methodology: Mechanized metric trouble reports and lines in service captured in maintenance database(s).   |

| R | eporting Dimensions:  | Excluded Situations:   |
|---|---|--|
| : | See Appendix A. item 3 See Appendix A. item 4                                       | Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for monitoring |
| D | ata Retained Relating to CLEC Experience:   | Data Retained Relating to BST Performance:   |
| • | Report Month  | Report Month   |
| • | CLEC Ticket Number  | BST Ticket Number  |
| • | Ticket Submission Date  | Ticket Submission Date   |
| • | Ticket Submission Time  | Ticket Submission Time   |
| • | Ticket Completion Time  | Ticket Completion Time   |
| • | Ticket Completion Date  | Ticket Completion Date   |
|   | Service Type  | Service Type   |
| • | WTN or CKTID (a unique identifier for elements combined in a service configuration) | <ul> <li>WTN or CKTID (a unique identifier for<br/>elements combined in a service configuration)</li> </ul>  |
| • | Disposition and Cause   | Disposition and Cause  |
| • | Geographic Scope  | Geographic Scope   |

**PAGE 171** 

#### ATTACHMENT A

Attachment 10 Page 18

Customer Trouble Report Rate

|                             | ALL | Dispatch | No-Dispatch | Dispatch  | h        | No-Dispatch |         |
|-----------------------------|-----|----------|-------------|-----------|----------|-------------|---------|
|                             |     |          |             | Residence | Business | Residence   | Busness |
| Interconnection Trunks UNE  | x   | ×        | ×           |           |          |             |         |
| Resale<br>Resale - Specials | ×   |          |             | ×         | X        | ×           | ×       |

Note: Local Interconnection Trunks are reported only as total troubles. No meaningful count of lines in service exists.

#### MAINTENANCE & REPAIR (MR)

| Function:                   | Missed Repair Appointments  |  |  |  |  |  |  |  |  |
|-----------------------------|---|--|--|--|--|--|--|--|--|
| Measurement<br>Overview:    | When this measure is collected for BST and CLEC and then compared, it can be used be establish that CLECs are receiving equally reliable (as compared to BST operations) stimates of the time required to complete service repairs.         |  |  |  |  |  |  |  |  |
| Measurement<br>Methodology: | 2. Percentage of Missed Repair Appointments = (Count of Customer Troubles Not Resolved by the Quoted Resolution Time and Date) / (Count of Customer Trouble Tickets Closed) X 100.  |  |  |  |  |  |  |  |  |
|                             | Percent of trouble reports not cleared by date and time committed. Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. |  |  |  |  |  |  |  |  |
|                             | Objective: This measurement is designed to show parity between CLECs and BST in the handling of repair appointments.  |  |  |  |  |  |  |  |  |
|                             | Methodology: Mechanized metric from maintenance database(s).  |  |  |  |  |  |  |  |  |

| Reporting Dimensions:   | Excluded Situations:   |
|---|--|
| See Appendix A. Item 3     See Appendix A. Item 4   | Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for inonitoring  |
| Data Retained Relating to CLEC Experience:  | Data Retained Relating to BST Performance:   |
| Report Month CLEC Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope | Report Month BST Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope |

Missed Repair Appointments

|                               | ALL | Dispatch | No-Dispatch | Dispato   | h .      | No-Dispatch |          |  |
|-------------------------------|-----|----------|-------------|-----------|----------|-------------|----------|--|
|                               |     | Dispeton | NO DISPOSO  | Residence | Rusiness | Residence   | Rusiness |  |
| Interconnection Trunks<br>UNE |     | ×        | ×           |           |          |             |          |  |
| Resale<br>Resale Specials     |     |          |             | X         | ×        | *           | •        |  |

Note: There is no measurement for Interconnection Trunks or Specials. These are handled on a 1st come, 1st serve basis. The appropriate measurement for these is average duration.

#### MAINTENANCE & REPAIR (MR)

| Function:                   | Quality of Repair & Time to Restore  |  |  |  |  |  |  |  |  |
|-----------------------------|--|--|--|--|--|--|--|--|--|
| Measurement Overview:       | This measure, when collected for both the CLEC and BST and compared, monitors that CLEC maintenance requests are cleared comparably to BST maintenance requests.                                   |  |  |  |  |  |  |  |  |
| Measurement<br>Methodology: | 3. Out of Service > 24 Hours = (Total Repeat Troubles > 24 Hours) / (Total Troubles) X 100   |  |  |  |  |  |  |  |  |
|                             | 4. Percent Repeat Troubles within 30 Days = (Total Repeated Trouble Reports within 30 Days) / (Total Troubles) X 100   |  |  |  |  |  |  |  |  |
|                             | 5. Maintenance Average Duration = (Total Duration Time) / (Total Troubles)   |  |  |  |  |  |  |  |  |
|                             | For Out of Service Troubles (no dial tone, cannot be called or cannot call out): the percentage of troubles cleared in excess of 24 hours.   |  |  |  |  |  |  |  |  |
|                             | For Percent Repeat Trouble Reports within 30 Days. Trouble reports on the same line/circuit as a previous trouble report within the last 30 calendar days as a percent of total troubles reported. |  |  |  |  |  |  |  |  |
|                             | For Average Duration: Average time from receipt of a trouble until trouble is status cleared   |  |  |  |  |  |  |  |  |
|                             | Objective: These measurements are used to demonstrate quality of maintenance and repair.   |  |  |  |  |  |  |  |  |
|                             | Methodology: Mechanized metric from maintenance database(s).   |  |  |  |  |  |  |  |  |

| Reporting Dimensions:   | Excluded Situations:  |
|---|---|
| See Appendix A, item 3. See Appendix A, item 4.   | Trouble tickets canceled at the CLEC request BST trouble reports associated with administrative service Instances where the CLEC or BST customer requests a ticket be "held open" for monitoring                    |
| Data Retained Relating to CLEC Experience:  | Data Retained Relating to BST Performance:  |
| Report Month Total Tickets CLEC Ticket Number Ticket Submission Date Ticket Submission Time Ticket Completion Time Ticket Completion Date Total Duration Time Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope | Report Month Total Troubles Percentage of Customer Troubles Out of Service > 24 Hours Total and Percent Repeat Trouble Reports with 30 Days Total Duration Time Service Type Disposition and Cause Geographic Scope |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 174

ATTACHMENT A

Out of Service more than 24 Hours

|                        | ALL | Dispatch   | No-Dispatch | Dispato     |          | No-Dispatch |              |  |
|------------------------|-----|------------|-------------|-------------|----------|-------------|--------------|--|
|                        |     | O.O.P.O.O. |             |             | Business | Readence    | Rusinsss     |  |
| Interconnection Trunks |     |            |             |             |          |             |              |  |
| UNE                    |     | ×          | ×           |             |          |             |              |  |
| Resale                 |     |            |             | X           | ×        | X           | X            |  |
| Occasion Consists      |     |            |             | A Pinter of |          | WALL HOLLES | W DECKLER ST |  |

Note: There is no measurement for Interconnection Trunks or Specials. These are handled on a 1st come, 1st serve hasis. The appropriate measurement for these is average duration

Repeat Trouble Reports within 30 days of Installation (or New Service Failure Rate - see note below)

|                            | ALL . | Dispatch | No-Dispatch              | Dispatch  |               | No-Dispatch |          |  |
|----------------------------|-------|----------|--------------------------|-----------|---------------|-------------|----------|--|
|                            |       |          |                          | Residence | Business      | Residence   | Business |  |
| Interconnection Trunks UNE | ×     | ×        | x ·                      |           |               |             |          |  |
| Resale                     |       |          |                          | x         | X             | ×           | X        |  |
| Resale - Specials          | X     |          | Principles of the second |           | The second of |             |          |  |

Note: The appropriate measurement for both interconnection trunking and Resale - Specials is the "New Service Failure Rate"

Maintenance Average Duration

| Maintenance Averag     | ALL |  | No-Dispatch | Dispatch  |          | No-Dispatch |          |  |
|------------------------|-----|--|-------------|-----------|----------|-------------|----------|--|
| 10.00                  |     |  |             | Residence | Business | Residence   | Business |  |
| Interconnection Trunks | X   |  |             |           |          |             |          |  |
| UNE                    |     | ×  | ×           |           |          | 2.0         |          |  |
| Resale                 |     |  |             | ×         | X        | ×           | X        |  |
| Resale - Specials      | X   | A STATE OF THE STA |             |           |          | 70073-2     |          |  |

ATTACHMENT A

Attachment 10 Page 22

#### MAINTENANCE & REPAIR (MR)

PAGE 175

| Function:                   | Average Answer Time - Repair Centers  |
|-----------------------------|---|
| Measurement<br>Overview:    | This measure demonstrates কা average response time for the CLEC agent attempting to contact their BST representative  |
| Measurement<br>Methodology: | 6. Average Answer Time for UNE Center, RRC & BRC = (Total time in seconds for UNE Center, RRC & BRC response) / (Total number of calls) by reporting period                 |
|                             | Objective: This measure supports monitoring that BSTs handling of support center calls from CLECs is at least in parity with support center calls by BST's retail customer. |
|                             | Methodology: Mechanized report from Repair Center Automatic Call Distributors.  |

Average Answer Time for Repair Center

|            | Ave. Answer time (Sec.) / month | Ave. Answer time (Sec.) / year |  |  |  |  |
|------------|---------------------------------|--------------------------------|--|--|--|--|
| UNE Center | X                               | X                              |  |  |  |  |
| RRC        | X                               | X                              |  |  |  |  |
| BRC        | X I                             | X                              |  |  |  |  |

MAINTENANCE & REPAIR (MR)

| Function:                   | Legacy System Access Times  |
|-----------------------------|---|
| Measurement<br>Overview:    | <ul> <li>This measure demonstrates an average response time from the BST Maintenance<br/>System (TAFI) to access BST's Legacy Repair OSS.</li> </ul>        |
| Measurement<br>Methodology: | 1. Legacy System Access Times = Access Times in increments of ≤ 4 secs., > 4 & ≤ 6 secs., ≤ 10 secs., > 10 secs., and > 30 secs. for CLEC TAFI and BST TAFI |
|                             | Objective: This measure demonstrates parity between the CLECs and BST for OSS response times for Maintenance and Repair.                                    |
|                             | Methodology: Mechanized report from OSSs  |

Legacy System Access Times

| Degate System    | 05390 | 5 4 mm |       |      | >4456 mm |     |      | £ 10 apro |     |      | - 10 | •   | - 34 mm |   |     |
|------------------|-------|--------|-------|------|----------|-----|------|-----------|-----|------|------|-----|---------|---|-----|
| Transaction Name | ·W    | -      | 1 007 | (LEC | 1        | 857 | cusc | 9.53      | 911 | cusc | 9    | 945 | crec    | 1 | 1   |
| CRIS             | X     | X      | X     | X    | X        | N   | N.   | X         | X   | X    | X    | X   | X       | X | X   |
| DLETH            | X     | X      | X     | X    | X        | X   | N    | X         | N.  | X    | X    | X   | X       | X | X   |
| DLR              | N.    | N.     | N.    | 1 X  | 1        | N.  | N.   | 1         | X   | X    | N    | X   | X       | X | 1 X |
| IMOS             | X     | X      | X     | 1 %  | N.       | 1.  | N.   | 1.        | X   | X    | X    | N.  | X       | X | X   |
| LMOS             | X     | X      | N.    | N.   | X        | N.  | N.   | X         | X   | X    | X    | X   | X       | X | X   |
| LMOSupd          | X     | X      | X     | N.   | N.       | 1.  | X    | X         | X   | X    | X    | X   | X       | X | X   |
| MARCH            | X     | X      | X     | N.   | X        | X   | X    | X         | X   | X    | X    | X   | X       | X | X   |
| Predictor        | X     | X      | X     | X    | N.       | X   | N    | N.        | X   | N.   | X    | X   | X       | X | L X |
| SOCS             | X     | X      | X     | N    | 1.       | 1.  | N.   | N         | X   | X    | N.   | X   | X       | X | X   |
| LNP              | T X   | X      | X     | X    | X        | X   | X    | 1.        | X   | X    | X    | X   | X       | X | X   |

#### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 176 ATTACHMENT A

Attachment 10 Page 23

| Function:                   | Invoice Accuracy & Timeliness  |
|-----------------------------|--|
| Measurement<br>Overview:    | The accuracy of billing records (both usage and invoices) delivered by BST to the CLEC must provide CLECs with the opportunity to deliver bills at least as accurate as those delivered by BST. Producing and comparing this measurement result for both the CLEC and BST allows a determination as to whether or not parity exists.   |
| Measurement<br>Methodology: | Invoice Accuracy = [ (Number of Invoices Delivered in the Reporting Period that Have Complete Information, Reflect Accurate Calculations and are Properly Formatted) / (Total Number of Invoices Issued in the Reporting Period) ] X 100   |
|                             | 2. Mean Time to Deliver Invoices = ∑ [ (Invoice Transmission Date) - (Date of Scheduled Bill Cycle Close) ] / (Count of Invoices Transmitted in Reporting Period)  |
|                             | Invoice Accuracy The completeness of content, accuracy of information and conformance of formatting will be determined based upon the terms of the individual CLEC interconnection agreements with BST.  |
|                             | Mean Time to Deliver Invoices: This measure captures the elapsed number of days between the scheduled close of a Bill Cycle and BST's successful transmission of the associated invoice to the CLEC. For each invoice, the calendar date of the scheduled close of Bill Cycle is compared to the calendar date that successful invoice transmission to the CLEC completes. The number of calendar days elapsed between scheduled Bill Cycle close and completion of invoice transmission will constitute the elapsed delivery time. The clapsed delivery time is accumulated for each invoice with the resulting total number of days accumulated being divided by the number of complete invoices sent in the reporting period. |
|                             | Objective: Measures the percentage and mean time of billing records delivered to CLEC in agreed upon format and with the complete agreed upon content (includes time and material and other non-recurring charges).  |
|                             | Methodology: To be determined  |

Attachment 10 Page 24

### ATTACHMENT A

| Reporting Dimensions:  | Excluded Situations:  Any invoices rejected due to formatting or content errors |  |
|--|---|--|
| Wholesale Bill Invoices (TSR)     Unbundled Element Invoices (UNE) |   |  |
| Data Retained Relating to CLEC Experience:                         | Data Retained Relating to BST Performance:                                      |  |
| Report Month   |   |  |
| Invoice Type   |   |  |
| Mean Delivery Interval   |   |  |
| <ul> <li>Standard Error of Delivery Interval</li> </ul>            |   |  |
| - Accumey  |   |  |

Invoice Accuracy

| Invoice Accuracy | Total Invoices Delivered | Total Invoices Delivered per EMR | % Accuracy |
|------------------|--------------------------|----------------------------------|------------|
|                  | Delivered                | 1                                | ×          |
| CLEC             | ,                        | A 740                            |            |

| Mean Time to Deliver Invoices |                  |
|-------------------------------|------------------|
|                               | To Be Determined |
|                               |                  |
|                               |                  |

Attachment 10 Page 25

#### OPERATOR SERVICES AND DIRECTORY ASSISTANCE (OS. DA)

| Function:                   | Average Speed to Answer   |
|-----------------------------|---|
| Measurement<br>Overview:    | The speed of answer delivered to CLEC retail customers, when BST provides Operator Services or Directory Services on behalf of the CLEC, must be substantially the same as the speed of answer that BST delivers to its own retail customers for equivalent local services. |
| Measurement<br>Methodology: | Average Speed to Answer (DA) =  (# of Calls Answered Within 12 Seconds) / (Total DA Calls) X 100  |
|                             | 2. Mean Time to Answer  |
|                             | 3. Average Speed to Answer (OS) =   |
|                             | (# of Calls Answered Within 2 and 10 Seconds) / (Total OS Calls) X 100  |
|                             | 4. Mean Time to Answer  |
|                             | Objective: Measures the percent and mean time a call is answered by an OS or DA operator in a predefined timeframe  |
|                             | Methodology:  |
|                             | Reported in the aggregate   |
|                             | Not Carrier Specific  |

| Reporting Dimensions:   | Excluded Situations:  |  |
|---|---|--|
| Operator Services in Aggregate     Directory Assistance in Aggregate     Processing Method (human versus machine processes) | Call abandoned by customers prior to answer by the BST OS or DA operator                            |  |
| Data Retained Relating to CLEC Experience:  | Data Retained Relating to BST Performance:  |  |
| Month Call Type (OS or DA) Mean Speed of Answer Standard Error for Mean Speed of Answer                                     | Month     Call Type (OS or DA)     Mean Speed of Answer     Standard Error for Mean Speed of Answer |  |

Average Speed to Answer

| Average Speed to Answer |                                |   |                                       |
|-------------------------|--------------------------------|---|---------------------------------------|
|                         | Average Mean Time<br>to Answer | % Calls Answered within 12 seconds        | % Calls Answered<br>within 10 seconds |
| Directory Assistance    | N N                            | N. C. |                                       |
| Operator Services       | X                              |   | X                                     |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 179
ATTACHMENT A

Attachment 10 Page 26

#### E911

| Function:                   | Timeliness and Accuracy   |  |  |
|-----------------------------|---|--|--|
| Business<br>Implications:   | <ul> <li>In the interest of public safety, it is BellSouth's goal to maintain 100% accuracy the E911 database for both CLEC's customers and BST's retail customers and to have zero errors in processing orders for E911 database updates.</li> <li>CLECs that purchase UNEs or provide local service as a facility-based provider are responsible for the accuracy of their data that is input in the E911 database.</li> <li>As part of BSTs effort to maintain 100% accuracy of the E911 database, data verification parameters and requirements for all companies that submit E911 inputs will be reviewed and modified accordingly to ensure the highest integrity.</li> <li>These measurements were developed to ensure parity between the processing and accuracy of E911 database orders for both the CLEC's customers and BST's retained.</li> </ul> |  |  |
| Measurement<br>Methodology: | 1. E911 Timeliness = ∑ (Number of Orders missed in Reporting Period) / (Number of Orders Confirmed in Reporting Period) X 100  Ojective: Measures the percentage of missed due dates of 911 database updates  Methodology:  |  |  |
|                             | Mechanized metric from ordering system  2. E911 Accuracy = \(\Sigma\)   Total number of SOIRs with errors generated from Daily TN activity (based on the E911 Local Exchange Carrier Guide for Facility-Based Providers)   / (Total number of SOIR orders for E911 updates) X 100  Objective: Measures the percentage of accurate 911 database updates  Methodology: Mechanized metric from ordering system   |  |  |

| Reporting Dimensions:  | Excluded Situations:   |
|--|--|
| CLECs in Aggregate BST in Aggregate See Appendix A, item 4   | Any order canceled by the CLEC will be excluded from this measurement.     Order Activities of BST associated with internal or administrative use of local services. |
| Data Retained Relating to CLEC Experience:   | Data Retained Relating to BST Performance:   |
| Report Month CLEC Order Number Order Submission Date Order Submission Time Error Type Error Notice Date Error Notice Time Standard Order Activity Geographic Scope | Report Month     Error Type     Average number of error     Standard Order Activity     Geographic Scope   |

#### **E911 Timeliness and Accuracy**

| Eggs Timeliness and Accordes | CLEC | BST           |  |
|------------------------------|------|---------------|--|
| % E911 Orders Missed         | X •  | 24555 X W W W |  |
| % F911 Accurate Orders       | X Y  | X             |  |

Attachment 10 Page 27

Trunking (T)

| Function:                   | Interconnection Trunking Performance  |
|-----------------------------|---|
| Measurement<br>Overview:    | In order to insure quality service to the CLECs as well as protecting the integrity of the BST network. BST collects traffic performance data on the trunk groups interconnected with the CLECs as well as all other trunk groups in the BST network.   |
| Measurement<br>Methodology: | CLEC Trunk Group Service Report - Contains the service performance results of final trunk groups between the CLEC switch and a BST tandem or end office.  |
|                             | 2. BellSouth CTTG Blacking Report - Contains the trunk blocking results of final trunk groups between the BST end office and BST access tandem.   |
|                             | 3. Local Network Trunk Group Service Report - Contains the service performance results of final trunk groups in the BST local service tier of the network.  |
|                             | 4. BellSouth Local Network Blocking Report - Contains the trunk blocking results of final trunk groups in the BST local service tier of the network.  |
|                             | Methodology: The data are processed weekly through a mechanized system which calculates the percentage blocking during the time-consistant busy hour (TCBH). The TCBH is defined as the identical hour each day during which, over a number of days, the highest average traffic is measured. |

| Reporting Dimensions:                      | Excluded Situations:                      |
|--|---|
| BST trunk groups     CLEC trunk groups     | • N/A                                     |
| Data Retained Relating to CLEC Experience: | Data Retained Relating to BST Performance |
| • N/A                                      | • N/A                                     |

CLEC Trunk Group Service Report

| CLEC TRUNK GROUP SERVICE REPORT MONTHLY SUMMARY |    |      |    |    |    |    |    |    |     |    |       |             |
|---|----|------|----|----|----|----|----|----|-----|----|-------|-------------|
| BST ORDERED                                     | AL | GA   | KY | LA | MS | NC | NF | SC | SF  | TN | TOTAL | TOTAL WO GA |
| Total Trunk Groups:                             |    |      |    |    |    |    |    |    |     |    |       |             |
| Trk Grps Meas/Proc:                             |    |      |    |    |    |    |    |    |     |    |       |             |
| Tot Grps > 3% NC this report                    |    |      |    |    |    |    |    |    |     |    |       |             |
| PCT1  |    |      |    |    |    | 1  |    |    |     |    |       |             |
| CLEC ORDERED                                    | A  | GA.  | KY | LA | MS | NC | NF | sc | SF  | TN | TOTAL | TOTAL wo GA |
| Total Trunk Groups:                             |    |      |    |    |    |    |    |    |     |    |       |             |
| Trk Grps Mess/Proc:                             |    |      |    |    |    |    | *  |    |     |    |       |             |
| Tot Grps > 3% NC this report                    |    |      |    |    |    |    |    |    |     |    |       | STILL ST    |
| PCT1  |    |      |    |    |    |    |    | *  | -   |    |       |             |
| TOTAL   | A  | T QA | KY | u  | MS | NC | NP | sc | \$5 | TN | TOTAL | TOTAL we GA |
| Total Trunk Groups:                             |    |      |    |    |    |    |    |    |     |    |       |             |
| Trk Grps Meas/Proc:                             |    |      |    |    |    |    |    |    |     |    | •     |             |
| Tot Grps > 3% NC this report                    |    |      |    |    |    |    |    |    |     |    | *     |             |
| PCT1  |    |      |    |    | 1  |    |    | 1  |     | 1  |       |             |

PAGE 181

ATTACHMENT A

Attachment 10 Page 28

BellSouth CTTG Blocking Report

|      |        | BELLSOUTH  | GROUPS E | XCEEDING |               | MARY | ′   |             |             |      |
|------|--------|------------|----------|----------|---------------|------|-----|-------------|-------------|------|
| TGSN | TANDEM | END OFFICE | DESCRPT  | STUDY    | OBSVD<br>BLKG | HR   | TKS | VAL<br>DAYS | NBR<br>RPTS | RMKS |
| ,    |        | ¥          | *        | ×        | ×             | x    | x   | x           | x           | x    |

Local Network Trunk Group Service Report

|                              | LOC |    | TWO |    |    |    |    | RVICE | REP | ORT |       |             |
|------------------------------|-----|----|-----|----|----|----|----|-------|-----|-----|-------|-------------|
|                              | AL  | GA | KY  | LA | MS | NC | NF | sc    | SF  | TN  | TOTAL | TOTAL WO GA |
| Total Trunk Groups:          |     | ×  |     | ×  |    | ×  |    |       | ×   | ×   |       |             |
| Trk Grps Meas/Proc           |     |    |     |    |    | *  |    |       |     |     |       |             |
| Tot Grps > 3% NC this report |     |    |     | ×  | ×  |    |    | ×     |     | *   | *     |             |
| PCT1                         |     | ×  | *   | ×  |    | *  |    | *     |     |     |       |             |

BellSouth Local Network Blocking Report

|       |       | BELLSOUTH | GROUPS | TWORK BLO<br>EXCEEDING<br>SS DATE |               | PORT | · SUM | MARY        |             |      |
|-------|-------|-----------|--------|-----------------------------------|---------------|------|-------|-------------|-------------|------|
| A-END | Z-END | DESCRPT   | TGSN   | STUDY                             | OBSVD<br>BLKG | HR   | TKS   | VAL<br>DAYS | NBR<br>RPTS | RMKS |
| ×     | ×     | x         | x      | ×                                 | ×             | ×    | x     | x           | X           | х    |

ATTACEMENT A

Attachment 10 Page 29

| IT | EM#  | DESCRIPTION   |
|----|--|---|
| 1. | Carrier Specific -<br>Reported on a per<br>order basis | <ul> <li>Interconnection Trunks - average response time, percent less than 10 days</li> <li>UNE - less than 10 limes / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders.</li> <li>UNE (Specials) - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders.</li> <li>Resale Residential &amp; Business - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders.</li> <li>Resale (Specials) - less than 10 lines / circuits and 10 lines / circuits of more, mechanized orders and non-mechanized orders.</li> <li>UNE (Unbundled Loops w/ interim telephone number portability) - less than 5 and 5 or more, mechanized orders and non-mechanized orders.</li> </ul> |
| 2. | Reported by<br>Carrier on a per<br>order basis         | UNE: by groups of lines on single order. Separately tracked for dispatch and non-dispatch as follows:  Local Interconnection Trunks  Resale (Residence): by groups of lines on single order similar to UNE (POTS)  Resale (Business) - by groups of lines on single order similar to UNE (POTS)  Resale (Specials) - by groups of lines on single order similar to UNE (POTS)  UNE (Unbundled Loops w/ interim telephone number portability)  |
| 3  | Carrier Specific -<br>Reported on a per<br>order basis | UNE - Dispatched, Not Dispatched, and misses where the competing carrier or end user causes the missed appointment. Resale Residence & Business Dispatched, Not Dispatched - All misses, denoting misses, where the competing carrier or end user caused the missed appointment. Interconnection Trunks Resale Specials   |
| 1  | Geographic Scope                                       | State and Regional level unless otherwise specified   |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980367-TP
PAGE 183
ATTACHMENT A

Attachment 11

Rates

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 184

ATTACHMENT A

Attachment 11 Exhibit 1

Alabama

ATTACHMENT A

Attachment 11 Exhibit 1-AL Page 1

### ALABAMA

### PRICING

### 1. General Principles

PAGE 185

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and Alabama Public Service Commission.

### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Alabama, subject to the Commission's decision in Docket No. 25677.

Residential Service

16.3%

**Business Service:** 

16.3%

#### 3. Unbundled Network Elements

The interim prices that CLEC-1 shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

### 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

### 5. Ancillary Functions

- Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are gegional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 186
ATTACHMENT A

Attachment 11 Exhibit 1-AL Page 2

authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

### 6. Local Number Portability

The interim prices for interim number portability are set forth in Table 1.

### 7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 1.

### 8. Electronic Interfaces

The costs associated with implementing electronic interfaces should be shared equitably among all parties who benefit from those interfaces.

### 9. True-up

Except for the prices for resold Local Services, the interim prices referenced above shall be subject to true-up within six (6) months once BellSouth has submitted cost studies.

### 10. Operational Support Systems (OSS) Rates

|         | OPERATIONAL SU                           | JPPORT SYSTE                      | MS (OSS) RATES              |                                      |
|---------|--|-----------------------------------|-----------------------------|--------------------------------------|
|         | Interactive Orderi<br>Maintenanc         | ng and Trouble<br>e System        | OSS Orde                    |                                      |
|         | Non-Recurring<br>Establishment<br>Charge | Recurring<br>Charge,<br>per month | Charge per electronic order | Surcharge for manually placed orders |
| ALABAMA | \$100.00                                 | \$50.00                           | \$10.80                     | \$22.00                              |

The rates for Operational Support Systems mentioned above are interim and subject to modification based upon receipt of a final, non-appealable order by the Alabama Public Service Commission.

Attachment 11 Exhibit 1-AL Page 3

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 187

#### ATTACHMENT A

TABLE 1

# BELLSOUTH/CLEC INTERIM RATES - ALABAMA LOCAL INTERCONNECTION AND UNBUNDLED NETWORK ELEMENTS (Certain rates are subject to true-up)

| NIDs  |        |
|---|--------|
| NRC - NID per 2-Wire Loops—Incremental-Manual Svc Order—1#              | NA     |
| NRC - NID per 2-Wire Loops—Incremental-Manual Svc Order—Add'l           | NA     |
| NRC - NID per 2-Wire Loops—Incremental-Manual Svc Order— Disconnect     | NA     |
| NRC - NID per 4-Wire Loops—Incremental-Manual Svc Order—1 <sup>st</sup> | NA     |
| NRC - NID per 4-Wire Loops—Incremental-Manual Svc Order—Add'l           | NA     |
| NRC - NID per 4-Wire Loops—Incremental-Manual Svc Order— Disconnect     | NA     |
| NID (all types), per month  | \$0.63 |
| NID per 2-Wire Analog VG Loop, Per Month                                | NA     |
| NRC - 1 <sup>st</sup>   | NA     |
| NRC - Add'l   | NA     |
| NRC - Disconnect-Chg - 1 <sup>M</sup>                                   | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire Analog VG Loop, Per Month                                | NA     |
| NRC - 1"  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                          | NA     |
| NRC - 1 <sup>st</sup>   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per Mo.    | NA     |
| NRC - 1 <sup>M</sup>  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA     |
| NRC - 1"  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA     |
| NRC - 1"  | NA ·   |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA .   |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                             | NA     |
| NRC - 1 <sup>M</sup>  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA     |

ATTACHMENT A

| NRC - Disconnect Chg - Add'l   | NA      |
|--|---------|
| Nonrecurring Charge - customer transfer, feature additions, changes (1)          | \$5.00  |
| LOOP, EXCLUDING NID  |         |
| 2-Wire Analog VG Locp (Standard), per month                                      | NA NA   |
| NRC - 1"   | NA NA   |
| NRC - Add'I  | NA NA   |
| 2-Wire Analog VG Loop (Customized), per month                                    | NA NA   |
| NRC - 1"   | NA NA   |
| NRC - Add'I  | NA NA   |
| 4-Wire Analog VG Loop (Standard), per month                                      | NA NA   |
| NRC - 1 <sup>M</sup>   | NA NA   |
|  | NA NA   |
| NRC - Add'l  | NA NA   |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                             |         |
| NRC - 1"   | NA NA   |
| NRC - Add'I  | NA NA   |
| 2-Wire ADSL Loop (Standard), per month   | NA NA   |
| NRC - 1 <sup>st</sup>  | NA NA   |
| NRC - Add'l  | NA NA   |
| 2-Wire HDSL Loop (Standard), per month   | NA NA   |
| NRC - 1 <sup>M</sup>   | NA NA   |
| NRC - Add'I  | NA NA   |
| 4-Wire HDSL Loop (Standard), per month   | NA NA   |
| NRC - 1 <sup>M</sup>   | NA NA   |
| NRC - Add'I  | NA      |
| LOOP, INCLUDING NID  |         |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1*                          | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc OrderAdd'l                        | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect                 | NA      |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc Order1 <sup>st</sup> | NA      |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc OrderAdd'l           | NA      |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc<br>Order—Disconnect  | NA      |
| 2-Wire Analog VG Loop, per month   | \$18.00 |
| NRC - 1"   | \$55.20 |
| NRC - Add'I  | \$55.20 |
| 2-Wire Analog VG Loop-SL1, per month   | NA .    |
| NRC - 1"   | NA      |
| NRC - Add'l  | NA .    |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA .    |
| NRC - Disconnect Chg - Add'l   | ŊĀ      |
| NRC - Order Coordination for Specified Conversion Time                           | NA .    |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord                                     | NA .    |
| NRC - 1"   | NA      |
| NRC - Add'I  | NA      |
| NRC - Disconnect Chg - 1st   | NA      |
| NRC - Disconnect Chg - Add'l   | NA      |
| 2-Wire Analog VG Loop-SL2, per month   | NA .    |
| NRC - 1 <sup>st</sup>  | NA .    |

ATTACHMENT A

Attachment 11

Exhibit 1-AL

Page 5

| NRC - Add'I  | NA      |
|--|---------|
| NRC - Disconnect Chg - 1st   | NA      |
| NRC - Disconnect Chg - Add'l   | NA      |
| NRC - Order Coordination for Specified Conversion Time                     | NA      |
| 2-Wire Analog VG Loop (Standard), per month                                | NA      |
| NRC - 1 <sup>st</sup>  | NA      |
| NRC - Add'l  | NA      |
| 2-Wire Analog VG Loop (Customized), per month                              | NA      |
| NRC - 1 <sup>st</sup>  | NA      |
| NRC - Add'I  | NA      |
| 4-Wire Analog VG Loop, per month   | \$28.80 |
| NRC - 1 <sup>M</sup>   | \$55.20 |
| NRC - Add'I  | \$55.20 |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA      |
| NRC - Disconnect Chg - Add'l   | NA      |
| NRC - Order Coordination for Specified Conversion Time                     | NA      |
| 4-Wire Analog VG Loop (Standard), per month                                | NA      |
| NRC - 1"   | NA NA   |
| NRC - Add'I  | NA NA   |
| 2-Wire ISDN Digital Grade Loop, per month                                  | \$28.80 |
| NRC - 1 <sup>st</sup>  | \$55.20 |
| NRC - Add'I  | \$55.20 |
| NRC - Disconnect Chg - 1st   | NA      |
| NRC - Disconnect Chg - Add'I   | NA .    |
| NRC - Order Coordination for Specified Conversion Time                     | NA NA   |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                       | NA NA   |
| NRC - 1 <sup>st</sup>  | NA .    |
| NRC - Add'I  | NA .    |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible                  | \$28.80 |
| Loop, per month  |         |
| NRC - 1 <sup>st</sup>  | \$55.20 |
| NRC - Add'I  | \$55.20 |
| NRC - Disconnect Chg - 1st   | NA      |
| NRC - Disconnect Chg - Add'l   | NA      |
| NRC - Order Coordination for Specified Conversion Time                     | NA      |
| 2-Wire ADSL Loop (Standard), per month                                     | NA      |
| NRC - 1 <sup>M</sup>   | NA      |
| NRC - Add'I  | NA      |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop, per month        | NA .    |
| NRC - 1ª   | NA      |
| NRC - Add'I  | NA      |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | \$28.80 |
| NRC - 1 <sup>st</sup>  | \$55.20 |
| NRC - Add'I  | \$55.20 |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA      |
| NRC - Disconnect Chg - 1   | NA .    |
| NRC - Order Coordination for Specified Conversion Time                     | NA NA   |
| 2-Wire HDSL Loop (Standard), per month                                     | NA .    |
| NRC - 1 <sup>st</sup>  | NA .    |
| NRC - Add'I  | NA      |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 190 ATTACHMENT A

| 4-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month   | \$28.80  |
|--|--|
| NRC - 1 <sup>st</sup>  | \$55.20  |
| NRC - Add'l  | \$55.20  |
| NRC - Disconnect Chg - 1st   | NA NA  |
| NRC - Disconnect Chg - Add'I   | NA .   |
| NRC - Order Coordination for Specified Conversion Time   | NA NA  |
| 4-Wire HDSL Loop (Standard), per month   | NA NA  |
| NRC - 1 <sup>st</sup>  | NA .   |
| NRC - Add'I  | NA NA  |
|  | \$64.19  |
| 4-Wire DS1 Digital Loop, per month NRC - 1*  | \$675.00   |
|  | \$315.00   |
| NRC - Add'I  | NA NA  |
| NRC - Disconnect Chg - 1st   | NA NA  |
| NRC - Disconnect Chg - Add'l   | NA NA  |
| NRC - Incremental CostManual Svc Order-1st   | NA NA  |
| NRC - Incremental CostManual Svc Order-Addl NRC - Incremental CostManual Svc Order-Disconnect  | NA NA  |
| NRC - Incremental CostManual Svc Order-Disconnect NRC - Order Coordination for Specified Conversion Time   | NA NA  |
|  | NA NA  |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month   | NA NA  |
| NRC - 1 <sup>M</sup>   | NA NA  |
| NRC - Add'I  | NA NA  |
| NRC - Disconnect Chg - 1st   | NA NA  |
| NRC - Disconnect Chg - Add'l   | NA NA  |
| NRC - Order Coordination for Specified Conversion Time   | NA NA  |
| Unbundled Loops via IDLC   | The second second                                  |
| JB-LOOPS   |  |
| b-Loop 2-Wire Analog   |  |
| Loop Feeder per 2-Wire Analog VG Loop, per month   | NA   |
| NRC - 1 <sup>st</sup>  | NA .   |
| NRC - Add'I  | INA  |
|  |  |
| NRC - Disconnect Chg - 1st   | NA   |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l  | NA<br>NA   |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time   | NA<br>NA   |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time   | NA<br>NA<br>NA                                     |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID),  | NA<br>NA<br>NA<br>NA                               |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  | NA<br>NA<br>NA<br>NA<br>NA                         |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1* NRC - Add'I NRC - Disconnect Chg - 1*   | NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA             |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time   | NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA             |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA             |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA       |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA       |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1st NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1st NRC - Add'I Unbundled Network Terminating Wire   | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per | NA N           |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1st NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1st NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per month                               | NA N           |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1st NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1st NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per month NRC - 1st                     | NA N           |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1st NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1st NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per month                               | NA N           |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 191 ATTACHMENT A

| NRC - Incremental Cost-Manual Svc Order - 1*  | NA             |
|---|----------------|
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA             |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA             |
| Working Plug-In 2-Wire, NRC 1st   | NA             |
| Working Plug-In 2-Wire, NRC Add'I   | NA             |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)   | NA             |
| Loop Concentration - Remote Channel Interface - 2-Wire VG<br>(Outside CO), per month  | NA             |
| NRC - 1 <sup>st</sup>   | NA             |
| NRC - Add'I   | NA             |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .           |
| NRC - Disconnect Chg - Add'l  | NA .           |
| NRC - Disconnect Crig - Add 1   |                |
| Loop Channelization System (Inside C.O.)  Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG),   | \$400.00       |
| per month   |                |
| NRC - 1 <sup>st</sup>   | \$525.00       |
| NRC - Add'I   | \$525.00       |
| NRC - Disconnect Chg - 1st  | NA .           |
| NRC - Disconnect Chg - Add'l  | NA             |
| NRC - Incremental CostManual Svc Order - 1st  | NA             |
| NRC - Incremental CostManual Svc Order - Add'l  | NA             |
| NRC - Incremental CostManual Svc Order - Disconnect   | NA             |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month   | \$1.15         |
| NRC - 1"  | \$8.00         |
| NRC - Add'I   | \$8.00         |
| NRC - Disconnect Chg - 1st ~  | NA .           |
| NRC - Disconnect Chg - Add'l UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)   | NA             |
| 2-Wire Analog Line Port (Res., Bus.), per month   | \$2.50         |
| NRC - 1 <sup>st</sup> (all types)   | \$50.00        |
| NRC - Add'l (all types)   | \$18.00        |
| NRC - 1º (Residence)  | NA             |
| NRC - Add'I (Residence)   | NA             |
| NRC - 1 <sup>st</sup> (Business)  | NA             |
| NRC - Add'I (Business)  | NA .           |
| NRC - 1" (PBX)  | NA             |
| NRC - Add'I (PBX)   | NA             |
| NRC - Disconnect Chg - 1st  | NA             |
| NRC - Disconnect Chg - Add'l  | NA             |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA             |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA             |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA             |
| 4-Wire Analog VG Port, per month  | NA .           |
| NRC - 1"  | NA .           |
|   | NA             |
| NRC - Add'l   |                |
| NRC - Add'l<br>NRC - Disconnect Chg - 1st   | NA             |
| NRC - Disconnect Chg - 1st  | NA<br>NA       |
| NRC - Disconnect Chg - 1st<br>NRC - Disconnect Chg - Add'l  |                |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental CostManual Svc Order - 1st  | NA             |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental CostManual Svc Order - 1st NRC - Incremental CostManual Svc Order - Add'l | NA<br>NA       |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental CostManual Svc Order - 1st  | NA<br>NA<br>NA |

ATTACHMENT A

Attachment 11
Exhibit 1-AL
Page 8

PAGE 192

| NRC - Add'I   | \$18.00  |
|---|----------|
| NRC - Disconnect Chg - 1st                              | NA       |
| NRC - Disconnect Chg - Add'l                            | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA .     |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | NA NA    |
| 4-Wire DID Port, per month                              | \$130.23 |
| NRC - 1 <sup>st</sup>                                   | \$50.00  |
| NRC - Add'I   | \$18.00  |
|   | NA NA    |
| NRC - Disconnect Chg - 1st                              | NA NA    |
| NRC - Disconnect Chg - Add'l                            | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA NA    |
| NRC - Incremental CostManual Svc Order - Disconnect     |          |
| 4-Wire DS1 Port w/DID capability, per month             | NA NA    |
| NRC - 1 <sup>a</sup>                                    | NA       |
| NRC - Add'I   | NA .     |
| 2-Wire ISDN Port(2) (3), per month                      | \$11.91  |
| NRC - 1 <sup>M</sup>                                    | \$150.00 |
| NRC - Add'I   | \$120.00 |
| NRC - Disconnect_Chg - 1st                              | NA NA    |
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA       |
| NRC - User Profile per B Channel (4)                    | NA       |
| 4-Wire ISDN Port, per month                             | NA .     |
| NRC - 1 <sup>st</sup>                                   | NA NA    |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'I         | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | NA       |
| 4-Wire ISDN DS1 Port, per month                         | \$308.00 |
| NRC - 1 <sup>st</sup>                                   | \$230.00 |
| NRC - Add'I   | \$200.00 |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA .     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA       |
| 2-Wire Analog Line Port (PBX), per month                | NA       |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA .     |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental CostManual Svc Order - 1st            | NA       |
| NRC - Incremental CostManual Svc Order - Add'l          | NA .     |

#### Attachment 11 Exhibit 1-AL **PAGE 193** ATTACHMENT A Page 9 NRC - Incremental Cost--Manual Svc Order-Disconnect NA 2-Wire Analog Hunting, per line per month NRC - 1" \$0.25 \$3.00

| 33.00  |
|--|
| \$3.00   |
| \$4.00   |
| \$50.00  |
| \$18.00  |
| NA   |
| NA .   |
| NA NA  |
| NA NA  |
| NA NA  |
|  |
| NA NA  |
| NA NA  |
| NA NA  |
| LIA .  |
| \$0.0017   |
| NA   |
| NA NA  |
| INA  |
|  |
| \$0.0015   |
| NA   |
| \$0.0015   |
| 30.0015  |
|  |
|  |
|  |
|  |
| \$0.00004  |
| \$0.00036  |
|  |
| BST State Access Tariff  |
| Tariff   |
| Tariff NA  |
| Tariff   |
| Tariff NA  |
| NA NA  |
| NA NA NA   |
| NA NA NA NA  |
| NA NA NA NA  |
| NA NA NA NA NA   |
| NA NA NA NA NA NA  |
| Tariff  NA                          |
| Tariff  NA                       |
| Tariff  NA                       |
| Tariff  NA                 |
| Tariff  NA S1.90 \$38.37         |
| Tariff  NA S1.90 \$38.37 \$25.00 |
| Tariff  NA S1.90 \$38.37         |
|  |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 194 ATTACHMENT A

| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA       |
|--|----------|
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA .     |
| NRC - Incremental Cost-Manual Svc Order-DisconnectAddl                     | NA       |
| Interoffice Transport - Dedicated - DS1                                    |          |
| Interoffice Transport - Dedicated - DS1 - per mile per month               | \$23.00  |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month | \$90.00  |
| NRC - 1ª   | \$100.49 |
| NRC - Add'I  | \$100.49 |
| NRC - Disconnect Chg - 1st   | NA       |
| NRC - Disconnect Chg - Add'l   | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA       |
| NRC - Incremental CostManual Svc Order-DisconnectAddl                      | NA       |
| Interoffice Transport - Dedicated - DS3                                    |          |
| Interoffice Transport - Dedicated - DS3 - per mile per month               | NA       |
| Interoffice Transport - Dedicated - DS3 - facilities termination per month | NA       |
| NRC - 1 <sup>th</sup>  | NA       |
| NRC - Add'I  | NA       |
| Digital Cross Connects (3/3, 3/1, 1/0)                                     | NA       |
| Unbundled Exchange Access IOC  |          |
| 0-8 Miles, Fixed per month   | \$30.00  |
| Per mile per month   | \$2.05   |
| NRC 1st  | \$97.00  |
| NRC Add'I  | \$97.00  |
| 9-25 Miles, Fixed per month  | \$30.00  |
| Per mile per month   | \$2.00   |
| NRC 1st  | \$97.00  |
| NRC Add'I  | \$97.00  |
| Over 25 Miles, Fixed per month   | \$30.00  |
| Per mile per month   | \$1.95   |
| NRC 1st  | \$97.00  |
| NRC Add'I  | \$97.00  |
| Local Channel - Dedicated  |          |
| Local Channel - Dedicated - 2-Wire VG                                      | NA       |
| NRC - 1st  | NA       |
| NRC - Add'I  | NA       |
| NRC - Disconnect Chg - 1st   | NA       |
| NRC - Disconnect Chg - Add'l   | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA       |
| NRC - Incremental CostManual Svc Order - Add'l                             | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect                          | NA       |
| Local Channel - Dedicated - 4-Wire VG                                      | NA .     |
| NRC - 1st  | NA       |
| NRC - Add'I  | NA       |
| NRC - Disconnect Chg - 1st   | NA       |
| NRC - Disconnect Chg - Add'l   | NA       |
| NRC - Incremental CostManual Svc Order - 1st                               | NA       |
| NRC - Incremental CostManual Svc Order - Add'l                             | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect                          | NA       |
| Local Channel - Dedicated - DS1  | NA       |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 195 ATTACHMENT A

| NRC - 1 <sup>st</sup>   | NA .  |
|---|---|
| NRC - Add'l   | NA  |
| NRC - Disconnect Chg - 1st  | NA  |
| NRC - Disconnect Chg - Add'l  | NA  |
| NRC - Incremental Cost-Manual Svc Order   | NA  |
| NRC - Incremental CostManual Svc Order-Disconnect   | NA  |
| VIRTUAL COLLOCATION (6)   |   |
| Virtual Collocation   | Tariff Rates  |
| LOCAL USAGE   |   |
| intraoffice per mou   | NA .  |
| Interoffice per mou (assumes 5 miles of transport)  | NA  |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)  |   |
| End Office Interconnection/Switching, per mou   | \$.0017   |
| Tandem Interconnection/Switching, per mou   | \$.0015   |
| Tandem Interconnection (assumes 5 miles of transport per mou)   | NA  |
| Transport   | Network element<br>prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport   | NA  |
| Combined Tandem Switch Interconnection  | NA  |
| Multi-tandem Interconnection  | NA  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | \$0.0015  |
| 800 ACCESS TEN DIGIT SCREENING SERVICE  |   |
| 800 Access Ten Digit Screening (all types), per call (7)  | NA  |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per query   | \$0.0036  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per query   | \$0.00431   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  | \$0.00431   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per query   | \$0.00431   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per message   | NA  |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800<br>Numbers, w/Optional Complex Features, per message  | NA  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per<br>message   | NA .  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   | NA  |
| Reservation Charge per 800 number reserved—NRC - 1st  | \$31.50   |
| Reservation Charge per 800 number reserved—NRC - Add'I  | \$0.50  |
| Per 800 # Established w/o POTS (w/800 No.) Translations   |   |
| NRC - 1 <sup>st</sup>   | \$69.90   |
| NRC - Add'I   | \$1.50  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA  |
| NRC - Disconnect Chg - Add'l  | NA  |
| Per 800 # Established with POTS Translations  |   |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 196

ATTACHMENT A

| NRC - 1 <sup>st</sup>   | \$69.90    |
|---|------------|
| NRC - Add'I   | \$1.50     |
| NRC - Disconnect Chg - 1*   | NA         |
| NRC - Disconnect Chg - Add'I  | NA         |
| Customized Area of Service per 800 Number                               |            |
| NRC - 1 <sup>M</sup>  | \$3.00     |
| NRC - Add'I   | \$1.50     |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #     |            |
| NRC - 1 <sup>M</sup>  | \$3.50     |
| NRC - Add'I   | \$2.00     |
| Change Charge per request   |            |
| NRC - 1 <sup>M</sup>  | \$48.50    |
| NRC - Add'I   | \$0.50     |
| Call Handling and Destination Features - NRC                            | \$3.00     |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order             | NA         |
| Per 800 # Est'd w/o POTS Transl-Incrm Cost-Manual Svc Order             |            |
| NRC   | NA         |
| NRC - Disconnect Chg  | NA         |
| Per 800 # Est'd with POTS Transi-Incrm Cost Manual Svc Order            |            |
| NRC   | NA         |
| NRC - Disconnect Chg  | NA         |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC                       | NA         |
| LINE INFORMATION DATABASE ACCESS (LIDB)                                 |            |
| LIDB Common Transport per query   | \$0.00030  |
| LIDB Validation per query   | \$0.038    |
| LIDB Validation per message   | NA         |
| LIDB Originating Point Code Establishment or Change - NRC               | \$91.00    |
| LIDB - Incremental Cost - Manual Svc Order - NRC                        | NA         |
| CCS7 SIGNALING TRANSPORT SERVICE  |            |
| CCS7 Signaling Connection, per link (A link) per month                  | \$155.00   |
| NRC   | \$510.00   |
| NRC - Disconnect  | NA         |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per | \$155.00   |
| month<br>NRC  | \$510.00   |
| NRC - Disconnect  | NA .       |
| CCS7 Signaling Termination, per STP port per month                      | \$355.00   |
| CCS7 Signaling Usage, per ISUP message                                  | \$0.000023 |
| CCS7 Signaling Usage, per TCAP message                                  | \$0.000050 |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (8)            | \$395.00   |
| CCS7 Signaling - Incremental Cost - Manual Svc Order                    |            |
| NRC   | NA         |
| NRC - Disconnect  | NA         |
| OPERATIONAL SUPPORT SYSTEMS   |            |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month   | \$50.00    |
| NRC   | \$100.00   |
| OSS OLEC Daily Usage File: Recording, per message                       | \$.008     |
| OSS OLEC Daily Usage File: Nessage Processing, per message              | \$.004     |
| OSS Access Daily Usage File: Message Processing, per message            | \$.004     |
| OSS Access Daily Usage File: Message Processing, per magnetic tape      | \$54.95    |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 197 ATTACHMENT A

| provisioned OSS Access Daily Usage File: Message Processing, per magnetic tape                                      | \$54.95  |
|---|----------|
| provisioned   |          |
| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT),  | \$.001   |
| per message   |          |
| OSS Access Daily Usage File: Data Transmission  | \$.001   |
| (CONNECT:DIRECT), per message   |          |
| OSS Order charge, per electronic order, per end user account  | \$10.80  |
| Surcharge for manually placed orders, per end user account  | \$22.00  |
| OPERATOR CALL PROCESSING  |          |
| Oper. Provided Call Handling per min - Using BST LIDB   | \$1.36   |
| Call Completion Access Termination Charge per call attempt  | \$0.08   |
| Oper. Provided Call Handling per min - Using Foreign LIDB   | \$1.38   |
| Call Completion Access Termination Charge per call attempt  | \$0.08   |
| Operator Provided Call Handling, per call   | NA       |
| Fully Automated Call Handling per call - Using BST LIDB   | \$0.07   |
| Fully Automated Call Handling per call - Using Foreign LIDB   | \$0.09   |
| INWARD OPERATOR SERVICES  |          |
| Verification, per minute  | NA       |
| Verification and Emergency Interrupt, per minute  | NA       |
| Verification, per call -  | \$0.90   |
| Verification and Emergency Interrupt, per call  | \$1.95   |
|   |          |
| DIRECTORY ASSISTANCE SERVICES   |          |
| Directory Assist Call Completion Access Svc (DACC), per call attempt  | \$0.25   |
| Call Completion Access Term charge per completed call   | NA       |
| Number Services Intercept per query   | \$0.25   |
| Number Services Intercept per Intercept Query Update  | NA       |
| Directory Assistance Access Service Calls, per call   | \$0.25   |
| Recording cost per announcement   | NA       |
| Loading cost per audio unit   | NA       |
| Directory Transport   |          |
| Directory Transport - Local Channel DS1, per month  | \$133.81 |
| NRC - 1 <sup>st</sup>   | \$866.87 |
| NRC - Add'I   | \$486.83 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Incremental Cost-Manual Svc Order - NRC   | NA       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect  | NA COSTO |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo   | \$23.00  |
| Directory Transport - Dedicated DS1 Level Interoffice per facility  | \$90.00  |
| termination per mo  | \$100.49 |
| NRC - 1*  | \$100.49 |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA NA    |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost-Manual Svc Order - NRC-1#                                       | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - NRC-1 NRC - Incremental Cost-Manual Svc Order - NRC-Add                   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add P  NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1#    | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect- NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect- | NA NA    |
| 14VC - INCIGNICATION COST-INCIDENCE 24C OLDER - 14VC-DISCONNECT-  |          |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 198 ATTACHMENT A

| Switched Common Transport per DA Access Service per call  | \$0.0003   |
|---|------------|
| Switched Common Transport per DA Access Service per call per mile   | \$0.00004  |
| Access Tandem Switching per DA Access Service per call  | \$0.00055  |
| DA Interconnection, per DA Access Service Call  | \$0.00269  |
| Directory Transport-Installation NRC, per trunk or signaling connection   |            |
| NRC - 1 <sup>M</sup>  | \$915.00   |
| NRC - Add'I   | \$100.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA         |
| NRC - Disconnect Chg - Add'l  | NA         |
| Directory Assistance Database Service (DADS)  |            |
| Directory Assistance Database Service cost per listing  | \$0.035    |
| Directory Assistance Database Service, per month  | \$150.00   |
| Direct Access to Directory Assistance (DADAS)   |            |
| Direct Access to Directory Assistance Service, per month  | \$5,000.00 |
| Direct Access to Directory Assistance Service, per query  | \$0.023    |
| Direct Access to Directory Assistance Service, svc estab chg-NRC  | \$1,000.00 |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  |            |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -   |            |
| RCF.  | \$1.50     |
| RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths   | \$1.25     |
|   | NA         |
| RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path                                      | NA NA      |
| RCF, per number ported (Residence Line), each path RCF, per number ported (Res or Bus Line)   | NA NA      |
| NRC   | NA NA      |
|   | NA NA      |
| NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path  | \$0.50     |
| RCF, add I capacity for simultaneous call forwarding, per additional path<br>RCF, per service order, per location - NRC - 1 <sup>st</sup> | \$25.00    |
| RCF, per service order, per location - NRC - 1"  RCF, per service order, per location - NRC - Add'I                                       | \$25.00    |
| RCF, per service order, per location - NRC - Add I  RCF, per service order, per location - NRC - Disconnect - 1st                         | NA         |
| RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l            | NA NA      |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order  |            |
| NRC - 1 <sup>st</sup>   | NA         |
| NRC - Add'I   | NA NA      |
|   | NA NA      |
| NRC - Disconnect Chg - 1st  | NA NA      |
| NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID  |            |
| DID per number ported, Residence - NRC  | NA .       |
| DID per number ported, Residence - NRC - Disconnect   | NA         |
| DID per number ported, Business - NRC   | NA         |
| DID per number ported, Business - NRC - Disconnect  | NA         |
| DID per service order, per location - NRC - 1st   | NA         |
| DID per service order, per location - NRC - Add'I   | NA .       |
| DID per service order, per location - NRC - Disconnect - 1st  | NA         |
| DID per service order, per location - NRC - Disconnect - Add'I  | NA         |
| DID, per trunk termination, Initial   | NA         |
| DID, per trunk termination, Initial - NRC   | NA         |
| DID, per trunk termination, Initial - Disconnect  | NA         |
| DID, per trunk termination, Subsequent  | NA .       |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 199 ATTACHMENT A

| DID, per trunk termination, Subsequent - NRC  | NA               |
|---|------------------|
| DID, per trunk termination, Subsequent - Disconnect   | NA               |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order  | NA               |
| NRC - 1 <sup>st</sup>   | NA               |
| NRC - Add'I   | NA               |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA               |
| NRC - Disconnect Chg - Add'l  | NA               |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (9)  |                  |
| Access to Poles, per pole, per foot, per year   | NA               |
| Access to Conduits, per foot, per year  | NA               |
| Access to Innerduct, per foot, per year   | NA .             |
| AIN   |                  |
|   | To be negotiated |
| AIN Related Services with mediation, per query (10)   | \$.0006          |
| AIN, per message AIN - BellSouth AIN SMS Access Service   | 3.0000           |
| AIN - BEIISOUTH AIN SMS ACCESS SERVICE  | NA               |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -     | NA NA            |
| Disconnect  |                  |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC   | NA               |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-  | NA               |
| Disconnect  |                  |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC  | NA               |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC - Disconnect   | NA .             |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC   | NA .             |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC -   | NA .             |
| Disconnect AIN SMS Access Svc - Security Card per User ID Code, initial or  | NA               |
| replacement-NRC AIN SMS Access Svc - Security Card per User ID Code, initial or   | NA               |
| replacement-NRC - Disconnect  | NA               |
| AIN SMS Access Service - Storage, per unit (100 Kb)   |                  |
| AIN SMS Access Service - Session, per minute  | NA<br>NA         |
| AIN SMS Access Service - Co. Performed Session, per minute  | NA .             |
| AIN - BellSouth AIN Toolkit Service   |                  |
| AIN, Service Creation Tools   | NA .             |
| Service Establishment Charge, per state, initial setup - NRC  | NA               |
| Service Establishment Charge, per state, initial setup - NRC - Disconnec  | NA .             |
| Training Session, per customer - NRC  | NA               |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC   | NA               |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC -   | NA .             |
| Disconnect  | NA               |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC - | NA NA            |
| Disconnect  | NA               |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC  | NA NA            |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate -<br>Disconnect  | M                |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC   | NA .             |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect  | NA               |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 200
ATTACHMENT A

| Trigger Access Charge, per trigger, per DN, CDP - NRC  | NA         |
|--|------------|
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect   | NA         |
| Trigger Access Charge, per trigger, per DN, Feature Gode - NRC   | NA         |
| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect  | NA         |
| Query Charge, per query  | NA         |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query  | NA         |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb  | NA         |
| Monthly report - per AIN Toolkit Service Subscription  | NA         |
| Monthly report - per AIN Toolkit Service Subscription - NRC  | NA         |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect   | NA         |
| Special Study - Per AIN Toolkit Service Subscription   | NA         |
| Special Study - Per AIN Toolkit Service Subscription - NRC   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC - Disconnect  | NA         |
| Call Event special Study - per AIN Toolkit Service Subscription  | NA         |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC  | NA         |
|  |            |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE   |            |
| OWNER (11)   | ****       |
| CNAM. Per Query  | \$0.016    |
| DARK FIBER   | 4          |
| Per each four-fiber dry fiber arrangement, NRC 1*  | \$1,000.00 |
| Per each four-fiber dry fiber arrangement, NRC Add'l   | \$1,000.00 |
| Per each fiber strand per route mile or fraction thereof, per month  | \$241.00   |
| SELECTIVE ROUTING  |            |
| Per Line or PBX Trunk, each  | \$3.90     |
| Per Line or PBX Trunk, NRC   | \$10.00    |
| Note(s):   |            |
| (1) In states where a specific NRC for customer transfer, feature<br>additions and changes is not stated, the applicable NRC from the<br>appropriate tariff applies.   |            |
| (2) Transmission/usage charges associated with POTS circuit switched<br>usage will also apply to circuit switched voice and/or circuit switched<br>data transmission by B-Channels associated with 2-wire ISDN ports.  |            |
| (3) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request/New Business Request Process. Rates for the packet capabilities will be determined via the   |            |
| Bona Fide Request/New Business Request Process.  (4) This rate element is for those states which have a specific rate for User Profile per B Channel.  |            |
| (5) This rate element is for use in those states with a different rate for<br>additional minutes of use.   |            |
| (6) The Commission did not order rates for Virtual Collocation. The<br>rates displayed reflect BellSouth's proposed interim rates as set forth<br>in FCC No. 1, Section 20.  |            |
| <ul> <li>(7) This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.</li> <li>(8) This charge is only applicable where signaling usage measurement</li> </ul> |            |
| (8) This charge is only applicable where signaling usage measurement<br>or billing capability does not exist.  |            |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 201
ATTACHMENT A

Attachment 11 Exhibit 1-AL Page 17

(9) Rates for access to Poles, Ducts, Conduits and Rights-of-Way are negotiated with BellSouth's competitive Structure Provisioning Center.

- (10) AIN related services are currently under development. The method for recovery of cost appropriately incurred during the design, development, testing and implementation of AIN meditation mechanisms remains an issue to be resolved. However, BellSouth is at least entitled to recover portions of the costs incurred in the design, development, testing and implementation of such mediation mechanisms.
- (11) The Commission did not order a rate for this service. The rate reflected here is BellSouth's proposed rate.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 202

ATTACHMENT A

Attachment 11 Exhibit 2

Florida

PAGE 203

ATTACHMENT A

Attachment 11 Exhibit 2-FL Page 1

#### FLORIDA

#### - PRICING

### 1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Florida Public Service Commission.

### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Florida.

Residential Service

21.83%

**Business Service:** 

16.81%

#### 3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

#### 3.1 Charges for Multiple Network Elements

Any BellSouth non-recurring and recurring charges shall not include duplicate charges or charges for functions or activities that CLEC does not need when two or more Network Elements are combined in a single order. BellSouth and CLEC shall work together to mutually agree upon the total non-recurring and recurring charge(s) to be paid by CLEC when ordering multiple Network Elements. If the parties cannot agree to the total non-recurring and recurring charge(s) to be paid by CLEC when ordering multiple Network Elements within sixty (60) days of the Effective Date, either party may petition the Florida Public Service Commission to settle the disputed charge or charges.

### 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

ATTACHMENT A

Attachment 11 Exhibit 2-FL Page 2

### 5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).
- 6. Local Number Portability

The prices for interim number portability are set forth in Table 1.

7. Recorded Usage Data

The prices for recorded usage data are set forth in Table 1.

8. Electronic Interfaces

Each party shall bear its own cost of developing and implementing Electronic Interface Systems because those systems will benefit all carriers. If a system or process is developed exclusively for certain carriers, however, those costs shall be recovered from the carrier who is requesting the customized system.

9. True-Up

Rates which are not indicated as "interim" are permanent rates. Rates indicated as "interim" are interim and are subject to true-up.

ATTACHMENT A

Attachment 11 Exhibit 2-FL Page 3

### 10. Operational Support Systems (OSS) Rates

|         | OPERATIONAL SU                                      | JPPORT SYSTEM                     | AS (OSS) RATES   | <u>5</u>                             |
|---------|---|-----------------------------------|------------------|--------------------------------------|
|         | Interactive Ordering and Trouble Maintenance System |                                   |                  | ler Charge<br>ser account)           |
|         | Non-Recurring<br>Establishment<br>Charge            | Recurring<br>Charge,<br>per month | Charge per order | Surcharge for manually placed orders |
| FLORIDA | \$100.00  | \$50.00                           | \$10.80          | \$22.00                              |

The Rates for Operational Support systems mentioned above interim and subject to modification based upon receipt of a final, non-appealable order by the Florida Public Service Commission.

Attachment 11
Exhibit 2-FL
Page 4
TABLE 1

### BELLSOUTH/CLECRATES - FLORIDA LOCAL INTERCONNECTION AND UNBUNDLED NETWORK ELEMENTS

| NIDs  |                       |
|---|-----------------------|
| NRC - NID per 2-Wire LoopsManual Svc Order-1*                           | NA                    |
| NRC - NID per 2-Wire LoopsManual Svc OrderAdd'l                         | NA                    |
| NRC - NID per 2-Wire LoopsManual Svc OrderDisconnect                    | NA .                  |
| NRC - NID per 4-Wire Loops-Manual Svc Order1*                           | NA                    |
| NRC - NID per 4-Wire LoopsManual Svc Order-Add'l                        | NA .                  |
| NRC - NID per 4-Wire LoopsManual Svc OrderDisconnect                    | NA                    |
| NID (all types), per month  | \$0.76 (interim rate) |
| NID per 2-Wire Analog VG Loop, Per Month                                | NA                    |
| NRC - 1 <sup>st</sup>   | NA                    |
| NRC - Add'I   | NA                    |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA                    |
| NRC - Disconnect Chg - Add'l  | NA NA                 |
| NID per 4-Wire Analog VG Loop, Per Month                                | NA                    |
| NRC - 1 <sup>st</sup>   | NA                    |
| NRC - Add'I   | NA                    |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA .                  |
| NRC - Disconnect Chg - Add'l  | NA .                  |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                          | NA                    |
| NRC - 1 <sup>st</sup>   | NA                    |
| NRC - Add'I   | NA                    |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA                    |
| NRC - Disconnect Chg - Add'l  | NA                    |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop,<br>Per Mo. | NA                    |
| NRC - 1 <sup>st</sup>   | NA                    |
| NRC - Add'I   | NA                    |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA                    |
| NRC - Disconnect Chg - Add'l  | NA                    |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA                    |
| NRC - 1 <sup>st</sup>   | NA                    |
| NRC - Add'I   | NA                    |
| NRC - Disconnect Chg - 1st  | NA                    |
| NRC - Disconnect Chg - Add'l  | NA                    |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA                    |
| NRC - 1"  | NA                    |
| NRC - Add'I   | NA .                  |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA .                  |
| NRC - Disconnect Chg - Add'l  | NA .                  |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                             | NA                    |
| NRC - 1 <sup>M</sup>  | NA .                  |
| NRC - Add'I   | NA .                  |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA                    |
| NRC - Disconnect Chg - Add'l  | NA                    |
| Nonrecurring Charge - customer transfer, feature additions,             | NA .                  |

PAGE 207

ATTACHMENT A

Attachment 11

Exhibit 2-FL

Page 5

| 2-Wire Analog VG Loop (Standard), per month NRC - 1# NRC - Add'I NRC - 1# NRC - Add'I NRC - A-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc NA Order—Add'I NRC - A-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc NA Order—Add'I NRC - A-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc NA  | LOOP, EXCLUDING NID   |          |
|---|---|----------|
| NRC - 1   |   | NA       |
| NRC - Add1  |   |          |
| 2-Wire Analog VG Loop (Customized), per month  NRC - 1**  NRC - 1**  NRC - Add'I  4-Wire Analog VG Loop (Standard), per month  NRC - 1**  NRC - Add'I  2-Wire ISDN Digital Grade Loop (Standard), per month  NRC - NRC - Add'I  2-Wire SDN Digital Grade Loop (Standard), per month  NRC - NRC - Add'I  2-Wire Loop (Standard), per month  NRC - NRC - Add'I  3-Wire HDSL Loop (Standard), per month  NRC - NRC - Add'I  3-Wire HDSL Loop (Standard), per month  NRC - NRC - Add'I  3-Wire HDSL Loop (Standard), per month  NRC - NRC - Add'I  3-Wire HDSL Loop (Standard), per month  NRC - NRC - Add'I  3-Wire HDSL Loop (Standard), per month  NRC - NRC - Add'I  3-Wire HDSL Loop (Standard), per month  NRC - NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—NA  Disconnect  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—1**  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Add'I  NRC - 1**  NRC - 1**  NRC - NRC - 1**  NRC - NRC - 1**  NRA NRC - NRC - NRA   |   |          |
| NRC - 1 <sup>st</sup>   | NRC - Add1  |          |
| NRC - Add'  |   |          |
| 4-Wire Analog VG Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'I  2-Wire ISDN Digital Grade Loop (Standard), per month  NRC - 1st  NRC - Add'I  2-Wire Analog VG Loop (Standard), per month  NRC - MA  NRC - Add'I  2-Wire Analog VG Loop-SL1, per month  NRC - Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 1-Wire Loops (Exclud   |   |          |
| NRC - 1 <sup>st</sup> NRC - Add'I 2-Wire ISDN Digital Grade Loop (Standard), per month NRC - 1 <sup>st</sup> NRC - Add'I 2-Wire ADSL Loop (Standard), per month NRC - Add'I NRC - Disconnect Chg - Add'I NRC - Add'I NRC - Add'I NRC - Disconnect Chg - Add'I NRC - Add'I NRC - Disconnect Chg - Add'I NRC - Add'I NRC - Add'I NRA -   |   |          |
| NRC - Add'  |   |          |
| 2-Wire ISDN Digital Grade Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'I  2-Wire ADSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'I  2-Wire HDSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - 1 <sup>st</sup> NA  NRC - 1 <sup>st</sup> NRA  NRC - Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—NA  NRC - 2-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Disconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Add'I  NRC - Add'I  NRC - Disconnect Chg - 1 <sup>st</sup> NRC NA  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Add'I  NRC - Add'I  NRA - NRC - Disconnect Chg - Add'I  NRC - Add'I  NRA - NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - Add'I  NRC - Add'I  NRA - NRC - Disconnect Chg - Add'I  NRA - NRC - Disconnect Chg - Add'I  NRA - NRC - Disconnect C |   |          |
| NRC - 1 <sup>st</sup>   |   |          |
| NRC - Add'I 2-Wire ADSL Loop (Standard), per month NA NRC - 1" NRC - Add'I 2-Wire HDSL Loop (Standard), per month NRC - Add'I 3-Wire HDSL Loop (Standard), per month NRC - 1" NRC - Add'I 4-Wire HDSL Loop (Standard), per month NRC - MA NRC - Add'I 4-Wire HDSL Loop (Standard), per month NRC - Add'I 4-Wire HDSL Loop (Standard), per month NRC - Add'I NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRC - 2-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1" NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1" NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1" NRC - Add'I NRC - Add'I NRC - Oisconnect Chg - 1" NA NRC - Oisconnect Chg - 1" NA NRC - Oisconnect Chg - 14" NRC - Oisconnect Chg - Add'I NRC - Oisconnect Chg - 1st NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'I NRC - Add'I NRC - Add'I NRC - Add'I NRC - Add'I NRA NRC - Disconnect Chg - Add'I NRA NRC - Disconnect Chg - Add'I NRA NRC - Add'I NRA NRC - Add'I   |   |          |
| 2-Wire ADSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'1  2-Wire HDSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'1  4-Wire HDSL Loop (Standard), per month  NRC - Add'1  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'1  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'1  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1  NRC - Add'1  NRC - Add'1  NRC - Add'1  NRA NRC - Oisconnect Chg - 1 <sup>st</sup> NRA NRC - Oisconnect Chg - Add'1  NRC - Oisconnect Chg - 1at  NRC - Oisconnect Chg - Add'1  NRC - Add'1  NRC - Add'1  NRA NRC - Oisconnect Chg - Add'1  NRA NRC  | NRC - 1 <sup>st</sup>   |          |
| NRC - 1 <sup>st</sup> NRC - Add'l 2-Wire HDSL Loop (Standard), per month NRC - 1 <sup>st</sup> NRC - Add'l 4-Wire HDSL Loop (Standard), per month NRC - 1 <sup>st</sup> NRC - Add'l 4-Wire HDSL Loop (Standard), per month NRC - 1 <sup>st</sup> NRA NRC - Add'l NRC - 1 <sup>st</sup> NRA NRC - Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRA NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRA NRC - 2-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—NA Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'l NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> S140.00 NRC - Add'l NRC - Add'l NRC - Oisconnect Chg - 1 <sup>st</sup> NA NRC - Oisconnect Chg - 1 <sup>st</sup> NA NRC - Order Coordination for Specified Conversion Time NRC - 1 <sup>st</sup> NRC - Add'l NRC - Oisconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - NRC - Add'l NRA NRC - Add'l NRC - Add'l NRA NRA NRC - Add'l  | NRC - Add'I   | NA .     |
| NRC - Add'I  2-Wire HDSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - 1 <sup>st</sup> NRA  NRC - Add'I  LOOP, INCLUDING NID  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—NA  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—NA  NRC - 2-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—NA  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1st  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1st  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> S140.00  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Add'I  NRC - Add'I  NRC - Add'I  | 2-Wire ADSL Loop (Standard), per month                        | NA       |
| 2-Wire HDSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'l  A-Wire HDSL Loop (Standard), per month  NRC - MA  NRC - Add'l  NRC - MA  NRC - MRC -   | NRC - 1 <sup>st</sup>   |          |
| NRC - 1 <sup>st</sup> NRC - Add'l A-Wire HDSL Loop (Standard), per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> S140.00 NRC - Add'l S42.00 2-Wire Analog VG Loop-SL1, per month NRC - NA NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Order Coordination for Specified Conversion Time NRC - Order Coordination for Specified Conversion Time NRC - Add'l NRC - Order Coordination for Specified Conversion Time NRC - NA NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - NA NRC - Disconnect Chg - Add'l NRC - NA NRC - Disconnect Chg - Add'l NRC - NA NRC - Disconnect Chg - Add'l NRC - NA NRC - Disconnect Chg - Add'l NRC - NA NRC - Disconnect Chg - Add'l NRC - NA NRC - Disconnect Chg - Add'l NRC - NA NRC - Add'l   | NRC - Add'l   | NA       |
| NRC - 1 <sup>st</sup> NRC - Add'1 NRC - Add'1 NRC - Add'1 NRC - 1 <sup>st</sup> NRC - Add'1 NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'1 NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'1 NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRC - 2-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—NA Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'1 NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'1 S140.00 NRC - Add'1 S42.00 NRC - Add'1 NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'1 NRC - Disconnect Chg - Add'1 NRC - Order Coordination for Specified Conversion Time NRC - NRC - Add'1 NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'1 NRC - NRC - NA NRC  | 2-Wire HDSL Loop (Standard), per month                        | NA       |
| A-Wire HDSL Loop (Standard), per month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—1st  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Add'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc  Order—Disconnect  2-Wire Analog VG Loop, per month  NRC - 1st  NRC - Add'I  NRC - Add'I  NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Order Coordination for Specified Conversion Time  NRC - NRC - 1st  NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Add'I  | NRC - 1 <sup>M</sup>  | NA       |
| NRC - 1 <sup>st</sup> NRC - Add'l NRC - Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Order  | NRC - Add'l   | NA       |
| NRC - Add'I  NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'I NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'I NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> S17.00 NRC - Add'I S42.00 2-Wire Analog VG Loop-SL1, per month NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 4 <sup>st</sup> NRC - Disconnect Chg - 4 <sup>st</sup> NRC - Order Coordination for Specified Conversion Time NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - MA NRC - Disconnect Chg - Add'I NRC - MA NRC - Disconnect Chg - Add'I NRC - Add'I NRC - Add'I NRC - Add'I NRC - Add'I  | 4-Wire HDSL Loop (Standard), per month                        | NA       |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NA NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NA NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1 <sup>III</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'l NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>III</sup> NRC - Add'l S42.00 2-Wire Analog VG Loop-SL1, per month NRC - 1 <sup>III</sup> NRC - Disconnect Chg - 1 <sup>III</sup> NRC - Disconnect Chg - 4 <sup>III</sup> NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time NRC - 1 <sup>III</sup> NRC - Add'l NRC - Order Coordination for Specified Conversion Time NRC - 1 <sup>III</sup> NRC - Add'l NRC - Disconnect Chg - 19t NRC - Disconnect Chg - 19t NRC - Disconnect Chg - 19t NRC - Disconnect Chg - Add'l NRC - NRC - 1 <sup>III</sup> NA NRC - Disconnect Chg - Add'l NRC - 1 <sup>III</sup> NA NRC - Add'l  |   | NA       |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'l NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> S140.00 NRC - 1 <sup>st</sup> NRC - Add'l NRC - Add'l NRC - Add'l NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NA NRC - Disconnect Chg - 4 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time NRC - 1 <sup>st</sup> NRC - Manual Order Coord NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - MA  | NRC - Add'I   | NA       |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Add'l NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> S140.00 NRC - 1 <sup>st</sup> NRC - Add'l NRC - Add'l NRC - Add'l NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NA NRC - Disconnect Chg - 4 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time NRC - 1 <sup>st</sup> NRC - Manual Order Coord NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - MA  | LOOP, INCLUDING NID   |          |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—Add'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc Order—1 <sup>M</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc Order—Add'l NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc Order—Disconnect  2-Wire Analog VG Loop, per month NRC - 1 <sup>M</sup> S140.00 NRC - Add'l S42.00  2-Wire Analog VG Loop-SL1, per month NRC - 1 <sup>M</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>M</sup> NRC - Disconnect Chg - 1 <sup>M</sup> NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time NA NRC - Add'l NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'l NRC - Add'l NRC - Analog VG Loop-SL2, per month NRA NRC - Add'l   | NRC - 2-Wire Logos—Incremental Cost—Manual Svc Order—1st      | NA       |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—  Disconnect  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc Order1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc OrderAdd'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc OrderDisconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> S17.00  NRC - Add'I  2-Wire Analog VG Loop-SL1, per month  NRC - 1 <sup>st</sup> NRA  NRC - Add'I  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - Add'I  NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Add'I  | NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-Add'l    | NA .     |
| Disconnect  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  Order1 <sup>st</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  OrderAdd'I  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  OrderDisconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> \$140.00  NRC - Add'I  2-Wire Analog VG Loop-SL1, per month  NRC - 1 <sup>st</sup> NRA  NRC - Disconnect Chg - 1 <sup>st</sup> NRA  NRC - Disconnect Chg - 4dd'I  NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - 1 <sup>st</sup> NRC - Add'I  NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 4dd'I  NRC - Disconnect Chg - Add'I  NRA  NRC - Disconnect Chg - Add'I  NRA  NRC - Disconnect Chg - Add'I  NRA  NRC - Add'I   | NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—         | NA       |
| Order1 <sup>M</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc OrderAdd'l  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc OrderDisconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>M</sup> \$140.00  NRC - Add'l  NRC - Add'l  NRC - 1 <sup>M</sup> NRC - Disconnect Chg - 1 <sup>M</sup> NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  NA  NRC - 1 <sup>M</sup> NRC - Add'l  NRC - 1 <sup>M</sup> NRA  NRC - Disconnect Chg - Add'l  NA  NRC - 1 <sup>M</sup> NA  NRC - 1 <sup>M</sup> NA  NRC - 1 <sup>M</sup> NA  | Disconnect  |          |
| Order1 <sup>M</sup> NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc OrderAdd'l  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc OrderDisconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>M</sup> \$140.00  NRC - Add'l  NRC - Add'l  NRC - 1 <sup>M</sup> NRC - Disconnect Chg - 1 <sup>M</sup> NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  NA  NRC - 1 <sup>M</sup> NRC - Add'l  NRC - 1 <sup>M</sup> NRA  NRC - Disconnect Chg - Add'l  NA  NRC - 1 <sup>M</sup> NA  NRC - 1 <sup>M</sup> NA  NRC - 1 <sup>M</sup> NA  |   | NA       |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc OrderAdd'l  NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc Order—Disconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - 1 <sup>st</sup> NA  NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l   | 그는 그 사이들이 있다는 이 집에 이렇게 하면 |          |
| OrderAdd'l  NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> S17.00  NRC - Add'l  NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - NRC - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - 1 <sup>st</sup> NRC - NA  NRC - Disconnect Chg - Add'l  NRC - NA   |   | NA       |
| Order—Disconnect         \$17.00           NRC - 1 <sup>st</sup> \$140.00           NRC - Add'l         \$42.00           2-Wire Analog VG Loop-\$L1, per month         NA           NRC - 1 <sup>st</sup> NA           NRC - Add'l         NA           NRC - Disconnect Chg - 1 <sup>st</sup> NA           NRC - Disconnect Chg - Add'l         NA           NRC - Order Coordination for Specified Conversion Time         NA           2-Wire Analog VG Loop-\$L1-Manual Order Coord         NA           NRC - 1 <sup>st</sup> NA           NRC - Add'l         NA           NRC - Disconnect Chg - 1st         NA           NRC - Disconnect Chg - Add'l         NA           2-Wire Analog VG Loop-\$L2, per month         NA           NRC - 1 <sup>st</sup> NA           NRC - Add'l         NA  | OrderAdd'l  |          |
| Order—Disconnect  2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> \$140.00  NRC - Add'I  2-Wire Analog VG Loop-SL1, per month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Add'I  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I  NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Add'I  |   | NA       |
| NRC - 1 <sup>st</sup>   | Order—Disconnect  |          |
| NRC - 1 <sup>st</sup> \$140.00  NRC - Add'l \$42.00  2-Wire Analog VG Loop-SL1, per month NA  NRC - 1 <sup>st</sup> NA  NRC - Add'l NA  NRC - Disconnect Chg - 1 <sup>st</sup> NA  NRC - Disconnect Chg - Add'l NA  NRC - Order Coordination for Specified Conversion Time NA  2-Wire Analog VG Loop-SL1-Manual Order Coord NA  NRC - 1 <sup>st</sup> NA  NRC - Add'l NA  NRC - Disconnect Chg - 1st NA  NRC - Disconnect Chg - Add'l NA  NRC - 1 <sup>st</sup> NA  NRC - 1 <sup>st</sup> NA  NRC - 1 <sup>st</sup> NA  | 2-Wire Analog VG Loop, per month                              | \$17.00  |
| NRC - Add'I \$42.00  2-Wire Analog VG Loop-SL1, per month NA  NRC - 1st NA  NRC - Add'I NA  NRC - Disconnect Chg - 1st NA  NRC - Order Coordination for Specified Conversion Time NA  NRC - 1st NA  NRC - 1st NA  NRC - 1st NA  NRC - Add'I NA  NRC - Add'I NA  NRC - Order Coordination for Specified Conversion Time NA  2-Wire Analog VG Loop-SL1-Manual Order Coord NA  NRC - 1st NA  NRC - Disconnect Chg - 1st NA  NRC - Disconnect Chg - Add'I NA  2-Wire Analog VG Loop-SL2, per month NA  NRC - 1st NA  NRC - 1st NA  NRC - 1st NA  NRC - Add'I NA   |   | \$140.00 |
| 2-Wire Analog VG Loop-\$L1, per month  NRC - 1 <sup>st</sup> NRC - Add'1  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'1  NRC - Disconnect Chg - Add'1  NRC - Order Coordination for Specified Conversion Time  NA  NRC - Order Coordination for Specified Conversion Time  NA  NRC - 1 <sup>st</sup> NRC - NA  NRC - Add'1  NRC - Add'1  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'1  NRC - Disconnect Chg - Add'1  NRC - Disconnect Chg - Add'1  NRC - NA  NRC - 1 <sup>st</sup> NA  NRC - 1 <sup>st</sup> NA  NRC - 1 <sup>st</sup> NA   |   | \$42.00  |
| NRC - 1 <sup>st</sup> NRC - Add'1 NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'1 NRC - Disconnect Chg - Add'1 NRC - Order Coordination for Specified Conversion Time NRC - Order Coordination for Specified Conversion Time NRC - Wire Analog VG Loop-SL1-Manual Order Coord NRC - 1 <sup>st</sup> NRC - Add'1 NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'1 NRC - Disconnect Chg - Add'1 NRC - Disconnect Chg - Add'1 NRC - 1 <sup>st</sup> NRC - NA NRC - 1 <sup>st</sup> NRC - NA NRC - Add'1   |   | NA       |
| NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  NRC - Order Coordination for Specified Conversion Time  NRC - Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - 1 <sup>st</sup> NRC - NRC  |   | NA       |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time NA 2-Wire Analog VG Loop-SL1-Manual Order Coord NRC - 1 <sup>st</sup> NRC - Add'l NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - NA NRC - 1 <sup>st</sup> NA NRC - 1 <sup>st</sup> NA NRC - 1 <sup>st</sup> NA   |   | NA       |
| NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time NA  2-Wire Analog VG Loop-SL1-Manual Order Coord NRC - 1 <sup>M</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - NA NRC - Analog VG Loop-SL2, per month NRC - 1 <sup>M</sup> NRC - Add'l   |   | NA       |
| NRC - Order Coordination for Specified Conversion Time  2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  2-Wire Analog VG Loop-SL2, per month  NRC - 1 <sup>st</sup> NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Add'l   | NRC - Disconnect Chg - Add'l                                  | NA       |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  2-Wire Analog VG Loop-SL2, per month  NRC - 1 <sup>st</sup> NA  NRC - 1 <sup>st</sup> NA  NRC - Add'I  | NRC - Order Coordination for Specified Conversion Time        | NA       |
| NRC - 1 <sup>M</sup> NA           NRC - Add'I         NA           NRC - Disconnect Chg - 1st         NA           NRC - Disconnect Chg - Add'I         NA           2-Wire Analog VG Loop-SL2, per month         NA           NRC - 1 <sup>M</sup> NA           NRC - Add'I         NA   | 2-Wire Analog VG Loop-SL1-Manual Order Coord                  |          |
| NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Wire Analog VG Loop-SL2, per month NRC - 1 <sup>th</sup> NRC - Add'l NRC - Add'l   | NRC - 1*  | NA       |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Analog VG Loop-SL2, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Add'l  |   |          |
| NRC - Disconnect Chg - Add'l  2-Wire Analog VG Loop-SL2, per month  NRC - 1 <sup>st</sup> NA  NRC - Add'l  NA   |   |          |
| 2-Wire Analog VG Loop-\$L2, per month NA  NRC - 1 <sup>st</sup> NA  NRC - Add'l NA  |   |          |
| NRC - 1 <sup>st</sup> NA<br>NRC - Add'I NA  |   |          |
| NRC - Add'I   |   |          |
|   |   |          |
|   |   |          |

PAGE 208

ATTACHMENT A

| NRC - Disconnect Chg - Add'l  | NA       |
|---|----------|
| NRC - Order Coordination for Specified Conversion Time                                | NA       |
| 2-Wire Analog VG Loop (Standard), per month   | NA       |
| NRC - 1"  | NA .     |
| NRC - Add'I   | NA       |
| 2-Wire Analog VG Loop (Customized), per month   | NA       |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA .     |
| 4-Wire Analog VG Loop, per month  | \$30.00  |
| NRC - 1*  | \$141.00 |
| NRC - Add'I   | \$43.00  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .     |
| NRC - Disconnect Chg - Add'l  | NA .     |
| NRC - Order Coordination for Specified Conversion Time                                | NA .     |
| 4-Wire Analog VG Loop (Standard), per month   | NA .     |
| NRC - 1*  | NA NA    |
| NRC - Add'I   | NA :     |
| 2-Wire ISDN Digital Grade Loop, per month   | \$40.00  |
| NRC - 1 <sup>st</sup>   | \$306.00 |
|   | \$283.00 |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st<br>NRC - Disconnect Chg - Add'l                            | NA NA    |
| NRC - Disconnect Cing - Add I  NRC - Order Coordination for Specified Conversion Time | NA NA    |
|   | NA NA    |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                                  |          |
| NRC - 1 <sup>st</sup>   | NA NA    |
| NRC - Add'I   | NA NA    |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible Loop, per month             | NA       |
| NRC - 1 <sup>M</sup>  | NA       |
| NRC - Add'l   | NA /     |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Order Coordination for Specified Conversion Time                                | NA       |
| 2-Wire ADSL Loop (Standard), per month  | NA       |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA       |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop,<br>per<br>month             | NA       |
| NRC - 1*  | NA NA    |
| NRC - Add'I   | NA NA    |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month            | NA NA    |
| NRC - 1 <sup>st</sup>   | NA NA    |
| NRC - Add'l   | NA NA    |
| NRC - Add I<br>NRC - Disconnect Chg - 1 <sup>st</sup>                                 | NA NA    |
| NRC - Disconnect Chg - 1" NRC - Disconnect Chg - Add'l                                | NA NA    |
|   | NA NA    |
| NRC - Order Coordination for Specified Conversion Time                                | NA NA    |
| 2-Wire HDSL Loop (Standard), per month  |          |
| NRC - 1 <sup>st</sup>   | NA NA    |
| NRC - Add'I   | NA NA    |
| 4-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month            | NA .     |

### ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

Attachment 11 Exhibit 2-FL Page 7 ATTACHMENT A PAGE 209

| NRC - 1*  | NA .                              |
|---|-----------------------------------|
| NRC - Add'I   | NA NA                             |
| NRC - Disconnect Chg - 1st  | NA NA                             |
| NRC - Disconnect Chg - Add'l  | NA .                              |
| NRC - Order Coordination for Specified Conversion Time  | NA NA                             |
| 4-Wire HDSL Loop (Standard), per month  | NA NA                             |
| NRC - 1*  | NA NA                             |
| NRC - Add'I   | NA NA                             |
| 4-Wire DS1 Digital Loop, per month  | \$80.00                           |
| NRC - 1"  | \$540.00                          |
| NRC - Add'I   | \$465.00                          |
| NRC - Disconnect Chg - 1st  | NA NA                             |
| NRC - Disconnect Chg - Tat  NRC - Disconnect Chg - Add'l  | NA NA                             |
| NRC - Incremental CostManual Svc Order-1st  | NA NA                             |
| NRC - Incremental CostManual Svc Order-1st  | NA NA                             |
|   | NA NA                             |
| NRC - Incremental Cost-Manual Svc Order-Disconnect NRC - Order Coordination for Specified Conversion Time   | NA NA                             |
|   | NA NA                             |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month  | NA NA                             |
| NRC - 1*  |                                   |
| NRC - Add'I   | NA<br>NA                          |
| NRC - Disconnect Chg - 1st  |                                   |
| NRC - Disconnect Chg - Add'l  | NA NA                             |
| NRC - Order Coordination for Specified Conversion Time  | NA<br>NA                          |
| Unbundled Loops via IDLC  | I NA                              |
| SUB-LOOPS   |                                   |
| Sub-Loop 2-Wire Analog  |                                   |
| Loop Feeder per 2-Wire Analog VG Loop, per month  | NA                                |
| NRC - 1 <sup>st</sup>   | NA                                |
| NRC - Add'l   | NA                                |
| NRC - Disconnect Chg - 1st  | NA .                              |
| NRC - Disconnect Chg - Add'l  | NA                                |
| NRC - Order Coordination for Specified Conversion Time  | NA                                |
| Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  | \$7.00(interim rate)              |
| NRC - 1 <sup>st</sup>   | BFR                               |
| NRC - Add'I   | BFR                               |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                                |
| NRC - Disconnect Chg - Add'l  | NA                                |
|   | TAIA .                            |
| NRC - Order Coordination for Specified Conversion Time  | NA                                |
| NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),   | NA NA                             |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),  | 1.00                              |
| NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1st   | 1.00                              |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),<br>per month<br>NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA                    |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),<br>per month<br>NRC - 1 <sup>st</sup><br>NRC - Add'i   | NA NA                             |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1st  NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per   | NA<br>NA<br>NA                    |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month                                    | NA<br>NA<br>NA<br>BFR             |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month  NRC - 1 <sup>st</sup>             | NA<br>NA<br>NA<br>BFR<br>NA       |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month  NRC - 1 <sup>st</sup> NRC - Add'l | NA<br>NA<br>NA<br>BFR<br>NA<br>NA |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month  NRC - 1 <sup>st</sup>             | NA<br>NA<br>NA<br>BFR<br>NA       |

PAGE 210

ATTACHMENT A Attachment 11
Exhibit 2-FL
Page 8

| NRC - Incremental CostManual Svc Order - Add'l  | NA  |
|---|---|
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA  |
| Working Plug-In 2-Wire, NRC 1*  | NA  |
| Working Plug-In 2-Wire, NRC Add'I   | NA  |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)   | NA  |
| Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside CO), per month   | NA .  |
| NRC - 1"  | NA  |
| NRC - Add'I   | NA  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA  |
| NRC - Disconnect Chg - Add'I  | NA .  |
| .oop Channelization System (Inside C.O.)  | A CANCEL TO THE   |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG),   | \$480.00  |
| per month   | \$350.00  |
| NRC - 1 <sup>M</sup>  |   |
| NRC - Add'l   | \$90.00   |
| NRC - Disconnect Chg - 1st  | NA NA   |
| NRC - Disconnect Chg - Add'l  | NA  |
| NRC - Incremental CostManual Svc Order - 1st  | NA NA   |
| NRC - Incremental CostManual Svc Order - Add'l  | NA NA   |
| NRC - Incremental CostManual Svc Order - Disconnect   | NA SA SA  |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month   | \$1.50  |
| NRC - 1 <sup>st</sup>   | \$5.75  |
|   | 46 6V   |
| NRC - Add'I   | \$5.50  |
| NRC - Add'I<br>NRC - Disconnect Chg - 1st<br>NRC - Disconnect Chg - Add'I   | NA<br>NA  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS) 2-Wire Analog Line Port (Res., Bus.), per month  | NA<br>NA<br>\$2.00  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types)   | NA<br>NA<br>\$2.00<br>\$38.00   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types)   | NA<br>NA<br>\$2.00<br>\$38.00<br>\$15.00  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - 1 <sup>st</sup> (Residence)   | NA<br>NA<br>\$2.00<br>\$38.00<br>\$15.00<br>NA  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence)  | NA<br>NA<br>\$2.00<br>\$38.00<br>\$15.00<br>NA<br>NA  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Business)   | NA<br>NA<br>\$2.00<br>\$38.00<br>\$15.00<br>NA<br>NA  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Business) NRC - Add'I (Business)  | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - 1 <sup>st</sup> (PBX)   | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1st (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX)   | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month  NRC - 1st (all types)  NRC - Add'I (all types)  NRC - Add'I (Residence)  NRC - Add'I (Residence)  NRC - Add'I (Residence)  NRC - 1st (Business)  NRC - Add'I (Business)  NRC - Add'I (PBX)  NRC - Add'I (PBX)  NRC - Disconnect Chg - 1st   | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month  NRC - 1st (all types)  NRC - Add'I (all types)  NRC - Add'I (Residence)  NRC - Add'I (Residence)  NRC - 1st (Business)  NRC - Add'I (Business)  NRC - Add'I (Business)  NRC - Add'I (PBX)  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I   | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1st (Business) NRC - 1st (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental CostManual Svc Order - 1st  | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month  NRC - 1st (all types)  NRC - Add'I (all types)  NRC - Add'I (Residence)  NRC - Add'I (Residence)  NRC - 1st (Business)  NRC - Add'I (Business)  NRC - Add'I (Business)  NRC - Add'I (PBX)  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'I   | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month  NRC - 1st (all types)  NRC - Add'I (all types)  NRC - Add'I (Residence)  NRC - Add'I (Residence)  NRC - 4dd'I (Rusiness)  NRC - Add'I (Business)  NRC - Add'I (Business)  NRC - Add'I (PBX)  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Incremental CostManual Svc Order - 1st  NRC - Incremental CostManual Svc Order - Disconnect  | NA<br>NA<br>S2.00<br>\$38.00<br>\$15.00<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Rusiness) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental CostManual Svc Order - 1st NRC - Incremental CostManual Svc Order - Disconnect  4-Wire Analog VG Port, per month  | NA NA S2.00 \$38.00 \$15.00 NA  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Rusiness) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental CostManual Svc Order - 1st NRC - Incremental Cost  | NA NA NA S2.00 \$38.00 \$15.00 NA S10.00 (interim rate) \$38.00 (interim rate)   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1st (Business) NRC - Add'I (Business) NRC - 4dd'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental Cost-Manual Svc Order - 1st NRC - Incremental Cost-Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month NRC - 1st NRC - 1st NRC - 1st NRC - 1st NRC - Incremental Cost-Manual Svc Order - Disconnect   | NA NA NA S2.00 \$38.00 \$15.00 NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1st (Business) NRC - Add'I (Business) NRC - 4dd'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental Cost-Manual Svc Order - Add'I NRC - Incremental Cost-Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month NRC - 1st NRC - Add'I NRC - Add'I NRC - Disconnect Chg - 1st   | NA NA S2.00 \$38.00 \$15.00 NA  |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1st (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1st (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental Cost  | NA NA NA S2.00 \$38.00 \$15.00 NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental Cost-Manual Svc Order - Add'I NRC - Incremental Cost-Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental Cost-Manual Svc Order - 1st | NA NA NA S2.00 S38.00 S15.00 NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I  JNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental CostManual Svc Order - Add'I NRC - Incremental CostManual Svc Order - Disconnect  4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Incremental Cost   | NA NA NA S2.00 \$38.00 \$15.00 NA S10.00 (interim rate) \$38.00 (interim rate) \$15.00 (interim rate) NA |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Residence) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental CostManual Svc Order - Add'I NRC - Incremental CostManual Svc Order - Disconnect  4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Incremental Cost   | NA NA NA S2.00 \$38.00 \$15.00 NA   |
| NRC - Add'I NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  2-Wire Analog Line Port (Res., Bus.), per month NRC - 1 <sup>st</sup> (all types) NRC - Add'I (all types) NRC - Add'I (Residence) NRC - Add'I (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'I (Business) NRC - Add'I (Business) NRC - Add'I (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'I NRC - Incremental CostManual Svc Order - Add'I NRC - Incremental Cost  | NA NA NA S2.00 \$38.00 \$15.00 NA S10.00 (interim rate) \$38.00 (interim rate) \$15.00 (interim rate) NA |

PAGE 211

ATTACHMENT A

| NRC - Disconnect Chg - 1st  | NA NA    |
|---|----------|
| NRC - Disconnect Chg - Add'l  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA .     |
| 4-Wire DID Port, per month  | NA NA    |
| NRC - 1 <sup>st</sup>   | NA .     |
| NRC - Add'I   | NA .     |
| NRC - Disconnect Chg - 1st  | NA .     |
| NRC - Disconnect Chg - Add'l  | NA .     |
| NRC - Incremental CostManual Svc Order - 1st  | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'I   | NA       |
| NRC - Incremental CostManual Svc Order - Disconnect   | NA       |
| 4-Wire DS1 Port w/DID capability, per month   | \$125.00 |
| NRC - 1 <sup>st</sup>   | \$112.00 |
| NRC - Add'I   | \$91.00  |
| 2-Wire ISDN Port(2) (3), per month  | \$13.00  |
| NRC - 1 <sup>M</sup>  | \$88.00  |
| NRC - Add'I   | \$66.00  |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'I  | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA       |
| NRC - Incremental CostManual Svc Order - Add'l  | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect 1st   | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA NA    |
| NRC - User Profile per B Channel (4)  | NA       |
| 4-Wire ISDN Port, per month   | TBD      |
| NRC - 1"  | TBD      |
| NRC - Add'I   | TBD      |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect 1st   | NA .     |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA       |
| 4-Wire ISDN DS1 Port, per month   | NA       |
| NRC - 1*  | NA .     |
| NRC - Add'I   | NA NA    |
| NRC - Disconnect Chg - 1st  | NA .     |
| NRC - Disconnect Chg - Add'l  | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA .     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl   | NA .     |
| 2-Wire Analog Line Port (PBX), per month  | NA .     |
| NRC - 1"  | NA NA    |
| NRC - Add'I   | NA NA    |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - 1st NRC - Incremental CostManual Svc Order - Add'l        | NA NA    |
| NRC - Incremental CostManual Svc Order - Add I<br>NRC - Incremental CostManual Svc Order-Disconnect | NA .     |

PAGE 212

ATTACHMENT A

| 2-Wire Analog Hunting, per line per month   | NA                   |
|---|----------------------|
| NRC - 1 <sup>M</sup>  | NA                   |
| NRC - Add'I   | NA .                 |
| Coin Port, per month  | NA .                 |
| NRC - 1ª  | NA .                 |
| NRC - Add'I   | NA .                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                   |
| NRC - Disconnect Chg - Add'l  | NA                   |
| NRC - Incremental Cost-Manual Svc Order - 1 <sup>st</sup>   | NA .                 |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA                   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA .                 |
| Vertical Features   |                      |
| Local Switching Features offered with Port, Per month   | No additional charge |
| Subsequent Order Charge—Electronic  | NA .                 |
| Subsequent Order Charge-Incremental Cost-Manual Svc Order   | NA                   |
| Unbundled End Office Switching (Port Usage)   |                      |
| End Office Switching Function, per mou  | \$0.0175             |
| End Office Switching Function, add'l mou (5)  | \$0.005              |
| End Office Interoffice Trunk Port—Shared, per mou   | NA NA                |
| Unbundled Tandem Switching (Port Usage) (Local or Access  |                      |
| Tandem)   |                      |
| Tandem Switching Function per mou   | \$0.00029            |
| Tandem Interoffice Trunk PortShared per mou   | NA                   |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA                   |
| UNBUNDLED TRANSPORT   |                      |
| Common (Shared) Transport   |                      |
| Common (Shared) Transport per mile per mou  | \$0.000012           |
| Common (Shared) Transport Facilities Termination per mou  | \$0.0005             |
| Common (Shared) Transport Trunk Installation, per trunk, NRC  | BST State Access     |
| Interoffice Transport - Dedicated - VG  |                      |
| Interoffice Transport - Dedicated - 2-Wire VG - per mile  | NA                   |
| Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  | NA                   |
| NRC - 1ª  | NA                   |
| NRC - Add'I   | NA .                 |
| NRC - Disconnect Chg - 1st  | NA                   |
| NRC - Disconnect Chg - Add'l  | NA                   |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA                   |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA                   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  | NA                   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl   | NA                   |
| Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  |                      |
| nteroffice Transport - Dedicated - DS0 - per mile per month   | NA                   |
| Interoffice Transport - Dedicated - DS0 - facilities termination per month  | NA                   |
| NRC - 1 <sup>a</sup>  | NA .                 |
| NRC - Add'I   | NA .                 |
| NRC - Disconnect Chg - 1st  | NA .                 |
| NRC - Disconnect Chg - Add'l  | NA                   |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA                   |

#### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 213 ATTACHMENT A

Exhibit 2-FL Page 11

Attachment 11

| NRC - Incremental CostManual Svc Order - Add'l                             | NA                           |
|--|------------------------------|
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA                           |
| NRC - Incremental Cost-Manual Svc Order-DisconnectAddl                     | NA                           |
| Interoffice Transport - Dedicated - DS1                                    |                              |
| Interoffice Transport - Dedicated - DS1 - per mile per month               | \$1.60                       |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month | \$59.75                      |
| NRC - 1 <sup>st</sup>  | \$100.49 (interim rate)      |
| NRC - Add'I  | \$100.49 (interim rate)      |
| NRC - Disconnect Chg - 1st   | NA                           |
| NRC - Disconnect Chg - Add'l   | NA                           |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA                           |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA .                         |
| NRC - Incremental CostManual Svc Order-Disconnect1st                       | NA                           |
| NRC - Incremental CostManual Svc Order-DisconnectAddl                      | NA .                         |
| Interoffice Transport - Dedicated - DS3                                    |                              |
| Interoffice Transport - Dedicated - DS3 - per mile per month               | NA                           |
| Interoffice Transport - Dedicated - DS3 - facilities termination per month | NA NA                        |
| NRC - 1 <sup>M</sup>   | NA NA                        |
| NRC - Add'I  | NA NA                        |
| Digital Cross Connects (3/3, 3/1, 1/0)                                     | NA NA                        |
| Unbundled Exchange Access IOC  |                              |
| 0-8 Miles, Fixed per month   | NA                           |
| Per mile per month   | NA                           |
| NRC 1 <sup>st</sup>  | NA NA                        |
| NRC Add'I  | NA                           |
| 9-25 Miles, Fixed per month  | NA                           |
| Per mile per month   | NA                           |
| NRC 1"   | NA                           |
| NRC Add'I  | NA                           |
| Over 25 Miles, Fixed per month   | NA                           |
| Per mile per month   | NA                           |
| NRC 1 <sup>st</sup>  | NA                           |
| NRC Add'I  | NA                           |
| Local Channel - Dedicated  | With the Manager of the last |
| Local Channel - Dedicated - 2-Wire VG                                      | NA                           |
| NRC - 1"   | NA                           |
| NRC - Add'I  | NA                           |
| NRC - Disconnect Chg - 1st   | NA                           |
| NRC - Disconnect Chg - Add'I   | NA                           |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA                           |
| NRC - Incremental CostManual Svc Order - Add'I                             | NA .                         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                         | NA .                         |
| Local Channel - Dedicated - 4-Wire VG                                      | NA .                         |
| NRC - 1"   | NA                           |
| NRC - Add'I  | NA .                         |
| NRC - Disconnect Chg - 1st   | NA .                         |
| NRC - Disconnect Chg - Add'l   | NA .                         |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA .                         |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA                           |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                         | NA                           |
| Local Channel - Dedicated - DS1  | NA                           |
| NRC - 1ª   | NA .                         |

PAGE 214

ATTACHMENT A

| NRC - Add'I   | NA   |
|---|--|
| NRC - Disconnect Chg - 1st  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Incremental Cost-Manual Svc Order   | NA   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA   |
| VIRTUAL COLLOCATION   |  |
| Virtual Collocation   | Tariff Rates   |
| LOCAL USAGE   |  |
| Intraoffice per mou   | NA   |
| Interoffice per mou (assumes 5 miles of transport)  | NA   |
| LOCAL INTERCONNECTION<br>(CALL TRANSPORT AND TERMINATION)   |  |
| End Office Interconnection/Switching, per mou   | \$.002   |
| Tandem Interconnection/Switching, per mou   | \$.00029   |
| Tandem Interconnection (assumes 5 miles of transport per mou)   | NA   |
| Transport   | Network element prices for shared/common and dedicated transport apply as appropriate. |
| Tandem Switch + Transport   | \$.00125   |
| Combined Tandem Switch Interconnection  | \$.00325   |
| Multi-tandem Interconnection  | NA   |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA .   |
| 800 ACCESS TEN DIGIT SCREENING SERVICE (6)  | TBD  |
| 800 Access Ten Digit Screening (all types), per call (7)  | NA   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per query   | NA   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per query   | NA   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  | NA   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional   |  |
| Complex Features, per query  800 Access Ten Digit Screening Svc. W/800 No. Delivery, per message  | NA   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per message   | NA NA  |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per  | NA .   |
| message<br>800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional<br>Complex Features, per message   | NA .   |
| Reservation Charge per 800 number reserved-NRC - 1 <sup>st</sup>  | NA .   |
| Reservation Charge per 800 number reserved—NRC - Add'l  | NA   |
| Per 800 # Established w/o POTS (w/800 No.) Translations   |  |
| NRC - 1"  | NA   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1*   | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| Per 800 # Established with POTS Translations  |  |
| C. CCC - LJEDIIJIOU WILL C. C. I. S.  | A.A.   |
| NRC - 1"  | NA   |

PAGE 215

### ATTACHMENT A

| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA        |
|--|-----------|
| NRC - Disconnect Chg - Add'l   | NA        |
| Customized Area of Service per 800 Number  |           |
| NRC - 1 <sup>a</sup>   | NA        |
| NRC - Add'I  | NA        |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #              |           |
| NRC - 1 <sup>st</sup>  | NA        |
| NRC - Add'I  | NA        |
| Change Charge per request  |           |
| NRC - 1 <sup>M</sup>   | NA        |
| NRC - Add'I  | NA .      |
| Call Handling and Destination Features - NRC                                     | NA        |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order                      | NA        |
| Per 800 # Est'd w/o POTS Transi-incrm Cost-Manual Svc Order                      |           |
| NRC  | NA        |
| NRC - Disconnect Chg   | NA        |
| Per 800 # Est'd with POTS Transl-Incrm Cost Manual Svc Order                     |           |
| NRC  | NA        |
| NRC - Disconnect Chg   | NA        |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC                                | NA        |
| LINE INFORMATION DATABASE ACCESS (LIDB) (6)                                      | TBD       |
| LIDB Common Transport per query  | NA        |
| LIDB Validation per query  | NA        |
| LIDB Validation per message  | NA        |
| LIDB Originating Point Code Establishment or Change - NRC                        | NA        |
| LIDB - Incremental Cost - Manual Svc Order - NRC                                 | NA        |
| CCS7 SIGNALING TRANSPORT SERVICE   |           |
| CCS7 Signaling Connection, per link (A link) per month                           | \$5.00    |
| NRC NRC  | \$400.00  |
| NRC - Disconnect   | NA        |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per          | \$5.00    |
| month  | \$400.00  |
| NRC  | NA NA     |
| NRC - Disconnect CCS7 Signaling Termination, per STP port per month              | \$113.00  |
| CCS7 Signaling Usage, per ISUP message   | \$0.00001 |
| CCS7 Signaling Usage, per TCAP message   | \$0.00004 |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (8)                     | \$64.00   |
| CCS7 Signaling - Incremental Cost - Manual Svc Order                             |           |
| NRC  | NA        |
| NRC - Disconnect   | NA .      |
| OPERATIONAL SUPPORT SYSTEMS  |           |
| OCC Interesting Ordering and Trouble Maint Setah agrings are month               | \$50.00   |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month            | \$100.00  |
| NRC  | \$.008    |
| OSS OLEC Daily Usage File: Recording, per message                                | 5.004     |
| OSS OLEC Daily Usage File: Message Processing , per message                      | \$.004    |
| OSS Access Daily Usage File: Message Processing , per message                    | \$54.95   |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape provisioned   |           |
| OSS Access Daily Usage File: Message Distribution, per magnetic tape provisioned | \$54.95   |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 216 ATTACHMENT A

| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), per message            | \$.001                  |
|---|-------------------------|
| OSS Access Daily Usage File: Data Transmission (CONNECT:DIRECT), per message          | \$.001                  |
| OSS Order charge, per electronic order, per end user account                          | \$10.80                 |
| Surcharge for manually placed orders, per end user account                            | \$22.00                 |
| OPERATOR CALL PROCESSING  | 022.00                  |
|   | \$1.00                  |
| Oper. Provided Call Handling per min - Using BST LIDB                                 |                         |
| Call Completion Access Termination Charge per call attempt                            | NA<br>\$1.00            |
| Oper. Provided Call Handling per min - Using Foreign LIDB                             |                         |
| Call Completion Access Termination Charge per call attempt                            | NA<br>NA                |
| Operator Provided Call Handling, per call   | \$0.10                  |
| Fully Automated Call Handling per call - Using BST LIDB                               | \$0.10                  |
| Fully Automated Call Handling per call - Using Foreign LIDB                           | 30.10                   |
| INWARD OPERATOR SERVICES  |                         |
| Verification, per minute  | NA                      |
| Verification and Emergency Interrupt, per minute                                      | NA                      |
| Verification, per call  | \$0.80                  |
| Verification and Emergency Interrupt, per call  | \$1.00                  |
| DIRECTORY ASSISTANCE SERVICES   |                         |
| Directory Assist Call Completion Access Svc (DACC), per call attempt                  | \$\$0.03                |
| Call Completion Access Term charge per completed call                                 | NA                      |
| Number Services Intercept per query   | \$0.01                  |
| Number Services Intercept per Intercept Query Update                                  | NA                      |
| Directory Assistance Access Service Calls, per call                                   | \$0.25                  |
| Recording cost per announcement   | NA                      |
| Loading cost per audio unit   | NA                      |
| Directory Transport   |                         |
| Directory Transport - Local Channel DS1, per month                                    | \$133.81 (interim rate) |
| NRC - 1 <sup>st</sup>   | \$866.67 (interim rate) |
| NRC - Add'I   | \$486.83 (interim rate) |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                      |
| NRC - Disconnect Chg - Add'l  | NA                      |
| NRC - Incremental Cost-Manual Svc Order - NRC   | NA                      |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect                              | NA                      |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo                 | \$16.75 (interim rate)  |
| Directory Transport - Dedicated DS1 Level Interoffice per facility termination per mo | \$59.75 (interim rate)  |
| NRC - 1*  | \$100.49 (interim rate) |
| NRC - Add'I   | \$100.49 (interim rate) |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                      |
| NRC - Disconnect Chg - Add'l  | NA                      |
| NRC - Incremental Cost-Manual Svc Order - NRC-1*                                      | NA                      |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'l                                   | NA .                    |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1*                           | NA .                    |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-                             | NA                      |
| Add'I   |                         |
| Switched Common Transport per DA Access Service per call                              | \$0.0003                |
| Switched Common Transport per DA Access Service per call per mile                     | \$0.00001               |
| Access Tandem Switching per DA Access Service per call                                | \$0.00055               |
|   |                         |

### ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

PAGE 217 ATTACHMENT A

Attachment 11 Exhibit 2-FL Page 15

| Directory Transport-Installation NRC, per trunk or signaling connection                    |                       |
|--|-----------------------|
| NRC - 1"   | NA                    |
| NRC - Add'I  | NA                    |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA .                  |
| NRC - Disconnect Chg - Add'l   | NA                    |
| Directory Assistance Database Service (DADS)   |                       |
| Directory Assistance Database Service cost per listing                                     | \$0.001               |
| Directory Assistance Database Service, per month   | \$100.00              |
| Direct Access to Directory Assistance (DADAS)  | \$100.00              |
| Direct Access to Directory Assistance (DADAS)  | \$5,000.00            |
| Direct Access to Directory Assistance Service, per month                                   | \$0.01                |
| Direct Access to Directory Assistance Service, per query                                   | \$820.00              |
| Direct Access to Directory Assistance Service, svc estab chg-NRC                           |                       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-                          | NA .                  |
| Disct  |                       |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF  |                       |
| RCF, per number ported (Business Line), 10 paths   | NA                    |
| RCF, per number ported (Residence Line), 6 paths   | NA                    |
| RCF, per number ported (Business Line), each path  | NA                    |
| RCF, per number ported (Residence Line), each path   | NA .                  |
| RCF, per number ported (Res or Bus Line)   | NA                    |
| NRC  | NA .                  |
| NRC - Disconnect Chg   | NA                    |
| RCF, add'l capacity for simultaneous call forwarding, per additional path                  |                       |
| RCF, per service order, per location - NRC - 1 <sup>st</sup>                               | NA .                  |
| RCF, per service order, per location - NRC - Add'I   | NA                    |
| RCF, per service order, per location - NRC - Disconnect - 1st                              | NA .                  |
| RCF, per service order, per location - NRC - Disconnect - Add'I                            | NA .                  |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                           | Allege and the second |
| NRC - 1*   | NA                    |
| NRC - Add'I  | NA .                  |
|  | NA NA                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA NA                 |
| NRC - Disconnect Chg - Add'I<br>INTERIM SERVICE PROVIDER NUMBER PORTABILITY -              |                       |
| DID per number ported, Residence - NRC   | NA .                  |
| DID per number ported, Residence - NRC DID per number ported, Residence - NRC - Disconnect | NA NA                 |
| DID per number ported, Residence - NRC - Disconnect  | NA NA                 |
| DID per number ported, Business - NRC  | NA NA                 |
| DID per number ported, Business - NRC - Disconnect   | NA .                  |
| DID per service order, per location - NRC - 1st  | NA NA                 |
| DID per service order, per location - NRC - Add'I  | NA NA                 |
| DID per service order, per location - NRC - Disconnect - 1st                               | NA NA                 |
| DID per service order, per location - NRC - Disconnect - Add'I                             | NA NA                 |
| DID, per trunk termination, Initial  | NA<br>NA              |
| DID, per trunk termination, Initial - NRC  | NA NA                 |
| DID, per trunk termination, Initial - Disconnect   |                       |
| DID, per trunk termination, Subsequent   | NA .                  |
| DID, per trunk termination, Subsequent - NRC   | NA .                  |
| DID, per trunk termination, Subsequent - Disconnect  | NA .                  |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                           | NA .                  |
| NRC - 1ª   | NA .                  |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 218 ATTACHMENT A

Attachment 11 Exhibit 2-FL Page 16

| NRC - Add'I   | NA                 |
|---|--------------------|
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                 |
| NRC - Disconnect Chg - Add'l  | NA                 |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (9)                            |                    |
| Access to Poles, per pole, per foot, per year                                   | NA                 |
| Access to Conduits, per foot, per year  | NA                 |
| Access to innerduct, per foot, per year   | NA                 |
| AIN   |                    |
| AIN Related Services with mediation, per query                                  | TBD                |
| AIN, per message  | \$0.00004(interim) |
| AIN - BeilSouth AIN SMS Access Service  |                    |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC                   | NA                 |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -                 | NA .               |
| Disconnect  |                    |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC                   | NA                 |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-                  | NA .               |
| Disconnect  |                    |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC                        | NA                 |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC -                      | NA                 |
| Disconnect  |                    |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC                     | NA                 |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC -                   | NA                 |
| Disconnect  |                    |
| AIN SMS Access Svc - Security Card per User ID Code, initial or                 | NA                 |
| replacement-NRC   |                    |
| AIN SMS Access Svc - Security Card per User ID Code, initial or                 | NA                 |
| replacement-NRC - Disconnect  |                    |
| AIN SMS Access Service - Storage, per unit (100 Kb)                             | NA                 |
| AIN SMS Access Service - Session, per minute                                    | NA                 |
| AIN SMS Access Service - Co. Performed Session, per minute                      | NA                 |
| AIN - BellSouth AIN Toolkit Service   |                    |
| AIN, Service Creation Tools (6)   | TBD                |
| Service Establishment Charge, per state, initial setup - NRC                    | NA                 |
| Service Establishment Charge, per state, initial setup - NRC -<br>Disconnect    | NA                 |
| Training Session, per customer - NRC  | NA                 |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC                 | NA                 |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC -               | NA                 |
| Disconnect  |                    |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC                 | NA                 |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC -<br>Disconnect | NA                 |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC            | NA                 |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate -<br>Disconnect  | NA                 |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC                 | NA                 |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - * Disconnect        | NA                 |
| Trigger Access Charge, per trigger, per DN, CDP - NRC                           | NA                 |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect                    | NA                 |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 219
ATTACHMENT A

Attachment 11 Exhibit 2-FL Page 17

| Trigger Access Charge, per trigger, per DN, Feature Code - NRC   | NA |
|--|----|
| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect  | NA |
| Query Charge, per query  | NA |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query  | NA |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb  | NA |
| Monthly report - per AIN Toolkit Service Subscription  | NA |
| Monthly report - per AIN Toolkit Service Subscription - NRC  | NA |
| Monthly report - per AIN Toolkit Service Subscription - NRC -  | NA |
| Disconnect   |    |
| Special Study - Per AIN Toolkit Service Subscription   | NA |
| Special Study - Per AIN Toolkit Service Subscription - NRC   | NA |
| Call Event Report - per AIN Toolkit Service Subscription   | NA |
| Call Event Report - per AIN Toolkit Service Subscription - NRC   | NA |
| Call Event Report - per AIN Toolkit Service Subscription - NRC -   | NA |
| Disconnect   |    |
| Call Event special Study - per AIN Toolkit Service Subscription  | NA |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC  | NA |
| Call Event special Study - per All Toolkit Service Subscription - 14/10  |    |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE OWNER   |    |
| CNAM, Per Query  | NA |
| DARK FIBER   |    |
| Per each tour-fiber dry fiber arrangement, NRC 1 <sup>M</sup>  | NA |
| Per each four-fiber dry fiber arrangement, NRC Add'I   | NA |
| Per each fiber strand per route mile or fraction thereof, per month  | NA |
| SELECTIVE ROUTING  |    |
| Per Line or PBX Trunk, each  | NA |
| Per Line or PBX Trunk, NRC   | NA |
| Note(s):   |    |
| (1) In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the   |    |
| appropriate tariff applies.  (2) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.  (3) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.  (4) This rate element is for those states which have a specific rate for User Profile per B Channel. |    |
| <ul> <li>(5) This rate element is for use in those states with a different rate for additional minutes of use.</li> <li>(6) BellSouth and CLEC shall negotiate rates for this offering. If agreement is not reached within sixty (60) days of the Effective Date, either party may petition the Florida PSC to settle the disputed charge or charges.</li> </ul>   |    |
| <ul> <li>(7) This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.</li> <li>(8) This charge is only applicable where signaling usage measurement or billing capability does not exist.</li> <li>(9) Rates for access to Poles, Ducts, Conduits and Rights-of-Way are</li> </ul>   |    |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 220

ATTACHMENT A

Attachment 11 Exhibit 2-FL

Page 18

negotiated with BellSouth's Competitive Structure Provisioning Center

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 221
ATTACHMENT A

Attachment 11 Exhibit 3

Georgia

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 222
ATTACHMENT A

Attachment 11 Exhibit 3-GA Page 1

#### GEORGIA PRICING

#### 1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Georgia Public Service Commission.

#### 2. Local Service Resale

The prices that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Georgia:

Residential Service

20.30%

**Business Service:** 

17.30%

The prices that CLEC pays for resold Local Services were established by the Commission in Docket No. 6352-U. The Commission will review those prices one year from the date of its order in that docket.

#### 3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

### 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

- 5.1 Collocation—The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 223

Attachment 11 Exhibit 3-GA Page 2

authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

#### 6. Local Number Portability

The prices for interim number portability are set forth in Table 1.

#### 7. Recorded Usage Data

The prices for recorded usage data are set forth in Table 1.

#### 8. Electronic Interfaces

As stated in the Georgia Public Service Commission's Supplemental Order issued in Docket No. 6352-U, all costs incurred by BellSouth to implement operational interfaces shall be recovered from the industry. If there is disagreement between the Parties regarding cost recovery issues, the Georgia Public Service Commission shall initiate a separate hearing to address the matter upon filing of a petition by an affected party.

### 9. Operational Support Systems (OSS) Rates

|         | OPERATIONAL                                  | SUPPORT SYSTEM   | S (055) KATES                      |  |
|---------|--|--|------------------------------------|--|
|         | Interactive Ord                              | lering and Trouble ance System   | OSS Ord<br>(per end u              | der Charge<br>ser account)                 |
|         | Non-<br>Recurring<br>Establishment<br>Charge | Recurring<br>Charge, per<br>month  | Charge per<br>electronic<br>order¹ | Surcharge for<br>manually<br>placed orders |
| GEORGIA | \$200.00                                     | \$550.00 per first<br>1000 electronic<br>orders¹<br>\$110.00 per each<br>add'l 1000<br>electronic orders | Note <sup>2</sup>                  | \$22.00 <sup>3</sup><br>Note <sup>4</sup>  |

1 The charge per order applies on a per end user account basis.

3 Applies to Resale only.

<sup>&</sup>lt;sup>2</sup> The Georgia Public Service Commission (PSC) ordered in Docket No. 7061-U that there would be no OSS charge within the charge per electronic order column. Instead, the Georgia PSC ordered monthly recurring charges based on number of orders.

Applies to UNEs - Incremental cost for manual service order vs. electronic is assessed on an elemental basis as set forth in Table 1.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 224

ATTACHMENT A

Attachment 11 Exhibit 3-GA Page 3

### TABLE 1 BELLSOUTH/CLEC RATES - GEORGIA LOCAL INTERCONNECTION AND UNBUNDLED NETWORK ELEMENTS

| NIDs  | 100     |
|---|---------|
| NRC - NID per 2-Wire Loops—Incremental-Manual Svc Order-1st             | \$18.94 |
| NRC - NID per 2-Wire Loops—Incremental-Manual Svc Order-Add'l           | \$8.42  |
| NRC - NID per 2-Wire Loops—Incremental-Manual Svc Order-<br>Disconnect  | NA      |
| NRC - NID per 4-Wire Loops—Incremental-Manual Svc Order-1st             | \$18.94 |
| NRC - NID per 4-Wire Loops—Incremental-Manual Svc OrderAdd'I            | \$8.42  |
| NRC - NID per 4-Wire Loops—Incremental-Manual Svc Order - Disconnect    | NA      |
| NID (all types), per month  | NA      |
| NID per 2-Wire Analog VG Loop, Per Month                                | \$1.10  |
| NRC - 1 <sup>M</sup>  | \$2.10  |
| NRC - Add'I   | \$2.10  |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NID per 4-Wire Analog VG Loop, Per Month                                | \$1.21  |
| NRC - 1"  | \$2.10  |
| NRC - Add'I   | \$2.10  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                          | \$1.10  |
| NRC - 1st   | \$2.10  |
| NRC - Add'I   | \$2.10  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop,<br>Per Mo. | \$1.10  |
| NRC - 1st   | \$2.10  |
| NRC - Add'1   | \$2.10  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | \$1.10  |
| NRC - 1"  | \$2.10  |
| NRC - Add'I   | \$2.10  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | -\$1.21 |
| NRC - 1"  | \$2.10  |
| NRC - Add'I   | \$2.10  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                             | \$1.21  |
| NRC - 1"  | \$2.10  |
| NRC - Add'I   | \$2.10  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l                | NA      |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 225 ATTACHMENT A

| Nonrecurring Charge - customer transfer, feature additions, changes (1)         | NA      |
|---|---------|
| LOOP, EXCLUDING NID   |         |
| 2-Wire Analog VG Loop (Standard), per month                                     | NA NA   |
| NRC - 1"  | NA NA   |
| NRC - Add'I   | NA NA   |
| 2-Wire Analog VG Loop (Customized), per month                                   | NA NA   |
| NRC - 1 <sup>st</sup>   | NA NA   |
| NRC - Add'I   | NA NA   |
|   | NA NA   |
| 4-Wire Analog VG Loop (Standard), per month                                     | NA NA   |
| NRC - 1 <sup>st</sup>   | NA NA   |
| NRC - Add'l   | NA NA   |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                            | 1000    |
| NRC - 1 <sup>M</sup>  | NA NA   |
| NRC - Add'I   | NA      |
| 2-Wire ADSL Loop (Standard), per month  | NA      |
| NRC - 1 <sup>st</sup>   | NA      |
| NRC - Add'I   | NA      |
| 2-Wire HDSL Loop (Standard), per month  | NA      |
| NRC - 1 <sup>st</sup>   | NA      |
| NRC - Add'I   | NA      |
| 4-Wire HDSL Loop (Standard), per month  | NA      |
| NRC - 1 <sup>st</sup>   | NA      |
| NRC - Add'I   | NA      |
| LOOP, INCLUDING NID   |         |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-1st                        | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc OrderAdd'l                       | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order – Disconnect               | NA      |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc Order1 <sup>st</sup> | NA      |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc<br>Order-Add'I      | NA      |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc<br>Order—Disconnect | NA      |
| 2-Wire Analog VG Loop, per month  | NA .    |
| NRC - 1 <sup>st</sup>   | NA      |
| NRC - Add'I   | NA .    |
| 2-Wire Analog VG Loop-SL1, per month  | \$16.51 |
| NRC - 1"  | \$42.54 |
| NRC - Add'I   | \$31.33 |
| NRC-Incremental Cost-Manual Svc Oder-1 <sup>st</sup>                            | \$18.94 |
| NRC-Incremental CostManual Svc OrderAdd'l                                       | \$8.42  |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NRC - Order Coordination for Specified Conversion Time                          | \$34.22 |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord                                    | NA      |
| NRC - 1 <sup>st</sup>   | \$36.46 |
| NRC - Add'l   | \$36.46 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 226 . ATT

| 2-Wire Analog VG Loop-SL2, per month   | \$19.57    |
|--|------------|
| NRC - 1*   | \$104.17   |
| NRC - Add'I  | \$78.10    |
| NRC-incremental Cost-Manual Svc Order- 1st                                   | \$18.94    |
| NRC-Incremental CostManual Svc Order-Add'l                                   | \$8.42     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                       | NA         |
| NRC - Disconnect Chg - Add'l   | NA         |
| NRC - Order Coordination for Specified Conversion Time                       | \$34.22    |
| 2-Wire Analog VG Loop (Standard), per month                                  | NA         |
| NRC - 1"   | NA         |
| NRC - Add'I  | NA .       |
| 2-Wire Analog VG Loop (Customized), per month                                | NA .       |
| NRC - 1 <sup>st</sup>  | NA         |
| NRC - Add'I  | NA         |
| 4-Wire Analog VG Loop, per month   | \$ \$25.86 |
| NRC - 1 <sup>M</sup>   | \$206.95   |
| NRC - Add'I  | \$170.57   |
| NRC-Incremental Cost-Manual Svc Order—1*                                     | \$18.94    |
| NRC-incremental CostManual Svc OrderAdd'l                                    | \$8.42     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                       | NA         |
| NRC - Disconnect Chg - Add'l   | NA         |
| NRC - Order Coordination for Specified Conversion Time                       | \$34.22    |
| 4-Wire Analog VG Loop (Standard), per month                                  | NA NA      |
| NRC - 1 <sup>st</sup>  | NA NA      |
| NRC - Add'I  | NA         |
| 2-Wire ISDN Digital Grade Loop, per month                                    | \$25.43    |
| NRC - 1 <sup>M</sup>   | \$233.38   |
| NRC - Add'I  | \$180.35   |
| NRC-incremental CostManual Svc Order1"                                       | \$18.94    |
| NRC-Incremental CostManual Svc OrderAdd'l                                    | \$8.42     |
| NRC - Disconnect Chg - 1st   | NA .       |
| NRC - Disconnect Chg - Add'l   | NA .       |
| NRC - Order Coordination for Specified Conversion Time                       | \$34.22    |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                         | NA         |
| NRC - 1 <sup>M</sup>   | NA .       |
| NRC - Add'I  | NA .       |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible<br>Loop, per month | \$13.05    |
| NRC - 1"   | \$359.73   |
| NRC - Add'I  | \$325.15   |
| NRC-Incremental Cost-Manual Svc Order-1*                                     | \$18.94    |
| NRC-Incremental CostManual Svc Order-Add'l                                   | \$8.42     |
| NRC - Disconnect Chg - 1st   | NA .       |
| NRC - Disconnect Chg - Add'l   | NA .       |
| NRC - Order Coordination for Specified Conversion Time                       | \$34.22    |
| 2-Wire ADSL Loop (Standard), per month                                       | NA .       |
| NRC - 1 <sup>M</sup>   | NA .       |
| NRC - Add'I  | NA .       |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop, per month          | NA .       |
| NRC - 1"   | NA NA      |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 227 ATTACHMENT A

| NRC - Add'I  | NA .          |
|--|---------------|
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | \$9.15        |
| NRC - 1"   | \$359.73      |
| NRC - Add'I  | \$325.15      |
| NRC-Incremental CostManual Svc Order-1#                                    | \$18.94       |
| NRC-Incremental Cost-Manual Svc Order-Add'l                                | \$8.42        |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA            |
| NRC - Disconnect Chg - Add'l   | NA            |
| NRC - Order Coordination for Specified Conversion Time                     | \$34.22       |
| 2-Wire HDSL Loop (Standard), per month                                     | NA            |
| NRC - 1ª   | NA            |
| NRC - Add'I  | NA            |
| 4-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | \$12.07       |
| NRC - 1 <sup>st</sup>  | \$378.86      |
| NRC - Add'I  | \$344.28      |
| NRC-Incremental CostManual Svc Order-1 <sup>st</sup>                       | \$18.94       |
| NRC-incremental CostManual Svc Order-Add'l                                 | \$8.42        |
| NRC - Disconnect Chg - 1"  | NA            |
| NRC - Disconnect Chg - Add'l   | NA            |
| NRC - Order Coordination for Specified Conversion Time                     | \$34.22       |
| 4-Wire HDSL Loop (Standard), per month                                     | NA            |
| NRC - 1 <sup>M</sup>   | NA            |
| NRC - Add'I  | NA            |
| 4-Wire DS1 Digital Loop, per month   | \$64.52       |
| NRC - 1 <sup>M</sup>   | \$429.98      |
| NRC - Add'l  | \$268.18      |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA            |
| NRC - Disconnect Chg - Add'l   | NA            |
| NRC - Incremental Cost—Manual Svc Order-1st                                | \$18.94       |
| NRC - Incremental Cost—Manual Svc Order-Addi                               | \$8.42        |
| NRC - Incremental Cost—Manual Svc Order-Disconnect                         | NA .          |
| NRC - Order Coordination for Specified Conversion Time                     | \$34.52       |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month                             | \$29.92       |
| NRC - 1 <sup>st</sup>  | \$348.55      |
| NRC - Add'I  | \$241.20      |
| NRC-Incremental Cost—Manual Svc Order-1*                                   | \$18.94       |
| NRC-Incremental Cost—Manual Svc Order-Add'I                                | \$8.42        |
| NRC - Disconnect Chg - 1st   | NA NA         |
| NRC - Disconnect Chg - Add'l   | NA<br>\$34.22 |
| NRC - Order Coordination for Specified Conversion Time                     | \$34.22<br>NA |
| Unbundled Loops via IDLC   | NA            |
| SUB-LOOPS  |               |
| sub-Loop 2-Wire Analog   |               |
| Loop Feeder per 2-Wire Analog VG Loop, per month                           | \$8.58        |
| NRC - 1 <sup>M</sup>   | \$206.44      |
| NRC - Add'I  | \$170.05      |
| NRC-Incremental Cost—Manual Svc Order-1                                    | \$18.94       |
| NRC-Incremental Cost—Manual Svc Order-Add'I                                | \$8.42        |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 228 . ATTACHMENT A

| NRC - Disconnect Chg - 1st  | NA       |
|---|----------|
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Order Coordination for Specified Conversion Time                            | \$34.22  |
| Loop Distribution per 2-Wire Analog VG Loop (Including NID),                      | \$9.12   |
| per month   | 10070    |
| NRC - 1*  | \$207.01 |
| NRC - Add'l   | \$171.32 |
| NRC-Incremental CostManual Svc Order-1*   | \$18.94  |
| NRC-Incremental Cost—Manual Svc Order-Add'l                                       | \$8.42   |
| NRC - Disconnect Chg - 1*   | NA       |
| NRC - Disconnect Chg - Add'l  | NA .     |
| NRC - Order Coordination for Specified Conversion Time                            | \$ 34.22 |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month            | NA .     |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| Unbundled Network Terminating Wire  | BFR      |
| Loop Concentration - Channelization Sys (Outside CO), per month                   | \$313.11 |
| NRC - 1 <sup>M</sup>  | \$651.23 |
| NRC - Add'l   | \$284.99 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Incremental CostManual Svc Order - 1 <sup>st</sup>                          | \$18.94  |
| NRC - Incremental CostManual Svc Order - Add'l                                    | \$8.42   |
| NRC - Incremental CostManual Svc Order - Disconnect                               | NA       |
| Working Plug-In 2-Wire, NRC 1*  | NA       |
| Working Plug-In 2-Wire, NRC Add'I   | NA       |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)                         | ICB      |
| Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside CO), per month | \$.8836  |
| NRC - 1 <sup>H</sup>  | \$9.41   |
| NRC - Add'I   | \$9.38   |
| NRC-Incremental Cost—Manual Service Order-1*                                      | \$18.94  |
| NRC-Incremental Order—Manual Service Order-Add'l                                  | \$8.42   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .     |
| NRC - Disconnect Chg - Add'l  | NA       |
| Loop Channelization System (Inside C.O.)  |          |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG),<br>per month        | \$281.76 |
| NRC - 1*  | \$308.13 |
| NRC - Add'I   | \$76.33  |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | ŇA       |
| NRC - Incremental Cost-Manual Svc Order - 1st                                     | \$18.94  |
| NRC - Incremental Cost-Manual Svc Order - Add'l                                   | \$8.42   |
| NRC - Incremental Cost-Manual Svc Order - Disconnect                              | NA       |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month                             | \$0.9016 |
| NRC - 1"  | \$20.87  |
| NRC - Add'I   | \$20.74  |
| NRC-Incremental Cost—Manual Svc Cost -1*  | \$18.94  |
| NRC-Incremental Cost—Manual Svc Cost-Add'I  | \$8.42   |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 229 ATTACHMENT A

| NRC - Disconnect Chg - 1st                           | NA       |
|--|----------|
| NRC - Disconnect Chg - Add'l                         | NA       |
| INBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)           |          |
| 2-Wire Analog Line Port (Res., Bus.), per month      | \$1.85   |
| NRC - 1 <sup>st</sup> (all types)                    | \$17.16  |
| NRC - Add'l (all types)                              | \$17.16  |
| NRC - 1 <sup>st</sup> (Residence)                    | NA       |
| NRC - Add'l (Residence)                              | NA       |
| NRC - 1 <sup>st</sup> (Business)                     | NA       |
| NRC - Add'l (Business)                               | NA       |
| NRC - 1" (PBX)                                       | NA       |
| NRC - Add'I (PBX)                                    | NA       |
| NRC - Disconnect Chg - 1st                           | NA       |
| NRC - Disconnect Chg - Add'l                         | NA       |
| NRC - Incremental CostManual Svc Order - 1st         | \$18.94  |
| NRC - Incremental CostManual Svc Order - Add'I       | \$8.42   |
| NRC - Incremental CostManual Svc Order - Disconnect  | NA       |
| 4-Wire Analog VG Port, per month                     | \$8.47   |
| NRC - 1 <sup>M</sup>                                 | \$17.16  |
| NRC - Add'I  | \$17.16  |
| NRC - Disconnect Chg - 1st                           | NA       |
| NRC - Disconnect Chg - Add'I                         | NA       |
| NRC - Incremental CostManual Svc Order - 1st         | \$18.94  |
| NRC - Incremental Cost-Manual Svc Order - Add'l      | \$8.42   |
| NRC - Incremental CostManual Svc Order - Disconnect  | NA       |
| 2-Wire DID Port, per month                           | \$11.35  |
| NRC - 1 <sup>st</sup>                                | \$61.91  |
| NRC - Add'I  | \$61.91  |
| NRC - Disconnect Chg - 1st                           | NA       |
| NRC - Disconnect Chg - Add'l                         | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st        | \$18.94  |
| NRC - Incremental CostManual Svc Order - Add'l       | \$8.42   |
| NRC - Incremental CostManual Svc Order - Disconnect  | NA       |
| 4-Wire DID Port, per month                           | \$120.80 |
| NRC - 1"   | \$89.44  |
| NRC - Add'I  | \$52.46  |
| NRC - Disconnect Chg - 1st                           | NA       |
| NRC - Disconnect Chg - Add'l                         | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st        | \$18.94  |
| NRC - Incremental Cost-Manual Svc Order - Add'l      | \$8.42   |
| NRC - Incremental Cost-Manual Svc Order - Disconnect | NA       |
| 4-Wire DS1 Port w/DID capability, per month          | NA       |
| NRC - 1"   | NA .     |
| NRC - Add'I  | NA .     |
| 2-Wire ISDN Port(2) (3), per month                   | \$13.47  |
| NRC - 1ª   | \$47.37  |
| NRC - Add'I  | \$47.37  |
| NRC - Disconnect Chg - 1st                           | NA       |
| NRC - Disconnect Chg - Add'l                         | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st        | \$39.98  |
| NRC - Incremental CostManual Svc Order - Add'I       | \$39.98  |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 230 ATTACHMENT A

|   | 1          |
|---|------------|
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st                        | NA NA      |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl                       | NA NA      |
| NRC - User Profile per B Channel (4)  | NA .       |
| 4-Wire ISDN Port, per month   | NA NA      |
| NRC - 1 <sup>st</sup>   | NA NA      |
| NRC - Add'I   | NA .       |
| NRC - Disconnect Chg - 1st  | NA .       |
| NRC - Disconnect Chg - Add'l  | NA .       |
| NRC - Incremental Cost-Manual Svc Order - 1st                                 | NA         |
| NRC - Incremental Cost-Manual Svc Order - Add'l                               | NA ·       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st                        | NA .       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl                       | NA .       |
| 4-Wire ISDN DS1 Port, per month   | \$163.16   |
| NRC - 1"  | \$186.80   |
| NRC - Add'I   | \$186.80   |
| NRC - Disconnect Chg - 1st  | NA         |
| NRC - Disconnect Chg - Add'l  | NA NA      |
| NRC - Incremental CostManual Svc Order - 1st                                  | \$37.88    |
| NRC - Incremental Cost-Manual Svc Order - Add'i                               | \$37.88    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st                        | NA         |
| NRC - Incremental CostManual Svc Order-Disconnect Addl                        | NA .       |
| 2-Wire Analog Line Port (PBX), per month                                      | \$1.85     |
| NRC - 1st   | \$17.16    |
| NRC - Add'I   | \$17.16    |
| NRC - Disconnect Chg - 1st  | NA NA      |
| NRC - Disconnect Cho - Add'l  | NA NA      |
| NRC - Disconnect Chg - Add'l<br>NRC - Incremental Cost-Manual Svc Order - 1st | \$18.94    |
| NRC - Incremental Cost-Manual Svc Order - Add'l                               | \$8.42     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                            | NA .       |
| 2-Wire Analog Hunting, per line per month                                     | NA .       |
| NRC - 1st   | NA NA      |
| NRC - Add'I   | NA NA      |
| Coin Port, per month  | \$2.05     |
| NRC - 1"  | \$17.16    |
| NRC - Add'I   | \$17.16    |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .       |
| NRC - Disconnect Chg - Add'l  | NA .       |
| NRC - Incremental Cost-Manual Svc Order - 1 <sup>st</sup>                     | \$18.94    |
| NRC - Incremental Cost-Manual Svc Order - Add'l                               | \$8.42     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                            | NA .       |
| Vertical Features   |            |
| Local Switching Features offered with Port, Per month                         | NA NA      |
| Subsequent Order Charge—Electronic  | NA .       |
| Subsequent Order Charge—Incremental Cost-Manual Svc Order                     | NA NA      |
| Unbundled End Office Switching (Port Usage)                                   |            |
| End Office Switching Function, per mou  | \$.0016333 |
| End Office Switching Function, add'l mou (5)                                  | NA NA      |
| End Office Interoffice Trunk Port—Shared, per mou                             | \$.0001564 |
| Unbundled Tandem Switching (Port Usage) (Local or Access                      |            |
| Tandem)   | \$.0006757 |
| Tandem Switching Function per mou   | 3.0000737  |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 231 . ATTACHMENT A

| \$.0002126              |
|-------------------------|
| NA                      |
|                         |
|                         |
|                         |
|                         |
| \$.000008               |
| \$.0004152              |
| BST State Access Tariff |
|                         |
| \$.0222                 |
| \$17.07                 |
| \$79.61                 |
| \$36.08                 |
| NA                      |
| NA                      |
| \$18.94                 |
| \$18.94                 |
| NA                      |
| NA                      |
|                         |
| \$.0222                 |
| \$16.45                 |
| \$79.61                 |
| \$36.08                 |
| NA                      |
| NA -                    |
| \$18.94                 |
| \$18.94                 |
| NA                      |
| NA                      |
|                         |
| \$.4523                 |
| \$78.47                 |
| \$147.07                |
| \$111.75                |
| NA                      |
| NA                      |
| \$18.94                 |
| \$18.94                 |
| NA                      |
| NA                      |
| 4                       |
| NA                      |
| NA                      |
| NA                      |
| NA .                    |
| NA NA                   |
|                         |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 232
ATTACHMENT

Attachment 11 Exhibit 3-GA Page 11

#### 0-8 Miles, Fixed per month NA NA Per mile per month NA NRC 1st NA NRC Add'I NA 9-25 Miles, Fixed per month NA Per mile per month NA NRC 1st NA NRC Add'I NA Over 25 Miles, Fixed per month NA Per mile per month NRC 1st NA NA NRC Add'I Local Channel - Dedicated Local Channel - Dedicated - 2-Wire VG \$13.91 \$382.95 NRC - 1st \$62.40 NRC - Add'I NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'I NRC - Incremental Cost--Manual Svc Order - 1st \$18.94 NRC - Incremental Cost-Manual Svc Order - Add'I \$8.42 NA NRC - Incremental Cost-Manual Svc Order-Disconnect \$14.99 Local Channel - Dedicated - 4-Wire VG \$368.44 NRC - 1st \$64.05 NRC - Add'I NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'l \$18.94 NRC - Incremental Cost-Manual Svc Order - 1st \$8.42 NRC - Incremental Cost-Manual Svc Order - Add'l NRC - Incremental Cost-Manual Svc Order-Disconnect NA \$38.36 Local Channel - Dedicated - DS1 \$356.15 NRC - 1ª \$312.89 NRC - Add'l NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'l \$44.22 NRC - Incremental Cost-Manual Svc Order NRC - Incremental Cost-Manual Svc Order-Disconnect NA VIRTUAL COLLOCATION **BST Tariff Rates** Virtual Collocation LOCAL USAGE Intraoffice per mou NA Interoffice per mou (assumes 5 miles of transport) LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION) \$.0016333 End Office Interconnection/Switching, per mou \$.0006757 Tandem Interconnection/Switching, per mou NA Tandem Interconnection (assumes 5 miles of transport per mou) Network element Transport prices for shared/common and dedicated transport

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 233

Attachment 11 Exhibit 3-GA Page 12

### ATTACHMENT A

|   | apply as appropriate |
|---|----------------------|
| Common Transport Trunk Installation, per trunk, NRC   | BST Tariff Rates     |
| Tandem Switch + Transport   | NA                   |
| Combined Tandem Switch Interconnection  | NA                   |
| Multi-tandem Interconnection  | NA                   |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA .                 |
| 800 ACCESS TEN DIGIT SCREENING SERVICE  | - Lee Land           |
| 800 Access Ten Digit Screening (all types), per call (6)  | \$.0004868           |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per query   | NA                   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800<br>Numbers, w/Optional Complex Features, per query  | NA                   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  | NA                   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per query   | NA                   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per message   | NA NA                |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per message   | NA                   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message  | NA                   |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   | NA                   |
| Reservation Charge per 800 number reservedNRC - 1st   | \$6.57               |
| Reservation Charge per 800 number reserved-NRC - Add'l  | \$0.76               |
| NRC-Incremental Cost—Manual Svc Order-1*  | \$18.94              |
| NRC_incremental Cost—Manual Svc Cost-Add'l  | NA                   |
| Per 800 # Established w/o POTS (w/800 No.) Translations   |                      |
| NRC - 1"  | \$12.81              |
| NRC - Add'I   | \$1.45               |
| NRC-Incremental Cost-Manual Svc Order-1*  | \$18.94              |
| NRC-Incremental Cost-Manual Svc Order-Add'l   | NA                   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                   |
| NRC - Disconnect Chg - Add'l  | NA                   |
| Per 800 # Established with POTS Translations  |                      |
| NRC - 1"  | \$12.81              |
| NRC - Add'I   | \$1.45               |
| NRC-Incremental Cost-Manual Svc Cost-1*   | \$18.94              |
| NRC-incremental Cost-Manual Svc Cost-Add'l  | NA                   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                   |
| NRC - Disconnect Chg - Add'l  | NA                   |
| Customized Area of Service per 800 Number   |                      |
| NRC - 1"  | \$4.46               |
| NRC - Add'I   | \$2.23               |
| NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup>   | NA .                 |
| NRC-Incremental Cost-Manual Svc Order-Add'l   | NA                   |
|   |                      |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #   | 00.00                |
| NRC - 1"  | \$5.22               |
| NRC - Add'I   | \$2.99               |
| NRC-Incremental Cost-Manual Svc Order-1*  | NA                   |
| NRC-incremental Cost-Manual Svc Order-Add'l   | NA                   |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 234 . ATTACHMENT A

| Change Charge per request  |                 |
|--|-----------------|
| NRC - 1 <sup>e</sup>   | \$7.33          |
| NRC - Add'I  | \$0.76          |
| NRC-Incremental Cost-Maual Svc Cost-1**  | \$18.94         |
| NRC-Incremental Cost-Manual Svc Order-Add'l  | NA              |
| Call Handling and Destination Features - NRC - 1*                                    | \$4.72          |
| Call Handling and Destination Features - NRC - Add'I                                 | \$4.46          |
| NRC-Incremental Cost-Manual Svc Cost-1*  | NA              |
| NRC-Incremental Cost-Manual Svc Cost-Add'l   | NA              |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order                          | NA              |
| Per 800 # Est'd w/o POTS Transl-Incrm Cost-Manual Svc Order                          |                 |
| NRC  | NA              |
| NRC - Disconnect Chg   | NA              |
| Per 800 # Est'd with POTS Transl-Incrm Cost Manual Svc Order                         |                 |
| NRC  | NA              |
| NRC - Disconnect Chg   | NA              |
| Chng Chrg/Request-incrm Cost-Manual Svc Order-NRC                                    | NA              |
| LINE INFORMATION DATABASE ACCESS (LIDB)  |                 |
| LIDB Common Transport per query  | \$ 0000338      |
| LIDB Common Transport per query  LIDB Validation per query                           | \$.0105974      |
| LIDB Validation per query  LIDB Validation per message                               | NA NA           |
| IDB Validation per message  IDB Originating Point Code Establishment or Change - NRC | \$50.30         |
| NRC-Incremental Cost-Manual Svc Order  | \$18.94         |
| IDB - Incremental Cost - Manual Svc Order - NRC                                      | NA NA           |
| CCS7 SIGNALING TRANSPORT SERVICE   | 1               |
|  | \$17.05         |
| CCS7 Signaling Connection, per link (A link) per month                               | \$131.96        |
| NRC  | \$18.94         |
| NRC-Incremental Cost—Manual Svc Order  | NA NA           |
| NRC - Disconnect   | \$17.05         |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month        |                 |
| NRC  | \$131.96        |
| NRC-Incremental Cost-Manual Svc Order  | \$18.94         |
| NRC - Disconnect   | NA              |
| CCS7 Signaling Termination, per STP port per month                                   | \$133.99        |
| CCS7 Signaling Usage, per ISUP message   | \$.0000354      |
| CCS7 Signaling Usage, per TCAP message   | \$.0000870      |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (7)                         | \$340.67        |
| CCS7 Signaling - Incremental Cost - Manual Svc Order                                 | \$18.94         |
| NRC  | NA              |
| NRC - Disconnect   | NA              |
| PERATIONAL SUPPORT SYSTEMS   | Marie Committee |
| DSS Interactive Ordering and Trouble Maint, Estab, per user per month                | NA              |
| NRC .  | \$200.00        |
| DSS OLEC Daily Usage File: Recording, per message                                    | \$0.008         |
| DSS OLEC Daily Usage File: Message Processing, per message                           | \$0.004         |
| DSS Access Daily Usage File: Message Processing, per message                         | \$0.004         |
| DSS OLEC Daily Usage File: Message Distribution, per magnetic tape                   | \$54.95         |
| provisioned  |                 |
| OSS Access Daily Usage File: Message Distribution, per magnetic tape                 | \$54.95         |
| provisioned  |                 |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

Attachment 11 Exhibit 3-GA Page 14

PAGE 235 ATTACHMENT A OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), | \$0.001

| OSS OLEC Daily Usage File. Data Transmission (CONNECT DIRECT),               | 30.001               |
|--|----------------------|
| per message OSS Access Daily Usage File: Data Transmission                   | \$0.001              |
| OSS Access Daily Usage File: Data Transmission (CONNECT:DIRECT), per message | \$0.001              |
| OSS Order Charge, per first 1,000 orders(one end user per order) per         | \$550.00             |
| month  | 4000.00              |
| OSS Order Charge,per each add'l 1,000 orders (one end user per order)        | \$110.00             |
| per month  | \$110.00             |
| OSS Order charge, per electronic order, per end user account                 | NA .                 |
| Surcharge for manually placed orders, per end user account                   | NA .                 |
| OPERATOR CALL PROCESSING   | ARCON THE CONTRACTOR |
|  | \$.9680296           |
| Oper. Provided Call Handling per min - Using BST LIDB                        | NA                   |
| Call Completion Access Termination Charge per call attempt                   | \$1.02               |
| Oper. Provided Call Handling per min - Using Foreign LIDB                    | NA NA                |
| Call Completion Access Termination Charge per call attempt                   |                      |
| Operator Provided Call Handling, per call                                    | NA                   |
| Fully Automated Call Handling per call - Using BST LIDB                      | \$.0776409           |
| Fully Automated Call Handling per call - Using Foreign LIDB                  | \$.0976984           |
| INWARD OPERATOR SERVICES   | 0.00010000           |
| Verification, per minute   | \$.09210833          |
| Verification and Emergency Interrupt, per minute                             | \$.09210833          |
| Verification, per call   | NA                   |
| Verification and Emergency Interrupt, per call                               | NA                   |
| DIRECTORY ASSISTANCE SERVICES  |                      |
| Directory Assist Call Completion Access Svc (DACC), per call attempt         | \$.0348712           |
| Cail Completion Access Term charge per completed call                        | NA                   |
| Number Services Intercept per query  | \$.0097497           |
| Number Services Intercept per Intercept Query Update                         | NA                   |
| Directory Assistance Access Service Calls, per call                          | \$.2124568           |
| Recording cost per announcement  | NA                   |
| NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup>                        | \$17.54              |
| NRC-Incremental Cost-Manual Svc Order-Add'l                                  | \$15.43              |
| Loading cost per audio unit  | \$253.87             |
| NRC-incremental Cost-Maual Svc Order   | NA                   |
| Directory Transport  |                      |
| Directory Transport - Local Channel DS1, per month                           | \$38.36              |
| NRC - 1*   | \$356.15             |
| NRC - Add'l  | \$312.89             |
| NRC - Disconnect Chg - 1st   | NA                   |
| NRC - Disconnect Chg - Add'l   | NA .                 |
| NRC - Incremental Cost-Manual Svc Order - NRC                                | \$18.94              |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect                     | NA                   |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo        | \$.4523              |
| Directory Transport - Dedicated DS1 Level Interoffice per facility           | \$78.47              |
| termination per mo   | \$147.07             |
|  | \$111.75             |
| NRC - 1 <sup>M</sup>   | 3111/3               |
| NRC - Add'l  |                      |
|  | NA<br>NA             |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 236
ATTACHMENT A

| The state of the s |  |
|--|--|
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'l  | NA .   |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1*  | NA   |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-<br>Add'l   | NA   |
| Switched Common Transport per DA Access Service per call   | \$.0002906   |
| Switched Common Transport per DA Access Service per call per mile  | \$.0000186   |
| Access Tandem Switching per DA Access Service per call   | \$.0019152   |
| DA Interconnection, per DA Access Service Call   | \$0.00269  |
| Directory Transport-Installation NRC, per trunk or signaling connection  |  |
| NRC - 1 <sup>st</sup>  | \$204.23   |
| NRC - Add'I  | \$4.42   |
| NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup>  | \$44.22  |
| NRC-incremental Cost-Manual Svc Order-Add'l  | NA   |
| NRC - Disconnect Chg - 1st   | NA   |
| NRC - Disconnect Chg - Add'l   | NA   |
| Directory Assistance Database Service (DADS)   |  |
| Directory Assistance Database Service cost per listing   | \$.0445  |
| Directory Assistance Database Service, per month   | \$95.50  |
| Direct Access to Directory Assistance (DADAS)  |  |
| Direct Access to Directory Assistance Service, per month   | \$5254.00  |
| Direct Access to Directory Assistance Service, per query   | \$.0469016   |
|  | \$788.24   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC   | 3700.24  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC   | NA NA  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC-Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  |  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF   | NA<br>NA   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths  | NA   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths   | NA<br>NA   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path   | NA<br>NA<br>NA<br>NA<br>\$2.03   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path  | NA<br>NA<br>NA<br>S2.03<br>\$2.03  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per number ported (Residence Line), each path RCF, per number ported (Residence Line), each path  | NA<br>NA<br>NA<br>NA<br>\$2.03   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path   | NA<br>NA<br>NA<br>NA<br>\$2.03<br>\$2.03<br>NA   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path  | NA<br>NA<br>NA<br>NA<br>\$2.03<br>\$2.03<br>NA<br>\$.51  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path   | NA<br>NA<br>NA<br>S2.03<br>\$2.03<br>NA<br>\$.51   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA<br>S2.03<br>S2.03<br>NA<br>S.51<br>NA<br>S.2836                                     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st   | NA<br>NA<br>NA<br>S2.03<br>\$2.03<br>NA<br>\$.51<br>NA<br>\$.2836<br>\$2.10                        |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l   | NA<br>NA<br>NA<br>S2.03<br>\$2.03<br>NA<br>\$.51<br>NA<br>\$.2836<br>\$2.10                        |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per number ported (Residence Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l  | NA<br>NA<br>NA<br>NA<br>\$2.03<br>\$2.03<br>NA<br>\$.51<br>NA<br>\$.2836<br>\$2.10<br>\$2.10       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per number ported (Residence Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l  | NA<br>NA<br>NA<br>S2.03<br>\$2.03<br>NA<br>\$.51<br>NA<br>\$.2836<br>\$2.10                        |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order   | NA<br>NA<br>NA<br>NA<br>S2.03<br>S2.03<br>NA<br>S.51<br>NA<br>S.2836<br>S2.10<br>S2.10<br>NA<br>NA |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC- Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order NRC - 1st  | NA<br>NA<br>NA<br>S2.03<br>S2.03<br>NA<br>S.51<br>NA<br>S.2836<br>S2.10<br>S2.10<br>NA             |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC-Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - 1st NRC - 1st NRC - 3dd'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l  | NA NA NA NA S2.03 S2.03 NA S.51 NA S.2836 S2.10 S2.10 NA NA NA NA                                  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC-Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per sumber ported (Residence Line), each path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  | NA NA NA NA S2.03 S2.03 NA S.51 NA S.2836 S2.10 S2.10 NA NA NA NA                                  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC-Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order NRC - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID  | NA NA NA NA S2.03 S2.03 NA S.51 NA S.2836 S2.10 S2.10 NA NA NA NA                                  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC-Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID DID per number ported, Residence - NRC  | NA NA NA S2.03 S2.03 NA S.51 NA S.2836 S2.10 S2.10 NA          |
| Direct Access to Directory Assistance Service, svc estab chg-NRC NRC-Incremental Cost-Manual Svc Order-1 <sup>st</sup> Direct Access to Directory Assistance Service, svc estab chg-NRC-Disconnect  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line) NRC NRC - Disconnect Chg RCF, add'l capacity for simultaneous call forwarding, per additional path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Disconnect - 1st RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st  | NA NA NA S2.03 S2.03 NA S.51 NA S.2836 S2.10 S2.10 NA S.93              |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

Attachment 11 Exhibit 3-GA Page 16

### PAGE 237 · ATTACHMENT A

| DID per service order, per location - NRC - 1st >                                 | \$2.10      |
|---|-------------|
| DID per service order, per location - NRC - Add'I                                 | \$2.10      |
| NRC- Incremental Cost-Manual Svc Order  | \$18.94     |
| DID per service order, per location - NRC - Disconnect - 1st                      | NA          |
| DID per service order, per location - NRC - Disconnect - Add'I                    | NA .        |
| DID, per trunk termination, Initial   | \$10.73     |
| DID, per trunk termination, Initial - NRC   | \$135.47    |
| DID, per trunk termination, Initial - Disconnect                                  | NA          |
| DID, per trunk termination, Subsequent  | \$10.73     |
| DID, per trunk termination, Subsequent - NRC                                      | \$39.53     |
| DID, per trunk termination, Subsequent - Disconnect                               | NA NA       |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                  | NA NA       |
| NRC - 1st   | \$18.94     |
| NRC - Add'I   | \$18.94     |
| NRC - Disconnect Chg - 1st  | NA NA       |
|   | NA NA       |
| NRC - Disconnect Chg - Add'l ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF         |             |
|   |             |
| WAY (8)   | NA.         |
| Access to Poles, per pole, per foot, per year                                     | NA NA       |
| Access to Conduits, per foot, per year  | NA<br>NA    |
| Access to innerduct, per foot, per year   | NA          |
| AIN   |             |
| AIN Related Services with mediation, per query                                    | NA          |
| AIN, per message  | NA          |
| AIN - BellSouth AIN SMS Access Service  | 200.05      |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC                     | \$90.25     |
| NRC-incremental Cost-Manual Svc Order   | NA          |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -                   | NA          |
| Disconnect  | \$29.66     |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC                     | NA          |
| NRC-Incremental Cost-Manual Svc Cost  | NA NA       |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-                    | <b>'</b> '' |
| Disconnect AIN SMS Access Svc - Port Connection - ISDN Access - NRC               | \$29.66     |
| NRC-Incremental Cost-Manual Svc Cost  | NA          |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC -                        | NA NA       |
|   |             |
| Disconnect AIN SMS Access Svc - User ID Codes - per User ID Code - NRC            | \$84.43     |
| NRC-incremental Cost-Manual Svc Cost  | NA NA       |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC -                     | NA NA       |
| Disconnect  |             |
| AIN SMS Access Svc - Security Card per User ID Code, initial or                   | \$35.44     |
| replacement-NRC   |             |
| NRC-Incremental Cost-Manual Svc Cost  | NA          |
| AIN SMS Access Svc - Security Card per User ID Code, initial or                   | NA          |
|   |             |
| replacement-NRC - Disconnect  | \$.0023     |
| replacement-NRC - Disconnect  AIN SMS Access Service - Storage, per unit (100 Kb) |             |
| AIN SMS Access Service - Storage, per unit (100 Kb)                               | \$.0795604  |
|   |             |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 238 ATTACHMENT A

| AIN, Service Creation Tools  | NA .       |
|--|------------|
| Service Establishment Charge, per state, initial setup - NRC                 | \$86.74    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Service Establishment Charge, per state, initial setup - NRC - Disconnect    | NA .       |
| Training Session, per customer - NRC   | \$8,348.00 |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Trigger Access Charge, per trigger, per DN, Te Attempt - NRC                 | \$19.13    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC - Disconnect | NA         |
| Trigger Access Charge, per trigger per DN. Off-Hook Delay - NRC              | \$114.80   |
| NRC-incremental Cost-Manual Svc Cost   | NA .       |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC - Disconnect | NA         |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC         | \$19.13    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - Disconnect  | NA         |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC              | \$70.06    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect       | NA         |
| Trigger Access Charge, per trigger, per DN, CDP - NRC                        | \$70.06    |
| NRC-incremental Cost-Manual Svc Cost   | NA         |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect                 | NA         |
| Trigger Access Charge, per trigger, per DN, Feature Code - NRC               | \$70.06    |
| NRC-incremental Cost-Manual Svc Cost   | NA         |
| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect        | NA         |
| Query Charge, per query  | \$ 0209223 |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query        | \$.0053137 |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb                          | \$1.46     |
| Monthly report - per AIN Toolkit Service Subscription                        | \$15.96    |
| Monthly report - per AIN Toolkit Service Subscription - NRC                  | \$22.64    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect     | NA         |
| Special Study - Per AIN Toolkit Service Subscription                         | \$.0861109 |
| Special Study - Per AIN Toolkit Service Subscription - NRC                   | \$22.64    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription                     | \$15.87    |
| Call Event Report - per AIN Toolkit Service Subscription - NRC               | \$22.64    |
| NRC-Incremental Cost-Manual Svc Cost   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC - Disconnect  | NA<br>·    |
| Call Event special Study - per AIN Toolkit Service Subscription              | \$.0028704 |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC        | \$22.64    |
| NRC-incremental Cost-Manual Svc Cost   | NA         |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE<br>OWNER                        |            |
| CNAM, Per Query  | NA         |
| DARK FIBER   |            |
| Per each four-fiber dry fiber arrangement, NRC 1 <sup>st</sup>               | \$1,355.29 |
| Per each four-fiber dry fiber arrangement, NRC Add'I                         | \$273.69   |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 239
ATTACHMENT A

| NRC-Incremental Cost-Manual Svc Order-1*  | NA         |
|---|------------|
| NRC-Incremental Cost-Manual Svc Order-Add'l   | NA         |
| Per each fiber strand per route mile or fraction thereof, per month   | NA         |
| Per four fiber strands,per route mile or fraction thereof, per month  | \$44.22    |
| Per four fiber strands, per route foot or fraction thereof, per month   | \$0.008375 |
| SELECTIVE ROUTING   | Anthra     |
| Per Line or PBX Trunk, each   | NA         |
| Per Line or PBX Trunk, NRC  | NA .       |
| Customized routing per unique line class code, per request, per switch  |            |
| NRC   | \$180.62   |
| NRC-Incremental Cost-Manual Svc Order   | \$18.94    |
| Note(s): (1) In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the appropriate tariff applies. (2) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. (3) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request Process. (4) This rate element is for those states which have a specific rate for User Profile per B Channel. (5) This rate element is for use in those states with a different rate for additional minutes of use. (6) This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features. (7) This charge is only applicable where signaling usage measurement or billing capability does not exist. (8) Rates for access to Poles, Ducts, Conduits and Rights-of-Way are negotiated with BellSouth's competitive Structure Provisioning Center. |            |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 240
ATTACHMENT A

Attachment 11 Exhibit 4

Kentucky

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 241

ATTACHMENT A

Attachment 11 Exhibit 4-KY Page 1

#### **KENTUCKY**

#### PRICING

#### General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and Kentucky Public Service Commission.

#### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Kentucky.

Residential Service

16.79%

**Business Service:** 

15.54%

#### Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

### 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 242

ATTACHMENT A

Attachment 11 Exhibit 4-KY Page 2

#### 6. Dark Fiber

The prices for Dark Fiber are set forth in Table 1.

#### 7. Local Number Portability

The prices for interim number portability are set forth in Table 1.

#### 8. Recorded Usage Data

The prices for recorded usage data are set forth in Table 1.

#### 9. Electronic Interfaces

All costs incurred by BellSouth to implement operational interfaces shall be recovered from the CLECs on a fairly apportioned basis. If there is disagreement between the Parties regarding cost recovery issues, an affected party may petition the Kentucky Public Service Commission to initiate a separate hearing to address the matter.

#### 10. Operational Support Systems (OSS) Rates

|          | OPERATIONAL SL   | JPPORT SYSTEM                     | AS (OSS) RATES   | <u>3</u>                             |
|----------|--|-----------------------------------|------------------|--------------------------------------|
|          | Interactive Ordering and Trouble<br>Maintenance System |                                   |                  | er Charge<br>ser account)            |
|          | Non-Recurring<br>Establishment<br>Charge               | Recurring<br>Charge,<br>per month | Charge per order | Surcharge for manually placed orders |
| KENTUCKY | \$100.00   | \$50.00                           | \$10.80          | \$22.00                              |

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 243 . ATT

ATTACHMENT A Attachment 11
Exhibit 4-KY
Page 3

TABLE 1

### BELLSOUTH/CLEC RATES - KENTUCKY UNBUNDLED NETWORK ELEMENTS

| NIDs .  |        |
|---|--------|
| NRC - NID per 2-Wire Loops-Manual Svc Order-1st                           | NA     |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Add'l                         | NA     |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Disconnect                    | NA     |
| NRC - NID per 4-Wire LoopsManual Svc Order1st                             | NA     |
| NRC - NID per 4-Wire LoopsManual Svc OrderAdd'l                           | NA     |
| NRC - NID per 4-Wire Loops—Manual Svc OrderDisconnect                     | NA     |
| NID (all types), per month  | \$1.80 |
| NID per 2-Wire Analog VG Loop, Per Month                                  | NA     |
| NRC - 1 <sup>st</sup>   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire Analog VG Loop, Per Month                                  | NA     |
| NRC - 1"  | NA NA  |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA NA  |
| NRC - Disconnect Chg - 1st  | NA NA  |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                            | NA NA  |
| NRC - 1 <sup>st</sup>   | NA NA  |
| NRC - Add'I   | NA NA  |
| NRC - Add I<br>NRC - Disconnect Chg - 1st                                 | NA NA  |
| NRC - Disconnect Chg - 1st  | NA NA  |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per          | NA NA  |
| lo.   |        |
| NRC - 1*  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop              | NA     |
| NRC - 1ª  | NA     |
| NRC - Add1  | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop              | NA     |
| NRC - 1*  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                               | NA     |
| NRC - 1".   | NA     |
|   | NA     |
| NRC - Add'l   | NA     |
| NRC - Add'I   |        |
| NRC - Add'I<br>NRC - Disconnect Chg - 1st<br>NRC - Disconnect Chg - Add'I | NA     |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 244 ATTACHMENT A

| LOOP, EXCLUDING NID   |          |
|---|----------|
| 2-Wire Analog VG Loop (Standard), per month                 | \$18.20  |
| NRC - 1"  | \$86.08  |
| NRC - Add'I   | \$58.57  |
| 2-Wire Analog VG Loop (Customized), per month               | \$21.41  |
| NRC - 1ª  | \$236.75 |
| NRC - Add'I   | \$177.10 |
| 4-Wire Analog VG Loop (Standard), per month                 | \$26.38  |
| NRC - 1 <sup>st</sup>                                       | \$457.14 |
| NRC - Add'I   | \$348.83 |
| 2-Wire ISDN Digital Grade Loop (Standard), per month        | \$29.65  |
| NRC - 1"  | \$541.28 |
| NRC - Add'I   | \$431.61 |
| 2-Wire ADSL Loop (Standard), per month                      | \$10.63  |
| NRC - 1 <sup>M</sup>  | \$713.50 |
| NRC - Add'I   | \$609.44 |
| 2-Wire HDSL Loop (Standard), per month                      | \$7.40   |
| NRC - 1 <sup>M</sup>  | \$713.50 |
| NRC - Add'I   | \$609.44 |
| 4-Wire HDSL Loop (Standard), per month                      | \$9.70   |
| NRC - 1 <sup>M</sup>  | \$748.93 |
| NRC - Add'I   | \$646.17 |
| LOOP, INCLUDING NID   |          |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-1st    | NA       |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc OrderAdd'l   | NA       |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—       | NA       |
| Disconnect  |          |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  | NA       |
| Order1 <sup>st</sup>  |          |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  | NA       |
| OrderAdd'l  |          |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc | NA       |
| Order—Disconnect  |          |
| 2-Wire Analog VG Loop, per month                            | NA       |
| NRC - 1#  | NA       |
| NRC - Add'I   | NA       |
| 2-Wire Analog VG Loop-SL1, per month                        | NA       |
| NRC - 1*  | NA       |
| NRC - Add'l   | NA .     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                      | NA .     |
| NRC - Disconnect Chg - Add'l                                | NA       |
| NRC - Order Coordination for Specified Conversion Time      | ŊA       |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord                | NA       |
| NRC - 1 <sup>st</sup>                                       | NA       |
| NRC - Add'l   | NA       |
| NRC - Disconnect Chg - 1st                                  | NA       |
| NRC - Disconnect Chg - Add'l                                | NA       |
| 2-Wire Analog VG Loop-\$L2, per month                       | NA       |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA .     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                      | NA .     |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 245

### ATTACHMENT A

| NRC - Disconnect Chg - Add'l   | NA .     |
|--|----------|
| NRC - Order Coordination for Specified Conversion Time                     | NA .     |
| 2-Wire Analog VG Loop (Standard), per month                                | \$20.00  |
| NRC - 1"   | \$86.08  |
| NRC - Add'I  | \$58.57  |
| 2-Wire Analog VG Loop (Customized), per month                              | \$23.35  |
| NRC - 1"   | \$236.75 |
| NRC - Add'I  | \$177.10 |
| 4-Wire Analog VG Loop, per month   | NA       |
| NRC - 1*   | NA       |
| NRC - Add'I  | NA       |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA       |
| NRC - Disconnect Chg - Add'l   | NA       |
| NRC - Order Coordination for Specified Conversion Time                     | NA .     |
| 4-Wire Analog VG Loop (Standard), per month                                | \$28.28  |
| NRC - 1 <sup>M</sup>   | \$457.14 |
| NRC - Add'I  | \$348.83 |
| 2-Wire ISDN Digital Grade Loop, per month                                  | NA NA    |
| NRC - 1 <sup>st</sup>  | NA NA    |
| NRC - Add'I  | NA NA    |
| NRC - Disconnect Chg - 1st   | NA NA    |
| NRC - Disconnect Chg - Add'l   | NA NA    |
| NRC - Order Coordination for Specified Conversion Time                     | NA NA    |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                       | \$31.99  |
| NRC - 1"   | \$541.28 |
| NRC - Add'I  | \$431.61 |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible                  | NA NA    |
| Loop, per month  |          |
| NRC - 1"   | NA       |
| NRC - Add'I  | NA       |
| NRC - Disconnect Chg - 1st   | NA       |
| NRC - Disconnect Chg - Add'l   | NA       |
| NRC - Order Coordination for Silecified Conversion Time                    | NA       |
| 2-Wire ADSL Loop (Standard), per month                                     | \$11.89  |
| NRC - 1"   | \$713.50 |
| NRC - Add'I  | \$609.44 |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop,<br>per month     | NA .     |
| NRC - 1ª   | NA .     |
| NRC - Add'I  | NA .     |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | NA .     |
| NRC - 1"   | NA .     |
| NRC - Add'I  | NA .     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA NA    |
| NRC - Disconnect Chg - Add'l   | NA NA    |
| NRC - Order Coordination for Specified Conversion Time                     | NA NA    |
| 2-Wire HDSL Loop (Standard), per month                                     | \$8.51   |
| NRC - 1 <sup>st</sup>  | \$713.50 |
| NRC - Add'I  | \$609.44 |
| 4-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible                 | NA NA    |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 246 ATTACHMENT A

| Loop, per month   |  |
|---|--|
| NRC - 1"  | NA   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1st  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Order Coordination for Specified Conversion Time  | NA   |
| 4-Wire HDSL Loop (Standard), per month  | \$10.39  |
| NRC - 1"  | \$748.93   |
| NRC - Add'I   | \$646.17   |
| 4-Wire DS1 Digital Loop, per month  | \$67.96  |
| NRC - 1"  | \$849.80   |
| NRC - Add'I   | \$523.27   |
| NRC - Disconnect Chg - 1st  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Incremental Cost-Manual Svc Order-1st   | NA   |
| NRC - Incremental CostManual Svc Order-Addl   | NA   |
| NRC - Incremental CostManual Svc Order-Disconnect   | NA   |
| NRC - Order Coordination for Specified Conversion Time  | NA   |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month  | NA   |
| NRC - 1"  | NA   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1st  | NA NA  |
| NRC - Disconnect Chg - Add'I  | NA   |
| NRC - Order Coordination for Specified Conversion Time  | NA   |
|   | NA.  |
|   |  |
| B-LOOPS   |  |
| B-LOOPS<br>o-Loop 2-Wire Analog<br>Loop Feeder per 2-Wire Analog VG Loop, per month   | NA NA  |
| B-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup>   | NA<br>NA   |
| B-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'l   | NA<br>NA<br>NA   |
| IB-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st   | NA<br>NA<br>NA   |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1"  NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  | NA<br>NA<br>NA<br>NA   |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  | NA<br>NA<br>NA<br>NA<br>NA   |
| JB-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID),  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S10.83   |
| B-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>th</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID),   | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83   |
| B-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89   |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1"  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  NRC - 1"  NRC - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83   |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1"  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), Deer month  NRC - 1"  NRC - Add'l  NRC - Disconnect Chg - 1"  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89   |
| B-LOOPS D-Loop 2-Wire Analog D-Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Doop Distribution per 2-Wire Analog VG Loop (Including NID), Der month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89   |
| JB-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),   | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89<br>NA   |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month   | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>S459.85<br>S352.89<br>NA<br>NA   |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>S459.85<br>S352.89<br>NA<br>NA<br>NA<br>S9.95<br>S459.85                                   |
| JB-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1st NRC - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>S459.85<br>S352.89<br>NA<br>NA<br>S9.95<br>S459.85<br>S352.89                              |
| B-LOOPS D-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - Add'l Unbundled Network Terminating Wire | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89<br>NA<br>NA<br>S9.95<br>S459.85<br>\$352.89<br>BFR                    |
| NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month  NRC - 1st  NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1st  NRC - Add'I  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO)* per month  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89<br>NA<br>NA<br>NA<br>S9.95<br>S459.85<br>\$352.89<br>BFR<br>\$263.06  |
| JB-LOOPS b-Loop 2-Wire Analog Loop Feeder per 2-Wire Analog VG Loop, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'l Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO) <sup>st</sup> per month NRC - 1 <sup>st</sup>     | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89<br>NA<br>NA<br>NA<br>S9.95<br>\$459.85<br>\$352.89<br>BFR<br>\$263.06 |
| B-LOOPS D-Loop 2-Wire Analog Doop Feeder per 2-Wire Analog VG Loop, per month  NRC - 1 <sup>th</sup> NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Order Coordination for Specified Conversion Time Doop Distribution per 2-Wire Analog VG Loop (Including NID), Der month  NRC - 1 <sup>th</sup> NRC - Add'I  NRC - Disconnect Chg - 1 <sup>th</sup> NRC - Disconnect Chg - Add'I  NRC - Disconnect Chg - Add'I  NRC - Order Coordination for Specified Conversion Time Doop Distribution per 2-Wire Analog VG Loop (Excluding NID), Der month  NRC - 1 <sup>th</sup> NRC - Add'I  Unbundled Network Terminating Wire Doop Concentration - Channelization Sys (Outside CO) <sup>th</sup> Der month                  | NA<br>NA<br>NA<br>NA<br>NA<br>S10.83<br>\$459.85<br>\$352.89<br>NA<br>NA<br>NA<br>S9.95<br>S459.85<br>\$352.89<br>BFR<br>\$263.06  |

## ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 247 ATTACHMENT A

| NRC - Disconnect Chg - Add'l  | NA NA              |
|---|--------------------|
| NRC - Incremental Cost-Manual Svc Order - 1 <sup>st</sup>   | NA                 |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA                 |
| NRC - Incremental CostManual Svc Order - Disconnect   | NA                 |
| Working Plug-In 2-Wire, NRC 1 <sup>st</sup>   | \$23.30            |
| Working Plug-In 2-Wire, NRC Add'I   | \$23.25            |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)   | ICB                |
| Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside CO), per month   | NA .               |
| NRC - 1"  | NA NA              |
| NRC - Add'l   | NA NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .               |
| NRC - Disconnect Chg - Add'I  | NA NA              |
| Loop Channelization System (Inside C.O.)  |                    |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG), per month   | \$429.33           |
| NRC - 1 <sup>st</sup>   | \$664.06           |
| NRC - Add'I   | \$166.55           |
| NRC - Add 1<br>NRC - Disconnect Chg - 1st   | NA NA              |
| NRC - Disconnect Chg - 1st<br>NRC - Disconnect Chg - Add'l  | NA .               |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA NA              |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA NA              |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA NA              |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month   | \$1.26             |
| NRC - 1 <sup>st</sup>   | \$46.68            |
|   | \$46.38            |
| NRC - Add'I<br>NRC - Disconnect Chg - 1st   | NA NA              |
| NRC - Disconnect Chg - 1st<br>NRC - Disconnect Chg - Add'l  | NA NA              |
| MICH DISCORDER COM EVOLUTION CONTINUE (BORTS)   |                    |
| INBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  | \$2.61             |
| 2-Wire Analog Line Port (Res., Bus.), per month   | NA                 |
| NRC - 1st (all types)   | NA NA              |
| NRC - Add'l (all types)   |                    |
| NRC - 1 <sup>st</sup> (Residence)   | \$37.78<br>\$37.78 |
| NRC - Add'I (Residence)   | \$37.55            |
| NRC - 1 <sup>st</sup> (Business)  |                    |
| NRC - Add'I (Business)  | \$37.55            |
| NRC - 1 <sup>st</sup> (PBX)   | \$36.47            |
| NRC - Add'I (PBX)   | \$36.47            |
| NRC - Disconnect Chg - 1st  | NA .               |
| NRC - Disconnect Chg - Add'l  | NA                 |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA NA              |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA<br>NA           |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | I NA               |
| 4-Wire Analog VG Port, per month  | NA<br>NA           |
| NRC - 1"  | NA NA              |
| NRC - Add'I   | NA .               |
| NRC - Disconnect Chg - 1st  | NA .               |
| NRC - Disconnect Chg - Add'l  | NA<br>NA           |
|   |                    |
| NRC - Incremental CostManual Svc Order - 1st  |                    |
| NRC - Incremental CostManual Svc Order - 1st NRC - Incremental CostManual Svc Order - Add'I NRC - Incremental CostManual Svc Order - Disconnect | NA NA              |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 248 ATTACHMENT A

Attachment 11 Exhibit 4-KY Page 8

#### 2-Wire DID Port, per month . NA NRC - 1" NA NRC - Add'I NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'l NA NRC - Incremental Cost-Manual Svc Order - 1st NA NRC - Incremental Cost-Manual Svc Order - Add'l NA NRC - Incremental Cost-Manual Svc Order - Disconnect NA NA 4-Wire DID Port, per month NA NRC - 1ª NA NRC - Add'I NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'I NRC - Incremental Cost--Manual Svc Order - 1st NA NRC - Incremental Cost-Manual Svc Order - Add'I NA NA NRC - Incremental Cost-Manual Svc Order - Disconnect NA 4-Wire DS1 Port w/DID capability, per month NA NRC - 1" NA NRC - Add'I \$12.33 2-Wire ISDN Port(2) (3), per month \$90.48 NRC - 1\* \$84.53 NRC - Add'I NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'l NRC - Incremental Cost--Manual Svc Order - 1st NA NA NRC - Incremental Cost-Manual Svc Order - Add'l NRC - Incremental Cost-Manual Svc Order-Disconnect 1st NA NA NRC - Incremental Cost-Manual Svc Order-Disconnect Addl \$5.61 NRC - User Profile per B Channel (4) NA 4-Wire ISDN Port, per month NA NRC - 1" NA NRC - Add'I NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'I NA NRC - Incremental Cost-Manual Svc Order - 1st NRC - Incremental Cost-Manual Svc Order - Add'I NA NRC - Incremental Cost-Manual Svc Order-Disconnect 1st NA NA NRC - Incremental Cost-Manual Svc Order-Disconnect Addl \$275.48 4-Wire ISDN DS1 Port, per month \$181.27 NRC - 1" \$116.42 NRC - Add'I NA NRC - Disconnect Chg - 1st NA NRC - Disconnect Chg - Add'l NA NRC - Incremental Cost-Manual Svc Order - 1st NRC - Incremental Cost-Manual Svc Order - Add'l NA NA NRC - Incremental Cost-Manual Svc Order-Disconnectal st NRC - Incremental Cost-Manual Svc Order-Disconnect Addl NA 2-Wire Analog Line Port (PBX), per month NA NA NRC - 1ª NA NRC - Add'I NA NRC - Disconnect Chg - 1st

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 249 ATTACHMENT A

| NRC - Disconnect Chg - Add'I ➤   | NA                      |
|--|-------------------------|
| NRC - Incremental Cost-Manual Svc Order - 1st                                    | NA                      |
| NRC - Incremental Cost-Manual Svc Order - Add'l                                  | NA                      |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                               | NA                      |
| 2-Wire Analog Hunting, per line per month  | \$0.29                  |
| NRC - 1 <sup>M</sup>   | \$2.14                  |
| NRC - Add'I  | \$2.14                  |
| Coin Port, per month   | \$3.04                  |
| NRC - 1 <sup>M</sup>   | \$40.71                 |
| NRC - Add'I  | \$40.71                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA                      |
| NRC - Disconnect Chg - Add'l   | NA                      |
| NRC - Incremental Cost-Manual Svc Order - 1st                                    | NA                      |
| NRC - Incremental Cost-Manual Svc Order - Add'l                                  | NA                      |
| NRC - Incremental CostManual Svc Order-Disconnect                                | NA                      |
| Vertical Features  |                         |
| Local Switching Features offered with Port, Per month                            | No add'I charge         |
| Subsequent Order Charge—Electronic   | NA                      |
| Subsequent Order ChargeIncremental CostManual Svc Order                          | NA                      |
| Unbundled End Office Switching (Port Usage)                                      |                         |
| End Office Switching Function, per mou   | \$0.002562              |
| End Office Switching Function, add'l mou (5)                                     | NA                      |
| End Office Interoffice Trunk Port—Shared, per mou                                | NA                      |
| Unbundled Tandem Switching (Port Usage) (Local or Access                         |                         |
| Tandem)  |                         |
| Tandem Switching Function per mou  | \$0.001096              |
| Tandem Interoffice Trunk Port-Shared per mou                                     | NA                      |
| Tandem Intermediary Charge, per mou (This charge is applicable only to           | \$0.001096              |
| intermediary traffic and is applied in addition to applicable switching          |                         |
| and/or interconnection charges.)   |                         |
| UNBUNDLED TRANSPORT  |                         |
| Common (Shared) Transport  |                         |
| Common (Shared) Transport per mile per mou                                       | \$0.0000049             |
| Common (Shared) Transport Facilities Termination per mou                         | \$0.000426              |
| Common (Shared) Transport Trunk Installation, per trunk, NRC                     | BST State Access Tariff |
| Interoffice Transport - Dedicated - VG   |                         |
| Interoffice Transport - Dedicated - 2-Wire VG - per mile                         | NA                      |
| Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month | NA                      |
| NRC - 1 <sup>st</sup>  | NA                      |
| NRC - Add'I  | NA .                    |
| NRC - Disconnect Chg - 1st   | ÑA                      |
| NRC - Disconnect Chg - Add'l   | NA                      |
| NRC - Incremental Cost-Manual Svc Order - 1st                                    | NA                      |
| NRC - Incremental Cost-Manual Svc Order - Add'l                                  | NA                      |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                           | NA                      |
| NRC - Incremental CostManual Svc Order-Disconnect-Addl                           | NA                      |
| Interoffice Transport - Dedicated - DS0 - 56/64 KBPS                             |                         |
| Interoffice Transport - Dedicated - DS0 - per mile per month                     | NA                      |
| Interoffice Transport - Dedicated - DS0 - facilities termination per month       | NA                      |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 250 ATTACHMENT A

| NRC - 1"   | NA                    |
|--|-----------------------|
| NRC - Add'I  | NA                    |
| NRC - Disconnect Chg - 1st   | NA                    |
| NRC - Disconnect Chg - Add'l   | NA                    |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA .                  |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA                    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect1st                      | NA                    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl                    | NA .                  |
| Interoffice Transport - Dedicated - DS1                                    |                       |
| Interoffice Transport - Dedicated - DS1 - per mile per month               | \$0.45                |
| Interoffice Transport - Dedicated - DS1 - per fille per month              | \$55.05               |
|  | \$298.18              |
| NRC - 1 <sup>st</sup>  | \$231.23              |
| NRC - Add'I  | NA NA                 |
| NRC - Disconnect Chg - 1st   | NA NA                 |
| NRC - Disconnect Chg - Add'l   |                       |
| NRC - Incremental CostManual Svc Order - 1st                               | NA NA                 |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA                    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA                    |
| NRC - Incremental CostManual Svc Order-DisconnectAddl                      | NA                    |
| nteroffice Transport - Dedicated - DS3                                     |                       |
| nteroffice Transport - Dedicated - DS3 - per mile per month                | NA                    |
| interoffice Transport - Dedicated - DS3 - facilities termination per month | NA .                  |
| NRC - 1 <sup>M</sup>   | NA                    |
| NRC - Add'l  | NA .                  |
| Digital Cross Connects (3/3, 3/1, 1/0)                                     | NA .                  |
| Unbundled Exchange Access IOC  |                       |
| 0-8 Miles, Fixed per month   | \$16.14               |
| Per mile per month   | \$0.0301              |
| NRC 1st  | \$181.93              |
| NRC Add'I  | \$75.56               |
| 9-25 Miles, Fixed per month  | \$17.18               |
| Per mile per month   | \$0.0726              |
| NRC 1st  | \$181.93              |
| NRC Add'I  | \$75.56               |
| Over 25 Miles, Fixed per month   | \$18.41               |
| Per mile per month   | \$0.0831              |
| NRC 1st  | \$181.93              |
| NRC Add'I  | \$75.56               |
| Local Channel - Dedicated  | THE PERSON OF SERVICE |
| Local Channel - Dedicated - 2-Wire VG                                      | NA .                  |
| NRC · 1 <sup>st</sup>  | NA                    |
| NRC - Add'I  | M                     |
| NRC - Disconnect Chg - 1st   | NA .                  |
| NRC - Disconnect Chg - Add'l   | NA .                  |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA                    |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA                    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                         | NA                    |
| Local Channel - Dedicated - 4-Wire VG                                      | NA                    |
| NRC - 1"   | NA                    |
| NRC - Add'I  | NA                    |
| NRC - Disconnect Chg - 1st   | NA .                  |

### ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

PAGE 251 ATTACHMENT A

| NRC - Disconnect Chg - Add'l  | NA   |
|---|--|
| NRC - Incremental CostManual Svc Order - 1st  | NA   |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA   |
| Local Channel - Dedicated - DS1   | NA   |
| NRC - 1 <sup>st</sup>   | NA   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1st  | NA .   |
| NRC - Disconnect Chg - Add'I  | NA   |
| NRC - Incremental Cost-Manual Svc Order   | NA   |
| NRC - Incremental CostManual Svc Order-Disconnect   | NA   |
| VIRTUAL COLLOCATION   |  |
| Virtual Collocation   | Tariff Rates   |
| OCAL USAGE  |  |
| Intraoffice per mou   | NA   |
| Interoffice per mou (assumes 5 miles of transport)  | NA   |
| OCAL INTERCONNECTION  |  |
| CALL TRANSPORT AND TERMINATION)   | 1000   |
| End Office Interconnection/Switching, per mou   | \$0.002562   |
| Tandem Interconnection/Switching, per mou   | \$0.001096   |
| Tandem Interconnection (assumes 5 miles of transport per mou)   | NA   |
| Transport   | Network element  |
|   | prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport   | NA   |
| Combined Tandem Switch Interconnection  | NA   |
| Multi-tandem Interconnection  | NA   |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | \$0.001096   |
| 300 ACCESS TEN DIGIT SCREENING SERVICE  |  |
| 100 Access Ten Digit Screening (all types), per call (6)  | NA   |
| 00 Access Ten Digit Screening Svc. W/800 No. Delivery, per query  | \$0.0010   |
| 000 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per query   | \$0.0011   |
| 100 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  | \$0.0010   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional   | \$0.0011   |
| Complex Features, per query   | NA   |
| 100 Access Ten Digit Screening Svc. W/800 No. Delivery, per message   | NA<br>NA   |
| 00 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 lumbers, w/Optional Complex Features, per message  |  |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per nessage  | NA   |
| 100 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   | NA   |
| Reservation Charge per 800 number reserved—NRC - 1st  | \$10.05  |
| Reservation Charge per 800 number reserved—NRC - Add'I  | \$1.19   |
| TASARVATION CONTRACTOR DAY MUU NUMBER PRESERVACIO**PRESS * ACICLI   |  |

### ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP

PAGE 252

ATTACHMENT A

| NRC - 1"  | \$30.59                |
|---|------------------------|
| NRC - Add'I   | \$3.22                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                     |
| NRC - Disconnect Chg - Add'l  | NA                     |
| Per 800 # Established with POTS Translations                                      |                        |
| NRC - 1 <sup>st</sup>   | \$30.59                |
| NRC - Add'l   | \$3.22                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                     |
| NRC - Disconnect Chg - Add'l  | NA                     |
| Customized Area of Service per 800 Number   |                        |
| NRC - 1 <sup>st</sup>   | \$6.97                 |
| NRC - Add'I   | \$3.49                 |
| NRC - Add I   |                        |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #               | 49.400                 |
| NRC - 1 <sup>st</sup>   | \$8.16                 |
|   | \$4.67                 |
| NRC - Add'I   |                        |
| Change Charge per request  NRC - 1 <sup>th</sup>                                  | \$11.24                |
| NRC - Add'I   | \$1.19                 |
| Call Handling and Destination Features - NRC                                      | \$6.97                 |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order                       | NA NA                  |
| Per 800 # Est'd w/o POTS Transi-Incrm Cost-Manual Svc Order                       |                        |
|   | NA NA                  |
| NRC   | NA NA                  |
| NRC - Disconnect Chg Per 800 # Est'd with POTS Transl-Incrm Cost Manual Svc Order |                        |
|   | NA                     |
| NRC   | NA .                   |
| NRC - Disconnect Chg  | NA NA                  |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC                                 |                        |
| LINE INFORMATION DATABASE ACCESS (LIDB)   | en 0000e               |
| LIDB Common Transport per query   | \$0.00006<br>\$0.00938 |
| LIDB Validation per query   |                        |
| LIDB Validation per message   | NA CAOT GO             |
| LIDB Originating Point Code Establishment or Change - NRC                         | \$107.60               |
| LIDB - Incremental Cost - Manual Svc Order - NRC                                  | NA                     |
| CCS7 SIGNALING TRANSPORT SERVICE  |                        |
| CCS7 Signaling Connection, per link (A link) per month                            | \$16.31                |
| NRC   | \$354.95               |
| NRC - Disconnect  | NA .                   |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month     | \$16.31                |
| NRC   | \$354.95               |
| NRC - Disconnect  | NA .                   |
| CCS7 Signaling Termination, per STP port per month                                | \$174.08               |
| CCS7 Signaling Usage, per ISUP message  | \$0.000037893          |
| CCS7 Signaling Usage, per TCAP message  | \$0.000102042          |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (4)                      | \$329.98               |
| CCS7 Signaling - Incremental Cost - Manual Svc Order                              |                        |
| NRC   | NA                     |
| NRC - Disconnect  | NA .                   |
| OPERATIONAL SUPPORT SYSTEMS   |                        |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 253 ATTACHMENT A

| OSS Interactive Ordering and Trouble Maint, Estab. Fer user per month            | \$50.00           |
|--|-------------------|
| NRC  | \$100.00          |
| OSS OLEC Daily Usage File: Recording, per message                                | \$0.0008611       |
| OSS OLEC Daily Usage File: Message Distribution, per message                     | \$0.0032357       |
| OSS Access Daily Usage File: Message Distribution, per message                   | \$0.004           |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape               | \$55.68           |
| provisioned OSS Access Daily Usage File: Message Distribution, per magnetic tape | \$54.95           |
| provisioned  | ********          |
| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), per message       | \$0.0000365       |
| OSS Access Daily Usage File: Data Transmission                                   | \$0.001           |
| (CONNECT:DIRECT), per message  |                   |
| OSS Order charge, per electronic order, per end user account                     | \$10.89           |
| Surcharge for manually placed orders, per end user account                       | \$22.00           |
| OPERATOR CALL PROCESSING   |                   |
| Oper. Provided Call Handling per min - Using BST LIDB                            | \$1.6016          |
| Call Completion Access Termination Charge per call attempt                       | NA                |
| Oper. Provided Call Handling per min - Using Foreign LIDB                        | \$1.6249          |
| Call Completion Access Termination Charge per call attempt                       | NA                |
| Operator Provided Call Handling, per call  | NA                |
| Fully Automated Call Handling per call - Using BST LIDB                          | \$0.0856          |
| Fully Automated Call Handling per call - Using Foreign LIDB                      | \$0.1071          |
| INWARD OPERATOR SERVICES   | The second second |
| Verification, per minute   | NA                |
| Verification and Emergency Interrupt, per minute                                 | NA                |
| Verification, per call   | \$1.00            |
| Verification and Emergency Interrupt, per call                                   | \$1.111           |
| DIDECTORY ACCIDIANCE REPVICES  |                   |
| DIRECTORY ASSISTANCE SERVICES  | \$0.058           |
| Directory Assist Call Completion Access Svc (DACC), per call attempt             | NA                |
| Call Completion Access Term charge per completed call                            | \$0.0086          |
| Number Services Intercept per query  | \$0.0055          |
| Number Services Intercept per Intercept Query Update                             | \$0.3136          |
| Directory Assistance Access Service Calls, per call                              | \$1,664.89        |
| Recording cost per announcement  | \$244.04          |
| Loading cost per audio unit  | 3244.04           |
| Directory Transport Directory Transport - Local Channel DS1, per month           | \$36.32           |
| NRC - 1 <sup>st</sup>  | \$637.46          |
| NRC - Add'I  | \$546.94          |
| NRC - Add1<br>NRC - Disconnect Chg - 1st   | NA NA             |
| NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l                         | NA NA             |
| NRC - Disconnect Cng - Add t<br>NRC - Incremental Cost-Manual Svc Order - NRC    | NA NA             |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect                         | NA NA             |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo            | \$0.45            |
| Directory Transport - Dedicated DS1 Level Interoffice per facility               | \$55.05           |
| termination per mo   |                   |
| rermination per mo   |                   |
| NRC - 1"   | \$298.18          |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 254 ATTACHMENT A

| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA   |
|---|--|
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Incremental Cost-Manual Svc Order - NRC-1*  | NA   |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'l   | NA   |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1st  | NA   |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-<br>Add'l  | NA .   |
| Switched Common Transport per DA Access Service per call  | \$0.000175                                   |
| Switched Common Transport per DA Access Service per call per mile   | \$0.000004                                   |
| Access Tandem Switching per DA Access Service per call  | \$0.000783                                   |
| DA Interconnection, per DA Access Service Call  | NA   |
| Directory Transport-Installation NRC, per trunk or signaling connection   |  |
| NRC - 1"  | \$501.98                                     |
| NRC - Add'I   | \$13.32                                      |
| NRC - Disconnect Chg - 1st  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| Directory Assistance Database Service (DADS)  |  |
| Directory Assistance Database Service cost per listing  | \$0.0193                                     |
| Directory Assistance Database Service, per month  | \$120.76                                     |
| Direct Access to Directory Assistance (DADAS)   |  |
| Direct Access to Directory Assistance Service, per month  | \$7,235.01                                   |
| Direct Access to Directory Assistance Service, per query  | \$0.0052                                     |
|   | \$1,186.94                                   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC  |  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct INTERIM SERVICE PROVIDER NUMBER PORTABILITY -   | NA NA  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF   | NA .   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF  RCF, per number ported (Business Line), 10 paths   | NA NA  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  | NA NA NA                                     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path   | NA<br>NA<br>NA                               |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path   | NA<br>NA<br>NA<br>NA                         |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path   | NA<br>NA<br>NA<br>NA<br>NA                   |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line)  | NA<br>NA<br>NA<br>NA                         |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg   | NA<br>NA<br>NA<br>NA<br>NA<br>NA             |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  | NA<br>NA<br>NA<br>NA<br>NA<br>NA             |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Res or Bus Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Res or Bus Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  | NA       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l   | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l  Svc Provider No. Portability - Incremental Cost-Manual Svc Order  NRC - 1 <sup>st</sup> NRC - Add'l   | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l  Svc Provider No. Portability - Incremental Cost-Manual Svc Order  NRC - 1 <sup>st</sup>   | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line)  NRC  NRC - Disconnect Chg  RCF, add'l capacity for simultaneous call forwarding, per additional path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l  Svc Provider No. Portability - Incremental Cost-Manual Svc Order  NRC - 1 <sup>st</sup> NRC - Add'l  | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - Add'l  Svc Provider No. Portability - Incremental Cost-Manual Svc Order  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  INTERIM SERVICE PROVIDER NUMBER PORTABILITY - | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l  Svc Provider No. Portability - Incremental Cost-Manual Svc Order  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  DID                            | NA N     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  RCF  RCF, per number ported (Business Line), 10 paths  RCF, per number ported (Residence Line), 6 paths  RCF, per number ported (Business Line), each path  RCF, per number ported (Residence Line), each path  RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l  RCF, per service order, per location - NRC - Disconnect - 1st  RCF, per service order, per location - NRC - Disconnect - Add'l  Svc Provider No. Portability - Incremental Cost-Manual Svc Order  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  DID per number ported, Residence - NRC  | NA N     |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF RCF, per number ported (Business Line), 10 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path RCF, per number ported (Residence Line), each path RCF, per service order, per location - NRC - 1 <sup>st</sup> RCF, per service order, per location - NRC - Add'l RCF, per service order, per location - NRC - Disconnect - Add'l Svc Provider No. Portability - Incremental Cost-Manual Svc Order NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY -   | NA N     |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 255 ATTACHMENT A

| DID per service order, per location - NRC - 1st  | NA            |
|--|---------------|
| DID per service order, per location - NRC - Add'l  | NA            |
| DID per service order, per location - NRC - Disconnect - 1st                                 | NA            |
| DID per service order, per location - NRC - Disconnect - Add'I                               | NA            |
| DID, per trunk termination, Initial  | NA            |
| DID, per trunk termination, Initial - NRC  | NA            |
| DID, per trunk termination, Initial - Disconnect   | NA .          |
| DID, per trunk termination, Subsequent   | NA .          |
| DID, per trunk termination, Subsequent - NRC   | NA            |
| DID, per trunk termination, Subsequent - Disconnect  | NA .          |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                             |               |
| NRC - 1 <sup>M</sup>   | NA .          |
| NRC - Add'I  | NA .          |
| NRC - Disconnect Chg - 1st   | NA            |
| NRC - Disconnect Chg - Add'l   | NA .          |
| A COSCO TO DOLEO DUCTO COMPLIES PICUTO OF  | To the second |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (8)   | De America    |
| Access to Poles, per pole, per foot, per year  | NA            |
| Access to Conduits, per foot, per year   | NA            |
| Access to Innerduct, per foot, per year  | NA            |
| AIN  |               |
| AIN Related Services with mediation, per query   | NA            |
| AIN, per message   | NA .          |
| AIN - BellSouth AIN SMS Access Service   |               |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC                                | NA            |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -                              | NA            |
| Disconnect   |               |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC                                | NA            |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-                               | NA            |
| Disconnect   |               |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC                                     | NA            |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC - Disconnect                        | NA            |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC                                  | NA            |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC -                                | NA            |
| Disconnect   |               |
| AIN SMS Access Svc - Security Card per User ID Code, initial or replacement-NRC              | NA            |
| AIN SMS Access Svc - Security Card per User ID Code, initial or replacement-NRC - Disconnect | NA            |
| AIN SMS Access Service - Storage, per unit (100 Kb)  | NA .          |
| AIN SMS Access Service - Session, per minute   | NA .          |
| AIN SMS Access Service - Co. Performed Session, per minute                                   | NA .          |
| AIN - BellSouth AIN Toolkit Service  |               |
| AIN, Service Creation Tools  | NA            |
| Service Establishment Charge, per state, initial setup - NRC -                               | NA            |
| Service Establishment Charge, per state, initial setup - NRC - Disconnect                    | NA            |
| Training Session, per customer - NRC   | NA            |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC                              | NA            |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC -                            | NA            |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 256 . ATTACHMENT A

| s will be determined via the est Process. In have a specific rate for  |
|--|
| per transfer, feature policable NRC from the with POTS circuit switched lice and/or circuit switched led with 2-wire ISDN ports. et capabilities will be avail- w Business Request   |
| \$10.00 (Interim Rate)   |
| NA<br>S40 00 (laterim Rate)  |
|  |
| on thereof, per month \$241.00   |
| IRC Add'1 \$922.95   |
| IRC 1 <sup>st</sup> \$1,808.19   |
|  |
| NA NA  |
| ERVICE - DATABASE  |
| vice Subscription - NRC NA   |
| vice Subscription NA   |
|  |
| ubscription - NRC - NA   |
| ubscription - NRC NA   |
| ubscription NA   |
| cription - NRC NA  |
| cription NA  |
| cription - NRC - Disconnect NA   |
| cription - NRC NA  |
| cription NA  |
| per 100 Kb NA  |
| ption, per node, per query NA  |
| NA NA  |
| eature Code - Disconnect NA  |
| eature Code - NRC NA   |
| CDP - Disconnect NA  |
| CDP - NRC NA   |
| 0-Digit PODP - Disconnect NA   |
| 0-Digit PODP - NRC NA  |
| Off-Hook Immediate - NA  |
| THE THE CONTRACTOR OF THE CONT |
|  |
| M. Hook Delay - NRC - NA   |
| ff-Hook Delay - NRC NA<br>ff-Hook Delay - NRC - NA   |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 257

ATTACHMENT A

Attachment 11 Exhibit 4-KY Page 17

(5) This rate element is for use in those states with adifferent rate for additional minutes of use.

- (6) This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.
- (7) This charge is only applicable where signaling usage measurement or billing capability does not exist.
- (8) Rates for access to Poles, Ducts, Conduits and Rights-of-Way are negotiated with BellSouth's Competitive Structure Provisioning Center.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 258
ATTACHMENT A

Attachment 11 Exhibit 5

Louisiana

ATTACHMENT A

Attachment 11 Exhibit 5-LA Page 1

#### LOUISIANA

#### - PRICING

#### 1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Louisiana Public Service Commission.

#### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Louisiana.

Residential Service

20.72%

**Business Service:** 

20.72%

#### Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

## 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

- Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

ATTACHMENT A

Attachment 11 Exhibit 5-LA Page 2

6. Recorded Usage Data

The prices for recorded usage data are set forth in Table 1.

7. Electronic Interfaces

The prices for Operational Support Systems are set forth in Table 1.

8. Operational Support Systems (OSS) Rates

|           | OPERATIONAL SU                                       | JPPORT SYSTEM                     | AS (OSS) RATES   | <u> </u>                             |
|-----------|--|-----------------------------------|------------------|--------------------------------------|
|           | Interactive Ordering and Trouble Maintenance System. |                                   |                  | ler Charge<br>ser account)           |
|           | Non-Recurring<br>Establishment<br>Charge             | Recurring<br>Charge,<br>per month | Charge per order | Surcharge for manually placed orders |
| LOUISIANA | \$100.00   | \$50.00                           | \$9.16           | \$22.00¹<br>Note²                    |

<sup>&#</sup>x27; Applies to Resale only.

<sup>&</sup>lt;sup>2</sup> Applies to UNEs - Incremental cost for manual service order vs. electronic is assessed on an elemental basis as set forth in Table 1.

Attachment 11 Exhibit 5-LA Page 3

TABLE 1

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO., 980967-TP
PAGE 261
ATTACHMENT A

## BELLSOUTH/CLEC RATES - LOUISIANA LOCAL INTERCONNECTION AND UNBUNDLED NETWORK ELEMENTS

| NRC - NID per 2-Wire LoopsManual Svc Order1st   | \$18.14  |
|---|--|
| NRC - NID per 2-Wire Loops-Manual Svc Order-Add'I   | \$8.06   |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Disconnect  | \$11.41  |
| NRC - NID per 2-Wire Loops-Manual Svc Order-1st   | \$18.14  |
| NRC - NID per 4-Wire Loops-Manual Svc OrderAdd'l  | \$8.06   |
| NRC - NID per 4-Wire Loops—Manual Svc Order—Disconnect  | \$11.41  |
| NID (all types), per month  | NA   |
| NID per 2-Wire Analog VG Loop, Per Month  | \$1.09   |
| NRC - 1"  | \$2.02   |
| NRC - Add'l   | \$2.02   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01   |
| NRC - Disconnect Chg - Add'l  | \$2.01   |
| NID per 4-Wire Analog VG Loop, Per Month  | \$1.22   |
| NRC - 1"  | \$2.02   |
| NRC - Add'I   | \$2.02   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01   |
| NRC - Disconnect Chg - Add'l  | \$2.01   |
| NID per 2-Wire ISDN Digital VG Loop, Per Month  | \$1.08   |
| NRC - 1"  | \$2.02   |
| NRC - Add'I   | \$2.02   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01   |
| NRC - Disconnect Chg - Add'l  | \$2.01   |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per<br>Mo.   | \$1.09   |
| NRC - 1 <sup>M</sup>  | \$2.02   |
| NRC - Add'I   | \$2.02   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01   |
| NRC - Disconnect Chg - Add'l  | \$2.01   |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop  | \$1.09   |
| NRC - 1 <sup>M</sup>  | \$2.02   |
|   | \$2.02   |
| NRC - Add'I   | 22.04  |
| NRC - Add'I<br>NRC - Disconnect Chg - 1 <sup>st</sup>   | \$2.01   |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add <sup>s</sup>  | \$2.01   |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add <sup>s</sup>  |  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01<br>\$1.21<br>\$2.02   |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop  | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02   |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Sit Rate Dig Subscriber Line (HDSL) Loop NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup>   | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02<br>\$2.02<br>\$2.01   |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Sit-Rate Dig Subscriber Line (HDSL) Loop NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02<br>\$2.02<br>\$2.01   |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Sit-Rate Dig Subscriber Line (HDSL) Loop NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup>  | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02<br>\$2.02<br>\$2.01<br>\$2.01<br>\$1.21                     |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Sit Rate Dig Subscriber Line (HDSL) Loop NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup>   | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02<br>\$2.02<br>\$2.01<br>\$2.01<br>\$1.21<br>\$2.02           |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Sit-Rate Dig Subscriber Line (HDSL) Loop NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire 56 or 64 Kbps Dig Grade Loop NRC - 1 <sup>st</sup> NRC - Add'l                  | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02<br>\$2.02<br>\$2.01<br>\$2.01<br>\$1.21<br>\$2.02<br>\$2.02 |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NID per 4-Wire 56 or 64 Kbps Dig Grade Loop NRC - 1 <sup>st</sup> | \$2.01<br>\$1.21<br>\$2.02<br>\$2.02<br>\$2.02<br>\$2.01<br>\$2.01<br>\$1.21<br>\$2.02           |

ATTACHMENT A

|   | 하게 되었다고 하게 되는 것이 되는 것이 없다면 없다. |
|---|--------------------------------|
| LOOP, EXCLUDING NID 2-Wire Analog VG Loop (Standard), per month | NA                             |
| NRC - 1"  | NA                             |
| NRC - Add'l   | NA                             |
| 2-Wire Analog VG Loop (Customized), per month                   | NA                             |
| NRC - 1 <sup>M</sup>  | NA                             |
| NRC - Add'I   | NA                             |
| 4-Wire Analog VG Loop (Standard), per month                     | NA .                           |
| NRC - 1"  | NA .                           |
| NRC - Add'I   | NA .                           |
| 2-Wire ISDN Digital Grade Loop (Standard), per month            | NA                             |
| NRC - 1 <sup>st</sup>   | NA .                           |
| NRC - Add'I   | NA .                           |
| 2-Wire ADSL Loop (Standard), per month                          | NA .                           |
| NRC - 1 <sup>st</sup>   | NA NA                          |
| NRC - Add'I   | NA .                           |
| 2-Wire HDSL Loop (Standard), per month                          | NA .                           |
| NRC - 1 <sup>st</sup>   | NA .                           |
| NRC - Add'I   | NA                             |
| 4-Wire HDSL Loop (Standard), per month                          | NA NA                          |
| NRC - 1 <sup>st</sup>   | NA                             |
| NRC - Add'l   | NA                             |
| LOOP, INCLUDING NID   |                                |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order1st         | \$18.14                        |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc OrderAdd'l       | \$8.06                         |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—           | \$11.41                        |
| Disconnect  |                                |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc     | \$18.14                        |
| Order-1 <sup>M</sup>  |                                |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc      | \$8.06                         |
| OrderAdd'l  |                                |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc     | \$11.41                        |
| Order—Disconnect  |                                |
| 2-Wire Analog VG Loop, per month                                | NA                             |
| NRC - 1"  | NA                             |
| NRC - Add'I   | NA .                           |
| 2-Wire Analog VG Loop-\$L1, per month                           | \$19.35                        |
| NRC - 1"  | \$40.69                        |
| NRC - Add'I   | \$29.96                        |
| NRC - Disconnect Chg - 1 <sup>st</sup>                          | \$11.48                        |
| NRC - Disconnect Chg - Add'l                                    | \$3.36                         |
| NRC - Order Coordination for Specified Conversion Time          | \$32.77                        |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord                    |                                |
| NRC - 1*  | \$34.90                        |
| NRC - Add'I   | \$34.90                        |
| NRC - Disconnect Chg - 1st                                      | \$8.77                         |
| NRC - Disconnect Chg - Add'l                                    | \$8.77                         |
| 2-Wire Analog VG Loop-\$L2, per month                           | \$22.84                        |
| NRC - 1"  | \$99.69                        |
| NRC - Add'I   | \$74.73                        |
| NRC - Disconnect Chg - 1st                                      | \$28.73                        |

ATTACHMENT A

| NRC - Disconnect Chg - Add'l   | \$18.87  |
|--|----------|
| NRC - Order Coordination for Specified Conversion Time                     | \$32.77  |
| 2-Wire Analog VG Loop (Standard), per month ➤                              | NA .     |
| NRC - 1 <sup>m</sup>   | NA       |
| NRC - Add'I  | NA       |
| 2-Wire Analog VG Loop (Customized), per month                              | NA ·     |
| NRC - 1 <sup>st</sup>  | NA .     |
| NRC - Add'I  | NA .     |
| 4-Wire Analog VG Loop, per month   | \$31.52  |
| NRC - 1*   | \$198.10 |
| NRC - Add'I  | \$163.26 |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | \$74.27  |
| NRC - Disconnect Chg - Add'l   | \$39.44  |
| NRC - Order Coordination for Specified Conversion Time                     | \$32.77  |
| 4-Wire Analog VG Loop (Standard), per month                                | NA       |
| NRC - 1 <sup>M</sup>   | NA       |
| NRC - Add'I  | NA       |
| 2-Wire ISDN Digital Grade Loop, per month                                  | \$27.36  |
| NRC - 1"   | \$223.27 |
| NRC - Add'I  | \$172.63 |
| NRC - Disconnect Chg - 1st   | \$74.27  |
| NRC - Disconnect Chg - Add'l   | \$39.44  |
| NRC - Order Coordination for Specified Conversion Time                     | \$32.77  |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                       | NA NA    |
| NRC - 1 <sup>M</sup>   | NA NA    |
| NRC - Add'I  | NA       |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible Loop, per month  | \$15.39  |
| NRC - 1 <sup>st</sup>  | \$343.13 |
| NRC - Add'I  | \$310.03 |
| NRC - Disconnect Chg - 1st   | \$72.54  |
| NRC - Disconnect Chg - Add'l   | \$39.42  |
| NRC - Order Coordination for Specified Conversion Time                     | \$32.77  |
| 2-Wire ADSL Loop (Standard), per month                                     | NA .     |
| NRC - 1"   | NA .     |
| NRC - Add'I  | NA .     |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop, per month        | NA .     |
| NRC - 1"   | NA       |
| NRC - Add'1  | NA .     |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | \$11.61  |
| NRC - 1"   | \$343.13 |
| NRC - Add'I  | \$310.03 |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | \$72.54  |
| NRC - Disconnect Chg - Add'l   | \$39.42  |
| NPC - Order Coordination for Specified Conversion Time                     | \$32.77  |
| 2-Wire HDSL Loop (Standard), per month                                     | NA       |
| NRC - 1"   | NA .     |
| NRC - Add'l  | NA       |
| 4-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | \$16.39  |
| NRC - 1st  | \$361.45 |

PAGE 264

ATTACHMENT A

| \$328.35             |
|----------------------|
| \$72.54              |
| \$39.41              |
| \$32.77              |
| NA                   |
| NA                   |
| NA                   |
| \$72.86              |
| \$410.38             |
| \$255.48             |
| \$92.35              |
| \$38.44              |
| \$18.14              |
| \$8.06               |
| \$11.41              |
| \$33.05              |
| \$35.58              |
| \$333.28             |
| \$230.50             |
| \$87.99              |
| \$44.24              |
| \$32.77              |
| NA .                 |
|                      |
|                      |
| \$9.90               |
| \$197.61             |
| \$162.77             |
| \$74.27              |
| \$39.44              |
| \$32.77              |
| \$12.29              |
| \$197.76             |
| \$163.60             |
| \$71.20              |
| \$37.03              |
| \$32.77              |
| NA .                 |
| NA                   |
| NA NA                |
| BFR                  |
| \$402.00             |
| 3.00.00              |
| 2010 53              |
| \$618.57             |
| \$270.40             |
| \$270.40<br>\$198.30 |
| \$270.40             |
|                      |

PAGE 265

#### ATTACHMENT A

| NRC - Incremental Cost-Manual Svc Order - Disconnect                              | \$11.41  |
|---|----------|
| Working Plug-In 2-Wire, NRC 1*  | NA       |
| Working Plug-In 2-Wire, NRC Add'I   | NA .     |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)                         | ICB      |
| Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside CO), per month | \$1.02   |
| NRC - 1"  | \$8.99   |
| NRC - Add'I   | \$8.97   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$4.49   |
| NRC - Disconnect Chg - Add'I  | \$4.48   |
| .oop Channelization System (Inside C.O.)  |          |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG), per month           | \$301.68 |
| NRC - 1 <sup>M</sup>  | \$292.90 |
| NRC - Add'I   | \$72.38  |
| NRC - Disconnect Chg - 1st  | \$5.30   |
| NRC - Disconnect Chg - Add'l  |          |
| NRC - Incremental CostManual Svc Order - 1st                                      | \$18.14  |
| NRC - Incremental CostManual Svc Order - Add'I                                    | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order - Disconnect                              | \$11.41  |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month                             | \$1.08   |
| NRC - 1"  | \$19.97  |
| NRC - Add'I   | \$19.84  |
| NRC - Disconnect Chg - 1st  | \$8.26   |
| NRC - Disconnect Chg - Add'l  | \$8.21   |
| UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  |          |
| 2-Wire Analog Line Port (Res., Bus.), per month                                   | \$2.20   |
| NRC - 1 <sup>st</sup> (all types)   | \$16.43  |
| NRC - Add'l (all types)   | \$16.43  |
| NRC - 1 <sup>st</sup> (Residence)   | NA NA    |
| NRC - Add'I (Residence)   | NA NA    |
| NRC - 1 <sup>st</sup> (Business)  | NA       |
| NRC - Add'I (Business)  | NA NA    |
| NRC - 1" (PBX)  | NA NA    |
| NRC - Add'I (PBX)   | NA CA 29 |
| NRC - Disconnect Chg - 1st  | \$4.38   |
| NRC - Disconnect Chg - Add'l  | \$4.38   |
| NRC - Incremental Cost-Manual Svc Order - 1st                                     | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - Add'I                                   | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order - Disconnect                              | \$10.39  |
| 4-Wire Analog VG Port, per month  | \$10.13  |
| NRC - 1"  | \$16.43  |
| NRC - Add'I   | \$16.43  |
| NRC - Disconnect Chg - 1st  | \$3.77   |
| NRC - Disconnect Chg - Add'l  | \$3.77   |
| NRC - Incremental Cost-Manual Svc Order - 1st                                     | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - Add'l                                   | \$8.06   |
| NRC - Incremental CostManual Svc Order - Disconnect                               | \$8.94   |
| 2-Wire DID Port, per month  | \$13.12  |
| NRC - 1"  | \$59.28  |
| NRC - Add'I   | \$59.28  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$9.20   |

PAGE 266

ATTACHMENT A

| NRC - Disconnect Chg - Add'l                            | \$9.20   |
|---|----------|
| NRC - Incremental Cost-Manual Svc Order - 1st           | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | \$10.39  |
| 4-Wire DID Port, per month                              | \$149.27 |
| NRC - 1*  | \$85.63  |
| NRC - Add'I   | \$50.23  |
| NRC - Disconnect Chg - 1 <sup>st</sup>                  | \$8.82   |
| NRC - Disconnect Chg - Add'l                            | \$8.83   |
| NRC - Incremental Cost-Manual Svc Order - 1st           | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | \$10.39  |
| 4-Wire DS1 Port w/DID capability, per month             | NA       |
| NRC - 1ª  | NA       |
| NRC - Add'I   | NA       |
| 2-Wire ISDN Port(2) (3), per month                      | \$23.33  |
| NRC - 1 <sup>st</sup>                                   | \$45.35  |
| NRC - Add'I   | \$45.35  |
| NRC - Disconnect Chg - 1 <sup>st</sup>                  | \$4.31   |
| NRC - Disconnect Chg - Add'l                            | \$4.31   |
| NRC - Incremental CostManual Svc Order - 1st            | \$38.29  |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | \$38.29  |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | \$6.65   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | \$6.65   |
| NRC - User Profile per B Channel (4)                    | NA       |
| 4-Wire ISDN Port, per month                             | NA       |
| NRC - 1 <sup>M</sup>                                    | NA       |
| NRC - Add'I   | NA .     |
| NRC - Disconnect Chg - 1 <sup>st</sup>                  | NA       |
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA .     |
| NRC - Incremental CostManual Svc Order - Add'l          | NA .     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA .     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | NA       |
| I-Wire ISDN DS1 Port, per month                         | \$194.72 |
| NRC - 1*  | \$181.89 |
| NRC - Add'I   | \$181.89 |
| NRC - Disconnect Chg - 1 <sup>st</sup>                  | \$27.11  |
| NRC - Disconnect Chg - Add'l                            | \$27.11  |
| NRC - Incremental Cost-Manual Svc Order - 1st           | \$33.18  |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | \$33.18  |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | \$7.73   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | \$7.73   |
| 2-Wire Analog Line Port (PBX), per month                | \$2.20   |
| NRC · 1"  | \$16.43  |
| NRC - Add'I   | \$16.43  |
| NRC - Disconnect Chg - 1 <sup>st</sup>                  | \$3.77   |
| NRC - Disconnect Chg - Add'l                            | \$3.77   |
| NRC - Incremental Cost-Manual Svc Order - 1st           | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect      | \$8.94   |

PAGE 267 ATTACHMENT A

| NRC - 1 <sup>st</sup>   | NA .   |
|---|--|
| NRC - Add'I   | NA   |
| Coin Port, per month  | \$2.50   |
| NRC - 1 <sup>m</sup>  | \$16.43  |
| NRC - Add'I   | \$16.43  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$4.15   |
| NRC - Disconnect Chg - Add'l  | \$4.15   |
| NRC - Incremental CostManual Svc Order - 1 <sup>st</sup>  | \$18.14  |
| NRC - Incremental CostManual Svc Order - Add'I  | \$8.06   |
| NRC - Incremental CostManual Svc Order-Disconnect   | \$9.86   |
| Vertical Features   |  |
| Local Switching Features offered with Port, Per month   | \$8.28   |
| Subsequent Order Charge—Electronic  | NA   |
| Subsequent Order Charge-Incremental Cost-Manual Svc Order   | NA .   |
| Unbundled End Office Switching (Port Usage)   |  |
| End Office Switching Function, per mou  | \$0.0021   |
| End Office Switching Function, add'l mou (5)  | NA   |
| End Office Interoffice Trunk Port—Shared, per mou   | \$0.0002   |
| Unbundled Tandem Switching (Port Usage) (Local or Access  |  |
| Tandem)   |  |
| Tandem) Tandem Switching Function per mou   | \$0.0008   |
| Tandem Interoffice Trunk Port-Shared per mou  | \$0.0003   |
| Tandem Intermediary Charge, per mou (This charge is applicable only   | NA   |
| to intermediary traffic and is applied in addition to applicable  |  |
| switching and/or interconnection charges.)  |  |
| UNBUNDLED TRANSPORT Common (Shared) Transport   |  |
|   |  |
| Common (Shared) Transport per mile per mou  | \$0.0000083  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou   | \$0.00047  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou   |  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG   | \$0.00047<br>BST State Access<br>Tariff  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per   | \$0.00047<br>BST State Access<br>Tariff  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10   |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1**  NRC - Add'l   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10   |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#  NRC - Add'l  NRC - Disconnect Chg - 1#   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54   |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental CostManual Svc Order - 1st   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental CostManual Svc Order - 1st  NRC - Incremental CostManual Svc Order - Add'l  NRC - Incremental CostManual Svc Order - Add'l  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14   |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental CostManual Svc Order - 1st  NRC - Incremental CostManual Svc Order - Add'l  NRC - Incremental CostManual Svc Order - Add'l   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14   |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental CostManual Svc Order - 1st  NRC - Incremental CostManual Svc Order - Add'l  NRC - Incremental CostManual Svc Order-Disconnect1st  NRC - Incremental CostManual Svc Order-DisconnectAddl  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental CostManual Svc Order - 1st  NRC - Incremental CostManual Svc Order - Add'l  NRC - Incremental CostManual Svc Order - Add'l  NRC - Incremental CostManual Svc Order-Disconnect1st  NRC - Incremental CostManual Svc Order-DisconnectAdd  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14  |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect—Add Interoffice Transport - Dedicated - DS0 - 56/64 KBPS Interoffice Transport - Dedicated - DS0 - per mile per month  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14<br>\$8.06<br>\$8.06                        |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1st  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month   | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14<br>\$8.06<br>\$8.06                        |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1st  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - facilities termination per month  NRC - 1st  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14<br>\$8.06<br>\$8.06                        |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1st  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month  NRC - 1st  NRC - Add'l | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14<br>\$8.06<br>\$8.06<br>\$8.06              |
| Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1st  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect—1st  NRC - Incremental Cost-Manual Svc Order-Disconnect—Addl Interoffice Transport - Dedicated - DS0 - 56/64 KBPS Interoffice Transport - Dedicated - DS0 - per mile per month Interoffice Transport - Dedicated - DS0 - facilities termination per month  NRC - 1st  | \$0.00047<br>BST State Access<br>Tariff<br>\$0.0384<br>\$19.10<br>\$76.20<br>\$34.54<br>\$28.03<br>\$5.37<br>\$18.14<br>\$18.14<br>\$8.06<br>\$8.06<br>\$0.0384<br>\$18.37 |

ATTACHMENT A

| NRC - Incremental CostManual Svc Order - Add'l   | \$18.14  |
|--|----------|
| NRC - Incremental Cost-Manual Svc Order-Disconnect1st  | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order-DisconnectAddl   | \$8.06   |
| Interoffice Transport - Dedicated - DS1  |          |
| Interoffice Transport - Dedicated - DS1 - per mile per month                                   | \$0.7831 |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month                     | \$93.40  |
| NRC - 1 <sup>#</sup>   | \$140.49 |
| NRC - Add'I  | \$106.69 |
| NRC - Disconnect Chg - 1 <sup>M</sup>  | \$20.00  |
| NRC - Disconnect Chg - Add'l   | \$16.34  |
| NRC - Incremental CostManual Svc Order - 1st   | \$18.14  |
| NRC - Incremental CostManual Svc Order - Add'l   | \$18.14  |
| NRC - Incremental CostManual Svc Order-Disconnect1st   | \$8.06   |
| NRC - Incremental CostManual Svc Order-DisconnectAddl  | \$8.06   |
| nteroffice Transport - Dedicated - DS3   |          |
| nteroffice Transport - Dedicated - DS3 - per mile per month                                    | NA       |
| nteroffice Transport - Dedicated - DS3 - par finite per month                                  | NA       |
| NRC - 1 <sup>st</sup>  | NA       |
| NRC - Add'I  | NA       |
| Digital Cross Connects (3/3, 3/1, 1/0)   | NA       |
| Unbundled Exchange Access IOC  | 137.5    |
| 0-8 Miles, Fixed per month   | NA       |
|  | NA NA    |
| Per mile per month NRC 1 <sup>N</sup>  | NA       |
| NRC Add'I  | NA NA    |
| 9-25 Miles, Fixed per month  | NA       |
|  | NA NA    |
| Per mile per month NRC 1 <sup>M</sup>  | NA       |
| NRC Add'I  | NA       |
| Over 25 Miles, Fixed per month   | NA       |
|  | NA       |
| Per mile per month NRC 1 <sup>st</sup>   | NA NA    |
| NRC Add'I  | NA NA    |
|  | 110      |
| Local Channel - Dedicated  | \$14.94  |
| Local Channel - Dedicated - 2-Wire VG  | \$347.49 |
| NRC - 1*   | \$59.75  |
| NRC - Add'I  | \$53.68  |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | \$6.60   |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost-Manual Svc Order - 1st                     | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l | \$8.06   |
| NRC - Incremental Cost—Manual Svc Order - Add I  | \$11.40  |
| Local Channel - Dedicated - 4-Wire VG  | \$16.21  |
|  | \$352.75 |
| NRC - 1 <sup>M</sup>   | \$61.33  |
| NRC - Add'I  | \$54.36  |
| NRC - Disconnect Chg - 1 <sup>M</sup>  | \$7.28   |
| NRC - Disconnect Chg - Add'l   | \$18.14  |
| NRC - Incremental Cost-Manual Svc Order - 1st  | \$8.06   |
| NRC - Incremental Cost-Manual Svc Order - Add'l  |          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect   | \$11.40  |
| Local Channel - Dedicated - DS1  | \$43.80  |
| NRC - 1 <sup>M</sup>   | \$348.56 |

ATTACHMENT A

| NRC - Add'I   | \$300.30  |
|---|---|
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$24.15   |
| NRC - Disconnect Chg - Add'l  | \$21.31   |
| NRC - Incremental CostManual Svc Order  | \$42.34   |
| NRC - Incremental CostManual Svc Order-Disconnect   | \$19.48   |
| VIRTUAL COLLOCATION   |   |
| Virtual Collocation   | Tariff Rates  |
| LOCAL USAGE   |   |
| Intraoffice per mou   | \$0.00209   |
| Interoffice per mou (assumes 5 miles of transport)  | \$0.00538   |
| LOCAL INTERCONNECTION   |   |
| (CALL TRANSPORT AND TERMINATION)  |   |
| End Office Interconnection/Switching, per mou   | \$0.00209   |
| Tandem Interconnection/Switching, per mou   | NA  |
| Tandem Interconnection (assumes 5 miles of transport per mou)   | \$0.00430   |
| Transport   | Network element<br>prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport   | NA  |
| Combined Tandem Switch Interconnection  | NA  |
| Multi-tandem Interconnection  | variable  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA  |
| 800 ACCESS TEN DIGIT SCREENING SERVICE  |   |
| 800 Access Ten Digit Screening (all types), per call (6)  | \$0.0005305   |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per query   | NA  |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800<br>Numbers, w/Optional Complex Features, per query  | NA  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  | NA  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per query   | NA  |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per message   | NA .  |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per message   | NA  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per  | NA  |
| message 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional   | NA .  |
| Complex Features, per message Reservation Charge per 800 number reserved—NRC - 1st  | \$6.29  |
| Reservation Charge per 800 number reserved—NRC - 1st  | \$0.73  |
| Per 800 # Established w/o POTS (w/800 No.) Translations   |   |
| NRC - 1 <sup>st</sup>   | \$12.27   |
| NRC - Add'I   | \$1.39  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$8.30  |
| NRC - Disconnect Chg - Add'l  | \$0.73  |
| Per 800 # Established with POTS Translations  |   |
| NRC - 1"  | \$12.27   |
| NRC - Add'I   | \$1.39  |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 270 ATTACHMENT A

| NRC - Disconnect Chg - Add'l   |             |
|--|-------------|
|  | \$0.73      |
| Customized Area of Service per 800 Number  |             |
| NRC - 1 <sup>M</sup>   | \$4.27      |
| NRC - Add'I  | \$2.14      |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #  |             |
| NRC - 1"   | \$5.00      |
| NRC - Add'I  | \$2.86      |
| Change Charge per request  |             |
| NRC - 1 <sup>st</sup>  | \$7.01      |
| NRC - Add'I  | \$0.73      |
| Call Handling and Destination Features - NRC   | \$4.27      |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order  | \$18.14     |
| Per 800 # Est'd w/o POTS Transi-Incrm Cost-Manual Svc Order  |             |
| NRC  | \$18.14     |
| NRC - Disconnect Chg   | \$11.40     |
| Per 800 # Est'd with POTS Transl-Incrm Cost Manual Svc Order   |             |
| NRC  | \$18.14     |
| NRC - Disconnect Cha   | \$11.40     |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC  | \$18.14     |
| LINE INFORMATION DATABASE ACCESS (LIDB)  |             |
| IDB Common Transport per query   | \$0.0000418 |
| IDB Validation per query   | \$0.0103774 |
| LIDB Validation per message  | NA NA       |
| LIDB Originating Point Code Establishment or Change - NRC  | \$48.17     |
| IDB - Incremental Cost - Manual Svc Order - NRC  | \$18.14     |
| CCS7 SIGNALING TRANSPORT SERVICE   |             |
| CCS7 Signaling Connection, per link (A link) per month   | \$19.48     |
| NRC  | \$126.34    |
| NRC - Disconnect   | \$101.10    |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month  | \$19.48     |
| NRC  | \$126.34    |
| NRC - Disconnect   | \$101.10    |
| CCS7 Signaling Termination, per STP port per month   | \$161.99    |
| CCS7 Signaling Usage, per ISUP message   | \$0.0000430 |
| CCS7 Signaling Usage, per TCAP message   | \$0.0001052 |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (7)   | \$406.71    |
| CCS7 Signaling - Incremental Cost - Manual Svc Order   |             |
| NRC  | \$18.14     |
| NRC - Disconnect   | \$11.40     |
| OPERATIONAL SUPPORT SYSTEMS  |             |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month  | \$50.00     |
| NRC  | \$100.00    |
| DSS OLEC Daily Usage File: Recording, per message  | \$0.00019   |
| DSS OLEC Daily Usage File: Message Processing, per message   | \$0.00240   |
| DSS Access Daily Usage File: Message Processing, per message   | \$0.004     |
| Silver and State | \$47.30     |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape   |             |

PAGE 271 ATTACHMENT A

| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), per message     | \$0.00003   |
|--|-------------|
| OSS Access Daily Usage File: Data Transmission > (CONNECT:DIRECT), per message | \$0.001     |
| OSS Order charge, per electronic order, per end user account                   | \$9.16      |
| Surcharge for manually placed orders, per end user account                     | \$18.14     |
| OPERATOR CALL PROCESSING   |             |
| Oper. Provided Call Handling per min - Using BST LIDB                          | \$0.91      |
| Oper. Provided Call Handling per min - Using 651 LIDS                          | NA NA       |
| Call Completion Access Termination Charge per call attempt                     | \$0.96      |
| Oper. Provided Call Handling per min - Using Foreign LIDB                      | NA          |
| Call Completion Access Termination Charge per call attempt                     | NA NA       |
| Operator Provided Call Handling, per call                                      | \$0.10      |
| Fully Automated Call Handling per call - Using BST LIDB                        | \$0.12      |
| Fully Automated Call Handling per call - Using Foreign LIDB                    | 30.12       |
| NWARD OPERATOR SERVICES  |             |
| Verification, per minute   | \$0.86      |
| Verification and Emergency Interrupt, per minute                               | \$0.86      |
| Verification, per call   | NA          |
| Verification and Emergency Interrupt, per call                                 | NA .        |
| DIRECTORY ASSISTANCE SERVICES  |             |
| Directory Assist Call Completion Access Svc (DACC), per call attempt           | \$0.04      |
| Call Completion Access Term charge per completed call                          | NA          |
| Number Services Intercept per query  | \$0.02      |
| Number Services Intercept per Intercept Query Update                           | NA          |
| Directory Assistance Access Service Calls, per call                            | \$0.20      |
| Recording cost per announcement  | NA          |
| Loading cost per audio unit  | NA          |
| Directory Transport  |             |
| Directory Transport - Local Channel DS1, per month                             | \$43.83     |
| NRC - 1 <sup>M</sup>   | \$339.69    |
| NRC - Add'I  | \$298.29    |
| NRC - Disconnect Chg - 1st   | \$33.02     |
| NRC - Disconnect Chg - Add'l   | \$23.32     |
| NRC - Incremental Cost-Manual Svc Order - NRC                                  | \$42.34     |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect                       | \$19.48     |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo          | \$0.78      |
| Directory Transport - Dedicated DS1 Level Interoffice per facility             | \$93.40     |
| termination per mo   |             |
| NRC - 1 <sup>e</sup>   | \$140.49    |
| NRC - Add'l .  | \$106.69    |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | \$20.00     |
| NRC - Disconnect Chg - Add1  | \$16.34     |
| NRC - Incremental Cost-Manual Svc Order - NRC-1*                               | \$18.14     |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'l                            | \$18.14     |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1*                    | \$8.06      |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-<br>Add'l             | \$8.06      |
| Switched Common Transport per DA Access Service per call                       | \$0.0003274 |
| Switched Common Transport per DA Access Service per call per mile              | \$0.0000175 |
| Access Tandem Switching per DA Access Service per call                         | \$0.0025257 |
| DA Interconnection, per DA Access Service Call                                 | NA          |

ATTACHMENT A

| Directory Transport-Installation NRC, per trunk or signaling connection NRC - 1 <sup>st</sup> | \$195.54               |
|---|------------------------|
| NRC - Add'I   | \$4.23                 |
|   | \$130.05               |
| NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l                           | \$4.23                 |
| Directory Assistance Database Service (DADS)  | 34.23                  |
|   | \$0.0443               |
| Directory Assistance Database Service cost per listing  | \$90.54                |
| Directory Assistance Database Service, per month  | 380.04                 |
| Direct Access to Directory Assistance (DADAS)   | 64 000 00              |
| Direct Access to Directory Assistance Service, per month                                      | \$4,982.00<br>\$0.0460 |
| Direct Access to Directory Assistance Service, per query                                      | \$786.82               |
| Direct Access to Directory Assistance Service, svc estab chg-NRC                              |                        |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-Disct                        | \$57.23                |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -   |                        |
| RCF   | NA .                   |
| RCF, per number ported (Business Line), 10 paths  | NA NA                  |
| RCF, per number ported (Residence Line), 6 paths  | NA NA                  |
| RCF, per number ported (Business Line), each path   | NA                     |
| RCF, per number ported (Residence Line), each path  | NA<br>62.20            |
| RCF, per number ported (Res or Bus Line)  | \$2.29                 |
| NRC   | \$0.49                 |
| NRC - Disconnect Chg  | \$0.05                 |
| RCF, add'l capacity for simultaneous call forwarding, per additional path                     | \$0.38                 |
| RCF, per service order, per location - NRC - 1 <sup>M</sup>                                   | \$2.02                 |
| RCF, per service order, per location - NRC - Add'I  | \$2.02                 |
| RCF, per service order, per location - NRC - Disconnect - 1 <sup>st</sup>                     | \$2.01                 |
| RCF, per service order, per location - NRC - Disconnect - Add'l                               | \$2.01                 |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                              |                        |
| NRC - 1 <sup>M</sup>  | \$18.14                |
| NRC - Add'l   | \$18.14                |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | \$11.41                |
| NRC - Disconnect Chg - Add'l  | \$11.41                |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID   |                        |
| DID per number ported, Residence - NRC  | \$0.89                 |
| DID per number ported, Residence - NRC - Disconnect   | \$0.90                 |
| DID per number ported, Business - NRC   | \$0.89                 |
| DID per number ported, Business - NRC - Disconnect  | \$0.90                 |
| DID per service order, per location - NRC - 1*  | \$2.02                 |
| DID per service order, per location - NRC - Add'l   | \$2.02                 |
| DID per service order, per location - NRC - Disconnect - 1st                                  | \$2.01                 |
| DID per service order, per location - NRC - Disconnect - Add'I                                | \$2.01                 |
| DID, per trunk termination, Initial   | \$12.46                |
| DID, per trunk termination, Initial - NRC   | \$129.69               |
| DID, per trunk termination, Initial - Disconnect  | \$37.85                |
| DID, per trunk termination, Subsequent  | \$12.46                |
| DID, per trunk termination, Subsequent - NRC  | \$37.85                |
| DID, per trunk termination, Subsequent - Disconnect   | \$18.75                |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                              |                        |
| NRC - 1"  | \$18.14                |
| NRC - Add'I   | \$18.14                |

ATTACHMENT A

| NRC - Disconnect Chg - 1st  | \$11.41         |
|---|-----------------|
| NRC - Disconnect Chg - Add'l  | \$11.41         |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF  |                 |
| Access to Poles, per pole, per foot, per year   | \$4.20          |
| Access to Conduits, per foot, per year  | \$0.56          |
| Access to Innerduct, per foot, per year   | _               |
| AIN   | Well-bear the T |
| AIN Related Services with mediation, per query  | NA .            |
| AIN, per message  | NA .            |
| AIN - BellSouth AIN SMS Access Service  |                 |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC   | \$153.31        |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -   | \$78.06         |
| Disconnect  | 0,0.00          |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC   | \$50.07         |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-  | \$18.61         |
| Disconnect  |                 |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC  | \$50.07         |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC -  | \$18.61         |
| Disconnect  |                 |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC   | \$104.95        |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC -   | \$48.95         |
| Disconnect  |                 |
| AIN SMS Access Svc - Security Card per User ID Code, initial or   | \$125.33        |
| replacement-NRC   | PERSON IN THE   |
| AIN SMS Access Svc - Security Card per User ID Code, initial or   | \$24.40         |
| replacement-NRC - Disconnect  |                 |
| AIN SMS Access Service - Storage, per unit (100 Kb)   | \$0.0029        |
| AIN SMS Access Service - Session, per minute  | \$0.10          |
| AIN SMS Access Service - Co. Performed Session, per minute  | \$1.97          |
| AIN - BellSouth AIN Toolkit Service   |                 |
| AIN, Service Creation Tools   | NA              |
| Service Establishment Charge, per state, initial setup - NRC  | \$153.25        |
| Service Establishment Charge, per state, initial setup - NRC - Disconnect   | \$78.05         |
| Training Session, per customer - NRC  | \$8,315.00      |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC   | \$41.08         |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC - Disconnect  | \$18.60         |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC   | \$41.08         |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC - Disconnect  | \$18.60         |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC  | \$41.08         |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - Disconnect   | \$18.60         |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC   | \$92.99         |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect  | \$26.73         |
| Trigger Access Charge, per trigger, per DN, CDP - NRC   | \$92.99         |
|   | \$26.73         |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect  | 484.14          |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect  | \$92.99         |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect Trigger Access Charge, per trigger, per DN, Feature Code - NRC Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect |                 |

ATTACHMENT A

| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query                                  | \$0.0065 |
|--|----------|
| SCP Storage Charge, per SMS Access Acct, per 100 Kb  | \$1.79   |
| Monthly report - per AIN Toolkit Service Subscription ≥  | \$15.89  |
| Monthly report - per AIN Toolkit Service Subscription - NRC  | \$34.61  |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect                               | \$21.97  |
| Special Study - Per AIN Toolkit Service Subscription   | \$0.08   |
| Special Study - Per AIN Toolkit Service Subscription - NRC   | \$37.77  |
| Call Event Report - per AIN Toolkit Service Subscription   | \$15.81  |
| Call Event Report - per AIN Toolkit Service Subscription - NRC   | \$34.61  |
| Call Event Report - per AIN Toolkit Service Subscription - NRC -                                       | \$21.97  |
| Disconnect   |          |
| Call Event special Study - per AIN Toolkit Service Subscription  | \$0.0026 |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC                                  | \$37.77  |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE OWNER   |          |
| CNAM, Per Query  | NA       |
| DARK FIBER   |          |
| Per each four-fiber dry fiber arrangement, NRC 1 <sup>st</sup>   | NA       |
| Per each four-fiber dry fiber arrangement, NRC Add'l   | NA       |
| Per each fiber strand per route mile or fraction thereof, per month                                    | NA       |
| SELECTIVE ROUTING  |          |
| Per Line or PBX Trunk, each  | NA       |
| Per Line or PBX Trunk, NRC   | NA       |
| Note(s)  |          |
| (1) In states where a specific NRC for customer transfer, feature                                      |          |
| additions and changes is not stated, the applicable NPC from the                                       |          |
| appropriate tariff applies.  |          |
| (2) Transmission/usage charges associated with POTS circuit switched                                   |          |
| usage will also apply to circuit switched voice and/or circuit switched                                |          |
| data transmission by B-Channels associated with 2-wire ISDN ports.                                     |          |
| (3) Access to B Channel or D Channel Packet capabilities will be avail-                                |          |
| able only through Bona Fide Request/New Business Request   |          |
| Process. Rates for the packet capabilities will be determined via the                                  |          |
| Bona Fide Request/New Business Request Process.  |          |
| (4) This rate element is for those states which have a specific rate for                               |          |
| User Profile per B Channel.  |          |
| (5) This rate element is for use in those states with a different rate for                             |          |
| additional minutes of use.  (6) This rate element is for those states w/o separate rates for 800 calls |          |
| with 800 No. Delivery vs. POTS No. Delivery and calls with Optional                                    |          |
| Complex Features vs. w/o Optional Complex Features.  |          |
| (7) This charge is only applicable where signaling usage measurement                                   | I .      |
|  |          |

Einbit S-LA Page 17 ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 276
ATTACHMENT A

Attachment 11
Exhibit 6

Mississippi

ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

PAGE 277 , ATTACHMENT A

Attachment 11 Exhibit 6-MS Page 1

#### MISSISSIPPI PRICING

#### 1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and Mississippi Public Service Commission.

#### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in Mississippi.

Residential Service:

15.75%

**Business Service:** 

15.75%

#### Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1. Unbundled local switching does not include vertical features.

## 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and Bellsouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

### 6. Local Number Portability

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 278
ATTACHMENT A

Attachment 11
Exhibit 6-MS
Page 2

The prices for interim number portability are set forth in Table 1.

#### 7. Recorded Usage Data

The prices for recorded usage data are set forth in Table 1.

#### 8. Electronic Interfaces

All costs incurred by BellSouth to implement operational interfaces shall be recovered from the carriers who utilize the services. A cost sharing mechanism which may include a three (3) to five (5) year amortization period, shall be developed when BellSouth provides a final cost estimate. If there is a disagreement between the Parties regarding cost recovery issues, an affected party may petition the Mississippi Public Service Commission to initiate a separate hearing to address the matter.

#### 9. **AIN**

Should BellSouth seek reimbursement from CLEC for the cost of the development of any AIN mediation device, BellSouth shall provide CLEC with the right to review and challenge BellSouth's plan, implementation schedule, cost budgets and other factors related to developing and implementing any such mediation device. If the Parties disagree on the appropriateness of any factor and are unable to reconcile their differences, the Parties may seek resolution by the Mississippi Public Service Commission.

#### 10. True-Up

Except for the prices for resold Local Services, the interim prices referenced above shall be subject to true-up within six (6) months once BellSouth has submitted cost studies as determined by the Commission.

ATTACHMENT A

Attachment 11 Exhibit 6-MS Page 3

#### 11. Operational Support Systems (OSS) Rates

|             | OPERATIONAL SU   | JPPORT SYSTEM                     | AS (OSS) RATE    | <u>s</u>                             |
|-------------|--|-----------------------------------|------------------|--------------------------------------|
|             | Interactive Ordering and Trouble<br>Maintenance System |                                   |                  | ler Charge<br>ser account)           |
|             | Non-Recurring<br>Establishment<br>Charge               | Recurring<br>Charge,<br>per month | Charge per order | Surcharge for manually placed orders |
| MISSISSIPPI | \$100.00   | \$50.00                           | \$10.80          | \$22.00                              |

The rates for Operational Support Systems mentioned above are interim and subject to modification based upon receipt of a final, non-appealable order by the Mississippi Public Service Commission.

Attachment 11 Exhibit 6-MS Page 4

ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 280

ATTACHMENT A

TABLE 1

## BELLSOUTH/CLEC INTERIM RATES - MISSISSIPPI LOCAL INTERCONNECTION AND UNBUNDLED NETWORK ELEMENTS (Certain rates are subject to true-up)

| NIDs   |        |
|--|--------|
| NRC - NID per 2-Wire Loops-Manual Svc Order-1st                                | NA     |
| NRC - NID per 2-Wire LoopsManual Svc OrderAdd'l                                | NA     |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Disconnect                         | NA     |
| NRC - NID per 4-Wire LoopsManual Svc Order-1st                                 | NA     |
| NRC - NID per 4-Wire LoopsManual Svc OrderAdd'l                                | NA     |
| NRC - NID per 4-Wire Loops-Manual Svc Order-Disconnect                         | NA     |
| NID (all types), per month   | \$0.67 |
| NID per 2-Wire Analog VG Loop, Per Month                                       | NA     |
| NRC - 1 <sup>st</sup>  | NA     |
| NRC - Add'l  | NA     |
| NRC - Disconnect Chg - 1*  | NA     |
| NRC - Disconnect Chg - Add'l   | NA     |
| NID per 4-Wire Analog VG Loop, Per Month                                       | NA     |
| NRC - 1 <sup>4</sup>   | NA     |
| NRC - Add'I  | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA     |
| NRC - Disconnect Chg - Add'l   | NA     |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                                 | NA     |
| NRC - 1 <sup>st</sup>  | NA     |
| NRC - Add'i  | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA     |
| NRC - Disconnect Chg - Add'l   | NA     |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per<br>Mo.        | NA     |
| NRC - 1 <sup>M</sup>   | NA     |
| NRC - Add'I  | NA     |
| NRC - Disconnect Chg - 1st   | NA     |
| NRC - Disconnect Chg - Add'l   | NA     |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop                   | NA     |
| NRC - 1"   | NA     |
| NRC - Add'I  | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA     |
| NRC - Disconnect Chg - Add'l   | NA     |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop                   | NA     |
| NRC - 1"   | NA     |
| NRC - Add'I  | NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA     |
| NRC - Disconnect Chg - Add'l   | NA     |
|  | NA     |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                                    |        |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop  NRC - 1#                          | NA     |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop  NRC - 1 <sup>st</sup> NRC - Add'I | NA     |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop  NRC - 1#                          |        |

ATTACHMENT A

| Nonrecurring Charge - customer transfer, feature additions, changes (1)   | \$5.00        |           |
|---|---------------|-----------|
| LOOP, EXCLUDING NID   |               | Style 5   |
| 2-Wire Analog VG Loop (Standard), per month   | NA NA         |           |
| NRC - 1"  | NA NA         | W 1/2     |
| NRC - Add'I   | NA.           |           |
| 2-Wire Analog VG Loop (Customized), per month   | NA NA         |           |
| NRC - 1"  | NA NA         |           |
| NRC - Add'I   | NA NA         |           |
| 4-Wire Analog VG Loop (Standard), per month   | NA NA         |           |
| NRC - 1 <sup>M</sup>  | NA            |           |
| NRC - Add'I   | NA NA         | Transie.  |
| 2-Wire ISDN Digital Grade Loop (Standard), per month  | NA            | HED LAND  |
| NRC - 1#  | NA NA         |           |
| NRC - Add'I   | NA NA         |           |
| 2-Wire ADSL Loop (Standard), per month  | NA            |           |
| NRC - 1 <sup>st</sup>   | NA NA         | (A)       |
| NRC - Add'I   | NA NA         |           |
| 2-Wire HDSL Loop (Standard), per month  | NA NA         | To he     |
| NRC - 1 <sup>H</sup>  | NA NA         | W. 12 198 |
| NRC - Add'I   | NA NA         |           |
| 4-Wire HDSL Loop (Standard), per month  | NA NA         |           |
| NRC - 1"  | NA NA         |           |
| NRC - Add'I   | NA NA         | TV SER    |
|   | Branch Branch |           |
| LOOP, INCLUDING NID   | NA NA         | -         |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st  | NA NA         |           |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc OrderAdd'l NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— | NA NA         |           |
|   | 110           |           |
| Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc  | NA            | 724       |
| 있다. 그 사람이 있는데 그리 점점 보다면 얼마나 되었다면 얼마나 그는데 얼마나 얼마나 얼마나 되었다면 그는데 그 아니다면 그렇다는데 그는데 그는데 그는데 그는데 그는데 그는데 그 때문에 그 없다.  | 1.00          |           |
| Order1* NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc  | NA NA         |           |
| Order-Add'I   |               |           |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc   | NA            |           |
| Order—Disconnect  |               |           |
| 2-Wire Analog VG Loop, per month  | \$25.24       | F. Piles  |
| NRC - 1"  | \$25.00       | CALL O    |
| NRC - Add'I   | \$10.00       | 197-      |
| 2-Wire Analog VG Loop-SL1, per month  | NA .          | E WILE    |
| NRC - 1"  | NA .          | O VA      |
| NRC - Add'1 - Add'1   | NA .          | e Silver  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA NA         | 185       |
| NRC - Disconnect Chg - Add'l  | NA            | 1         |
| NRC - Order Coordination for Specified Conversion Time  | NA NA         |           |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord  | NA            |           |
| NRC - 1"  | NA            |           |
| NRC - Add'I   | NA NA         |           |
| NRC - Add1<br>NRC - Disconnect Chg - 1 <sup>st</sup>  | NA NA         |           |
|   | NA NA         | 36.77     |
| NRC - Disconnect Chg - Add'l 2-Wire Analog VG Loop-\$L2, per month  | NA NA         |           |
| NRC - 1 <sup>st</sup>   | NA NA         |           |
| NRC - Add'l   | NA NA         | 10 B      |

### ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

PAGE 282

ATTACHMENT A

Attachment 11

Exhibit 6-MS

Page 6

| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA        |
|---|-----------|
| NRC - Disconnect Chg - Add'l  | NA        |
| NRC - Order Coordination for Specified Conversion Time                        | NA        |
| 2-Wire Analog VG Loop (Standard), per month                                   | NA        |
| NRC - 1 <sup>st</sup>   | NA        |
| NRC - Add'I   | NA        |
| 2-Wire Analog VG Loop (Customized), per month                                 | NA .      |
| NRC - 1"  | NA        |
| NRC - Add'I   | NA        |
| 4-Wire Analog VG Loop, per month  | \$38.02   |
| NRC - 1 <sup>st</sup>   | \$25.00   |
|   | \$10.00   |
| NRC - Add'I   | NA NA     |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA NA     |
| NRC - Disconnect Chg - Add'l  | NA NA     |
| NRC - Order Coordination for Specified Conversion Time                        | NA NA     |
| 4-Wire Analog VG Loop (Standard), per month                                   |           |
| NRC - 1 <sup>M</sup>  | NA NA     |
| NRC - Add'I   | NA COS 47 |
| 2-Wire ISDN Digital Grade Loop, per month                                     | \$36.47   |
| NRC - 1 <sup>M</sup>  | \$25.00   |
| NRC - Add'I   | \$25.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA        |
| NRC - Disconnect Chg - Add'l  | NA        |
| NRC - Order Coordination for Specified Conversion Time                        | NA        |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                          | NA        |
| NRC - 1 <sup>st</sup>   | NA        |
| NRC - Add'I   | NA        |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible                     | \$25.24   |
| Loop, per month   | 100000    |
| NRC - 1 <sup>st</sup>   | \$25.00   |
| NRC - Add'I   | \$10.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA        |
| NRC - Disconnect Chg - Add'l  | NA        |
| NRC - Order Coordination for Specified Conversion Time                        | NA        |
| 2-Wire ADSL Loop (Standard), per month  | NA        |
| NRC - 1 <sup>M</sup>  | NA        |
| NRC - Add'I   | NA        |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop, per month           | NA .      |
| NRC - 1"  | NA        |
| NRC - Add'I   | NA        |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible<br>Loop, per month | \$25.24   |
| NRC - 1 <sup>st</sup>   | \$25.00   |
| NRC - Add'I   | \$10.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA        |
| NRC - Disconnect Chg - Add'l  | NA        |
| NRC - Order Coordination for Specified Conversion Time                        | NA        |
| 2-Wire HDSL Loop (Standard), per month  | NA        |
| NRC - 1 <sup>st</sup>   | NA        |
| NRC - Add'I   | NA .      |
| 4-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible                    | \$38.02   |

ATTACHMENT A Attachment 11
Exhibit 6-MS
Page 7

| NRC - 1 <sup>st</sup>   | \$25.00                                  |
|---|--|
| NRC - Add'I   | \$10.00                                  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                                       |
| NRC - Disconnect Chg - Add'l  | NA                                       |
| NRC - Order Coordination for Specified Conversion Time  | NA                                       |
| 4-Wire HDSL Loop (Standard), per month  | NA                                       |
| NRC - 1"  | NA                                       |
| NRC - Add'l   | NA                                       |
| 4-Wire DS1 Digital Loop, per month  | \$77.39                                  |
| NRC - 1 <sup>M</sup>  | \$300.00                                 |
| NRC - Add'l   | \$250.00                                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                                       |
| NRC - Disconnect Chg - Add'l  | NA                                       |
| NRC - Incremental CostManual Svc Order-1st  | NA                                       |
| NRC - Incremental CostManual Svc Order-Addi   | NA                                       |
| NRC - Incremental CostManual Svc Order-Disconnect   | NA                                       |
| NRC - Order Coordination for Specified Conversion Time  | NA                                       |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month  | NA                                       |
| NRC - 1 <sup>st</sup>   | NA NA                                    |
| NRC - Add'I   | NA NA                                    |
| NRC - Add I<br>NRC - Disconnect Chg - 1 <sup>st</sup>   | NA NA                                    |
| NRC - Disconnect Chg - 1  | NA NA                                    |
| NRC - Order Coordination for Specified Conversion Time  | NA NA                                    |
| Unbundled Loops via IDLC  | NA NA                                    |
| SUB LOOPS   |  |
| SUB-LOOPS   | NA NA                                    |
| Sub-Loop 2-Wire Analog  Loop Feeder per 2-Wire Analog VG Loop, per month  | NA NA                                    |
|   | NA NA                                    |
| NRC - 1*  | NA NA                                    |
| NRC - Add'I   | NA NA                                    |
| NRC - Disconnect Chg - 1 <sup>M</sup>   | NA NA                                    |
| NRC - Disconnect Chg - Add'l  | NA NA                                    |
| NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID),   | 110                                      |
| a ar month  | NA                                       |
| per month   |  |
| NRC - 1 <sup>st</sup>   | NA                                       |
| NRC - 1#<br>NRC - Add'I   | NA<br>NA                                 |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup>  | NA<br>NA<br>NA                           |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I   | NA<br>NA<br>NA                           |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),  | NA<br>NA<br>NA                           |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  | NA<br>NA<br>NA<br>NA<br>NA               |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA<br>NA<br>NA               |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I  | NA<br>NA<br>NA<br>NA<br>NA<br>NA         |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup>  | NA<br>NA<br>NA<br>NA<br>NA               |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I Unbundled Network Terminating Wire   | NA N |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per month                                   | NA N |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO),   | NA N |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per month NRC - 1 <sup>st</sup> NRC - Add'I | NA N |
| NRC - 1 <sup>st</sup> NRC - Add'I NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I NRC - Disconnect Chg - Add'I NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month NRC - 1 <sup>st</sup> NRC - Add'I Unbundled Network Terminating Wire Loop Concentration - Channelization Sys (Outside CO), per month NRC - 1 <sup>st</sup>             | NA N |

PAGE 284

#### ATTACHMENT A

|   | NA .   |
|---|--|
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA   |
| Working Plug-In 2-Wire, NRC 1st   | NA.  |
| Working Plug-In 2-Wire, NRC Add'l   | NA   |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)   | NA   |
| Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside CO), per month   | NA NA  |
| NRC - 1 <sup>st</sup>   | NA .   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .   |
| NRC - Disconnect Chg - Add'l  | NA .   |
| oop Channelization System (Inside C.O.)   | A Disease of the Control of  |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG), per month   | \$397.55   |
| NRC - 1 <sup>M</sup>  | \$350.00   |
| NRC - Add'l   | \$350.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Incremental CostManual Svc Order - 1st  | NA   |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA   |
| NRC - Incremental CostManual Svc Order - Disconnect   | NA .   |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month   | \$1.24   |
| NRC - 1 <sup>st</sup>   | \$8.00   |
| NRC - Add'I   | \$8.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA   |
| NRC - Disconnect Chg - Add'I  | NA   |
| INBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  |  |
|   | 24.00  |
| 7 Wire Analog Line Port (Pag Rue ) not month  | 15199  |
| 2-Wire Analog Line Port (Res., Bus.), per month   | \$1.99   |
| NRC - 1 <sup>st</sup> (all types)   | \$3.50   |
| NRC - 1" (all types) NRC - Add'l (all types)  | \$3.50<br>\$3.50   |
| NRC - 1" (all types) NRC - Add'l (all types) NRC - 1" (Residence)   | \$3.50<br>\$3.50<br>NA   |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence)   | \$3.50<br>\$3.50<br>NA<br>NA   |
| NRC - 1" (all types) NRC - Add'l (all types) NRC - 1" (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1" (Business)   | \$3.50<br>\$3.50<br>NA<br>NA   |
| NRC - 1" (all types) NRC - Add'l (all types) NRC - 1" (Residence) NRC - Add'l (Residence) NRC - 1" (Business) NRC - Add'l (Business)  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA   |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business)  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA   |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - Add'l (PBX)  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - 1" (all types)  NRC - Add'l (all types)  NRC - 1" (Residence)  NRC - Add'l (Residence)  NRC - 1" (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - 1" (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1"   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                                     |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                               |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                         |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1" (all types)  NRC - Add'l (all types)  NRC - 1" (Residence)  NRC - Add'l (Residence)  NRC - 1" (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| NRC - 1" (all types)  NRC - Add'l (all types)  NRC - 1" (Residence)  NRC - Add'l (Residence)  NRC - 1" (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - 1" (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1"   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1 <sup>st</sup> NRC - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - 1 <sup>st</sup> (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup>  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1" (all types)  NRC - Add'l (all types)  NRC - 1" (Residence)  NRC - Add'l (Residence)  NRC - 1" (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1"  NRC - Add'l  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1" (all types)  NRC - Add'l (all types)  NRC - 1" (Residence)  NRC - Add'l (Residence)  NRC - 1" (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1"  NRC - Add'l  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1 <sup>st</sup> (all types)  NRC - Add'l (all types)  NRC - 1 <sup>st</sup> (Residence)  NRC - Add'l (Residence)  NRC - 1 <sup>st</sup> (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |
| NRC - 1" (all types)  NRC - Add'l (all types)  NRC - 1" (Residence)  NRC - Add'l (Residence)  NRC - 1" (Business)  NRC - Add'l (Business)  NRC - Add'l (Business)  NRC - Add'l (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1"  NRC - Add'l  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                   |

PAGE 285

#### ATTACHMENT A

| NRC - Disconnect Chg - 1 <sup>st</sup>   | INA      |
|--|----------|
| NRC - Disconnect Chg - Add'l   | NA .     |
| NRC - Incremental Cost—Manual Svc Order - 1st  | NA NA    |
| NRC - Incremental Cost—Manual Svc Order - Add'l  | NA .     |
| NRC - Incremental Cost-Manual Svc Order - Disconnect   | NA .     |
| 4-Wire DID Port, per month   | NA NA    |
| NRC - 1 <sup>st</sup>  | NA NA    |
|  | NA NA    |
| NRC - Add'I  | NA NA    |
| NRC - Disconnect Chg - 1st   | NA NA    |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st                         | NA NA    |
| NRC - Incremental Cost—Manual Svc Order - 1st  | NA NA    |
| NRC - Incremental Cost—Manual Svc Order - Add'l  | NA NA    |
| NRC - Incremental Cost—Manual Svc Order - Disconnect   |          |
| 4-Wire DS1 Port w/DID capability, per month  | \$130.23 |
| NRC - 1 <sup>m</sup>   | \$60.00  |
| NRC - Add'I  | \$60.00  |
| 2-Wire ISDN Port(2) (3), per month   | \$11.73  |
| NRC - 1"   | \$50.00  |
| NRC - Add'I  | \$50.00  |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA NA    |
| NRC - Disconnect Chg - Add'l   | NA       |
| NRC - Incremental Cost—Manual Svc Order - 1st  | NA .     |
| NRC - Incremental Cost—Manual Svc Order - Add'l  | NA       |
| NRC - Incremental Cost—Manual Svc Order-Disconnect 1st   | NA .     |
| NRC - Incramental Cost—Manual Svc Order-Disconnect Addl  | NA .     |
| NRC - User Profile per B Channel (4)   | NA       |
| 4-Wire ISDN Port, per month  | NA       |
| NRC - 1"   | NA       |
| NRC - Add'I  | NA       |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA       |
| NRC - Disconnect Chg - Add'l   | NA       |
| NRC - Incremental Cost—Manual Svc Order - 1st  | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l  | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st   | NA       |
| NRC - Incremental Cost—Manual Svc Order-Disconnect Addl  | NA       |
| 4-Wire ISDN DS1 Port, per month  | \$270.36 |
| NRC - 1 <sup>M</sup>   | \$75.00  |
| NRC - Add'I  | \$75.00  |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA .     |
| NRC - Disconnect Chg - Add'l   | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Add'l  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st   | NA       |
| NRC - Incremental Cost—Manual Svc Order-Disconnect Addl  | NA .     |
| 2-Wire Analog Line Port (PBX), per month   | NA NA    |
| NRC - 1"   | NA .     |
|  | NA NA    |
| NRC - Add'I  | NA NA    |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA NA    |
| NRC - Disconnect Chg - Add'l   | NA NA    |
| NRC - Incremental Cost—Manual Svc Order - 1st  | NA NA    |
| NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order-Disconnect | NA NA    |

PAGE 286

#### ATTACHMENT A

| 2-Wire Analog Hunting, per line per month   | 100.40  |
|---|---|
|   | \$0.12<br>NA  |
| NRC - 1#  | NA NA   |
| NRC - Add'I   | \$2.28  |
| Coin Port, per month  | \$3.50  |
| NRC - 1 <sup>st</sup>   |   |
| NRC - Add'l   | \$3.50  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA  |
| NRC - Disconnect Chg - Add'l  | NA NA   |
| NRC - Incremental Cost—Manual Svc Order - 1 <sup>st</sup>   | NA  |
| NRC - Incremental Cost—Manual Svc Order - Add'l   | NA  |
| NRC - Incremental Cost—Manual Svc Order-Disconnect  | NA  |
| Vertical Features   |   |
| Local Switching Features offered with Port, Per month   | NA  |
| Subsequent Order Charge—Electronic  | NA  |
| Subsequent Order Charge—Incremental Cost—Manual Svc Order   | NA  |
| Unbundled End Office Switching (Port Usage)   |   |
| End Office Switching Function, per mou  | \$0.00221   |
| End Office Switching Function, add'l mou (5)  | NA  |
| End Office Interoffice Trunk Port—Shared, per mou   | NA  |
| Unbundled Tandem Switching (Port Usage) (Local or Access  |   |
| Tandem)   |   |
| Tandem Switching Function per mou   | \$0 003172  |
| Tandem Interoffice Trunk Port—Shared per mou  | NA  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to  | NA  |
| intermediary traffic and is applied in addition to applicable switching   |   |
| and/or interconnection charges.)  |   |
| UNBUNDLED TRANSPORT   |   |
| Common (Shared) Transport   |   |
| Common (Shared) Transport per mile per mou  |   |
| Common Charco, Hanaport per mile per mod  | \$0.000012  |
| Common (Shared) Transport Facilities Termination per mou  | \$0.000012<br>\$0.00036   |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC   |   |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC   | S0.00036<br>BST State Access  |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG  | S0.00036<br>BST State Access  |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC   | S0.00036<br>BST State Access<br>Tariff                                    |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  | S0.00036 BST State Access Tariff NA                                       |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  | S0.00036 BST State Access Tariff NA NA                                    |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup>   | S0.00036 BST State Access Tariff NA NA NA                                 |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup>   | S0.00036 BST State Access Tariff NA NA NA NA                              |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  | S0.00036 BST State Access Tariff NA NA NA NA NA NA                        |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st   | S0.00036 BST State Access Tariff NA NA NA NA NA NA NA NA                  |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  | S0.00036  BST State Access Tariff  NA          |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect—1st   | S0.00036  BST State Access Tariff  NA       |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  | SO 00036  BST State Access Tariff  NA |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - VG - per mile Interoffice Transport - Dedicated - DSO - 56/64 KBPS   | SO 00036 BST State Access Tariff NA   |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  | SO 00036  BST State Access Tariff  NA |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl Interoffice Transport - Dedicated - DS0 - 56/64 KBPS Interoffice Transport - Dedicated - DS0 - per mile per month Interoffice Transport - Dedicated - DS0 - facilities termination per month                         | SO 00036  BST State Access Tariff  NA |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl Interoffice Transport - Dedicated - DS0 - 56/64 KBPS Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month  NRC - 1 <sup>st</sup> | SO 00036  BST State Access Tariff  NA |
| Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl Interoffice Transport - Dedicated - DS0 - 56/64 KBPS Interoffice Transport - Dedicated - DS0 - per mile per month Interoffice Transport - Dedicated - DS0 - facilities termination per month                         | SO 00036  BST State Access Tariff  NA |

PAGE 287 ATTACHMENT A

| NRC - Incremental Cost—Manual Svc Order - 1st   | NA               |
|---|------------------|
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA               |
| NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  | NA               |
| NRC - Incremental Cost—Manual Svc Order-DisconnectAddl  | NA               |
| Interoffice Transport - Dedicated - DS1   |                  |
| Interoffice Transport - Dedicated - DS1 - per mile per month  | \$1.60           |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month                            | \$59.75          |
| NRC - 1 <sup>st</sup>   | \$100.49         |
| NRC - Add'I   | \$100.49         |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA               |
| NRC - Disconnect Chg - Add'l  | NA .             |
| NRC - Incremental Cost—Manual Svc Order - 1st   | NA .             |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA .             |
| NRC - Incremental Cost—Manual Svc Order-Disconnect1st   | NA               |
| NRC - Incremental Cost—Manual Svc Order-DisconnectAddl  | NA .             |
| Interoffice Transport - Dedicated - DS3   |                  |
| Interoffice Transport - Dedicated - DS3 - per mile per month  | \$40.00          |
| Interoffice Transport - Dedicated - DS3 - facilities termination per month                            | \$600.00         |
| NRC - 1 <sup>st</sup>   | \$67.19          |
| NRC - Add'l •   | \$67.19          |
| Digital Cross Connects (3/3, 3/1, 1/0)  | To Be Negotiated |
| Unbundled Exchange Access IOC   | 10 De Nogombio   |
| 0-8 Miles, Fixed per month  | \$16.89          |
| Per mile per month  | \$0.007          |
| NRC 1 <sup>st</sup>   | \$10.00          |
| NRC Add'I   | \$10.00          |
| 9-25 Miles, Fixed per month   | \$16.89          |
| Per mile per month  | \$0.007          |
| NRC 1 <sup>st</sup>   | \$10.00          |
| NRC Add'I   | \$10.00          |
| Over 25 Miles, Fixed per month  | \$18.26          |
| Per mile per month  | \$0.0775         |
| NRC 1 <sup>st</sup>   | \$10.00          |
| NRC Add'I   | \$10.00          |
| Local Channel - Dedicated   | 0.00             |
| Local Channel - Dedicated - 2-Wire VG   | NA .             |
| NRC - 1 <sup>st</sup>   | NA .             |
| NRC - Add'I   | NA .             |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .             |
| NRC - Disconnect Chg - Add'l  | NA .             |
| NRC - Incremental Cost—Manual Svc Order - 1st   | NA NA            |
| NRC - Incremental Cost—Manual Svc Order - Add'l   | NA .             |
| NRC - Incremental Cost—Manual Svc Order-Disconnect  | NA .             |
| Local Channel - Dedicated - 4-Wire VG   | NA .             |
| NRC - 1 <sup>st</sup>   | NA               |
| NRC - Add'I   | NA .             |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA NA            |
| NRC - Disconnect Chg - 1**  NRC - Disconnect Chg - Add'l  | NA .             |
| NRC - Disconnect Crig - Add I<br>NRC - Incremental Cost—Manual Svc Order - 1st                        | NA NA            |
| NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l        | NA NA            |
| NRC - Incremental Cost—Manual Svc Order - Add I<br>NRC - Incremental Cost—Manual Svc Order-Disconnect | NA NA            |
| Local Channel - Dedicated - DS1   | NA NA            |

PAGE 288

ATTACHMENT A

|   | P  |
|---|--|
| NRC - 1 <sup>4</sup>  | NA   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1*   | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Incremental Cost—Manual Svc Order   | NA   |
| NRC - Incremental Cost—Manual Svc Order-Disconnect  | NA   |
| VIRTUAL COLLOCATION   |  |
| Virtual Collocation   | Tariff Rates   |
| OCAL USAGE  |  |
| Intraoffice per mou   | NA   |
| Interoffice per mou (assumes 5 miles of transport)  | NA   |
| OCAL INTERCONNECTION CALL TRANSPORT AND TERMINATION)  |  |
| End Office Interconnection/Switching, per mou   | \$0.0026   |
| Tandem Interconnection/Switching, per mou   | \$0.0083   |
| Tandem Interconnection (assumes 5 miles of transport per mou)   | NA   |
| Transport   | Network - ment<br>prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport   | NA   |
| Combined Tandem Switch Interconnection  | NA   |
| Multi-tandem Interconnection  | NA   |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA   |
| 800 ACCESS TEN DIGIT SCREENING SERVICE  |  |
| 300 Access Ten Digit Screening (all types), per call (6)  | NA   |
| 100 Access Ten Digit Screening Svc. W/800 No. Delivery, per query   | \$0.00115  |
| 00 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per query  | \$0.0012   |
| 00 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query   | \$0.00115  |
| 00 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per query  | \$0.0012   |
| 00 Access Ten Digit Screening Svc. W/800 No. Delivery, per message  | NA   |
| 00 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per message  | NA   |
| 100 Access Ten Digit Screening Svc. W/POTS No. Delivery, per nessage  | NA   |
| 100 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   | NA   |
| Reservation Charge per 800 number reserved—NRC - 1st  | \$5.00   |
| Reservation Charge per 800 number reserved—NRC - Add'l  | \$0.50   |
| Per 800 # Established w/o POTS (w/800 No.) Translations   | BEV SILE   |
| NRC - 1 <sup>st</sup>   | \$5.00   |
| NRC - Add'I   | \$2.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| Per 800 # Established with POTS Translations  |  |

PAGE 289

# ATTACHMENT A

| • In the Market Country of the Count | P.           |
|--|--------------|
| NRC - Add'I  | \$2.00       |
| NRC - Disconnect Chg - 1st   | NA           |
| NRC - Disconnect Chg - Add'l   | NA           |
| Customized Area of Service per 800 Number  |              |
| NRC - 1 <sup>st</sup>  | \$3.00       |
| NRC - Add'I  | \$1.50       |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #  |              |
| NRC - 1 <sup>st</sup>  | \$3.50       |
| NRC - Add'I  | \$2.00       |
| Change Charge per request  |              |
| NRC - 1 <sup>st</sup>  | \$5.00       |
| NRC - Add'I  | \$0.50       |
| Call Handling and Destination Features - NRC   | \$3.00       |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order  | NA           |
| Per 800 # Est'd w/o POTS Transi-Incrm Cost-Manual Svc Order  | NA           |
| NRC  | NA           |
| NRC - Disconnect Chg   | NA           |
| Per 800 # Est'd with POTS Transi-incrm Cost Manual Svc Order   | NA           |
| NRC  | NA           |
| NRC - Disconnect Chg   | NA           |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC  | NA           |
| LINE INFORMATION DATABASE ACCESS (LIDB)  | Date Service |
| LIDB Common Transport per query  | \$0.00004    |
| LIDB Validation per query  | \$0.00499    |
| LIDB Validation per message  | NA           |
| LIDB Originating Point Code Establishment or Change - NRC  | \$91.00      |
| LIDB - Incremental Cost - Manual Svc Order - NRC   | NA           |
| CCS7 SIGNALING TRANSPORT SERVICE   |              |
| CCS7 Signaling Connection, per link (A link) per month   | \$19.75      |
| NRC  | NA NA        |
| NRC - Disconnect   | NA .         |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month  | \$25.25      |
| NRC  | NA           |
| NRC - Disconnect   | NA           |
| CCS7 Signaling Termination, per STP port per month   | NA           |
| CCS7 Signaling Usage, per ISUP message   | \$0.00005    |
| CCS7 Signaling Usage, per TCAP message   | \$0.00005    |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo(7)  | \$395.00     |
| CCS7 Signaling - Incremental Cost - Manual Svc Order   | NA           |
| NRC ·  | NA           |
| NRC - Disconnect   | NA           |
| OPERATIONAL SUPPORT SYSTEMS  |              |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month  | \$50.00      |
| NRC  | \$100.00     |
| OSS OLEC Daily Usage File: Recording, per message  | \$0.008      |
| OSS OLEC Daily Usage File: Message Processing, per message   | \$0.004      |
| OSS Access Daily Usage File: Message Processing, per message   | \$0.004      |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape provisioned   | \$54.95      |
| OSS Access Daily Usage File: Message Distribution, per magnetic tape   | \$54.95      |

ATTACHMENT A Attachment 11
Exhibit 6-MS
Page 14

| provisioned   | 10000      |
|---|------------|
| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT          | ), \$0.001 |
| per message   | 60.004     |
| OSS Access Daily Usage File: Data Transmission                        | \$0.001    |
| (CONNECT:DIRECT), per message   | 240.00     |
| OSS Order charge, per electronic order, per end user account          | \$10.80    |
| Surcharge for manually placed orders, per end user account            | \$22.00    |
| OPERATOR CALL PROCESSING  |            |
| Oper. Provided Call Handling per min - Using BST LIDB                 | NA .       |
| Call Completion Access Termination Charge per call attempt            | NA .       |
| Oper. Provided Call Handling per min - Using Foreign LIDB             | NA .       |
| Call Completion Access Termination Charge per call attempt            | NA NA      |
| Operator Provided Call Handling, per call                             | \$0.30     |
| Fully Automated Call Handling per call - Using BST LIDB               | \$0.0740   |
| Fully Automated Call Handling per call - Using Foreign LIDB           | \$0.0950   |
| INWARD OPERATOR SERVICES  |            |
| Verification, per minute  | NA         |
| Verification and Emergency Interrupt, per minute                      | NA NA      |
| Verification, per call  | \$0.81     |
| Verification and Emergency Interrupt, per call                        | \$0.97     |
|   |            |
| DIRECTORY ASSISTANCE SERVICES   |            |
| Directory Assist Call Completion Access Svc (DACC), per call attempt  | \$0.0287   |
| Call Completion Access Term charge per completed call                 | NA NA      |
| Number Services Intercept per query                                   | \$0.00915  |
| Number Services Intercept per Intercept Query Update                  | NA NA      |
| Directory Assistance Access Service Calls, per call                   | \$0.26625  |
| Recording cost per announcement                                       | NA         |
| Loading cost per audio unit   | NA         |
| Directory Transport   |            |
| Directory Transport - Local Channel DS1, per month                    | \$70.00    |
| NRC - 1"  | \$300.00   |
| NRC - Add'I   | \$250.00   |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                | NA NA      |
| NRC - Disconnect Chg - Add'l  | NA .       |
| NRC - Incremental Cost-Manual Svc Order - NRC                         | NA .       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect              | NA         |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo | \$1.60     |
| Directory Transport - Dedicated DS1 Level Interoffice per facility    | \$59.75    |
| termination per mo  |            |
| NRC - 1ª  | \$100.49   |
| NRC - Add'I   | \$100.49   |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                | NA .       |
| NRC - Disconnect Chg - Add'l  | NA .       |
| NRC - Incremental Cost-Manual Svc Order - NRC-1*                      | NA .       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'l                   | NA .       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1*           | NA .       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Discennect-<br>Add'l    | NA.        |
| Switched Common Transport per DA Access Service per call              | \$0.001918 |
| Switched Common Transport per DA Access Service per call per mile     | \$0.00003  |
| Access Tandem Switching per DA Access Service per call                | \$0.00245  |

ATTACHMENT A Attachment 11
Exhibit 6-MS
Page 15

| DA Interconnection, per DA Access Service Call   | NA       |
|--|----------|
| Directory Transport-Installation NRC, per trunk or signaling connection                            |          |
| NRC - 1 <sup>M</sup>   | NA       |
| NRC - Add'I  | NA       |
| NRC - Disconnect Chg - 1st   | NA       |
| NRC - Disconnect Chg - Add'l   | NA       |
| Directory Assistance Database Service (DADS)   |          |
| Directory Assistance Database Service cost per listing   | \$0.0192 |
| Directory Assistance Database Service, per month   | \$120.64 |
| Direct Access to Directory Assistance (DADAS)  |          |
| Direct Access to Directory Assistance Service, per month   | NA NA    |
| Direct Access to Directory Assistance Service, per query   | NA .     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC                                   | NA .     |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-                                  | NA NA    |
| Disconnect   |          |
| Disconnect   |          |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  |          |
| RCF  | NA       |
| RCF, per number ported (Business Line), 10 paths   | NA NA    |
| RCF, per number ported (Residence Line), 6 paths RCF, per number ported (Business Line), each path | NA NA    |
| RCF, per number ported (Business Line), each path  | NA NA    |
| RCF, per number ported (Residence Line), each path   | NA NA    |
| RCF, per number ported (Res or Bus Line)   | NA NA    |
| NRC  | NA NA    |
| NRC - Disconnect Chg   | NA NA    |
| RCF, add'l capacity for simultaneous call forwarding, per additional path                          | NA NA    |
| RCF, per service order, per location - NRC - 1"  | NA NA    |
| RCF, per service order, per location - NRC - Add'I   | NA NA    |
| RCF, per service order, per location - NRC - Disconnect - 1st                                      |          |
| RCF, per service order, per location - NRC - Disconnect - Add'I                                    | NA .     |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                                   | NA NA    |
| NRC - 1 <sup>st</sup>  | NA NA    |
| NRC - Add'I  |          |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA .     |
| NRC - Disconnect Chg - Add'l   | NA       |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -<br>DID   |          |
| DID per number ported, Residence - NRC   | NA       |
| DID per number ported, Residence - NRC - Disconnect  | NA       |
| DID per number ported, Business - NRC  | NA       |
| DID per number ported, Business - NRC - Disconnect   | NA       |
| DID per service order, per location - NRC - 1st  | NA       |
| DID per service order, per location - NRC - Add'I  | NA       |
| DID per service order, per location - NRC - Disconnect - 1st                                       | NA .     |
| DID per service order, per location - NRC - Disconnect - Add'I                                     | NA       |
| DID, per trunk termination, Initial  | NA .     |
| DID, per trunk termination, Initial - NRC  | NA .     |
| DID, per trunk termination, Initial - Disconnect   | NA       |
| DID, per trunk termination, Subsequent   | NA       |
| DID, per trunk termination, Subsequent - NRC   | NA .     |
| DID, per trunk termination, Subsequent - Disconnect  | NA       |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                                   | NA       |

PAGE 292

ATTACHMENT A

|   | Pa       |
|---|----------|
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (8)  |          |
|   | NA .     |
| Access to Poles, per pole, per foot, per year   | NA NA    |
| Access to Conduits, per foot, per year Access to Innerduct, per foot, per year  | NA NA    |
|   |          |
| AIN   | NA .     |
| AIN Related Services with mediation, per query  | \$0.0006 |
| AIN, per message  |          |
| AIN - BellSouth AIN SMS Access Service  | NA NA    |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC   | NA .     |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -<br>Disconnect   | NA       |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC   | NA       |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-<br>Disconnect  | NA       |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC  | NA       |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC - Disconnect   | NA       |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC   | NA       |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC - Disconnect  | NA       |
| AIN SMS Access Svc - Security Card per User ID Code, initial or   | NA NA    |
| replacement-NRC AIN SMS Access Svc - Security Card per User ID Code, initial or replacement-NRC - Disconnect  | NA .     |
| AIN SMS Access Service - Storage, per unit (100 Kb)   | NA       |
| AIN SMS Access Service - Session, per minute  | NA       |
| AIN SMS Access Service - Co. Performed Session, per minute  | NA       |
| ANY SINIS ACCESS SCIVICE TO THE MAN TO THE TANK |          |
| AIN - BellSouth AIN Toolkit Service   | NA       |
| AIN, Service Creation Tools   | NA       |
| Service Establishment Charge, per state, initial setup - NRC  | NA       |
| Service Establishment Charge, per state, initial setup - NRC - Disconnec  | I NA     |
| Training Session, per customer - NRC  | NA       |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC   | NA       |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC - Disconnect  | NA .     |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC   | NA       |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC - Disconnect  | NA .     |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC  | NA       |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - Disconnect   | NA .     |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC   | NA .     |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect  |          |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP 5 Discomissor<br>Trigger Access Charge, per trigger, per DN, CDP - NRC  | NA NA    |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect  | NA .     |
| Trigger Access Charge, per trigger, per DN, Cop - Disconnect  Trigger Access Charge, per trigger, per DN, Feature Code - NRC  | NA .     |

ATTACHMENT A Attachment 11
Exhibit 6-MS
Page 17

| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect  | NA       |
|--|----------|
| Query Charge, per query  | NA       |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query  | NA       |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb  | NA       |
| Monthly report - per AIN Toolkit Service Subscription  | NA       |
| Monthly report - per AIN Toolkit Service Subscription - NRC  | NA       |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect   | NA       |
| Special Study - Per AIN Toolkit Service Subscription   | NA       |
| Special Study - Per AIN Toolkit Service Subscription - NRC   | NA       |
| Call Event Report - per AIN Toolkit Service Subscription   | NA       |
| Call Event Report - per AIN Toolkit Service Subscription - NRC   | NA       |
| Call Event Report - per AIN Toolkit Service Subscription - NRC - Disconnect  | <b>5</b> |
| Call Event special Study - per AIN Toolkit Service Subscription  | NA       |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC  | NA       |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE OWNER   |          |
| CNAM, Per Query  | \$0.016  |
| DARK FIBER   |          |
| Per each four-fiber dry fiber arrangement, NRC 1 <sup>st</sup>   | NA       |
| Per each four-fiber dry fiber arrangement, NRC Add'l   | NA       |
| Per each fiber strand per route mile or fraction thereof, per month  | NA       |
| SELECTIVE ROUTING  |          |
| Per Line or PBX Trunk, each  | NA       |
| Per Line or PBX Trunk, NRC   | NA       |
| Note(s):  (1) In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the appropriate tariff applies.  (2) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.  (3) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.  (4) This rate element is for those states which have a specific rate for User Profile per B Channel.  (5) This rate element is for use in those states with a different rate for additional minutes of use.  (6) This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.  (7) This charge is only applicable where signaling usage measurement or billing capability does not exist. |          |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 294
ATTACHMENT A

Attachment 11 Exhibit 7

North Carolina

ATTACHMENT A

Attachment 11 Exhibit 7-NC Page 1

#### NORTH CAROLINA

#### \* PRICING

### 1. General Principles

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the North Carolina Utilities Commission.

#### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in North Carolina.

Residential Service

21.50%

**Business Service:** 

17.60%

#### Unbundled Network Elements

The interim prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

# 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

## 6. Local Number Portability

The interim prices for interim number portability are set forth in Table 1.

#### 7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 1.

#### 8. Electronic Interfaces

All costs incurred by BellSouth to include implement operational interfaces shall be recovered from the industry. If there is disagreement between the Parties regarding cost recovery issues, an affected party may petition the North Carolina Utilities Commission to initiate a separate hearing to address the matter.

#### True-up

Except for the interim prices for resold Local Services, the interim prices referenced above shall be subject to true-up according to the following procedures:

- The interim prices shall be trued-up, either up or down, based on 1. final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.
- 2. The Parties may continue to negotiate toward final prices, but in the event that no such agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General

Attachment 11 Exhibit 7-NC Page 3

Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting agreement with the Commission as a "negotiated agreement" under Section 252(e) of the Act.

- 3. A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:
  - (a) BellSouth and CLEC is entitled to be a full party to the proceeding;
  - (b) It shall apply the provisions of the federal
    Telecommunications Act of 1996, including but not limited to
    Section 252(d)(1) (which contains pricing standards) and all
    then-effective implementing rules and regulations; and,
  - (c) It shall include as an issue the geographic deaveraging of unbundled element prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.
- 4. CLEC shall retain its ability under Section 252(I) to obtain any interconnection, service, or network element provided under an agreement approved under Section 252 to which BellSouth is a party, upon the same terms and conditions as those provided in the agreement.

# 10. Operational Support Systems (OSS) Rates

| OPE            | RATIONAL SUPP                                       | ORT SYSTEMS                       | (OSS) RATES         |  |
|----------------|---|-----------------------------------|---------------------|--|
|                | Interactive Ordering and Trouble Maintenance System |                                   |                     | ler Charge<br>ser account)                 |
|                | Non-<br>Recurring<br>Establishment<br>Charge        | Recurring<br>Charge,<br>per month | Charge per<br>order | Surcharge for<br>manually<br>placed orders |
| NORTH CAROLINA | \$100.00  | \$50.00                           | \$10.80             | \$22.00                                    |

The Rates for Operational Support mentioned above are interim and subject to modification based upon receipt of a final, non-appealable order by the North Carolina Utilities Commission.

Attachment 11 Exhibit 7-NC Page 4

# ATTACHMENT A

#### TABLE 1

# BELLSOUTH/CLEC INTERIM-RATES-NORTH CAROLINA UNBUNDLED NETWORK ELEMENTS ( Certain rates are subject to true-up)

| NIDs  |          |
|---|----------|
| NRC - NID per 2-Wire Loops—Manual Svc Order—1st                         | NA       |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Add'l                       | NA       |
| NRC - NID per 2-Wire LoopsManual Svc OrderDisconnect                    | NA       |
| NRC - NID per 4-Wire LoopsManual Svc Order-1st                          | NA       |
| NRC - NID per 4-Wire Loops-Manual Svc Order-Add'l                       | NA       |
| NRC - NID per 4-Wire Loops-Manual Svc Order-Disconnect                  | NA       |
| NID (all types), per month  | \$0.52   |
| NID per 2-Wire Analog VG Loop, Per Month                                | NA       |
| NRC - 1 <sup>M</sup>  | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NID per 4-Wire Analog VG Loop, Per Month                                | NA       |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                          | NA       |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per<br>Mo. | NA       |
| NRC - 1 <sup>m</sup>  | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA .     |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA       |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                             | NA       |
|   | NA       |
| NRC - 1"  | . AIA    |
| NRC - Add'I   | NA       |
|   | NA<br>NA |

**PAGE 299** 

ATTACHMENT A

| Nonrecurring Charge - customer transfer, feature additions, changes (1) | NA .    |
|---|---------|
| LOOP, EXCLUDING NID   |         |
| 2-Wire Analog VG Loop (Standard), per month                             | NA NA   |
| NRC - 1 <sup>st</sup>   | NA NA   |
| NRC - Add'I   | NA NA   |
| 2-Wire Analog VG Loop (Customized), per month                           | NA .    |
| NRC - 1"  | NA NA   |
| NRC - Add'I   | NA .    |
| 4-Wire Analog VG Loop (Standard), per month                             | NA NA   |
| NRC - 1ª  | NA .    |
| NRC - Add'I   | NA NA   |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                    | NA NA   |
| NRC - 1 <sup>st</sup>   | NA NA   |
| NRC - Add'I   | NA NA   |
| 2-Wire ADSL Loop (Standard), per month                                  | NA NA   |
| NRC - 1 <sup>M</sup>  | NA NA   |
| NRC - Add'I   | NA NA   |
|   | NA NA   |
| 2-Wire HDSL Loop (Standard), per month  NRC - 1 <sup>st</sup>           | NA NA   |
|   | NA NA   |
| NRC - Add'l   | NA NA   |
| 4-Wire HDSL Loop (Standard), per month NRC - 1"                         | NA NA   |
|   | NA NA   |
| NRC - Add'I   | 100     |
| LOOP, INCLUDING NID   | A1A     |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st                | NA NA   |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-Add'l              | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—                   | NA .    |
| Disconnect NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc  | NA      |
| Order-1*  |         |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc             | NA      |
| OrderAdd'l  |         |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc              | NA      |
| Order—Disconnect  |         |
| 2-Wire Analog VG Loop, per month  | \$16.71 |
| NRC - 1 <sup>st</sup>   | \$86.50 |
| NRC - Add'I   | \$27.80 |
| 2-Wire Analog VG Loop-SL1, per month                                    | NA .    |
| NRC - 1 <sup>st</sup>   | NA .    |
| NRC - Add'I   | NA .    |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                  | NA      |
| NRC - Disconnect Chg - Add'l  | NA .    |
| NRC - Order Coordination for Specified Conversion Time                  | NA .    |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord                            | NA      |
| NRC - 1"  | NA      |
| NRC - Add'I   | NA      |
| NRC - Disconnect Chg - 1st  | NA .    |
| NRC - Disconnect Chg - Add'l  | NA .    |
| 2-Wire Analog VG Loop-SL2, per month                                    | NA      |
| NRC - 1"  | NA      |
| NRC - Add'l   | NA      |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 300 ATTACHMENT A

| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA NA    |
|---|----------|
| NRC - Disconnect Chg - Add'l  | NA NA    |
| NRC - Order Coordination for Specified Conversion Time                                | NA       |
| 2-Wire Analog VG Loop (Standard), per month   | NA       |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| 2-Wire Analog VG Loop (Customized), per month   | NA       |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| 4-Wire Analog VG Loop, per month  | \$27.20  |
| NRC - 1 <sup>st</sup>   | \$86.50  |
| NRC - Add'I   | \$27.80  |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Order Coordination for Specified Conversion Time                                | NA       |
| 4-Wire Analog VG Loop (Standard), per month   | NA       |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA       |
| 2-Wire ISDN Digital Grade Loop, per month   | \$27.20  |
| NRC - 1*  | \$276.96 |
| NRC - Add'I   | \$234.99 |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Order Coordination for Specified Conversion Time                                | NA       |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                                  | . NA     |
| NRC - 1 <sup>M</sup>  | NA       |
| NRC - Add'I   | NA       |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible                             | \$17.00  |
| Loop, per month   |          |
| NRC - 1 <sup>st</sup>   | \$280.15 |
| NRC - Add'I   | \$243.91 |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Order Coordination for Specified Conversion Time                                | NA       |
| 2-Wire ADSL Loop (Standard), per month  | NA       |
| NRC - 1 <sup>st</sup>   | NA       |
| NRC - Add'I   | NA       |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop,<br>per month                | NA .     |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA I     |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible                            | \$17.00  |
| Loop, per month NRC - 1 <sup>st</sup>   | \$280.15 |
| NRC - Add'I   | \$243.91 |
| NRC - Add I<br>NRC - Disconnect Chg - 1st   | NA NA    |
| NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l                              | NA NA    |
| NRC - Disconnect Crig - Add I  NRC - Order Coordination for Specified Conversion Time | NA NA    |
| -Wire HDSL Loop (Standard), per month   | NA NA    |
|   | NA NA    |
|   |          |
| NRC - 1 <sup>st</sup><br>NRC - Add'l  | NA .     |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 301 ATTACHMENT A

| NRC - 1 <sup>a</sup>  | \$291.43         |
|---|------------------|
| NRC - Add'l   | \$255.46         |
| NRC - Disconnect Chg - 1st  | NA               |
| NRC - Disconnect Chg - Add'l  | NA               |
| NRC - Order Coordination for Specified Conversion Time                                    | NA               |
| 4-Wire HDSL Loop (standard), per month  | NA               |
| NRC - 1 <sup>st</sup>   | NA               |
| NRC - Add'I   | NA               |
| 4-Wire DS1 Digital Loop, per month  | \$151.50         |
| NRC - 1 <sup>M</sup>  | \$568.96         |
| NRC - Add'I   | \$335.56         |
| NRC - Disconnect Chg - 1st  | NA               |
| NRC - Disconnect Chg - Add'l  | NA               |
| NRC - Incremental CostManual Svc Order-1st  | NA               |
| NRC - Incremental CostManual Svc Order-Addi   | NA .             |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA               |
| NRC - Order Coordination for Specified Conversion Time                                    | NA               |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month  | NA               |
| NRC - 1 <sup>st</sup>   | NA               |
| NRC - Add'I   | NA               |
| NRC - Disconnect Chg - 1st  | NA               |
| NRC - Disconnect Chg - Add'l  | NA               |
| NRC - Order Coordination for Specified Conversion Time                                    | NA               |
| Unbundled Loops via IDLC  | To be negotiated |
| ub-Loop 2-Wire Analog   | NA<br>NA         |
| Loop Feeder per 2-Wire Analog VG Loop, per month  |                  |
| NRC - 1 <sup>M</sup>  | NA               |
| NRC - Add'I   | NA               |
| NRC - Disconnect Chg - 1st  | NA               |
| NRC - Disconnect Chg - Add'l  | NA NA            |
| NRC - Order Coordination for Specified Conversion Time                                    | NA               |
| Loop Distribution per 2-Wire Analog VG Loop (Including NID), per month                    | NA               |
| NRC - 1 <sup>M</sup>  | NA               |
| NRC - Add'I   | NA               |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | . NA             |
| NRC - Disconnect Chg - Add'l  | NA               |
| NRC - Order Coordination for Specified Conversion Time                                    | NA               |
| Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),                              | NA .             |
| per month .   | NA               |
| NRC - 1 <sup>#</sup>  | NA NA            |
|   | NA .             |
| Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), | NA NA            |
| per month   |                  |
| NRC - 1"  | NA .             |
| NRC - Add'I   | NA .             |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA .             |
| NRC - Disconnect Chg - Add'l  | NA               |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA .             |

PAGE 302

ATTACHMENT A

| NRC - Incremental Cost-Manual Svc Order - Add'l  | NA   |
|--|--|
| NRC - Incremental Cost-Manual Svc Order - Disconnect   | NA   |
| Working Plug-In 2-Wire, NRC 1 <sup>st</sup>  | NA   |
| Working Plug-In 2-Wire, NRC Add'I  | NA   |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)  | NA   |
| Loop Concentration - Remote Channel Interface - 2-Wire VG (Outside CO), per month  | NA   |
| NRC - 1 <sup>st</sup>  | NA   |
| NRC - Add'I  | NA .   |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA .   |
| NRC - Disconnect Chg - Add'l   | NA NA  |
| .oop Channelization System (Inside C.O.)   | 1  |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG), per month  | \$400.00   |
| NRC - 1*   | \$365.92   |
| NRC - Add'I  | \$89.04  |
| NRC - Disconnect Chg - 1st   | NA   |
| NRC - Disconnect Chg - Add'l   | NA   |
| NRC - Incremental CostManual Svc Order - 1st   | NA   |
| NRC - Incremental CostManual Svc Order - Add'l   | NA   |
| NRC - Incremental CostManual Svc Order - Disconnect  | NA   |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month  | \$1.15   |
| NRC - 1 <sup>#</sup>   | \$6.04   |
| NRC - Add'I  | \$5.81   |
| NRC - Disconnect Chg - 1st   | NA   |
| NRC - Disconnect Chg - Add'l   | NA   |
| INBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)   |  |
| 2-Wire Analog Line Port (Res., Bus.), per month  | \$2.00   |
| NRC - 1 <sup>st</sup> (all types)  | \$24.04  |
| NRC - Add'l (all types)  | \$9.05   |
| NRC - 1 <sup>st</sup> (Residence)  | NA   |
| NRC - Add'I (Residence)  | NA   |
| NRC - 1" (Business)  | NA   |
|  | NIA  |
|  | NA   |
| NRC - Add'l (Business)   | NA NA  |
| NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX)   |  |
| NRC - Add'l (Business) NRC - 1* (PBX) NRC - Add'l (PBX)  | NA   |
| NRC - Add'l (Business) NRC - 1* (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st   | NA<br>NA   |
| NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l   | NA<br>NA   |
| NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st   | NA<br>NA<br>NA   |
| NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l   | NA<br>NA<br>NA<br>NA   |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect   | NA<br>NA<br>NA<br>NA<br>NA   |
| NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l   | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15  |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1st  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15  |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15  |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st   | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15<br>\$24.17<br>\$9.63                         |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l   | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15<br>\$24.17<br>\$9.63<br>NA                   |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15<br>\$24.17<br>\$9.63<br>NA                   |
| NRC - Add'l (Business) NRC - 1st (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1st NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15<br>\$24.17<br>\$9.63<br>NA<br>NA             |
| NRC - Add'l (Business)  NRC - 1st (PBX)  NRC - Add'l (PBX)  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Disconnect  4-Wire Analog VG Port, per month  NRC - 1st  NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15<br>\$24.17<br>\$9.63<br>NA<br>NA<br>NA<br>NA |
| NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Add'l | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S3.15<br>\$24.17<br>\$9.63<br>NA<br>NA<br>NA       |

ATTACHMENT A

| NRC - Disconnect Chg - 1st                              | NA NA    |
|---|----------|
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA       |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | NA NA    |
| 4-Wire DID Port, per month                              | \$120.00 |
| NRC - 1 <sup>st</sup>                                   | \$145.00 |
| NRC - Add'l   | \$126.09 |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA       |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | NA NA    |
| 4-Wire DS1 Port w/DID capability, per month             | NA       |
| NRC - 1 <sup>M</sup>                                    | NA       |
| NRC - Add'I   | NA       |
| 2-Wire ISDN Port(2) (3), per month                      | \$12.50  |
| NRC - 1#  | \$75.81  |
| NRC - Add'I   | \$56.91  |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA .     |
| NRC - Incremental CostManual Svc Order - 1st            | NA NA    |
| NRC - Incremental CostManual Svc Order - Add'l          | NA NA    |
| NRC - Incremental CostManual Svc Order-Disconnect 1st   | NA .     |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA .     |
| NRC - User Profile per B Channel (4)                    | NA NA    |
| 4-Wire ISDN Port, per month                             | \$246.00 |
| NRC - 1 <sup>st</sup>                                   | \$113.86 |
| NRC - Add'I   | \$95.80  |
| NRC - Disconnect Chg - 1st                              | NA NA    |
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA .     |
| NRC - Incremental CostManual Svc Order-Disconnect 1st   | NA       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | NA       |
| 4-Wire ISDN DS1 Port, per month                         | NA       |
| NRC - 1 <sup>st</sup>                                   | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA .     |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | NA .     |
| 2-Wire Analog Line Port (PBX), per month                | NA .     |
| NRC - 1"  | NA       |
| NRC - Add'I   | NA .     |
| NRC - Disconnect Chg - 1st                              | NA .     |
| NRC - Disconnect Chg - Add'l                            | NA .     |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA .     |
| NRC - Incremental CostManual Svc Order - Add'l          | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect       | NA NA    |

ATTACHMENT A

| 2-Wire Analog Hunting, per line per month  | NA   |
|--|--|
| NRC - 1"   | NA   |
| NRC - Add'I  | NA   |
| Coin Port, per month   | NA   |
| NRC - 1 <sup>st</sup>  | NA   |
| NRC - Add'I  | NA   |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA   |
| NRC - Disconnect Chg - Add'l   | NA   |
| NRC - Incremental Cost-Manual Svc Order - 1 <sup>st</sup>  | NA .   |
| NRC - Incremental Cost-Manual Svc Order - Add'l  | NA .   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect   | NA .   |
| Vertical Features  |  |
| Local Switching Features offered with Port, Per month (5)  |  |
| Subsequent Order Charge—Electronic   | NA   |
| Subsequent Order Charge-Incremental Cost-Manual Svc Order  | NA   |
| Unbundled End Office Switching (Port Usage)  |  |
| End Office Switching Function, per mou   | \$0.004                                      |
| End Office Switching Function, add'l mou (6)   | NA   |
| End Office Interoffice Trunk Port—Shared, per mou  | NA   |
| Unbundled Tandem Switching (Port Usage) (Local or Access   |  |
| Tandem)  | Lieux A.L.                                   |
| Tandem Switching Function per mou  | \$0.0015                                     |
| Tandem Interoffice Trunk Port-Shared per mou   | NA   |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.)  | NA .   |
| UNBUNDLED TRANSPORT  |  |
| Common (Shared) Transport  |  |
| Common (Shared) Transport per mile per mou   | \$0.00004                                    |
| Common (Shared) Transport Facilities Termination per mou   | \$0.00036                                    |
| Common (Charact) Transport Touck Installation per truck NRC  | BST State Access                             |
| Common (Snared) Transport Trunk Installation, per dulik, 1970  | Tariff                                       |
| Common (Shared) Transport Trunk Installation, per trunk, NRC Interoffice Transport - Dedicated - VG  |  |
| Interoffice Transport - Dedicated - VG   | NA   |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per   |  |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month   | NA   |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#   | NA<br>NA                                     |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1*  NRC - Add'I  | NA<br>NA                                     |
| Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1"  NRC - Add'I  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'I   | NA<br>NA<br>NA                               |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1"  NRC - Add'I  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'I   | NA<br>NA<br>NA<br>NA                         |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1"  NRC - Add'I  NRC - Disconnect Chg - 1"  NRC - Disconnect Chg - Add'I  NRC - Incremental Cost—Manual Svc Order - 1"   | NA<br>NA<br>NA<br>NA<br>NA                   |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1 <sup>st</sup> NRC - Incremental Cost—Manual Svc Order - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>NA             |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#  NRC - Add'l  NRC - Disconnect Chg - 1#  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1#  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA       |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#  NRC - Add'l  NRC - Disconnect Chg - 1#  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1#  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#  NRC - Add'l  NRC - Disconnect Chg - 1#  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1#  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  Interoffice Transport - Dedicated - DS0 - 54/64 KBPS  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#  NRC - Add'I  NRC - Disconnect Chg - 1#  NRC - Disconnect Chg - Add'I  NRC - Incremental Cost—Manual Svc Order - 1#  NRC - Incremental Cost—Manual Svc Order - Add'I  NRC - Incremental Cost—Manual Svc Order - Add'I  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—AddI  Interoffice Transport - Dedicated - DS0 - Se/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1 <sup>st</sup> NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month                        | NA N     |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1 <sup>st</sup> NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month  NRC - 1 <sup>st</sup> | NA N     |
| Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Disconnect Chg - 1 <sup>st</sup> NRC - Disconnect Chg - Add'I  NRC - Incremental Cost—Manual Svc Order - 1 <sup>st</sup> NRC - Incremental Cost—Manual Svc Order - Add'I  NRC - Incremental Cost—Manual Svc Order - Add'I  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—AddI  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month                        | NA N     |

ATTACHMENT A

Attachment 11
Exhibit 7-NC
Page 11

| NRC - Incremental Cost-Manual Svc Order - 1st   | NA         |
|---|------------|
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  | NA         |
| NRC - Incremental CostManual Svc Order-DisconnectAddi   | NA         |
| Interoffice Transport - Dedicated - DS1   |            |
| Interoffice Transport - Dedicated - DS1 - per mile per month  | \$23.00    |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month                          | \$90.00    |
| NRC - 1 <sup>M</sup>  | \$100.49   |
| NRC - Add'I   | \$100.49   |
| NRC - Disconnect Chg - 1st  | NA         |
| NRC - Disconnect Chg - Add'l  | NA         |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA         |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  | NA         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl   | NA         |
| Interoffice Transport - Dedicated - DS3   |            |
| Interoffice Transport - Dedicated - DS3 - per mile per month  | \$175.00   |
| Interoffice Transport - Dedicated - DS3 - facilities termination per month                          | \$1,200.00 |
| NRC - 1 <sup>a</sup>  | \$67.19    |
| NRC - Add'I   | \$67.19    |
| Digital Cross Connects (3/3, 3/1, 1/0)  | NA         |
| Unbundled Exchange Access IOC   |            |
| 0-8 Miles, Fixed per month  | NA         |
| Per mile per month  | NA         |
| NRC 1st   | NA         |
| NRC Add'I   | NA         |
| 9-25 Miles, Fixed per month   | NA         |
| Per mile per month  | NA         |
| NRC 1st   | NA         |
| NRC Add'I   | NA         |
| Over 25 Miles, Fixed per month  | NA .       |
| Per mile per month  | NA NA      |
| NRC 1st   | NA NA      |
| NRC Add'I   | NA         |
| Local Channel - Dedicated   | I NA       |
| Local Channel - Dedicated - 2-Wire VG   | NA<br>NA   |
| NRC - 1"  | NA .       |
| NRC - Add'I   | NA NA      |
| NRC - Disconnect Chg - 1st  | NA NA      |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost-Manual Svc Order - 1st                          | NA NA      |
| NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l      | NA NA      |
| NRC - Incremental CostManual Svc Order - Add I<br>NRC - Incremental CostManual Svc Order-Disconnect | NA NA      |
| NRC - Incremental Cost-Manual SVC Order-Discornect  | NA NA      |
| Local Channel - Dedicated - 4-Wire VG   | NA NA      |
| NRC - 1"  | NA NA      |
| NRC - Add'I   | NA NA      |
| NRC - Disconnect Chg - 1st  | NA NA      |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost-Manual Svc Order - 1st                          | NA NA      |
| NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l      | NA NA      |
|   |            |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA .       |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 306 ATTACHMENT A

| NRC - 1"  | NA  |
|---|---|
| NRC - Add'I   | NA  |
| NRC - Disconnect Chg - 1st  | NA  |
| NRC - Disconnect Chg - Add'l  | NA  |
| NRC - Incremental Cost-Manual Svc Order   | NA  |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA  |
| VIRTUAL COLLOCATION   |   |
| Virtual Collocation   | Tariff Rates  |
| LOCAL USAGE   |   |
| Intraoffice per mou   | NA  |
| Interoffice per mou (assumes 5 miles of transport)  | NA  |
| LOCAL INTERCONNECTION<br>(CALL TRANSPORT AND TERMINATION)   |   |
| End Office Interconnection/Switching, per mou   | \$.004  |
| Tandem Interconnection/Switching, per mou   | \$.0015   |
| Tandem Interconnection (assumes 5 miles of transport per mou)   | NA  |
| Transport   | Network element<br>prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport   | NA  |
| Combined Tandem Switch Interconnection  | NA  |
| Multi-tandem Interconnection  | NA  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA  |
| 800 ACCESS TEN DIGIT SCREENING SERVICE  |   |
| 800 Access Ten Digit Screening (all types), per call (7)  | NA  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, per query   | \$0.00365   |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per query   | \$0.00431   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  | \$0.00383   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per query   | \$0.00431   |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, per message   | NA .  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per message   | NA  |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per<br>message   | NA .  |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   | NA .  |
| Reservation Charge per 800 number reservedNRC - 1st   | \$27.00   |
| Reservation Charge per 800 number reserved—NRC - Add'l  | \$0.50  |
| Per 800 # Established w/o POTS (w/800 No.) Translations   |   |
| NRC - 1 <sup>st</sup>   | \$61.00   |
| NRC - Add'I   | \$1.50  |
| NRC - Disconnect Chg - 1"   | NA  |
| NRC - Disconnect Chg - Add'l  | NA  |
| Per 800 # Established with POTS Translations  |   |
| NRC - 1"  | \$61.00   |

| NRC - Add'I  | \$1.50    |
|--|-----------|
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA        |
| NRC - Disconnect Chg - Add'l   | NA        |
| Customized Area of Service per 800 Number  |           |
| NRC - 1ª   | \$3.00    |
| NRC - Add'I  | \$1.50    |
|  |           |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #  | 60.50     |
| NRC - 1 <sup>st</sup>  | \$3.50    |
| NRC - Add'I  | \$2.00    |
| Change Charge per request  | 044.00    |
| NRC - 1 <sup>st</sup>  | \$41.00   |
| NRC - Add'l  | \$0.50    |
| Call Handling and Destination Features - NRC   | \$3.00    |
| Reserv Chg per 600 # Reserved - Incrm Cost-Manual Svc Order  | NA        |
| Per 800 # Est'd w/o POTS Transi-Incrm Cost-Manual Svc Order  | NA        |
| NRC  | NA        |
| NRC - Disconnect Chg   | NA        |
| Per 800 # Est'd with POTS Transi-Incrm Cost Manual Svc Order   | NA        |
| NRC  | NA        |
| NRC - Disconnect Chg   | NA        |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC  | NA        |
| LINE INFORMATION DATABASE ACCESS (LIDB)  |           |
| IDB Common Transport per query   | \$0.0003  |
| LIDB Validation per query  | \$0.03800 |
| IDB Validation per message   | NA        |
| LIDB Originating Point Code Establishment or Change - NRC  | \$91.00   |
| LIDB - Incremental Cost - Manual Svc Order - NRC   | NA        |
| CCS7 SIGNALING TRANSPORT SERVICE   |           |
| CCS7 Signaling Connection, per link (A link) per month   | \$155.00  |
| NRC  | \$510.00  |
| NRC - Disconnect   | NA        |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month                                  | \$155.00  |
| NRC  | \$510.00  |
| NRC - Disconnect   | NA        |
| CCS7 Signaling Termination, per STP port per month   | \$355.00  |
| CCS7 Signaling Usage, per ISUP message   | NA        |
| CCS7 Signaling Usage, per TCAP message   | NA        |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (8)   | NA        |
| CCS7 Signaling - Incremental Cost - Manual Svc Order   | NA        |
| NRC ·  | NA        |
| NRC - Disconnect   | NA        |
| OPERATIONAL SUPPORT SYSTEMS  |           |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month  | \$50.00   |
| NRC  | \$100.00  |
| DSS OLEC Daily Usage File: Recording, per message  | \$.008    |
| OSS OLEC Daily Usage File: Recording, per message OSS OLEC Daily Usage File: Message Distribution, per message | \$.004    |
| DSS Access Daily Usage File: Message Distribution, per message   | \$.004    |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape   | \$54.96   |
| provisioned OSS Access Daily Usage File: Message Distribution, per magnetic tape                               | \$54.95   |

| provisioned   | 0.004              |  |
|---|--------------------|--|
| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), per message                          | \$.001             |  |
| OSS Access Daily Usage File: Data Transmission (CONNECT:DIRECT), per message                        | \$.001             |  |
| OSS Order charge, per electronic order, per end user account  | \$10.80<br>\$22.00 |  |
| Surcharge for manually placed orders, per end user account  |                    |  |
| OPERATOR CALL PROCESSING  |                    |  |
| Oper. Provided Call Handling per min - Using BST LIDB   | \$1.06             |  |
| Call Completion Access Termination Charge per call attempt  | NA                 |  |
| Oper. Provided Call Handling per min - Using Foreign LIDB   | \$1.06             |  |
| Call Completion Access Termination Charge per call attempt  | NA                 |  |
| Operator Provided Call Handling, per call   | NA                 |  |
| Fully Automated Call Handling per call - Using BST LIDB   | \$0.09             |  |
| Fully Automated Call Handling per call - Using Foreign LIDB   | \$0.09             |  |
| INWARD OPERATOR SERVICES  |                    |  |
| Verification, per minute  | NA                 |  |
| Verification and Emergency Interrupt, per minute  | NA                 |  |
| Verification, per call  | \$0.54             |  |
| Verification and Emergency Interrupt, per call  | \$0.65             |  |
| DIRECTORY ASSISTANCE SERVICES   |                    |  |
| Directory Assist Call Completion Access Svc (DACC), per call attempt                                | \$0.036            |  |
| Call Completion Access Term charge per completed call   | NA                 |  |
| Number Services Intercept per query   | \$.0077            |  |
| Number Services Intercept per Intercept Query Update  | NA                 |  |
| Directory Assistance Access Service Calls, per call   | \$0.271744         |  |
| Recording cost per announcement   | NA                 |  |
| Loading cost per audio unit   | NA                 |  |
| Directory Transport   |                    |  |
| Directory Transport - Local Channel DS1, per month  | BSTs FCC 1 Sec 9   |  |
| NRC - 1 <sup>st</sup>   | BSTs FCC 1 Sec 9   |  |
| NRC - Add'l   | BSTs FCC 1 Sec 9   |  |
| NRC - Disconnect Chg - 1st  | NA                 |  |
| NRC - Disconnect Chg - Add'l  | NA                 |  |
| NRC - Incremental Cost-Manual Svc Order - NRC   | BSTs FCC 1 Sec 9   |  |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect  | BSTs FCC 1 Sec 9   |  |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo                               | BSTs FCC 1 Sec 9   |  |
| Directory Transport - Dedicated DS1 Level Interoffice per facility                                  | BS18 FCC 1 Sec 9   |  |
| termination per mo  | BSTs FCC 1 Sec 9   |  |
| NRC - 1 <sup>st</sup>   | BSTs FCC 1 Sec 9   |  |
| NRC - Add'l<br>NRC - Disconnect Chg - 1 <sup>st</sup>   | NA NA              |  |
|   | ŅĀ                 |  |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost-Manual Svc Order - NRC-1 <sup>st</sup>          | BSTs FCC 1 Sec 9   |  |
| NRC - Incremental Cost-Manual Svc Order - NRC-1 NRC - Incremental Cost-Manual Svc Order - NRC-Add'l | BSTs FCC 1 Sec 9   |  |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1st  | NA NA              |  |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-   | NA NA              |  |
| Add'I   |                    |  |
| Switched Common Transport per DA Access Service per call  | BSTs FCC 1 Sec 9   |  |
| Switched Common Transport per DA Access Service per call per mile                                   | BSTs FCC 1 Sec 9   |  |
| Access Tandem Switching per DA Access Service per call  | BSTs FCC 1 Sec 9   |  |

ATTACHMENT A

| •  |  |
|--|--|
| DA Interconnection, per DA Access Service Call                                 | BSTs FCC 1 Sec 9                         |
| Directory Transport-Installation NRC, per trunk or signaling connection        |  |
| NRC - 1 <sup>M</sup>   | BSTs FCC 1 Sec9                          |
| NRC - Add'l  | BSTs FCC 1 Sec9                          |
| NRC - Disconnect Chg - 1st   | NA                                       |
| NRC - Disconnect Chg - Add'l   | NA                                       |
| Directory Assistance Database Service (DADS)                                   |  |
| Directory Assistance Database Service cost per listing                         | \$0.00072                                |
| Directory Assistance Database Service, per month                               | \$97.39                                  |
| Direct Access to Directory Assistance (DADAS)                                  |  |
| Direct Access to Directory Assistance Service, per month                       | \$5,000.00                               |
| Direct Access to Directory Assistance Service, per query                       | \$0.023                                  |
| Direct Access to Directory Assistance Service, svc estab chg-NRC               | \$1,000.00                               |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-              | NA                                       |
| Disconnect   |  |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -                                  |  |
| RCF  | \$2.25                                   |
| RCF, per number ported (Business Line), 10 paths                               | \$1.15                                   |
| RCF, per number ported (Residence Line), 6 paths                               | NA                                       |
| RCF, per number ported (Business Line), each path                              | NA NA                                    |
| RCF, per number ported (Residence Line), each path                             | NA NA                                    |
| RCF, per number ported (Res or Bus Line)                                       | NA NA                                    |
| NRC  | NA NA                                    |
| NRC - Disconnect Chg   | \$0.50                                   |
| RCF. add'l capacity for simultaneous call forwarding, per additional path      | None                                     |
| RCF, per service order, per location - NRC - 1 <sup>st</sup>                   | None                                     |
| RCF, per service order, per location - NRC - Add'I                             | NA                                       |
| RCF, per service order, per location - NRC - Disconnect - 1st                  | NA NA                                    |
| RCF, per service order, per location - NRC - Disconnect - Add'l                | 1174                                     |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order               | NA NA                                    |
| NRC - 1st  | NA NA                                    |
| NRC - Add'I  | NA NA                                    |
| NRC - Disconnect Chg - 1st   | NA NA                                    |
| NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID | in i |
| DID per number ported, Residence - NRC   | NA                                       |
| DID per number ported, Residence - NRC - Disconnect                            | NA                                       |
| DID per number ported, Business - NRC  | NA                                       |
| DID per number ported, Business - NRC - Disconnect                             | NA                                       |
| DID per service order, per location - NRC - 1st                                | NA                                       |
| DID per service order, per location - NRC - Add'I                              | NA                                       |
| DID per service order, per location - NRC - Disconnect - 1st                   | ŅĀ                                       |
| DID per service order, per location - NRC - Disconnect - Add'I                 | NA                                       |
| DID, per trunk termination, Initial  | NA                                       |
| DID, per trunk termination, Initial - NRC                                      | NA                                       |
| DID, per trunk termination, Initial - Disconnect                               | NA                                       |
| DID, per trunk termination, Subsequent   | NA                                       |
| DID, per trunk termination, Subsequent - NRC                                   | NA                                       |
|  |  |
| DID, per trunk termination, Subsequent - Disconnect                            | NA                                       |

ATTACHMENT A

| NRC - 1st   | NA               |
|---|------------------|
| NRC - Add'I   | NA               |
| NRC - Disconnect Chg - 1st  | NA               |
| NRC - Disconnect Chg - Add'l  | NA               |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (9)                            |                  |
| Access to Poles, per pole, per foot, per year                                   | NA               |
| Access to Conduits, per foot, per year  | NA               |
| Access to Innerduct, per foot, per year   | NA               |
| AIN   |                  |
| AIN Related Services with mediation, per query                                  | To be negotiated |
| AIN, per message  | NA               |
| AIN - BellSouth AIN SMS Access Service  | NA               |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC                   | NA .             |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -                 | NA .             |
| Disconnect  |                  |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC                   | NA               |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-                  | NA               |
| Disconnect  |                  |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC                        | NA               |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC -                      | NA               |
| Disconnect  |                  |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC                     | NA               |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC -                   | NA               |
| Disconnect  |                  |
| AIN SMS Access Svc - Security Card per User ID Code, initial or                 | NA               |
| replacement-NRC   |                  |
| AIN SMS Access Svc - Security Card per User ID Code, initial or                 | NA               |
| replacement-NRC - Disconnect  | ļ                |
| AIN SMS Access Service - Storage, per unit (100 Kb)                             | NA .             |
| AIN SMS Access Service - Session, per minute                                    | NA               |
| AIN SMS Access Service - Co. Performed Session, per minute                      | NA               |
|   |                  |
| AIN - BellSouth AIN Toolkit Service   | NA               |
| AIN, Service Creation Tools   | NA               |
| Service Establishment Charge, per state, initial setup - NRC                    | NA               |
| Service Establishment Charge, per state, initial setup - NRC - Disconnect       | NA               |
| Training Session, per customer - NRC  | NA               |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC                 | NA               |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC -               | NA               |
| Disconnect  | NA .             |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC                 | NA NA            |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC -<br>Disconnect | NA               |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC            | NA .             |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate -<br>Disconnect  | NA .             |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC                 | NA               |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect          | NA .             |
| Trigger Access Charge, per trigger, per DN, CDP - NRC                           | NA               |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect                    | NA               |
|   |                  |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 311

ATTACHMENT A

| ·  |       |
|--|-------|
| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect                            | NA    |
| Query Charge, per query  | NA    |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query                            | NA    |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb  | NA    |
| Monthly report - per AIN Toolkit Service Subscription  | NA    |
| Monthly report - per AIN Toolkit Service Subscription - NRC                                      | NA    |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect                         | NA    |
| Special Study - Per AIN Toolkit Service Subscription   | NA    |
| Special Study - Per AIN Toolkit Service Subscription - NRC                                       | NA    |
| Call Event Report - per AIN Toolkit Service Subscription   | NA    |
| Call Event Report - per AIN Toolkit Service Subscription - NRC                                   | NA    |
| Call Event Report - per AIN Toolkit Service Subscription - NRC -                                 | NA    |
| Disconnect   |       |
| Call Event special Study - per AIN Toolkit Service Subscription                                  | NA    |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC                            | NA    |
| Can Even apocal clasy per Aire roomin conversable pro-   |       |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE OWNER   |       |
| CNAM, Per Query  | NA    |
| DARK FIBER   |       |
| Per each four-fiber dry fiber arrangement, NRC 1*  | NA    |
| Per each four-fiber dry fiber arrangement, NRC Add'I   | NA NA |
| Per each fiber strand per route mile or fraction thereof, per month                              | NA NA |
| SELECTIVE ROUTING  | 110   |
|  | 114   |
| Per Line or PBX Trunk, each  | NA NA |
| Per Line or PBX Trunk, NRC   | NA    |
| Note(s):   |       |
| (1) In states where a specific NRC for customer transfer, feature                                |       |
| additions and changes is not stated, the applicable NRC from the                                 | 134   |
| appropriate tariff applies. (2) Transmission/usage charges associated with POTS circuit switched |       |
| usage will also apply to circuit switched voice and/or circuit switched                          |       |
| data transmission by B-Channels associated with 2-wire ISDN ports.                               |       |
| (3) Access to B Channel or D Channel Packet capabilities will be avail-                          |       |
| able only through Bona Fide Request/New Business Request   |       |
| Process. Rates for the packet capabilities will be determined via the                            |       |
| Bona Fide Request/New Business Request Process.  |       |
| (4) This rate element is for those states which have a specific rate for                         |       |
| User Profile per B Channel.  |       |
| (5) When CLEC buys the switch at the unbundled element rate it will                              |       |
| receive vertical services at no additional charge, but when it buys                              |       |
| combinations of elements to produce a BellSouth retail service, and                              |       |
| thus comes under the resale pricing provisions, it must also pay the                             |       |
| wholesale rate for vertical services, if those services are in the retail                        |       |
| tariff on the effective date of the agreement. Vertical services which                           |       |
| are not in the retail tariff but which can be provided by the switch will                        |       |
| be available at no additional charges.)  |       |
| (6) This rate element is for use in those states with a different rate for                       | N-9   |
| additional minutes of use.   |       |
| (7) This rate element is for those states w/o separate rates for 800 calls                       |       |
| with 800 No. Delivery vs. POTS No. Delivery and calls with Optional                              |       |
| Complex Features vs. w/o Optional Complex Features.  |       |
| (8) This charge is only applicable where signaling usage measurement                             |       |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 312
ATTACHMENT A

Attachment 11 Exhibit 7-NC Page 18

or billing capability does not exist.

(9) Rates for access to Poles, Ducts. Conduits and Rights-of-Way are negotiated with BellSouth's Competitive Structure Provisioning Center.

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 313
ATTACHMENT A

Attachment 11 Exhibit 8

South Carolina

ATTACHMENT A

Attachment 11 Exhibit 8-SC Page 1

#### **SOUTH CAROLINA**

### PRICING

#### 1. General Principles

PAGE 314

All services currently provided hereunder (including resold Local Services, Network Elements and Ancillary Functions) and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and South Carolina Public Service Commission.

#### 2. Local Service Resale

The rates that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discount will apply to all Telecommunications Services available for resale in South Carolina.

Residential Service

14.8%

**Business Service:** 

14.8%.

#### 3. Unbundled Network Elements

The interim prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

# 4. Compensation For Local Interconnection (Call Transport and Termination)

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

- 5.1 Collocation The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1.
- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory

ATTACHMENT A

Attachment 11 Exhibit 8-SC Page 2

authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).

## 6. Local Number Portability

The interim prices for interim number portability are set forth in Table 1.

### 7. Recorded Usage Data

The interim prices for recorded usage data are set forth in Table 1.

#### 8. Electronic Interfaces

The costs associated with implementing electronic interfaces should be shared equitably among all parties who benefit from those interfaces. The Party requesting a special arrangement for data access should pay the reasonable and demonstrable costs for providing the access. However, if other Parties request the same or similar access and benefit from the development, these other Parties should share the cost, and CLEC would then be refunded on a proportionate share of the costs.

#### True-up

Except for the prices for resold Local Services, the interim prices referenced above shall be subject to true-up once BellSouth has submitted cost studies as determined by the Commission.

### 10. Operational Support Systems (OSS) Rates

| OPE            | RATIONAL SUP  | PORT SYSTEMS                      | (OSS) RATES         | J.   |
|----------------|---|-----------------------------------|---------------------|--|
|                | Interactive Ordering and Trouble Maintenance System |                                   |                     | ler Charge<br>ser account)                 |
|                | Non-<br>Recurring<br>Establishment<br>Charge        | Recurring<br>Charge,<br>per month | Charge per<br>order | Surcharge for<br>manually<br>placed orders |
| SOUTH CAROLINA | \$100.00  | \$50.00                           | \$10.80             | \$22.00                                    |

The Rates for Operational Support Systems mentioned above are interim and subject to modification-based upon receipt of a final, non-appealable order by the South Carolina Public Service Commission.

ATTACHMENT A

Attachment 11 Exhibit 8-SC Page 3

TABLE 1

# BELLSOUTH/CLEC INTERIM-RATES - SOUTH CAROLINA UNBUNDLED NETWORK ELEMENTS (Certain rates are subject to true-up)

| NIDs  |        |
|---|--------|
| NRC - NID per 2-Wire Loops—Manual Svc Order—1st                         | NA     |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Add'l                       | NA     |
| NRC - NID per 2-Wire Loops—Manual Svc Order-Disconnect                  | NA     |
| NRC - NID per 4-Wire Loops—Manual Svc Order—1st                         | NA     |
| NRC - NID per 4-Wire Loops-Manual Svc Order-Add'l                       | NA     |
| NRC - NID per 4-Wire Loops—Manual Svc Order-Disconnect                  | NA     |
| NID (all types), per month  | \$0.59 |
| NID per 2-Wire Analog VG Loop, Per Month                                | NA     |
| NRC - 1 <sup>M</sup>  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire Analog VG Loop, Per Month                                | NA     |
| NRC - 1 <sup>M</sup>  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'I  | NA     |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                          | NA     |
| · NRC - 1 <sup>st</sup>   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per<br>Mo. | NA     |
| NRC - 1"  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA     |
| NRC - 1   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA     |
| NRC - 1"  | NA     |
| NRC - Add'I   | NA .   |
| NRC - Disconnect Chg - 1st  | NA .   |
| NRC - Disconnect Chg - Add'l  | NA .   |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                             | NA     |
|   | NA .   |
| NRC - 1"  | NA .   |
| NRC - Add'I   |        |
|   | NA NA  |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 317 ATTACHMENT A

| Nonrecurring Charge - customer transfer, feature additions, changes (1)      | NA .    |
|--|---------|
| LOOP, EXCLUDING NID  |         |
| 2-Wire Analog VG Loop (Standard), per month                                  | NA      |
| NRC - 1 <sup>s</sup>   | NA NA   |
| NRC - Add'I  | NA NA   |
| 2-Wire Analog VG Loop (Customized), per month                                | NA NA   |
| NRC - 1"   | NA NA   |
| NRC - Add'I  | NA NA   |
|  | NA NA   |
| 4-Wire Analog VG Loop (Standard), per month NRC - 1#                         | NA NA   |
|  | NA NA   |
| NRC - Add'I  | NA NA   |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                         |         |
| NRC - 1 <sup>M</sup>   | NA NA   |
| NRC - Add'I  | NA NA   |
| 2-Wire ADSL Loop (Standard), per month                                       | NA NA   |
| NRC - 1 <sup>M</sup>   | NA NA   |
| NRC - Add'I  | NA .    |
| 2-Wire HDSL Loop (Standard), per month                                       | NA .    |
| NRC - 1 <sup>M</sup>   | NA      |
| NRC - Add'I  | NA .    |
| 4-Wire HDSL Loop (Standard), per month                                       | NA      |
| NRC - 1 <sup>M</sup>   | NA .    |
| NRC - Add'I  | NA .    |
| LOOP, INCLUDING NID  |         |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order—1st                     | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-Add'l                   | NA      |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect             | NA .    |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—1**        | NA .    |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost-Manual Svc OrderAdd'l       | NA .    |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect | NA      |
| 2-Wire Analog VG Loop, per month   | \$18.00 |
| NRC - 1"   | \$51.20 |
| NRC - Add'l  | \$51.20 |
| 2-Wire Analog VG Loop-SL1, per month   | NA      |
| NRC - 1"   | NA      |
| NRC - Add1   | NA      |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                       | NA      |
| NRC - Disconnect Chg - Add'l   | NA .    |
| NRC - Order Coordination for Specified Conversion Time                       | NA      |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord                                 | NA      |
| NRC - 1"   | NA      |
| NRC - Add'I  | NA .    |
| NRC - Disconnect Chg - 1st   | NA .    |
| NRC - Disconnect Chg - Add'I   | NA .    |
| 2-Wire Analog VG Loop-SL2, per month   | NA .    |
| NRC - 1 <sup>e</sup>   | NA .    |
| NRC - Add'I  | NA .    |

PAGE 318

# ATTACHMENT A

| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA      |
|---|---------|
| NRC - Disconnect Chg - Add'l  | NA      |
| NRC - Order Coordination for Specified Conversion Time                        | NA      |
| 2-Wire Analog VG Loop (Standard), per month                                   | NA      |
| NRC - 1 <sup>st</sup>   | NA      |
| NRC - Add'I   | NA      |
| 2-Wire Analog VG Loop (Customized), per month                                 | NA      |
| NRC - 1"  | NA      |
| NRC - Add'I   | NA      |
| 4-Wire Analog VG Loop, per month  | \$28.80 |
| NRC - 1 <sup>st</sup>   | \$51.20 |
| NRC - Add'I   | \$51.20 |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NRC - Order Coordination for Specified Conversion Time                        | NA      |
| 4-Wire Analog VG Loop (Standard), per month                                   | NA      |
| NRC • 1 <sup>M</sup>  | NA      |
| NRC - Add'I   | NA      |
| 2-Wire ISDN Digital Grade Loop, per month                                     | \$28.80 |
| NRC - 1 <sup>a</sup>  | \$51.20 |
| NRC - Add'I   | \$51.20 |
| NRC - Disconnect Chg - 1st  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NRC - Order Coordination for Specified Conversion Time                        | NA      |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                          | NA      |
| NRC • 1 <sup>th</sup>   | NA      |
| NRC - Add'I   | NA      |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible                     | \$18.00 |
| Loop, per month   | 054.00  |
| NRC - 1 <sup>M</sup>  | \$51.20 |
| NRC - Add'I   | \$51.20 |
| NRC - Disconnect Chg - 1st  | NA NA   |
| NRC - Disconnect Chg - Add'l  | NA NA   |
| NRC - Order Coordination for Specified Conversion Time                        | NA .    |
| 2-Wire ADSL Loop (Standard), per month  | NA NA   |
| NRC - 1"  | NA .    |
| NRC - Add'I   | NA NA   |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop,<br>per month        | NA      |
| NRC - 1"  | NA      |
| NRC - Add'1   | NA .    |
| 2-Wire High Sit Rate Dig Subscriber Line (HDSL)/Compatible<br>Loop, per month | \$18.00 |
| NRC - 1 <sup>st</sup>   | \$51.20 |
| NRC - Add'I   | \$51.20 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA      |
| NRC - Disconnect Chg - Add'l  | NA      |
| NRC - Order Coordination for Specified Conversion Time                        | NA      |
| 2-Wire HDSL Loop (Standard), per month  | NA .    |
| NRC - 1"  | NA .    |
| NRC - Add'I   | NA .    |
| NRC • ACC   | \$28.80 |

ATTACHMENT A

| NRC - 1st   | \$51.20                                |
|---|--|
| NRC - Add'I   | \$51.20                                |
| NRC - Disconnect Chg - 1st  | NA                                     |
| NRC - Disconnect Chg - Add'l  | NA                                     |
| NRC - Order Coordination for Specified Conversion Time  | NA                                     |
| 4-Wire HDSL Loop (Standard), per month  | NA                                     |
| NRC - 1*  | NA                                     |
| NRC - Add'I   | NA                                     |
| 4-Wire DS1 Digital Loop, per month  | \$77.39                                |
| NRC - 1st   | \$300.00                               |
| NRC - Add'I   | \$250.00                               |
| NRC - Disconnect Chg - 1st  | NA                                     |
| NRC - Disconnect Chg - Add'l  | NA                                     |
| NRC - Incremental Cost-Manual Svc Order-1st   | NA                                     |
| NRC - Incremental Cost-Manual Svc Order-Addi  | NA                                     |
| NRC - Incremental CostManual Svc Order-Disconnect   | NA                                     |
| NRC - Order Coordination for Specified Conversion Time  | NA                                     |
| 4-Wire 56 or 64 Kbps Dig Grade Loop, per month  | NA                                     |
| NRC - 1st   | NA                                     |
| NRC - Add'I   | NA .                                   |
| NRC - Disconnect Chg - 1st  | NA                                     |
| NRC - Disconnect Chg - Add'I  | NA                                     |
| NRC - Order Coordination for Specified Conversion Time  | NA                                     |
| Unbundled Loops via IDLC  | NA                                     |
| ib-Loop 2-Wire Analog   | NA<br>NA                               |
| Loop Feeder per 2-Wire Analog VG Loop, per month  | NA NA                                  |
| NRC - 1 <sup>M</sup>  | NA NA                                  |
| NRC - Add'I   | NA NA                                  |
| NRC - Disconnect Chg - 1st  | NA NA                                  |
| NRC - Disconnect Chg - Add'l  | NA NA                                  |
| NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Including NID),   | NA NA                                  |
| per month   |  |
| NRC - 1 <sup>st</sup>   | NA                                     |
| NRC - Add'I   | NA                                     |
|   | NA                                     |
| NRC - Disconnect Chg - 1*   |  |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'1   | NA                                     |
| NRC - Disconnect Chg - Add1  NRC - Order Coordination for Specified Conversion Time   | NA                                     |
| NRC - Disconnect Chg - Add1 NRC - Order Coordination for Specified Conversion Time Loop Distribution per 2-Wire Analog VG Loop (Excluding NID),   | INTERPORT                              |
| NRC - Disconnect Chg - Add¹  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month   | NA                                     |
| NRC - Disconnect Chg - Add¹  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup>  | NA<br>NA                               |
| NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l   | NA<br>NA                               |
| NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO),  | NA<br>NA<br>NA                         |
| NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month                                    | NA<br>NA<br>NA<br>NA<br>NA             |
| NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month  NRC - 1 <sup>st</sup>             | NA<br>NA<br>NA<br>NA<br>NA<br>NA       |
| NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month  NRC - 1 <sup>st</sup> NRC - Add'l | NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA |
| NRC - Disconnect Chg - Add'l  NRC - Order Coordination for Specified Conversion Time  Loop Distribution per 2-Wire Analog VG Loop (Excluding NID), per month  NRC - 1 <sup>st</sup> NRC - Add'l  Unbundled Network Terminating Wire  Loop Concentration - Channelization Sys (Outside CO), per month  NRC - 1 <sup>st</sup>             | NA<br>NA<br>NA<br>NA<br>NA<br>NA       |

PAGE 320

# ATTACHMENT A

|   | NA  |
|---|---|
| NRC - Incremental CostManual Svc Order - Add'l NRC - Incremental CostManual Svc Order - Disconnect  | NA NA   |
| Working Plug-In 2-Wire, NRC 1st   | NA NA   |
| Working Plug-In 2-Wire, NRC Add'I   | NA NA   |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)   | NA NA   |
| Loop Concentration - Remote Channel Interface - 2-Wire VG   | NA NA   |
| (Outside CO), per month   | 100   |
| NRC - 1 <sup>st</sup>   | NA .  |
| NRC - Add'I   | NA NA   |
| NRC - Add 1<br>NRC - Disconnect Chg - 1 <sup>st</sup>   | NA NA   |
| NRC - Disconnect Chg - Add'l  | TNA TO  |
| oop Channelization System (Inside C.O.)   |   |
| Loop Channelization System (Inside C.C.)  Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG),   | \$400.00  |
| per month   |   |
| NRC - 1 <sup>M</sup>  | \$525.00  |
| NRC - Add'I   | \$525.00  |
| NRC - Add I<br>NRC - Disconnect Chg - 1st   | NA NA   |
| NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l   | NA NA   |
| NRC - Disconnect Crig - Add I<br>NRC - Incremental Cost-Manual Svc Order - 1st  | NA NA   |
| NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'I  | NA NA   |
| NRC - Incremental Cost-Manual Svc Order - Add i   | NA NA   |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month   | \$1.15  |
|   | \$8.00  |
| NRC - 1 <sup>st</sup>   | \$8.00  |
| NRC - Add'l NRC - Disconnect Chg - 1st  | NA NA   |
| NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  | NA NA   |
|   |   |
| UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)  |   |
|   | C1 QQ   |
| 2-Wire Analog Line Port (Res., Bus.), per month   | \$1.99  |
| NRC - 1 <sup>st</sup> (all types)   | \$3.50  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types)   | \$3.50<br>\$3.50  |
| NRC - 1* (all types) NRC - Add'l (all types) NRC - 1* (Residence)   | \$3.50<br>\$3.50<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence)   | \$3.50<br>\$3.50<br>NA<br>NA  |
| NRC - 1* (all types) NRC - Add'l (all types) NRC - 1* (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1* (Business)   | \$3.50<br>\$3.50<br>NA<br>NA  |
| NRC - 1* (all types) NRC - Add'l (all types) NRC - 1* (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1* (Business) NRC - Add'l (Business)  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business)  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1* (all types) NRC - Add'l (all types) NRC - 1* (Residence) NRC - Add'l (Residence) NRC - 1* (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - Add'l (PBX) NRC - Add'l (PBX)   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                                    |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                        |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup>  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA                        |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>S2.28<br>\$3.50<br>\$3.50 |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - Add'l (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st   | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Add'l | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |
| NRC - 1 <sup>st</sup> (all types) NRC - Add'l (all types) NRC - 1 <sup>st</sup> (Residence) NRC - Add'l (Residence) NRC - Add'l (Residence) NRC - 1 <sup>st</sup> (Business) NRC - Add'l (Business) NRC - 1 <sup>st</sup> (PBX) NRC - Add'l (PBX) NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l NRC - Incremental Cost—Manual Svc Order - Disconnect 4-Wire Analog VG Port, per month NRC - 1 <sup>st</sup> NRC - Add'l NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - 1st NRC - Disconnect Chg - Add'l NRC - Disconnect Chg - Add'l NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - 1st NRC - Incremental Cost—Manual Svc Order - Add'l  | \$3.50<br>\$3.50<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA<br>NA  |

PAGE 321

#### ATTACHMENT A

| NRC - Disconnect Chg - 1st  | NA .     |
|---|----------|
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA       |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA       |
| I-Wire DID Port, per month  | NA       |
| NRC - 1#  | NA       |
| NRC - Add'I   | NA       |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA       |
| NRC - Incremental Cost-Manual Svc Order - Disconnect  | NA .     |
| I-Wire DS1 Port w/DID capability, per month   | \$130.23 |
| NRC - 1 <sup>st</sup>   | \$60.00  |
| NRC - Add'I   | \$60.00  |
| 2-Wire ISDN Port(2) (3), per month  | \$11.73  |
| NRC - 1 <sup>st</sup>   | \$50.00  |
| NRC - Add'I   | \$50.00  |
| NRC - Disconnect Chg - 1st  | NA       |
| NRC - Disconnect Chg - Add'I  | NA       |
| NRC - Incremental CostManual Svc Order - 1st  | NA       |
| NRC - Incremental CostManual Svc Order - Add'l  | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect 1st   | NA       |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA .     |
| NRC - User Profile per B Channel (4)  | NA       |
| I-Wire ISDN Port, per month   | \$270.36 |
| NRC - 1 <sup>M</sup>  | \$75.00  |
| NRC - Add'I   | \$75.00  |
| NRC - Disconnect Chg - 1st  | NA .     |
| NRC - Disconnect Chg - Add'l  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl   | NA NA    |
| I-Wire ISDN DS1 Port, per month   | NA NA    |
| NRC - 1ª  | NA NA    |
| NRC - Add'I   | NA<br>NA |
| NRC - Disconnect Chg - 1st  | NA NA    |
| NRC - Disconnect Chg - Add'l  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA NA    |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl   | NA NA    |
| 2-Wire Analog Line Port (PBX), per month  | NA NA    |
| NRC - 1st   | NA NA    |
| NRC - Add'I   | NA NA    |
| NRC - Disconnect Chg - 1st  | NA NA    |
| NRC - Disconnect Chg - Add'l NRC - Incremental Cost-Manual Svc Order - 1st                        | NA NA    |
| NRC - Incremental Cost-Manual Svc Order - 1st NRC - Incremental Cost-Manual Svc Order - Add'l     | NA NA    |
| NRC - Incremental CostManual Svc Order - Add I  NRC - Incremental CostManual Svc Order-Disconnect | NA NA    |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 322
ATTACHMENT A

| 2-Wire Analog Hunting, per line per month   | \$0.12   |
|---|--|
| NRC - 1 <sup>M</sup>  | None   |
| NRC - Add'I   | None   |
| Coin Port, per month  | NA   |
| NRC - 1 <sup>st</sup>   | NA   |
| NRC - Add'I   | NA   |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA   |
| NRC - Disconnect Chg - Add'l  | NA   |
| NRC - Incremental Cost-Manual Svc Order - 1*  | NA   |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA   |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA   |
| Vertical Features   |  |
| Local Switching Features offered with Port, Per month   | NA   |
| Subsequent Order Charge—Electronic  | NA   |
| Subsequent Order ChargeIncremental CostManual Svc Order   | NA   |
| Unbundled End Office Switching (Port Usage)   |  |
| End Office Switching Function, per mou  | \$.00221   |
| End Office Switching Function, per mou  End Office Switching Function, add'l mou (5)  | NA .   |
| End Office Interoffice Trunk Port—Shared, per mou   | NA NA  |
| Unbundled Tandem Switching (Port Usage) (Local or Access  | 1.00   |
| Unbundled landem Switching (Port Usage) (Local of Access Tandem)  |  |
| Tandem) Tandem Switching Function per mou   | \$.003172  |
| Tandern Switching Punction per mod  Tandern Interoffice Trunk Port-Shared per mou   | NA NA  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to  |  |
| intermediary traffic and is applied in addition to applicable switching   |  |
| and/or interconnection charges.)  |  |
| UNBUNDLED TRANSPORT   |  |
| UNBUNDLED TRANSPORT Common (Shared) Transport   |  |
| UNBUNDLED TRANSPORT Common (Shared) Transport Common (Shared) Transport per mile per mou  | \$.000012  |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  | \$.00036   |
| UNBUNDLED TRANSPORT Common (Shared) Transport Common (Shared) Transport per mile per mou  | \$.00036   |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  | \$.00036<br>BST State Access   |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  | \$.00036<br>BST State Access   |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  | \$.00036<br>BST State Access<br>Tariff                                 |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  | \$.00036<br>BST State Access<br>Tariff                                 |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1#   | \$.00036<br>BST State Access<br>Tariff<br>NA                           |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1#  NRC - Add'I   | \$.00036<br>BST State Access<br>Tariff<br>NA<br>NA                     |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1#  NRC - Add'I  NRC - Disconnect Chg - 1st  | \$.00036<br>BST State Access<br>Tariff<br>NA<br>NA                     |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  | \$.00036<br>BST State Access<br>Tariff<br>NA<br>NA<br>NA<br>NA         |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Incremental Cost—Manual Svc Order - 1st   | \$.00036<br>BST State Access<br>Tariff<br>NA<br>NA<br>NA<br>NA         |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'I  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'I  NRC - Incremental CostManual Svc Order - 1st  NRC - Incremental CostManual Svc Order - Add'I  | S.00036 BST State Access Tariff NA NA NA NA NA NA NA NA NA             |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order - Add'l   | S.00036 BST State Access Tariff NA    |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl   | S.00036 BST State Access Tariff NA       |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost—Manual Svc Order - 1st  NRC - Incremental Cost—Manual Svc Order - Add'l  NRC - Incremental Cost—Manual Svc Order-Disconnect—1st  NRC - Incremental Cost—Manual Svc Order-Disconnect—Addl  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS   | S.00036 BST State Access Tariff NA |
| UNBUNDLED TRANSPORT  Common (Shared) Transport Common (Shared) Transport per mile per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Facilities Termination per mou Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG Interoffice Transport - Dedicated - 2-Wire VG - per mile Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Add!  Interoffice Transport - Dedicated - DS0 - per mile per month                               | S.00036 BST State Access Tariff NA |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Addi  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month | S.00036 BST State Access Tariff NA |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order - Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Addi  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  NRC - 1st  | S.00036 BST State Access Tariff NA |
| UNBUNDLED TRANSPORT  Common (Shared) Transport  Common (Shared) Transport per mile per mou  Common (Shared) Transport Facilities Termination per mou  Common (Shared) Transport Trunk Installation, per trunk, NRC  Interoffice Transport - Dedicated - VG  Interoffice Transport - Dedicated - 2-Wire VG - per mile  Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per  month  NRC - 1 <sup>st</sup> NRC - Add'l  NRC - Disconnect Chg - 1st  NRC - Disconnect Chg - Add'l  NRC - Incremental Cost-Manual Svc Order - 1st  NRC - Incremental Cost-Manual Svc Order - Add'l  NRC - Incremental Cost-Manual Svc Order-Disconnect-1st  NRC - Incremental Cost-Manual Svc Order-Disconnect-Addi  Interoffice Transport - Dedicated - DS0 - 56/64 KBPS  Interoffice Transport - Dedicated - DS0 - per mile per month  Interoffice Transport - Dedicated - DS0 - facilities termination per month | S.00036 BST State Access Tariff NA |

PAGE 323

## ATTACHMENT A

| NRC - Incremental CostManual Svc Order - 1st                               | NA         |
|--|------------|
| NRC - Incremental CostManual Svc Order - Add'l                             | NA         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA         |
| NRC - Incremental CostManual Svc Order-DisconnectAddl                      | NA         |
| Interoffice Transport - Dedicated - DS1                                    |            |
| Interoffice Transport - Dedicated - DS1 - per mile per month               | \$1.60     |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month | \$59.75    |
| NRC - 1st  | \$100.49   |
| NRC - Add'I  | \$100.49   |
| NRC - Disconnect Chg - 1st   | NA .       |
| NRC - Disconnect Chg - Add'l   | NA         |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | I NA       |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA .       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA .       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl                    | NA .       |
| Interoffice Transport - Dedicated - DS3                                    |            |
| Interoffice Transport - Dedicated - DS3 - per mile per month               | \$40.00    |
| Interoffice Transport - Dedicated - DS3 - facilities termination per month | \$600.00   |
| NRC - 1st  | \$67.19    |
| NRC - Add'I  | \$67.19    |
| Digital Cross Connects (3/3, 3/1, 1/0)                                     | TBD        |
| Unbundled Exchange Access IOC  |            |
| 0-8 Miles, Fixed per month   | \$16.89    |
| Per mile per month   | \$.007     |
| NRC 1st  | \$10.00    |
| NRC Add'I  | \$10.00    |
| 9-25 Miles, Fixed per month  | \$16.89    |
| Per mile per month   | \$.007     |
| NRC 1st  | \$10.00    |
| NRC Add'I  | \$10.00    |
| Over 25 Miles, Fixed per month   | \$18.26    |
| Per mile per month   | \$.0775    |
| NRC 1st  | \$10.00    |
| NRC Add'I  | \$10.00    |
| Local Channel - Dedicated  | Market Co. |
| Local Channel - Dedicated - 2-Wire VG                                      | NA         |
| NRC - 1st  | NA .       |
| NRC - Add'I  | NA         |
| NRC - Disconnect Chg - 1st   | NA .       |
| NRC - Disconnect Chg - Add'l   | NA .       |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA         |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                         | NA .       |
| Local Channel - Dedicated - 4-Wire VG                                      | NA         |
| NRC - 1st  | NA .       |
| NRC - Add'I  | NA .       |
| NRC - Disconnect Chg - 1st   | NA .       |
| NRC - Disconnect Chg - Add'l   | NA .       |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA         |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA .       |
| NRC - Incremental Cost-Manual Svc Order-Disconnect                         | NA .       |
| Local Channel - Dedicated - DS1  | NA NA      |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 324
ATTACHMENT A

| NRC - 1 <sup>st</sup>  | NA  |
|--|---|
| NRC - Add'I  | NA  |
| NRC - Disconnect Chg - 1st   | NA  |
| NRC - Disconnect Chg - Add'l   | NA  |
| NRC - Incremental Cost-Manual Svc Order  | NA  |
| NRC - Incremental Cost-Manual Svc Order-Disconnect   | NA  |
|  |   |
| VIRTUAL COLLOCATION  | Tariff Rates  |
| Virtual Collocation  | Tarin Nates   |
| LOCAL USAGE  |   |
| Intraoffice per mou  | NA  |
| Interoffice per mou (assumes 5 miles of transport)   | NA  |
| LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)   |   |
| End Office Interconnection/Switching, per mou  | \$.00221  |
| Tandem Interconnection/Switching, per mou  | \$.003172   |
| Tandem Interconnection (assumes 5 miles of transport per mou)  | NA  |
| Transport  | Network element<br>prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport  | NA  |
| Combined Tandem Switch Interconnection   | NA  |
| Multi-tandem Interconnection   | NA  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.)  | NA  |
| 300 ACCESS TEN DIGIT SCREENING SERVICE   |   |
| 300 Access Ten Digit Screening (all types), per call (6)   | NA  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, per query  | \$.00115  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800 Numbers, w/Optional Complex Features, per query  | \$.0012   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query   | \$.00115  |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per query  | \$.0012   |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, per message  | NA  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800  | NA  |
| Numbers w/Ontional Complex Features, per message   |   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per   | NA  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per<br>nessage<br>800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional   | NA<br>NA  |
| 100 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message 100 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   |   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message Reservation Charge per 800 number reservedNRC - 1st   | NA NA   |
| 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message 300 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message Reservation Charge per 800 number reservedNRC - 1st Reservation Charge per 800 number reservedNRC - Add'l   | NA<br>\$5.00  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message Reservation Charge per 800 number reservedNRC - 1st Reservation Charge per 800 number reservedNRC - Add'l Per 800 # Established w/o POTS (w/800 No.) Translations                       | NA<br>\$5.00  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per nessage 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message Reservation Charge per 800 number reservedNRC - 1st Reservation Charge per 800 number reservedNRC - Add'l Per 800 # Established w/o POTS (w/800 No.) Translations NRC - 1st             | NA<br>\$5.00<br>\$0.50  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message Reservation Charge per 800 number reservedNRC - 1st Reservation Charge per 800 number reservedNRC - Add'I Per 800 # Established w/o POTS (w/800 No.) Translations NRC - 1st NRC - Add'I | NA<br>\$5.00<br>\$0.50  |
| NRC - Add'I<br>NRC - Disconnect Chg - 1 <sup>st</sup>  | NA<br>\$5.00<br>\$0.50<br>NA<br>NA  |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message Reservation Charge per 800 number reservedNRC - 1st Reservation Charge per 800 number reservedNRC - Add'I Per 800 # Established w/o POTS (w/800 No.) Translations NRC - 1st NRC - Add'I | NA<br>\$5.00<br>\$0.50<br>NA<br>NA<br>NA  |

PAGE 325

## ATTACHMENT A

| NRC - Add'I  | \$1.50          |
|--|-----------------|
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| Customized Area of Service per 800 Number  |                 |
| NRC - 1"   | \$3.00          |
| NRC - Add'I  | \$1.50          |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #              | The same at the |
| NRC - 1"   | \$3.50          |
| NRC - Add'I  | \$2.00          |
| Change Charge per request  |                 |
| NRC - 1 <sup>st</sup>  | \$5.00          |
| NRC - Add'I  | \$0.50          |
| Call Handling and Destination Features - NRC                                     | \$3.00          |
| Reserv Cha per 800 # Reserved - Incrm Cost-Manual Svc Order                      | NA              |
| Per 800 # Est'd w/o POTS Transl-Incrm Cost-Manual Svc Order                      | NA              |
| NRC  | NA              |
| NRC - Disconnect Chg   | NA              |
| Per 800 # Est'd with POTS Transi-Incrm Cost Manual Svc Order                     | NA              |
| NRC  | NA              |
| NRC - Disconnect Chg   | NA              |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC                                | NA              |
| LINE INFORMATION DATABASE ACCESS (LIDB)  |                 |
| IDB Common Transport per query   | \$.0003         |
| IDB Validation per query   | \$.038          |
| IDB Validation per message   | NA              |
| IDB Originating Point Code Establishment or Change - NRC                         | \$91.00         |
| LIDB - Incremental Cost - Manual Svc Order - NRC                                 | NA              |
| CCS7 SIGNALING TRANSPORT SERVICE   |                 |
| CCS7 Signaling Connection, per link (A link) per month                           | \$155.00        |
| NRC  | \$510.00        |
| NRC - Disconnect   | NA              |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per          | \$155.00        |
| NRC  | 510.00          |
| NRC - Disconnect   | NA              |
| CCS7 Signaling Termination, per STP port per month                               | \$355.00        |
| CCS7 Signaling Usage, per ISUP message   | \$.000023       |
| CCS7 Signaling Usage, per TCAP message   | \$.000050       |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo (7)                     | \$395.00        |
| CCS7 Signaling - Incremental Cost - Manual Svc Order                             | NA .            |
| NRC  | NA              |
| NRC - Disconnect   | NA .            |
| OPERATIONAL SUPPORT SYSTEMS.   |                 |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month            | \$50.00         |
| NRC  | \$100.00        |
| DSS OLEC Daily Usage File: Recording, per message                                | \$.008          |
| OSS OLEC Daily Usage File: Message Distribution, per message                     | \$.004          |
| OSS Access Daily Usage File: Message Distribution, per message                   | \$.004          |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape               | \$54.95         |
| provisioned OSS Access Daily Usage File: Message Distribution, per magnetic tape | \$54.95         |

# ORDER NO. PSC-98-1430-FOF-TP DOCKET NO. 980967-TP PAGE 326 ATTACHMENT A

| provisioned OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), | \$.001           |
|--|------------------|
| per message  |                  |
| OSS Access Daily Usage File: Data Transmission                             | \$.001           |
| (CONNECT:DIRECT), per message  |                  |
| OSS Order charge, per electronic order, per end user account               | \$10.80          |
| Surcharge for manually placed orders, per end user account                 | \$22.00          |
| OPERATOR CALL PROCESSING   |                  |
| Oper. Provided Call Handling per min - Using BST LIDB                      | \$1.17           |
| Call Completion Access Termination Charge per call attempt                 | \$.08            |
| Oper. Provided Call Handling per min - Using Foreign LIDB                  | \$1.17           |
| Call Completion Access Termination Charge per call attempt                 | \$.08            |
| Operator Provided Call Handling, per call                                  | NA NA            |
| Fully Automated Call Handling per call - Using BST LIDB                    | \$.15            |
| Fully Automated Call Handling per call - Using Foreign LIDB                | \$.15            |
| INWARD OPERATOR SERVICES   | TOTAL PROPERTY.  |
|  | NA               |
| Verification, per minute   | NA NA            |
| Verification and Emergency Interrupt, per minute                           | NA<br>SO OO      |
| Verification, per call   | \$0.90<br>\$0.97 |
| Verification and Emergency Interrupt, per call                             | 30.97            |
| DIRECTORY ASSISTANCE SERVICES  |                  |
| Directory Assist Call Completion Access Svc (DACC), per call attempt       | \$.25            |
| Call Completion Access Term charge per completed call                      | \$.08            |
| Number Services Intercept per query  | \$.30            |
| Number Services Intercept per Intercept Query Update                       | NA               |
| Directory Assistance Access Service Calls, per call                        | \$.25            |
| Recording cost per announcement  | NA               |
| Loading cost per audio unit  | NA               |
| Directory Transport  |                  |
| Directory Transport - Local Channel DS1, per month                         | \$133.81         |
| NRC - 1 <sup>M</sup>   | \$866.97         |
| NRC - Add'l  | \$486.83         |
| NRC - Disconnect Chg - 1st   | NA               |
| NRC - Disconnect Chg - Add'l   | NA               |
| NRC - Incremental Cost-Manual Svc Order - NRC                              | NA               |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect                   | NA               |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo      | \$23.50          |
| Directory Transport - Dedicated DS1 Level Interoffice per facility         | \$90.00          |
| termination per mo   |                  |
| NRC - 1"   | \$100.49         |
| NRC - Add'I  | \$100.49         |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA               |
| NRC - Disconnect Chg - Add'l   | ŊA               |
| NRC - Incremental Cost-Manual Svc Order - NRC-1*                           | NA               |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'I                        | NA               |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1 <sup>st</sup>   | NA               |
| NRC - Incremental Cost-Manual Svc Order - NRC-Discennect-                  | NA               |
| Add'1  |                  |
| Switched Common Transport per DA Access Service per call                   | \$.0003          |
| Switched Common Transport per DA Access Service per call per mile          | \$.00004         |
| Access Tandem Switching per DA Access Service per call                     | \$.00055         |

PAGE 327

#### ATTACHMENT A

| DA Interconnection, per DA Access Service Call   | \$.000269 |
|--|-----------|
| Directory Transport-Installation NRC, per trunk or signaling connection                          |           |
| NRC - 1#   | \$915.00  |
| NRC - Add'l  | \$100.00  |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA        |
| NRC - Disconnect Chg - Add'I   | NA        |
| Directory Assistance Database Service (DADS)   |           |
| Directory Assistance Database Service cost per listing   | \$.035    |
| Directory Assistance Database Service, per month   | \$150.00  |
| Direct Access to Directory Assistance (DADAS)  |           |
| Direct Access to Directory Assistance Service, per month   | TBD       |
| Direct Access to Directory Assistance Service, per query   | TBD       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC                                 | TBD       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-                                | TBD       |
| Disconnect   |           |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -  |           |
| RCF  | \$1.50    |
| RCF, per number ported (Business Line), 10 paths   | \$1.25    |
| RCF, per number ported (Residence Line), 6 paths   | NA        |
| RCF, per number ported (Business Line), each path  | NA NA     |
| RCF, per number ported (Residence Line), each path   | NA NA     |
| RCF, per number ported (Res or Bus Line)   | NA NA     |
| NRC  | NA<br>NA  |
| NRC - Disconnect Chg   | \$.50     |
| RCF, add'l capacity for simultaneous call forwarding, per additional path                        | \$25.00   |
| RCF, per service order, per location - NRC - 1 <sup>st</sup>                                     | \$25.00   |
| RCF, per service order, per location - NRC - Add'I   |           |
| RCF, per service order, per location - NRC - Disconnect - 1st                                    | NA<br>NA  |
| RCF, per service order, per location - NRC - Disconnect - Add'I                                  | 114       |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                                 | NA NA     |
| NRC - 1st  | NA<br>NA  |
| NRC - Add'I  | NA<br>NA  |
| NRC - Disconnect Chg - 1st   |           |
| NRC - Disconnect Chg - Add'l INTERIM SERVICE PROVIDER NUMBER PORTABILITY -                       | NA        |
| DID per number ported, Residence - NRC   | NA NA     |
| DID per number ported, Residence - NRC - Disconnect  | NA .      |
| DID per number ported, Residence - NRC   | NA NA     |
| DID per number ported, Business - NRC - Disconnect   | NA .      |
| DID per service order, per location - NRC - 1st  | NA .      |
| DID per service order, per location - NRC - Add'I  | NA NA     |
| DID per service order, per location - NRC - Disconnect - 1st                                     | NA .      |
| DID per service order, per location - NRC - Disconnect - Add'I                                   | NA NA     |
| DID per trunk termination, Initial   | NA NA     |
| DID, per trunk termination, Initial - NRC  | NA NA     |
| DID, per trunk termination, Initial - NRC DID, per trunk termination, Initial - Disconnect       | NA NA     |
| DID, per trunk termination, Initial - Disconnect DID, per trunk termination, Subsequent          | NA NA     |
|  |           |
|  | INA       |
| DID, per trunk termination, Subsequent - NRC DID, per trunk termination, Subsequent - Disconnect | NA<br>NA  |

ATTACHMENT A

| NRC - 1st  | NA   |
|--|--|
| NRC - Add'l  | NA   |
| NRC - Disconnect Chg - 1st   | NA   |
| NRC - Disconnect Chg - Add'l   | NA   |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (8)   |  |
| Access to Poles, per pole, per foot, per year  | NA S   |
| Access to Conduits, per foot, per year   | NA   |
| Access to Innerduct, per foot, per year  | NA   |
| AIN  |  |
| AIN Related Services with mediation, per query   | NA   |
|  | \$0.0006   |
| AIN, per message AIN - BellSouth AIN SMS Access Service  | NA   |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC  | NA   |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC -  | NA .   |
|  | 100  |
| Disconnect AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC   | NA   |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-   | NA .   |
| Disconnect   | Mafage 1   |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC   | NA   |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC -   | NA   |
| Disconnect NBC   | NA   |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC  | NA NA  |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC - Disconnect .   | <b>N</b>   |
| AIN SMS Access Svc - Security Card per User ID Code, initial or  | NA   |
| replacement-NRC  | ***  |
| AIN SMS Access Svc - Security Card per User ID Code, initial or  | NA   |
| replacement-NRC - Disconnect   | NA   |
| AIN SMS Access Service - Storage, per unit (100 Kb)  | NA NA  |
| AIN SMS Access Service - Session, per minute   | NA NA  |
| AIN SMS Access Service - Co. Performed Session, per minute   | NA STATE OF THE ST |
| AIN - BellSouth AIN Toolkit Service  | NA   |
| AIN, Service Creation Tools  | NA   |
| Service Establishment Charge, per state, initial setup - NRC   | NA   |
| Service Establishment Charge, per state, initial setup - NRC - Disconnect  |  |
| Training Session, per customer - NRC   | NA   |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC  | NA   |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC -  | NA .   |
| Disconnect   |  |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC  | NA   |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC -  | NA .   |
| Disconnect   | ŃA   |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC<br>Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - | NA NA  |
| Disconnect   |  |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP -NRC   | NA<br>NA   |
| Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect   | NA NA  |
| Trigger Access Charge, per trigger, per DN, CDP - NRC  | NA<br>NA   |
| Trigger Access Charge, per trigger, per DN, CDP - Disconnect   | NA   |
| Trigger Access Charge, per trigger, per DN, Feature Code - NRC   | NA .   |

| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect  | NA         |
|--|------------|
| Query Charge, per query  | NA         |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query  | NA         |
| SCP Storage Charge, per SMS Access Acct, per 100 Kb  | NA         |
| Monthly report - per AIN Toolkit Service Subscription  | NA         |
| Monthly report - per AIN Toolkit Service Subscription - NRC  | NA         |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect   | NA         |
| Special Study - Per AIN Toolkit Service Subscription   | NA         |
| Special Study - Per AIN Toolkit Service Subscription - NRC   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC -   | NA         |
| Disconnect   |            |
| Call Event special Study - per AIN Toolkit Service Subscription  | NA         |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC  | NA         |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE<br>OWNER  |            |
| CNAM, Per Query  | \$0.016    |
| DARK FIBER   |            |
| Per each four-fiber dry fiber arrangement, NRC 1*  | \$1,000.00 |
| Per each four-fiber dry fiber arrangement, NRC Add'l   | \$1,000.00 |
| Per each fiber strand per route mile or fraction thereof, per month  | \$241.00   |
| SELECTIVE ROUTING  |            |
| Per Line or PBX Trunk, each  | NA         |
| Per Line or PBX Trunk, NRC   | \$5.00     |
| Note(s):   |            |
| (1) In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the appropriate tariff applies.   |            |
| (2) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.  (3) Access to B Channel or D Channel Packet capabilities will be avail- |            |
| able only through Bona Fide Request/New Business RequestBona Fide Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business RequestBona Fide Request Process.   |            |
| <ul> <li>(4) This rate element is for those states which have a specific rate for User Profile per B Channel.</li> <li>(5) This rate element is for use in those states with a different rate for</li> </ul>   | 1 3        |
| additional minutes of use.  (6) This rate element is for those states w/o separate rates for 800 calls   |            |
| with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.  |            |
| This charge is only applicable where signaling usage measurement or billing capability does not exist.   |            |
| (8) Rates for access to Poles, Ducts, Conduits and Rights-of-Way are<br>negotiated with BeilSouth's Competitive Structure Provisioning<br>Center.  |            |

ORDER NO. PSC-98-1430-FOF-TP
DOCKET NO. 980967-TP
PAGE 330
ATTACHMENT A

Attachment 11 Exhibit 9

Tennessee

ATTACHMENT A Attachment 11
Exhibit 9-TN
Page 1

# PRICING

#### General Frinciples

All services currently provided hereunder (including resold Local Services), Network Elements and Ancillary Functions and all new and additional services to be provided hereunder shall be priced in accordance with all applicable provisions of the Act and the rules and orders of the Federal Communications Commission and the Tennessee Regulatory Authority.

#### · 2. Local Service Resale

The prices that CLEC shall pay to BellSouth for resold Local Services shall be BellSouth's Retail Rates less the applicable discount. The following discounts will apply to all Telecommunications Services available for resale in Tennessee:

Telecommunications Services with Operator and Directory Assistance Service:

16.00%

Telecornmunications Services without Operator and Directory Assistance Service:

21.56%

#### 3. Unbundled Network Elements

The prices that CLEC shall pay to BellSouth for Unbundled Network Elements are set forth in Table 1.

# 4. <u>Compensation For Local Interconnection (Call Transport and Termination)</u>

The prices that CLEC and BellSouth shall pay each other for the termination of local calls are set forth in Table 1.

#### 5. Ancillary Functions

5.1 Collocation - The rates, terms and conditions for Physical Collocation are as set forth in Attachment 4 of this Agreement. These rates are regional rates and shall apply for all nine states. Rates, terms, and conditions for Virtual Collocation are as set forth in Section 20 of BellSouth Telecommunications, Inc.'s Interstate Access Tariff, FCC No. 1—

ATTACHMENT A

Attachment 11 Exhibit 9-TN Page 2

- Poles, Ducts and Conduits BellSouth shall provide access to poles, conduits and ducts at rates that are consistent with 47 U.S.C. Section 224(d). CLEC may file a complaint with the appropriate regulatory authority if it believes the rates provided by BellSouth are not consistent with 47 U.S.C. Section 224(d).
- 6. Local Number Portability

The prices for interim number portability are set forth in Table 1.

7. Recorded Usage Data

The prices for Recorded Usage Data are set forth in Table 1.

8. Electronic Interfaces

Reimbursement for operational interfaces shall be as determined by the Tennessee Regulatory Authority.

Interim Pricing

Any interim or proxy prices referenced above will remain in effect until cost studies compliant with the decisions by the United States Court of Appeals for the Eighth Circuit in the appeals of the FCC's Order and Rules can be completed and reviewed by the Tennessee Regulatory Authority.

#### 10. \*Operational Support Systems (OSS) Rates

|           | OPERATIONAL SU                                      | JPPORT SYSTEM                     | AS (OSS) RATES   | <u>3</u>                             |
|-----------|---|-----------------------------------|------------------|--------------------------------------|
|           | Interactive Ordering and Trouble Maintenance System |                                   |                  | ler Charge<br>ser account)           |
|           | Non-Recurring<br>Establishment<br>Charge            | Recurring<br>Charge,<br>per month | Charge per order | Surcharge for manually placed orders |
| TENNESSEE | \$100.00  | \$50.00                           | \$10.80          | \$22.00                              |

The rates for Operational Support Systems mentioned above are interim and subject to modification based upon receipt of a final, non-appealable order by the Tennessee Regulatory Authority.

ATTACHMENT A

Attachment 11 Exhibit 9-TN Page 3 TABLE 1

# BELLSOUTH/CLEC INTERIM RATES - TENNESSEE LOCAL INTERCONNECTION AND UNBUNDLED NETWORK ELEMENTS (Certain rates are subject to true up)

| NIDs  |        |
|---|--------|
| NRC - NID per 2-Wire Loops-Manual Svc Order-1*                          | NA     |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Add'l                       | NA     |
| NRC - NID per 2-Wire Loops-Manual Svc Order-Disconnect                  | NA     |
| NRC - NID per 4-Wire Loops-Manual Svc Order-1*                          | NA     |
| NRC - NID per 4-Wire LoopsManual Svc OrderAdd'l                         | NA     |
| NRC - NID per 4-Wire Loops—Manual Svc Order—Disconnect                  | NA     |
| NID (all types), per month  | \$0.56 |
| NID per 2-Wire Analog VG Loop, Per Month                                | NA     |
| NRC - 1ª  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire Analog VG Loop, Per Month                                | NA     |
| NRC - 1"  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire ISDN Digital VG Loop, Per Month                          | NA     |
| NRC - 1 <sup>st</sup>   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire Asymmetrical Dig Subscriber Line (ADSL) Loop, Per<br>Mo. | NA     |
| NRC - 1 <sup>m</sup>  | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 2-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA     |
| NRC - 1 <sup>st</sup>   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire High Bit Rate Dig Subscriber Line (HDSL) Loop            | NA     |
| NRC - 1 <sup>st</sup>   | NA .   |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |
| NRC - Disconnect Chg - Add'l  | NA     |
| NID per 4-Wire 56 or 64 Kbps Dig Grade Loop                             | NA     |
| NRC - 1".   | NA     |
| NRC - Add'I   | NA     |
| NRC - Disconnect Chg - 1st  | NA     |

PAGE 334

#### ATTACHMENT A

| NRC - Disconnect Chg - Add'l  | NA .            |
|---|-----------------|
| Nonrecurring Charge - customer transfer, feature additions, changes (1)             | NA .            |
| LOOP, EXCLUDING NID   |                 |
| 2-Wire Analog VG Loop (Standard), per month   | NA              |
| NRC - 1"  | NA .            |
| NRC - Add'I   | NA              |
| 2-Wire Analog VG Loop (Customized), per month                                       | TNA .           |
| NRC - 1"  | NA .            |
| NRC - Add'I   | NA              |
| 4-Wire Analog VG Loop (Standard), per month   | NA .            |
| NRC - 1"  | NA              |
| NRC - Add'I   | NA .            |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                                | NA .            |
| NRC - 1 <sup>st</sup>   | NA              |
| NRC - Add'I   | NA              |
| 2-Wire ADSL Loop (Standard), per month  | NA              |
| NRC - 1 <sup>st</sup>   | NA              |
| NRC - Add'I   | NA NA           |
| 2-Wire HDSL Loop (Standard), per month  | NA              |
| NRC - 1 <sup>M</sup>  | NA              |
| NRC - Add'I   | NA              |
| 4-Wire HDSL Loop (Standard), per month  | NA              |
| NRC - 1 <sup>M</sup>  | NA              |
| NRC - Add'I   | NA              |
| LOOP, INCLUDING NID   |                 |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-1st                            | NA              |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order-Add'l                          | NA              |
| NRC - 2-Wire Loops—Incremental Cost—Manual Svc Order— Disconnect                    | NA .            |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental CostManual Svc<br>Order-1 <sup>st</sup> | NA              |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc<br>Order—Add'I          | NA .            |
| NRC - 4-Wire Loops (Exclud DS1)—Incremental Cost—Manual Svc Order—Disconnect        | NA .            |
| 2-Wire Analog VG Loop, per month  | \$18.00         |
| NRC - 1"  | BST GSST A4.3.1 |
| NRC - Add'1   | BST GSST A4.3.1 |
| 2-Wire Analog VG Loop-SL1, per month  | NA .            |
| NRC - 1 <sup>e</sup>  | NA .            |
| NRC - Add'I   | NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA              |
| NRC - Disconnect Chg - Add'l  | NA .            |
| NRC - Order Coordination for Specified Conversion Time                              | M               |
| 2-Wire Analog VG Loop-SL1-Manual Order Coord  | NA              |
| NRC - 1"  | NA .            |
| NRC - Add'I   | NA .            |
| NRC - Disconnect Chg - 1st  | NA .            |
| NRC - Disconnect Chg - Add'l  | NA .            |

ATTACHMENT A

| 2-Wire Analog VG Loop-SL2, per month                                       | NA              |
|--|-----------------|
| NRC • 1 <sup>M</sup>   | NA              |
| NRC - Add'l  | NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA              |
| NRC - Disconnect Chg - Add'I   | NA              |
| NRC - Order Coordination for Specified Conversion Time                     | NA .            |
| 2-Wire Analog VG Loop (Standard), per month                                | NA              |
| NRC - 1 <sup>m</sup>   | NA .            |
| NRC - Add'I  | NA              |
| 2-Wire Analog VG Loop (Customized), per month                              | NA              |
| NRC - 1"   | NA              |
| NRC - Add'I  | NA              |
| 4-Wire Analog VG Loop, per month   | \$18.00         |
| NRC - 1 <sup>st</sup>  | BST GSST A4.3.  |
| NRC - Add'I  | BST GSST A4.3.1 |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| NRC - Order Coordination for Specified Conversion Time                     | NA              |
| I-Wire Analog VG Loop (Standard), per month                                | NA              |
| NRC - 1"   | NA              |
| NRC - Add'l -  | NA              |
| 2-Wire ISDN Digital Grade Loop, per month                                  | \$18.00         |
| NRC - 1 <sup>M</sup>   | BST GSST A4.3.  |
| NRC - Add'I  | BST GSST A4.3.  |
| NRC - Disconnect Chg - 1st   | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| NRC - Order Coordination for Specified Conversion Time                     | NA              |
| 2-Wire ISDN Digital Grade Loop (Standard), per month                       | NA              |
| NRC - 1"   | NA              |
| NRC - Add'I  | NA              |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/Compatible Loop, per month  | NA              |
| NRC - 1 <sup>st</sup>  | NA              |
| NRC - Add'I  | NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| NRC - Order Coordination for Specified Conversion Time                     | NA              |
| 2-Wire ADSL Loop (Standard), per month                                     | NA ·            |
| NRC - 1*   | NA              |
| NRC - Add'I  | NA              |
| 2-Wire Asymmetrical Dig Subscriber Line (ADSL)/ISDN Loop, per month        | *               |
| NRC - 1ª   | NA              |
| NRC - Add'I  | NA              |
| 2-Wire High Bit Rate Dig Subscriber Line (HDSL)/Compatible Loop, per month | NA              |
| NRC - 1"   | NA              |
| NRC - Add'I  | NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>                                     | NA              |
| NRC - Disconnect Chg - Add'I   | NA              |
| NRC - Order Coordination for Specified Conversion Time                     | NA              |

PAGE 336

ATTACHMENT A

| III-EIII V   |
|--------------|
|              |
|              |
|              |
| nt no Y      |
|              |
| ST FILE      |
|              |
| - 4 3        |
|              |
|              |
|              |
|              |
| 1 2 4 2      |
|              |
|              |
| E 19144 8    |
| - 11 1 22    |
|              |
|              |
|              |
|              |
|              |
| 8515    1 ec |
| PARTITION OF |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
|              |
| SA THE       |
|              |
|              |
|              |
| W 51 - 6-1   |
|              |

PAGE 337 ATTACHMENT A

| Loop Concentration - Channelization Sys (Outside CO), per month                      | NA              |
|--|-----------------|
| NRC - 1ª   | NA              |
| NRC - Add'I  | NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| NRC - Incremental CostManual Svc Order - 1 <sup>st</sup>                             | NA              |
| NRC - Incremental CostManual Svc Order - Add'l                                       | NA              |
| NRC - Incremental Cost-Manual Svc Order - Disconnect                                 | NA .            |
| Working Plug-In 2-Wire, NRC 1st  | NA .            |
| Working Plug-In 2-Wire, NRC Add'I  | NA .            |
| Loop Concentration - Remote Terminal Cabinet (Outside CO)                            | NA              |
| Loop Concentration - Remote Channel Interface - 2-Wire VG<br>(Outside CO), per month | NA              |
| NRC - 1ª   | NA              |
| NRC - Add'I  | NA              |
| NRC - Disconnect Chg - 1 <sup>st</sup>   | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| oop Channelization System (Inside C.O.)  | deta bi -       |
| Loop Channelization Sys-Dig Loop Carrier per Mo. (DS1 to VG), per month              | \$493.00        |
| NRC - 1 <sup>st</sup>  | \$525.00        |
| NRC - Add'I  | \$525.00        |
| NRC - Disconnect Chg - 1st   | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| NRC - Incremental CostManual Svc Order - 1st   | NA              |
| NRC - Incremental CostManual Svc Order - Add'l                                       | NA              |
| NRC - Incremental Cost-Manual Svc Order - Disconnect                                 | NA              |
| CO Channel Interface-2-Wire VG Per Circuit, Per Month                                | \$1.46          |
| NRC - 1 <sup>st</sup>  | \$8.00          |
| NRC - Add'l  | \$8.00          |
| NRC - Disconnect Chg - 1st   | NA              |
| NRC - Disconnect Chg - Add'l   | NA              |
| INBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)   |                 |
| 2-Wire Analog Line Port (Res., Bus.), per month                                      | \$1.90          |
| NRC - 1" (all types)   | BST GSST A4.3.1 |
| NRC - Add'l (all types)  | BST GSST A4.3.1 |
| NRC - 1 <sup>st</sup> (Residence)  | NA              |
| NRC - Add'I (Residence)  | NA              |
| NRC - 1" (Business)  | NA              |
| NRC - Add'I (Business)   | NA              |
| NRC - 1" (PBX)   | NA              |
| NRC - Add'i (PBX)  | NA              |
| NRC - Disconnect Chg - 1st   | NA .            |
| NRC - Disconnect Chg - Add'l   | NA              |
| NRC - Incremental CostManual Svc Order - 1st   | NA              |
| NRC - Incremental Cost-Manual Svc Order - Add'l                                      | NA              |
| NRC - Incremental Cost-Manual Svc Order - Disconnect                                 | NA              |
| 4-Wire Analog VG Port, per month   | NA              |
| NRC - 1"   | NA .            |

PAGE 338 ATTACHMENT A

| NRC - Add'I   | NA               |
|---|------------------|
| NRC - Disconnect Chg - 1st                              | NA               |
| NRC - Disconnect Chg - Add'I                            | NA               |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA               |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA               |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | NA               |
| 2-Wire DID Port, per month                              | \$12.68          |
| NRC + 1 <sup>st</sup>                                   | BST GSST A4.3.1  |
| NRC - Add'I   | BST GSST A4.3.1  |
| NRC - Disconnect Chg - 1st                              | NA .             |
| NRC - Disconnect Chg - Add'l                            | NA               |
| NRC - Incremental Cost-Manual Svc Order - 1st           | - NA             |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA               |
| NRC - Incremental CostManual Svc Order - Disconnect     | NA               |
| 4-Wire DID Port, per month                              | NA               |
| NRC - 1*  | NA               |
| NRC - Add'I   | NA NA            |
| NRC - Disconnect Chg - 1st                              | NA NA            |
| NRC - Disconnect Chg - Add'l                            | NA NA            |
| NRC - Incremental CostManual Svc Order - 1st            | NA NA            |
| NRC - Incremental CostManual Svc Order - Add'I          | NA NA            |
| NRC - Incremental Cost-Manual Svc Order - Disconnect    | NA NA            |
| 4-Wire DS1 Port w/DID capability, per month             | \$120.00         |
| NRC - 1*  | To be negotiated |
| NRC - Add'I   | To be negotiated |
| 2-Wire ISDN Port(2) (3), per month                      | \$1.90           |
| NRC - 1*  | BST GSST A4.3.1  |
| NRC - Add'I   | BST GSST A4.3.1  |
| NRC - Disconnect Chg - 1st                              | NA .             |
| NRC - Disconnect Chg - Add'I                            | NA               |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA NA            |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA .             |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA               |
| NRC - Incremental CostManual Svc Order-Disconnect Addl  | NA               |
| NRC - User Profile per B Channel (4)                    | NA               |
| 1-Wire ISDN Port, per month                             | \$308.00         |
| NRC - 1"  | To be negotiated |
| NRC - Add'I   | To be negotiated |
| NRC - Disconnect Chg - 1st                              | NA NA            |
| NRC - Disconnect Chg - Add'l                            | NA .             |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA               |
| NRC - Incremental Cost-Manual Svc Order - Add'l         | NA .             |
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA               |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl | NA NA            |
| 4-Wire ISDN DS1 Port, per month                         | NA NA            |
| NRC -: 1"   | NA .             |
| NRC - Add'I   | NA .             |
| NRC - Disconnect Chg - 1st                              | NA .             |
| NRC - Disconnect Chg - Add'I                            | NA .             |
| NRC - Incremental Cost-Manual Svc Order - 1st           | NA .             |

PAGE 339

### ATTACHMENT A

| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA                         |
|---|----------------------------|
| NRC - Incremental Cost-Manual Svc Order-Disconnect 1st  | NA                         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect Addl   | NA                         |
| 2-Wire Analog Line Port (PBX), per month  | NA                         |
| NRC - 1ª  | NA                         |
| NRC - Add'l   | NA                         |
| NRC - Disconnect Chg - 1st  | NA                         |
| NRC - Disconnect Chg - Add'l  | NA                         |
| NRC - Incremental Cost-Manual Svc Order - 1st   | NA                         |
| NRC - Incremental Cost-Manual Svc Order - Add'l   | NA                         |
| NRC - Incremental Cost-Manual Svc Order-Disconnect  | NA                         |
| 2-Wire Analog Hunting, per line per month   | NA                         |
| NRC - 1"  | NA                         |
| NRC - Add'I   | NA                         |
| Coin Port, per month  | \$1.90                     |
| NRC - 1 <sup>st</sup>   | BST GSST A4.3.1            |
| NRC - Add'I   | BST GSST A4.3.1            |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                         |
| NRC - Disconnect Chg - Add'l  | NA                         |
| NRC - Incremental CostManual Svc Order - 1 <sup>st</sup>  | NA                         |
| NRC - Incremental CostManual Svc Order - Add'i  | NA                         |
| NRC - Incremental CostManual Svc Order-Disconnect   | NA                         |
| Vertical Features   | 0.00                       |
| Local Switching Features offered with Port, Per month   | NA .                       |
| Subsequent Order Charge—Electronic  | NA                         |
| Subsequent Order ChargeIncremental CostManual Svc Order   | NA                         |
| Unbundled End Office Switching (Port Usage)   |                            |
| End Office Switching Function, per mou  | \$.0019                    |
| End Office Switching Function, add'l mou (5)  | NA                         |
| End Office Interoffice Trunk Port—Shared, per mou   | NA                         |
| Unbundled Tandem Switching (Port Usage) (Local or Access Tandem)  |                            |
| Tandem Switching Function per mou   | \$0.000676                 |
| Tandem Interoffice Trunk Port-Shared per mou  | NA                         |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.) | NA .                       |
| UNBUNDLED TRANSPORTS  |                            |
| Common (Shared) Transport   |                            |
| Common (Shared) Transport per mile per mou  | \$0.00004                  |
| Common (Shared) Transport Facilities Termination per mou  | \$0.00036                  |
| Common (Shared) Transport Trunk Installation, per trunk, NRC  | BST State Access<br>Tariff |
| Interoffice Transport - Dedicated - VG  |                            |
| Interoffice Transport - Dedicated - 2-Wire VG - per mile  | NA                         |
| Interoffice Transport - Dedicated - 2-Wire VG - facilities termination per month  | NA .                       |
| NRC - 1 <sup>st</sup>   | NA                         |
| NRC - Add'I   | NA .                       |

PAGE 340

### ATTACHMENT A

|  | Pi          |
|--|-------------|
| NRC - Disconnect Chg - 1st   | NA          |
| NRC - Disconnect Chg - Add'l   | NA          |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA          |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl                    | NA          |
| Interoffice Transport - Dedicated - DS0 - 56/64 KBPS                       |             |
| Interoffice Transport - Dedicated - DS0 - per mile per month               | \$1.90      |
| Interoffice Transport - Dedicated - DS0 - facilities termination per month | \$38.37     |
| NRC - 1 <sup>st</sup>  | TBD         |
| NRC - Add'I  | TBD         |
| NRC - Disconnect Chg - 1st   | NA          |
| NRC - Disconnect Chg - Add'l   | NA          |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA          |
| NRC - Incremental Cost-Manual Svc Order - Add'l                            | NA          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl                    | NA          |
| Interoffice Transport - Dedicated - DS1                                    | I Is at the |
| Interoffice Transport - Dedicated - DS1 - per mile per month               | \$23.00     |
| Interoffice Transport - Dedicated - DS1 - facilities termination per month | \$90.00     |
| NRC - 1 <sup>st</sup>  | \$100.49    |
| NRC - Add'I  | \$100.49    |
| NRC - Disconnect Chg - 1st   | NA          |
| NRC - Disconnect Chg - Add'l   | NA          |
| NRC - Incremental Cost-Manual Svc Order - 1st                              | NA          |
| NRC - Incremental CostManual Svc Order - Add'l                             | NA          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-1st                     | NA          |
| NRC - Incremental Cost-Manual Svc Order-Disconnect-Addl                    | NA          |
| Interoffice Transport - Dedicated - DS3                                    |             |
| Interoffice Transport - Dedicated - DS3 - per mile per month               | NA          |
| Interoffice Transport - Dedicated - DS3 - facilities termination per month | NA          |
| NRC - 1 <sup>st</sup>  | NA          |
| NRC - Add'I  | NA          |
| Digital Cross Connects (3/3, 3/1, 1/0)                                     | NA          |
| Unbundled Exchange Access IOC  |             |
| 0-8 Miles, Fixed per month   | \$27.00     |
| Per mile per month   | \$1.90      |
| NRC 1st  | \$96.00     |
| NRC Add'I  | \$96.00     |
| 9-25 Miles, Fixed per month  | \$27.00     |
| Per mile per month   | \$1.90      |
| NRC 1st  | \$96.00     |
| NRC Add'I  | \$96.00     |
| Over 25 Miles, Fixed per month   | \$27.00     |
| Per mile per month   | \$1.90      |
| NRC 1st  | \$96.00     |
| NRC Add'I  | \$96.00     |
| Local Channel - Dedicated  |             |
| Local Channel - Dedicated - 2-Wire VG                                      | NA          |
| NRC - 1"   | NA          |

ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP PAGE 341

ATTACHMENT A

| NRC - Add'I  | NA  |
|--|---|
| NRC - Disconnect Chg - 1st   | NA  |
| NRC - Disconnect Chg - Add'l   | NA  |
| NRC - Incremental Cost-Manual Svc Order - 1st  | NA .  |
| NRC - Incremental CostManual Svc Order - Add'l   | NA  |
| NRC - Incremental Cost-Manual Svc Order-Disconnect   | NA  |
| Local Channel - Dedicated - 4-Wire VG  | NA  |
| NRC - 1"   | NA .  |
| NRC - Add'I  | NA  |
| NRC - Disconnect Chg - 1st   | NA  |
| NRC - Disconnect Chg - Add'l   | NA  |
| NRC - Incremental CostManual Svc Order - 1st   | NA  |
| NRC - Incremental Cost-Manual Svc Order - Add'l  | NA  |
| NRC - Incremental Cost-Manual Svc Order-Disconnect   | NA .  |
| Local Channel - Dedicated - DS1  | \$133.81  |
| NRC - 1#   | \$868.97  |
|  | \$486.83  |
| NRC - Add'l NRC - Disconnect Chg - 1st   | NA NA   |
|  | NA NA   |
| NRC - Disconnect Chg - Add'l   | NA NA   |
| NRC - Incremental Cost-Manual Svc Order  | NA NA   |
| NRC - Incremental CostManual Svc Order-Disconnect  | NA .  |
| /IRTUAL COLLOCATION  |   |
| Virtual Collocation  | Tariff Rates  |
| LOCAL USAGE  |   |
| Intraoffice per mou  | NA  |
| Interoffice per mou (assumes 5 miles of transport)   | NA  |
| LOCAL INTERCONNECTION CALL TRANSPORT AND TERMINATION)  |   |
| End Office Interconnection/Switching, per mou  | \$0.0019  |
| Tandem Interconnection/Switching, per mou  | \$0.000676  |
| Tandem Interconnection (assumes 5 miles of transport per mou)  | NA .  |
| Transport  | Network element<br>prices for<br>shared/common and<br>dedicated transport<br>apply as appropriate |
| Tandem Switch + Transport  | NA  |
| Combined Tandem Switch Interconnection   | NA  |
| Multi-tandem Interconnection   | NA  |
| Tandem Intermediary Charge, per mou (This charge is applicable only to intermediary traffic and is applied in addition to applicable switching and/or interconnection charges.)          | NA .  |
| 000 ACCESS TEN DIGIT SCREENING SERVICE   |   |
| 00 Access Ten Digit Screening (all types), per call (6)  | NA .  |
| 100 Access Ten Digit Screening Svc. W/800 No. Delivery, per query  | \$.004  |
| 300 Access Ten Digit Screening Svc. W/800 No. Delivery, for 800  | \$.004  |
| Numbers, w/Optional Complex Features, per queff  |   |
| Numbers, w/Optional Complex Features, per query  800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per query  800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional | \$.004  |

PAGE 342

#### ATTACHMENT A

| The Republic Control of the Control |  |
|---|--|
| Complex Features, per query   |  |
| 800 Access Ten Digit Screening Svc. W/800 No. Delivery, per message   |  |
| 800 Access Ten Digit Screening Svc. W/800 No. Deligery, for 800 Numbers, w/Optional Complex Features, per message   | NA                                     |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, per message  | NA                                     |
| 800 Access Ten Digit Screening Svc. W/POTS No. Delivery, w/Optional Complex Features, per message   | NA                                     |
| Reservation Charge per 800 number reservedNRC - 1 <sup>st</sup>   | \$30.00                                |
| Reservation Charge per 800 number reservedNRC - Add'l   | \$0.50                                 |
| Per 800 # Established w/o POTS (w/800 No.) Translations   |  |
| NRC - 1 <sup>st</sup>   | \$67.50                                |
| NRC - Add'I   | \$1.50                                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                                     |
| NRC - Disconnect Chg - Add'l  | NA                                     |
| Per 800 # Established with POTS Translations  |  |
| NRC - 1 <sup>st</sup>   | \$67.50                                |
| NRC - Add'I   | \$1.50                                 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA                                     |
| NRC - Disconnect Chg - Add'l  | NA                                     |
| Customized Area of Service per 800 Number   |  |
| NRC - 1 <sup>M</sup>  | \$3.00                                 |
| NRC - Add'I   | \$1.50                                 |
| Multiple Inter LATA Carrier Routing per Carrier Requested per 800 #   | DISC NO.                               |
| NRC - 1 <sup>st</sup>   | \$3.50                                 |
| NRC - Add'I   | \$2.00                                 |
| Change Charge per request   |  |
| NRC - 1 <sup>st</sup>   | \$48.50                                |
| NRC - Add'I   | \$0.50                                 |
| Call Handling and Destination Features - NRC  | \$3.00                                 |
| Reserv Chg per 800 # Reserved - Incrm Cost-Manual Svc Order   | NA                                     |
| Per 800 # Est'd w/o POTS Transl-Incrm Cost-Manual Svc Order   | NA                                     |
| NRC   | NA                                     |
| NRC - Disconnect Chg  | NA                                     |
| Per 800 # Est'd with POTS Transi-Incrm Cost Manual Svc Order  | NA                                     |
| NRC   | NA                                     |
| NRC - Disconnect Chg  | NA                                     |
| Chng Chrg/Request-Incrm Cost-Manual Svc Order-NRC   | NA                                     |
| LINE INFORMATION DATABASE ACCESS (LIDB)   |  |
| LIDB Common Transport per query   | \$0.0003                               |
| LIDB Validation per query   | \$.038                                 |
| LIDB Validation per message   | NA                                     |
| LIDB Originating Point Code Establishment or Change - NRC   | \$91.00                                |
| LIDB - Incremental Cost - Manual Svc Order - NRC  | NA .                                   |
| CCS7 SIGNALING TRANSPORT SERVICE  |  |
| CCS7 Signaling Connection, per link (A link) per month  | \$155.00                               |
| NRC   | \$510.00                               |
| NRC - Disconnect  | NA                                     |
| CCS7 Signaling Connection, per link (B link) (also known as D link) per month   | Not available pendin<br>development of |

PAGE 343

#### ATTACHMENT A

| NRC NRC - Disconnect CCS7 Signaling Termination, per STP port per month CCS7 Signaling Usage, per ISUP message CCS7 Signaling Usage, per TCAP message | \$510.00<br>NA |
|---|----------------|
| CCS7 Signaling Termination, per STP port per month CCS7 Signaling Usage, per ISUP message CCS7 Signaling Usage, per TCAP message                      |                |
| CCS7 Signaling Usage, per ISUP message CCS7 Signaling Usage, per TCAP message   |                |
| CCS7 Signaling Usage, per ISUP message CCS7 Signaling Usage, per TCAP message   | \$355.00       |
| CCS7 Signaling Usage, per TCAP message  | \$0.000023     |
|   | \$0.00005      |
| CCS7 Signaling Usage Surrogate, per link per LATA per mo(7)   | \$395.00       |
| CCS7 Signaling - Incremental Cost - Manual Svc Order  | NA             |
| NRC   | NA             |
| NRC - Disconnect  | NA             |
| OPERATIONAL SUPPORT SYSTEMS   |                |
| OSS Interactive Ordering and Trouble Maint, Estab, per user per month   | \$50.00        |
| NRC   | \$100.00       |
| OSS OLEC Daily Usage File: Recording, per message   | \$0.008        |
| OSS OLEC Daily Usage File: Message Processing, per message  | \$0.004        |
| OSS Access Daily Usage File: Message Processing, per message  | \$0.004        |
| OSS OLEC Daily Usage File: Message Distribution, per magnetic tape provisioned  | \$54.95        |
| OSS Access Daily Usage File: Message Distribution, per magnetic tape provisioned  | \$54.95        |
| OSS OLEC Daily Usage File: Data Transmission (CONNECT:DIRECT), per message  | \$0.001        |
| OSS Access Daily Usage File: Data Transmission (CONNECT:DIRECT), per message  | \$0.001        |
| OSS Order charge, per electronic order, per end user account  | \$10.80        |
| Surcharge for manually placed orders, per end user account  | \$22.00        |
| OPERATOR CALL PROCESSING  |                |
| Oper. Provided Call Handling per min - Using BST LIDB   | NA             |
| Call Completion Access Termination Charge per call attempt  | NA             |
| Oper. Provided Call Handling per min - Using Foreign LIDB   | NA             |
| Call Completion Access Termination Charge per call attempt  | NA             |
| Operator Provided Call Handling, per call   | \$0.30         |
| Fully Automated Call Handling per call - Using BST LIDB   | \$0.15         |
| Fully Automated Call Handling per call - Using Foreign LIDB   | \$0.15         |
| INWARD OPERATOR SERVICES  |                |
| Verification, per minute  | NA             |
| Verification and Emergency Interrupt, per minute  | NA             |
| Verification, per call  | \$0.90         |
| Verification and Emergency Interrupt, per call  | \$1.95         |
| DIRECTORYASSISTANCE SERVICES  | ,              |
| Directory Assist Call Completion Access Svc (DACC), per call attempt  | \$0.12         |
| Call Completion Access Term charge per completed call   | NA COAS        |
| Number Services Intercept per query   | \$0.15         |
| Number Services Intercept per Intercept Query Update  | NA CONTRACTOR  |
| Directory Assistance Access Service Calls, per call   | \$0.25         |
| Recording cost per announcement   | NA NA          |
| Loading cost per audio unit   | NA .           |
| Directory Transport Directory Transport - Local Channel DS1, per month  | \$133.81       |

## ORDER NO. PSC-98-1430-FOF-TP

DOCKET NO. 980967-TP

PAGE 344

#### ATTACHMENT A

| NRC - 1 <sup>st</sup>   | \$868.97 |
|---|----------|
| NRC - Add'l   | \$486.83 |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA       |
| NRC - Disconnect Chg - Add'l  | NA .     |
| NRC - Incremental Cost-Manual Svc Order - NRC   | NA .     |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect  | NA.      |
| Directory Transport - Dedicated DS1 Level Interoffice per mile per mo   | \$23.00  |
| Directory Transport - Dedicated DS1 Level Interoffice per facility termination per mo   | \$90.00  |
| NRC - 1 <sup>st</sup>   | \$100.49 |
|   | \$100.49 |
| NRC - Add'I   | NA NA    |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA NA    |
| NRC - Disconnect Chg - Add'l  |          |
| NRC - Incremental Cost-Manual Svc Order - NRC-1 <sup>st</sup>   | NA       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Add'l   | NA       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-1*   | NA       |
| NRC - Incremental Cost-Manual Svc Order - NRC-Disconnect-<br>Add'l  | NA       |
| Switched Common Transport per DA Access Service per call  | NA       |
| Switched Common Transport per DA Access Service per call per mile   | NA       |
| Access Tandem Switching per DA Access Service per call  | NA       |
| DA Interconnection, per DA Access Service Call  | NA       |
| Directory Transport-Installation NRC, per trunk or signaling connection   |          |
| NRC - 1 <sup>M</sup>  | NA       |
| NRC - Add'l   | NA       |
| NRC - Disconnect Chg - 1 <sup>st</sup>  | NA       |
| NRC - Disconnect Chg - Add'l  | NA       |
| Directory Assistance Database Service (DADS)  |          |
| Directory Assistance Database Service cost per listing  | NA       |
| Directory Assistance Database Service, per month  | NA       |
| Direct Access to Directory Assistance (DADAS)   |          |
| Direct Access to Directory Assistance Service, per month  | NA       |
| Direct Access to Directory Assistance Service, per query  | NA       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC  | NA       |
| Direct Access to Directory Assistance Service, svc estab chg-NRC-<br>Disconnect   | NA       |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY -   | 045      |
| RCF, per number ported (Business Line), 10 paths  | NA       |
| RCF, per number ported (Residence Line), 6 paths  | NA       |
| RCF, per number ported (Business Line), each path   | \$1.50   |
| RCF, per number ported (Residence Line), each path  | \$1.25   |
| RCF, per number ported (Res or Bus Line)  | ŅA       |
| NRC   | NA       |
| NRC - Disconnect Chg  | NA .     |
| RCF, add'l capacity for simultaneous call forwarding, per additional path   | \$0.50   |
| RCF, and I capacity for simultaneous call towarding, per accidental past.  RCF, per service order, per location - NRC - 1 <sup>st</sup> | \$25.00  |
| RCF, per service order, per location - NRC - 1 RCF, per service order, per location - NRC - Add'I                                       | \$25.00  |
| KCP per service order, per location • NRC • Add I   |          |

PAGE 345

ATTACHMENT A

| N I MANUAL WALL VE SUR  | Pa    |
|---|-------|
| RCF, per service order, per location - NRC - Disconnect - Add'l                 | NA .  |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                |       |
| NRC - 1 <sup>st</sup>   | NA .  |
| NRC - Add'I   | NA    |
| NRC - Disconnect Chg - 1st  | NA    |
| NRC - Disconnect Chg - Add'l  | NA .  |
| INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID                               |       |
| DID per number ported, Residence - NRC  | NA .  |
| DID per number ported, Residence - NRC - Disconnect                             | NA .  |
| DID per number ported, Business - NRC   | NA .  |
| DID per number ported, Business - NRC - Disconnect                              | NA .  |
| DID per service order, per location - NRC - 1st                                 | NA    |
| DID per service order, per location - NRC - Add'I                               | NA    |
| DID per service order, per location - NRC - Disconnect - 1st                    | NA    |
| DID per service order, per location - NRC - Disconnect - Add'I                  | NA    |
| DID, per trunk termination, Initial   | NA    |
| DID, per trunk termination, Initial - NRC                                       | NA    |
| DID, per trunk termination, Initial - Disconnect                                | NA    |
| DID, per trunk termination, Subsequent  | NA    |
| DID, per trunk termination, Subsequent - NRC                                    | NA    |
| DID, per trunk termination, Subsequent - Disconnect                             | NA    |
| Svc Provider No. Portability - Incremental Cost-Manual Svc Order                | NA    |
| NRC - 1 <sup>M</sup>  | NA    |
| NRC - Add'I   | NA    |
| NRC - Disconnect Chg - 1st  | NA    |
| NRC - Disconnect Chg - Add'l  | NA    |
| ACCESS TO POLES, DUCTS, CONDUITS & RIGHTS OF WAY (8)                            |       |
| Access to Poles, per pole, per foot, per year                                   | NA    |
| Access to Conduits, per foot, per year  | NA    |
| Access to Innerduct, per foot, per year   | NA    |
| AIN (9)   | TBD   |
| AIN Related Services with mediation, per query                                  | NA    |
| AIN, per message  | NA .  |
| AIN - BellSouth AIN SMS Access Service  | NA .  |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC                   | NA :  |
| AIN SMS Access Svc - Svc Estab per state, initial setup - NRC - Disconnect      | NA    |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC                   | NA    |
| AIN SMS Access Svc - Port Connection-Dial/Shared Access - NRC-<br>Disconnect    | NA NA |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC                        | NA    |
| AIN SMS Access Svc - Port Connection - ISDN Access - NRC - Disconnect           | NA .  |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC                     | NA .  |
| AIN SMS Access Svc - User ID Codes - per User ID Code - NRC - Disconnect        | NA NA |
| AIN SMS Access Svc - Security Card per User ID Code, initial or replacement-NRC | NA .  |

PAGE 346

## ATTACHMENT A

| AIN SMS Access Svc - Security Card per User ID Code, initial or replacement-NRC - Disconnect   | NA         |
|--|------------|
| AIN SMS Access Service - Storage. per unit (100 Kb)  | NA         |
| AIN SMS Access Service - Storage, per drift (100 107)  | NA         |
| AIN SMS Access Service - Session, per minute AIN SMS Access Service - Co. Performed Session, per minute  | NA         |
| AIN SMS Access Service - Co. Performed Session, per minute   |            |
| AIN - BellSouth AIN Toolkit Service  | NA         |
| AIN Service Creation Tools   | NA         |
| Catablishment Charge per state initial setup - NRC   | NA         |
| Service Establishment Charge, per state, initial setup - NRC - Disconnect  | NA         |
| Training Session per customer - NRC  | 1473       |
| Charge per trigger per DN Term Attempt - NRC   | NA         |
| Trigger Access Charge, per trigger, per DN, Term. Attempt - NRC - Disconnect   | NA         |
| The Access Charge per tripger per DN Off-Hook Delay - NRC  | NA         |
| Trigger Access Charge, per trigger per DN, Off-Hook Delay - NRC -  | NA         |
| Disconnect   | NA         |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate - NRC   | NA         |
| Trigger Access Charge, per trigger, per DN, Off-Hook Immediate -   |            |
| Disconnect  Trigger Access Charge, per trigger, per DN, 10-Digit PODP - NRC  Trigger Access Charge, per trigger, per DN, 10-Digit PODP - Disconnect  | NA         |
| Trigger Access Charge per trigger, per UN, 10-Digit FOUT - Discomment  | NA         |
| Tracer Access Charge per trigger, per UN, CUP - INC  | NA         |
| Trigger Access Charge per trigger, per UN, CUP - Disconlinect  | NA         |
| The Assess Charge per trigger per DN Feature Code - NAC  | NA         |
| Trigger Access Charge, per trigger, per DN, Feature Code - Disconnect  | NA         |
| Character and Cultural   | NA         |
| Type 1 Node Charge, per AIN Toolkit Subscription, per node, per query  | NA         |
| SCP Storage Charge per SMS Access Acct, per 100 kg   | NA         |
| Mosthly report - per AIN Toolkit Service Subscription  | NA         |
| - AIN Tookit Service Subscription - NEC  | NA         |
| Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect Monthly report - per AIN Toolkit Service Subscription - NRC - Disconnect  | NA         |
| Special Study - Per AIN Toolkit Service Subscription   |            |
| Special Study - Per AIN Toolkit Service Subscription - NRC   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC   | NA         |
| Call Event Report - per AIN Toolkit Service Subscription - NRC -   | NA         |
| Disconnect  One of the control of th | NA         |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC  | NA         |
| Call Event special Study - per AIN Toolkit Service Subscription - NRC  |            |
| CALLING NAME (CNAM) QUERY SERVICE - DATABASE OWNER   |            |
| CNAM Per Query   | NA         |
| DARK FIBER   | \$1,808.19 |
| Per each four-fiber dry fiber arrangement, NRC 1**   |            |
| December four fiber dry fiber arrangement, NRC Add1  | \$922.95   |
| Per each fiber strand per route mile or fraction thereof, per-month  | \$241.00   |
| SELECTIVE ROUTING (10)   |            |
|  | TBD        |

ATTACHMENT A

| Total NPC   | TBD |
|---|-----|
| Per Line or PBX Trunk, NRC  |     |
| Note(s): (1) In states where a specific NRC for customer transfer, feature additions and changes is not stated, the applicable NRC from the appropriate tariff applies. (2) Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN  |     |
| ports.  (3) Access to B Channel or D Channel Packet capabilities will be available only through Bona Fide Request/Bona Fide Request/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/Bona Fide Request/New Business Request Process.  (4) This rate element is for those states which have a specific rate for User Profile per B Channel.  (5) This rate element is for use in those states with a different rate for additional minutes of use.  (6) This rate element is for those states w/o separate rates for 800 calls with 800 No. Delivery vs. POTS No. Delivery and calls with Optional Complex Features vs. w/o Optional Complex Features.  (7) This charge is only applicable where signaling usage measurement or billing capability does not exist.  (8) Rates for access to Poles, Ducts, Conduits and Rights-of-Way are negotiated with BellSouth's Competitive Structure Provisioning Center.  (9) Prices for AIN to be determined upon development of mediation |     |
| device.     (10) Price for Line Class Codes for Selective Routing shall be determined by the TRA.   |     |