BELLSOUTH

BellSouth Telecommunications, Inc.
Suite 400
150 South Monroe Street
Tallahassee, FL 32301-1556

marshall.criser@bellsouth.com

Marshall M. Criser III
Vice President
Regulatory & External Affairs

850 224 7798
Fax 850 224 5073

November 14, 2001

Mrs. Blanca S. Bayo
Director, Division of Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

011586-TP

Re: Approval of an Amendment to the Interconnection, Unbundling, Resale and Collocation Agreement Negotiated by BellSouth Telecommunications, Inc. ("BellSouth") and Direct2Internet Corp. pursuant to Sections 251, 252 and 271 of the Telecommunications Act of 1996

Dear Mrs. Bayo:

Pursuant to section 252(e) of the Telecommunications Act of 1996, BellSouth and Direct2Internet Corp. are submitting to the Florida Public Service Commission an amendment to their negotiated agreement for the interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Direct2Internet Corp. . The initial agreement between the companies was filed in Docket 010339-TP, on March 20, 2001, and was deemed effective by Order No. PSC-01-1068-FOF-TP on May 3, 2001. This amendment replaces Attachments 2 and 3 of the original agreement.

Pursuant to section 252(e) of the Act, the Commission is charged with approving or rejecting this amendment to the negotiated agreement between BellSouth and Direct2Internet Corp. within 90 days of its submission. The Act provides that the Commission may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity. Both parties aver that neither of these reasons exist as to the agreement they have negotiated and therefore, as such this amendment should be deemed effective by operation of law on February 14, 2002.

Very truly yours,

Marshall M. Criser III

Regulatory Vice President (KA)

DOCUMENT NUMBER-DATE
14537 NOV 15 ō
FPSC-COMMISSION CLERK

ATTACHMENT TO TRANSMITTAL LETTER
FOR CLEC Contracts and Adoption Papers

The Amendment entered into by and between Direct2Internet and BellSouth Telecommunications, Inc., dated 9/20/01, for all nine state(s) consists of the following:

ITEM	NO. PAGES
Title Page	1
Exhibit 1	264
Exhibit 2	48
TOTAL	313

AMENDMENT
TO THE
AGREEMENT BETWEEN
DIRECT2INTERNET CORPORATION
AND
BELLSOUTH TELECOMMUNICATIONS, INC.
DATED SEPTEMBER 12, 2000

Pursuant to this Amendment, (the "Amendment"), Direct2Internet Corporation ("D2I"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated September 12, 2000, ("Agreement").

WHEREAS, BellSouth and D2I entered into the Agreement on September 12, 2000, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Interconnection Agreement is hereby amended to delete Attachment 2 in its entirety and replace it with a new Attachment 2, attached hereto as Exhibit 1 and by reference made a part of this Amendment.

2. The Interconnection Agreement is hereby amended to delete Attachment 3 in its entirety and replace it with a new Attachment 3, attached hereto as Exhibit 2 and by reference made a part of this Amendment.

3. All of the other provisions of the Agreement, dated September 12, 2000, shall remain in full force and effect.

4. Either or both of the Parties is authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties hereto have caused this Amendment to be executed by their respective duly authorized representatives on the date indicated below.

Direct2Internet Corporation

By: _____

Name: Christer Berg

Title: President

Date: 9/14/2001

BellSouth Telecommunications, Inc.

By: _____

Name: Gregory R Follenstein

Title: Senior Director

Date: 9/20/01

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1. INTRODUCTION 3

2. UNBUNDLED LOOPS 4

3. HIGH FREQUENCY SPECTRUM NETWORK ELEMENT 24

4. LOCAL SWITCHING 28

5. UNBUNDLED NETWORK ELEMENT COMBINATIONS 35

6. TRANSPORT, CHANNELIZATION AND DARK FIBER 42

7. BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE 47

8. LINE INFORMATION DATABASE (LIDB) 47

9. SIGNALING 50

10. OPERATOR SERVICE AND DIRECTORY ASSISTANCE 56

11. AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 62

12. CALLING NAME (CNAM) DATABASE SERVICE 62

13. SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS 64

14. BASIC 911 AND E911 64

15. OPERATIONAL SUPPORT SYSTEMS (OSS) 65

LIDB Storage Agreement ..... **Exhibit A**

Rates ..... **Exhibit B**

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1. Introduction

1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to <<customer_name>> in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to <<customer_name>>. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require <<customer_name>> to purchase other Network Elements or services.

1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment <<customer_name>> used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."

1.3 BellSouth shall, upon request of <<customer_name>>, and to the extent technically feasible, provide to <<customer_name>> access to its Network Elements for the provision of <<customer_name>>'s telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

1.4 <<customer_name>> may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner <<customer_name>> chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by <<customer_name>> to the designated <<customer_name>> collocation space.

1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

1.6 **Rates**

1.6.1 The prices that <<customer_name>> shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If <<customer_name>> purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

1.6.2 Cancellation Charges. If <<customer_name>> cancels an order for Network Elements or other services, any costs incurred by BellSouth in conjunction with

the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.

1.6.3 Expedite Charges. For expedited requests by <<customer_name>>, expedited charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply.

1.6.4 Order cancellation and expedite charges will apply in accordance with the terms and conditions specified in Attachment 6.

1.6.5 If <<customer_name>> modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by <<customer_name>> in accordance with FCC No. 1 Tariff, Section 5.

1.6.6 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2. Unbundled Loops

2.1 General

2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.

2.1.2 The provisioning of a Loop to <<customer_name>>'s collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.

2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then <<customer_name>> can use the Special Construction process to request that BellSouth place facilities in order to meet <<customer_name>>'s loop requirements. Standard Loop intervals shall not apply to the Special Construction process.

2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at

http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

2.1.5 The Loop shall be provided to <<customer_name>> in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

2.1.6 <<customer_name>> may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.

2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where <<customer_name>> has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and <<customer_name>> shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by <<customer_name>> using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 **Loop Testing/Trouble Reporting**

2.1.8.1 <<customer_name>> is responsible for testing and isolating troubles on the Loops. <<customer_name>> must test and isolate trouble to the BellSouth portion of a designed unbundled loop (e.g., UVL-SL2, UCL-D, etc.) before reporting repair to the UNE Center. At the time of the trouble report, <<customer_name>> will be required to provide the results of the <<customer_name>> test which indicate a problem on the BellSouth provided loop.

2.1.8.2 Once <<customer_name>> has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.

2.1.8.3 If <<customer_name>> reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge <<customer_name>> for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.

2.1.9 **Order Coordination and Order Coordination-Time Specific**

2.1.9.1 "Order Coordination" (OC) allows BellSouth and <<customer_name>> to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to <<customer_name>>'s facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows <<customer_name>> to order a specific time for OC to take place. BellSouth will make every effort to accommodate <<customer_name>>'s specific conversion time request. However, BellSouth reserves the right to negotiate with <<customer_name>> a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. <<customer_name>> may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If <<customer_name>> specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the E Access Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
SL-2	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, <<customer_name>> must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1

2.2.1.2 2-wire Analog Voice Grade Loop – SL2

2.2.1.3 4-wire Analog Voice Grade Loop

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that <<customer_name>> will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by <<customer_name>>. <<customer_name>> may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.

2.2.4 Unbundled Voice Loop – SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to <<customer_name>>. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow <<customer_name>> to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs:

2.3.2.1 2-wire Unbundled ISDN Digital Loop

2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)

2.3.2.3 2-wire Unbundled ADSL Compatible Loop

2.3.2.4 2-wire Unbundled HDSL Compatible Loop

2.3.2.5 4-wire Unbundled HDSL Compatible Loop

2.3.2.6 4-wire Unbundled DS1 Digital Loop

2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below

2.3.2.8 DS3 Loop

2.3.2.9 STS-1 Loop

2.3.2.10 OC3 Loop

2.3.2.11 OC12 Loop

2.3.2.12 OC48 Loop

2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. <<customer_name>> will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.

2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.

2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.

2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a desigr 4-wire loop that is provisioned according to industry standards for DS1 (imary Rate ISDN services and will come standard with a test point, Orde. Coordination, and a DLR.

2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.

2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.

2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 **Unbundled Copper Loops (UCL)**

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions - Short and Long.

2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.

2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.

2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point and comes standard with a DLR. OC is required on UCLs where a reuse of existing facilities has been requested by <<customer_name>>.

2.4.2.5 These loops are not intended to support any particular services and may be utilized by <<customer_name>> to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.

2.4.2.6 BellSouth will make available the following UCL-Ds:

2.4.2.6.1 2-Wire UCL-D/short

2.4.2.6.2 2-Wire UCL-D/long

2.4.2.6.3 4-Wire UCL-D/short

2.4.2.6.4 4-Wire UCL-D/long

2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines

("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, <<customer_name>> can request Loop Make Up for which additional charges would apply.

2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that <<customer_name>> may request further testing on the UCL-ND.

2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by <<customer_name>> to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.

2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.

2.4.3.6 <<customer_name>> may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 **Unbundled Loop Modifications (Line Conditioning)**

2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.

2.5.2 BellSouth shall condition Loops, as requested by <<customer_name>>, whether or not BellSouth offers advanced services to the End User on that Loop.

2.5.3 In some instances, <<customer_name>> will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that <<customer_name>> can use the loop for a variety of

services by attaching appropriate terminal equipment at the ends. <<customer_name>> will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

2.5.4 In those cases where <<customer_name>> has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.

2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.

2.5.6 <<customer_name>> shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that <<customer_name>> desires BellSouth to condition.

2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**

2.6.1 Where <<customer_name>> has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to <<customer_name>>. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to <<customer_name>> (e.g. hairpinning).

2.6.2 BellSouth will select one of the following arrangements:

1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. <<customer_name>> will then have the option of paying the one-time SC rates to place the loop.

2.7 **Network Interface Device (NID)**

2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.1.1 BellSouth shall permit <<customer_name>> to connect <<customer_name>>'s Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.2 **Access to NID**

2.7.2.1 <<customer_name>> may access the end user's customer-premises wiring by any of the following means and <<customer_name>> shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.2.1.1 1) BellSouth shall allow <<customer_name>> to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

2.7.2.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.2.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

2.7.2.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.2.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of

electrical protection and to maintain the physical integrity of the NID. It will be <<customer_name>>'s responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

2.7.2.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.

2.7.2.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

2.7.2.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with <<customer_name>> to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

2.7.3 Technical Requirements

2.7.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

2.7.3.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to <<customer_name>>'s NID.

2.7.3.3 Existing BellSouth NIDS will be provided in "as is" condition. <<customer_name>> may request BellSouth do additional work to the NID on a time and material basis. When <<customer_name>> deploys its own local loops with respect to multiple-line termination devices, <<customer_name>> shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit , BellSouth shall offer access to its Unbundled Sub Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within

a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.

2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.

2.8.2.4 If <<customer_name>> requests a UCSL and it is not available, <<customer_name>> may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.5 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.

2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for <<customer_name>>'s use on this cross-connect panel. <<customer_name>> will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, <<customer_name>> shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. <<customer_name>>'s cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by <<customer_name>> is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet <<customer_name>>'s request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate <<customer_name>>'s request for Unbundled Sub-Loops, <<customer_name>> may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. <<customer_name>> will have the option to proceed under the SC process to modify the BellSouth facilities.

2.8.2.9 The site set-up must be completed before <<customer_name>> can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice <<customer_name>>'s cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

2.8.2.10 Once the site set-up is complete, <<customer_name>> will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when <<customer_name>> requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by <<customer_name>> for sub-loop pairs, expedite charges will apply for intervals less than 5 days.

2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 **Unbundled Network Terminating Wire (UNTW)**

2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which, in multi-subscriber configurations, represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where BellSouth owns wiring all the way to the end-users premises. BellSouth will not provide this element in those locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow BellSouth to place its facilities to the end user.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

2.8.3.3.3 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

2.8.3.3.4 Access Terminal installation intervals will be established on an individual case basis.

2.8.3.3.5 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.

2.8.3.3.6 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

2.8.3.3.7 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

2.8.3.3.8 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.

2.8.3.3.9 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:

2.8.3.3.9.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.

2.8.3.3.9.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.

2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).

2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).

2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-box. This element will allow for the connection of <<customer_name>>'s loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

2.8.4.5.1 <<customer_name>> will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, BellSouth will utilize its Special Construction process to determine the costs to provide the sub-loop feeder element to <<customer_name>>. <<customer_name>> will then have the option of paying the special construction charges or canceling the order.

2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.

2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.

2.8.5 **Unbundled Loop Concentration (ULC)**

2.8.5.1 BellSouth will provide to <<customer_name>> Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

2.8.5.2 ULC will be offered in two system options. System A will allow up to 96 BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to <<customer_name>> at <<customer_name>>'s collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to <<customer_name>>'s collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

2.8.6 **Unbundled Sub-Loop Concentration (USLC)**

2.8.6.1. Where facilities permit, <<customer_name>> may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.

2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of <<customer_name>>'s sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of

<<customer_name>>'s sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to <<customer_name>>'s demarcation point associated with <<customer_name>>'s collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 <<customer_name>> is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow <<customer_name>>'s sub-loops to be placed on the USLC and transported to <<customer_name>>'s collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for <<customer_name>> to utilize Dark Fiber Loops.

2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with <<customer_name>>'s collocation space in the end user's serving wire center.

2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

2.8.7.4 Requirements

2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period.

BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at <<customer_name>>'s request subject to time and materials charges.

2.8.7.4.3 <<customer_name>> is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to <<customer_name>> information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from <<customer_name>>.

2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to <<customer_name>> within twenty (20) business days after <<customer_name>> submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable <<customer_name>> to connect or splice <<customer_name>> provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.8.7.4.6 <<customer_name>> may splice at the end points and test Dark Fiber Loop obtained from BellSouth using <<customer_name>> or <<customer_name>> designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber Loop. For fiber in underground conduit, BellSouth shall provide a minimum of 25 feet of excess cable to allow the uncoiled fiber to reach from the manhole to a splicing van.

2.9 Loop Makeup (LMU)

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to <<customer_name>> (LMU) information so that <<customer_name>> can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment <<customer_name>> intends to install and the services <<customer_name>> wishes to provide. This section addresses LMU as a *preordering* transaction, distinct from <<customer_name>> ordering any other service(s). Loop Makeup *Service Inquiries (LMUSI) for preordering loop makeup* are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.

2.9.1.2 BellSouth will provide <<customer_name>> LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other

remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.

2.9.1.3 BellSouth's LMU information is provided to <<customer_name>> as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

2.9.1.4 <<customer_name>> may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by <<customer_name>> and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee <<customer_name>>'s ability to provide advanced data services over the ordered loop type. Further, if <<customer_name>> orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. <<customer_name>> is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 <<customer_name>> may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if <<customer_name>> needs further loop information in order to determine loop service capability, <<customer_name>> may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG)/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

2.9.3.1 For a Mechanized LMUSI, <<customer_name>> may reserve up to ten Loop facilities. For a Manual LMUSI, <<customer_name>> may reserve up to three Loop facilities.

2.9.3.2 <<customer_name>> may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to <<customer_name>>. During and prior to <<customer_name>> placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If <<customer_name>> does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. <<customer_name>> will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, <<customer_name>> does not reserve facilities upon an initial LMUSI, <<customer_name>>'s placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.

2.9.4.2 Where <<customer_name>> has reserved multiple Loop facilities on a single reservation, <<customer_name>> may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to <<customer_name>>, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by <<customer_name>>. If the ordered Loop type is not available, <<customer_name>> may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3. High Frequency Spectrum Network Element

3.1 General

3.1.1 BellSouth shall provide <<customer_name>> access to the high frequency portion of the local loop as an unbundled network element only where BellSouth is the voice service provider to the end user ("High Frequency Spectrum") at the rates set forth in this Attachment.

3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow

<<customer_name>> the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, *American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems.* BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. <<customer_name>> shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

3.1.3 Access to the High Frequency Spectrum requires an unconditioned, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. BellSouth will provide Loop conditioning to <<customer_name>> in accordance with the Unbundled Loop Modification process set forth in Section 2.5 of this Attachment. BellSouth is not required to condition a Loop for access to the High Frequency spectrum if conditioning of that Loop significantly degrades BellSouth's voice service. If <<customer_name>> requests that BellSouth condition a Loop longer than 18,000 ft. and such conditioning significantly degrades the voice services on the Loop, <<customer_name>> shall pay for the Loop to be restored to its original state.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

3.2.1 BellSouth will provide <<customer_name>> with access to the High Frequency Spectrum as follows:

3.2.1.1 To order High Frequency Spectrum on a particular Loop, <<customer_name>> must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop. <<customer_name>> may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within forty-two (42) calendar days of <<customer_name>>'s submission of such order to the BellSouth Complex Resale Support Group; provided, however, that in the event BellSouth did not have reasonable notice that a particular central office was to have a splitter installed therein, the forty-two (42) day interval shall not apply. Collocation itself or an application for collocation will serve as reasonable notice.

3.2.1.2 Once a splitter is installed on behalf of <<customer_name>> in a central office in which <<customer_name>> is located, <<customer_name>> shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and <<customer_name>> shall pay the electronic or manual ordering charges as applicable when <<customer_name>> orders High Frequency Spectrum for end-user service.

3.2.1.3 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide <<customer_name>> access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to <<customer_name>>'s xDSL equipment in <<customer_name>>'s collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide <<customer_name>> with a carrier notification letter, informing <<customer_name>> of change. <<customer_name>> shall purchase ports on the splitter in increments of 24 ports.

3.2.1.4 BellSouth will install the splitter in (i) a common area close to <<customer_name>>'s collocation area, if possible; or (ii) in a BellSouth relay rack as close to <<customer_name>>'s DS0 termination point as possible. <<customer_name>> shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for <<customer_name>> on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified <<customer_name>> DS0 at such time that a <<customer_name>> end user's service is established.

3.2.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and <<customer_name>> desires to continue providing xDSL service on such Loop, <<customer_name>> shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give <<customer_name>> notice in a reasonable time prior to disconnect, which notice shall give <<customer_name>> an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and <<customer_name>> purchases the full stand-alone Loop, <<customer_name>> may elect the type of loop it will purchase. <<customer_name>> will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event <<customer_name>> purchases a voice grade Loop, <<customer_name>> acknowledges that such Loop may not remain xDSL compatible.

3.2.1.6 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

3.2.2.1 BellSouth will provide <<customer_name>> the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.

3.2.2.2 BellSouth will return a manual Firm Order Confirmation ("FOC") in no more than two (2) business days after receipt of a valid, error free manual LSR. When <<customer_name>> submits an electronic LSR for High Frequency Spectrum, BellSouth will return a FOC in four (4) hours ninety-five percent (95%) of the time, or, for orders that do not flow-through, in two (2) business days. BellSouth will provide <<customer_name>> with access to the High Frequency Spectrum at the following target intervals:

3.2.2.2.1 For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

3.2.2.2.2 BellSouth will provide to <<customer_name>> BellSouth's Loop Qualification System that BellSouth uses to qualify loops for its own ADSL offering.

3.2.2.2.3 BellSouth will provide <<customer_name>> access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and <<customer_name>> shall pay the rates for such services, as described in Exhibit B.

3.2.2.2.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for <<customer_name>>'s data.

3.2.3 **Maintenance and Repair**

3.2.3.1 <<customer_name>> shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. <<customer_name>> may access the loop at the point where the combined voice and data signal exits the central office splitter.

3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. <<customer_name>> will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

3.2.3.3 <<customer_name>> shall inform its end users to direct data problems to <<customer_name>>, unless both voice and data services are impaired, in which event the end users should call BellSouth.

3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.

3.2.3.5 In the event <<customer_name>>'s deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify <<customer_name>> and allow twenty-four (24) hours to cure the trouble. If <<customer_name>> fails to resolve the trouble, BellSouth may discontinue <<customer_name>>'s access to the High Frequency Spectrum on such loop.

3.2.4 **Line Splitting.**

3.2.4.1 BellSouth will work cooperatively with CLECs to develop rates, methods and procedures to operationalize a process whereby two CLECs, one being a provider of voice services (a "Voice CLEC") and the other being a provider of data services (a "Data CLEC") may provide services over the same loop. The loop and port over which the services are provided cannot be a loop and port combination (i.e., UNE-P), but must be individual, stand alone network elements. The Voice CLEC or the Data CLEC shall be responsible for connecting the loop and port to a CLEC-owned splitter. BellSouth shall not own or maintain the splitter used for this purpose. When such rates, methods and procedures have been developed and operationalized, then at the request of <<customer_name>>, the Parties shall amend this Agreement to incorporate the same.

4. Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to <<customer_name>> for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to <<customer_name>> for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 **Local Circuit Switching Capability, including Tandem Switching Capability**

4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any

features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for <<customer_name>> when <<customer_name>> serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

4.2.3 In the event that <<customer_name>> orders local circuit switching for an end user with four (4) or more 2-wire voice-grade loops from a BellSouth central office in an MSA listed above, BellSouth shall charge <<customer_name>> the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities.

4.2.4 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.

4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to <<customer_name>>'s end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

4.2.6 Provided that <<customer_name>> purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by an <<customer_name>> local end user, or originated by a BellSouth local end user and terminated to an <<customer_name>> local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For such calls, BellSouth will charge <<customer_name>> the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and <<customer_name>> shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site:

4.2.7 BellSouth shall assess <<customer_name>> retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if <<customer_name>> has been able to previously select BellSouth as the end user LPIC prior to the

option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.

4.2.8 Where <<customer_name>> purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an <<customer_name>> end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge <<customer_name>> the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and <<customer_name>> shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill <<customer_name>> the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.10 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and <<customer_name>> shall not bill BellSouth originating or terminating switched access for such calls.

4.2.11 **Unbundled Port Features**

4.2.11.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.

4.2.11.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.2.11.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.11.4 BellSouth will provide to <<customer_name>> selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by <<customer_name>> will be made pursuant to the BFR/NBR Process as set forth in General Terms and Conditions.

4.2.12 **Provision for Local Switching**

4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to <<customer_name>> all AIN triggers in connection with its SMS/SCE offering.

4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by <<customer_name>>.

4.2.13 **Local Switching Interfaces.**

4.2.13.1 <<customer_name>> shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:

4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

4.2.13.1.2 Coin phone signaling;

4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;

4.2.13.1.4 Two-wire analog interface to PBX;

4.2.13.1.5 Four-wire analog interface to PBX;

4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and

4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 Technical Requirements

4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:

4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by <<customer_name>> and BellSouth;

4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;

4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and

4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to <<customer_name>>.

4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

4.3.2.4 Tandem Switching shall process originating toll-free traffic received from <<customer_name>>'s local switch.

4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.

4.3.3 Upon <<customer_name>>'s purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for <<customer_name>>'s traffic overflowing from direct end office high usage trunk groups.

4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**

4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of <<customer_name>>. AIN Selective Carrier Routing will provide <<customer_name>> with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

4.4.2 <<customer_name>> shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.

4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.

4.4.4 Where AIN Selective Carrier Routing is utilized by <<customer_name>>, the routing of <<customer_name>>'s end user calls shall be pursuant to information provided by <<customer_name>> and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.

4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, <<customer_name>> shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit B of this Attachment. For each <<customer_name>> end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. <<customer_name>> shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.

4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B,

AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to <<customer_name>>'s fully completed firm order as a Regional Service Order. With the delivery of this firm order response to <<customer_name>>, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

4.4.7 The non-recurring End Office Establishment Charge will be billed to <<customer_name>> following BellSouth's normal monthly billing cycle for this type of order.

4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to <<customer_name>> following BellSouth's normal monthly billing cycle for this type of order.

4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to <<customer_name>> following the normal billing cycle for per query charges.

4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.

4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:

4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

4.5.2.2 There are no spare copper loops capable of supporting the xDSL services <<customer_name>> seeks to offer;

4.5.2.3 BellSouth has not permitted <<customer_name>> to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has <<customer_name>> obtained a virtual collocation

arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and

4.5.2.4 BellSouth has deployed packet switching capability for its own use.

4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 **Interoffice Transmission Facilities**

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to <<customer_name>> for the provision of a telecommunications service.

5. Unbundled Network Element Combinations

5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Non-Switched Combinations; 3) UNE Loop/Special Access Combinations; and 4) UNE Loop/Port Combinations.

5.2 For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

5.3 **Enhanced Extended Links (EELs)**

5.3.1 Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.

5.3.2 Subject to Section 5.3.3 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.4 following. <<customer_name>> shall provide to BellSouth a letter certifying that <<customer_name>> is providing a significant amount of local exchange service (as described in Sections 5.3.5.2, 5.3.5.3, 5.3.5.4, or 5.3.5.5) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to <<customer_name>>'s POP serving wire center. The circuit must be connected to <<customer_name>>'s switch for the purpose of provisioning telephone exchange service to <<customer_name>>'s end-user customers. The EEL will be connected to <<customer_name>>'s facilities in <<customer_name>>'s collocation space at the POP SWC, or <<customer_name>> may purchase

BellSouth's access facilities between <<customer_name>>'s POP and <<customer_name>>'s collocation space at the POP SWC.

5.3.3 BellSouth shall provide EEL combinations to <<customer_name>> in Georgia and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to <<customer_name>> those EEL combinations described in Section 5.3.4 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to <<customer_name>> in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to <<customer_name>> only to the extent such network elements are Currently Combined.

5.3.4 **EEL Combinations**

5.3.4.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

5.3.4.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

5.3.4.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop

5.3.4.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop

5.3.4.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop

5.3.4.6 DS1 Interoffice Channel + DS1 Local Loop

5.3.4.7 DS3 Interoffice Channel + DS3 Local Loop

5.3.4.8 STS-1 Interoffice Channel + STS-1 Local Loop

5.3.4.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.3.4.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.3.4.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop

5.3.4.12 4wire VG Interoffice Channel + 4-wire VG Local Loop

5.3.4.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop

5.3.4.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

5.3.5 **Special Access Service Conversions**

5.3.5.1 <<customer_name>> may not convert special access services to combinations of loop and transport network elements, whether or not <<customer_name>> self-provides its entrance facilities (or obtains entrance facilities from a third party), unless <<customer_name>> uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent <<customer_name>> requests to convert any special access services to combinations of loop and transport network elements at UNE prices, <<customer_name>> shall provide to BellSouth a letter certifying that <<customer_name>> is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option <<customer_name>> seeks to qualify for conversion of special access circuits. <<customer_name>> shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

5.3.5.2 <<customer_name>> certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at <<customer_name>>'s collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, <<customer_name>> is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. <<customer_name>> can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

5.3.5.3 <<customer_name>> certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at <<customer_name>>'s collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

5.3.5.4 <<customer_name>> certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. <<customer_name>> does not need to provide a defined portion of the end user's local service, but the active

channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

5.3.5.5 In addition, there may be extraordinary circumstances where <<customer_name>> is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.5. In such case, <<customer_name>> may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon <<customer_name>>'s request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.

5.3.5.6 BellSouth may at its sole discretion audit <<customer_name>> records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and <<customer_name>> shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, <<customer_name>> shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that <<customer_name>> is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from <<customer_name>>.

5.3.5.7 <<customer_name>> may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.6 **Rates**

5.3.6.1 Georgia and Tennessee

5.3.6.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.4, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.

5.3.6.1.2 For combinations of loop and transport network elements not set forth in Section 5.3.4, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.

5.3.6.1.3 To the extent that <<customer_name>> seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, <<customer_name>>, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.

5.3.6.2 All Other States

5.3.6.2.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 5.3.4 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit B of this Attachment.

5.3.7 **Multiplexing**

5.3.7.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 **Other Non-Switched Combinations**

5.4.1 In the states of Georgia and Tennessee, BellSouth shall make available to <<customer_name>>, in accordance with Section 5.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to <<customer_name>>, in accordance with Section 5.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.

5.4.2 Rates

5.4.2.1 Georgia and Tennessee

5.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.

5.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination.

5.4.2.1.3 To the extent that <<customer_name>> seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have

not been specifically priced by the Commission when purchased in combined form, <<customer_name>>, at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.

5.4.2.2 All Other States

5.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit B of this Attachment.

5.5 **UNE Loop/Special Access Combinations**

5.5.1 BellSouth shall make available to <<customer_name>> a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent <<customer_name>> will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 5.3.5.

5.5.2 Rates

5.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit B and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.

5.6 **UNE Port/Loop Combinations**

5.6.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

5.6.2 BellSouth shall make available Currently Combined and not Currently Combined UNE port/loop combinations.

5.6.2.1 Except as set forth in section 5.6.3 below, the rates at which BellSouth shall provide Currently Combined UNE port/loop combinations and not Currently Combined UNE port/loop combinations in the states of Georgia and Tennessee shall be the cost-based rates in Exhibit C.

5.6.2.2 The rates at which BellSouth shall provide not Currently Combined UNE port/loop combinations in Alabama, Florida, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina shall be the market rates in Exhibit C.

5.6.3 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

5.6.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to <<customer_name>> if <<customer_name>>'s customer has 4 or more DS0 equivalent lines.

5.6.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit C.

5.6.4 Combination Offerings

5.6.4.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.4 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.6 **Transport**

6.6.3 Interoffice transmission facility network elements include:

6.6.3.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and <<customer_name>>.

6.6.3.2 Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;

6.6.3.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

6.6.4 BellSouth shall:

6.6.4.1 Provide <<customer_name>> exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

6.6.4.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;

6.6.4.3 Permit, to the extent technically feasible, <<customer_name>> to connect such interoffice facilities to equipment designated by <<customer_name>>, including but not limited to, <<customer_name>>'s collocated facilities; and

6.6.4.4 Permit, to the extent technically feasible, <<customer_name>> to obtain the functionality provided by BellSouth's digital cross-connect systems.

6.6.5 Technical Requirements of Common (Shared) Transport

6.6.5.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.

6.6.5.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.

6.6.5.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

6.6.5.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.7 **Dedicated Transport**

6.7.3 Dedicated Transport is composed of the following Unbundled Network Elements:

6.7.3.1 Unbundled Local Channel, defined as the dedicated transmission path between <<customer_name>>'s Point of Presence("POP") and <<customer_name>>'s collocation space in the BellSouth Serving Wire Center for <<customer_name>>'s POP, and

6.7.3.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.

6.7.3.3 BellSouth shall offer Dedicated Transport in each of the following ways:

6.7.3.3.1 As capacity on a shared UNE facility.

6.7.3.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to <<customer_name>>.

6.7.3.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.

6.7.4 Technical Requirements

6.7.4.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to <<customer_name>> designated traffic.

6.7.4.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.

6.7.4.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.

6.7.4.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.7.4.4.1 DS0 Equivalent;

6.7.4.4.2 DS1;

6.7.4.4.3 DS3; and

6.7.4.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.7.4.5 BellSouth shall design Dedicated Transport according to its network infrastructure. <<customer_name>> shall specify the termination points for Dedicated Transport.

6.7.4.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.7.4.7 BellSouth Technical References:

6.7.4.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.7.4.7.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.7.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 **Unbundled Channelization (Multiplexing)**

6.8.3 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be

6.7.4.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.

6.7.4.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.

6.7.4.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.7.4.4.1 DS0 Equivalent;

6.7.4.4.2 DS1;

6.7.4.4.3 DS3; and

6.7.4.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.7.4.5 BellSouth shall design Dedicated Transport according to its network infrastructure. <<customer_name>> shall specify the termination points for Dedicated Transport.

6.7.4.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.7.4.7 BellSouth Technical References:

6.7.4.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.7.4.7.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.7.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 **Unbundled Channelization (Multiplexing)**

6.8.3 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be

accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, <<customer_name>> may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.

6.8.4 BellSouth shall make available the following channelization systems:

6.8.4.1 DS3 Channelization System: channelizes a DS3 signal into 28 DS1s/STS-1s.

6.8.4.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.

6.8.5 BellSouth shall make available the following

6.8.5.1 Central Office Channel Interfaces (COCI):

6.8.5.2 DS1 COCI, which can be activated on a DS3 Channelization System.

6.8.5.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.

6.8.5.4 Data COCI, which can be activated on a DS1 Channelization System.

6.8.5.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.

6.8.6 Technical Requirements

6.8.6.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, <<customer_name>>'s channelization equipment must adhere strictly to form and protocol standards. <<customer_name>> must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.8.6.2 DS0 to DS1 Channelization

6.8.6.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

6.8.6.3 DS1 to DS3 Channelization

6.8.6.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

6.8.6.4 DS1 to STS Channelization

6.8.6.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings.

6.9 **Dark Fiber Transport**

6.9.3 Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for <<customer_name>> to utilize Dark Fiber Transport.

6.9.4 Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

6.9.5 Requirements

6.9.5.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

6.9.5.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at <<customer_name>>'s request subject to time and materials charges.

6.9.5.3 <<customer_name>> is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

6.9.5.4 BellSouth shall use its best efforts to provide to <<customer_name>> information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from <<customer_name>>. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.9.5.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to

<<customer_name>> within twenty (20) business days after <<customer_name>> submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable <<customer_name>> to connect or splice <<customer_name>> provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

6.9.5.6 <<customer_name>> may splice at the end points and test Dark Fiber Transport obtained from BellSouth using <<customer_name>> or <<customer_name>> designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber Transport. For fiber in underground conduit, BellSouth shall provide a minimum of 25 feet of excess cable to allow the uncoiled fiber to reach from the manhole to a splicing van.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

7.6 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At <<customer_name>>'s option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by <<customer_name>>.

7.7 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.6 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, <<customer_name>> must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between

BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

8.7 Technical Requirements

8.7.3 BellSouth will offer to <<customer_name>> any additional capabilities that are developed for LIDB during the life of this Agreement.

8.7.4 BellSouth shall process <<customer_name>>'s Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to <<customer_name>> what additional functions (if any) are performed by LIDB in the BellSouth network.

8.7.5 Within two (2) weeks after a request by <<customer_name>>, BellSouth shall provide <<customer_name>> with a list of the customer data items, which <<customer_name>> would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

8.7.6 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.

8.7.7 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

8.7.8 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

8.7.9 All additions, updates and deletions of <<customer_name>> data to the LIDB shall be solely at the direction of <<customer_name>>. Such direction from <<customer_name>> will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

8.7.10 BellSouth shall provide priority updates to LIDB for <<customer_name>> data upon <<customer_name>>'s request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

8.7.11 BellSouth shall provide LIDB systems such that no more than 0.01% of <<customer_name>> customer records will be missing from LIDB, as measured by <<customer_name>> audits. BellSouth will audit <<customer_name>> records in LIDB against DBAS to identify record mismatches and provide this data to a designated <<customer_name>> contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer

record of mis-matches to <<customer_name>> within one business day of audit. Once reconciled records are received back from <<customer_name>>, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact <<customer_name>> to negotiate a time frame for the updates, not to exceed three business days.

8.7.12 BellSouth shall perform backup and recovery of all of <<customer_name>>'s data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.

8.7.13 BellSouth shall provide <<customer_name>> with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between <<customer_name>> and BellSouth.

8.7.14 BellSouth shall prevent any access to or use of <<customer_name>> data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by <<customer_name>> in writing.

8.7.15 BellSouth shall provide <<customer_name>> performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by <<customer_name>> at least at parity with BellSouth Customer Data. BellSouth shall obtain from <<customer_name>> the screening information associated with LIDB Data Screening of <<customer_name>> data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to <<customer_name>> under the BFR/NBR process as set forth in Attachment 12.

8.7.16 BellSouth shall accept queries to LIDB associated with <<customer_name>> customer records, and shall return responses in accordance with industry standards.

8.7.17 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

8.7.18 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

8.8 Interface Requirements

8.8.3 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

8.8.4 The interface to LIDB shall be in accordance with the technical references contained within.

8.8.5 The CCS interface to LIDB shall be the standard interface described herein.

8.8.6 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

9 Signaling

9.6 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.7 **Signaling Link Transport**

9.7.3 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between <<customer_name>>-designated Signaling Points of Interconnection that provide appropriate physical diversity.

9.7.4 Technical Requirements

9.7.5 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

9.7.5.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

9.7.5.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

9.7.6 Signaling Link Transport shall consist of two or more signaling link layers as follows:

9.7.6.1 An A-link layer shall consist of two links.

9.7.6.2 A B-link layer shall consist of four links.

9.7.6.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

9.7.6.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and

9.7.6.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

9.7.7 Interface Requirements

9.7.7.1 There shall be a DS1 (1.544 Mbps) interface at <<customer_name>>'s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

9.8 **Signaling Transfer Points (STPs)**

9.8.3 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

9.8.4 Technical Requirements

9.8.4.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.

9.8.4.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

9.8.4.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a <<customer_name>> local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between <<customer_name>> local STPs and

the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

9.8.4.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a <<customer_name>> or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a <<customer_name>> database, then <<customer_name>> agrees to provide BellSouth with the Destination Point Code for <<customer_name>> database.

9.8.4.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).

9.8.4.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a <<customer_name>> or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.9 **SS7 Advanced Intelligent Network (AIN) Access**

9.9.3 When technically feasible and upon request by <<customer_name>>, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with <<customer_name>>'s SS7 network to exchange TCAP queries and responses with a <<customer_name>> SCP.

9.9.4 SS7 AIN Access shall provide <<customer_name>> SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and <<customer_name>> SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local

switch recognizing the <<customer_name>> SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

9.9.5 Interface Requirements

9.9.5.1 BellSouth shall provide the following STP options to connect <<customer_name>> or <<customer_name>>-designated local switching systems to the BellSouth SS7 network:

9.9.5.1.1 An A-link interface from <<customer_name>> local switching systems; and,

9.9.5.1.2 A B-link interface from <<customer_name>> local STPs.

9.9.5.2 Each type of interface shall be provided by one or more layers of signaling links.

9.9.5.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

9.9.5.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

9.9.5.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

9.9.6 Message Screening

9.9.6.1 BellSouth shall set message screening parameters so as to accept valid messages from <<customer_name>> local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the <<customer_name>> switching system has a valid signaling relationship.

9.9.6.2 BellSouth shall set message screening parameters so as to pass valid messages from <<customer_name>> local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the <<customer_name>> switching system has a valid signaling relationship.

9.9.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from <<customer_name>> from any signaling point or network interconnected through BellSouth's SS7 network where the <<customer_name>> SCP has a valid signaling relationship.

9.10 **Service Control Points/Databases**

9.10.3 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

9.10.4 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

9.10.5 Technical Requirements for SCPs/Databases

9.10.5.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

9.10.5.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

9.10.5.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.11 **Local Number Portability Database**

9.11.3 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.12 **SS7 Network Interconnection**

9.12.3 SS7 Network Interconnection is the interconnection of <<customer_name>> local signaling transfer point switches or <<customer_name>> local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, <<customer_name>> local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

9.12.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and <<customer_name>> or other third-party switching systems with A-link access to the BellSouth SS7 network.

9.12.5 If traffic is routed based on dialed or translated digits between a <<customer_name>> local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the <<customer_name>> local signaling transfer point switches and BellSouth or other third-party local switch.

9.12.6 SS7 Network Interconnection shall provide:

9.12.6.1 Signaling Data Link functions, as specified in ANSI T1.111.2;

9.12.6.2 Signaling Link functions, as specified in ANSI T1.111.3; and

9.12.6.3 Signaling Network Management functions, as specified in ANSI T1.111.4.

9.12.7 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a <<customer_name>> local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of <<customer_name>> local STPs, and shall not include SCCP Subsystem Management of the destination.

9.12.8 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.

9.12.9 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.

9.12.10 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

9.12.11 Interface Requirements

9.12.11.1 The following SS7 Network Interconnection interface options are available to connect <<customer_name>> or <<customer_name>>-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:

9.12.11.1.1 A-link interface from <<customer_name>> local or tandem switching systems; and

9.12.11.1.2 B-link interface from <<customer_name>> STPs.

9.12.11.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

9.12.11.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

9.12.11.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

9.12.11.5 BellSouth shall set message screening parameters to accept messages from <<customer_name>> local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the <<customer_name>> switching system has a valid signaling relationship.

10 Operator Service and Directory Assistance

10.6 Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.

10.7 Upon request for BellSouth Operator Services, BellSouth shall:

10.7.3 Process 0+ and 0- dialed local calls.

10.7.4 Process 0+ and 0- intraLATA toll calls.

10.7.5 Process calls that are billed to <<customer_name>> end user's calling card that can be validated by BellSouth.

10.7.6 Process person-to-person calls.

10.7.7 Process collect calls.

10.7.8 Provide the capability for callers to bill to a third party and shall also process such calls.

10.7.9 Process station-to-station calls.

10.7.10 Process Busy Line Verify and Emergency Line Interrupt requests.

10.7.11 Process emergency call trace originated by Public Safety Answering Points.

10.7.12 Process operator-assisted directory assistance calls.

10.7.13 Adhere to equal access requirements, providing <<customer_name>> local end users the same IXC access as provided to BellSouth end users.

10.7.14 Exercise at least the same level of fraud control in providing Operator Service to <<customer_name>> that BellSouth provides for its own operator service.

10.7.15 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.

10.7.16 Direct customer account and other similar inquiries to the customer service center designated by <<customer_name>>.

10.7.17 Provide call records to <<customer_name>> in accordance with ODUF standards specified in Attachment 7.

10.7.18 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

10.8 **Directory Assistance Service**

10.8.3 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.

10.8.4 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by <<customer_name>>'s end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

10.8.5 Directory Assistance Service Updates

10.8.5.1 BellSouth shall update end user listings changes daily. These changes include:

10.8.5.1.1 New end user connections

10.8.5.1.2 End user disconnections

10.8.5.1.3 End user address changes

10.8.5.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.9 **Branding for Operator Call Processing and Directory Assistance**

10.9.3 BellSouth's branding feature provides a definable announcement to <<customer_name>> end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows <<customer_name>> to have its calls custom branded with <<customer_name>>'s name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.

10.9.4 BellSouth offers three (3) service levels of branding to <<customer_name>> when ordering BellSouth's Directory Assistance and Operator Call Processing.

10.9.4.1 Service Level 1 - BellSouth Branding

10.9.4.2 Service Level 2 - Unbranding

10.9.4.3 Service Level 3 - Custom Branding

10.9.5 Where <<customer_name>> resells BellSouth's services or purchases unbundled local switching from BellSouth, and utilizes a directory assistance provider and operator services provider other than BellSouth, BellSouth will route <<customer_name>>'s end user calls to that provider through Selective Carrier Routing.

10.9.6 **For Resellers and Use with an Unbundled Port**

10.9.6.1 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for <<customer_name>> to have its OS/DA calls routed to BellSouth's OS/DA platform for BellSouth provided Custom Branded or Unbranded OS/DA or to its own or an alternate OS/DA platform for Self-Branded OS/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

10.9.6.2 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

10.9.6.3 Where available, <<customer_name>> specific and unique line class codes are programmed in each BellSouth end office switch where <<customer_name>> intends to serve end users with customized OS/DA branding. The line class codes

specifically identify <<customer_name>>'s end users so OS/DA calls can be routed over the appropriate trunk group to the requested OS/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and <<customer_name>> intends to provide <<customer_name>> -branded OS/DA to its end users in these multiple rate areas.

10.9.6.4 BellSouth Branding is the Default Service Level.

10.9.6.5 SCR-LCC supporting Custom Branding and Self Branding require <<customer_name>> to order dedicated trunking from each BellSouth end office identified by <<customer_name>>, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the <<customer_name>> Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.

10.9.6.6 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by <<customer_name>> to the BellSouth TOPS. These calls are routed to "No Announcement."

10.9.6.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OS/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OS/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

10.9.6.8 In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, <<customer_name>> shall not be required to purchase dedicated trunking.

10.9.6.9 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, <<customer_name>> must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, <<customer_name>> must submit a manual order form which requires, among other things, <<customer_name>>'s OCN and a forecast for the traffic volume

anticipated for each BellSouth TOPS during the peak busy hour. <<customer_name>> shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon <<customer_name>>'s purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all <<customer_name>> end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

10.9.6.10 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill <<customer_name>> applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, <<customer_name>> shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where <<customer_name>> is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.9.7 **For Facilities Based Carriers**

10.9.7.1 All Service Levels require <<customer_name>> to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

10.9.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which <<customer_name>> requires service.

10.9.7.3 Directory Assistance customized branding uses:

10.9.7.3.1 the recording of <<customer_name>>;

10.9.7.3.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

10.9.7.4 Operator Call Processing customized branding uses:

10.9.7.4.1 the recording of <<customer_name>>;

10.9.7.4.2 the front-end loading of the DRAM in the TOPS Switch;

10.9.7.4.3 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

10.10 **Directory Assistance Database Service (DADS)**

10.10.3 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to <<customer_name>> end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). <<customer_name>> agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, <<customer_name>> agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

10.10.4 BellSouth shall initially provide <<customer_name>> with a Base File of subscriber listings which reflect all listing change activity occurring since <<customer_name>>'s most recent update via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from <<customer_name>> to prepare the Base File.

10.10.5 BellSouth will provide updates at least weekly reflecting all listing change activity occurring since <<customer_name>>'s previous update. Delivery of updates will commence immediately after <<customer_name>> receives the Base File. Updates will be provided via magnetic tape unless BellSouth and <<customer_name>> mutually develop CONNECT: Direct ™ electronic connectivity. <<customer_name>> will pay all costs associated with CONNECT: Direct ™ connectivity, which will vary depending upon volume and mileage.

10.10.6 <<customer_name>> authorizes the inclusion of <<customer_name>> Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.11 **Direct Access to Directory Assistance Service**

10.11.3 Direct Access to Directory Assistance Service (DADAS) will provide <<customer_name>>'s directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow <<customer_name>> to utilize its own switch, operator workstations and optional audio subsystems.

10.11.4 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

11.6 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

11.7 Technical Requirements

11.7.3 BellSouth shall provide <<customer_name>> a data link to the ALI/DMS database or permit <<customer_name>> to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to <<customer_name>> after <<customer_name>> inputs end user information into the ALI/DMS database. Alternately, <<customer_name>> may request that BellSouth enter <<customer_name>>'s end user information into the database, and validate end user information.

11.7.4 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless <<customer_name>> requests otherwise and shall be updated if <<customer_name>> requests, provided <<customer_name>> supplies BellSouth with the updates.

11.7.5 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.

11.7.6 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

11.8 Interface Requirements

11.8.3 The interface between the E911 Switch or Tandem and the ALI/DMS database for <<customer_name>> end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

12.6 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides <<customer_name>> the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

12.7 <<customer_name>> shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to <<customer_name>>'s access to BellSouth's CNAM Database Services and shall be addressed to <<customer_name>>'s Account Manager.

12.8 BellSouth's provision of CNAM Database Services to <<customer_name>> requires interconnection from <<customer_name>> to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.

12.9 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, <<customer_name>> shall provide its own CNAM SSP. <<customer_name>>'s CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

12.10 If <<customer_name>> elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that <<customer_name>> desires to query.

12.11 If <<customer_name>> queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

12.12 The mechanism to be used by <<customer_name>> for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by <<customer_name>> in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of <<customer_name>> to provide accurate information to BellSouth on a current basis.

12.13 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

12.14 <<customer_name>> CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

13.6 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide <<customer_name>> the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

13.7 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to <<customer_name>>. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.

13.8 BellSouth SCP shall partition and protect <<customer_name>> service logic and data from unauthorized access.

13.9 When <<customer_name>> selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable <<customer_name>> to use BellSouth's SCE/SMS AIN Access to create and administer applications.

13.9.3 <<customer_name>> access will be provided via remote data connection (e.g., dial-in, ISDN).

13.9.4 BellSouth shall allow <<customer_name>> to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

14.6 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.

14.7 Basic 911 Service Provisioning. BellSouth will provide to <<customer_name>> a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the

appropriate emergency answering position for each municipality subscribing to 911. <<customer_name>> will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. <<customer_name>> will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, <<customer_name>> will be required to begin using E911 procedures.

14.8 E911 Service Provisioning. <<customer_name>> shall install a minimum of two dedicated trunks originating from the <<customer_name>> serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. <<customer_name>> will be required to provide BellSouth daily updates to the E911 database. <<customer_name>> will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, <<customer_name>> will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. <<customer_name>> shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

14.9 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on <<customer_name>> beyond applicable charges for BellSouth trunking arrangements.

14.10 Basic 911 and E911 functions provided to <<customer_name>> shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

14.11 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and <<customer_name>> to follow in providing 911/E911 services.

15 Operational Support Systems (OSS)

15.6 BellSouth has developed and made available the following electronic interfaces by which <<customer_name>> may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interchange
TAG	Telecommunications Access Gateway

15.7 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

15.8 Denial/Restoral OSS Charge

15.8.3 In the event <<customer_name>> provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

15.9 Cancellation OSS Charge

15.9.3 <<customer_name>> will incur an OSS charge for an accepted LSR that is later canceled.

15.9.4 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

15.9.5 Network Elements and Other Services Manual Additive

15.9.5.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

A. Billing number - a number that <<customer_name>> creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number that identifies a telephone line administered by <<customer_name>>.

C. Special billing number - a ten-digit number that identifies a billing account established by <<customer_name>>.

D. Calling Card number - a billing number plus PIN number.

E. PIN number - a four-digit security code assigned by <<customer_name>> that is added to a billing number to compose a fourteen-digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by <<customer_name>>.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by <<customer_name>>.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of <<customer_name>> and pursuant to which BellSouth, its LIDB customers and <<customer_name>> shall have access to such information. In addition, this Agreement sets forth the terms and conditions for <<customer_name>>'s provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. <<customer_name>> understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of <<customer_name>>, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained

herein shall hereby be made a part of this Interconnection Agreement upon notice to <<customer_name>>'s account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

   BellSouth is authorized to use the billing number information to determine whether <<customer_name>> has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

   BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

   BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify <<customer_name>> of fraud alerts so that <<customer_name>> may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by <<customer_name>> pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to <<customer_name>> for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate <<customer_name>>'s data from BellSouth's data, the following terms and conditions shall apply:

1. <<customer_nam will accept responsibility for telecommunications services billed by BellSo r its B&C Customers for <<customer_name>>'s End User accounts which a sident in LIDB pursuant to this Agreement. <<customer_name>> authorizes BellSouth to place such charges on <<customer_name>>'s bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.

2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.

3. <<customer_name>> shall have the responsibility to render a billing statement to its End Users for these charges, but <<customer_name>> shall pay BellSouth for the charges billed regardless of whether <<customer_name>> collects from <<customer_name>>'s End Users.

4. BellSouth shall have no obligation to become involved in any disputes between <<customer_name>> and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to <<customer_name>>. It shall be the responsibility of <<customer_name>> and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. <<customer_name>> will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.

2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of <<customer_name>>. BellSouth will not issue line-based calling cards in the name of <<customer_name>>'s individual End Users. In the event that <<customer_name>> wants to include calling card numbers assigned by <<customer_name>> in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

A. <<customer_name>> will not be charged a fee for storage services provided by BellSouth to <<customer_name>>, as described in this LIDB Facilities Based Storage Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by <<customer_name>> in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
								Nonrecurring		Nonrecurring							
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
		Engineering Information Document (EI)			UEANL			28.75	28.75								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		51.29	51.29								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45.99	45.99								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	148.46	108.4	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.4	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.4	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.95	145.46	108.4	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	29.16	145.46	108.4	40.31	26.01			27.37	12.97	17.77	17.77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.4	40.31	26.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.7	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39	293.7	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70.67	293.7	241.76	108.96	57.01			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.99									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	I	1	UDC	UDC2X	16.84	104.17	78.1	108.95	57.01			18.94	8.42	17.77	17.77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	I	2	UDC	UDC2X	19.45	104.17	78.1	108.95	57.01			18.94	8.42	17.77	17.77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	I	3	UDC	UDC2X	30.92	104.17	78.1	108.95	57.01			18.94	8.42	17.77	17.77
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12.09	514.21	464.58	108.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	19.64	514.21	464.58	108.65	56.98			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	35.59	514.21	464.58	108.65	56.98			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	12.09	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	19.64	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	35.59	204.88	129.08	100.52	15.82			27.37	12.97	17.77	17.77
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															

		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9 41	514 21	464 58	106 65	56 98			27 37	12 97	17	17	
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	15 29	514 21	464 58	106 65	56 98			27 37	12 97	17	17	
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	27 7	514 21	464 58	106 65	56 98			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99										
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9 41	222 2	146 4	100 52	15 82			27 37	12 97	17	17	
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	15 29	222 2	146 4	100 52	15 82			27 37	12 97	17	17	
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	27 7	222 2	146 4	100 52	15 82			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99										
		4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	11 52	541 13	491 5	106 65	56 98			27 37	12 97	17	17	
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18 71	541 13	491 5	106 65	56 98			27 37	12 97	17	17	
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	33 9	541 13	491 5	106 65	56 98			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99										
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	11 52	279 39	203 59	109 99	20 7			27 37	12 97	17	17	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	18 71	279 39	203 59	109 99	20 7			27 37	12 97	17	17	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	33 9	279 39	203 59	109 99	20 7			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99										
		4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51 74	610 13	380 26	134 77	55 97			27 37	12 97	17	17	
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84 05	610 13	380 26	134 77	55 97			27 37	12 97	17	17	
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152 29	610 13	380 26	134 77	55 97			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		49 18										
		4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27 33	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	44 4	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	80 45	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27 33	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	44 4	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	80 45	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 99										
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27 33	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44 4	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	80 45	498 05	343 7	129 62	64 25			27 37	12 97	17	17	
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 99										
		2-WIRE Unbundled COPPER LOOP																
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11 9	283 37	163 68	120 15	22 37			18 94	8 42			
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 74	283 37	163 68	120 15	22 37			18 94	8 42			
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	21 83	283 37	163 68	120 15	22 37			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29									
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	11 9	104 17	78 1					18 94	8 42			
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13 74	104 17	78 1					18 94	8 42			
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	21 83	104 17	78 1					18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29									
		2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35 43	270 28	150 59	120 15	22 37			18 94	8 42			
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	40 91	270 28	150 59	120 15	22 37			18 94	8 42			
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	85 02	270 28	150 59	120 15	22 37			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29									
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL2W	35 43	104 17	78 1					18 94	8 42			
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL2W	40 91	104 17	78 1					18 94	8 42			

		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	65 02	104 17	78 1					18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			27 37	12 97		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 87	44 69	22 4	25 66	7 06			27 37	12 97		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			27 37	12 97		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		51 29	51 29								
		Engineering Information Document			UEQ			28 75	28 75								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16 65	331 78	212 09	130 69	27 6			27 37	8 42		
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19 22	331 78	212 09	130 69	27 6			18 94	8 42		
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30 55	331 78	212 09	130 69	27 6			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	16 65	104 17	78 1					18 94	8 42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19 22	104 17	78 1					18 94	8 42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30 55	104 17	78 1					18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	47 56	318 7	199	130 69	27 6			18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	54 92	318 7	199	130 69	27 6			18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87 3	318 7	199	130 69	27 6			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1	I	1	UCL	UCL4O	47 56	104 17	78 1					18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - without manual svc. Inquiry and facility reservation - Zone 2	I	2	UCL	UCL4O	54 92	104 17	78 1					18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3	I	3	UCL	UCL4O	87 3	104 17	78 1					18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	I		UAL, UHL, UCL, UEQ, ULS	ULM2L		67 39	67 39								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	I		UCL, ULS	ULM2G		337 5	337 5								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	I		UHL, UCL	ULM4L		67 39	67 39								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	I		UCL	ULM4G		337 5	337 5								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		78 1	78 1								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		421 08	421 08					18 94	8 42		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		67 1	67 1					18 94	8 42		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		394 74	394 74					18 94	8 42		
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		154 57	154 57					18 94	8 42		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	9 12	207 01	171 32					18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN4	8 32	219 35	72 99	123 72	28 77			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1 61	137 03	41 59	115 85	19 17			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2 96	176 48	55 11	122 17	19 57			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99								
		2 Wire Copper Unbundled Sub-Loop Distribution - Statewide		sw	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 99	45 99								
		4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		sw	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 99	45 99								
	Sub-Loop Feeder																

	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		421 08										
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		67 1	67 1									
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519 95	11 32									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		SW	UEA	USBFA	8 58	206 44	170 05	119 95	27 04			18 94	8 42			
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 99										
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFB	8 58	206 44	170 05	119 95	27 04			18 94	8 42			
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 99										
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		SW	UEA	USBFC	8 58	206 44	170 05	119 95	27 04			18 94	8 42			
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 99										
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		SW	UEA	USBFD	19 91	243 41	81 32	134 77	33 93			18 94	8 42			
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 99										
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFE	19 91	243 41	81 32	134 77	33 93			18 94	8 42			
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 99										
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide		SW	UDN	USBFF	17 73	206 5	62 31	119 66	29 58			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 99										
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17 73	206 5	62 31	119 66	29 58			19 99	19 99	19 99	19 99	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79 3	203 69	126 76	124 09	34 8			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45 99										
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide		SW	UCL	USBFH	7 22	195 38	63 15	119 66	29 58			18 94	8 42			
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 99										
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13 72	243 41	81 32	134 77	33 93			18 94	8 42			
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 99										
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		SW	UDL	USBFN	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFO	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 99										
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFP	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 99										
Unbundled Sub-Loop Modification																	
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2 W PR			UEF	ULM2X		355 71	12 26					18 94	8 42			
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		355 71	12 26					18 94	8 42			
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		560 55	14 3					18 94	8 42			
Unbundled Network Terminating Wire (UNTW)																	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1 37	2 48	2 48	1 74	1 74			18 94	8 42			
Network Interface Device (NID)																	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86 48	56 75					18 94	8 42			
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127 93	98 21					18 94	8 42			
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 73	11 73					18 94	8 42			
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11 73	11 73					18 94	8 42			
UNBUNDLED LOOP CONCENTRATION																	
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441 42	650 81	650 81					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478 93	650 81	650 81									
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89 26	271 17	271 17					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	126 57	92 14	33 57	9 4			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2	21 07	20 96	10 78	10 71			18 94	8 42			
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11 89	21 07	20 96	10 78	10 71			18 94	8 42			
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			18 94	8 42			
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34 67	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																	
UNE OTHER, PROVISIONING ONLY - NO RATE																	
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX												
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE												
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN												

	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA UDN,UCL,UDC	USBFQ	0	0										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0	0										
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	10 16											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	374 52	903 03	527 87	238 97	167 16			31 31	31 31	3 93	3 93	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	10 16											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	387 67	903 03	527 87	238 97	167.16			31.31	31.31	3 93	3 93	
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	I	UMK	UMKLW		131.22	131.22									
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	I	UMK	UMKLP		136 93	136 93									
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)	I	UMK	PSUMK		0 9809855	0 9809855									
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I	ULS	ULSDA	152 7	221 09	0	254 79	0		0					
	Line Sharing Splitter, per System 24 Line Capacity	I	ULS	ULSDB	38 18	221 09	0	254 79	0		0					
	Line Sharing Splitte, Per System, 8 Line Capacity	I	ULS	ULSD8	12 73	221 09	0	254 79	0		0					
	Line Sharing - per Line Activation	I	ULS	ULSDC	0.61	39 09	20 94	22 15	9 46			27.37	12 97	17 77	17.77	
	Line Sharing - per Subsequent Activity per Line Rearrangement	I	ULS	ULSDS		34 9	16 18					27 37	12 97			
	Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)	I	ULS	ULSDG		57 7		11.39								
UNBUNDLED TRANSPORT																
	COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU				0 00001											
	Common Transport - Facilities Termination Per MOU				0 00045											
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0101											
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	24 15	81 07	54 82	33 47	13 79			31.31	31.31	3 93	3 93	
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0 0101											
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month		U1TVX	U1TR2	24 15	81 07	54 82	33.47	13 79			31.31	31 31	3 93	3 93	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0101											
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV4	21 41	81 07	54 82	33.47	13.79			31 31	31.31	3 93	3 93	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0 0101											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD5	17 28	81.07	54 82	33 47	13 79			31 31	31.31	3 93	3 93	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0 0101											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	17 28	81 07	54 82	33 47	13 79			31 31	31 31	3 93	3 93	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0 2067											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		U1TD1	U1TF1	68 75	178 53	163 61	32 7	26.86			31 31	31 31	3 93	3 93	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	4 67											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	604 02	557 49	325 51	120 39	116 91			31 31	31 31	3 93	3 93	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	4 67											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	801 57	557 49	325 51	120 39	116 91			31 31	31 31	3 93	3 93	
	LOCAL CHANNEL - DEDICATED TRANSPORT															

	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month		ULCVX	ULDV2	15 96	388 19	66 33	73.28	6 39			31.31	31 31	3 93	3 93
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month		ULCVX	ULDR2	15 96	388 19	66 33	73.28	6 39			31 31	31 31	3 93	3 93
	Local Channel - Dedicated - 4 Wire Voice Grade per month		UNCVX	ULDV4	17 06	387 19	67 2	74.22	7.33			31.31	31 31	3 93	3 93
	Channel - Dedicated - DS1 per month - Zone 1	1	ULDD1	ULDF1	41 52	354 94	307 43	44 38	30 52			31.31	31.31	3 93	3 93
	Channel - Dedicated - DS1 per month - Zone 2	2	ULDD1	ULDF1	61 05	354 94	307 43	44 38	30 52			31 31	31.31	3 93	3 93
	Local Channel - Dedicated - DS1 per month - Zone 3	3	ULDD1	ULDF1	47 29	354 94	307.43	44 38	30 52			31 31	31 31	3 93	3 93
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	7 91										
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	476 04	903 03	527 87	238 87	167 16			31 31	31 31	3 93	3 93
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	7 91										
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	466 84	903 03	527 87	238 87	167.16			31.31	31 31	3.93	3 93
MULTIPLEXERS															
	Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	122 5	182 08	125.14	21 07	19 58			31.31	31.31	3 93	3 93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	1 36	13.15	9 43								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systems - per month		UDN	UC1CA	2 92	13 15	9 43								
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	0 64	13 15	9 43								
	DS3 to DS1 Channel System per month		UXTD3	MQ3	201 37	356.28	187 94	66 51	63 65			31.31	31.31	3 93	3 93
	STS1 to DS1 Channel System per month		UXTS1	MQ3	201 37							31.31	31.31	3 93	3 93
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	15 39	13 15	9 43								
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	68 84										
	NRC Dark Fiber - Local Channel		UDF	UDFC4		1278 17	275 73	634 11	395 32			31.31	31.31	3 93	3 93
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	25 53										
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1278 17	275 73	634.11	395.32			31.31	31.31	3 93	3 93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	68 84										
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1278 17	275.73	634 11	395 32			31.31	31.31	3 93	3.93
TRANSPORT OTHER															
	Optional Features & Functions:														
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184.85	23.81	1 99	0 77			29.23	3.93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 85	23 81	1 99	0 77			29.23	3 93		
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call		OHD		0 0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		7 13	0 97					27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			15 88	1 97	10 04	0 97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		15 88	1 97	10 04	0 97			27.37	27.37	17.75	17.75
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		5 69	2 85					27.37	27.37	17.75	17 75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		6.66	3 81					27.37	27.37	17 75	17 75
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		9 1	0 97					27 37	27 37	17 75	17 75
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		5 69						27.37	27 37	17 75	17 75
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		OOT		0 00004										
	LIDB Validation Per Query		OOU		0 0142										
	LIDB Originating Point Code Establishment or Change		OOT, OOU	NRPBX		64 36						27 37	27.37	17.75	17.75
SIGNALING (CCS7)															
	CCS7 Signaling Termination, Per STP Port		1DB	PT8SX	148 72							25 93	25.93	16 31	16 31
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 0001										
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	18 79	171 98	171 98	135 7	135.7			25 93	25.93	16 31	16.31
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	18 79	171 98	171 98	135 7	135.7			25 93	25 93	16 31	16 31
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 00004										
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	376 12							25 93	25 93	16 31	16 31
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40					25 93	25 93	16 31	16 31
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8					25 93	25 93	16 31	16 31
F911 SERVICE															
CALLING NAME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query		OOV		0 016										
	CNAM for Non DB Owners, Per Query		OOV		0 01										
	CNAM (Non Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OOV	CDDCH		595	595					27.37	27 37	17 75	17 75
LNP QUERY SERVICE															

OPERATOR SERVICES AND DIRECTORY ASSISTANCE																
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1.2											
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1.24											
	Oper Call Processing - Fully Automated, per Call Using BST LIDB				0.2											
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0.2											
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Minute				1.15											
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1.15											
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19.99	19.99	19.99	19.99	
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19.99	19.99			
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call				0.275											
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0.1											
	UNBRANDING															
	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1				35.62	503.57	442.84	46.28	32.16			61.99	61.99	29.27	29.27	
	Directory Transport - DS1 Level Interoffice Per Mile				0.6923											
	Directory Transport - DS1 Level Interoffice Per Facility Termination				79.69	196.15	148.18	25.44	20.42			27.37	27.37	12.97	12.97	
	Switched Common Transport Per DA Access Service Per Call				0.0003											
	Switched Common Transport Per DA Access Service Per Call Per Mile				0.00003											
	Access Tandem Switching Per DA Access Service Per Call				0.0023											
	Directory Transport - DA Interconnection Per DA Service Call				0.00269											
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection					260.69	5.95	173.46	5.95			61.99	61.99	29.27	29.27	
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				0.04											
	Directory Assistance Data Base Service, per month			DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000									
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690									
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		230.6	230.6					40.71	9.56			
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connects (loop)		uesnl,uea,udn,udc,uel,uhl,ucl,ueq	UEAC2	0.28	30.76	29.4	12.75	11.38			19.99	19.99	19.99	19.99	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB	VE1LS	0.28	30.76	29.4	12.75	11.38			19.99	19.99	19.99	19.99	
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0.28	30.76	29.4	12.75	11.38			19.99	19.99	19.99	19.99	
	Virtual Collocation - 4-wire Cross Connects (loop)		uea,uhl,ucl,udl	UEAC4	0.56	66.71	50.43	12.82	11.39			19.99	19.99	19.99	19.99	
	Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0.56	66.71	50.43	12.82	11.39			19.99	19.99	19.99	19.99	
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	12.1	55.46	39.18	16.83	13.27			19.99	19.99	19.99	19.99	
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	21.75	66.71	50.43	21.86	18.31			19.99	19.99	19.99	19.99	
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7.5	155	14									
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment	I	SRC	SRCEC		202197.82		17181.39				27.37	27.37	27.37	27.37	
	End Office Establishment	I	SRC	SRCEO		339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37	
	Query NRC, per query	I	SRC		0.0031412											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75	
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75	
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75	
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75	
	AIN SMS Access Service Storage, Per Unit (100 Kilobytes)				0.0026											
	AIN SMS Access Service Session, Per Minute				0.0892											
	AIN SMS Access Service - Company Performed Session, Per Minute				2.08											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		192.69	192.69	114.22	114.22			27.37	27.37	17.75	17.75	
	AIN Toolkit Service - Training Session Per Customer			BAPVX		8363	8363					27.37	27.37	17.75	17.75	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt			BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75	

	AIN Toolkit Service - Trigger Access Charge Per Trigger, Per DN, Off-Hook Immediate			BAPTM		49 64	49 64	27 04	27 04			27 37	27 37	17.76	17.76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		117 98	117 98	37 9	37 9			27 37	27 37	17.76	17.76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN CDP			BAPTC		117 98	117 98	37 9	37 9			27.37	27 37	17.76	17.76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		117 98	117 98	37 9	37 9			27 37	27 37	17.76	17.76
	AIN Toolkit Service - Query Charge, Per Query				0 024										
	AIN Toolkit Service - Tybe 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 006										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 63										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	16	44 56	44 56	31 84	31 84			27.37	27 37	17.76	17.76
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 1	47 74	47 74	15 9	15 9			27 37	27.37	17.76	17.76
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 9	44 56	44 56	31 84	31 84			27.37	27.37	17.76	17.76
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0 003	47 74	47 74					27.37	27.37	17.76	17.76
ODUF/EDOUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message				0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message				0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message				0 0002										
	ODUF Message Processing, per message				0 0033										
	ODUF Message Processing, per Magnetic Tape provisioned				55 19										
	ODUF Data Transmission (CONNECT DIRECT), per message				0 00004										
ENHANCED EXTENDED LINK (EELs)															
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL, Miami, FL, Ft Lauderdale, FL, Nashville, TN, New Orleans, LA,														
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge														
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)														
	NOTE In Georgia the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	UNCVX	UEAL2	17 95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	2	UNCVX	UEAL2	29 16										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	3	UNCVX	UEAL2	52 84										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	68 75										
	DS1 Channelization System Per Month		UNC1X	MQ1	122 5										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	0 64										
	Each Additional 2 Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination Zone 2	2	UNCVX	UEAL2	29 16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	52 84										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 64										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	39										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	70 67										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	68 75										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	122 5										
	Voice Grade COCI DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 64										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination Zone 1	1	UNCVX	UEAL4	24 01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	39										
	Additional 4 Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	70 67										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 64										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3.93
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 33										

	First 4 wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	44 4											
	First 4 Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	80 45											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2067											
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	68 75							31.31	31 31	3.93	3.93
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	122 5										
	OCU DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 36										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 33							31.31	31.31	3 93	3 93
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	44 4							31.31	31.31	3 93	3 93
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	80 45							31 31	31.31	3.93	3 93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 36										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11.18	13.96	13.96			31 31	31.31	3 93	3 93
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 33										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	44 4										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	80 45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	68 75										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	122 5										
	OCU-DP COCI (data) DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 36	0	0								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 33										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	44 4										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	80 45										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 36										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31.31	31.31	3.93	3.93
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	51 74										
	4 Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	84 05										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	152 29										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	68 75										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31.31	31.31	3 93	3 93
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51 74										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84 05										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	4 67										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	804 02										
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	201 37										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 39										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51 74										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84 05										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152 29										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 39										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	2 WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 95										
	2 WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	29 16										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	52 84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0101										
	Interoffice Transport - Dedicated 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	24 15							31.31	31 31	3 93	3 93
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	39										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	70 67										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0101										

	Interoffice Transport Dedicated - 4 Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	374.52										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	804.02										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	387.67										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	801.57										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	23.23										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	37.74										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	68.38										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	122.5										
	2 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.92										
	Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23.23										
	Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	37.74										
	Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	68.38										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2.92										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.06										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4.67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	801.57										
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.06										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.4										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4 wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	4 wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.4										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.28										
	Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarility combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Node (SynchroNet)															
	Node per month			UNCDX	UNCNT	15.77										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															

	2/4 Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 18	11 18	13 96	13 96			31.31	31.31	3 93	3 93
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31.31	31.31	3 93	3 93
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 18	11 18	13 96	13 96			31 31	31.31	3 93	3 93
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 18	11 18	13 96	13 96			31.31	31.31	3 93	3 93
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE. Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	2 07	21 93	21 93	6.21	6.21			27.37	12.97	17 77	1 44
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 07	21 93	21 93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2 Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 07	21 93	21 93	6.21	6.21			27.37	12.97	17.77	1 44
	Exchange Ports - 2 Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAR	2 07	21 93	21 93	6.21	6.21			27.37	12 97	17.77	1 44
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	5.55	0	0					27.37	12 97	17 77	1.44
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2 Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 07	21 93	21 93	6.21	6.21			27.37	12.97	17 77	1 44
	Exchange Ports - 2 Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2 07	21 93	21.93	6.21	6.21			27 37	12.97	17.77	1 44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 07	21 93	21 93	6.21	6.21			27 37	12 97	17 77	1.44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAW	2 07	21 93	21 93	6.21	6.21			27.37	12.97	17 77	1 44
	Exhange Ports - 2-Wire VG unbundled Incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 07	21 93	21 93	6.21	6.21			27.37	12.97	17.77	1 44
	Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSB	UEPVF	5 55	0	0					27.37	12.97	17.77	1.44
	EXCHANGE PORT RATES (DID & PBX)														
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 2	238 61	37 48	119 79				19 99	19 99	19 99	19 99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	68 67	404 04	191 38	145 18	4.92			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	11.19	145 54	105 97	96 57	21 47			19 99	19 99	19 99	19 99
	All Features Offered		UEPTX UEPSX	UEPVF	5 55	0	0								
	NOTE. Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	96 37	407 62	203 11	158.36	40.11			64 75	64 75	11 53	11 53
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	1 44
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	0 48
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 07	21 93	21 93	6 21	6.21			27 37	12.97	17 77	1 44
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	1 44
	2 Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	1.44
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		UEPSP	UEPA2	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17.77	1.44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 07	21 93	21 93	6 21	6 21			27.37	12.97	17 77	1 44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17.77	1 44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17.77	1 44

	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port			UEPSP	UEPXS	2 07	21 93	21.93	6.21	6 21			27 37	12.97	17 77	1 44
	Subsequent Activity			UEPSP	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	5 55	0	0					27 37	12 97	17 77	1 44
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					2 34	21 93	21 93	5 21	5.21			26.93	12 97	16 33	0 48
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0018										
	End Office Trunk Port - Shared, Per MOU					0 0002										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 00063										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 00001										
	Common Transport - Facilities Termination Per MOU					0 00045										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44 44										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14 35										
	2 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 2							40 71	9 58		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 2							40 71	9 58		
	2 Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 2							40 71	9 58		
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPRX	UEPAR	2 2							40 71	9 58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2 2							40 71	9 58		
FEATURES																
	All Features Offered			UEPRX	UEPVF	5 55	0	0					40 71	9 58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 44						8.25			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2 WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 55										
	2 Wire VG Loop/Port Combo - Zone 2		2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44 44										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23 31										

	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42 24										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 2							40 71	9.58		
	2 Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 2							40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 2							40 71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPBX	UEPAW	2 2							40.71	9.58		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2 2							40 71	9.58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	5 55	0	0					40 71	9 58		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2 8	0 41					40 71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 8	0 41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 44						8.25			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								40.71	9.58		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/Port Combo - Zone 1		1			16 55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44 44										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	14 35										
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2 Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2 2							40 71	9.58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 5										
FEATURES																
	All Features Offered			UEPRG	UEPVF	5 55	0	0					40 71	9 58		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2 8	0 41					40 71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2 8	0.41					40 71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 44						8.25			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19.99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/Port Combo - Zone 1		1			16 55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25 51										
	2 Wire VG Loop/Port Combo - Zone 3		3			44 44										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 2							40 71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 2							40 71	9.58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2 2							40 71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	2 2							40 71	9 58		
	2 Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 2							27.37	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 2							40.71	9.58		

	2 Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 2							40 71	9 58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 2							40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 2							40 71	9.58		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 2							40 71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 2							40 71	9.58		
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 2							40 71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 2							40 71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 2							40.71	9.58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	5 55	0	0					40 71	9 58		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2 8	0 41					40 71	9.58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2 8	0 41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 44						8 25			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0					19.99	19 99	19.99	19 99
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					16 88										
	2-Wire VG Coin Port/Loop Combo – Zone 2					25 84										
	2-Wire VG Coin Port/Loop Combo – Zone 3					44 77										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	42 24										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2 53							40 71	9 58		
	2 Wire Coin 2 Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2 53							40.71	9.58		
	2 Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2 53							40 71	9 58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2 53							40 71	9 58		
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2 53							40 71	9.58		
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2 53							40 71	9.58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 53							40 71	9 58		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 53							40 71	9 58		
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 56	0	0								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPCO	UEPVF	5 55	0	0					27 37	12 97	17 77	1 44
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2 8	0 41					40 71	9 58		
ADDITIONAL NRCs																
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0					40 71	9 58		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			29 59										
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			36 58										

	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			45 06										
UNE Loop Rates																
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20 42							19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	27 41							19 99	19 99	19 99	19 99
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35 89							19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9 17							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		14 61	3 73					19 99	19 99	19 99	19 99
	2 Wire Voice Grade Loop / 2 Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 61	3 73					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 56	53 56					19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0				19 99				
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				19 99				
	Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		36 62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		44 49										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		55 39										
UNE Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	27 2							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	35 07							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	45 97							19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	9 42							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	77 01	54 04					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0								
	CSD			UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0	0	0								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0	0	0								
	CSD			UEPPB UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	5.55	0	0								

INTEROFFICE CHANNEL MILEAGE															
Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	17 81	107 11	48 27					19 99	19 99	19 99	19 99
Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GNM	0 0339	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		198 29											
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		274											
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		425 41											
UNE Loop Rates															
4 Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	101 92							19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	177 63							19 99	19 99	19 99	19 99
4 Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	329 04							19 99	19 99	19 99	19 99
UNE Port Rate															
Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	96 37							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch as is		UEPPP	USACP	0	238 13	157 11					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
4 Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0 9801						19 99	19 99	19 99	19 99
4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		23 02	23 02					19 99	19 99	19 99	19 99
4 Wire DS1 Loop / 4 Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		46 05	46 05					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		UEPPP	LNPCN	1 75											
INTERFACE (Provisioning Only)															
Voice/Data		UEPPP	PR71V	0	0	0									
Digital Data		UEPPP	PR71D	0	0	0									
Inward Data		UEPPP	PR71E	0	0	0									
New or Additional "B" Channel															
New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0	29 05						19 99	19 99	19 99	19 99
New or Additional - Digital Data B Channel		UEPPP	PR7BF	0	29 05						19 99	19 99	19 99	19 99
New or Additional Inward Data B Channel		UEPPP	PR7BD	0	29 05						19 99	19 99	19 99	19 99
New or Additional Usage Sensitive Voice Data B Channel		UEPPP	PR7BS	0	29 05						19 99	19 99	19 99	19 99
New or Additional Usage Sensitive Digital Data B Channel		UEPPP	PR7BU	0	29 05						19 99	19 99	19 99	19 99
CALL TYPES															
Inward		UEPPP	PR7C1	0	0	0									
Outward		UEPPP	PR7C0	0	0	0									
Two-way		UEPPP	PR7CC	0	0	0									
Interoffice Channel Mileage															
Fixed Each Including First Mile		UEPPP	1LN1A	80 382	198 15	148 18	25 44				19 99	19 99	19 99	19 99
Each Airline Fractional Additional Mile		UEPPP	1LN1B	0 692										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		170 59							19 99	19 99	19 99	19 99
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		246 3							19 99	19 99	19 99	19 99
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		397 71							19 99	19 99	19 99	19 99
UNE Loop Rates															
4 Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	101 92							19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC					23 41			19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	329 04							19 99	19 99	19 99	19 99
UNE Port Rate															
4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	68 67							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination Switch-as-Is		UEPDC	USAC4		258 98	134 03					19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		258 98	134 04					19 99	19 99	19 99	19 99
4 Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		258 98	134 03					19 99	19 99	19 99	19 99

ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 85	28 95					19 99	19 99	19 99	19 99
4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 85	28 85					19 99	19 99	19 99	19 99
4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 85	28 85					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 85	28 85					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 85	28 85					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
B8ZS -Superframe Format			UEPDC	CCOSF		0	600					19 99	19 99	19 99	19 99
B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
AMI -Superframe Format			UEPDC	MCOSF		0	0								
AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establisment Charges															
Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0										
Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19 99				
Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19 99				
DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0	0					19 99				
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0						19 99				
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0	0	0				19 99				
Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79 69	196 15	148 18	25 44	20 42			19 99	19 99	19 99	19 99
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 692	0	0								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 692	0	0								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 692	0	0								
Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0							
Central Office Termininating Point			UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101 92	0	0								
4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177 83	0	0								
4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	329 04	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	115 89	0	0								
48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231 78	0	0								
96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463 56	0	0								
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	695 34	0	0								
192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	960	0	0								
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1158 9	0	0								
288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1390 68	0	0								
384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1854 24	0	0								
480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2317 8	0	0								
576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2781 36	0	0								
672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3244 92	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted															
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0	300 95	16 72					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in Georgia & Tennessee Only															
NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	716 11	468 04	148 75	17 65			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution															
Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	600					19 99	19 99	19 99	19 99
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)															
Superframe Format			UEPMG	MCOSF	0	0	0								
Extended Superframe Format			UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															

Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 58	0	0	0	0		19 99					
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 58	0	0	0	0		19 99					
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 58	0	0	0	0		19 99					
	2 Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	9 2	0	0	0	0		19 99					
	2 Wire Channelized PBX Area Calling Service Combination Port (AL Only)		UEPPX	UEPA4	1 58	0	0				19 99					
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only)		UEPPX	UEPA3	1 58	0	0				19 99					
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 64	25 39	13 41	4 19	4 16			19 99	19 99	19 99	19 99	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 64	78 13	18 42	59 24	11 58			19 99	19 99	19 99	19 99	
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0											
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99					
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				19 99					
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0									
	Reserve DID Numbers		UEPPX	NDV	0	0	0									
Local Number Portability																
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0									
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available		UEPPX	UEPVF	5 55	0	0				19 99					
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules.																
These scenarios include																
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee																
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines																
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville)																
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.																
The Market Rate for unbundled ports includes all available features in all states																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU)																
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			26 35											
	2-Wire VG Loop/Port Combo - Zone 2	2			37 31											
	2-Wire VG Loop/Port Combo - Zone 3	3			56 24											
UNE Loop Rates																
	2 Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 35											
	2 Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	23 31											
	2 Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	42 24											
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90					40 71	9 58			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90					40 71	9 58			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90					40 71	9 58			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90					40 71	9.58			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPRX	UEPVF	0	0	0									
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/Port Combo - Zone 1	1			26 35											
	2-Wire VG Loop/Port Combo - Zone 2	2			37 31											
	2 Wire VG Loop/Port Combo - Zone 3	3			56 24											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 35											
	2 Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	23 31											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	42 24											
2-Wire Voice Grade Line Port (Bus)																

	2 Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					40 71	9 58		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90					40 71	9 58		
	2 Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					40 71			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			28 35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56 24										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90					40 71	9 58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/Port Combo - Zone 1		1			28 35										
	2 Wire VG Loop/Port Combo - Zone 2		2			37 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56 24										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14 35										
	2 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					40 71	9 58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					40 71	9 58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90					40 71	9 58		
	2 Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					40 71	9 58		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					40 71	9 58		
	2 Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					40.71	9 58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					40 71			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																

	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0									
	2 Wire Loop/Line Side Port Combination - Non feature Subsequent Activity- Nonrecurring						0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					26 35											
	2-Wire VG Coin Port/Loop Combo – Zone 2					37 31											
	2-Wire VG Coin Port/Loop Combo – Zone 3					56 24											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 35											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23 31											
	2 Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	42 24											
	2-Wire Voice Grade Line Port Rates (Coin)																
	2 Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14	90	90					40 71	9 58			
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	14	90	90					40 71	9.58			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90					40.71	9.58			
	2 Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14	90	90					40 71	9 58			
	2-Wire Coin 2 Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14	90	90					40.71	9 58			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	14	90	90					40 71	9 58			
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA MS)			UEPCO	UEPRH	14	90	90					40 71	9 58			
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	90	90					40 71	9 58			
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0									

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l						
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	11 74	44 68	20 57	23 1	5 92		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16 26	44 68	20 57	23 1	5 92		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	30 75	44 68	20 57	23 1	5 92		10 73			1 65	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	11 74	44 68	20 57	23 1	5 92		10 73			1 65	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	16 26	44 68	20 57	23 1	5 92		10 73				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting Zone 3		3	UEPSR, UEPSB	UEALS	30 75	44 68	20 57	23 1	5 92		10 73			1 65	
		Engineering Information Document (EI)			UEANL			28 77	28 77								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		8 12	8 12								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		20 75	20 75								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13 43	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18 6	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	35 18	122 38	74 35	57 28	10 83		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		20 75									
		2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13 43	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	18 6	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	35 18	122 38	74 35	57 28	10 83		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		20 75									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4 Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21 23	151 34	103 82	60 47	14 02		10 73			1 65	
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	29 41	151 34	103 82	60 47	14 02		10 73			1 65	
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	55 63	151 34	103 82	60 47	14 02		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		20 75									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	20 44	133 15	85 12	56 1	9 65		10 73			1 65	
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	28 31	133 15	85 12	56 1	9 65		10 73			1 65	
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	53 56	133 15	85 12	56 1	9 65		10 73			1 65	
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		20 75									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	20 44	133 15	85 12	56 1	9 65		10 73			1 65	
		2 Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	28 31	133 15	85 12	56 1	9 65		10 73			1 65	
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	53 56	133 15	85 12	56 1	9 65		10 73			1 65	
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11 52	134 8	93 62	67 66	14 09		10 73			1 65	
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	15 96	134 8	93 62	67 66	14 09		10 73			1 65	
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	30 19	134 8	93 62	67 66	14 09		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		20 75									

	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11 52	112 55	64 12	54 67	8 22		10 73			1 65	
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	15 96	112 55	64 12	54 67	8 22		10 73			1 65	
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	30 19	112 55	64 12	54 67	8 22		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		20 75									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9 12	143 43	102 25	67 66	14 09		10 73			1 65	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	12 63	143 43	102 25	67 66	14 09		10 73			1 65	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	23 9	143 43	102 25	67 66	14 09		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 75									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9 12	121 17	72 75	54 67	8 22		10 73			1 65	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	12 63	121 17	72 75	54 67	8 22		10 73			1 65	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	23 9	121 17	72 75	54 67	8 22		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 75									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	14 24	174 28	125 3	69 56	11 37		10 73			1 65	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	19 72	174 28	125 3	69 56	11 37		10 73			1 65	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	37 31	174 28	125 3	69 56	11 37		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 75									
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	14 24	152 02	104 11	56 57	10 12		10 73			1 65	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	19 72	152 02	104 11	56 57	10 12		10 73			1 65	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	37 31	152 02	104 11	56 57	10 12		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 75									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	69 22	282 15	163 51	47 4	10 22		10 73			1 65	
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	95 89	282 15	163 51	47 4	10 22		10 73			1 65	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	181 38	282 15	163 51	47 4	10 22		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		20 75									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	24 48	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	33 91	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	64 14	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	24 48	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33 91	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	64 14	145 66	98 14	60 47	14 02		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		20 75									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	24 48	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33 91	145 66	98 14	60 47	14 02		10 73			1 65	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	64 14	145 66	98 14	60 47	14 02		10 73			1 65	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		20 75									
	2-WIRE Unbundled COPPER LOOP															
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11 52	133 88	92 7	67 66	14 09		10 73			1 65	
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	15 96	133 88	92 7	67 66	14 09		10 73			1 65	
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	30 19	133 88	92 7	67 66	14 09		10 73			1 65	

	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11 52	111 62	63 19	54 67	8 22		10 73			1 65	
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	15 96	111 62	63 19	54 67	8 22		10 73			1 65	
	2 Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	30 19	111 62	63 19	54 67	8 22		10.73			1 65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc Inquiry and facility reservation - Zone 1		1	UCL	UCL2L	33 57	133 88	92 7	67 66	14 09		10.73			1 65	
	2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL2L	46 5	133 88	92 7	67 66	14 09		10 73			1.65	
	2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL2L	87 96	133 88	92 7	67 66	14 09		10 73			1 65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	33 57	111 62	63 19	54 67	8 22		10.73			1 65	
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	46 5	111 62	63 19	54 67	8 22		10 73			1 65	
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	87 96	111 62	63 19	54 67	8 22		10 73			1.65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	2 Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.01	44 69	22 4	25 65	7 06		10.73			1 65	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06		10.73			1 65	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06		10 73			1 65	
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		8 12	8 12								
	Engineering Information Document			UEQ			28 77	28 77								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
4-WIRE COPPER LOOP																
	4 Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16 18	160 36	119 69	69 56	15 99		10.73			1 65	
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	22 41	160 36	119.69	69 56	15 99		10 73			1 65	
	4 Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	42 39	160 36	119.69	69 56	15.99		10 73			1 65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16 18	138 1	90 19	56 57	10.12		10 73			1 65	
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	22 41	138 1	90 19	56 57	10 12		10 73			1 65	
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	42 39	138 1	90 19	56 57	10 12		10.73			1 65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	4 Wire Unbundled Copper Loop/Long - includes manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4L	57 88	160 36	119 69	69 56	15 99		10 73			1 65	
	4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4L	80 18	160 36	119 69	69 56	15 99		10 73			1.65	
	4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4L	151 67	160 36	119 69	69 56	15 99		10.73			1 65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
	4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4O	57 88	138 1	90 19	56 57	10 12		10.73			1 65	
	4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4O	80 18	138 1	90 19	56 57	10 12		10.73			1 65	
	4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4O	151 67	138 1	90 19	56 57	10 12		10.73			1 65	
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L	0	0	0	0	0						
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		309 32	309 32								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		0	0								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		309 32	309 32								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		9 48	9 48								

SUB LOOPS															
Sub-Loop Distribution															
Sub Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		467 08	467 08				10 73			1 65	
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		11 27	11 27				10.73			1 65	
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		152 58	152 58				10 73			1 65	
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		43 54	43 54				10 73			1 65	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop Zone 1		1	UEANL	USBN2	6 9	54 26	19 64	37 03	4 1		10 73			1 65	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9 56	54 26	19 64	37 03	4.1		10 73			1 65	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	18 06	54 26	19 64	37 03	4 1		10 73			1 65	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 12	8 12								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 35	62 05	27 42	37 98	5 05		10 73			1 65	
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10 18	62 05	27 42	37 98	5 05		10.73			1 65	
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19 25	62 05	27 42	37 98	5 05		10 73			1 65	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 12	8 12								
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 33	46 74	12 11	37 03	4 1		10.73			1 65	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 12	8 12								
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	6 32	50 41	15 78	37 98	5 05		10 73			1 65	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 12	8 12								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 66	54 26	19 64	37 03	4 1		10 73			1 65	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	7 83	54 26	19 64	37 03	4 1		10 73			1 65	
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	14 82	54 26	19 64	37 03	4 1		10 73			1 65	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		23 24	23 24								
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	4 72	62 05	27 42	37 98	5 05		10 73			1 65	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	6 53	62 05	27 42	37 98	5 05		10 73			1 65	
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	12 36	62 05	27 42	37 98	5 05		10 73			1.65	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 12	8 12								
Sub-Loop Feeder															
USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN UCL,UDL,UDC	USBFW		467 08									
USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		11 27	11 27								
USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522 41	11 32								
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	7 6	83 62	46 2	45 57	10 19		10.73			1 65	
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	10 53	83 62	46 2	45 57	10 19		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	19 92	83 62	46 2	45 57	10 19		10.73			1 65	
Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		20 75									
Unbundkle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	7 6	83 62	46 2	45 57	10 19		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	10 53	83 62	46 2	45 57	10 19		10 73			1.65	
Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	19 92	83 62	46 2	45 57	10.19		10 73			1.65	
Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		20 75									
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7 6	83 62	46 2	45 57	10 19		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	10 53	83 62	46 2	45 57	10.19		10.73			1 65	
Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	19 92	83 62	46 2	45 57	10.19		10.73			1 65	
Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		20 75									
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	16 05	96 4	58 12	48 55	11.33		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	22 23	96 4	58 12	48 55	11 33		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	42 06	96 4	58 12	48 55	11 33		10 73			1 65	
Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		20 75									
Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	16 05	96 4	58 12	48 55	11 33		10 73			1.65	
Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	22 23	96 4	58 12	48 55	11 33		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	42 06	96 4	58 12	48 55	11 33		10 73			1 65	
Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		20 75									
Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	16 18	98 91	60 12	46 95	9 74		10.73			1 65	
Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	22 41	98 91	60 12	46 95	9 74		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI Zone 3		3	UDN	USBFF	42 39	98 91	60 12	46 95	9 74		10 73			1 65	
Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		20 75									
Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	16 18	98 91	60 12	46 95	9 74		10 73			1 65	
Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	22 41	98 91	60 12	46 95	9 74		10 73			1 65	
Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	42 39	98 91	60 12	46 95	9 74		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	43 64	120 61	70 34	65 07	16 2		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	60 45	120 61	70 34	65 07	16 2		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	114 36	120 61	70 34	65 07	16 2		10 73			1 65	
Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		20 75									
Unbundled Sub Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	6 65	76 87	38 08	45 64	8 43		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop Zone 2		2	UCL	USBFH	9 22	76 87	38 08	45 64	8 43		10 73			1 65	
Unbundled Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 3		3	UCL	USBFH	17 44	76 87	38 08	45 64	8 43		10 73			1 65	

	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		20 75									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	12 76	89 85	51 57	46 59	9 38		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	17 67	89 85	51 57	46 59	9 38		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	33 43	89 85	51 57	46 59	9 38		10 73			1 65	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		20 75									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	17 52	90 72	52 43	48 55	11 33		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	24 28	90 72	52 43	48 55	11 33		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	45 92	90 72	52 43	48 55	11 33		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	17 52	90 72	52 43	48 55	11 33		10 73			1 65	
	Sub-Loop Feeder - Per 4 Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	24 28	90 72	52 43	48 55	11 33		10 73			1 65	
	Sub-Loop Feeder - Per 4 Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	45 92	90 72	52 43	48 55	11 33		10 73			1 65	
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		20 75									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	17 52	90 72	52 43	48 55	11.33		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	24 28	90 72	52 43	48 55	11.33		10 73			1 65	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	45 92	90 72	52 43	48 55	11 33		10 73			1 65	
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		20 75									
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2 W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		9 11	9 11				10 73			1 65	
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		9 11	9.11				10 73			1 65	
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		14 05	14 05				10 73			1 65	
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 3682	21 85	21 85				10 73			1 65	
Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63 72	40 94				10 73			1 65	
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		105 96	83 17				10 73			1 65	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7 12	7 12				10 73			1 65	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7 12	7 12				10 73			1 65	
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	461 86	324 01	324 01				10 73			1 65	
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	54 91	135	135				10 73			1 65	
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	500 74	324 01	324 01				10 73			1 65	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92 53	135	135				10 73			1 65	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 18	64 65	46 45	16 67	4 35		10 73			1 65	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 22	14 96	14 88	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 22	14 96	14 88	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 06	14 96	14 88	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12 22	14 96	14 88	6 11	6.07		10 73			19 99	
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 29	14 96	14 89	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35 63	14 96	14 88	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	10 8	14 96	14 88	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 8	14 96	14 88	6 11	6 07		10 73			1 65	
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10 8	14 96	14 88	6 11	6 07		10 73			1 65	
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name Provisioning Only - No Rate			UEANL,UEF,UEQ, UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL ,UDN,UEA,UHL,UL C	UNECN	0	0									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UD C	USBFO	0	0									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									

	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	10 06										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	367 1	501 59	309 24	125 43	87 3		10 73			1 65	
	High Capacity Unbundled Local Loop - STS 1 - Per Mile per month		UDLSX	1L5ND	10 06										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	426 68	501 59	309 24	125 43	87.3		10 73			1.65	
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		43 1	43 1								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		45 72	45 72								
	Loop Makeup- With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 6757	0 6757								
LINE SHARING															
	Line Sharing Splitter, per System 96 Line Capacity	I	ULS	ULSDA	100	150	0	150	0		0				
	Line Sharing Splitter, per System 24 Line Capacity	I	ULS	ULSDB	25	150	0	150	0		0				
	Line Sharing Splitte, Per System, 8 Line Capacity	I	ULS	ULSD8	8 33	150	0	150	0		0				
	Line Sharing - per Line Activation	I	ULS	ULSDC	0 61	40	22				10 73			1 65	
	Line Sharing - per Subsequent Activity per Line Rearrangement	I	ULS	ULSDS		30	15				10 73				
UNBUNDLED TRANSPORT															
COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU				0 0000039										
	Common Transport - Facilities Termination Per MOU				0 0004579										
NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0084										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	26 02	42 69	28 66	16 51	6.34		10.73			1 65	
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0 0084										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month		U1TVX	U1TR2	26 02	42 69	28 66	16 51	6 34		10 73			1.65	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0084										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV4	23 2	42 69	28 66	16 51	6 34		10.73			1 65	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0 0084										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD5	18 95	42 69	28 66	16 51	6 34		10.73			1 65	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0 0084										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	18 95	42 69	28 66	16 51	6 34		10 73			1 65	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0 171										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		U1TD1	U1TF1	90 87	95 16	88 78	16 74	14 65		10 73			1 65	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	3 57										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	1101	302 43	197 7	64 94	63 61		10.73			1 65	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	3 57										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	1085	302 43	197 7	64 94	63 61		10.73			1 65	
LOCAL CHANNEL - DEDICATED TRANSPORT															
NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1	1	ULCVX	ULDV2	21 04	239 67	42 34	33 93	3 61		10 73			1.65	
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2	2	ULCVX	ULDV2	29 15	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3	3	UNCVX	ULDV2	55 14	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Per month - Zone 1	1	ULCVX	ULDR2	21 04	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 2 Wire Voice Grade Rev Bat Per Month - Zone 2	2	ULCVX	ULDR2	29 15	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat Per Month - Zone 3	3	ULCVX	ULDR2	55 14	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1	1	UNCVX	ULDV4	21 91	240 3	42 97	34 47	4 15		10 73			1 65	
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2	2	UNCVX	ULDV4	30 35	240 3	42 97	34 47	4 15		10 73			1 65	

	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3	3	UNCVX	ULDV4	57 4	240 3	42 97	34.47	4 15		10 73			1 65	
	Local Channel - Dedicated - DS1 per month - Zone 1	1	ULDD1	ULDF1	34 49	195 33	165 48	21 9	15 28		10 73			1 65	
	Local Channel - Dedicated - DS1 per month - Zone 2	2	ULDD1	ULDF1	47 78	195 33	165 48	21 9	15 28		10.73			1 65	
	Local Channel - Dedicated - DS1 per month - Zone 3	3	ULDD1	ULDF1	90 38	195 33	165 48	21 9	15 28		10 73			1 65	
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	7 83										
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	554 83	501 59	309 24	125 43	87 3		10 73			1 65	
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	7 83										
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	563 73	501 59	309 24	125 43	87 3		10 73			1 65	
MULTIPLEXERS															
	Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	151 74	91 44	64 57	10	9 46		10 73			1 65	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	2 18	9 08	6 38								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3 76	9 08	6 38								
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	1 42	9 08	6 38								
	DS3 to DS1 Channel System per month		UXTD3	MQ3	218 7	179 66	106 96	36 37	35 22		10 73			1 65	
	STS1 to DS1 Channel System per month		UXTS1	MQ3	218 7	179 66	106 96	36 37	35 22		10 73			1 65	
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	14 24	9 08	6 38								
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	54 11										
	NRC Dark Fiber - Local Channel		UDF	UDFC4		677 34	174 79	277 72	179 41		10 73			1 65	
	Dark Fiber Four Fiber Strands Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	25 14										
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		677 34	174 79	277 72	179 41		10 73			1.65	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	54 11										
	NRC Dark Fiber - Local Loop		UDF	UDFL4		677 34	174 79	277.72	179 41		10.73			1 65	
TRANSPORT OTHER															
	Optional Features & Functions														
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 92	23 82	2 07	0 8		10 73			1.65	
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 92	23 82	2 07	0 8		10 73			1 65	
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call		OHD		0 0006165										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		3 74	0 64				10 73			1.65	
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			7 92	1 06	5 2	0 64		10 73			1 65	
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		7 92	1 06	5 2	0 64		10 73			1 65	
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		3 74	1 87				10.73			1 65	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		4 37	2 5				10 73			1.65	
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		4 37	0 64				10 73			1.65	
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		3 74					10 73			1 65	
	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query		OHD		0 0006165										
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query		OHD		0 0006165										
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		OOT		0 0000195										
	LIDB Validation Per Query		OOU		0 0132254										
	LIDB Originating Point Code Establishment or Change		OOT, OOU	NRPBX		49 71	49 71	49 71	49.71		10 73			1 65	
SIGNALING (CCS7)															
	CCS7 Signaling Termination, Per STP Port		1DB	PT8SX	129 77						10.73			1 65	
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 0000592										
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	18 39	39 28	39 28	16 51	16 51		10.73			1 65	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	18 39	39 28	39 28	16 51	16.51		10 73			1.65	
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 0000148										
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	676 89						10 73			1 65	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		41 5	41 5				10.73			1 65	
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8				10 73			1 65	
E911 SERVICE															
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				21 04	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				29 15	239 67	42 34	33 93	3 61		10 73			1 65	
	Local Channel - Dedicated - 2 wr Voice Grade - Zone 3				55 14	239 67	42 34	33 93	3 61		10 73			1 65	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				0 0084										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination				26 02	42 69	28 66	16 51	6 34		10 73			1 65	
	Local Channel - Dedicated - DS1 - Zone 1				34 49	195 33	165 48	21 9	15 28		10 73			1 65	
	Local Channel - Dedicated - DS1 - Zone 2				47 78	195 33	165 48	21 9	15 28		10 73			1 65	
	Local Channel - Dedicated - DS1 - Zone 3				90 38	195 33	165 48	21 9	15 28		10 73			1 65	
	Interoffice Transport - Dedicated - DS1 Per Mile				0 171										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				90 87	95 16	88 78	16 74	14 85		10 73			1 65	

CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0 0010161										
	CNAM for Non DB Owners, Per Query			OQV		0 0010161										
	CNAM For DB Owners - Service Establishment			OQV			22 85	22 85	17 14	17 14		10 73			1 65	
	CNAM For Non DB Owners - Service Establishment			OQV			22 85	22 85	17 14	17 14		10 73			1 65	
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV			1435	1061	317 7	233 6		10 73			1 65	
	CNAM For Non Db Owners - Service Provisioning With Point Code Establishment			OQV			492 73	355 07	322 83	233 6		10 73			1 65	
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDOCH		595	595				10 73			1 65	
LNP QUERY SERVICE																
	LNP Charge Per query					0 000842										
	LNP Service Establishment Manual						12 46	12 46	9 35	9 35		10 73			1 65	
	LNP Service Provisioning with Point Code Establishment						591 01	301 93	218 42	160 6		10 73			1 65	
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 2										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 2										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 2										
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Call					1										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1 95										
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement				CBAOS		7000	7000				10 73			1.65	
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500	500				10.73				
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 1										
	UNBRANDING															
	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1					43 64	242 45	226 44				10 73			1.65	
	Directory Transport - DS1 Level Interoffice Per Mile					0 6013										
	Directory Transport - DS1 Level Interoffice Per Facility Termination					99 79	45 91	44 18				10.73			1 65	
	Switched Common Transport Per DA Access Service Per Call					0 0003										
	Switched Common Transport Per DA Access Service Per Call Per Mile					0 00001										
	Access Tandem Switching Per DA Access Service Per Call					0 00055										
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection						206 06	4 71				10.73			1 65	
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA			AMT	CBADA		3000	3000								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		690	690								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		84 33	84 33	11 46	11 46		10 73			1 65	
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 0297	33 86	31 95				10 73			1 65	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR, UEPSB	VE1LS	0 0297	33 86	31 95				10 73			1 65	
	Virtual Collocation - 2-wire Cross Connects (port)				VE1R2	0 0502	11 57	11 57				10.73			1 65	
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0 0594	33 99	32				10 73			1 65	
	Virtual Collocation - 4-wire Cross Connects (port)				VE1R4	0 0502	11 57	11 57				10 73			1 65	
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	1 37	53 3	40 2								
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		191575		6974			10 73			1 65	
	End Office Establishment			SRC	SRCEO		168 89	168 89	0 63	0 63		10 73			1 65	

	Query NRC, per query			SRC		0 0030996									
IN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		39 27	39 27	33 04	33 04		10.73			1.66
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		7 79	7 79	7 38	7.38		10 73			1.66
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		7 79	7 79	7 38	7 38		10 73			1.66
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		34 85	34 85	21 97	21.97		10 73			1.66
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		73 76	73 76	9 51	9 51		10 73			1.66
	AIN SMS Access Service Storage, Per Unit (100 Kilobytes)					0 0029									
	AIN SMS Access Service - Session, Per Minute					0 7965									
	AIN SMS Access Service - Company Performed Session, Per Minute					0 4155									
IN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		39 27	39 27	33 04	33 04		10 73			1.66
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8406	8406				10 73			1.66
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		7 79	7 79	7 38	7 38		10 73			1.66
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7 79	7 79	7 38	7 38		10 73			1.66
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7 79	7 79	7.38	7 38		10 73			1.66
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34 32	34 32	11 66	11 66		10 73			1.66
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN CDP				BAPTC		34 32	34 32	11 66	11 66		10 73			1.66
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34 32	34 32	11 66	11 66		10 73			1.66
	AIN Toolkit Service - Query Charge, Per Query					0 0509436									
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription Per Node, Per Query					0 0062787									
	AIN Toolkit Service SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0 06									
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	8	7 79	7 79	4 47	4 47		10 73			1.66
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	3 85	8 62	8 62				10 73			1.66
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	4 28	7 79	7 79	4 47	4 47		10.73			1.66
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 13	8 62	8 62				10 73			1.66
DUF/EDOUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message					0 013928									
	ADUF Data Transmission (CONNECT DIRECT), per message					0 00012927									
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message					0 222451									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message					0 0000068									
	ODUF Message Processing, per message					0 006614									
	ODUF Message Processing, per Magnetic Tape provisioned					48 77									
	ODUF Data Transmission (CONNECT DIRECT), per message					0 00010772									
HANCED EXTENDED LINK (EELs)															
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft Lauderdale, FLI; Nashville, TN; New Orleans, LA;														
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.														
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)														
	NOTE In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge.)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	13 43	115 02	54 58	43 28	5 68		10.73			1 65
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	18 6	115 02	54 58	43 28	5 68		10 73			1.65
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	35 18	115 02	54 58	43 28	5 68		10 73			1 65
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 171									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90 87	157.3	110 42	41 12	18 18		10 73			1 65
	DS1 Channelization System Per Month			UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21					
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 42	6 05	4 36							
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13 43	115 02	54 58	43 28	5 68		10 73			1 65
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18 6	115 02	54 58	43 28	5 68		10 73			1 65

	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	35 18	115 02	54 58	43 28	5 68		10 73			1 65	
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1 42	6 05	4 36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21 23	115 02	54 58	43 28	5 68		10 73			1 65	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 41	115 02	54 58	43 28	5 68		10 73			1 65	
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55 63	115 02	54 58	43 28	5 68		10 73			1 65	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 171										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65	
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1 42	6 05	4 36								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21 23	115 02	54 58	43 28	5 68		10 73			1 65	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 41	115 02	54 58	43 28	5 68		10 73			1 65	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55 63	115 02	54 58	43 28	5 68		10 73			1.65	
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1 42	6 05	4 36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1.65	
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4 Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10.73			1 65	
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73			1.65	
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64 14	115 02	54 58	43 28	5 68		10.73			1 65	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 171										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	90 87	157 3	110.42	41 12	16 18		10 73			1 65	
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	2 16	6 05	4 36								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10 73			1 65	
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73			1.65	
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64 14	115 02	54.58	43 28	5 68		10 73			1 65	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	2 16	9 08	6 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1.65	
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5.68		10 73			1 65	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10 73			1 65	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64 14	115 02	54 58	43 28	5 68		10 73			1 65	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 171										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10.73			1 65	
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	2 16	6 05	4 36								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5 68		10 73			1 65	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10.73			1 65	
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64 14	115 02	54 58	43 28	5 68		10 73			1 65	
	OCU DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	2 16	6 05	4 36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65	

	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 171										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1.65	
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	First DS1Loop In DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10.73			1 65	
	First DS1Loop In DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65	
	First DS1Loop In DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3 57										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1101	288 5	124 61	34 8	16 96		10 73			1 65	
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	218 7	104.13	50 96	10 96	3 84						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 24	6 05	4 36								
	Additional DS1Loop In DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10.73			1 65	
	Additional DS1Loop In DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65	
	Additional DS1Loop In DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65	
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 24	6 05	4 36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13.43	115 02	54 58	43 28	5 68		10 73			1 65	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18 6	115 02	54 58	43 28	5 68		10 73			1 65	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	35.18	115 02	54 58	43 28	5 68		10.73			1 65	
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0084										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	26 02	85 38	47 42	40 82	16 25		10 73			1 65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8 1	8 1	8.1	8 1		10.73			1.65	
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21 23	115 02	54 58	43 28	5 68		10 73			1.65	
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	29 41	115 02	54 58	43 28	5 68		10 73			1 65	
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	55 63	115 02	54 58	43 28	5 68		10 73			1 65	
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0084										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	23 2	85 38	47 42	40 82	16 25		10 73			1 65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8 1	8 1	8 1	8.1		10.73			1.65	
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10 06										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	387.1	220 36	139 5	60 49	23 69						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 57										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1101	288 5	124 61	34.8	16 96		10 73			1.65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8 1	8 1	8 1	8.1		10.73			1 65	
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10 06										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426 68	220 36	139 5	60 49	23 69						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	3 57										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	1085	288 5	124 61	34 8	16 96		10.73			1.65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		8 1	8 1	8 1	8.1		10.73			1.65	
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	20 44	115 02	54 58	43 28	5 68		10.73			1 65	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	28 31	115 02	54 58	43 28	5 68		10.73			1 65	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	53 56	115 02	54 58	43 28	5 68		10 73			1 65	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 171										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90 87	157 3	110 42	41.12	16 18		10.73			1 65	
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 76	6 05	4 36								
	Additional 2 wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	20 44	115 02	54 58	43 28	5 68		10 73			1 65	
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	28 31	115 02	54 58	43 28	5 68		10 73			1 65	
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	53 56	115 02	54 58	43 28	5 68		10 73			1.65	
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3 76	6 05	4 36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	

4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)													
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	3 57									
Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	1085	268 5	124 61	34 8	16 96		10 73			1 65
STS1 to DS1 Channel System combination per month		UNCSX	MO3	218 7									
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 24	6 05	4 36							
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 24	6 05	4 36							
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		8 1	8 1	8 1	8.1		10 73			1 65
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)													
4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10 73			1 65
4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73		1 65	
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64.14	115 02	54 58	43 28	5 68		10 73			1 65
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0098									
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	19 31	85 38	47.42	40 82	16 25		10 73			1 65
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		8 1	8.1	8 1	8.1		10 73			1 65
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)													
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5 68		10 73			1 65
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10 73			1 65
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64.14	115 02	54 58	43 28	5 68		10 73			1 65
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0098									
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	19 31	149 56	66	71 35	31 91		10 73			1 65
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
ADDITIONAL NETWORK ELEMENTS													
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.													
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not													
Node (SynchroNet)													
Node per month		UNCDX	UNCNT	16 35									
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)													
2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		8 1	8 1	8.1	8.1		10 73			1.65
56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		8 1	8 1	8 1	8 1		10.73			1.65
DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		8 1	8 1	8 1	8.1		10.73			1.65
DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		8 1	8 1	8 1	8.1		10.73			1 65
STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		8 1	8 1	8 1	8 1		10.73			1 65
NOTE. Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months													
OPERATIONAL SUPPORT SYSTEMS													
NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions													
NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge													
NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge													
NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis													
Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3 5								
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm													
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)													
Exchange Ports													
NOTE Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RES)													
Exchange Ports 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 34	3 37	3 27	1 69	1 62		10 73			1 65

	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 34	3 37	3 27	1 69	1 62		10.73			1 65	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF	1 34	3 37	3 27	1 69	1 62		10.73			1 65	
	Exchange Ports - 2 Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
	Subsequent Activity			UEPSR	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSR	UEPVF	2 17	0	0				10.73			1 65	
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 34	3 37	3 27	1 69	1 62		10.73			1 65	
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 34	3 37	3 27	1 69	1 62		10 73			1.65	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 34	3 37	3 27	1 69	1 62		10.73			1.65	
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 34	3 37	3 27	1 69	1 62		10.73			1 65	
	Subsequent Activity			UEPSB	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSB	UEPVF	2 17	0	0				10 73			1.65	
EXCHANGE PORT RATES (DID & PBX)																
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 81	70 89	14 26	37 81	3 84		10.73			1 65	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDO	UEPDD	52.73	136 24	70 1	44	2 8		10 73			1.65	
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	8 46	42 22	45 69	24 91	10 75		10.73			1.65	
	All Features Offered			UEPTX UEPSX	UEPVF	2 17	0	0								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles			UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	79 35	157 42	85 8	44 89	16 43		10 73			1 65	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 34	35 22	16 39	11.14	0 648		10 73			1 65	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 34	35 22	16 39	11 14	0 648		10 73			1.65	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 34	35 22	16 39	11 14	0 648		10 73			1.65	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
	2 Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
	2 Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
	2 Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 34	35 22	16 39	11.14	0 648		10 73			1 65	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 34	35 22	16 39	11.14	0 648		10 73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 34	35 22	16 39	11 14	0 648		10.73			1 65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 34	35 22	16 39	11 14	0.648		10 73			1 65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 34	35 22	16 39	11.14	0 648		10.73			1 65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 34	35 22	16 39	11 14	0 648		10.73			1 65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 34	35 22	16 39	11 14	0 648		10.73			1 65	
	Subsequent Activity			UEPSP	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2 17	0	0				10 73			1 65	
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					1 34	3.37	3 27	1 69	1 62		10.73			1 65	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0007341										
	End Office Trunk Port - Shared, Per MOU					0 0001571										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 0001263										
	Tandem Trunk Port - Shared, Per MOU					0 0002252										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 0000034										
	Common Transport - Facilities Termination Per MOU					0 0004493										

UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 89											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 03											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (Res)																
2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 12								10 73			1 65
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 12								10 73			1 65
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 12								10 73			1 65
2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1 12								10 73			1 65
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 12								10 73			1 65
FEATURES																
All Features Offered			UEPRX	UEPVF	2 17	0	0						10 73			1 65
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPRX	USAC2		0 092	0 092						10 73			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0 092	0 092						10 73			
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																
2 Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 89											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 03											
2 Wire Voice Grade Loop (SL1) Zone 3		3	UEPBX	UEPLX	29 33											
2-Wire Voice Grade Line Port (Bus)																
2 Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 12								10 73			1 65
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 12								10 73			1 65
2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 12								10 73			1 65
2-Wire voice unbundled Incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 12								10 73			1 65
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPBX	LNPCX	0 35											
FEATURES																
All Features Offered			UEPBX	UEPVF	2 17	0	0						10 73			1 65
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPBX	USAC2		0 092	0 092						10 73			1 65
2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 092	0 092									
ADDITIONAL NRCs																

	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2							10 73					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
UNE Port/Loop Combination Rates																	
	2 Wire VG Loop/Port Combo - Zone 1		1			13 01											
	2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
	2 Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16 03											
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 12						10.73			1.65		
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 5											
FEATURES																	
	All Features Offered			UEPRG	UEPVF	2 17	0	0				10 73			1 65		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7 62	1 72				10 73					
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		7 62	1 72				10.73					
ADDITIONAL NRCs																	
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10 73			1.65		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
	2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
	2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 03											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 12						10.73			1 65		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.12						10.73			1 65		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 12						10.73			1 65		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 12						10 73			1 65		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 12						10.73			1 65		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 12						10.73			1 65		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 12						10.73			1 65		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 12						10.73			1 65		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 12						10.73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 12						10.73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 12						10.73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 12						10.73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 12						10 73			1 65		
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
FEATURES																	
	All Features Offered			UEPPX	UEPVF	2 17	0	0				10 73			1 65		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7 62	1 72				10 73			1 65		

	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion Switch with Change			UEPPX	USACC		7 62	1 72				10 73			1 65	
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10.73			1.65	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					13 01										
	2 Wire VG Coin Port/Loop Combo – Zone 2					17 15										
	2-Wire VG Coin Port/Loop Combo – Zone 3					30 45										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	11 69										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 03										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	29 33										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	1 12						10 73			1.65	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	1 12						10.73			1.65	
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1 12						10 73			1.65	
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1 12						10 73			1.65	
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1 12						10.73			1.65	
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 12						10 73			1 65	
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 12						10 73			1.65	
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 12						10 73			1.65	
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 66	0	0								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPCO	UEPVF	2 17	0	0				10 73			1.65	
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 092	0 092				10 73			1.65	
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 092	0 092				10 73			1 65	
ADDITIONAL NRCs																
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0				10 73				
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1				22 22										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2				27 39										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				43 79										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1		UEPPX	UECD1	13 43						10 73			1 65	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2		UEPPX	UECD1	18 6						10 73			1 65	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3		UEPPX	UECD1	35 18						10 73			1 65	
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 79						10.73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		7 06	1 69				10 73			1 65	
	2-Wire Voice Grade Loop / 2 Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		7 06	1 69				10.73			1 65	
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		29 06	29 06				10 73			1 65	
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0				10 73			1 65	
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0	0	0				10 73			1 65	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0				10 73			1 65	
	DID Numbers, Non consecutive DID Numbers, Per Number			UEPPX	ND5	0	0	0				10 73			1 65	

Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				10 73			1 65	
Reserve DID Numbers			UEPPX	NDV	0	0	0				10 73			1 65	
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		30 29										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		36 51										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		56 45										
UNE Loop Rates															
2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	13 43						10.73			1.65	
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	29.44						10 73			1 65	
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	49 38						10 73			1 65	
UNE Port Rate															
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7 07						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	27 61	15.33				10 73			1 65	
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:															
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0								
CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0								
CSD			UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
USER TERMINAL PROFILE															
User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES															
All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	2 17	0	0								
INTEROFFICE CHANNEL MILEAGE															
Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	19 79	42 69	28 66	16 51	6 34		10.73			1.65	
Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0084	0	0				10 73			1 65	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		148 57										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		175 24										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		260 73										
UNE Loop Rates															
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	69 22						10 73			1 65	
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	95 89						10 73			1 65	
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	181 38						10 73			1 65	
UNE Port Rate															
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	79 35						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0	61 25	55 34				10 73			1 65	

ADDITIONAL NRCs															
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subeqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0 4879					10 73			1 65	
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11 46	11 46				10 73			1 65	
4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		22 92	22 92				10 73			1 65	
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
INTERFACE (Provisioning Only)															
Voice/Data			UEPPP	PR71V	0	0	0								
Digital Data			UEPPP	PR71D	0	0	0								
Inward Data			UEPPP	PR71E	0	0	0								
New or Additional "B" Channel															
New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0	13 96					10 73			1 65	
New or Additional - Digital Data B Channel			UEPPP	PR7BF	0	13 96					10 73			1 65	
New or Additional Inward Data B Channel			UEPPP	PR7BD	0	13 96					10 73			1 65	
New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0	13 96					10 73			19 99	
New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0	13 96					10 73			1 65	
CALL TYPES															
Inward			UEPPP	PR7C1	0	0	0								
Outward			UEPPP	PR7C0	0	0	0								
Two-way			UEPPP	PR7CC	0	0	0								
Interoffice Channel Mileage															
Fixed Each Including First Mile			UEPPP	1LN1A	91 04	95 15	88 78	16 74	14 85		10 73			1 65	
Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 171										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		121 95						10 73			1 65	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		148 62						10 73			1 65	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		234 11						10.73			1.65	
UNE Loop Rates															
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	69 22						10 73			1 65	
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC					10 22		10 73			1 65	
4 Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	181 38						10 73			1 65	
UNE Port Rate															
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	52 73						10 73			1.65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC	USAC4		71 29	42 11				10.73			1.65	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		71.29	42 11				10.73			1 65	
4 Wire DS1 Digital Loop / 4 Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		71 29	42 11				10 73			1 65	
ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14 14	14.14				10.73			1.65	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14 14	14.14				10.73			1 65	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14 14	14 14				10.73			1 65	
4-Wire DS1 Loop / 4 Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14 14	14 14				10.73			1 65	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.14	14 14				10.73			1 65	
BIPOLAR 8 ZERO SUBSTITUTION															
B8ZS -Superframe Format			UEPDC	CCOSF		0	655				10 73			1 65	
B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	655				10 73			1 65	
Alternate Mark Inversion															
AMI -Superframe Format			UEPDC	MCOSF		0	0								

	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establisment Charges																
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0						10 73				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						10 73				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						10 73				
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0	0	0				10 73				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						10 73				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0						10 73				
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0	0	0				10 73				
	Reserve DID Numbers			UEPDC	NDV	0	0	0				10 73				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	90 87	95 16	88 78	16 74	14 85		10.73			1 65	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 171	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 171	0	0								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 171	0	0								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0							
	Central Office Terminating Point			UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
UNE DS1 Loop																
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	69 22	0	0								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	95 89	0	0								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	181 38	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	121 31	0	0								
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	242 62	0	0								
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	485 24	0	0								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	727 86	0	0								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	970 48	0	0								
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1213 1	0	0								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1455 72	0	0								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1940 96	0	0								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2426 2	0	0								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2911 44	0	0								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3396 68	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.																
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0	72 61	3 82				10 73			1.65	
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																
New (Not Currently Combined) in Georgia & Tennessee Only																
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	726 11	468 21	145 32	17 24		10 73			1 65	
Bipolar 8 Zero Substitution																
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	655				10 73			1 65	
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	655				10 73			1 65	
Alternate Mark Inversion (AMI)																
	Superframe Format			UEPMG	MCOSF	0	0	0								
	Extended Superframe Format			UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 34	0	0	0	0		10 73			1 65	
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 34	0	0	0	0		10 73			1 65	
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 34	0	0	0	0		10 73			1 65	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 81	0	0	0	0		10 73			1 65	
Feature Activations - Unbundled Loop Concentration																

	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1POWM	0 66	25 4	13 41	3 96	3 93		10 73			1 65	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1POWU	0 66	78 16	18 42	56 03	10 95		10 73			1 65	
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0						10 73				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC & SC)			UEPPX	NDZ	0	0	0				10 73				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0				10.73				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				10.73				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0				10 73				
	Reserve DID Numbers			UEPPX	NDV	0	0	0				10 73				
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2 17	0	0				10 73			1 65	
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth s region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU).															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2 Wire VG Loop/Port Combo - Zone 1		1			25 89										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 03										
	2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 89										
	2 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 03										
	2 Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	29 33										
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90				10.73			1.65	
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90				10.73			1.65	
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90				10 73			1 65	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14	90	90				10.73			1 65	
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90				10.73			1 65	
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
	FEATURES															
	All Features Offered			UEPRX	UEPVF	0	0	0								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41.5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5								
	ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
	2-Wire VG Loop/Port Combo Zone 2		2			30 03										
	2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 89										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 03										

	2 Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	29 33										
2-Wire Voice Grade Line Port (Bus)																
	2 Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90				10 73			1 65	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90				10 73			1 65	
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90				10 73			1 65	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Lopp / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 5	41 5								
	2-Wire Voice Grade Lopp / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
	2 Wire VG Loop/Port Combo - Zone 2		2			30 03										
	2 Wire VG Loop/Port Combo - Zone 3		3			43 33										
UNE Loop Rates																
	2 Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	11 89										
	2 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16 03										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	29 33										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2 Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90				10 73			1 65	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2 Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5								
	2 Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10.73			1 65	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 03										
	2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	11 89										
	2 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16 03										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	29 33										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90				10 73			1 65	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90				10 73			1 65	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14	90	90				10 73			1 65	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90				10.73			1 65	
	2 Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90				10 73			1 65	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90				10 73			1 65	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90				10 73				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90				10.73			1 65	

	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90				10 73			1 65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90				10 73			1 65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90				10.73			1 65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90				10 73			1 65	
	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90				10 73			1 65	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10 73			1 66	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					25 89										
	2-Wire VG Coin Port/Loop Combo – Zone 2					30 03										
	2-Wire VG Coin Port/Loop Combo – Zone 3					43 33										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	11 89										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 03										
	2 Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	29 33										
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	14	90	90				10 73			1 66	
	2-Wire Coin 2 Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	14	90	90				10.73			1 66	
	2-Wire Coin 2 Way with Operator Screening and Blocking 900/976, 1+DDD 011+, and Local (FL)			UEPCO	UEPCQ	14	90	90				10 73			1 66	
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	14	90	90				10 73			1 66	
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14	90	90				10 73			1.66	
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14	90	90				10 73			1.66	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l
								Nonrecurring						Nonrecurring			
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www Interconnection bellsouth com/become_a_clec/html/interconnection htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14 21	42 54	31 33					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16 41	42 54	31 33					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26 08	42 54	31 33					18 94	8 42		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	14 21	42 54	31 33					18 94	8 42		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	16 41	42 54	31 33					18 94	8 42	1 65	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	26 08	42 54	31 33					18 94	8 42		
		Engineering Information Document (EI)			UEANL			28 72	28 72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		36 46	36 46								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		34 22	34 22								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 84	104 17	78 1					18 94	8 42		
		2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	19 45	104 17	78 1					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 92	104 17	78 1					18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35 74									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16 84	104 17	78 1					18 94	8 42		
		2 Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19 45	104 17	78 1					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30 92	104 17	78 1					18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35 74									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22 26	206 95	170 57					18 94	8 42		
		4 Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25 7	206 95	170 57					18 94	8 42		
		4 Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40 86	206 95	170 57					18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35 74									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21 89	233 38	180 35					18 94	8 42		
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25 27	233 38	180 35					18 94	8 42		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40 17	233 38	180 35					18 94	8 42		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35 74									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	I	1	UDC	UDC2X	21 89	44 69	31 55	25 65	7 06			18 94	8 42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	I	2	UDC	UDC2X	25 27	44 69	31 55	25 65	7 06			18 94	8 42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	I	3	UDC	UDC2X	40 17	44 69	31 55	25 65	7 06			18 94	8 42		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop Including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11 23	44 69	31 55	25 65	7 06			18 94	8 42		
		2 Wire Unbundled ADSL Loop Including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12 97	44 69	31 55	25 65	7 06			18 94	8 42		
		2 Wire Unbundled ADSL Loop Including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20 62	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									

	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	1	UAL	UAL2W	11 23	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	1	2	UAL	UAL2W	12 97	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	1	3	UAL	UAL2W	20 62	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14 46	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14 46	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
4-WIRE DS1 DIGITAL LOOP																
	4 Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55 53	429 98	268 18					18 94	8 42		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	64 13	429 98	268 18					18 94	8 42		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101 93	429 98	268 18					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35 74									
4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	25 75	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	47 27	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25 75	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47 27	348 55	241 2					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35 74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25 75	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47 27	348 55	241 2					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35 74									
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22 07	44 69	31 55	25 65	7 06			18 94	8 42		

Sub-Loop Distribution																	
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		I		UEANL	USBSA		421 08	421 08					18 94	8.42		
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		I		UEANL	USBSB		67 1	67 1					18 94	8.42		
Sub Loop Per Building Equipment Room - CLEC Feeder Facility Set-Up		I		UEANL	USBSC		394 74	394 74					18 94	8 42		
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		I		UEANL	USBSD		154 57	154 57					18 94	8 42		
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide			SW	UEANL	USBN2	9 12	207 01	171 32					18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		34 22	34 22								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide			SW	UEANL	USBN4	8 32	219 35	72 99	123 72	28 77			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		34 22	34 22								
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		I		UEANL	USBR2	1 61	137 03	41 59	115 85	19 17			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		34 22	34 22								
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		I		UEANL	USBR4	2 96	176 46	55 11	122 17	19 57			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC		34 22	34 22								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		I	1	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8 42		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		I	2	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8 42		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		I	3	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8.42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF	USBMC		34 22	34 22								
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		I	1	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		I	2	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8.42		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		I	3	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18.94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF	USBMC		34 22	34 22								
Sub-Loop Feeder																	
USL Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up				UEA, UDN,UCL,UDL,UDC	USBFW		$421 08										
USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up				UEA, UDN,UCL,UDL,UDC	USBFX		67 1	67 1									
USL Feeder DS1 Set-up at DSX location, per DS1 termination				USL	USBFZ		521 57	11 3									
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide			SW	UEA	USBFA	8 58	206 44	170 05					18 94	8.42		
Order Coordination for Specified Conversion Time, per LSR				UEA	OCOSL		34 22										
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide			SW	UEA	USBFB	8 58	206 44	170 05					18 94	8.42		
Order Coordination for Specified Time Conversion, per LSR				UEA	OCOSL		34 22										
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide			SW	UEA	USBFC	8 58	206 44	170 05					18 94	8 42		
Order Coordination For Specified Conversion Time, per LSR				UEA	OCOSL		34 22										
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide			SW	UEA	USBFD	$19 91	$243 41	$81 32	$134 77	$33 93			18 94	8 42		
Order Coordination For Specified Conversion Time, Per LSR				UEA	OCOSL		34 22										
Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide			SW	UEA	USBFE	19 91	$243 41	$81 32	$134 77	$33 93			18 94	8 42		
Order Coordination For Specified Conversion Time, Per LSR				UEA	OCOSL		34 22										
Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide			SW	UDN	USBFF	$17 73	$208 50	$62 31	$119 68	$29.58			18 94	8 42		
Order Coordination For Specified Conversion Time, Per LSR				UDN	OCOSL		34 22										
Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)			SW	UDC	USBFS	17 73	208 5	62 31	119 68	29 58			19 99	19 99	19 99	19 99
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide			SW	USL	USBFG	79 3	203 69	128 76	124 09	34 8			19 99	19.99	19 99	19 99
Order Coordination For Specified Conversion Time, Per LSR				USL	OCOSL		34 22										
Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide			SW	UCL	USBFH	7 22	195 38	63 15	119 68	29 58			18 94	8 42		
Order Coordination For Specified Conversion Time, per LSR				UCL	OCOSL		34 22										
Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide			SW	UCL	USBFJ	13 72	243 41	81 32	134 77	33 93			18 94	8 42		
Order Coordination For Specified Conversion Time, per LSR				UCL	OCOSL		34 22										
Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop			SW	UDL	USBFN	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide			SW	UDL	USBFO	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
Order Coordination For Specified Time Conversion, per LSR				UDL	OCOSL		34 22										
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide			SW	UDL	USBFP	24 5	243 41	81 32	134 77	33.93			19 99	19 99	19 99	19 99
Order Coordination For Specified Conversion Time, per LSR				UDL	OCOSL		34 22										
Unbundled Network Terminating Wire (UNTW)																	
Unbundled Network Terminating Wire (UNTW) per Pair				UENTW	UENPP	1 37	$2 48	$2 48	$1 74	$1 74			18 94	8 42		
Network Interface Device (NID)																	
Network Interface Device (NID) - 1-2 lines		I		UENTW	UND12		86 37	56 69					18 94	8 42		
Network Interface Device (NID) - 1-6 lines		I		UENTW	UND16		127 93	98 21					18 94	8 42		
Network Interface Device Cross Connect - 2 W		I		UENTW	UNDC2		6 15	6 15					18 94	8 42		
Network Interface Device Cross Connect - 4W				UENTW	UNDC4		6 15	6 15								
UNBUNDLED LOOP CONCENTRATION																	
Unbundled Loop Concentration - System A (TR008)				ULC	UCT8A	441 42	650 81	650 81					19 99	19 99	19 99	19.99
Unbundled Loop Concentration - System B (TR008)				ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 99

	Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	478 93	650 81	650 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	89 26	271 17	271 17					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 04	126 57	92 14	33 57	9.4			19.99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8	21 07	20 96	10 78	10 71			19 99	19 99	19.99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	11.89	21 07	20 96	10 78	10.71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			19.99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	34 67	21 07	20 96	10.78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	10 51	21 07	20 96	10.78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation		UENTW	UNDBX												
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ, UENTW	UNECN												
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL ,UDN,UEA,UHL,UL C	UNECN	0	0										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UD C	USBFQ	0	0										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0	0										
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	8 9											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	390 34	639 5	426 4	122 31	119 14			37 55	37 55	18 03	18 03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	8 9											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	421 59	639 5	426 4	122 31	119 14			37 55	37 55	18 03	18 03
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		35	35									
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		45	45									
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 075	0 075									
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I	ULS	ULSDA	131	0	0	0	0		0					
	Line Sharing Splitter, per System 24 Line Capacity	I	ULS	ULSDB	32	0	0	0	0		0					
	Line Sharing Splitte, Per System, 8 Line Capacity	I	ULS	ULSD8	11	0	0	0	0		0					
	Line Sharing - per Line Activation	I	ULS	ULSDC	0 61	10 51	7 7	7	4 2			18 94	8 42			
	Line Sharing - per Subsequent Activity per Line Rearrangement	I	ULS	ULSDS		36 23	13 23					18 94	8 42			
	Line Sharing-CLEC/DLEC Owned Splitter In CO-per occurrence of each group of 8 lines (16 pair)		ULS	ULSDG		0	0	0	0							
UNBUNDLED TRANSPORT																
	COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU				0 000008											
	Common Transport - Facilities Termination Per MOU				0 0004152											
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0222											

	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	17 07	79 61	36 08					18 94	18 94		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0 0222										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month		U1TVX	U1TR2	17 07	79 61	36 08	0	0			18 94	18 94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0 0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD5	16 45	79 61	36 08					18 94	18 94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0 0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	16 45	79 61	36 08	0	0			18 94	18 94		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0 4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		U1TD1	U1TF1	78 47	147 07	111 75					18 94	18 94		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3														
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	2 72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	788	511 1	330 77	122 31	119.14			37 55	37 55	18 03	18 03
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1														
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	2 72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	783 63	511 1	449 91	122 31	119 14			61.19	61.19	3 17	3 17
	LOCAL CHANNEL - DEDICATED TRANSPORT														
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months														
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month		ULCVX	ULDV2	13 91	382 95	62 4					18 94	8 42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month		ULCVX	ULDR2	13 91	382 95	62 4					18 94	18 94		
	Local Channel - Dedicated - 4-Wire Voice Grade per month		UNCVX	ULDV4	14 99	368 44	64 05					18 94	8 42		
	Local Channel - Dedicated - DS1 per month		ULDD1	ULDF1	38 36	356 15	312 89	122.31	119.14			44 22	44 22	18 03	18 03
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	6 92										
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	515 91	639 5	426 31	122 31	119 14			37 55	37 55	18 03	18 03
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	6 92										
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	517 56	639 5	426 31	122 31	119 14			18 94	18 94		
MULTIPLEXERS															
	Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	126 22	198 22	123 59	31 03	19 75			14 75	6 55	10 7	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	1 86	12 02	8 66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3 37	12 02	8 66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	1 17	12 02	8 66								
	DS3 to DS1 Channel System per month		UXTD3	MQ3	182 04	265 91	188 78	72 5	59 96			14 75	6 55	10 6	
	STS1 to DS1 Channel System per month		UXTS1	MQ3	182 04	265 91	188 78	72 5	59 96			18 94	18 94		
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	11 02	12 02	8 66								
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	44 22										
	NRC Dark Fiber - Local Channel		UDF	UDFC4		1355 29	273 69								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	44 22										
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1355 29	273 69	0	0			18.94	18 94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	44 22										
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1355 29	273 69	0	0			18 94	18 94		
TRANSPORT OTHER															
	Optional Features & Functions:														
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 62	23 78	2 03	0 79			29 33	3 93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 62	23 78	2 03	0 79			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call		OHD		0 0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		6 57	0 76					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			12 81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		12 81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		4 46	2 23					18 94	18 94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		5 22	2 99					18 94	18 94		
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		7 33	0 76					18 94	18 94		
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		4 72	4 46					18 94	18 94		
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		OQT		0 0000338										

	LIDB Validation Per Query		OQU		0 0105974											
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		50 3							18 94	18 94		
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port		1DB	PT8SX	133 99								18 94	18 94		
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 000087											
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	17 05	131 96	131 96						18 94	18 94		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	17 05	131 96	131 96						18 94	18 94		
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 0000354											
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	340 67								18 94	18 94		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40						18 94	18 94		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8						18 94	18 94		
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query		OQV		0 016											
	CNAM for Non DB Owners, Per Query		OQV		0 01											
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595						18 94	18 94		
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 2											
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24											
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 2											
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2											
INWARD OPERATOR SERVICES																
	Inward Operator Svcs - Verification, Per Minute				1 15											
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15											
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement			CBAOS		7000	7000						19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500						19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call				0 275											
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1											
	UNBRANDING															
	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1				38 36	356 15	312 89						44 22	44 22		
	Directory Transport - DS1 Level Interoffice Per Mile				0 4523											
	Directory Transport - DS1 Level Interoffice Per Facility Termination				78 47	147 07	111 75						18 94	18 94		
	Switched Common Transport Per DA Access Service Per Call				0 0002906											
	Switched Common Transport Per DA Access Service Per Call Per Mile				0 0000186											
	Access Tandem Switching Per DA Access Service Per Call				0 0019152											
	Directory Transport - DA Interconnection Per DA Service Call				0 00269											
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection					204 23	4 42						44 22	44 22		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				0 04											
	Directory Assistance Data Base Service, per month			DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000									
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690									
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		180 62	180 62						33 67	7 68		
VIRTUAL COLLOCATION																

	Virtual Collocation - 2-wire Cross Connects (loop)		ueanl,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 0283	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB	VE1LS	0 0283	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 0283	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)		uea,uhl,ucl,udl	UEAC4	0 0566	24 75	23 7	9 03	8 1			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 0566	24 75	23 7	9 03	8 1			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	2 88	41 72	30 36	10 43	8 36			2 2	2 2		
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	5 76	51 03	39 67	13 71	11 65			2 2	2 2		
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7 5	155	14								
AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment		SRC	SRCEC		391788						19 99	19 99	19 99	19 99
	End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query		SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		90 25	90 25					18 94	18 94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		29 66	29 66					18 94	18 94		
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		29 66	29 66					18 94	18 94		
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		84 43	84 43					18 94	18 94		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		35 44	35 44					18 94	18 94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0023										
	AIN SMS Access Service - Session, Per Minute				0 0795604										
	AIN SMS Access Service - Company Performed Session, Per Minute				2 08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		86 74	86 74					18 94	18 94		
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8348	8348					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt			BAPTT		19 13	19 13					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		114 8	114 8					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		19 13	19 13					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		70 06	70 06					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		70 06	70 06					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		70 06	70 06					18 94	18 94		
	AIN Toolkit Service - Query Charge, Per Query				0 0209223										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 0053137										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	15 96	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 0861109	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 87	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0 0028704	22 64	22 64					18 94	18 94		
ODUF/EDOUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message				0 0136327										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 0000434										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message				0 0034555										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message				0 0001275										
	ODUF Message Processing, per message				0 0082548										
	ODUF Message Processing, per Magnetic Tape provisioned				28 85										
	ODUF Data Transmission (CONNECT DIRECT), per message				0 0000434										
ENHANCED EXTENDED LINK (EELs)															
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FLI; Nashville, TN; New Orleans, LA;														
	NOTE. Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.														
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)														
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)														

2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 1									
First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0							
First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
DS1 Channelization System Per Month			UNC1X	MQ1												
Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 17	12 02	8 66									
Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 1	0	0			18 94	8 42			
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0			18 94	8 42			
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0			18 94	8 42			
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57									
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 7	206 95	170 57	0	0							
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57	0	0			18 94	8 42			
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 7	206 95	170 57	0	0			18 94	8 42			
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57	0	0			18 94	8 42			
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2									
First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2	0	0							
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66									
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2	0	0			18 94	8 42			
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2	0	0			18 94	8 42			
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2	0	0			18 94	8 42			
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 2									
First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 2	0	0							
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 2	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66									

4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65	
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65	
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65	
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	3 57										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	1085	288 5	124 61	34 8	16 96		10 73			1 65	
	STS1 to DS1 Channel System conbination per month		UNCSX	MQ3	218 7										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 24	6 05	4 36								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65	
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65	
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181 38	196 32	109 65	46 38	13 03		10 73			1 65	
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 24	6 05	4 36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10 73			1 65	
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73		1 65		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64 14	115 02	54 58	43 28	5 68		10 73			1 65	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	19 31	85 38	47 42	40 82	16 25		10 73			1 65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5 68		10 73			1 65	
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10 73			1 65	
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64 14	115 02	54 58	43 28	5 68		10 73			1 65	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	19 31	149 56	86	71 35	31 91		10 73			1 65	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														
	Node (SynchroNet)														
	Node per month		UNCDX	UNCNT	16 35										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE- Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 34	3 37	3 27	1 69	1 62		10 73			1 65	

		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res			UEPSR	UEPAF	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Subsequent Activity			UEPSR	USASC	0	0	0								
	FEATURES																
		All Available Vertical Features			UEPSR	UEPVF	2 17	0	0				10 73			1 65	
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Subsequent Activity			UEPSB	USASC	0	0	0								
	FEATURES																
		All Available Vertical Features			UEPSB	UEPVF	2 17	0	0				10 73			1 65	
	EXCHANGE PORT RATES (DID & PBX)																
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 81	70 69	14 26	37 81	3 84		10 73			1 65	
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	52 73	136 24	70 1	44	2 8		10 73			1 65	
		Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	8 46	42 22	45 69	24 91	10 75		10 73			1 65	
		All Features Offered			UEPTX UEPSX	UEPVF	2 17	0	0								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
		Exchange Ports - 2-Wire ISDN Port -- Channel Profiles			UEPTX UEPSX	U1UMA	0	0	0								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	79 35	157 42	85 8	44 89	16 43		10.73			1 65	
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 34	35 22	16 39	11.14	0 648		10 73			1 65	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 34	35 22	16 39	11.14	0 648		10 73			1 65	
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 34	35 22	16 39	11 14	0 648		10.73			1 65	
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 34	35 22	16 39	11 14	0 648		10.73			1 65	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 34	35 22	16 39	11 14	0 648		10 73			1.65	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 34	35 22	16 39	11.14	0 648		10.73			1 65	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 34	35 22	16 39	11.14	0 648		10 73			1 65	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 34	35 22	16 39	11 14	0 648		10.73			1 65	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		Subsequent Activity			UEPSP	USASC	0	0	0								
	FEATURES																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2 17	0	0				10 73			1 65	
	EXCHANGE PORT RATES (COIN)																
		Exchange Ports - Coin Port					1 34	3 37	3 27	1 69	1 62		10 73			1 65	
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																	
	End Office Switching (Port Usage)																
		End Office Switching Function, Per MOU					0 0007341										
		End Office Trunk Port - Shared, Per MOU					0 0001571										
	Tandem Switching (Port Usage) (Local or Access Tandem)																
		Tandem Switching Function Per MOU					0 0001263										
		Tandem Trunk Port - Shared, Per MOU					0 0002252										
	Common Transport																
		Common Transport - Per Mile, Per MOU					0 0000034										
		Common Transport - Facilities Termination Per MOU					0 0004493										

UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 89											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 03											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (Res)																
2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 12							10 73			1 65	
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 12							10 73			1 65	
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 12							10 73			1 65	
2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1 12							10 73			1 65	
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 12							10 73			1 65	
FEATURES																
All Features Offered			UEPRX	UEPVF	2 17	0	0					10 73			1 65	
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0 092	0 092					10 73				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0 092	0 092					10 73				
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 89											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 03											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	29 33											
2-Wire Voice Grade Line Port (Bus)																
2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 12							10 73			1 65	
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 12							10 73			1 65	
2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 12							10 73			1 65	
2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 12							10 73			1 65	
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPBX	LNPCX	0 35											
FEATURES																
All Features Offered			UEPBX	UEPVF	2 17	0	0					10.73			1 65	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 092	0 092					10 73			1 65	
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 092	0 092									
ADDITIONAL NRCs																

2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2							10 73					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11 89											
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16 03											
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 12						10.73			1 65		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRG	LNPCP	3 5											
FEATURES																
All Features Offered			UEPRG	UEPVF	2 17	0	0				10.73			1 65		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7 62	1 72				10 73					
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		7 62	1.72				10 73					
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10 73			1 65		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			13 01											
2-Wire VG Loop/Port Combo - Zone 2		2			17 15											
2-Wire VG Loop/Port Combo - Zone 3		3			30 45											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11 89											
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 03											
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 12						10 73			1 65		
Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 12						10 73			1 65		
Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 12						10 73			1 65		
2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 12						10.73			1 65		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 12						10 73			1 65		
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 12						10.73			1 65		
2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 12						10 73			1 65		
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 12						10.73			1 65		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 12						10 73			1 65		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 12						10 73			1 65		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 12						10.73			1 65		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 12						10 73			1 65		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 12						10 73			1 65		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
FEATURES																
All Features Offered			UEPPX	UEPVF	2 17	0	0				10 73			1 65		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7 62	1 72				10 73			1 65		

	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		7 62	1 72				10 73			1 65	
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7 09	7 09				10 73			1 65	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1				13 01										
	2-Wire VG Coin Port/Loop Combo – Zone 2				17 15										
	2-Wire VG Coin Port/Loop Combo – Zone 3				30 45										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	11 89										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	16 03										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	29 33										
2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)		UEPCO	UEP2F	1 12						10 73			1 65	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)		UEPCO	UEPFA	1 12						10 73			1 65	
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)		UEPCO	UEPCG	1 12						10 73			1 65	
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	1 12						10 73			1 65	
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)		UEPCO	UEPOF	1 12						10 73			1 65	
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)		UEPCO	UEPCQ	1 12						10 73			1 65	
	2-Wire 2 Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	1 12						10 73			1 65	
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	1 12						10 73			1 65	
ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	1 86	0	0								
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPCO	UEPVF	2 17	0	0				10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		0 092	0 092				10 73			1 65	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		0 092	0 092				10 73			1 65	
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0				10 73				
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			22 22										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			27 39										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			43 79										
UNE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	13 43						10 73			1 65	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	18 6						10 73			1 65	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	35 18						10 73			1 65	
UNE Port Rate															
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	8 79						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		7 08	1 69				10 73			1 65	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		7 08	1 69				10 73			1 65	
ADDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		29 08	29 08				10 73			1 65	
Telephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0				10 73			1 65	
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPPX	NDZ	0	0	0				10 73			1 65	
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0				10 73			1 65	
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0	0	0				10 73			1 65	

Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				10 73			1 65	
Reserve DID Numbers			UEPPX	NDV	0	0	0				10 73			1 65	
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		30 29										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		36 51										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		56 45										
UNE Loop Rates															
2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	13 43						10 73			1 65	
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	29 44						10 73			1 65	
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	49 38						10.73			1 65	
UNE Port Rate															
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7 07						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	27 61	15 33				10 73			1 65	
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:															
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0								
CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0								
CSD			UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
USER TERMINAL PROFILE															
User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES															
All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	2 17	0	0								
INTEROFFICE CHANNEL MILEAGE															
Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	19 79	42 69	28 66	16 51	6 34		10 73			1 65	
Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0084	0	0				10 73			1 65	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		148 57										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		175 24										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		260 73										
UNE Loop Rates															
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	69 22						10 73			1 65	
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	95 89						10 73			1 65	
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	181 38						10 73			1 65	
UNE Port Rate															
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	79 35						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0	61 25	55 34				10 73			1 65	

ADDITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0 4879					10 73			1.65	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		11 46	11 46				10.73			1 65	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		22 92	22 92				10 73			1 65	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPP	LNPCN	1 75										
INTERFACE (Provisioning Only)															
	Voice/Data		UEPPP	PR71V	0	0	0								
	Digital Data		UEPPP	PR71D	0	0	0								
	Inward Data		UEPPP	PR71E	0	0	0								
New or Additional "B" Channel															
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0	13 96					10 73			1 65	
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0	13 96					10 73			1 65	
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0	13 96					10 73			1.65	
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0	13 96					10 73			19 99	
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0	13 96					10 73			1 65	
CALL TYPES															
	Inward		UEPPP	PR7C1	0	0	0								
	Outward		UEPPP	PR7C0	0	0	0								
	Two-way		UEPPP	PR7CC	0	0	0								
Interoffice Channel Mileage															
	Fixed Each Including First Mile		UEPPP	1LN1A	91 04	95 15	88 78	16 74	14 85		10 73			1 65	
	Each Airline-Fractional Additional Mile		UEPPP	1LN1B	0 171										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		121 95						10 73			1 65	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		148 62						10 73			1 65	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		234 11						10 73			1 65	
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	69 22						10.73			1 65	
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC					10 22		10 73			1 65	
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	181 38						10 73			1 65	
UNE Port Rate															
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	52 73						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		71 29	42 11				10 73			1 65	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		71 29	42 11				10.73			1 65	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		71 29	42.11				10 73			1 65	
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		14 14	14 14				10 73			1 65	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		14 14	14 14				10 73			1 65	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		14 14	14 14				10.73			1 65	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		14 14	14 14				10.73			1 65	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		14 14	14 14				10 73			1 65	
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format		UEPDC	CCOSF		0	655				10 73			1 65	
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	655				10 73			1 65	
Alternate Mark Inversion															
	AMI -Superframe Format		UEPDC	MCOSF		0	0								

	AMI - Extended SuperFrame Format		UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0						10 73				
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0						10.73				
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0						10.73				
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPDC	NDZ	0	0	0				10 73				
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0						10 73				
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0						10.73				
	Reserve Non-Consecutive DID Nos		UEPDC	ND6	0	0	0				10 73				
	Reserve DID Numbers		UEPDC	NDV	0	0	0				10 73				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	90 87	95 16	88 78	16 74	14 85		10 73			1 65	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 171	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 171	0	0								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 171	0	0								
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3.15	0	0	0							
	Central Office Terminating Point		UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	69 22	0	0								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	95 89	0	0								
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	181 38	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	121 31	0	0								
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	242 62	0	0								
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	485 24	0	0								
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	727 86	0	0								
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	970 48	0	0								
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1213 1	0	0								
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1455 72	0	0								
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1940 96	0	0								
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2426 2	0	0								
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2911 44	0	0								
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3396 68	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	72 61	3 82				10 73			1 65	
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
New (Not Currently Combined) in Georgia & Tennessee Only															
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	726 11	468 21	145 32	17 24		10 73			1 65	
Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	655				10 73			1 65	
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	655				10 73			1 65	
Alternate Mark Inversion (AMI)															
	Superframe Format		UEPMG	MCOSF	0	0	0								
	Extended Superframe Format		UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 34	0	0	0	0		10 73			1 65	
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 34	0	0	0	0		10 73			1 65	
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 34	0	0	0	0		10 73			1 65	
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	8 81	0	0	0	0		10.73			1 65	
Feature Activations - Unbundled Loop Concentration															

	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 66	25 4	13 41	3 96	3 93		10 73			1 65	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 66	78 16	18 42	56 03	10 95		10 73			1 65	
	Telephone Number/ Group Establishment Charges for DID Service														
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0						10 73				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		UEPPX	NDZ	0	0	0				10 73				
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				10.73				
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				10 73				
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0				10 73				
	Reserve DID Numbers		UEPPX	NDV	0	0	0				10 73				
	Local Number Portability														
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0								
	FEATURES - Vertical and Optional														
	Local Switching Features Offered with Line Side Ports Only														
	All Features Available		UEPPX	UEPVF	2 17	0	0				10 73			1 65	
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
These scenarios include															
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
The Market Rate for unbundled ports includes all available features in all states															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
2-Wire VG Loop/Port Combo - Zone 2		2			30 03										
2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 89										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 03										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	29 33										
2-Wire Voice Grade Line Port (Res)															
2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90				10 73			1 65	
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90				10 73			1 65	
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90				10 73			1 65	
2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14	90	90				10 73			1 65	
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90				10 73			1 65	
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES															
All Features Offered			UEPRX	UEPVF	0	0	0								
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41.5								
2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5								
ADDITIONAL NRCs															
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
2-Wire VG Loop/Port Combo - Zone 2		2			30 03										
2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 89										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 03										

	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	29 33											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90				10 73			1 65		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90				10 73			1 65		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90				10 73			1 65		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPBX	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC		41 5	41.5									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			25 89											
	2-Wire VG Loop/Port Combo - Zone 2	2			30 03											
	2-Wire VG Loop/Port Combo - Zone 3	3			43 33											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	11 89											
	2 Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	16 03											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14	90	90				10 73			1 65		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPRG	USAC2		41 5	41.5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPRG	USACC		41 5	41 5									
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7 09	7 09				10 73			1 65		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			25 89											
	2-Wire VG Loop/Port Combo - Zone 2	2			30 03											
	2-Wire VG Loop/Port Combo - Zone 3	3			43 33											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX	16 03											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14	90	90				10 73			1 65		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14	90	90				10.73			1.65		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14	90	90				10 73					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14	90	90				10 73			1 65		

	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14	90	90				10 73			1 65		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPPX	USACC		41 5	41 5									
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		0	0									
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7 09	7 09				10 73			1 65		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1				25 89											
	2-Wire VG Coin Port/Loop Combo – Zone 2				30 03											
	2-Wire VG Coin Port/Loop Combo – Zone 3				43 33											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	16 03											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	29 33											
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)		UEPCO	UEP2F	14	90	90				10 73			1 65		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)		UEPCO	UEPFA	14	90	90				10 73			1 65		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)		UEPCO	UEPCG	14	90	90				10 73			1 65		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	14	90	90				10.73			1 65		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)		UEPCO	UEPOF	14	90	90				10 73			1 65		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)		UEPCO	UEPCQ	14	90	90				10 73			1 65		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPCO	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPCO	USACC		41 5	41 5									
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0	0									

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Nonrecurring				Nonrecurring					
												Disconnect					
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33					18.94	8.42		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	14.21	42.54	31.33					18.94	8.42		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	16.41	42.54	31.33					18.94	8.42	1.65	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	26.08	42.54	31.33					18.94	8.42		
		Engineering Information Document (EI)			UEANL			28.72	28.72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		36.46	36.46								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		34.22	34.22								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.1					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.1					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.1					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.1					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.1					18.94	8.42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.1					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.7	206.95	170.57					18.94	8.42		
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.86	206.95	170.57					18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35					18.94	8.42		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	I	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	I	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	I	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06			18.94	8.42		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									

	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	1	UAL	UAL2W	11 23	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	1	2	UAL	UAL2W	12 97	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	1	3	UAL	UAL2W	20 62	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14 46	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14 46	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19 07	44 69	31 55	25.65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55 53	429 98	268 18					18 94	8 42		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	64 13	429 98	268 18					18 94	8 42		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101 93	429 98	268 18					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35 74									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	25 75	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	47 27	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25 75	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47 27	348 55	241 2					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35 74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25 75	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47 27	348 55	241 2					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35 74									
	2-WIRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22 07	44 69	31 55	25 65	7 06			18 94	8 42		

		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12 02	44 69	31 55	25 65	7 06			18 94	8 42			
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13 88	44 69	31 55	25 65	7 06			18 94	8 42			
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22 07	44 69	31 55	25 65	7 06			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35 56	44 69	31 55	25 65	7.06			18 94	8 42			
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	41 07	44 69	31 55	25 65	7 06			18 94	8 42			
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65 28	44 69	31 55	25 65	7 06			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	35 56	44 69	31 55	25 65	7 06			18 94	8 42			
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	41 07	44 69	31 55	25 65	7 06			18.94	8.42			
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	65 28	44 69	31 55	25 65	7 06			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		2-Wire Unbundled Copper Loop Non-Designed - SW	1	sw	UEQ	UEO2X	12 8	44 69	22 4	25 65	7 06			18.94	8 42			
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		16 11	16 11									
		Engineering Information Document			UEQ			28 72	28 72									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92									
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33									
	4-WIRE COPPER LOOP																	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	12 02	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	13 88	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	22 07	44 69	31 55	25.65	7 06			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	12 02	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	13 88	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL4W	22 07	44 69	31 55	25 65	7 06			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	35 56	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	41 07	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65 28	44 69	31 55	25 65	7 06			18 94	8.42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1	1	1	UCL	UCL4O	35 56	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2	1	2	UCL	UCL4O	41 07	44 69	31 55	25 65	7 06			18 94	8 42			
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3	1	3	UCL	UCL4O	65 28	44 69	31 55	25 65	7 06			18 94	8 42			
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11									
LOOP MODIFICATION																		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L	0	0	0	0	0							
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G	0	0	0	0	0							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L	0	0	0	0	0							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G	0	0	0	0	0							
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT	0	0	0	0	0							
SUB-LOOPS																		

Sub-Loop Distribution																
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		421 08	421 08					18 94	8 42		
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		67 1	67 1					18 94	8 42		
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		394 74	394 74					18 94	8 42		
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		154 57	154 57					18 94	8 42		
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN2	9 12	207 01	171 32					18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN4	8 32	219 35	72 99	123 72	28 77			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1 61	137 03	41 59	115 85	19 17			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
Sub-Loop 4 Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2 96	176 46	55 11	122 17	19 57			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8 42		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8 42		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	5 54	175 16	55 5	108 86	24 53			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 22	34 22								
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6 89	219 35	72 99	123 72	28 77			18 94	8 42		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 22	34 22								
Sub-Loop Feeder															
USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		$421 08									
USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		67 1	67 1								
USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521 57	11 3								
Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		SW	UEA	USBFA	8 58	206 44	170 05					18 94	8 42		
Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34 22									
Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFB	8 58	206 44	170 05					18 94	8 42		
Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34 22									
Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		SW	UEA	USBFC	8 58	206 44	170 05					18 94	8 42		
Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34 22									
Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		SW	UEA	USBFD	$19 91	$243 41	$81 32	$134 77	$33 93			18 94	8 42		
Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 22									
Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFE	19 91	$243 41	$81 32	$134 77	$33 93			18 94	8 42		
Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 22									
Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide		SW	UDN	USBFF	$17 73	$208 50	$62 31	$119 68	$29 58			18 94	8 42		
Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34 22									
Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17 73	208 5	62 31	119 68	29 58			19 99	19 99	19 99	19 99
Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79 3	203 69	128 76	124 09	34 8			19 99	19 99	19 99	19 99
Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34 22									
Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide		SW	UCL	USBFH	7 22	195 38	63 15	119 68	29 58			18 94	8 42		
Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 22									
Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13 72	243 41	81 32	134 77	33 93			18 94	8 42		
Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 22									
Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		SW	UDL	USBFN	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFO	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 22									
Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFP	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34 22									
Unbundled Network Terminating Wire (UNTW)															
Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1 37	$2 48	$2 48	$1 74	$1 74			18 94	8 42		
Network Interface Device (NID)															
Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86 37	56 69					18 94	8 42		
Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		127 93	98 21					18 94	8 42		
Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		6 15	6 15					18 94	8 42		
Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6 15	6 15								
UNBUNDLED LOOP CONCENTRATION															
Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441 42	650 81	650 81					19 99	19 99	19 99	19 99
Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 99

	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478 93	650 81	650 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89 26	271 17	271 17					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	126 57	92 14	33 57	9 4			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11 89	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34 67	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ, UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL ,UDN,UEA,UHL,UL C	UNECN	0	0									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UD C	USBFQ	0	0									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
NOTE 4 month minimum billing period																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8 9										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	390 34	639 5	426 4	122 31	119 14			37 55	37 55	18 03	18 03
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8 9										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	421 59	639 5	426 4	122 31	119 14			37 55	37 55	18 03	18 03
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		35	35								
	Loop Makeup - Preordering With Reservation, per spare facilty queried (Manual)			UMK	UMKLP		45	45								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 075	0 075								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	131	0	0	0	0	0					
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	32	0	0	0	0	0					
	Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSD8	11	0	0	0	0	0					
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	10 51	7 7	7	4 2			18 94	8 42		
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		36 23	13 23					18 94	8 42		
	Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)			ULS	ULSDG		0	0	0	0						
UNBUNDLED TRANSPORT																
COMMON TRANSPORT (Shared)																
	Common Transport - Per Mile, Per MOU					0 000008										
	Common Transport - Facilities Termination Per MOU					0 0004152										
NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0222										

	Interoffice Channel Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	17 07	79 61	36 08					18 94	18 94		
	Interoffice Channel Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0222										
	Interoffice Channel Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	17 07	79 61	36 08	0	0			18 94	18 94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	16 45	79 61	36 08					18 94	18 94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16 45	79 61	36 08	0	0			18 94	18 94		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	78 47	147 07	111 75					18 94	18 94		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2 72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	788	511 1	330 77	122 31	119 14			37.55	37.55	18.03	18.03
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2 72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	783 63	511 1	449 91	122 31	119.14			61 19	61.19	3.17	3.17
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	13 91	382 95	62 4					18 94	8.42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	13 91	382 95	62.4					18.94	18.94		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	14 99	368 44	64 05					18 94	8 42		
	Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1	38 36	356 15	312 89	122 31	119.14			44 22	44.22	18 03	18 03
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6 92										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	515 91	639 5	426 31	122.31	119 14			37 55	37 55	18 03	18 03
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6 92										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	517 56	639 5	426 31	122.31	119 14			18 94	18 94		
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126 22	198 22	123 59	31 03	19 75			14 75	6 55	10 7	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	1 86	12 02	8 66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3 37	12.02	8 66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 17	12 02	8 66								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	182 04	265 91	188 78	72 5	59 96			14 75	6.55	10 6	
	STS1 to DS1 Channel System per month			UXTS1	MQ3	182 04	265 91	188 78	72 5	59 96			18 94	18.94		
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11 02	12 02	8 66								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	44 22										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1355 29	273 69								
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	44 22										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1355 29	273 69	0	0			18 94	18 94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	44 22										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1355 29	273 69	0	0			18 94	18 94		
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184 62	23 78	2 03	0 79			29 33	3 93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184 62	23 78	2 03	0 79			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0 0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		6 57	0 76					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			12 81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		12 81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4 46	2 23					18 94	18 94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		5 22	2 99					18 94	18 94		
	8XX Access Ten Digit Screening Change Charge Per Request			OHD	N8FAX		7 33	0 76					18 94	18 94		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4 72	4 46					18 94	18 94		
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0 0000338										

	LIDB Validation Per Query			OQU		0 0105974										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		50 3						18 94	18 94		
SIGNALING																
	ling Termination, Per STP Port			1DB	PT8SX	133 99							18 94	18 94		
	CCS7 Signaling Usage, Per TCAP Message			1DB		0 000087										
	CCS7 Signaling Connection, Per link (A link)			1DB	TPP++	17 05	131 96	131 96					18 94	18 94		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			1DB	TPP++	17 05	131 96	131 96					18 94	18 94		
	CCS7 Signaling Usage, Per ISUP Message			1DB		0 0000354										
	CCS7 Signaling Usage Surrogate, per link per LATA			1DB	STU56	340 67							18 94	18 94		
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			1DB	CCAPO		40	40					18 94	18 94		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			1DB	CCAPD		8	8					18 94	18 94		
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0 016										
	CNAM for Non DB Owners, Per Query			OQV		0 01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595	595					18.94	18 94		
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1.2										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 2										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 2										
INWARD OPERATOR SERVICES																
	Inward Operator Svcs - Verification, Per Minute					1 15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1 15										
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement				CBAOS		7000	7000					19.99	19 99	19 99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500	500					19.99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 1										
	UNBRANDING															
	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1					38 36	356 15	312 89					44 22	44 22		
	Directory Transport - DS1 Level Interoffice Per Mile					0 4523										
	Directory Transport - DS1 Level Interoffice Per Facility Termination					78 47	147 07	111 75					18 94	18 94		
	Switched Common Transport Per DA Access Service Per Call					0 0002908										
	Switched Common Transport Per DA Access Service Per Call Per Mile					0 0000186										
	Access Tandem Switching Per DA Access Service Per Call					0 0019152										
	Directory Transport - DA Interconnection Per DA Service Call					0 00269										
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection						204 23	4 42					44 22	44 22		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA			AMT	CBADA		3000	3000								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		690	690								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		180 62	180 62					33 67	7 88		
VIRTUAL COLLOCATION																

	Virtual Collocation - 2-wire Cross Connects (loop)			usanl,usea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 0283	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR, UEPSB	VE1LS	0 0283	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-wire Cross Connects (port)				VE1R2	0 0283	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)			usa,uhl,ucl,udl	UEAC4	0 0566	24 75	23 7	9 03	8 1			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (port)				VE1R4	0 0566	24 75	23 7	9 03	8 1			19 99	19 99	19.99	19 99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	2 86	41 72	30 36	10 43	8 36			2 2	2 2		
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	5 76	51 03	39 67	13 71	11 65			2 2	2 2		
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7 5	155	14								
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		391788						19 99	19 99	19 99	19 99
	End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		90 25	90 25					18 94	18 94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		29 66	29 66					18 94	18 94		
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		29 66	29 66					18 94	18 94		
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		84 43	84 43					18 94	18 94		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		35 44	35 44					18 94	18 94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0023										
	AIN SMS Access Service - Session, Per Minute					0 0795604										
	AIN SMS Access Service - Company Performed Session, Per Minute					2 06										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		86 74	86 74					18 94	18 94		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8348	8348					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		19 13	19 13					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		114 8	114 8					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		19 13	19 13					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO		70 06	70 06					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		70 06	70 06					18 94	18 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		70 06	70 06					18 94	18 94		
	AIN Toolkit Service - Query Charge, Per Query					0 0209223										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0053137										
	AIN Toolkit Service SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15.96	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 0861109	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 87	22 64	22 64					18 94	18 94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 0028704	22 64	22 64					18 94	18 94		
ODUF/EDOUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message					0 0136327										
	ADUF Data Transmission (CONNECT DIRECT), per message					0 0000434										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message					0 0034555										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message					0 0001275										
	ODUF Message Processing, per message					0 0082548										
	ODUF Message Processing, per Magnetic Tape provisioned					28 85										
	ODUF Data Transmission (CONNECT DIRECT), per message					0 0000434										
ENHANCED EXTENDED LINK (EELs)																
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL!; Nashville, TN; New Orleans, LA;															
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge															
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)															
	NOTE In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)															

2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 2 Wire VG Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 1									
First 2-Wire VG Grade Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0							
First 2-Wire VG Grade Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
DS1 Channelization System Per Month			UNC1X	MQ1												
Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 17	12 02	8 66									
Each Additional 2-Wire VG Loop(SL 2) In the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 1	0	0			16 94	8 42			
Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0			16 94	8 42			
Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0			16 94	8 42			
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57									
First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 7	206 95	170 57	0	0							
First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57	0	0			16 94	8 42			
Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.7	206 95	170 57	0	0			16.94	8 42			
Additional 4 Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57	0	0			16 94	8 42			
Voice Grade COCI DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2									
First 4-wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2	0	0							
First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66									
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2	0	0			16 94	8 42			
Additional 4 Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2	0	0			16 94	8.42			
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2	0	0			16 94	8.42			
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 2									
First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 2	0	0							
First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 2	0	0							
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85	
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
OCU-DP COCI (data) DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 86	12 02	8 66									

	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 75	348 55	241 2	0	0			18 94	8 42		
	Additional 4 Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	29 74	348 55	241 2	0	0			18 94	8.42		
	Additional 4 Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	47 27	348 55	241 2	0	0			18 94	8 42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 86	12 02	8 66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4 Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	55 53	443 2	138 69								
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	64 13	443 2	138 69	0	0						
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	101 93	443 2	138 69	0	0						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 86	11.86
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		12 97	11 27	12 61	12 61			15.72	15 72		
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	55 53	443 2	138 69								
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	64 13	443 2	138 69	0	0						
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	101 93	443 2	138 69	0	0						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2 72										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	788	198 45	153 15	95 4	35 99			33 63	27 49	19 86	11 86
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	137 73	103 24	87 41	0	18 12						
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 02	12 02	8 66								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	55 53	443 2	138 69	0	0			18.94	8 42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	64 13	443 2	138 69	0	0			18 94	8 42		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	101 93	443 2	138 69	0	0			18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 02	12 02	8 66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		12 97	11 27	12 61	12 61			45.46	15 72		
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	16 84	104 14	78 1	0	0			18 94	8 42		
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	19 45	104 14	78 1	0	0			18 94	8 42		
	2 WireVG Loop used with 2 wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	30 92	104 14	78 1	0	0			18 94	8 42		
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0222										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	17 07	79 61	36 08					18 94	18.94		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 26	206 95	170 57	0	0			18.94	8.42		
	4 WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	25 7	206 95	170 57	0	0			18 94	8 42		
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	40 86	206 95	170 57	0	0			18 94	8 42		
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0222										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	17 07	79 61	36 08					18 94	18 94		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		12 97	11 27	12 61	12.61			45 46	15 72		
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	8 9										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	390 34	639 5	426 4	122 31	119 14						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	2 72										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	788	198 45	153 15	95 4	35.99			37 55	37.55	18 03	18 03
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	8 9										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	421 59	639 5	426 4	122 31	119 14						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	2 72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	783 63	198 45	449 91	95 4	35 99			37 55	37 55	18 03	18 03
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	21 89	233 38	180 38								

	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25 27	233 38	180 38								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	40 17	233 38	180 38								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 4523										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	76 47	194 63	141 51	132 25	46 16			33 63	27 49	19 86	11 85
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	0	0	0	0	0						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 37	12 02	8 66								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21 89	233 38	180 38					18 94	8 42		
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25 27	233 38	180 38					18 94	8 42		
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	40 17	233 38	180 38					18 94	8 42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3 37	12 02	8 66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72	0	0
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)																
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55 53	443 2	138 69	0	0						
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64 13	443 2	138 69	0	0						
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101 93	443 2	138 69	0	0						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2 72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	783 63	196 45	449 91	95 4	35 99			33 63	27 49	19 86	11 85
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	182 04	103 24	87 41	0	18 12						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 02	12 02	8 66								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55 53	443 2	138 69	0	0			18 94	8 42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64 13	443 2	138 69	0	0			18 94	8 42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101 93	443 2	138 69	0	0			18 94	8 42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 02	12 02	8 66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72	0	0
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)																
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2								
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2								
	4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0222										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	16 45	147 07	111 75					33 63	27 49	19 86	11 85
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)																
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 2								
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 2								
	4 wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 2								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0222										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16 45	147 07	111 75					33 63	27 49	19 86	11 85
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		12 97	11 27	11 27	12 61			45 46	15 72		
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
Node (SynchroNet)																
	Node per month			UNCDX	UNCNT	13 98										
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months																
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	13 91	272 07	60 43					18 94	18 94		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	14 99	272 07	60.43					18 94	18 94		
	Local Channel - Dedicated - DS1 Per Month			UNC1X	ULDF1	38 36	164 99	113 76								
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															

NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge																
NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis																
	Electronic OSS Charge, per LSR submitted via BST s OSS Interactive Interfaces (Regional)			SOMEC		3 5										
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www Interconnection bellsouth com/become_a_clec/html/interconnection htm																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
Exchange Ports																
NOTE· Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2 Wire VG unbundled res low usage line port with Caller ID (LUM)		UEPSR	UEPAP	1 85		17 16					18 94	8 42		
	Subsequent Activity		UEPSR	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSR	UEPVF	0	0	0					18 94	8 42		
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports 2 Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	1 85	17 16	17 16					18 94	8 42		
	Exchange Ports - 2 Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	1 85	17 16	17 16					18 94	8 42		
	Exhange Ports - 2-Wire VG unbundled Incoming only port with Caller ID - Bus		UEPSB	UEPB1	1 85	17 16	17 16					18 94	8 42		
	Subsequent Activity		UEPSB	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSB	UEPVF	0	0	0					18 94	8 42		
EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	11 35	61 91	61 91					19 99	19 99	19 99	19 99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	120 6	106 38	60 66					19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	13 47	47 37	47 37					39 98	39 98		
	All Features Offered		UEPTX UEPSX	UEPVF	0	0	0								
NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
	Exchange Ports - 2 Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	163 16	186 8	186 8					37 66	37 66		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	1 85	17 16	17 16					18 94	8 42		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	1 85	17 16	17 16					18 94	8 42		
	2 Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	1 85	17 16	17 16					18 94	8 42		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	1 85	17 16	17 16					18 94	8 42		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	1 85	17 16	17 16					18 94	8 42		
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	1 85	17 16	17 16					18 94	8 42		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	1 85	17 16	17 16					18 94	8 42		
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled 1 Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	1 85	17 16	17 16					18 94	8 42		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	1 85	17 16	17 16					18 94	8 42		
	Subsequent Activity		UEPSP	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSP UEPSE	UEPVF	0	0	0					18 94	8 42		
EXCHANGE PORT RATES (COIN)															
	Exchange Ports Coin Port				2 05	17 16	17 16					18 94	8 42		

NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
End Office Switching Function, Per MOU					0 0016333											
End Office Trunk Port - Shared, Per MOU					0 0001564											
Tandem Switching (Port Usage) (Local or Access Tandem)																
Tandem Switching Function Per MOU					0 0006757											
Tandem Trunk Port - Shared, Per MOU					0 0002126											
Common Transport																
Common Transport - Per Mile, Per MOU					0 000006											
Common Transport - Facilities Termination Per MOU					0.0004152											
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
2 Wire VG Loop/Port Combo - Zone 1		1			12 59											
2-Wire VG Loop/Port Combo - Zone 2		2			14 26											
2 Wire VG Loop/Port Combo - Zone 3		3			21 62											
UNE Loop Rates																
2 Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10 8											
2 Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12 47											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19 83											
2-Wire Voice Grade Line Port Rates (Res)																
2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 79	22 14	15 25	8 45	3 91			33 67	7 88			
2 Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 79	22 14	15 25	8 45	3 91			37 06	7 88			
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 79	22 14	15 25	8 45	3 91			33 67	7 88			
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 79	22 14	15 25	8 45	3 91			33 67	7 88			
FEATURES																
All Features Offered			UEPRX	UEPVF	0	0	0					33 67	7 88			
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2 01	0.3108					33 67	7 88			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2 01	0 3108					33 67	7 88			
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			12 59											
2 Wire VG Loop/Port Combo - Zone 2		2			14 26											
2-Wire VG Loop/Port Combo - Zone 3		3			21 62											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10 8											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12 47											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19 83											
2-Wire Voice Grade Line Port (Bus)																
2 Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 79	22 14	15 25	8 45	3 91			33 67	7 88			
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3.91	

2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2 Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES															
All Features Offered			UEPBX	UEPVF	0	0	0					33 67	7 88		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPBX	USAC2		2 01	0 3106					33 67	7 88		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 01	0 3106								
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								33 67	7 88		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			12 59										
2-Wire VG Loop/Port Combo - Zone 2		2			14 26										
2-Wire VG Loop/Port Combo - Zone 3		3			21 62										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10 8										
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12 47										
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
2 Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPRG	LNPCP	3 5										
FEATURES															
All Features Offered			UEPRG	UEPVF	0	0	0					33 67	7 88		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2 01	0 3106					33 67	7 88		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2 01	0 3106					33 67	7 88		
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0								
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19.99	19 99	19.99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			12 59										
2-Wire VG Loop/Port Combo - Zone 2		2			14 26										
2-Wire VG Loop/Port Combo - Zone 3		3			21 62										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10 8										
2-Wire Voice Grade Loop (SL 1) Zone 2		2	UEPPX	UEPLX	12 47										
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
Line Side Unbundled Combination 2 Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 79	22 14	15 25	8 45	3 91			37.06	7 88		
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 79	22 14	15 25	8 45	3 91			33 67	7 88		

	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2 Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	0	0	0					33 67	7 88		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2 01	0 3108					33 67	7 88		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2 01	0 3108					33 67	7 88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					12 69										
	2-Wire VG Coin Port/Loop Combo – Zone 2					14 36										
	2-Wire VG Coin Port/Loop Combo – Zone 3					21 72										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12 47										
	2 Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	19 63										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2 Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976 1+DDD (GA)			UEPCO	UEP2G	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2 Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 59	0	0								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPCO	UEPVF	0	0	0					18 94	8 42		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPCO	USAC2		2 01	0 3108					33 67	7 88		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2 01	0 31					33 67	7 88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0					33 67	7 88		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28 19										
	2-Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 2		2			30 8										
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42 27										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16 84	104 78	78 1					19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19 45	104 78	78 1					19 99	19 99	19 99	19 99
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30 92	104 78	104 1					19 99	19 99	19 99	19 99

UNE Port Rate																
Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11 35	61 91	61 91					19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		93 38	93 38					19 99	19 99	19 99	19 99
2-Wire Voice Grade Loop / 2 Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		93 38	93 38					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
Telephone Number/Trunk Group Establisment Charges																
DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0	0	0					19 99	19 99	19 99	19 99
Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0				19 99				
Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				19 99				
Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99				
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		35 36										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		38 74										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		53 64										
UNE Loop Rates																
2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	21 89	252 32	188 77					19 99	19 99	19 99	19 99
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	25 27	252 32	188 77					19 99	19 99	19 99	19 99
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	40 17	252 32	188 77					19 99	19 99	19 99	19 99
UNE Port Rate																
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	13 47	47 37						19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	93 38	93 38					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy - Non Feature/Add Trunk			UEPPB UEPPR	USASB		165 95						19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:																
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0								
CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0								
CSD			UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
USER TERMINAL PROFILE																
User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																
All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	0	0	0								
INTEROFFICE CHANNEL MILEAGE																
Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	16 47	79 61	36 06					19 99	19 99	19 99	19 99
Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0222	0	0				0				

4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		218 69											
Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		227 29											
Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		265 09											
DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	55 53	448 92	276 6						19 99	19 99	19 99	19 99
4 Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	64 13	448 92	276 6						19 99	19 99	19 99	19 99
4 Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	101 93	448 92	276 6						19 99	19 99	19 99	19 99
UNE Port Rate																
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	163 16	186 8	186 8						19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-Is			UEPPP	USACP	0	269 96	269 96						19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0 9666							19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22 75	22.75						19 99	19 99	19 99	19 99
4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		45 49	45 49						19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPP	LNPCN	1 75											
INTERFACE (Provisioning Only)																
Voice/Data			UEPPP	PR71V	0	0	0									
Digital Data			UEPPP	PR71D	0	0	0									
Inward Data			UEPPP	PR71E	0	0	0									
New or Additional "B" Channel																
New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0	28 71							19 99	19 99	19 99	19 99
New or Additional - Digital Data B Channel			UEPPP	PR7BF	0	28 71							19 99	19 99	19 99	19 99
New or Additional Inward Data B Channel			UEPPP	PR7BD	0	28 71							19 99	19 99	19 99	19 99
New or Additional Useage Sensitve Voice Data B Channel			UEPPP	PR7BS	0	28 71							19 99	19 99	19 99	19 99
New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0	28 71							19 99	19 99	19 99	19 99
CALL TYPES																
Inward			UEPPP	PR7C1	0	0	0									
Outward			UEPPP	PR7C0	0	0	0									
Two-way			UEPPP	PR7CC	0	0	0									
Interoffice Channel Mileage																
Fixed Each Including First Mile			UEPPP	1LN1A	78 9223	147.07	111 75	0					19 99	19 99	19 99	19 99
Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 4523											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176 33								19 99	19 99	19 99	19 99
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184 93								19 99	19 99	19 99	19 99
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222 73								19 99	19 99	19 99	19 99
UNE Loop Rates																
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55 53	448 92	276						19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64 13	448 92	276 6						19 99	19 99	19 99	19 99
4 Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101 93	448 92	276 6						19 99	19 99	19 99	19 99
UNE Port Rate																
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120 8	89 44	52 46						19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC	USAC4		269 96	269 96						19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		269 96	269 96						19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		269 96	269 96						19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		147.47	147 47									

4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		28 71	28.71					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		28 71	28 71					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		28 71	28 71					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		28 71	28 71					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4 Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		28 71	28 71					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION														
B8ZS -Superframe Format		UEPDC	CCOSF		0	600					19 99	19 99	19 99	19 99
B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	600					19.99	19 99	19.99	19 99
Alternate Mark Inversion														
AMI -Superframe Format		UEPDC	MCOSF		0	0								
AMI - Extended SuperFrame Format		UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establishment Charges														
Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0										
Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0						19.99				
Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0						19 99				
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPDC	NDZ	0	0	0				19 99				
DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0						19 99				
DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0						19 99				
Reserve Non-Consecutive DID Nos		UEPDC	ND6	0	0	0				19 99				
Reserve DID Numbers		UEPDC	NDV	0	0	0				19.99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port														
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	78 47	147 07	111 75	0	0			19.99	19 99	19 99	19 99
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 4523	0	0								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0	0	0								
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 4523	0	0								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNO3	0	0	0	0							
Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 4523	0	0								
Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0	0	0							
Central Office Termininating Point		UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT														
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations														
Each System can have up to 24 combinations of rates depending on type and number of ports used														
UNE DS1 Loop														
4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	55 53	0	0								
4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	64 13	0	0								
4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	101 93	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)														
24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	102 64	0	0								
48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	205 28	0	0								
96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	410 56	0	0								
144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	615 84	0	0								
192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	821 12	0	0								
240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1026 4	0	0								
288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1231 68	0	0								
384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1642 24	0	0								
480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2052 8	0	0								
576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2463 36	0	0								
672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	2873 92	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations. Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted														
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	328 35	16 52					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in Georgia & Tennessee Only														
NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	738 61	462 53	144 05	17.09			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution														

Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	600					19 99	19 99	19 99	19 99
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)															
Superframe Format			UEPMG	MCOSF	0	0	0								
Extended Superframe Format			UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 79	0	0	0	0		19 99				
Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 79	0	0	0	0		19 99				
Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 79	0	0	0	0		19 99				
2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11 35	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration															
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 62	25 09	13 25	3 99	3 97			19 99	19 99	19 99	19 99
Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 62	77 21	18 2	56 49	11 04			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service															
DID Trunk Termination (1 per Port)			UEPPX	NDT	0										
Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0	0	0				19 99				
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0				19 99				
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				19.99				
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0								
Reserve DID Numbers			UEPPX	NDV	0	0	0								
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
All Features Available			UEPPX	UEPVF	0	0	0				19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
These scenarios include															
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.															
The Market Rate for unbundled ports includes all available features in all states															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC, URECU).															
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			24 8										
2-Wire VG Loop/Port Combo - Zone 2		2			26 47										
2-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10 8										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12 47										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19 83										
2-Wire Voice Grade Line Port (Res)															
2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90					33 67	7 88		
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90					33 67	7 88		
2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90					33 67	7 88		
2 Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES															

	All Features Offered			UEPRX	UEPVF	0	0	0								
	2 Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24 8										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12 47										
	2-Wire Voice Grade Lotp (SL1) - Zone 3		3	UEPBX	UEPLX	19 83										
2-Wire Voice Grade Line Port (Bus)																
	2 Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					33 67	7 88		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90					33 67	7 88		
	2 Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPBX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24 8										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2 Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2 Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24 8										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 47										
	2 Wire VG Loop/Port Combo - Zone 3		3			33 83										



CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring									
										Nonrecurring							
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.54	70.44	44.05	46.93	10.4		19.99				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	19.73	70.44	44.05	46.93	10.4		19.99				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	28.27	70.44	44.05	46.93	10.4		19.99				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	13.54	70.44	44.05	46.93	10.4		19.99				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	19.73	70.44	44.05	46.93	10.4		19.99				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	28.27	70.44	44.05	46.93	10.4		19.99				
		Engineering Information Document (EI)			UEANL			28.76	28.76								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.31	16.31								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		36.18	36.18								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.27	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	32.32	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	55.78	236.75	177.1				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.27	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	32.32	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	55.78	236.75	177.1				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	20.92	457.14	348.83				19.99				
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.14	457.14	348.83				19.99				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	67.57	457.14	348.83				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.66	541.28	431.61				19.99				
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	44.28	541.28	431.61				19.99				
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	76.42	541.28	431.61				19.99				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		36.18									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	25.73	233.47	158.51	105.49	20.48		19.99				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	34.83	233.47	158.51	105.49	20.48		19.99				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	45.56	233.47	158.51	105.49	20.48		19.99				
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8.79	713.5	609.44				19.99				
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	16.46	713.5	609.44				19.99				
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	28.4	713.5	609.44				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36.18									

	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8 79	205 25	129 42	100 89	15 88		19 99				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	16 46	205 25	129 42	100 89	15 88		19 99				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	28 4	205 25	129 42	100 89	15 88		19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36 18									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	6 29	713 5	609 44				19 99				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11 78	713 5	609 44				19 99				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	20 33	713 5	609 44				19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	6 29	222 58	146 75	100 89	15 88		19 99				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11 78	222 58	146 75	100 89	15 88		19 99				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	20 33	222 58	146 75	100 89	15 88		19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	7 68	748 93	646 17				19 99				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	14 38	748 93	646 17				19 99				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	24 82	748 93	646 17				19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	7 68	279 79	203 96	109 64	20 64		19 99				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14 38	279 79	203 96	109 64	20 64		19 99				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	24 82	279 79	203 96	109 64	20 64		19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	50 26	849 8	523 27				19 99				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	94 06	849 8	523 27				19 99				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	162 34	849 8	523 27				19 99				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		36 18									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	35 92	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	40 32	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	37 9	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	35 92	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40 32	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37 9	250 99	176 03	116 85	27 85		19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		36 18									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	35 92	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40 32	250 99	176 03	116 85	27 85		19 99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37 9	250 99	176 03	116 85	27 85		19 99				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		36 18									
	2-WIRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short Including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	14 94	283 77	164 04	120 6	22 45		19 99				
	2-Wire Unbundled Copper Loop/Short Including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	15 15	283 77	164 04	120 6	22 45		19 99				
	2 Wire Unbundled Copper Loop/Short Including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15 73	283 77	164 04	120 6	22 45		19 99				

		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	14 94	203 39	127 56	100 89	15 88		19 99					
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	15 15	203 39	127 56	100 89	15 88		19 99					
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15 73	203 39	127 56	100 89	15 88		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	36 19	270 38	150 65	120 6	22 45		19 99					
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	49 31	270 38	150 65	120 6	22 45		19 99					
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80 78	270 38	150 65	120 6	22 45		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	36 19	190	114 17	100 89	15 88		19 99					
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	49 31	190	114 17	100 89	15 88		19 99					
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	80 78	190	114 17	100 89	15 88		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06		19 99					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06		19 99					
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06		19 99					
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		16 31	16 31									
		Engineering Information Document			UEQ			28 76	28 76									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92									
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33									
	4-WIRE COPPER LOOP																	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	25 26	332 2	212 46	130 27	27 51		19 99					
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	23	332 2	212 46	130 27	27 51		19 99					
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19 08	332 2	212 46	130 27	27 51		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	25 26	251 82	175 99	109 64	20 64		19 99					
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	23	251 82	175 99	109 64	20 64		19 99					
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19 08	251 82	175 99	109 64	20 64		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	61 02	318 81	199 07	130 27	27 51		19 99					
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	55 74	318 81	199 07	130 27	27 51		19 99					
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	88 97	318 81	199 07	130 27	27 51		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	61 02	238 42	162 6	109 64	20 64		19 99					
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	55 74	238 42	162 6	109 64	20 64		19 99					
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	88 97	238 42	162 6	109 64	20 64		19 99					
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31									
LOOP MODIFICATION																		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 2	65 2									
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		341 64	341 64									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 2	65 2									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		341 64	341 64									
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 24	65 24									

SUB-LOOPS																	
	Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		600 03	600 03				19 99					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45 28	45 28				19 99					
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		379 89	379 89				19 99					
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		111 55	111 55				19 99					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	9 03	131 64	61 93	90 83	13 44		19 99					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	12 25	131 64	61 93	90 83	13 44		19 99					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	16 71	131 64	61 93	90 83	13 44		19 99					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36 18	36 18									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	10 18	158 12	88 41	99 1	18 06		19 99					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 44	158 12	88 41	99 1	18 06		19 99					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	13 38	158 12	88 41	99 1	18 06		19 99					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36 18	36 18									
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3 23	106 06	36 35	90 83	13 44		19 99					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36 18	36 18									
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6 29	118 54	48 84	99 1	18 06		19 99					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36 18	36 18									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	8 01	131 64	61 93	90 83	13 44		19 99					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	9 18	131 64	61 93	90 83	13 44		19 99					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	11.02	131 64	61 93	90 83	13 44		19 99					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36 18	36 18									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	10 65	158 12	88 41	99 1	18 06		19 99					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	9 71	158 12	88 41	99 1	18 06		19 99					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	8 45	158 12	88 41	99 1	18 06		19 99					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36 18	36 18									
	Sub-Loop Feeder																
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		600 03										
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 28	45 28									
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		527 98	11 32									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	10 36	184 97	111 91	108 76	26 76		19 99					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	13 62	184 97	111 91	108 76	26 76		19 99					
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	19 69	184 97	111 91	108 76	26 76		19 99					
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		36 18										
	Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	10 36	184 97	111 91	108 76	26 76		19 99					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	13 62	184 97	111 91	108 76	26 76		19 99					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	19 69	184 97	111 91	108 76	26 76		19 99					
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		36 18										
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	10 36	184 97	111 91	108 76	26 76		19 99					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	13 62	184 97	111 91	108 76	26 76		19 99					
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	19 69	184 97	111 91	108 76	26 76		19 99					
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		36 18										
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	30 69	213 56	138 6	122 64	33 64		19 99					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	36 12	213 56	138 6	122 64	33 64		19 99					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	22 9	213 56	138 6	122 64	33 64		19 99					
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36 18										
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	30 69	213 56	138 6	122 64	33 64		19 99					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	36 12	213 56	138 6	122 64	33 64		19 99					
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	22 9	213 56	138 6	122 64	33 64		19 99					
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36 18										
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17 75	211 3	136 34	111 02	26 01		19 99					
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23 67	211 3	136 34	111 02	26 01		19 99					
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	29 9	211 3	136 34	111 02	26 01		19 99					
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		36 18										
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17 75	211 3	136 34	111 02	26 01		19 99					
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23 67	211 3	136 34	111 02	26 01		19 99					
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	29 9	211 3	136 34	111 02	26 01		19 99					
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	75 1	202 14	127 18	122 64	33 64		19 99					
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	104 53	202 14	127 18	122 64	33 64		19 99					
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	152 36	202 14	127 18	122 64	33 64		19 99					
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		36 18										
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	8 29	167 62	92 66	106 42	21 41		19 99					
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	7 3	167 62	92 66	106 42	21 41		19 99					
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	6 03	167 62	92 66	106 42	21 41		19 99					

	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
NOTE 4 month minimum billing period																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11 53										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	379 72	903 34	528 05	238 2	166 62		19 99				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11 53										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	394 76	903 34	528 05	238 2	166 62		19 99				
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		47 98	47 98								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		50 88	50 88								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6746	0 6746								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	203 33	377 71	0	357 29	0		0				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	50 83	377 71	0	357 29	0		0				
	Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSD8	16 94	377 71	0	357 29	0		0				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	37 02	21 2	20 1	9 87		19 99				
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		32 78	16 38				19 99				
	Line Sharing-CLEC/DLEC Owned Splitter In CO-per occurrence of each group of 8 lines (16 pair)	I		ULS	ULSDG		57 72		11 43							
UNBUNDLED TRANSPORT																
COMMON TRANSPORT (Shared)																
	Common Transport - Per Mile, Per MOU					0 0000049										
	Common Transport - Facilities Termination Per MOU					0 000426										
NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0118										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	29 51	81 07	54 84	33 36	13 75		19 99				
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0118										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	29 51	81 07	54 84	33 36	13 75		19 99				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0118										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	26 22	81 1	54 84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0118										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	21 26	81 11	54 84	33 36	13 75		19 99				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0118										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	21 26	81 11	54 84	33 36	13 75		19 99				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 2407										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	97 38	178 59	163 67	32 59	28 79		19 99				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5 1										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1191 53	557 69	325 62	120	116 54		19 99				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5 1										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	1165 53	557 69	325 62	120	116 54		19 99				
LOCAL CHANNEL - DEDICATED TRANSPORT																
NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	18 81	386 33	66 35	73 04	6 37		19 99				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	18 81	386 33	66 35	73 04	6 37		19 99				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	20 12	387 2	67 22	73 98	7 31		19 99				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	44 63	355 06	307 53	44 24	30 42		19 99				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	40 74	355 06	307 53	44 24	30 42		19 99				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	42 95	355 06	307 53	44 24	30 42		19 99				

	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	8 98											
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	583 57	903 34	528 05	238 2	166 62		19 99					
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	8 98											
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	550 34	903 34	528 05	238 2	166 62		19 99					
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System		UXTD1	MO1	139 65	182 14	125 19	21	19 52		19 99					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	1 63	13 16	9 43									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3 5	13 16	9 43									
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	0 7676	13 16	9 43									
	DS3 to DS1 Channel System per month		UXTD3	MQ3	194 82	356 4	168	66 3	63 44		19 99					
	STS1 to DS1 Channel System per month		UXTS1	MQ3	194 82						19 99					
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	14 53	13 16	9 43									
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	48											
	NRC Dark Fiber - Local Channel		UDF	UDFC4		1278 61	275 82	632 07	394 05		19 99					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	31 51											
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1278 61	275 82	632 07	394 05		19 99					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	48											
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1278 61	275 82	632 07	394 05		19 99					
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 91	23 82	1 99	0 78		19 99					
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 91	23 82	1 99	0 78		19 99					
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		10 05	1 19				19 99					
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			30 59	3 22				19 99					
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		30 59	3 22				19 99					
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		6 97	3 49				19 99					
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		8 16	4 67				19 99					
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		11 24	1 19				19 99					
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		6 97					19 99					
	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query		OHD		0 001											
	8XX Access Ten Digit Screening w/8XX No Delivery for 8XX Numbers, with Optional Complex Features, per query		OHD		0 0011											
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query		OHD		0 001											
	8XX Access Ten Digit Screening w/ POTS No Delivery, with Optional Complex Features, per query		OHD		0 0011											
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query		OQT		0 00006											
	LIDB Validation Per Query		OQU		0 00938											
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		107 6					19 99					
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port		1DB	PT8SX	174 08						19 99					
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 000102042											
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	16 31	354 95	354 95	174 08	174 08		19 99					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	16 31	354 95	354 95	174 08	174 08		19 99					
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 000037893											
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	329 98						19 99					
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40				19 99					
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8				19 99					
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query		OQV		0 016											
	CNAM for Non DB Owners, Per Query		OQV		0 01											
	CNAM (Non-Databe Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595				19 99					

LNP QUERY SERVICE																
OPERATOR SERVICES AND DIRECTORY ASSISTANCE																
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 2											
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24											
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 2											
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2											
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Call				1											
	Inward Operator Services - Verification and Emergency Interrupt - Per Call				1 95											
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement			CBAOS		7000	7000				19 99					
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500				19 99	19 99	19 99			
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call				0 275											
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1											
	UNBRANDING															
	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1				36 32	637 46	546 94				19 99					
	Directory Transport - DS1 Level Interoffice Per Mile				0 45											
	Directory Transport - DS1 Level Interoffice Per Facility Termination				55 05	298 18	231 18				19 99					
	Switched Common Transport Per DA Access Service Per Call				0 000175											
	Switched Common Transport Per DA Access Service Per Call Per Mile				0 000004											
	Access Tandem Switching Per DA Access Service Per Call				0 000783											
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection					501 96	13 32				19 99					
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				0 04											
	Directory Assistance Data Base Service, per month			DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000									
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690									
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		229 65	229 65					19 99	19 99			
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connects (loop)		ueani,uea,udn,udc,u ai,uhl,ucl,ueq	UEAC2	0 31	54 21	51 07				19 99					
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB	VE1LS	0 31	54 21	51 07				19 99					
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 31	54 21	51 07				19 99					
	Virtual Collocation - 4-wire Cross Connects (loop)		uea,uhl,ucl,udl	UEAC4	0 62	54 23	50 98				19 99					
	Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 62	54 23	50 96				19 99					
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	15 64	41 56	29 82					19 99	19 99	19 99	19 99	
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	28 11	50 53	38 78					19 99	19 99	19 99	19 99	
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	1 5	44 07	31 86	12 76	11 53							
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment		SRC	SRCEC		391788					19 99					
	End Office Establishment		SRC	SRCEO		320 53	320 53				19 99					
	Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06				19 99					
	Query NRC, per query		SRC		0 000448											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
ODUF/EODUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message				0 004											
	ADUF Data Transmission (CONNECT DIRECT), per message				0 001											
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message				0 004											

OPTIONAL DAILY USAGE FILE (ODUF)																
	ODUF Recording, per message				0 0008611											
	ODUF Message Processing, per message				0 0032357											
	ODUF Message Processing, per Magnetic Tape provisioned				55 68											
	ODUF Data Transmission (CONNECT DIRECT), per message				0 0000365											
ENHANCED EXTENDED LINK (EELs)																
NOTE New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL, Miami, FL, Ft Lauderdale, FLI, Nashville, TN, New Orleans, LA,																
NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge																
NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)																
NOTE In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge)																
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1		UNCVX	UEAL2	17 27										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	2		UNCVX	UEAL2	32 32										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	3		UNCVX	UEAL2	55 78										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	97 38										
	DS1 Channelization System Per Month			UNC1X	MQ1	139 65										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 7676										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1		UNCVX	UEAL2	17 27										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2		UNCVX	UEAL2	32 32										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3		UNCVX	UEAL2	55 78										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7676										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNCVX	UEAL4	20 92										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNCVX	UEAL4	39 14										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNCVX	UEAL4	67 57										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	97 38										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7676										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNCVX	UEAL4	20 92										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNCVX	UEAL4	39 14										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNCVX	UEAL4	67 57										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNCDX	UDL56	35 92										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2		UNCDX	UDL56	40 32										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3		UNCDX	UDL56	37 9										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	97 38						19 99				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbe)			UNCDX	1D1DD	1 63										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1		UNCDX	UDL56	35 92						19 99				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2		UNCDX	UDL56	40 32						19 99				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Tranport Combination - Zone 3	3		UNCDX	UDL56	37 9						19 99				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbe)			UNCDX	1D1DD	1 63										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1		UNCDX	UDL64	35 92										

First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 32											
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 9											
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97 38											
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65											
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 63	0	0									
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35 92											
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 32											
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 9											
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 63											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99					
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	50 26											
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	94 06											
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	162 34											
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97 38											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99					
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50 26											
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94 06											
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162 34											
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	5 1											
Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1191 53											
DS3 to [illegible] Channel System combination per month			UNC3X	MQ3	194 82											
DS3 [illegible] Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 53											
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50 26											
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94 06											
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162 34											
DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 53											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 19	11 19	13 91	13 91		19 99					
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17 27											
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32 32											
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	55 78											
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0118											
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	29 51						19 99					
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 19	11 19	13 91	13 91		19 99					
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	20 92											
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39 14											
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	67 57											
Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0118											
Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	26 22											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 19	11 19	13 91	13 91		19 99					
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11 53											
High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	379 72											
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5 1											
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1191 53											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 19	11 19	13 91	13 91		19 99					
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	11 53											

	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	394 76											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	5 1											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	1165 53											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 19	11 19	13 91	13 91		19 99					
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	23 66											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	44 28											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	76 42											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 2407											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	97 38											
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	139 65											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 5											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	23 66											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	44 28											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	76 42											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3 5											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99					
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 26											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	94 06											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	162 34											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	5 1											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	1165 53											
	STS1 to DS1 Channel System combination per month		UNCSX	MQ3	194 62											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 53											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 26											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	94 06											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	162 34											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 53											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 19	11 19	13 91	13 91		19 99					
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	35 92											
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	40 32											
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	37 9											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0118											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	21 26											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 19	11 19	13 91	13 91		19 99					
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	35 92											
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	40 32											
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	37 9											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0118											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	21 26											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 19	11 19	13 91	13 91		19 99					
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 19	11 19	13 91	13 91		19 99					
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 19	11 19	13 91	13 91		19 99					
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99					
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 19	11 19	13 91	13 91		19 99					
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 19	11 19	13 91	13 91		19 99					

	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis															
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 5										
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.		UEPSR	UEPRL	2 61	24 98	24 98				19 99					
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		UEPSR	UEPRC	2 61	24 98	24 98				19 99					
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 61	24 98	24 98				19 99					
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res		UEPSR	UEPRM	2 61	24 98	24 98				19 99					
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2 61	24 98	24 98				19 99					
	Subsequent Activity		UEPSR	USASC	0	0	0									
	FEATURES															
	All Available Vertical Features		UEPSR	UEPVF	3 39	0	0				19 99					
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 61	37 55	37 55				19 99					
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2 61	37 55	37 55				19 99					
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.		UEPSB	UEPBO	2 61	37 55	37 55				19 99					
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPBM	2 61	37 78	37 78				19 99					
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 61	37 55	37 55				19 99					
	Subsequent Activity		UEPSB	USASC	0	0	0									
	FEATURES															
	All Available Vertical Features		UEPSB	UEPVF	3 39	0	0				19 99					
	EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	10 97	238 69	37 49	119 4	7 5		19 99					
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	83 28	404 18	191 44	144 71	4 9		19 99					
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	15 02	145 59	108 01	95 93	21 55		19 99					
	All Features Offered		UEPTX UEPSX	UEPVF	3 39	0	0									
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0									
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	113 21	407 77	203 18	157 84	39 98		19 99					
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 61	36 47	36 47				19 99					
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 61	36 47	36 47				19 99					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 61	36 47	36 47				19 99					
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 61	36 47	36 47				19 99					
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 61	36 47	36 47				19 99					
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD		UEPSP	UEPXF	2 61	36 47	36 47				19 99					
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		UEPSP	UEPXG	2 61	36 47	36 47				19 99					

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			16 15											
2-Wire VG Loop/Port Combo - Zone 2		2			22 34											
2-Wire VG Loop/Port Combo - Zone 3		3			30 88											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13 54											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19 73											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	28 27											
2-Wire Voice Grade Line Port (Bus)																
2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 61							19 99				
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 61							19 99				
2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 61							19 99				
2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPBX	UEPBM	2 61							19 99				
2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2 61							19 99				
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPBX	LNPCX	0 35											
FEATURES																
All Features Offered			UEPBX	UEPVF	3 39	0	0					19 99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPBX	USAC2		10	10					19 99				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		10	10									
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								19 99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			16 15											
2-Wire VG Loop/Port Combo - Zone 2		2			22 34											
2-Wire VG Loop/Port Combo - Zone 3		3			30 88											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13 54											
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19 73											
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	28 27											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2 61								19 99	19 99		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRG	LNPCP	3 5											
FEATURES																
All Features Offered			UEPRG	UEPVF	3 39	0	0					19 99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		10	10					19 99				
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		10	10					19 99				
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			16 15											
2-Wire VG Loop/Port Combo - Zone 2		2			22 34											
2-Wire VG Loop/Port Combo - Zone 3		3			30 88											

	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2 57	0	0									
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
FEATURES																	
	All Features Offered			UEPCO	UEPVF	3.39	0	0				19 99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPCO	USAC2		10	10				19 99					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		10	10				19 99					
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0				19 99					
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1				28 72											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2				34 9											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				45 9											
UNE Loop Rates																	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1		UEPPX	UECD1	17 78						19 99					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2		UEPPX	UECD1	23 96						19 99					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3		UEPPX	UECD1	34 96						19 99					
UNE Port Rate																	
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	10 94						19 99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 62	3 73				19 99					
ADDITIONAL NRCs																	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 58	53 58				19 99					
Telephone Number/Trunk Group Establishment Charges																	
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0				19 99					
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0				19 99					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0				19 99					
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				19 99					
	Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99					
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1		UEPPB UEPPR		35 4											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2		UEPPB UEPPR		44 09											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3		UEPPB UEPPR		55 35											
UNE Loop Rates																	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1		UEPPB UEPPR	USL2X	22 41						19 99					
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2		UEPPB UEPPR	USL2X	31 1						19 99					
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3		UEPPB UEPPR	USL2X	42 36						19 99					
UNE Port Rate																	
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	12 99						19 99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	77 04	54 04				19 99					
ADDITIONAL NRCs																	
LOCAL NUMBER PORTABILITY																	

	Two-way			UEPPP	PR7CC	0	0	0									
nteroffice Channel Mileage																	
	Fixed Each Including First Mile			UEPPP	1LN1A	55 5	298 18	231 23	0			19 99					
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 45											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		189 32						19 99					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		218 43						19 99					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		269 54						19 99					
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	106 04						19 99					
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC					23 33		19 99					
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	186 15						19 99					
UNE Port Rate																	
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	83 28						19 99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC	USAC4		261 15	134 08				19 99					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		261 15	134 08				19 99					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		261 15	134 08				19 99					
ADDITIONAL NRCs																	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 96	28 96				19 99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 96	28 96				19 99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subeqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 96	28 96				19 99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subeqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 96	28 96				19 99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subeqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 96	28 96				19 99					
BIPOLAR 8 ZERO SUBSTITUTION																	
	B8ZS -Superframe Format			UEPDC	CCOSF		0	730				19 99					
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	730				19 99					
Alternate Mark Inversion																	
	AMI -Superframe Format			UEPDC	MCOSF		0	0									
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0									
Telephone Number/Trunk Group Establisment Charges																	
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0											
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19 99					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19 99					
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19 99					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0						19 99					
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0	0	0				19 99					
	Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99					
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNQ1	55 05	298 18	231 23	0	0		19 99					
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNQA	0 45	0	0									
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNQ2	0	0	0									
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNQB	0 45	0	0									
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNQ3	0	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNQC	0 45	0	0									
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0								
	Central Office Terminating Point			UEPDC	CTG	0											
1-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																	
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																	
Each System can have up to 24 combinations of rates depending on type and number of ports used																	
UNE DS1 Loop																	

	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	106 04	0	0									
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	135 15	0	0									
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	186 15	0	0									
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	136 99	0	0									
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	273 98	0	0									
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	547 96	0	0									
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	821 94	0	0									
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	1095 92	0	0									
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1369 9	0	0									
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1643 88	0	0									
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	2191 84	0	0									
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2739 8	0	0									
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	3287 76	0	0									
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3835 72	0	0									
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.																
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	301 05	16 72				19 99					
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																
New (Not Currently Combined) in Georgia & Tennessee Only																
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	716 36	468 2	149 3	17 71		19 99					
Bipolar 8 Zero Substitution																
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	730				19 99					
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	730				19 99					
Alternate Mark Inversion (AMI)																
	Superframe Format		UEPMG	MCOSF	0	0	0									
	Extended Superframe Format		UEPMG	MCOPO	0	0	0									
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 66	0	0	0	0		19 99					
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 66	0	0	0	0		19 99					
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 66	0	0	0	0		19 99					
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	10 97	0	0	0	0		19 99					
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 77	25 4	13 41	4 17	4 15		19 99					
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 77	78 15	19 68	59 05	11 54		19 99					
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0											
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99					
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				19 99					
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0									
	Reserve DID Numbers		UEPPX	NDV	0	0	0									
Local Number Portability																
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0									
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available		UEPPX	UEPVF	3 39	0	0				19 99					
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules																
These scenarios include																
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee																
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines																
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)																
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference																
The Market Rate for unbundled ports includes all available features in all states																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)																

For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73											
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27											
UNE Loop Rates																
	2 Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	13 54											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 73											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	28 27											
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90				19 99					
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90				19 99					
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90				19 99					
	2-Wire voice unbundles res. low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90				19 99					
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPRX	UEPVF	0	0	0									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73											
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	13 54											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 73											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	28 27											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90				19 99					
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90				19 99					
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90				19 99					
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73											
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	13 54											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	19 73											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	28 27											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14	90	90				19 99					

LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73											
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	28 27											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14	90	90					19 99				
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14	90	90					19 99				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14	90	90					19 99				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14	90	90					19 99				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14	90	90					19 99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14	90	90					19 99				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14	90	90					19 99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14	90	90					19 99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14	90	90					19 99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD		UEPPX	UEPXF	14	90	90					19 99				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		UEPPX	UEPXG	14	90	90					19 99				
	2 Wire Voice Unbundled PBX Kentucky Premium Calling Port		UEPPX	UEPXH	14	90	90					19 99				
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD		UEPPX	UEPXJ	14	90	90					19 99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL								19 99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14							19 99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14	90	90					19 99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14	90	90					19 99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		0	0									
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1				27 54											
	2-Wire VG Coin Port/Loop Combo – Zone 2				33 73											
	2-Wire VG Coin Port/Loop Combo – Zone 3				42 27											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	13 54											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	19 73											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	26 27											
2-Wire Voice Grade Line Port Rates (Coin)																

	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14	90	90				19 99				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	14	90	90				19 99				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90				19 99				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	14	90	90					33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14	90	90				19 99				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	14	90	90				19 99				
	2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS)			UEPCO	UEPRJ	14	90	90				19 99				
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14	90	90				19 99				
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	90	90				19 99				
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																	
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0									

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring									
														Nonrecurring			
														Disconnect			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14 96	40 69	29 96	11 48	3 36			18 14	8 06	11 41	11 41
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	25 69	40 69	29 96	11 48	3 36			18 14	8 06	11 41	11 41
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	52 47	40 69	29 96	11 48	3 36			18 14	8 06	11 41	11 41
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	14 96	40 69	29 96	11 48	3 36			18 14	8 06	11 41	11 41
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	25 69	40 69	29 96	11 48	3 36			18 14	8 06	11 41	11 41
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	52 47	40 69	29 96	11 48	3 36			18 14	8 06	11 41	11 41
		Engineering Information Document (EI)			UEANL			28 72	28 72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		34 9	34 9								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		32 77	32 77								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17 65	99 69	74 73	28 73	18 87			18 14	8 06	11 41	11 41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	30 32	99 69	74 73	28 73	18 87			18 14	8 06	11 41	11 41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	61 93	99 69	74 73	28 73	18 87			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		32 77									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17 65	99 69	74 73	28 73	18 87			18 14	8 06	11 41	11 41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	30 32	99 69	74 73	28 73	18 87			18 14	8 06	11 41	11 41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	61 93	99 69	74 73	28 73	18 87			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		32 77									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24 36	198 1	163 26	74 27	39 44			18 14	8 06	11 41	11 41
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	41 85	198 1	163 26	74 27	39 44			18 14	8 06	11 41	11 41
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85 47	198 1	163 26	74 27	39 44			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		32 77									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21 15	223 27	172 63	74 27	39 44			18 14	8 06	11 41	11 41
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	36 32	223 27	172 63	74 27	39 44			18 14	8 06	11 41	11 41
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	74 19	223 27	172 63	74 27	39 44			18 14	8 06	11 41	11 41
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		32 77									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	28 55	233 18	158 33	105 01	20 41			18 14	8 06	11 41	11 41
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	37 12	233 18	158 33	105 01	20 41			18 14	8 06	11 41	11 41
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	51 88	233 18	158 33	105 01	20 41			18 14	8 06	11 41	11 41
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11 9	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	20 43	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	41 73	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		32 77									

2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	UAL	UAL2W	11 9	204 74	129 02	100 41	15 81			18 14	8 06	11 41	11 41
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	2	UAL	UAL2W	20 43	204 74	129 02	100 41	15 81			18 14	8 06	11 41	11 41
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	3	UAL	UAL2W	41 73	204 74	129 02	100 41	15 81			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		32 77									
I-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8 97	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	15 41	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	31 48	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		32 77									
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8 97	222 04	146 33	100 41	15 81			18 14	8 06	11 41	11 41
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	15 41	222 04	146 33	100 41	15 81			18 14	8 06	11 41	11 41
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	31 48	222 04	146 33	100 41	15 81			18 14	8 06	11 41	
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		32 77									
I-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	12 97	361 45	328 35	72 54	39 42			18 14	8 06	11 41	11 41
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	21 76	361 45	328 35	72 54	39 42			18 14	8 06	11 41	11 41
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	44 44	361 45	328 35	72 54	39 42			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		32 77									
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	12 97	279 17	203 45	111 45	20 98			18 14	8 06	11 41	11 41
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	21 76	279 17	203 45	111 45	20 98			18 14	8 06	11 41	11 41
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	44 44	279 17	203 45	111 45	20 98			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		32 77									
I-WIRE DS1 DIGITAL LOOP														
4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	56 32	410 38	255 48	92 35	38 44			18 14	8 06	11 41	11 41
4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	96 73	410 38	255 48	92 35	38 44			18 14	8 06	11 41	11 41
4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	197 57	410 38	255 48	92 35	38 44			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL		33 05									
-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
4 Wire Unbundled Digital 19 2 Kbps	1	UDL	UDL19	27 5	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
4 Wire Unbundled Digital 19 2 Kbps	2	UDL	UDL19	47 24	333 28	230 5	87 99	44 24			18 14	8 04	11 41	11 41
4 Wire Unbundled Digital 19 2 Kbps	3	UDL	UDL19	96 48	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	27 5	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	47 24	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	96 48	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		32 77									
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	27 5	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	47 24	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	96 48	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		32 77									
-WIRE Unbundled COPPER LOOP														
2-Wire Unbundled Copper Loop/Short Including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	15 97	283 15	163 59	120 02	22 34			19 99	19 99	19 99	19 99
2-Wire Unbundled Copper Loop/Short Including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	17 99	283 15	163 59	120 02	22 34			19 99	19 99	19 99	19 99
2 Wire Unbundled Copper Loop/Short Including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	18 18	283 15	163 59	120 02	22 34			19 99	19 99	19 99	19 99

		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	15 97	202 88	127 16	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17 47	202 88	127 16	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	18 18	202 88	127 16	100 41	15 81			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	42 85	269 99	150 43	120 02	22 34			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	57 79	269 99	150 43	120 02	22 34			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	100 8	269 99	150 43	120 02	22 34			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	42 85	189 73	114 01	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	57 79	189 73	114 01	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	100 8	189 73	114 01	100 41	15 81			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			18 14	8 06	11 41	11 41
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06			18 14	8 06	11 41	11 41
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			18 14	8 06	11 41	11 41
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		34 9	34 9								
		Engineering Information Document			UEQ			28 72	28 72								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	28 68	331 51	211 94	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	26 01	331 51	211 94	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	27 9	331 51	211 94	132 43	27 97			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	28 68	251 24	175 52	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	26 01	251 24	175 52	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	27 9	251 24	175 52	111 45	20 98			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	76 23	318 35	198 79	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	112 23	318 35	198 79	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	138 01	318 35	198 79	132 43	27 97			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	76 23	236 09	162 37	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	112 23	236 09	162 37	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	138 01	236 09	162 37	111 45	20 98			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 11	65 11								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		341 16	341 16								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 11	65 11								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		341 16	341 16								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 15	65 15								

SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		612 58	612 58					18 14	8 06	11 41	11 41
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		45 22	45 22					18 14	8 06	11 41	11 41
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		379 35	379 35					18 14	8 06	11 41	11 41
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		110 17	110 17					18 14	8 06	11 41	11 41
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	10 23	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	13 92	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	20 22	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	15 14	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19 64	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	24	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 18	105 91	36 3	90 39	13 37			18 14	8 06	11 41	11 41
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	7 2	118 39	48 77	100 74	18 38			18 14	8 06	11 41	11 41
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	8 41	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	11	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	13 5	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		32 77	32 77								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	10 13	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	13 06	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	17 02	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		32 77	32 77								
	Sub-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		612 58									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 22	45 22								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		568 96	11 3								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	10 98	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	13 31	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21.51	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		32 77									
	Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	10 98	184 76	111 8	108 27	26 66						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	13 31	184 76	111 8	108 27	26 66						
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21 51	184 76	111 8	108 27	26 66						19 99
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		32 77									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	10 98	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	13 31	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21 51	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		32 77									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	25 83	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	26 93	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	25 51	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		32 77									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	25 83	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	36 93	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	25 51	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		32 77									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19 39	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	24 12	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	32 5	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		32 77									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19 39	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	24 12	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	32 5	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	64 62	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	92 63	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	309 79	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		32 77									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	8 74	167 38	92 53	105 91	21 31			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	7 61	167 38	92 53	105 91	21 31			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	5 83	167 38	92 53	105 91	21 31			19 99	19 99	19 99	19 99

	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		32 77									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	20 46	201 76	126 91	117 34	26 87			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	14 8	201 76	126 91	117 34	26 87			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	12 89	201 76	126 91	117 34	26 87			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		32 77									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	27 11	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	24 84	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	24 95	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	27 11	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	24 84	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24 95	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		32 77									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	27 11	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	24 84	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24 95	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		32 77									
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		355 32	12 25					18 14	8 06	11 41	11 41
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		355 32	12 25					18 14	8 06	11 41	11 41
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		559 94	14 28					18.14	8 06	11 41	11 41
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 35	62 26	62 26					18 14	8 06	11 41	1 41
Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86 37	56 69					18 14	8 06	11 41	11 41
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127 79	98 11					18 14	8 06	11 41	11 41
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 72	11 72					18 14	8 06	11 41	11 41
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11 72	11 72					18 14	8 06	11 41	11 41
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	432 54	650 11	650 11					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	61 71	270 88	270 88					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	476 24	650 11	650 11					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	103 99	270 88	270 88					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 91	126 43	92 04	34 02	9 52			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	9 39	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	9 39	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 35	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	13 95	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	8 32	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	40 67	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	12 33	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	12 33	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	12 33	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ, UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL ,UDN,UEA,UHL,UL C	UNECN	0	0									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UD C	USBFQ	0	0									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									

	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
NOTE 4 month minimum billing period																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12 75										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	419 1	902 06	527 3	242 15	169 38			31 27	31 27	3 92	3 92
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12 75										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	433 21	902 06	527 3	242 15	169 38			31 27	31 27	3 92	3 92
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		47 91	47 91								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		50 8	50 8								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6852	0 6852								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	215 88	377 17	0	355 58	0		0				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	53 97	377 17	0	355 58	0		0				
	Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSD8	17 99	377 17	0	355 58	0		0				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	36 97	21 17	20	9 82			18 14	8 06	11 41	11 41
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		32 74	16 35					18 14	8 06		
	Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)	I		ULS	ULSDG		57 64		11 37							
UNBUNDLED TRANSPORT																
COMMON TRANSPORT (Shared)																
	Common Transport - Per Mile, Per MOU					0 0000083										
	Common Transport - Facilities Termination Per MOU					0 00047										
NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0165										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	26 12	80 98	54 76	33 91	13 97			31 27	31 27	3 92	3 92
	Interoffice Channel - Dedicated Tranapor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0165										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	26 12	80 98	54 76	33 91	13 97			31 27	31 27	3 92	3 92
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0165										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22 89	80 98	54 76	33.91	13.97			31.27	31 27	3 92	3 92
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0165										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	18 04	80 99	54 76	33 91	13 97			31 27	31 27	3 92	3 92
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0165										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	18 04	80 99	54 76	33 91	13 97			31 27	31 27	3 92	3 92
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3367										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	81 45	178 34	163 44	33 13	29 27			31 27	31 27	3 92	39 92
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	7 67										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	982 87	556 98	325 16	121 99	118 47			31 27	31 27	3 92	3 92
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	7 67										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	959 46	556 89	325 16	121 99	118 47			31 27	31 27	3 92	3 92
LOCAL CHANNEL - DEDICATED TRANSPORT																
NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	21 44	385 78	66 26	74 25	6 48			31 27	31 27	3 92	3 92
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	21 44	385 78	66 26	74 25	6 48			31 27	31 27	3 92	3 92
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	22 7	385 78	66 26	74 25	6 48			31 26	31 26	3 92	3 92
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	45 1	354 56	307 1	44 97	30 93			31 27	31 27	3 92	3 92
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	85 62	354 56	307 1	44 97	30 93			31 27	31 27	3 92	3 92
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	144 54	354 56	307 1	44 97	30 93			31 27	31 27	3 92	3 92

	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	9 92											
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	543 82	902 06	527 3	242 15	169 38			31 27	31 27	3 92	3 92	
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	9 92											
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	529 62	902 06	527 3	242 15	169 38			31 27	31 27	3 92	3 92	
	Local Channel - Dedicated - OC12 - Facility Termination per month				3372 85	1181 77	408 27	121 99	118 47			50 25	50 25	20 94	20 94	
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	121 5	181 88	125 01	21 35	19 84			31 27	31 27	3 92	3 92	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	1 6	13 14	9 42									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3 43	13 14	9 42									
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	0 7509	13 14	9 42									
	DS3 to DS1 Channel System per month		UXTD3	MQ3	233 25	355 89	187 73	67 4	64 49			31 27	31 27	3 92	3 92	
	STS1 to DS1 Channel System per month		UXTS1	MQ3	233 25	355 89	187 73	67 4	64 49			31 27	31 27	3 92	3 92	
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	13 64	13 14	9 42									
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	62 92											
	NRC Dark Fiber - Local Channel		UDF	UDFC4		1276 79	275 43	642 55	400 58			31 27	31 27	3 92	3 92	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	31 78											
	NRC Dark Fiber - Interoffice Channel		UDF	UDFI4		1276 79	275 43	642 55	400 58			31 27	31 27	3 92	3 92	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	62 92											
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1276 79	275 43	642 55	400 58			31 27	31 27	3 92	3 92	
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 65	23 7	1 97	0 77			29 2	3 92			
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 65	23 7	1 97	0 77			29 2	3 92			
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call		OHD		0 0005305											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		6 29	0 73	18 14				18 14	18 14	11 4	11 4	
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			12 27	1 39	8 3	0 73			18 14	18 14	11 4	11 4	
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		12 27	1 39	8 3	0 73			18 14	18 14	11 4	11 4	
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		4 27	2.14					18 14	18 14	11 4	11 4	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		5	2 86					18 14	18 14	11 4	11 4	
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		7 01	0 73					18 14	18 15	11 4	11 4	
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		4 27						18 14	18 14	11 4	11 4	
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query		OQT		0 0000418											
	LIDB Validation Per Query		OQU		0 0103774											
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		48 17						18 14	18 14	11 4	11 4	
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port		1DB	PT8SX	161 99							18 14	18 14	11 4	11 4	
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 0001052											
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	19 48	126 34	126 34	101 1	101 1			18 14	18 14	11 4	11 4	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	19 48	126 34	126 34	101 1	101 1			18 14	18 14	11 4	11 4	
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 000043											
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	406 71							18 14	18 14	11 4	11 4	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40					18 14	18 14	11 4	11 4	
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8					18 14	18 14	11 4	11 4	
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query		OQV		0 016											
	CNAM for Non DB Owners, Per Query		OQV		0 01											
	CNAM (Non-Datab Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595					18 14	18 14	11 4	11 4	
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															

OPERATOR CALL PROCESSING															
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 2										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 2										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2										
INWARD OPERATOR SERVICES															
	Inward Operator Services - Verification, Per Minute				1 15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES															
	DIRECTORY ASSISTANCE ACCESS SERVICE														
	Directory Assistance Access Service Calls, Charge Per Call				0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
	UNBRANDING														
	DIRECTORY TRANSPORT														
	Directory Transport - Local Channel DS1				43 83	339 69	298 29	33 02	23 32			42 34	42 34	19 48	19 48
	Directory Transport - DS1 Level Interoffice Per Mile				0 78										
	Directory Transport - DS1 Level Interoffice Per Facility Termination				93 4	140 49	106 69	20	16 34			18 14	18.14	8 06	8 06
	Switched Common Transport Per DA Access Service Per Call				0 0003274										
	Switched Common Transport Per DA Access Service Per Call Per Mile				0 0000175										
	Access Tandem Switching Per DA Access Service Per Call				0 0025257										
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection					195 54	4 23					130 05	4 23		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)														
	Directory Assistance Data Base Service Charge Per Listing				0 04										
	Directory Assistance Data Base Service, per month			DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE															
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690								
SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		229 65	229 65					31 92	7 32		
VIRTUAL COLLOCATION															
	Virtual Collocation - 2-wire Cross Connects (loop)		usant,usa,udn,udc,u al,uhl,ucl,usq	UEAC2	0 26	23 04	22 11	9 48	8 54			19 99	19 99	19 99	19 99
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR, UEPSB	VE1LS	0 26	23 04	22 11	9 48	8 54			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 26	23 04	22 11	9 48	8 54			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)		usa,uhl,ucl,udl	UEAC4	0 52	23 23	22 24	9 53	8 55			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 52	23 23	22 24	9 53	8 55			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	19 13	41 07	29 63	12 84	10 29			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	34 38	49 81	38 37	16 75	14 2			19 99	19 99	19 99	19 99
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7 5	43 61	30 6	9 56	8 63						
IN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment		SRC	SRCEC		391788						19 99	19 99	19 99	19 99
	End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query		SRC		0 000448										
IN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		153 31	153 31	78 06	78 06			18 14	18 14	11.4	11.4
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		50 07	50 07	18 61	18 61			18 14	18 14	11 4	11.4
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		50 07	50 07	18 61	18 61			18 14	18 14	11.4	11 4
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		104 95	104 95	48 95	48 95			18 14	18 14	11.4	11 4
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		125 33	125 33	24 4	24 4			18 14	18 14	11 4	11 4
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0029										
	AIN SMS Access Service - Session, Per Minute				0 1										
	AIN SMS Access Service - Company Performed Session, Per Minute				1 97										
IN - BELLSOUTH AIN TOOLKIT SERVICE															

	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		153 25	153 25	78 05	78 05			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8315	8315					18 14	18 14	11.4	11.4
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt			BAPTT		41 08	41 08	18 6	18 6			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		41 08	41 08	18 6	18 6			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		41 08	41 08	18 6	18 6			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		92 99	92 99	26 73	26 73			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		92 99	92 99	26 73	26 73			18 14	18 14	11.4	11 4
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		92 99	92 99	26 73	26 73			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Query Charge, Per Query				0 03										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 0065										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 79										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	15 89	34 61	34 61	21 97	21 97			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 06	37 77	37.77					18 14	18 14	11.4	11.4
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 81	34 61	34 61	21 97	21 97			18 14	18 14	11.4	11.4
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0 0026	37 77	37 77					18 14	18 14	11.4	11 4
ODUF/EODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message				0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 0000305										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message				0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message				0 00019										
	ODUF Message Processing, per message				0 0024										
	ODUF Message Processing, per Magnetic Tape provisioned				47 3										
	ODUF Data Transmission (CONNECT DIRECT), per message				0 00003										
ENHANCED EXTENDED LINK (EELs)															
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;														
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.														
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)														
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	UNCVX	UEAL2	17 65	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	2	UNCVX	UEAL2	30 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	3	UNCVX	UEAL2	61 83	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 3367										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	81 45	295 39	213 86	78 86	34 76			31 27	31 27	3 92	3 92
	DS1 Channelization System Per Month		UNC1X	MQ1	121 5	123 37	26 67	3.42	3 08						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	0 7509	12 15	8 76								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 65	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	30 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	61 83	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 7509	12 15	8 76								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 36	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	41 85	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	85 47	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3367										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	81 45	295 39	213 86	78 86	34 76			31 27	31 27	3 92	3 92
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 7509	12 15	8 76								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 36	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92

Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	41 85	193 82	92 77	82 08				31 27	31 27	3 92	3 92
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	85 47	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 7509	12 15	8 76								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 5	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	47 24	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	96 48	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3367										
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	81 45	295 39	213 71	78 86	34 78			31 27	31 27	3 92	3 92
Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 6	12 15	8 76								
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 5	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	47 24	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	96 48	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 6	13 14	9 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 5	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	47 24	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	96 48	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3367										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	81 45	295 39	213 71	78 86	34 78			31 27	31 27	3 92	3 92
Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
OCU DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 6	12 15	8 76								
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 5	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	47 24	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	96 48	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 6	12 15	8 76								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	56 32	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	96 73	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	197 57	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3367										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	81 45	295 39	213 86	78 86	34 76			31 27	31 27	3 92	3 92
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	13 91			31 27	31 27	3 92	3 92
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	56 32	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	96 73	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	197 57	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	7 67										
Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	982 87	507 48	221 03	54 07	28 12			31 27	31 27	3 92	3 92
DS3 to DS1 Channel System combination per month		UNC3X	MQ3	233 25	323 12	127 13	37 72	19 37						
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	13 64	12 16	8 77								
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	56 32	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	96 73	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	197 57	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	13 64	12 16	8 77								

	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 65	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	30 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	2-WireVG Loop used with 2-wire VG Interoffice Tranaport Combination - Zone 3	3	UNCVX	UEAL2	61 93	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0165										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	26 12	149 36	85 88	78 02	34 89			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 36	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	41 85	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	85 47	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0165										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	22 89	149 36	85 88	78 02	34 89			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	12 75										
	ty Unbundled Local Loop - DS3 combination - Facility Termination per		UNC3X	UE3PX	419 1	387 7	258 22								
	...d Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	7 67										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	982 67	610 38	249 26	72 2	39 86			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	12 75										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	433 21	387 7	258 22								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	7 67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	959 46	610 38	249 26	72 2	39 86			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	21 15	193 82	92 77	82 08	12 22			31 26	31 26	3 91	3 91
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	36 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	74 19	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 3367										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month		UNC1X	U1TF1	81 45	295 39	213 86	78 86	34 78			31 27	31 27	3 92	3 92
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 43	12 15	8 76								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	21 15	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	36 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	74 19	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3 43	12 15	8 76								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)																
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	56 32	348 15	207 55	89 86	28			31 27	31 27	3 92	3 92
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	96 73	348 15	207 55	89 86	28			31 27	31 27	3 92	3 92
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	197 57	348 15	207 55	89 86	28			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	7 67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	959 46	610 38	249 52	72 52	39 88			31 27	31 27	3 92	3 92
	STS1 to DS1 Channel System combination per month		UNCSX	MO3	233 25	220 23	98 9	19 27	7 61						
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	13 64	12 16	8 77								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	56 32	348 15	207 55	89 86	28			31 27	31 27	3 92	3 92
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	96 73	348 15	207 55	89 86	28			31 27	31 27	3 92	3 92
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	197 57	348 15	207 55	89 86	28			31 27	31 27	3 92	3 92
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	13 64	12 16	8 77								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)																
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 5	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92

	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	47 24	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	96 48	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0165										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	18 04	149 36	86	78 02	34 89			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 5	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	47 24	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	96 48	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0165										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	18 04	149 36	86	78 02	34 89			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		0	11 7	14 14	14 14			31 27	31 27	3 92	3 92
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														
	Access to DCS - Customer Reconfiguration (FlexServ)														
	Node (SynchroNet)														
	Node per month		UNCDX	UNCNT	15 43										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order. CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection bellsouth com/become_a_clec/html/interconnection.htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE. Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAS	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)		UEPSR	UEPAG	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	8 28	0	0					18 14	8 06	10 39	10 39
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39

	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAX	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exhange Ports - 2-Wire VG unbundled Incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)		UEPSB	UEPAA	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Subsequent Activity		UEPSB	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSB	UEPVF	8 28	0	0					18 14	8 06	10 39	10 39
EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 52	238 35	37 44	121 38	7 63			18 14	8 06	10 39	10 39
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	77 66	403 61	191 17	147 11	4 98			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	11 42	145 38	105 86	95 47	21 45			38 29	38 29	6 65	6 65
	All Features Offered		UEPTX UEPSX	UEPVF	8 28	0	0								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
	Exchange Ports - 2-Wire ISDN Port – Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	107 55	407 19	202 89	160 46	40 66			33 18	33 18	7 73	7 73
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port		UEPSP	UEPL2	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPSP	UEPXK	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPSP	UEPXP	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	Subsequent Activity		UEPSP	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSP UEPSE	UEPVF	8 28	0	0					18 14	8 06	8 94	
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				2 5	16 43	16 43	4 15	4 15			18 14	8 06	9 86	9 86
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU				0 0021										
	End Office Trunk Port - Shared, Per MOU				0 0002										
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU				0 0008										
	Tandem Trunk Port - Shared, Per MOU				0 0003										
Common Transport															
	Common Transport - Per Mile, Per MOU				0 0000083										
	Common Transport - Facilities Termination Per MOU				0 00047										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															

End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations

For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 6											
	2-Wire VG Loop/Port Combo Zone 2	2			26 69											
	2-Wire VG Loop/Port Combo - Zone 3	3			51 85											
UNE Loop Rates																
	2 Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 05											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	24 14											
	2 Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	49 3											
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	2 55									31 92	7 32	
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	2 55									31 92	7 32	
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	2 55									31 92	7 32	
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res		UEPRX	UEPAS	2 55									31 92	7 32	
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)		UEPRX	UEPAG	2 55									31 92	7 32	
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	2 55									31 92	7 32	
FEATURES																
	All Features Offered		UEPRX	UEPVF	8 28	0	0							31 92	7 32	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is		UEPRX	USAC2		3 8	0 29							31 92	7 32	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		3 8	0 29							31 92	7 32	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 11								5 12		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0	0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 6											
	2-Wire VG Loop/Port Combo - Zone 2	2			26 69											20
	2-Wire VG Loop/Port Combo - Zone 3	3			51 85											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 05											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	24 14											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	49 3											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	2 55									31 92	7 32	
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	2 55									31 92	7 32	
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	2 55									31 92	7 32	
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus		UEPBX	UEPAX	2 55									31 92	7 32	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBX	UPEB1	2 55									31 92	7 32	
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)		UEPBX	UEPAA	2 55									31 92	7 32	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPBX	UEPVF	8 28	0	0							31 92	7 32	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is		UEPBX	USAC2		3 8	0 29							31 92	7 32	

	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		3 8	0 29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 11						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2								31 92	7 32		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 6										
	2-Wire VG Loop/Port Combo - Zone 2	2			26 69										
	2-Wire VG Loop/Port Combo - Zone 3	3			51 85										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2 55							31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 5										
FEATURES															
	All Features Offered		UEPRG	UEPVF	8 28	0	0					31 92	7 32		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 11						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 6										
	2-Wire VG Loop/Port Combo - Zone 2	2			26 69										
	2-Wire VG Loop/Port Combo - Zone 3	3			51 85										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	2 55							31 92	7 32		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	2 55							31 92	7 32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port		UEPPX	UEPL2	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPPX	UEPXK	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	2 55							31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	2 55							31 92	7 32		

	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPPX	UEPXP	2 55							31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	2 55							31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
FEATURES															
	All Features Offered		UEPPX	UEPVF	8 28	0	0					31 92	7 32		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 11						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1				16 79										
	2-Wire VG Coin Port/Loop Combo – Zone 2				26 88										
	2-Wire VG Coin Port/Loop Combo – Zone 3				52 04										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	49 3										
2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	2 74							31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2 74							31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	2 74							31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	2 74							31 92	7 32		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		UEPCO	UEPRN	2 74							31 92	7 32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)		UEPCO	UEPLA	2 74							31 92	7 32		
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	2 74							31 92	7 32		
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	2 74							31 92	7 32		
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)		UEPCO	UEPNA	2 74							31 92	7 32		
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)		UEPCO	UEPCB	2 74							31 92	7 32		
ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	1 81	0	0								
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPCO	UEPVF	8 28	0	0					18 14	8 06	8 94	
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is		UEPCO	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		3 8	0 29					31 92	7 32		
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0					31 92	7 32		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			28 99										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			35 35										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			49 88										
UNE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	19 5							19 99	19 99	19 99	19 99
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	25 86							19 99	19 99	19 99	19 99

	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	40 39							19 99	19 99	19 99	19 99
UNE Port Rate															
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9 49							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is		UEPPX	USAC1		14 6	3 72					19 99	19 99	19 99	19 99
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		14 6	3 72					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53 5	53 5					19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0	0	0				19 99				
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0	0	0				19 99				
	Reserve DID Numbers		UEPPX	NDV	0	0	0				19 99				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		34 43										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		43 62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		58 76										
UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	24 92							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	33 11							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	49 25							19 99	19 99	19 99	19 99
UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	9 51							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0	76 93	53 97					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCA	0	0	0								
	CVS (EWSD)		UEPPB UEPPR	U1UCB	0	0	0								
	CSD		UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCD	0	0	0								
	CVS (EWSD)		UEPPB UEPPR	U1UCE	0	0	0								
	CSD		UEPPB UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)		UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	8 28	0	0								
INTEROFFICE CHANNEL MILEAGE															

	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	18 4	76 2	34 54					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GNM	0 0384	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		207 97										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		236 26										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		450 74										
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	100 42							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	128 71							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	343 19							19 99	19 99	19 99	19 99
UNE Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	107 55							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP	USACP	0	237 88	156 94					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0 979						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		22 99	22 99					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		45 98	45 98					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPP	LNPCN	1 75										
INTERFACE (Provisioning Only)															
	Voice/Data		UEPPP	PR71V	0	0	0								
	Digital Data		UEPPP	PR71D	0	0	0								
	Inward Data		UEPPP	PR71E	0	0	0								
New or Additional "B" Channel															
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0	29 01						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0	29 01						19 99	19 99	19 99	19 99
CALL TYPES															
	Inward		UEPPP	PR7C1	0	0	0								
	Outward		UEPPP	PR7C0	0	0	0								
	Two-way		UEPPP	PR7CC	0	0	0								
Interoffice Channel Mileage															
	Fixed Each Including First Mile		UEPPP	1LN1A	94 1831	140 49	106 69	20				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile		UEPPP	1LN1B	0 7831										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		178 08							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		206 37							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		420 85							19 99	19 99	19 99	19 99
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	100 42							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC					23 72			19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	343 19							19 99	19 99	19 99	19 99
UNE Port Rate															
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	77 66							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		266 76	123 16					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		266 76	123 16					19 99	19 99	19 99	19 99

	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		266 76	123 16					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		26 6	26 6					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format		UEPDC	CCOSF		0	605					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	605					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
	AMI -Superframe Format		UEPDC	MCOSF		0	0								
	AMI - Extended SuperFrame Format		UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0										
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0						19 99				
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0						19 99				
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0						19 99				
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0						19 99				
	Reserve Non-Consecutive DID Nos		UEPDC	ND6	0	0	0				19 99				
	Reserve DID Numbers		UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	93 4	140 49	106 69	20	16 34			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 7831	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 7831	0	0								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 7831	0	0								
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0	0	0							
	Central Office Terminating Point		UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	100 42	0	0								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	128 71	0	0								
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	343 19	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	112 51	0	0								
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	225 02	0	0								
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	450 04	0	0								
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	675 06	0	0								
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	900 08	0	0								
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1125 1	0	0								
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1350 12	0	0								
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1800 16	0	0								
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2250 2	0	0								
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2700 24	0	0								
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3150 28	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	300 63	16 7					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
New (Not Currently Combined) in Georgia & Tennessee Only															
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	715 54	467 54	148 34	17 63			19 99	19 99	19 99	19 99

Bipolar 8 Zero Substitution																
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	605					19 99	19 99	19 99	19 99
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	605					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)																
	Superframe Format		UEPMG	MCOSF	0	0	0								
	Extended Superframe Format		UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 72	0	0	0	0		19 99				
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 72	0	0	0	0		19 99				
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 72	0	0	0	0		19 99				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	9 52	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 75	25 36	13 4	4 47	4 24			19 99	19 99	19 99	19 99
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 75	78 05	16 4	60 03	11 73			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0										
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99				
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				19 99				
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0								
	Reserve DID Numbers		UEPPX	NDV	0	0	0								
Local Number Portability																
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available		UEPPX	UEPVF	8 28	0	0				19 99				

UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES

Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules
These scenarios include
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)

BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference
The Market Rate for unbundled ports includes all available features in all states
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 05											
	2-Wire VG Loop/Port Combo - Zone 2	2			38 14											
	2-Wire VG Loop/Port Combo - Zone 3	3			63 3											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 05											
	2 Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	24 14											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	49 3											
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90					31 92	7 32		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90					31 92	7 32		
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90					31 92	7 32		
	2 Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res		UEPRX	UEPAS	14	90	90					31 92	7 32		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)		UEPRX	UEPAG	14	90	90					31 92	7 32		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7)		UEPRX	UEPAH	14	90	90					31 92	7 32		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90					31 92	7 32		

LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPRX	UEPVF	0	0	0									
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is		UEPRX	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41 5	41 5									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 05											
	2-Wire VG Loop/Port Combo - Zone 2	2			38 14											
	2-Wire VG Loop/Port Combo - Zone 3	3			63 3											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 05											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	24 14											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	49 3											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90						31 92	7 32		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90						31 92	7 32		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90						31 92	7 32		
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus		UEPBX	UEPAX	14	90	90						31 92	7 32		
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)		UEPBX	UEPAA	14								31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is		UEPBX	USAC2		41 5	41.5									
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC		41 5	41 5									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 05											
	2-Wire VG Loop/Port Combo - Zone 2	2			38 14											
	2-Wire VG Loop/Port Gombo - Zone 3	3			63 3											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	14 05											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	24 14											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	49 3											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14	90	90						31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2 Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPRG	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPRG	USACC		41 5	41 5									
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0									

	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 05											
	2-Wire VG Loop/Port Combo - Zone 2	2			38 14											
	2-Wire VG Loop/Port Combo - Zone 3	3			63 3											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX	14 05											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX	24 14											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	49 3											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14		90	90					31 92	7 32		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14		90	90					31 92	7 32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port		UEPPX	UEPL2	14								31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPPX	UEPXK	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPPX	UEPXP	14		90	90					31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14		90	90					31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2			41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPPX	USACC			41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2			0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1				28 05											
	2-Wire VG Coin Port/Loop Combo – Zone 2				38 14											
	2-Wire VG Coin Port/Loop Combo – Zone 3				63 3											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 05											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	24 14											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	49 3											
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	14		90	90					31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)		UEPCO	UEPRA	14		90	90					31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	14		90	90					31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	14		90	90					31 92	7 32		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		UEPCO	UEPRN	14		90	90					31 92	7 32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)		UEPCO	UEPLA	14		90	90					31 92	7 32		

		2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14	90	90					31 92	7 32		
		2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	90	90					31 92	7 32		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	NONRECURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 5	41 5								
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5								
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Nonrecurring							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.58	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	20.65	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	29.51	59.25	43.67	16.35	4.6			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4		4	UEANL	UEAL2	38.94	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	15.58	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	20.65	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	29.51	59.25	43.67	16.35	4.6			25.52	11.34	16.06	16.06
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4		4	UEPSR, UEPSB	UEALS	38.94	59.25	43.97	16.35	4.06			25.52	11.34	16.06	16.06
		Engineering Information Document (EI)			UEANL			28.72	28.72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		50.29	50.29								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45.27	45.27								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	18.35	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	24.33	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	34.77	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.88	144.01	107.7	40.98	26.95			25.52	11.34	16.06	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.27									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	18.35	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	24.33	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	34.77	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		4	UEA	UEAR2	45.88	144.01	107.7	40.98	26.95			25.52	11.34	16.06	16.06
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.27									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.38	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	29.67	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.4	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	55.96	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.27									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.86	326.38	252	108.14	57.27			25.52	11.34	16.06	16.06
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	28.97	326.38	252	108.14	57.27			25.52	11.34	16.06	16.06
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	41.4	326.38	252	108.14	57.27			25.52	11.34	16.06	16.06
		2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	54.64	326.38	252					25.52	11.34	16.06	16.06
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.27									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	32.48	233.54	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	42.06	233.54	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	55.26	233.54	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 4		4	UDC	UDC2X	71.05	233.54	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															

	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10 87	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	14 4	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20 58	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	27 16	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 27									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	10 87	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	14 4	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20 58	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2W	27 16	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 27									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8 5	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11 26	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	16 1	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	21.25	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8 5	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11 26	204 56	128 86	100 05	15.75			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	16 1	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL2W	21 25	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10 36	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13 73	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19 62	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	25 9	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10 36	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	13 73	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19 62	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4W	25 9	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
4-WIRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	50 99	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	67 58	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	96 58	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	127 4	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 17									
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	25 61	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	33 94	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06

	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	48 51	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital 19 2 Kbps		4	UDL	UDL19	64 02	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25 61	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33 94	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	48 51	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	64 02	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 27									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25 61	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33 94	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	48 51	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	64 02	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 27									
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	18 85	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22 34	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	31 92	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	42 13	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	18 85	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22 34	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	31 92	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	42 13	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc Inquiry and facility reservation - Zone 1		1	UCL	UCL2L	47 74	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL2L	70 63	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL2L	104 29	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 4		4	UCL	UCL2L	112 55	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	47 74	189 68	113 96	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	70 63	189 68	113 96	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	104 29	189 68	113 96	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL2W	112 55	189 68	113 96	100 05	15 75			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	I	4	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		50 29	50 29								
	Engineering Information Document			UEQ			28 72	28 72								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
4-WIRE COPPER LOOP																
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	22 24	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	25 82	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28 12	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	28 12	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								

		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	22 24	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	25 82	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	28 12	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	28 12	251 04	175 34	112 63	21 2			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	82 53	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	127 11	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	138 69	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 4		4	UCL	UCL4L	138 69	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	82 53	238 02	162 33	112 63	21 2			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	127 11	238 02	162 33	112 63	21 2			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	138 69	238 02	162 33	112 63	21 2			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4O	138 69	238 02	162 33	112 63	21 2			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50 29	50 29								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 09	65 09								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		341 07	341 07								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 09	65 09								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		341 07	341 07								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 13	65 13								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		540 53	540 53					25 52	11 34	16 06	16 06
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45 21	45 21					25 52	11 34	16 06	16 06
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		379 25	379 25					25 52	11.34	16 06	16 06
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		111 97	111 97					25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	10 75	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	14 4	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	18 53	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	23 19	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 27	45 27								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11 29	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19 41	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	20 9	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	20 9	157 85	105 88	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 27	45 27								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2 79	105 88	36 29	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 27	45 27								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5 39	118 34	48 76	101 8	18 57			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 27	45 27								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	8 74	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	9 31	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10 6	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	12 57	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 27	45 27								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7 46	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	14 58	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	18 61	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	18 61	157 85	88 26	101 8	18 57			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 27	45 27								
	Sub-Loop Feeder																
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		540 53									

		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 21	45 21								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534 46	11 3								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	12 34	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	17 1	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	25 55	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop, Voice Grade - Zone 4		4	UEA	USBFA	32 36	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 27									
		Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	12 34	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	17 1	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	25 55	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 4		4	UEA	USBFB	32 36	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 27									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	12 34	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	17 1	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	25 55	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4		4	UEA	USBFC	32 36	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 27									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	28 24	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	32 51	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 4		4	UEA	USBFD	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 27									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	28 24	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	32 51	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start Loop - Zone 4		4	UEA	USBFE	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 27									
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	22 46	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	28 25	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	37 36	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4		4	UDN	USBFF	48 23	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 27									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	22 46	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	28 25	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	37 36	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		4	UDC	USBFS	48 23	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	76 62	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	178 54	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	224 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4		4	USL	USBFG	538 86	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45 27									
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7 07	167 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	6 05	167 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	5 3	167 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4		4	UCL	USBFH	4 13	167 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 27									
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	16 34	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	12 77	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	11 06	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4		4	UCL	USBFJ	11 06	207 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 27									
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	28 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	24 17	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	30 57	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		4	UDL	USBFN	28 9	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	28 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	24 17	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	30 57	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 4		4	UDL	USBFO	28 9	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 27									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	28 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	24 17	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	30 57	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4		4	UDL	USBFP	28 9	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 27									

Unbundled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		355 23	12 25					26.52	11.34	16 06	16 06
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		355 23	12 25					26.52	11.34	16 06	16 06
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		UEF	ULM4T		559 8	14 28					26.52	11.34	16 06	16 06
Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 37	62 97	62.97					25 52	11 34	16 06	16 06
Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		87 05	57 38					25 52	11 34	16 06	16 06
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		129 67	100					25 52	11 34	16 06	16 06
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		11 79	11 79					25 52	11 34	16 06	16 06
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		11 79	11 79					25 52	11 34	16 06	16 06
UNBUNDLED LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	442 98	649 95	649 95					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	57 94	270 81	270 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	484 01	649 95	649 95					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	97 64	270 81	270 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 5	126 4	92 02	34 38	9 62			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 74	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 74	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 18	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	12 99	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 75	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	37 85	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)															
UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID Installation		UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ, UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL ,UDN,UEA,UHL,UL C	UNECN	0	0									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UD C	USBFQ	0	0									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	14 16										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	396 3	901 82	527 16	244 7	171 16			31 26	31 26	3 91	3 91
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	14 16										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	411 34	901 82	527 16	244 7	171 16			31 26	31 26	3 91	3 91
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		47 9	47 9								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		50 79	50 79								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 6793	0 6793								
LINE SHARING															

	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	206 52	377 08	0	354 29	0		0				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	51 63	377 08	0	354 29	0		0				
	Line Sharing Splitte, Per System, 8 Line Capacity			ULS	ULSD8	17 21	377 08	0	354 29	0		0				
	Line Sharing - per Line Activation			ULS	ULSDC	0 61	36 96	21 17	19 93	9 78			25 52	11 34	16 06	16 06
	Line Sharing - per Subsequent Activity per Line Rearrangement			ULS	ULSDS		32 73	16 35					25 52	11 34		
	Line Sharing-CLEC/DLEC Owned Splitter In CO-per occurrence of each group of 8 lines (16 pair)			ULS	ULSDG		57 62		11 33							
UNBUNDLED TRANSPORT																
	COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU					0 0000091										
	Common Transport - Facilities Termination Per MOU					0 0004281										
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24 75	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	24.75	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21 75	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD6	17 24	80 97	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 24	80 97	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 2293										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	63	178 29	163 4	33 48	29 57			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5 43										
	Interoffice Channel - Dedicated Traneport - DS3 - Facility Termination per month			U1TD3	U1TF3	705 42	556 75	325 07	123 28	119 71			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Traneport - STS-1 - Per Mile per month			U1TS1	1L5XX	5 43										
	Interoffice Channel - Dedicated Traneport - STS-1 - Facility Termination per month			U1TS1	U1TFS	707 97	556 75	325 07	123 28	119 71			31 26	31 26	3 91	3 91
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	16 39	385 68	67 24	75 04	6 55			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	16 39	385 68	67 24	75 04	6 55			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	17 59	386 55	67 11	76	7 51			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41 4	354 47	307 02	45 45	31 25			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47 27	354 47	307 02	45 45	31 25			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	553 26	354 47	307 02	45 45	30 52			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11 02										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	455 69	901 82	527 16	244 7	171 16			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11 02										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	449 26	901 82	527 16	244 7	171 16			31 26	31 26	3 91	3 91
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	125 29	181 64	124 98	21 57	20 05			31 26	31 26	3 91	3 91
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	1 49	13 13	9 41								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3 19	13 13	9 41								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 6988	13 13	6 41								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	207 87	355 8	187 69	68 11	65 17			31 26	31 26	3 91	3 91
	STS1 to DS1 Channel System per month			UXTS1	MQ3	207 87							31 26	31 26	3 91	3 91
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	15 78	13 13	9 41								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	66 94										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1276 46	275 36	649 31	404 8			31 26	31 26	3 91	3 91

	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	32 13											
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1276 46	275 36	649 31	404 8			31 26	31 26	3 91	3 91	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	66 94											
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1276 46	275 36	649 31	404 8			31 26	31 26	3 91	3 91	
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 6	23 78	1 96	0 76			29 33	3 93			
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 6	23 78	1 96	0 76			29 33	3 93			
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call		OHD		0 0005321											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		8 46	0 96					25 52	25 52	16 05	16 05	
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			17 04	1 93	11 32	0 96			25 52	25 52	16 05	16 05	
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		17 04	1 93	11 32	0 96			25 52	25 52	16 05	16 05	
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		5 63	2 81					25 52	25 52	16 05	16 05	
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		6 59	3 77					25 52	25 52	16 05	16 05	
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		9 42	0 96					25 52	25 52	16 05	16 05	
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		5 63	5 63					25 52	25 52	16 05	16 05	
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query		OQT		0 0000446											
	LIDB Validation Per Query		OQU		0 0142132											
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		63 63						25 52	25 52	16 05	16 05	
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port		1DB	PT6SX	161 12							25 52	25 52	16 05	16 05	
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 0001115											
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	21 56	169 72	169 72	134 08	134 08			25 52	25 52	16 05	16 05	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	21 56	169 72	169 72	134 08	134 08			25 52	25 52	16 05	16 05	
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 0000456											
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	406 53							25 52	25 52	16 05	16 05	
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40					25 52	25 52	16 05	16 05	
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8					25 52	25 52	16 05	16 05	
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query		OQV		0 016											
	CNAM for Non DB Owners, Per Query		OQV		0 01											
	CNAM (Non-Datab Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595					25 52	25 52	16 05	16 05	
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 2											
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24											
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 2											
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2											
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Minute				1 15											
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15											
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19 99	19 99	19 99	19 99	
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19 99	19 99			
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call				0 275											

	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1											
	UNBRANDING															
	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1				38 91	494 83	435 28	46 85	33 02			59 58	59 58	27 41	27 41	
	Directory Transport - DS1 Level Interoffice Per Mile				0 6598											
	Directory Transport - DS1 Level Interoffice Per Facility Termination				74 4	196 28	147 31	26 56	21 61			25 52	25 52	11 34	11 34	
	Switched Common Transport Per DA Access Service Per Call				0 0002997											
	Switched Common Transport Per DA Access Service Per Call Per Mile				0 0000202											
	Access Tandem Switching Per DA Access Service Per Call				0 0023713											
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection					257.73	5 85					171 49	5 85			
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				0 04											
	Directory Assistance Data Base Service, per month			DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000									
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690									
ELECTIVI ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		227 99	227 99					43 52	9 99			
IRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connects (loop)		ueani,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 3996	30 93	29 59	12 76	11 43			19 99	19 99	19 99	19 99	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB	VE1LS	0 3996	30 93	29 59	12 76	11 43			19 99	19 99	19 99	19 99	
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 3996	30 93	29 59	12 76	11 43			19 99	19 99	19 99	19 99	
	Virtual Collocation - 4-wire Cross Connects (loop)		uea,uhl,ucl,udl	UEAC4	0 7992	31 17	29 77	12 83	11 43			19 99	19 99	19 99	19 99	
	Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 7992	31 17	29 77	12 83	11 43			19 99	19 99	19 99	19 99	
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	15 64	41 66	39 62	12 96	10 34			19 99	19 99	19 99	19 99	
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	28 11	50 53	48 76	16 97	14 35			19 99	19 99	19 99	19 99	
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7 5	155	14									
IN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment		SRC	SRCEC		391788						19 99	19 99			
	End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99			
	Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06					19 99	19 99	19 99		
	Query NRC, per query		SRC		0 000448											
IN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		174 03	174 03	135 96	135 96			25 52	25 52	16 06	16 06	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		53 47	53 47	37 7	37 7			25 52	25 52	16 06	16 06	
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		53 47	53 47	37 7	37 7			25 52	25 52	16 06	16 06	
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		129 83	129 83	79 91	79 91			25 52	25 52	16 06	16 06	
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		131 54	131 54	45 77	45 77			25 52	25 52	16 06	16 06	
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0029											
	AIN SMS Access Service - Session, Per Minute				0 097565											
	AIN SMS Access Service - Company Performed Session, Per Minute				2 09											
N - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		169 31	169 31	135 96	135 96			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8379	8379					25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt			BAPTT		39 3	39 3	37 7	37 7			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		39 3	39 3	37 7	37 7			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		39 3	39 3	37 7	37 7			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP			BAPTO		106 9	106 9	48 44	48 44			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		106 9	106 9	48 44	48 44			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		106 9	106 9	48 44	48 44			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Query Charge, Per Query				0 0256138											
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 0065161											
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 79											
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	16 01	44 02	44 02	31 28	31 28			25 52	25 52	16 06	16 06	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 0810536	47 21	47 21					25 52	25 52	16 06	16 06	

	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 93	44 02	44 02	31 28	31 28			25 52	25 52	16.06	16 06
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0 0027018	47 21	47 21					25 52	25 52	16.06	16 06
ODUF/EDOUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message				0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message				0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message				0 0001179										
	ODUF Message Processing, per message				0 0032089										
	ODUF Message Processing, per Magnetic Tape provisioned				54 62										
	ODUF Data Transmission (CONNECT DIRECT), per message				0 0000354										
ENHANCED EXTENDED LINK (EELs)															
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL; Miami, FL; Ft Lauderdale, FLl, Nashville, TN, New Orleans, LA,														
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge														
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)														
	NOTE In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	UNCVX	UEAL2	18 35										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	2	UNCVX	UEAL2	24 33										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	3	UNCVX	UEAL2	34 77										
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4	4	UNCVX	UEAL2	44 77										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	63										
	DS1 Channelization System Per Month		UNC1X	MQ1	125 29										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	0 6988										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	18 35										
	Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	24 33										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	34 77										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL2	44 77										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6988										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 38										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 67										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42.4										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	55 96										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	63										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	125 29										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6988										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 38										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 67										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42 4										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	55 96										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 94										

	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	48 51										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	63							31 26	31 26	3 91	3 91
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	125 29										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61							31 26	31 26	3 91	3 91
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 94							31 26	31 26	3 91	3 91
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	48 51							31 26	31 26	3 91	3 91
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
	OCU-DP COCI (data) -DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 94										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	48 51										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UND64	64 02										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	63										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	125 29										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 49	0	0								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 94										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	48 51										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	64 02										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11.18	14 29	14 29			31 26	31 26	3 91	3 91
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	50 99										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	67 58										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	96 58										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 4	4	UNC1X	USLXX	127 4										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	63										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 4										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	5 43										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	705 42										
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	207 87										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 4										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															

	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	18 35											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	24 33											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	34 77											
	A.1 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL2	45 88											
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0112											
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	24 75								31 26	31 26	3 91	3 91
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29				31 26	31 26	3 91	3 91
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 38											
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 67											
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42 4											
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	55 96											
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0112											
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	21 75											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29				31 26	31 26	3 91	3 91
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	14 16											
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	396 3											
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	5 43											
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	705 42											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29				31 26	31 26	3 91	3 91
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	14 16											
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	411 34											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	5 43											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	707 97											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29				31 26	31 26	3 91	3 91
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Tranport - Zone 1	1	UNCNX	U1L2X	21 86											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Tranport - Zone 2	2	UNCNX	U1L2X	28 97											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Tranport - Zone 3	3	UNCNX	U1L2X	41 4											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Tranport - Zone 4	4	UNCNX	U1L2X	54 64											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 2293											
	Interoffice Tranaport - Dedicated - DS1 combintion - Facility Termination per month		UNC1X	U1TF1	63											
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MO1	125 29											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 19											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	21 86											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	28 97											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	41 4											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 4	4	UNCNX	U1L2X	54 64											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3 19											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29				31 26	31 26	3 91	3 91
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)																
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 4											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	5 43											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	707 97											
	STS1 to DS1 Channel System conbination per month		UNCSX	MQ3	207 87											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 4											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78											

	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)														
	4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 94										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	48 51										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0112										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	17 24										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 94										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	48 51										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	64 02										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0112										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	17 24										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	2/4 Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE, Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAT	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	6 75	0	0					25 52	11 34	16 06	16 06
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														

	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAY	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Subsequent Activity		UEPSB	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSB	UEPVF	6 75	0	0					25 52	11 34	16 06	16 06
EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 43	238 29	37 43	122 66	7 71			25 52	11 34	16 06	16 06
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	72 98	403 5	191 12	148 66	5 04			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	17.14	145 35	105 83	95 12	21 37			53 87	53 87	11 34	11 34
	All Features Offered		UEPTX UEPSX	UEPVF	6 75	0	0								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	105 79	407 06	202 64	162 15	41 07			51 03	51 03	8 51	8 51
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port		UEPSP	UEPXQ	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port		UEPSP	UEPXR	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2.11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Subsequent Activity		UEPSP	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSP UEPSE	UEPVF	6 75	0	0					25 52	11 34	16 06	
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				2 32	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU				0 0023771										
	End Office Trunk Port - Shared, Per MOU				0 0001927										
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU				0 0007834										
	Tandem Trunk Port - Shared, Per MOU				0 0002834										
Common Transport															
	Common Transport - Per Mile, Per MOU				0 0000091										
	Common Transport - Facilities Termination Per MOU				0 0004281										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations															

For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
	2-Wire VG Loop/Port Combo - Zone 4	4			38 59											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 33											
	2 Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRX	UEPLX	36 47											
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	2 12									43 52	9 99	
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	2 12									43 52	9 99	
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	2 12									43 52	9 99	
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res		UEPRX	UEPAT	2 12									43 52	9 99	
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	2 12									43 52	9 99	
FEATURES																
	All Features Offered		UEPRX	UEPVF	6 75	0	0							43 52	9 99	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		5 2	0 41							43 52	9 99	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		5 2	0 41							43 52	9 99	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 87								6 88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0	0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPBX	UEPLX	36 47											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	2 12									43 52	9 99	
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	2 12									43 52	9 99	
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	2 12									43 52	9 99	
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus		UEPBX	UEPAY	2 12									43 52	9 99	
	2-Wire voice unbundled Incoming only port with Caller ID - Bus		UEPBX	UPEB1	2 12									43 52	9 99	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPBX	UEPVF	6 75	0	0							43 52	9 99	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		5 2	0 41							43 52	9 99	
	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		5 2	0 41									

	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 87						6 88			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2									43 52	9 99		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
	2-Wire VG Loop/Port Combo - Zone 4	4			38 59											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL 1) - Zone 4	4	UEPRG	UEPLX	36 47											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2 12								43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 5											
FEATURES																
	All Features Offered		UEPRG	UEPVF	6 75	0	0						43 52	9 99		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG	USAC2		5 2	0 41						43 52	9 99		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		5 2	0 41						43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 87							6 88			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0	0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64						19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
	2-Wire VG Loop/Port Combo - Zone 4	4			38 59											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL 1) - Zone 4	4	UEPPX	UEPLX	36 47											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	2 12								43 52	9 99		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	2 12								43 52	9 99		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	2 12								43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	2 12								43 52	9 99		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	2 12								43 52	9 99		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2 12								43 52	9 99		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	2 12								43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2 12								43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	2 12								43 52	9 99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2 12								43 52	9 99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	2 12								43 52	9 99		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	2 12								43 52	9 99		

	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port			UEPPX	UEPXO	2 12							43 52	9 99		
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPPX	UEPXR	2 12							43 52	9 99		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 12							43 52	9 99		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES															
	All Features Offered			UEPPX	UEPVF	6 75	0	0					43 52	9 99		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		5 2	0 41					43 52	9.99		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		5 2	0 41					43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 87						6 88			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1					17 06										
	2-Wire VG Coin Port/Loop Combo – Zone 2					21 8										
	2-Wire VG Coin Port/Loop Combo – Zone 3					30 1										
	2-Wire VG Coin Port/Loop Combo – Zone 4					38 94										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL1) - Zone 4			UEPCO	UEPLX	36 47										
	2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2 47							43 52	9 99		
	2-Wire Coin 2-Way without Operator Screening and without Blocking, with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	2 47							43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2 47							43 52	9 99		
	2-Wire Coin 2-W with Operator Screening and Blocking 011, 900/976, 1+DDD, with Dialing Parity (MS)			UEPCO	UEPMA	2 47							43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2 47							43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (MS)			UEPCO	UEPMB	2 47							43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2 47							43 52	9 99		
	2-Wire Coin 2-W Operator Screening 900 Block, 900/976, 1+DDD, 011+, Local, with Dialing Parity (MS)			UEPCO	UEPCJ	2 47							43 52	9 99		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	2 47							43 52	9 99		
	2-Wire Coin Outward without Blocking and without Operator Screening, With Dailing Parity (MS)			UEPCO	UEPME	2 47							43 52	9 99		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2 47							43 52	9 99		
	2-Wire Coin Outward with Operator Screening and 011 Blocking, with Dialing Parity (MS)			UEPCO	UEPMD	2 47							43 52	9 99		
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2 47							43 52	9 99		
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2 47							43 52	9 99		
	2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD, 011+, and Local, with Dialing Parity (MS)			UEPCO	UEPCS	2 47							43 52	9 99		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 47							43 52	9 99		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 47							43 52	9 99		
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4 62	0	0								
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	FEATURES															
	All Features Offered			UEPCO	UEPVF	6 75	0	0					25 52	11 34	16 06	
	NONRECURRING CHARGES - CURRENTLY COMBINED															

	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is		UEPCO	USAC2		5 2	0 41					43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		5 2	0 41					43 52	9 99		
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0					43 52	9 99		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			31 12										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			39 6										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			52 14										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	4			63 91										
UNE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	21 71							19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	30 19							19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	42 73							19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4	4	UEPPX	UECD1	54 5	210 42	135 59	104 08	20 59			19 99	19 99	19 99	19 99
UNE Port Rate															
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9 41							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is		UEPPX	USAC1		14 59	3 72					19 99	19 99	19 99	19 99
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		14 59	3 72					19.99	19.99	19 99	19 99
ADDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53 49	53 49					19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination-(One Per Port)		UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0	0	0			19 99					
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0	0	0			19 99					
	Reserve DID Numbers		UEPPX	NDV	0	0	0			19 99					
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		42 99										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		53 29										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		67 27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4	4			106 55										
UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	26 66							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	38 96							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	52.94							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 4	4	UEPPB UEPPR	USL2X	106 55	233 54	158 71	104 88	20 59			19 99	19 99	19 99	19 99
UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	14 33							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USAC8	0	76 91	42 99					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:															

	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCA	0	0	0								
	CVS (EWSD)		UEPPB	UEPPR	U1UCB	0	0	0								
	CSD		UEPPB	UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCD	0	0	0								
	CVS (EWSD)		UEPPB	UEPPR	U1UCE	0	0	0								
	CSD		UEPPB	UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)		UEPPB	UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile		UEPPB	UEPPR	UEPVF	6 75	0	0								
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB	UEPPR	M1GNC	20 67	106 72	48 83					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile		UEPPB	UEPPR	M1GNM	0 0323	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP			212 84										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP			318 5										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP			356 97										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 4	4	UEPPP			672 23						19 99				
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP		USL4P	107 5							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP		USL4P	212 71							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP		USL4P	251 18							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 4	4	UEPPP		USL4P	566 44	504 26	315 65	91 54	23 97			19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP		UEPPP	105 79							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP		USACP	0	237 82	156 9					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP		PR7TF		0 9788						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP		PR7TO		23 02	23 02					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP		PR7ZT		46 05	46 05					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPP		LNPCN	1 75										
INTERFACE (Provisioning Only)																
	Voice/Data		UEPPP		PR71V	0	0	0								
	Digital Data		UEPPP		PR71D	0	0	0								
	Inward Data		UEPPP		PR71E	0	0	0								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP		PR7BV	0	29 01						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel		UEPPP		PR7BF	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel		UEPPP		PR7BD	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP		PR7BS	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP		PR7BU	0	29 01						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward		UEPPP		PR7C1	0	0	0								
	Outward		UEPPP		PR7C0	0	0	0								
	Two-way		UEPPP		PR7CC	0	0	0								

Interoffice Channel Mileage															
Fixed Each Including First Mile			UEPPP	1LN1A	75 0596	196 28	147 31	26 56			19 99	19 99	19 99	19 99	
Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 6596										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		180 01						19 99	19 99	19 99	19 99	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		285 67						19 99	19 99	19 99	19 99	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		324 14						19 99	19 99	19 99	19 99	
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		639 4						19 99	19 99	19 99	19 99	
UNE Loop Rates															
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	50 99						19 99	19 99	19 99	19 99	
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC					23 97		19 99	19 99	19 99	19 99	
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	251 18						19 99	19 99	19 99	19 99	
4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	566 44	504 26	315 65	91 54	23 97		19 99	19 99	19 99	19 99	
UNE Port Rate															
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	72 96						19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC	USAC4		259 07	134 08				19 99	19 99	19 99	19 99	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		258 63	133 85				19 99	19 99	19 99	19 99	
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		258 63	133.85				19 99	19 99	19 99	19 99	
ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		26 91	26 91				19 99	19 99	19 99	19 99	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		26 91	26 91				19 99	19 99	19 99	19 99	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subeqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		26 91	26 91				19 99	19 99	19 99	19 99	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subeqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		26 91	26 91				19 99	19 99	19 99	19 99	
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subeqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		26 91	26 91				19 99	19 99	19 99	19 99	
BIPOLAR 8 ZERO SUBSTITUTION															
B8ZS -Superframe Format			UEPDC	CCOSF		0	600				19 99	19 99	19 99	19 99	
B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	600				19 99	19 99	19 99	19 99	
Alternate Mark Inversion															
AMI -Superframe Format			UEPDC	MCOSF		0	0								
AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establisment Charges															
Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0										
Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0					19 99			0		
Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0					19 99					
DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0					19 99					
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0					19 99					
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0	0	0			19 99					
Reserve DID Numbers			UEPDC	NDV	0	0	0			19 99					
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	74 4	196 28	147 31	26 56	21 61		19 99	19 99	19 99	19 99	
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 6596	0	0								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 6596	0	0								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 6596	0	0								
Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0							
Central Office Terminating Point			UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	107 05	0	0								

4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	212 7	0	0								
4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	251 18	0	0								
4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	566 44	0	0					19 99	19 99	19 99	19 99
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	115 78	0	0								
48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231 56	0	0								
96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463 12	0	0								
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	694 68	0	0								
192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	926 24	0	0								
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1157 8	0	0								
288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1389 36	0	0								
384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1852 48	0	0								
480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2315 6	0	0								
576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2778 72	0	0								
672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3241 84	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0	300 55	16 7					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
New (Not Currently Combined) in Georgia & Tennessee Only															
NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	715 15	327 39	148 05	17 56			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution															
Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	600					19 99	19 99	19 99	19 99
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)															
Superframe Format			UEPMG	MCOSF	0	0	0								
Extended Superframe Format			UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 76	0	0	0	0		19 99				
Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 76	0	0	0	0		19 99				
Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 76	0	0	0	0		19 99				
2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	9 43	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration															
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 7	25 36	13 39	4 29	4 26			19 99	19 99	19 99	19 99
Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 7	78 03	18 39	60 66	11 85			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service															
DID Trunk Termination (1 per Port)			UEPPX	NDT	0										
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0				19 99				
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				19 99				
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0								
Reserve DID Numbers			UEPPX	NDV	0	0	0								
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
All Features Available			UEPPX	UEPVF	6 75	0	0				19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
These scenarios include															
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
The Market Rate for unbundled ports includes all available features in all states															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															

For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33											
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63											
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRX	UEPLX	36 47											
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90						43 52	9 99		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90						43 52	9 99		
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90						43 52	9 99		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90						43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPRX	UEPVF	0	0	0									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33											
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63											
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPBX	UEPLX	36 47											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90						43 52	9 99		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90						43 52	9 99		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90						43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33											
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63											
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47								43 52	9 99		
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	19 33											

	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRG	UEPLX	36 47										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90					43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			28 59										
	2-Wire VG Loop/Port Combo - Zone 2		2			33 33										
	2-Wire VG Loop/Port Combo - Zone 3		3			41 63										
	2-Wire VG Loop/Port Combo - Zone 4		4			50 47										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPPX	UEPLX											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					43 52	9 99		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					43 52	9 99		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 2 Way PBX Mississippi Local Economy Calling Port			UEPPX	UEPXQ	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port			UEPPX	UEPXR	14	90	90					43 52	9 99		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					28 59										
	2-Wire VG Coin Port/Loop Combo – Zone 2					33 33										
	2-Wire VG Coin Port/Loop Combo – Zone 3					41 63										
	2-Wire VG Coin Port/Loop Combo – Zone 4					50 47										

UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4			UEPCO	UEPLX	36 47								43 52	9 99		
2-Wire Voice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA,			UEPCO	UEPRF	14	90	90						43 52	9 99		
	2-Wire Coin 2-Way without Operator Screening and without Blocking, with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	14	90	90						43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90						43 52	9 99		
	2-Wire Coin 2-W with Operator Screening and Blocking 011, 900/976, 1+DDD, with Dialing Parity (MS)			UEPCO	UEPMA	14								43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14	90	90						43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (MS)			UEPCO	UEPMB	14	90	90						43 52	9 99		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14	90	90						43 52	9 99		
	2-Wire Coin 2-W Oper Screen & Blocking 900/976, 1+DDD, 011+, and Local, with Dialing Parity (MS)			UEPCO	UEPCJ	14	90	90						43 52	9 99		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	14	90	90						43 52	9 99		
	2-Wire Coin Outward without Blocking and without Operator Screening, with Dialing Parity (MS)			UEPCO	UEPME	14	90	90						43 52	9 99		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	14	90	90						43 52	9 99		
	2-Wire Coin Outward with Operator Screening and 011 Blocking, with Dialing Parity (MS)			UEPCO	UEPMD	14	90	90						43 52	9 99		
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14	90	90						43 52	9 99		
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	90	90						43 52	9 99		
	2-Wire Coin Out Operator Screen & Blocking 900/976, 1+DDD, 011+, & Local, with Dialing Parity (MS)			UEPCO	UEPCS	14	90	90						43 52	9 99		
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																	
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0									

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Nonrecurring							
							Rec	First	Add'l	First	Add'l	Disconnect SOMBC	Disconnect SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		SW	UEANL	UEAL2	15 88	57 99	42 37					26 94	12 76		
		2 Wire Analog Voice Grade Loop -Service Level 1-Statewide- Line Splitting			UEPSR, UEPSB	UEALS	15 88	57 99	42 37					26 94	12 76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS											
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS											
		Engineering Information Document (EI)			UEANL			28 74	28 74								
		Manual Order Coordination for UVL-SL1s (per loop)"			UEANL	UEAMC		61 38	61 38								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) "			UEANL	OCOSL		45 34	45 34								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide		SW	UEA	UEAL2	19 5	142 97	106 56					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide		SW	UEA	UEAR2	19 5	142 97	106 56					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Statewide		SW	UEA	UEAL4	27 49	288 47	237 45					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Statewide		SW	UDN	UIL2X	24 98	325 91	251 31					26 94	12 76		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 34									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Statewide		SW	UDC	UDC2X	24 98	325 91	251 31					26 94	12 76		
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Statewide		SW	UAL	UAL2X	14 6	504 9	456 17					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34									
		2 Wire Unbundled ADSL Loop without manual service inquiry and facility reservation - Statewide		SW	UAL	UAL2W	14 6	203 85	128 42					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34									
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide		SW	UHL	UHL2X	11 98	504 9	456 17					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide		SW	UHL	UHL2W	11 98	221 08	145 65					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
		4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide		SW	UHL	UHL4X	13 97	531 35	482 62					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide		SW	UHL	UHL4W	13 97	277 99	202 56					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
		4-WIRE DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Statewide		SW	USL	USLXX	62 78	714 84	421 47					42 19	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 31									
		4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19 2 Kbps		SW	UDL	UDL19	32 67	489 04	337 51					19 99	19 99	19 99	19 99
		4 Wire Unbundled Digital Loop 56 Kbps		SW	UDL	UDL56	32 67	489 04	337 51					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34									
		4 Wire Unbundled Digital Loop 64 Kbps - Statewide		SW	UDL	UDL64	32 67	489 04	337 51					26 94	12 76		

		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34									
		2-WIRE Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13 4	281 95	162 85					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21 76	281 96	162 85					19 99	19 99	19 99	19 99
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25 01	281 96	162 85					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13 4	250 17	174 74					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	21 76	250 17	174 74					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	25 01	250 17	174 74					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37 79	268 96	149 86					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	63 16	268 96	149 86					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	73 02	268 96	149 86					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37 79	189	113 57					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	63 16	189	113 57					19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73 02	189	113 57					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		2-Wire Unbundled Copper Loop Non-Designed - SW	1	SW	UEQ	UEQ2X	15 88	57 99	42 37					26 94	26 94	26 94	26 94
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		61 38	61 38								
		Engineering Information Document			UEQ			28 74	28 74								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
		4-WIRE COPPER LOOP															
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17 63	330 13	211 02					19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	28 89	330 13	211 02					19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	33 28	330 13	211 02					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17 63	250 17	174 74					19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	28 89	250 17	174 74					19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	33 28	250 17	174 74					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53 68	317 14	198 03					19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	80 07	317 14	198 03					19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	104 23	317 14	198 03					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	53 68	237 18	161 75					19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	80 07	237 18	161 75					19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	104 23	237 18	161 75					19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		64 85	64 85								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		339 84	339 84								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		64 85	64 85								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		339 84	339 84								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		64 9	64 9								

SUB-LOOPS																		
	Sub-Loop Distribution																	
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		498 09	498 09					26 94	12 76		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		45 04	45 04					26 94	12 76		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		313 01	313 01					26 94	12 76		
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		108 06	108 06					26 94	12 76	15 12	15 12
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	7 99	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	12 63	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	14 43	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9 23	156 52	79 66	78 56	13 53			26 94	12 76		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14 63	156 52	79 66	78 56	13 53			26 94	12 76		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16 73	156 52	79 66	78 56	13 53			26 94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 5	114 05	37 2	76 58	10 81			26 94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	3 75	127 67	50 82	78 71	10 69			26 94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	7 33	137 1	60 24	76 58	10 81			26 94	12 76		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	10 96	137 1	60 24	76 58	10 81			26 94	12 76		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12 36	137 1	60 24	76 58	10 81			26 94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 34	45 34								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	7 14	162 24	85 38	78 56	13 53			26 94	12 76		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	11 09	162 24	85 38	78 56	13 53			26 94	12 76		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	12 63	162 24	85 38	78 56	13 53			26 94	12 76		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 34	45 34								
	Sub-Loop Feeder																	
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		498 09										
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 04	45 04									
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523 51	11 31									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 34										
		Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 34										
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 34										
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21 91	226 36	144 28					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	35 92	226 36	144 28					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	41 37	226 36	144 28					19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34										
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21 91	226 36	144 28					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	35 92	226 36	144 28					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	41 37	226 36	144 28					19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34										
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19 63	202 01	105 88					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	31 61	202 01	105 88					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	36 27	202 01	105 88					19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 34										
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19 63	202 01	105 88					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	31 61	202 01	105 88					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	36 27	202 01	105 88					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39 69	393 01	153 37					42 19	12 76		
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	67 36	393 01	153 37					42 19	12 76		
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	78 12	393 01	153 37					42 19	12 76		
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45 34										
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10 66	172 89	90 81					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	16 44	172 89	90 81					19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	18 69	172 89	90 81					19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34										
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14 68	207 14	134 77					19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	23 74	207 14	134 77					19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	27 26	207 14	134 77					19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34										
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 71	215	132 92					19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	44 07	215	132 92					19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	50 83	215	132 92					19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 71	215	132 92								

	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	44 07	215	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	50 83	215	132 92					19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 71	215	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	44 07	215	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	50 83	215	132 92					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 34									
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		353 95	12 2					26 94	12 76		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		353 95	12 2					26 94	12 76		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		557 78	14 23					26 94	12 76		
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 44	64 98	64 98					26 94	12 76		
Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86 37	56 69					26 94	12 76		
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		127 93	98 21					26 94	12 76		
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		11 68	11 68					26 94	12 76		
	Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4		11 68	11 68					26 94	12 76		
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398 41	652 26	652 26					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58 36	271 78	271 78					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439 73	652 25	652 26					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98 34	271 78	271 78					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 52	126 86	92 35	33 65	9 42			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 19	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	13 03	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	37 98	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ, UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0	0									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
NOTE 4 month minimum billing period																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11 12										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	404 98	1124 48	699 6					53 48	53 48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11 12										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	417 7	1124 48	699 6					53 48	53 48		
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		56 34	56 34								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		58 56	58 56								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		1 04	1 04								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSOA	152 73	424 61	0				0				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSOB	38 18	424 61	0				0				

		Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSD8	12 73	424 61	0				0				
		Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	56 92	28 59						26 94	12 76	
		Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		35 14	16 29						26 94	12 76	
INBUNDLED TRANSPORT																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU					0 00001										
		Common Transport - Facilities Termination Per MOU					0 00034										
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	18	175 55	90 66						38 07	38 07	
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	18	18	90 65	0	0				38 07	38 07	
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22 16	128 43	88 27						22 32	22 32	
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17 4	175 55	90 65						38 07	38 07	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 4	175 55	90 65	0	0				38 07	38 07	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	71 29	255 24	201 82						38 07	38 07	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12 98										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720 38	886 2	670 81						91 26	91 26	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6 14										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	790 37	695 71	462 37						53 48	53 48	
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2									42 17	12 76	
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1	1		ULCVX	ULDV2	12 51	595 97	102 45								
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2	2		ULCVX	ULDV2	21 23	595 97	102 45								
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3	3		UNCVX	ULDV2	24 62	595 97	102 45								
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	0	0	0	0	0				38 07	38 07	
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1	1		UNCVX	ULDV4	13 4	604 4	105 43								
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2	2		UNCVX	ULDV4	22 73	604 4	105 43								
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3	3		UNCVX	ULDV4	26 37	604 4	105 43								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4									42 17	12 76	
		Local Channel - Dedicated - DS1 per month - Zone 1	1		ULDD1	ULDF1	30 12	620 63	464 46								
		Local Channel - Dedicated - DS1 per month - Zone 2	2		ULDD1	ULDF1	51 11	620 63	464 46								
		Local Channel - Dedicated - DS1 per month - Zone 3	3		ULDD1	ULDF1	59 28	620 63	464 46								
		Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1									86 15	1 77	
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8 66										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	496 76	618 5	584 13						56 25	56 25	
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8 66										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	484 06	1124 48	699 6	0	0				38 07	38 07	
IULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146 69	222 55	148 22						24 85	8 16	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	2	13 09	9 38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3 59	13 09	9 38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 27	13 09	9 38								
		DS3 to DS1 Channel System per month			UXTD3	MQ3	233 1	428 75	241 82						24 78	7 42	
		STS1 to DS1 Channel System per month			UXTS1	MQ3	233 1	428 75	241 82						38 07	38 07	
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16 07	13 09	9 38								
ARK FIBER																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	53 86										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1807	562 96						38 07	38 07	

	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	27 71											
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1807	562 96	0	0			38 07	38 07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	53 86											
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1807	562 96	0	0			38 07	38 07		
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 76	23 6	1 99	0 78			29 33	3 93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 76	23 6	1 99	0 78			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call		OHD		0 0005											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		7 05	0 96					26 94	26 94		
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			23 82	2 73					26 94	26 94		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		23 82	2 73					26 94	26 94		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		5 63	2 82					26 94	26 94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		6 59	3 77					26 94	26 94		
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		8 01	0 96					26 94	26 94		
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		5 63						26 94	26 94		
	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query		OHD		0 00365											
	8XX Access Ten Digit Screening w/8XX No Delivery for 8XX Numbers, with Optional Complex Features, per query		OHD		0 00431											
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query		OHD		0 00383											
	8XX Access Ten Digit Screening w/ POTS No Delivery, with Optional Complex Features, per query		OHD		0 00431											
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query		OQT		0 0009											
	LIDB Validation Per Query		OQU		0 0134											
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		62 26					62 26	26 94	26 94		
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port		1DB	PT6SX	132 83							19 99	19 99	19 99	19 99
	CCS7 Signaling Usage, Per TCAP Message		1DB		0 00009											
	CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	18 22	278 02	278 02					19 99	19 99	19 99	19 99
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	18 22	278 02	278 02					19 99	19 99	19 99	19 99
	CCS7 Signaling Usage, Per ISUP Message		1DB		0 00004											
	CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	338 98							19 99	19 99	19 99	19 99
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40					19 99	19 99	19 99	19 99
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		8	8					19 99	19 99	19 99	19 99
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query		OQV		0 016											
	CNAM for Non DB Owners, Per Query		OQV		0 01											
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595					26 94	26 94		
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 2											
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24											
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 11											
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 12											
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Call				0 8											
	Inward Operator Services - Verification, Per Minute				1 15											
	Inward Operator Services - Verification and Emergency Interrupt - Per Call				0 85											
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15											
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19 99	19 99		

DIRECTORY ASSISTANCE SERVICES															
DIRECTORY ASSISTANCE ACCESS SERVICE															
Directory Assistance Access Service Calls, Charge Per Call					0 26										
DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 062										
UNBRANDING															
DIRECTORY TRANSPORT															
Directory Transport - Local Channel DS1					35 68	534 48	462 69					86 15	86 15	1 77	1 77
Directory Transport - DS1 Level Interoffice Per Mile					0 5753										
Directory Transport - DS1 Level Interoffice Per Facility Termination					71 29	217 17	163 75					38 07	38 07	1 77	1 77
Switched Common Transport Per DA Access Service Per Call					0 0002										
Switched Common Transport Per DA Access Service Per Call Per Mile					0 00003										
Access Tandem Switching Per DA Access Service Per Call					0 0021										
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
Directory Assistance Data Base Service Charge Per Listing					0 04										
Directory Assistance Data Base Service, per month				DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE															
Custom Branding Announcement, per Recording to be used with the provision of DA			AMT	CBADA		3000	3000								
Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		690	690								
SELECTIVE ROUTING															
Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		229 65	229 65					40 18	9 45		
VIRTUAL COLLOCATION															
Virtual Collocation - 2-wire Cross Connects (loop)			uean,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR, UEPSB	VE1LS	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99
Virtual Collocation - 2-wire Cross Connects (port)				VE1R2	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99
Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0 18	41 91	39 25	4 73	4 73			19 99	19 99	19 99	19 99
Virtual Collocation - 4-wire Cross Connects (port)				VE1R4	0 18	41 91	39 25	4 73	4 73			19 99	19 99	19 99	19 99
Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15 99	67 34	46 56					19 99	19 99	19 99	19 99
Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28 74	82 35	63 56					19 99	19 99	19 99	19 99
Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	0 97	71 02	51 06								
AIN SELECTIVE CARRIER ROUTING															
Regional Service Establishment			SRC	SRCEC		391788						19 99	19 99	19 99	19 99
End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		294 77	294 77					26 94	26 94		
AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		86 94	86 94					26 94	26 94		
AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		86 94	86 94					26 94	26 94		
AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		200 83	200 83					26 94	26 94		
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		172 05	172 05					26 94	26 94		
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0023										
AIN SMS Access Service - Session, Per Minute					0 0791										
AIN SMS Access Service - Company Performed Session, Per Minute					2 08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		290 05	290 05					26 94	26 94		
AIN Toolkit Service - Training Session, Per Customer				BAPVX		8363	8363					26 94	26 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		72 76	72 76					26 94	26 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72 76	72 76					26 94	26 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72 76	72 76					26 94	26 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		149 95	149 95					26 94	26 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149 95	149 95					26 94	26 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		149 95	149 95					26 94	26 94		
AIN Toolkit Service - Query Charge, Per Query					0 02										
AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 005										
AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 45										
AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15 98	71 8	71 8					26 94	26 94		
AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 08	47 2	47 2					26 94	26 94		
AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 9	71 8	71 8					26 94	26 94		
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 003	47 2	47 2					26 94	26 94		
ODUF/EDOUF/ADUF/CMDS															
ACCESS DAILY USAGE FILE (ADUF)															
ADUF Message Processing, per message					0 004										
ADUF Data Transmission (CONNECT DIRECT), per message					0 001										

ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)																
EODUF Message Processing, per message					0 004											
OPTIONAL DAILY USAGE FILE (ODUF)																
ODUF Recording, per message					0 0003											
ODUF Message Processing, per message					0 0032											
ODUF Message Processing, per Magnetic Tape provisioned					54 61											
ODUF Data Transmission (CONNECT DIRECT), per message					0 00004											
ENHANCED EXTENDED LINK (EELs)																
NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; FL Lauderdale, FLI; Nashville, TN; New Orleans, LA;																
NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.																
NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)																
NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)																
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide		sw	UNCVX	UEAL2	19 5	142 97	106 56					38 07	38 07			
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 5753											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07			
DS1 Channelization System Per Month			UNC1X	MQ1	146 69	197 78	140 06									
Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 27	13 09	9 38									
Each Additional 2-Wire Vg Loop(SL2) In The Same Ds1 Interoffice Transport Combination Per Month			UNCVX	UEAL2	19 5	142 97	106 56					21 75	21 75	31 26	10 96	
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2												
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07			
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	288 47	237 45					21 75	21 75	31 26	10 96	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753											
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07			
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 69	197 78	140 06									
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38									
Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	288 47	237 45					38 07	38 07			
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07			
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37 67	489 04	337 51					21 75	21 75	32 26	10 96	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753											
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07			
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 69	197 78	140 06									
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	2	15 76	11 28									
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37 67	489 04	337 51					21 75	21 75	32 26	10 96	
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	2	15 76	11 28									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07			
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37 67	489 04	337 51					21 75	21 75	32 26	10 96	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07			
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 69	197 78	140 06									
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	2	15 76	11 28									
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37 67	489 04	337 51					21 75	21 75	12 61	12 61	
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	2	15 76	11 28									
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07			
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					21 75	21 75	32 26	10 96	
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07			
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07			
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
First DS1Loop In DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					118 2	104 02			
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12 98											

	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	720 38	794 94	579 55					118 2	104 02		
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	233 1	403 97	234 4								
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	16 07	13 09	9 38								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide	sw	UNC1X	USLXX	62 78	714 84	421 47					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	16 07	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Statewide	sw	UNCVX	UEAL2	19 5	142 97	106 56								
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	18	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	4-WireVG Loop used with4-wire VG Interoffice Transport Combination - Statewide	sw	UNCVX	UEAL4	27 49	288 47	237 45	82 08	12 22						
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	22 16	105 11	65 95					22 32	22 32		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	11 12										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	404 98	1071	646 12								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	12 98										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	720 38	794 94	679 55					91 26	91 26		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	11 12										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	417 7	1071	646 12								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	6 14										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	790 37	794 94	679 55					53 48	53 48		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport - Statewide	sw	UNCNX	U1L2X	24 98	325 91	251 31					38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month		UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	146 69	197 78	140 06								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 59	15 76	11 28								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Statewide	sw	UNCNX	U1L2X	24 98	325 91	251 31					38 07	38 07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3 59	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)														
	First DS1 Loop in STS1 Interoffice Transport Combination - Statewide	sw	UNCIX	USLXX	62 71	714 84	757 03					53 48	53 48		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	6 14										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	790 37	794 94	679 55					53 48	53 48		
	STS1 to DS1 Channel System combination per month		UNCSX	MQ3	233 1	403 9	234 4								
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	16 07	13 09	9 38								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Statewide	sw	UNC1X	USLXX	62 71	714 84	757 03					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	16 07	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Statewide	sw	UNCDX	UDL56	37 67	489 04	337 51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	17 4	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Statewide	sw	UNCDX	UDL64	32 67	489 04	337 51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	17 4	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														
	Node (SynchroNet)														
	Node per month		UNCDX	UNCNT	16										

Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection.bellsouth com/become_a_clec/html/interconnection htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	2 19	21 6	21 6					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 19	21 6	21 6					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 19	21 6	21 6					26 94	12 76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2 19	21 6	21 6					26 94	12 76		
	Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	3 4	0	0					26 94	12 76		
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2.19	21 6	21 6					26 94	12 76		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2 19	21 6	21 6					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 19	21 6	21 6					26 94	12 76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 19	21 6	21 6					26 94	12 76		
	Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSB	UEPVF	3 4	0	0					26 94	12 76		
	EXCHANGE PORT RATES (DID & PBX)														
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	12 36	108 78	84 6					26 94	12 76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	123 65	143 53	82 68					19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	24 5	117 59	117 59					55 3	55 3		
	All Features Offered		UEPTX UEPSX	UEPVF	3 4	0	0								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
	Exchange Ports - 2-Wire ISDN Port – Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	179 75	241 63	241 63					53 89	53 89		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 18	21 6	21.6					26 94	12 76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 18	21 6	21 6					26 94	12 76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 18	21 6	21 6					26 94	12 76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 18	21 6	21 6					26 94	12 76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 18	21 6	21 6					26 94	12 76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled PBX LD ODD Terminals Port		UEPSP	UEPXC	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 18	21 6	21 6					26 94	12 76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2 18	21 6	21 6					26 94	12 76		
	Subsequent Activity		UEPSP	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSP UEPSE	UEPVF	3 4	0	0					26 94	12 76		
	EXCHANGE PORT RATES (COIN)														
	Exchange Ports - Coin Port				2 59	21 6	21 6					26 94	12 76		

NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process												
UNBUNDLED LOCAL SWITCHING, PORT USAGE												
End Office Switching (Port Usage)												
	End Office Switching Function, Per MOU				0 0015							
	End Office Trunk Port - Shared, Per MOU				0 00023							
Tandem Switching (Port Usage) (Local or Access Tandem)												
	Tandem Switching Function Per MOU				0 0006							
	Tandem Trunk Port - Shared, Per MOU				0 0003							
Common Transport												
	Common Transport - Per Mile, Per MOU				0 00001							
	Common Transport - Facilities Termination Per MOU				0 00034							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES												
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations												
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections												
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Statewide		sw			16 46						
UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPRX	UEPLX	14 18						
2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 28					40 18	9 45
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 28					40 18	9 45
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 28					40 18	9 45
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2 28					40 18	9 45
FEATURES												
	All Features Offered			UEPRX	UEPVF	3 4	0	0			40 18	9 45
LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2 77	0 4			40 18	9 45
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2 77	0 4			40 18	9 45
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42				10.27	
ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Statewide		sw			16 46						
UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPBX	UEPLX	14 18						
2-Wire Voice Grade Line Port (Bus)												
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 28					40 18	9 45
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 28					40 18	9 45
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 28					40 18	9 45
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2 28					40 18	9 45
LOCAL NUMBER PORTABILITY												
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35						
FEATURES												
	All Features Offered			UEPBX	UEPVF	3 4	0	0			40 18	9 45
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2 77	0 4			40 18	9 45

	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 77	0 4								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								40 18	9 45		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		SW			16 46										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPRG	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2 28							40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 5										
FEATURES																
	All Features Offered			UEPRG	UEPVF	3 4	0	0					40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2.77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		SW			16 46										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPPX	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 28							40 18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 28							40 18	9 45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 28							40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 28							40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 28							40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	3 4	0	0					40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99

2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
2-Wire VG Coin Port/Loop Combo – Statewide					16 8										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Statewide		UEPCO	UEPLX	14 18											
2-Wire Voice Grade Line Ports (COIN)															
2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)		UEPCO	UEPND	2 62								40 18	9 45		
2-Wire Coin 2-Way with Operator Screening (NC)		UEPCO	UEPNC	2 62								40 18	9 45		
2-Wire Coin 2-Way with Operator Screening and Blocking, 011, 900/976, 1+DDD (NC, TN)		UEPCO	UEPRP	2 62								40 18	9 45		
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)		UEPCO	UEPNB	2 62								40 18	9 45		
2-Wire Coin 2-Way with Operator Screening, 900 Blocking, 900/976, 1+DDD, 011+, and Local (NC, TN)		UEPCO	UEPCA	2 62								40 18	9 45		
2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)		UEPCO	UEPNE	2 62								40 18	9 45		
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)		UEPCO	UEPCL	2 62								40 18	9 45		
2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	2 62								40 18	9 45		
2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	2 62								40 18	9 45		
ADDITIONAL UNE COIN PORT/LOOP (NC)															
UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	3 7	0	0									
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
FEATURES															
All Features Offered		UEPCO	UEPVF	3 4	0	0						26 94	12 76		
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		2 77	0 4						40 18	9 45		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		2 77	0 4						40 18	9 45		
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0						40 18	9 45		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide	SW			31 07											
UNE Loop Rates															
2-Wire Analog Voice Grade Loop - (SL2) - Statewide	SW			19 5	142 97	106 56					19 99				
UNE Port Rate															
Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	12 36								19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		13 26	8 39						19 99	19 99	19 99	19 99
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		13 26	8 39						19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53 49							19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establisment Charges															
DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0						19 99	19 99	19 99	19 99
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPPX	ND2	0	0	0						19 99	19 99	19 99	19 99
Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0						19 99	19 99	19 99	19 99
DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0	0	0					19 99				
Reserve Non-Consecutive DID numbers		UEPPX	ND6	0	0	0					19 99				
Reserve DID Numbers		UEPPX	NDV	0	0	0					19 99				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - Statewide	SW	UEPPB UEPPR		44 49											
UNE Loop Rates															
2-Wire ISDN Digital Grade Loop - Statewide	SW	UEPPB UEPPR	USL2X	20 12	325 91	251 31					19 99				
UNE Port Rate															
Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	24 37								19 99	19 99	19 99	19 99

NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB	UEPPR	USACB	0	174 35	174 35					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)		UEPPB	UEPPR	LNPCX	0 35	0	0									
B-CHANNEL USER PROFILE ACCESS:																
CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCA	0	0	0									
CVS (EWSD)		UEPPB	UEPPR	U1UCB	0	0	0									
CSD		UEPPB	UEPPR	U1UCC	0	0	0									
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
USER TERMINAL PROFILE																
User Terminal Profile (EWSD only)		UEPPB	UEPPR	U1UMA	0	0	0									
VERTICAL FEATURES																
All Vertical Features - One per Channel B User Profile		UEPPB	UEPPR	UEPVF	3 4	0	0									
INTEROFFICE CHANNEL MILEAGE																
Interoffice Channel mileage each, including first mile and facilities termination		UEPPB	UEPPR	M1GNC	17 42	137 48	52 58					19 99	19 99	19 99	19 99
Interoffice Channel mileage each, additional mile		UEPPB	UEPPR	M1GNM	0 0282	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Statewide	SW	UEPPP			241 72											
UNE Loop Rates																
4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP		USL4P												
UNE Port Rate																
Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP		UEPPP	179 01							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP		USACP	0	481 51	481 51					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - NC Only		UEPPP		PR7TG		1 17	1 17					19 99	19 99	19 99	19 99
4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos (NC only)		UEPPP		PR7TP		28 17	28 17					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP		PR7ZT		56 33	56 33					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)		UEPPP		LNPCN	1 75											
INTERFACE (Provisioning Only)																
Voice/Data		UEPPP		PR71V	0	0	0									
Digital Data		UEPPP		PR71D	0	0	0									
Inward Data		UEPPP		PR71E	0	0	0									
New or Additional "B" Channel																
New or Additional - Voice/Data B Channel		UEPPP		PR7BV	0	36 92						19 99	19 99	19 99	19 99
New or Additional - Digital Data B Channel		UEPPP		PR7BF	0	36 92						19 99	19 99	19 99	19 99
New or Additional Inward Data B Channel		UEPPP		PR7BD	0	36 92						19 99	19 99	19 99	19 99
New or Additional Useage Sensitive Voice Data B Channel		UEPPP		PR7BS	0	36 92						19 99	19 99	19 99	19 99
New or Additional Useage Sensitive Digital Data B Channel		UEPPP		PR7BU	0	36 92						19 99	19 99	19 99	19 99
CALL TYPES																
Inward		UEPPP		PR7C1	0	0	0									
Outward		UEPPP		PR7C0	0	0	0									
Two-way		UEPPP		PR7CC	0	0	0									
Interoffice Channel Mileage																
Fixed Each Including First Mile		UEPPP		1LN1A	71 3583	217 17	163 75	0				19 99	19 99	19 99	19 99
Each Airline-Fractional Additional Mile		UEPPP		1LN1B	0 0783										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																

UNE Port/Loop Combination Rates																
4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		SW	UEPDC		186 23							19 99	19 99	19 99	19 99
UNE Loop Rates																
4-Wire DS1 Digital Loop - Statewide		SW	UEPDC	USLDC	62 71	714 84	482 62					19 99	19 99	19 99	19 99
UNE Port Rate																
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	123 65							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		288 86	133 87					19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		288 86	133 37					19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		288 86	133 37					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		127 63	127 63									
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 81	28 81					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 81	28 81					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 81	28 81					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 81	28 81					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 81	28 81					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION																
B8ZS -Superframe Format			UEPDC	CCOSF		0	615					19 99	19 99	19 99	19 99
B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	615					19 99	19 99	19 99	19 99
Alternate Mark Inversion																
AMI -Superframe Format			UEPDC	MCOSF		0	0									
AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0									
Telephone Number/Trunk Group Establisment Charges																
Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0											
Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0							19 99				
Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0							19 99				
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0	0	0					19 99				
DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0							19 99				
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0							19 99				
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0	0	0					19 99				
Reserve DID Numbers			UEPDC	NDV	0	0	0					19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	71 29	217 17	163 75	0	0			19 99	19 99	19 99	19 99
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 0783	0	0									
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0									
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 0783	0	0									
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0								
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 0783	0	0									
Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0								
Central Office Terminating Point			UEPDC	CTG	0											
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
UNE DS1 Loop																
4-wire DS1 Loop UNE - Statewide		SW	UEPMG	USLDC	62 71							19 99				
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	123 06	0	0									
48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246 12	0	0									
96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492 24	0	0									
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738 36	0	0									
192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984 48	0	0									
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1230 6	0	0									
288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1476 72	0	0									
384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1968 96	0	0									
480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2461 2	0	0									
576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2953 44	0	0									
672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3445 68	0	0									

Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System														
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations														
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.														
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	330 61	16 64					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and														
New (Not Currently Combined) in Georgia & Tennessee Only														
NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	743 74	326 22	149 02	17 68			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution														
Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	615					19 99	19 99	19 99	19 99
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	615					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)														
Superframe Format		UEPMG	MCOSF	0	0	0								
Extended Superframe Format		UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port														
Exchange Ports														
Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	2 28	0	0	0	0		19 99				
Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	2 28	0	0	0	0		19 99				
Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	2 28	0	0	0	0		19 99				
2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	13 26	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration														
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 65	25 27	13 34	4 15	4 12			19 99	19 99	19 99	19 99
Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 65	77 75	18 33	58 74	11 48			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service														
DID Trunk Termination (1 per Port)		UEPPX	NDT	0										
Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		UEPPX	NDZ	0	0	0				19 99				
DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99				
Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				19 99				
Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0								
Reserve DID Numbers		UEPPX	NDV	0	0	0								
Local Number Portability														
Local Number Portability -1 per port		UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional														
Local Switching Features Offered with Line Side Ports Only														
All Features Available		UEPPX	UEPVF	3 4	0	0				19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES														
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules														
These scenarios include														
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee														
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines														
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)														
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference														
The Market Rate for unbundled ports includes all available features in all states														
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)														
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
UNE Port/Loop Combination Rates														
2-Wire VG Loop/Port Combo - Statewide	SW			28 18										
UNE Loop Rates														
2-Wire Voice Grade Loop (SL1) - Statewide	SW	UEPRX	UEPLX	14 18										
2-Wire Voice Grade Line Port (Res)														
2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90					40 18	9 45		
2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90					40 18	9 45		
2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90					40 18	9 45		
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90					40 18	9 45		
LOCAL NUMBER PORTABILITY														
Local Number Portability (1 per port)		UEPRX	LNPCX	0 35										
FEATURES														
All Features Offered		UEPRX	UEPVF	0	0	0								
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		41 5	41 5								
2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41 5	41 5								
ADDITIONAL NRCs														
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														

UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide	SW			28 18											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide	SW	UEPBX	UEPLX	14 18											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90					40 18	9 45			
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90					40 18	9 45			
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90					40 18	9 45			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPBX	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC		41 5	41 5									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide	SW			28 18							40 18	9 45	20	20	
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide	SW	UEPRG	UEPLX	14 18											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14	90	90					40 18	9 45			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPRG	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPRG	USACC		41 5	41 5									
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide	SW			28 18											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide	SW	UEPPX	UEPLX	14 18											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14	90	90					40 18	9 45			
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14	90	90					40 18	9 45			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled 1 Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14	90	90					40 18	9 45			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14	90	90					40 18	9 45			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2		41 5	41 5									

	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5									
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0									
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64						19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Coin Port/Loop Combo – Statewide					28 18											
UNE Loop Rates																	
	2 Wire Voice Grade Loop (SL1) - Statewide			UEPCO	UEPLX	14 18											
2-Wire Voice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	14	90	90						40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14	90	90						40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14								40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	14	90	90						40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14	90	90						40 18	9 45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	14	90	90						40 18	9 45		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14	90	90						40 18	9 45		
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5									
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0									

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring						Nonrecurring			
														Disconnect			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	18 48	70 44	44 05					44 22	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	27 87	70 44	44 05					44 22	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	38 91	70 44	44 05					44 22	13 55		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	18 48	70 44	44 05					44 22	13 55		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	27 87	70 44	44 05					44 22	13 55		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	38 91	70 44	44 05					44 22	13 55		
		Engineering Information Document (EI)			UEANL			28 82	28 82								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		62 1	62 1								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45 43	45 43								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	21 57	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	32 53	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	43 08	178 12	128 8					44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	21 57	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	32 53	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	43 08	178 12	128 8					44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29 47	383 39	286 77					44 06	13 55		
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	44 44	383 39	286 77					44 06	13 55		
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	58 85	383 39	286 77					44 06	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	26 88	423 04	301 75					44 42	13 55		
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	40 24	423 04	301 75					44 42	13 55		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	53 65	423 04	301 75					44 42	13 55		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 43									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	31 51	235 15	160 05	106 09	21 21			44 42	13 55		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	40 95	235 15	160 05	106 09	21 21			44 42	13 55		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	47 12	235 15	160 05	106 09	21 21			44 42	13 55		
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	17 1	600 61	507 33					44 42	13 55		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	25 79	600 61	507 33					44 42	13 55		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	34 15	600 61	507 33					44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 43									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	17 1	205 28	129 32	100 74	15 86			44 42	13 55		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	25 79	205 25	129 32	100 74	15 86			44 42	13 55		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	34 15	205 28	129 32	100 74	15 86			44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 43									
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															

	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	12 21	600 61	507 33					44 06	13 55		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	18 41	600 61	507 33					44 06	13 55		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	24 39	600 61	507 33					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	12 21	222 65	146 68	100 74	15 86			44 06	13 55		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	18 41	222 65	146 68	100 74	15 86			44 06	13 55		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	24 39	222 65	146 68	100 74	15 86			44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16 21	625 11	532 78					44 06	13 55		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	24 45	625 11	532 78					44 06	13 55		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	32 38	625 11	532 78					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16 21	279 96	203 99	110 24	20 75			44 06	13 55		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	24 45	279 96	203 99	110 24	20 75			44 06	13 55		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	32 38	279 96	203 99	110 24	20 75			44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59 61	715 77	421 5					43 77	13 55		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	89 9	715 77	421 5					43 77	13 55		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	119 06	715 77	421 5					43 77	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 47									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	34 26	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	51 67	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	68 43	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	34 26	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	51 67	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68 43	602 73	393 5					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 43									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	34 26	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	51 67	602 73	393 5					44 06	13 55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68 47	602 73	393 5					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 43									
	2-WIRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	15 24	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17 14	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	17 68	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	15 24	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17 14	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	17 68	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	47 77	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	69 16	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	84 94	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	47 77	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	69 16	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99

		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	84 94	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			44 22	13 55		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06			44 22	13 55		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			44 22	13 55		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		62 1	62 1								
		Engineering Information Document			UEQ			28 82	28 82								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	24 55	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99
		4 Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	26 13	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	24 17	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	24 55	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	26 13	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	24 17	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	96 61	319 41	199 45	130 98	27 66			19 99	19 99	19 99	19 99
		4 Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	148 48	319 41	199 45	130 98	27 66			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	180 12	319 41	199 45	130 98	27 66			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	96 61	238 87	162 9	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	148 48	238 87	162 9	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	180 12	238 87	162 9	110 24	20 75			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1								
LOOP MODIFICATION																		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 32	65 32								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		342 29	342 29								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 32	65 32								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		342 29	342 29								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULM8T		65 37	65 37								
SUB-LOOPS																		
	Sub-Loop Distribution																	
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		507 75	507 75					44 22	13 55		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		45 37	45 37					44 22	13 55		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		380 6	380 6					44 22	13 55		
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSD		111 15	111 15					44 22	13 55		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	11 09	131 88	62 05	90 69	13 42			44 22	13 55		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	15 72	131 88	62 05	90 69	13 42			44 22	13 55		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	18 49	131 88	62 05	90 69	13 42			44 22	13 55		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	17 64	158 41	88 58	99 64	18 17			44 22	13 55		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	24 25	158 41	88 58	99 64	18 17			44 22	13 55		
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	23 63	158 41	88 58	99 64	18 17			44 22	13 55		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 01	106 26	36 42	90 69	13 42			44 22	13 55		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	6 7	118 76	48 93	99 64	18 17			44 22	13 55		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	8 59	131 88	62 05	90 69	13 42			44 22	13 55		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	12 29	131 88	62 05	90 69	13 42			44 22	13 55		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	13 1	131 88	62 05	90 69	13 42			44 22	13 55		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 43	45 43								

	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	9 81	158 41	88 58	99 64	18 17			44 22	13 55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	17 71	158 41	88 58	99 64	18 17			44 22	13 55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	15 8	158 41	88 58	99 64	18 17			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 43	45 43								
Sub-Loop Feeder																
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN UCL,UDL,UDC	USBFW		507 75									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 37	45 37								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523 87	11 34								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1	1		UEA	USBFA	11 16	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2	2		UEA	USBFA	14 67	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3	3		UEA	USBFA	18 43	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 43									
	Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1	1		UEA	USBFB	11 16	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	2		UEA	USBFB	14 67	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	3		UEA	USBFB	18 43	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1		UEA	USBFC	11 16	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2		UEA	USBFC	14 67	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3		UEA	USBFC	18 43	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1	1		UEA	USBFD	27 04	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2	2		UEA	USBFD	34 46	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3		UEA	USBFD	32 55	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1	1		UEA	USBFE	27 04	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	2		UEA	USBFE	34 46	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	3		UEA	USBFE	32 55	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1		UDN	USBFF	21 31	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	2		UDN	USBFF	26 15	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	3		UDN	USBFF	29 36	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 43									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1		UDC	USBFS	21 31	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	2		UDC	USBFS	26 15	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	3		UDC	USBFS	29 36	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1		USL	USBFG	79 79	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	2		USL	USBFG	155 94	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3		USL	USBFG	290 5	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45 43									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1		UCL	USBFH	7 47	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2	2		UCL	USBFH	6	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3	3		UCL	USBFH	5 74	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 43									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1		UCL	USBFJ	16 51	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2		UCL	USBFJ	10 35	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3		UCL	USBFJ	10 52	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 43									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	1		UDL	USBFN	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	2		UDL	USBFN	26 62	204 38	129 29	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	3		UDL	USBFN	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	1		UDL	USBFO	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	2		UDL	USBFO	26 62	204 38	129 29	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	3		UDL	USBFO	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 43									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1		UDL	USBFP	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2		UDL	USBFP	26 62	204 38	129 29	124 52	35 03			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3		UDL	USBFP	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 43									
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		358 5	12 29					44 22	13 55		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		358 5	12 29					44 22	13 55		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		561 8	14 33					44 22	13 55		
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 41	62 71	62 71					44 22	13 55		
Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		87 36	57 58					44 22	13 55		
	Network Interface Device (NID) - 1-8 lines			UENTW	UND16		128 84	99 06					44 22	13 55		
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 83	11 83					44 22	13 55		

	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		11 83	11 83					44 22	13 55		
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	398 41	652 26	652 26					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	58 36	271 78	271 78					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	439 73	652 26	652 26					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	98 34	271 78	271 78					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 52	126 85	92 35	33 85	9 42			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 19	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	13 03	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	37 98	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation		UENTW	UNDBX												
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ,UENTW	UNECN												
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0	0										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0	0										
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	15 33											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	382 95	905 04	529 05	239 5	167 53			31 38	31 38	3 94	3 94
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	15 33											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	391 86	905 04	529 05	239 5	167 53			31 38	31 38	3 94	3 94
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		48 07	48 07									
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		50 97	50 97									
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 6873	0 6873									
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	1	ULS	ULSDA	216 22	378 42	0	356 76	0	0						
	Line Sharing Splitter, per System 24 Line Capacity	1	ULS	ULSDB	54 05	378 42	0	356 76	0	0						
	Line Sharing Splitte, Per System, 8 Line Capacity	1	ULS	ULSD8	18 02	378 42	0	356 76	0	0						
	Line Sharing - per Line Activation	1	ULS	ULSDC	0 61	37 09	21 24	20 07	9 85			44 22	13 55			
	Line Sharing - per Subsequent Activity per Line Rearrangement	1	ULS	ULSDS		32 84	18 41					44 22	13 56			
	Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)	1	ULS	ULSDG		57 83		11 41								
UNBUNDLED TRANSPORT																
	COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU				0 0000121											
	Common Transport - Facilities Termination Per MOU				0 0004672											
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0187											
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	24 3	81 25	54 94	33 54	13 82			31 38	31 38	9 8	9 8	

	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0167											
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	24 3	81 25	54 94	33 54	13 82			31 38	31 38	9 8	9 8	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0167											
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21 29	81 25	54 94	33 54	13 82			31 38	31 38	3 94	3 94	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0167											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	16 76	81 26	54 94	33 54	13 82			31 38	31 38	3 94	3 94	
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0282											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16 76	81 26	54 94	33 54	13 82			31 38	31 38	9 8	9 8	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3415											
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77 14	178 93	163 98	32 77	28 95			31 38	31 38	3 94	3 94	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8 02											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880 65	558 74	326 23	120 66	117 17			31 38	31 38	3 94	3 94	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	8 02											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	880 55	558 74	326 26	120 66	117 17			31 38	31 38	3 94	3 94	
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	15 33	387 05	66 48	73 44	6 41			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	15 33	387 05	66 48	73 44	6 41			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	16 54	387 93	67 35	74 38	7 35			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	42 62	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	70 32	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	190 68	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11 93											
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	446	905 04	529 05	239 5	167 53			31 38	31 38	3 94	3 94	
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11 93											
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	435 1	905 04	529 05	239 5	167 53			31 38	31 38	3 94	3 94	
MULTIPLEXERS																	
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	134 46	182 48	125 42	21 12	19 62			31 38	31 38	3 947	3 94	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	1 49	13 18	9 45									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	3 2	13 18	9 45									
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 7012	13 18	9 45									
	DS3 to DS1 Channel System per month			UXTD3	MQ3	180 03	357 07	188 36	66 66	63 79			31 38	31 38	3 94	3 94	
	STS1 to DS1 Channel System per month			UXTS1	MQ3	180 03							31 38	31 38	3 94	3 94	
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	10 8	13 18	9 45									
DARK FIBER																	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	97 65											
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1281 02	276 34	635 52	398 21			31 26	31 26	3 94	3 94	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	36 41											
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1281 02	276 34	635 52	398 21			31 38	31 38	3 94	3 94	
	Dark Fiber, Four Fiber Strands Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	97 65											
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1281 02	276 34	635 52	398 21			31 38	31 38	3 94	3 94	
TRANSPORT OTHER																	
	Optional Features & Functions:																
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		185 26	23 86	1 99	0 78			29 33	3 93			
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		185 26	23 86	1 99	0 78			29 33	3 93			
8XX ACCESS TEN DIGIT SCREENING																	
	8XX Access Ten Digit Screening, Per Call			OHD		0 0005227											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		6 38	0 9583					27 84	27 84			
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			22 63	2 73					27 84	27 84			
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		22 63	2 73					27 84	27 84			
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5 64	2 82					27 84	27 84			
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		6 6	3 78					27 84	27 84			
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7 34	0 9583					27 84	27 84			
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5 64						27 84	27 84			
LINE INFORMATION DATA BASE ACCESS (LIDB)																	

		LIDB Common Transport Per Query			OQT		0 0000442											
		LIDB Validation Per Query			OQU		0 0145288											
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		61 62							27 84	27 84		
SIGNALING (CCS7)																		
		CCS7 Signaling Termination, Per STP Port			1DB	PT8SX	156 33								19 99	19 99	19 99	19 99
		CCS7 Signaling Usage, Per TCAP Message			1DB		0 0001108											
		CCS7 Signaling Connection, Per link (A link)			1DB	TPP++	21 79	277 07	277 07						19 99	19 99	19 99	19 99
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			1DB	TPP++	21 79	277 07	277 07						19 99	19 99	19 99	19 99
		CCS7 Signaling Usage, Per ISUP Message			1DB		0 0000452											
		CCS7 Signaling Usage Surrogate, per link per LATA			1DB	STU56	396 55								19 99	19 99	19 99	19 99
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			1DB	CCAPO		40	40						19 99	19 99	19 99	19 99
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			1DB	CCAPD		8	8						19 99	19 99	19 99	19 99
E911 SERVICE																		
CALLING NAME (CNAM) SERVICE																		
		CNAM for DB Owners, Per Query			OQV		0 016											
		CNAM for Non DB Owners, Per Query			OQV		0 01											
		CNAM (Non-Datab Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595	595						27 84	27 84		
LNP QUERY SERVICE																		
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE																	
OPERATOR CALL PROCESSING																		
		Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 2											
		Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24											
		Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 2											
		Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 2											
INWARD OPERATOR SERVICES																		
		Inward Operator Services - Verification, Per Minute					1 15											
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1 15											
BRANDING - OPERATOR CALL PROCESSING																		
		Recording of Custom Branded OA Announcement				CBAOS		7000	7000						19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500	500						19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																		
	DIRECTORY ASSISTANCE ACCESS SERVICE																	
		Directory Assistance Access Service Calls, Charge Per Call					0 275											
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)																	
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 1											
	UNBRANDING																	
	DIRECTORY TRANSPORT																	
		Directory Transport - Local Channel DS1					37 2	534 81	462 81						87 99	87 99	3 11	3 11
		Directory Transport - DS1 Level Interoffice Per Mile					0 7596											
		Directory Transport - DS1 Level Interoffice Per Facility Termination					94 98	216 27	162 7						39 63	39 63	3 11	3 11
		Switched Common Transport Per DA Access Service Per Call					0 000327											
		Switched Common Transport Per DA Access Service Per Call Per Mile					0 0000303											
		Access Tandem Switching Per DA Access Service Per Call					0 0024809											
		Directory Transport - DA Interconnection Per DA Service Call					0 000269											
		Directory Transport - Installation NRC, Per Trunk or Signaling Connection						407 81	11						87 99	87 99	3 11	3 11
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)																	
		Directory Assistance Data Base Service Charge Per Listng					0 04											
		Directory Assistance Data Base Service, per month				DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																		
		Custom Branding Announcement, per Recording to be used with the provision of DA			AMT	CBADA		3000	3000									
		Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		690	690									
SELECTIVE ROUTING																		
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		226 22	226 22						43 19	9 91		
VIRTUAL COLLOCATION																		
		Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn udc u al,uhl,ucl,ueq	UEAC2	0 3648	41 5	38 94						19 99	19 99	19 99	19 99

	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	1		UEPSR, UEPSB	VE1LS	0 3648	41 5	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation - 2-wire Cross Connects (port)				VE1R2	0 3648	41 5	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0 7297	41 58	38 9					19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (port)				VE1R4	0 7297	41 58	38 9					19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15 06	69 28	48 89					19 99	19 99	19 99	19 99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	27 08	84 07	63 68								
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7 5	155	14								
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		391788						19 99	19 99	19 99	19 99
	End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Inital Setup				CAMSE		296 16	296 16					27 84	27 84		
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		87 29	87 29					27 84	27 84		
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		87 29	87 29					27 84	27 84		
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		202 08	202 08					27 84	27 84		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		172 26	172 26					27 84	27 84		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0028										
	AIN SMS Access Service - Session, Per Minute					0 0942966										
	AIN SMS Access Service - Company Performed Session, Per Minute					2 07										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		291 41	291 41					27 84	27 84		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8333	8333					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		73 02	73 02					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		73 02	73 02					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		73 02	73 02					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO		150 25	150 25					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		150 25	150 25					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		150 25	150 25					27 84	27 84		
	AIN Toolkit Service - Query Charge, Per Query					0 0250662										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0062979										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 73										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15 93	72 15	72 15					27 84	27 84		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 0872769	47 35	47 35					27 84	27 84		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 84	72 15	72 15					27 84	27 84		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 0029092	47 35	47 35								
ODUF/EODUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message					0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message					0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message					0 0002862										
	ODUF Message Processing, per message					0 0032344										
	ODUF Message Processing, per Magnetic Tape provisioned					54 72										
	ODUF Data Transmission (CONNECT DIRECT), per message					0 0000357										
ENHANCED EXTENDED LINK (EELs)																
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL, Miami, FL, Ft Lauderdale, FLI, Nashville, TN, New Orleans, LA															
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge															
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)															
	NOTE In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	21 57										
	First 2-Wire VG Grade Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	32 53										
	First 2-Wire VG Grade Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	43 08										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 3415										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77 14										
	DS1 Channelization System Per Month			UNC1X	MO1	134 48										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 7012										
	Each Additional 2-Wire VG Loop(SL 2) In the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	21 57										

	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	32 53										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	43 06										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 7012										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	29 47										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	44 44										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	58 85										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3415										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	77 14										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	134 46										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 7012										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	29 47										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	44 44										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	58 85										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	34 26										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	51 67										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	68 43										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3415										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	77 14							31 38	31 38	3 94	3 94
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	134 46										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	34 26							31 38	31 38	3 94	3 94
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	51 67							31 38	31 38	3 94	3 94
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	68 43							31 38	31 38	3 94	3 94
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	34 26										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	51 67										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	68 43										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3415										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77 14										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	134 46										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 49	0	0								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	34 26										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	51 67										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	68 43										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	59 61										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	89 9										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	119 06										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3415										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77 14										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94

4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	59 61											
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	89 9											
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	119 06											
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	8 02											
Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	880 65											
DS3 to DS1 Channel System combination per month		UNC3X	MQ3	180 03											
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10 8											
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	59 61											
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	89 9											
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	119 06											
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10 8											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	21 57											
2 WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	32 53											
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	43 08											
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0167											
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	24 3							31 38	31 38	3 94	3 94	
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	29 47											
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	44 44											
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	58 85											
Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0167											
Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	21 29											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	15 33											
High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	382 95											
Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	8 02											
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	880 65											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	15 33											
High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	391 86											
Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	8 02											
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	880 55											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	26 68											
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	40 24											
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	53 85											
Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 3415											
Interoffice Transport - Dedicated - DS1 combinton - Facility Termination per month		UNC1X	U1TF1	77 14											
Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	134 46											
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 2											
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	26 68											
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	40 24											
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	53 85											
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3 2											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	59 61											
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	89 9											
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	119 06											
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	8 02											
Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	880 55											
STS1 to DS1 Channel System combination per month		UNCSX	MQ3	180 03											
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10 8											
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	59 61											
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	89 9											
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	119 06											
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10 8											
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	

4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	34 26							31 38	31 38	3 94	3 9
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	51 67										
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68 43										
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0167										
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	16 76										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11 21	11 21	13 99	13 99						
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	34 26										
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	51 67										
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68 47										
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0167										
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16 76										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 9
ADDITIONAL NETWORK ELEMENTS															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
Node (SynchroNet)															
Node per month			UNCDX	UNCNT	14 55										
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
2/4-Wire VG Interoffice Channel used in a *COMBINATION* - "Switch As Is" Conversion Charge			UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 9
56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 9
DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 9
DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 9
STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 9
NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS															
NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis															
Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3 5									
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection bellsouth com/become_a_clec/htm/interconnection htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
Exchange Ports															
NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
2-WIRE VOICE GRADE LINE PORT RATES (RES)															
Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res			UEPSR	UEPAU	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2 35	24 98	24 98					44 42	14 63		
Subsequent Activity			UEPSR	USASC	0	0	0								
FEATURES															
All Available Vertical Features			UEPSR	UEPVF	6 29	0	0					44 42	14 63		
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	2 35	24 98	24 98					44 42	14 63		
Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus			UEPSB	UEPAZ	2 35	24 98	24 98					44 42	14 63		
Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2 35	24 98	24 98					44 42	14 63		

	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	2 35	24 98	24 98					44 42	14 63				
	Subsequent Activity			UEPSB	USASC	0	0	0										
FEATURES																		
	All Available Vertical Features			UEPSB	UEPVF	6 29	0	0					44 42	14 63				
EXCHANGE PORT RATES (DID & PBX)																		
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 86	239 14	37 56	120 05	7 54			67 52	67 52				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	73 62	404 94	191 8	145 5	4 93			19 99	19 99	19 99	19 99		
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	13 38	145 86	106 21	95 79	21 52			67 52	67 52				
	All Features Offered			UEPTX UEPSX	UEPVF	6 29	0	0										
NOTE. Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																		
NOTE. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																		
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles			UEPTX UEPSX	U1UMA	0	0	0										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107 44	408 53	203 56	158 7	21 52			65 48	65 48				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2 35	24 36	24 36					41 86	14 46				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2 35	24 36	24 36					41 86	14 46				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2 35	24 36	24 36					41 86	14 46				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	2 35	24 36	24 36					41 86	14 46				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2 35	24 36	24 36					41 86	14 46				
	2 Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2 35	24 36	24 36					41 86	14 46				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2 35	24 36	24 36					41 86	14 46				
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPSP	UEPXT	2 35	24 36	24 36					41 86	14 46				
	Subsequent Activity			UEPSP	USASC	0	0	0										
FEATURES																		
	All Available Vertical Features			UEPSP UEPSE	UEPVF	6 29	0	0					41 86	14 46				
EXCHANGE PORT RATES (COIN)																		
	Exchange Ports - Coin Port					2 77	24 75	24 75					43 48	14 57				
Local Switching Features offered with Port																		
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																		
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																		
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	251	311 73	311 73					65 48	65 48				
	Exchange Port - 2-wire ISDN digital line side port with three features included				U1PMA	38 01	70 32	70 32					67 52	67 52				
UNBUNDLED LOCAL SWITCHING, PORT USAGE																		
End Office Switching (Port Usage)																		
	End Office Switching Function, Per MOU					0 0019295												
	End Office Trunk Port - Shared, Per MOU					0 0002581												
Tandem Switching (Port Usage) (Local or Access Tandem)																		
	Tandem Switching Function Per MOU					0 0006843												
	Tandem Trunk Port - Shared, Per MOU					0 0004034												
Common Transport																		
	Common Transport - Per Mile, Per MOU					0 0000121												
	Common Transport - Facilities Termination Per MOU					0 0004672												
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																		
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																		
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																		
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																		
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																		
UNE Port/Loop Combination Rates																		
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71												
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35												
	2-Wire VG Loop/Port Combo - Zone 3		3			37 68												
UNE Loop Rates																		
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17 02												
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	25 66												
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 99												
2-Wire Voice Grade Line Port Rates (Res)																		

	2-Wire voice unbundled port - residence			UEPRX	UEPRL	3 69							43 19	9 91		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	3 69							43 19	9 91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	3 69							43 19	9 91		
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	3 69							43 19	9 91		
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPAJ	3 69							43 19	9 91		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	3 69							43 19	9 91		
FEATURES																
	All Features Offered			UEPRX	UEPVF	6 29	0	0					43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1 59	0 4					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		&59	0 4					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71						8 91			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				20 71										
	2-Wire VG Loop/Port Combo - Zone 2	2				29 35										
	2-Wire VG Loop/Port Combo - Zone 3	3				37 68										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	33 99											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	3 69							43 19	9 91			
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	3 69							43 19	9 91			
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	3 69							43 19	9 91			
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus		UEPBX	UEPAZ	3 69							43 19	9 91			
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBX	UPEB1	3 69							43 19	9 91			
	2-Wire voice unbundled South Caroline Bus Area Calling Port with Caller ID (LM8)		UEPBX	UEPAB	3 69							43 19	9 91			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPBX	UEPVF	6 29	0	0					43 19	9 91			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		1 59	0 4									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					71						8 91				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2								43 19	9 91			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			20 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			29 35											
	2-Wire VG Loop/Port Combo - Zone 3	3			37 68											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	33 99											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	3 69							43 19	9 91			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 5											

FEATURES																	
	All Features Offered			UEPRG	UEPVF	6 29	0	0						43 19	9 91		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1 59	0 4						43 19	9 91		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1 59	0 4						43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71							8 91			
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0						19 99	19 99	19 99	19 99
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71											
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35											
	2-Wire VG Loop/Port Combo - Zone 3		3			37 68											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33 99											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3 69								43 19	9 91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	3 69								43 19	9 91		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	3 69								43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	3 69								43 19	9 91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	3 69								43 19	9 91		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	3 69								43 19	9 91		
	2 Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	3 69								43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	3 69								43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	3 69								43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	3 69								43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	3 69								43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	3 69								43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	3 69								43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPPX	UEPXT	3 69								43 19	9 91		
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
FEATURES																	
	All Features Offered			UEPPX	UEPVF	6 29	0	0						43 19	9 91		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		1 59	0 4						43 19	9 91		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		1 59	0 4						43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71							8 91			
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0						19 99	19 99	19 99	19 99
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Coin Port/Loop Combo – Zone 1					21 06											
	2-Wire VG Coin Port/Loop Combo – Zone 2					29 7											
	2-Wire VG Coin Port/Loop Combo – Zone 3					28 03											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	33 99											
2-Wire Voice Grade Line Ports (COIN)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	4 04								43 19	9 91		

	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (SC)			UEPCO	UEPSC	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 900 Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	4 04							43 19	9 91			
	2-Wire Coin 2-W Operator Screen 900 Block 900/976, 1+DDD, 011+, Local, Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	4 04							43 19	9 91			
	2-Wire Coin 2-W Operator Screen 900 Block 900/976, 1+DDD, 011+, Local, Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	4 04							43 19	9 91			
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	4 04							43 19	9 91			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	4 04							43 19	9 91			
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	4 04							43 19	9 91			
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	4 04							43 19	9 91			
	2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD, 011+, Local, Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	4 04							43 19	9 91			
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	4 04							43 19	9 91			
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	4 04							43 19	9 91			
ADDITIONAL UNE COIN PORT/LOOP (RC)																	
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4 05	0	0									
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
FEATURES																	
	All Features Offered			UEPCO	UEPVF	6 29	0	0					41 86	14 48			
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPCO	USAC2		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1 59	0 4					43 19	9 91			
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0					43 19	9 91			
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			29 66											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			37 74											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44 4											
UNE Loop Rates																	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20 65							19 99	19 99	19 99	19 99	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	28 91							19 99	19 99	19 99	19 99	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35 57							19 99	19 99	19 99	19 99	
UNE Port Rate																	
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 83							19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		14 62	3 73					19 99	19 99	19 99	19 99	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 62	3 73					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 66						19 99	19 99	19 99	19 99	
Telephone Number/Trunk Group Establisment Charges																	
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99	
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ		0	0					19 99	19 99	19 99	19 99	
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99	
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5		0	0				19 99					
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				19 99					
	Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99					
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	38 58											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	48 25											

	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		55 29										
UNE Loop Rates																	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	27 38								19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X									19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	44 09								19 99	19 99	19 99	19 99
UNE Port Rate																	
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	11 2								19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0	77 18	54 15						19 99	19 99	19 99	19 99
ADDITIONAL NRCs																	
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0	0									
B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0	0	0									
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0	0	0									
	CSD			UEPPB	UEPPR	U1UCC	0	0	0									
B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS SC,MS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0	0	0									
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0	0	0									
	CSD			UEPPB	UEPPR	U1UCF	0	0	0									
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0	0	0									
VERTICAL FEATURES																	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	6 29	0	0									
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	20 74	136 44	51 37						19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0373	0	0					0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			221 03											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			301 73											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			434 8											
UNE Loop Rates																		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	113 59								19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194 29								19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	327 36								19 99	19 99	19 99	19 99
UNE Port Rate																		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	107 44								19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is			UEPPP		USACP	0	238 67	157 46						19 99	19 99	19 99	19 99
ADDITIONAL NRCs																		
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0 9822							19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		23 02	23 02						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46 05	46 05						19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																		

	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
	Voice/Data			UEPPP	PR71V	0	0	0								
	Digital Data			UEPPP	PR71D	0	0	0								
	Inward Data			UEPPP	PR71E	0	0	0								
	New or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0	29 11						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0	29 11						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0	29 11						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0	29 11						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0	29 11						19 99	19 99	19 99	19 99
	CALL TYPES															
	Inward			UEPPP	PR7C1	0	0	0								
	Outward			UEPPP	PR7C0	0	0	0								
	Two-way			UEPPP	PR7CC	0	0	0								
	Interoffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	95 7398	216 27	162 7	0				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 7598										
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		187 21							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		267 91							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		400 96							19 99	19 99	19 99	19 99
	UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	113 59							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC					23 46			19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	327 36							19 99	19 99	19 99	19 99
	UNE Port Rate															
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	73 62							19 99	19 99	19 99	19 99
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		259 56	134 33					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Converson with DS1 Changes			UEPDC	USAWA		259 56	134 33					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Converson with Change - Trunk			UEPDC	USAWB		259 56	134 33					19 99	19 99	19 99	19 99
	ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29 01	29 01					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29 01	29 01					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation,Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29 01	29 01					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29 01	29 01					19 99	19 99	19 99	19 99
	BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0	605					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	605					19 99	19 99	19 99	19 99
	Alternate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0	0								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0								
	Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19 99				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19 99				
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	ND2	0	0	0				19 99				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19 99				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0						19 99				
	Reserve Non-Consecutive DID Nos			UEPDC	ND8	0	0	0				19 99				
	Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99				
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	94 98	216 27	162 7	0	0			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 7598	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 7598	0	0								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 7598	0	0								

	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3.15	0	0	0								
	Central Office Terminating Point		UEPDC	CTG	0											
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	113.59	0	0									
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	194.29	0	0									
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	327.36	0	0									
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	103.47	0	0									
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	206.94	0	0									
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	413.88	0	0									
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	620.82	0	0									
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	827.76	0	0									
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1034.7	0	0									
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1241.64	0	0									
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1655.52	0	0									
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2069.4	0	0									
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2483.28	0	0									
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	2897.16	0	0									
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	301.62	16.76					19.99	19.99	19.99	19.99	
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in Georgia & Tennessee Only															
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	717.71	425.81	149.08	17.69			19.99	19.99	19.99	19.99	
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	605					19.99	19.99	19.99	19.99	
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	605					19.99	19.99	19.99	19.99	
	Alternate Mark Inversion (AMI)															
	Superframe Format		UEPMG	MCOSF	0	0	0									
	Extended Superframe Format		UEPMG	MCOPO	0	0	0									
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1.65	0	0	0	0	19.99						
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1.65	0	0	0	0	19.99						
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1.65	0	0	0	0	19.99						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	8.86	0	0	0	0	19.99						
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0.7	25.45	13.44	4.2	4.17			19.99	19.99	19.99	19.99	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0.7	78.31	18.48	59.37	11.6			19.99	19.99	19.99	19.99	
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0											
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)		UEPPX	NDZ	0	0	0			19.99						
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0			19.99						
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0			19.99						
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0									
	Reserve DID Numbers		UEPPX	NDV	0	0	0									
	Local Number Portability															
	Local Number Portability - 1 per port		UEPPX	LNPCP	3.15	0	0									
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available		UEPPX	UEPVF	6.29	0	0			19.99						
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															

For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			31 02											
	2-Wire VG Loop/Port Combo - Zone 2	2			39 66											
	2-Wire VG Loop/Port Combo - Zone 3	3			47 99											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	33 99											
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90						43 19	9 91		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90						43 19	9 91		
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90						43 19	9 91		
	2-Wire voice unbundles res. low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90						43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPRX	UEPVF	0	0	0									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			31 02											
	2-Wire VG Loop/Port Combo - Zone 2	2			39 66											
	2-Wire VG Loop/Port Combo - Zone 3	3			47 99											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	33 99											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90						43 19	9 91		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90						43 19	9 91		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90						43 19	9 91		
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus		UEPBX	UEPAZ	14	90	90						43 19	9 91		
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)		UEPBX	UEPAB	14	90	90						43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			31 02											
	2-Wire VG Loop/Port Combo - Zone 2	2			39 66											
	2-Wire VG Loop/Port Combo - Zone 3	3			47 99											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	33 99											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14	90	90						43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15											

FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0	0									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			31 02											
2-Wire VG Loop/Port Combo - Zone 2		2			39 66											
2-Wire VG Loop/Port Combo - Zone 3		3			47 99											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	17 02											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	25 66											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	33 99											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					43 19	9 91			
Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					43 19	9 91			
Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14	90	90					43 19	9 91			
2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					43 19	9 91			
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90					43 19	9 91			
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					43 19	9 91			
2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90					43 19	9 91			
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					43 19	9 91			
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90					43 19	9 91			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					43 19	9 91			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					43 19	9 91			
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					43 19	9 91			
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					43 19	9 91			
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0									
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0	0									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
2-Wire VG Coin Port/Loop Combo – Zone 1					31 02											
2-Wire VG Coin Port/Loop Combo – Zone 2					39 66											
2-Wire VG Coin Port/Loop Combo – Zone 3					47 99											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	17 02											
2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	25 66											
2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	33 99											
2-Wire Voice Grade Line Port Rates (Coin)																
2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	14	90	90					43 19	9 91			
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90					43 19	9 91			
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	14	90	90					43 19	9 91			
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	14	90	90					43 19	9 91			
2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (SC)			UEPCO	UEPSC	14	90	90					43 19	9 91			
2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14	90	90					43 19	9 91			
2-Wire Coin 2-W Oper Screen & Blocking 900/976, 1+DDD, 011+ & Local, Enhanced Calling OPT 3YV (SC)			UEPCO	UEPCE	14	90	90					43 19	9 91			
2-Wire Coin 2-W Oper Screen & Block 900/976, 1+DDD, 011+, & Local, Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14	90	90					43 19	9 91			
2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	14	90	90					43 19	9 91			

		2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	14	90	90					43 19	9 91		
		2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14	90	90					43 19	9 91		
		2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14	90	90					43 19	9 91		
		2-Wire Coin Out Oper Screen & Block 900/976, 1+DDD, 011+, & Local , w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14	90	90					43 19	9 91		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
								Nonrecurring		Nonrecurring Disconnect							
							Res	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.99	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	15.92	78.93	50.98	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	20.79	78.93	50.98	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	27.18	78.93	50.98	10.65	1.41			20.35	10.54	13.32	13.32
		Engineering Information Document (EI)			UEANL			28.8	28.8								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		36.46	36.46								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		36.52	36.52								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.2	28.7	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.2	28.7	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.2	28.7	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.2	28.7	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	21.63	75.06	48.2	28.7	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28.28	75.06	48.2	28.7	17.64			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.7	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	21.15	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	27.62	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	36.12	228.92	152.42	110.01	21.63			20.35	10.54	13.32	13.32
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	23.6	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	I	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32

2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	1	2	UAL	UAL2W	18 05	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	1	3	UAL	UAL2W	23 6	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34 29									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10 83	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14 15	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18 5	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	10 83	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	14 15	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	18 5	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13 93	279 6	244 22	74 54	39 14			20 35	10 54	13 32	13 32
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18 2	279 6	244 22	74 54	39 14			20 35	10 54	13 32	13 32
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	23 8	279 6	244 22	74 54	39 14			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	13 93	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	18 2	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	23 8	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
4-WIRE DS1 DIGITAL LOOP															
4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57 73	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11 95
4 Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75 4	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11 95
4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98 59	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11 95
Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34 59									
4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	31 1	207 01	141 38	90 7				20 35	10 54	13 32	13 32
4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	40 61	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	53 11	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31 1	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40 61	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53 11	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31 1	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40 61	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53 11	207 01	141.38	90 7	44 18			20 35	10 54	13 32	13 32
Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
2-WIRE Unbundled COPPER LOOP															
2 Wire Unbundled Copper Loop/Short including manual service inquiry & fac reservation - Statewide	1	sw	UCL	UCLPB	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
2-Wire Unbundled Copper Loop/Short without manual svc inquiry and facility reservation - Statewide	1	sw	UCL	UCLPW	12 16	31 99	20 02	10 65	1 41			20.35	10.54	13 32	13 32
Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								

	2-Wire Unbundled Copper Loop/Long includes manual svc inquiry and facility reservation - Statewide	I	sw	UCL	UCL2L	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
	2-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Statewide	I	sw	UCL	UCL2W	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	13 19	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	17 23	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	22 53	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		36 52	36 52								
	Engineering Information Document			UEQ			28 8	28 8								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
4-WIRE COPPER LOOP																
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Statewide	I	sw	UCL	UCL4S	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Statewide	I	sw	UCL	UCL4W	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
	4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Statewide	I	sw	UCL	UCL4L	12 15	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Statewide	I	sw	UCL	UCL4O	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	I		UAL, UHL, UCL, UEQ, ULS	ULM2L		65 4	65 4								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	I		UCL, ULS	ULM2G		710 71	23 77								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	I		UHL, UCL	ULM4L		65 4	65 4								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	I		UCL	ULM4G		710 71	23 77								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 44	65 44								
SUB-LOOPS																
Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		517 25	517 25					20 35	10 54	13 32	13 32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		42 68	42 68					20 35	10 54	13 32	13 32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		313 01	313 01					20 35	10 54	13 32	13 32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		108 06	108 06					20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	10 02	148 84	112 34	73 14	36 65			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 3	147 93	75 11	99 96	16 98			20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 54	147 93	75 11	99 96	16 98			20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12 47	147 93	75 11	99 96	16 98			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1 35	94 56	29 35	94 41	13 09			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2 26	116 14	37 1	99 96	16 98			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 16	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6 74	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8 81	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6 52	117 12	44 3	99 96	16 98			20 35	10 54	13 32	13 32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	8 52	117 12	44 3	99 96	16 98			20 35	10 54	13 32	13 32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	11 14	117 12	44 3	99 96	16 98			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29								
Sub-Loop Feeder																
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN, UCL, UDL, UDC	USBFW		517 25									

				UEA, UDN,UCL,UDL,UD C	USBFX		42 68	42 68								
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			USL	USBFZ		531 04	11 34								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		sw	UEA	USBFA	12 05	122 24	85 05	76 35	39 16		19 99	20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFB	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		sw	UEA	USBFC	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21 52	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	28 11	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21 52	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	28 11	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34 29									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39 74	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	51 9	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67 86	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34 29									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9 52	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	12 43	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	16 26	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 29									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14 37	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18 76	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24 53	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 29									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 06	116	40 62	106 82	18 91		19 99	19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	34 03	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	44 5	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 06	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	34 03	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	44 5	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 06	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	34 03	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	44 5	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34 29									
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335 35	7 82					20.34	10 54	13 32	13 32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335 36	7 82					20.35	10.54	13 32	13 32
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		528 48	9 74					20 35	10 54	13 32	13 32
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0 45	2 48	2 48					20 35	10 54	13 32	13 32
Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89 69	54 56					20 35	10 54	13 32	13 32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129 65	94 51					20 35	10 54	13 32	13 32
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		0 74	0 74					20 35	10 54	13 32	13 32
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		0 74	0 74					20 35	10 54	13 32	13 32
UNBUNDLED LOOP CONCENTRATION																
	Loop Channelization System			ULC	ULCCS	307 07	307 34	74 37	4 18				20 35	10 54	13 32	13 32

	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1 2	9 57	9 52	8 66	8 6			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	500 18	613 6	613 6					20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	54 82	255 67	255 67					20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	539	613 6	613 6					20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92 37	255 67	255 67					20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6 23	74 39	53 07	30 23	8 46			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 46	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 46	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 32	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12 45	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 53	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 332
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35 77	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	11 03	8 069	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11 03	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11 03	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ, UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL ,UDN,UEA,UHL,UL C	UNECN	0	0									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UD C	USBFQ	0	0									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9 19										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374 24	595 67	304 5	234 83	170 16			36 84	36 84	19 01	19 01
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9 19										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	389 35	595 37	304 5	215 82	151 15			36 84	36 84	19 01	19 01
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	I		UMK	UMKLW		100	100								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	I		UMK	UMKLP		100	100								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)	I		UMK	PSUMK		0 6888	0 6886								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	100	150	0	150	0		0				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	25	150	0	150	0		0				
	Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSD8	8 33	150	0	150	0		0				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	40	21 39	35 06	10 79			20 35	10 54	13 32	13 32
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		30	15					20 35	10 54		
UNBUNDLED TRANSPORT																
	COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU					0 0000064										
	Common Transport - Facilities Termination Per MOU					0 0003871										
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0174										

	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	18 58	55 39	17 37	27 96	3 51			20 35	21 09	9 8	10 54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month		U1TVX	U1TR2	18 58	55 39	17 37	27 96	3 51			20 35	21 09	9 8	10 54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0054										
	Interoffice Channel - Dedicated Transport - 4 Wire Voice Grade - Facility Termination per month		U1TVX	U1TV4	24 09	37 87	26 02	30 78	13 07			15 08	15 08	8 66	8 66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD5	17 98	55 39	17 37	27 96	3 51			20 35	21 09	9 8	10 54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	17 98	55 39	17 37	27 96	3 51			20 35	21 09	9 8	10 54
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0 3525										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		U1TD1	U1TF1	77 86	112 4	76 27	19 55	14 99			20 35	21 09	9 8	10 54
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	848 99	395 29	176 56	109 04	105 91			36 84	36 84	19 01	19 01
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	849 3	395 29	176 56	109 04	105 91			36 84	36 84	19 01	19 01
LOCAL CHANNEL - DEDICATED TRANSPORT															
NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month		ULCVX	ULDV2	19 43	199 33	24 16	54 81	4 8			20 35	10 54	13 32	13 32
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month		ULCVX	ULDR2	19 43	199 33	24 16	54 81	4 8			20 35	21 09	9 8	10 54
	Local Channel - Dedicated - 4-Wire Voice Grade per month		UNCVX	ULDV4	20 56	201 53	24 83	55 52	5 51			20 35	20 35	13 32	13 32
	Local Channel - Dedicated - DS1 per month		ULDD1	ULDF1	40 99	277 35	233 26	33 18	22 3			45 68	1 76	21 75	1 76
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	7 15										
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	611 3	595 37	304 5	215 82	151 15			36 84	36 84	19 01	19 01
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	7 15										
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	599 59	588 07	297 2	215 82	151 15			20 35	21 09	9 8	10 54
MULTIPLEXERS															
	Channelization - DS1 to DS0 Channel System		UXTD1	MO1	80 77	141 67	77 11	44 47	42 62			20 35	9 8	11 49	1 18
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	1 82	6 07	4 66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3 1	6 07	4 66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	0 91	6 07	4 66								
	DS3 to DS1 Channel System per month		UXTD3	MO3	222 98	308 03	108 47	6 34	4 23			20 35	9 8	11 49	1 18
	STS1 to DS1 Channel System per month		UXTS1	MO3	222 98	308 03	108 47	6 34	4 23			20 35	21 09	9 8	9 8
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	17 58	6 07	4 66								
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	53 23										
	NRC Dark Fiber - Local Channel		UDF	UDFC4		1219 22	169 75	453 22	339 34			20 35	21 09	9 8	10 54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	53 23										
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1219 22	169 75	453 22	339 34			20 35	21 09	9 8	10 54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	53 23										
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1219 22	169 75	453 22	339 34			20 35	21 09	9 8	10 54
TRANSPORT OTHER															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		185 16	23 85	2 03	0 79			20 35	21 09	9 8	10 54
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		185 16	23 85	2 03	0 79			20 35	21 09	9 8	10 54
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call		OHD		0 0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		5 21	0 76					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		4 47	2 24					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		5 23	3					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		5 97	0 76					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		4 47						20 35	20 35	13 28	13 28
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query		OQT		0 0000354										

	LIDB Validation Per Query			OQU		0 0117403											
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49 03						20 35	20 35	13 28	13 28
SIGNALING (CCS7)																	
	CCS7 Signaling Termination, Per STP Port			1DB	PT8SX	138 41							20 35	20 35	13 32	13 32
	CCS7 Signaling Usage, Per TCAP Message			1DB		0 0000916											
	CCS7 Signaling Connection, Per link (A link)			1DB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			1DB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
	CCS7 Signaling Usage, Per ISUP Message			1DB		0 0000373											
	CCS7 Signaling Usage Surrogate, per link per LATA			1DB	STU56	352 3							20 35	20 35	13 32	13 32
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			1DB	CCAPO		40	40					20 35	20 35	13 32	13 32
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			1DB	CCAPD		8	8					20 35	20 35	13 32	13 32
E911 SERVICE																	
CALLING NAME (CNAM) SERVICE																	
	CNAM for DB Owners, Per Query			OQV		0 016											
	CNAM for Non DB Owners, Per Query			OQV		0 01											
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595	595					20 35	20 35	13 28	13 28
LNP QUERY SERVICE																	
OPERATOR CALL PROCESSING																	
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 2											
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24											
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 2											
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 2											
INWARD OPERATOR SERVICES																	
	Inward Operator Services - Verification, Per Call					1											
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1 95											
BRANDING - OPERATOR CALL PROCESSING																	
	Recording of Custom Branded OA Announcement				CBAOS		7000	7000					19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																	
	DIRECTORY ASSISTANCE ACCESS SERVICE																
	Directory Assistance Access Service Calls, Charge Per Call					0 275											
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)																
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 1											
	UNBRANDING																
	DIRECTORY TRANSPORT																
	Directory Transport - Local Channel DS1					133 81	868 97	486 83					20 35	20 35	13 28	13 28
	Directory Transport - DS1 Level Interoffice Per Mile					23											
	Directory Transport - DS1 Level Interoffice Per Facility Termination					90	100 49	100 49					20 35	20 35	13 28	13 28
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)																
	Directory Assistance Data Base Service Charge Per Listing					0 04											
	Directory Assistance Data Base Service, per month				DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																	
	Custom Branding Announcement, per Recording to be used with the provision of DA			AMT	CBADA		3000	3000									
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		690	690									
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		179 6	179 6					30 89	7 03			
VIRTUAL COLLOCATION																	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	1		UEPSR, UEPSB	VE1LS	0 57	11 62	9 9	10 38	8 66			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15 64	41 56	29 82									
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28 11	50 53	38 78									
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	1 319	32 22	17 76	10 46	8 75							
AIN SELECTIVE CARRIER ROUTING																	

	Regional Service Establishment			SRC	SRCEC		391788						19 99	19 99	19 99	19 99
	End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		135 56	135 56					20 35	20 35	13 28	13 28
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		41 75	41 75					20 35	20 35	13 28	13 28
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		41 75	41 75					20 35	20 35	13 28	13 28
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		96 63	96 63					20 35	20 35	13 28	13 28
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		113 67	113 67					20 35	20 35	13 28	13 28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0024										
	AIN SMS Access Service - Session, Per Minute					0 0820123										
	AIN SMS Access Service - Company Performed Session, Per Minute					2 27										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		132 04	132 04					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7915	7915					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		85 24	85 24					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85 24	85 24					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		85 24	85 24					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Query Charge, Per Query					0 0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 5										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	17 43	33 52	33 52					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 1321116	36 23	36 23					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	17 35	33 52	33 52					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 0511435	36 23	36 23					20 35	20 35	13 28	13 28
ODUF/EDOUF/ADUF/CMDS																
	ADUF Message Processing, per message					0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message					0 001										
	EODUF Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message					0.0000044										
	ODUF Message Processing, per message					0 0027366										
	ODUF Message Processing, per Magnetic Tape provisioned					52 75										
	ODUF Data Transmission (CONNECT DIRECT), per message					0 0000339										
ENHANCED EXTENDED LINK (EELs)																
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft Lauderdale, FLI; Nashville, TN; New Orleans, LA;															
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge															
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)															
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 3525										
	Interoffice Transport - Dedicated - DS1 combination - Facilty Termination per month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
	DS1 Channelization System Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 6						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 91	5 7	4 42								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54

Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 7	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 7	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 6						
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 7	4 42								
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 7	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 7	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 6						
OCU DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 7	4 42								
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 7	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 6						
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 7	4 42								
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 4 Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 7	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54

4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2 34										
Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	848 99	428 1	153 81	64 43	35 43			20 35	21 09	9 8	10 54
DS3 to DS1 Channel System combination per month		UNC3X	MQ3	222 98	319 48	126 63	45 53	17 05						
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	17 58	6 52	2 58								
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	17 58	6 52	2 58								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0174										
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	18 58	79 86	44 06	69 32	31			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 7	108 75	35 47	72 94	10 85			20 35	21 09	9 8	10 54
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	32 25	108 75	35 47	72 94	10 85			20 35	21 09	9 8	10 54
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42 17	108 75	35 47	72 94	10 85			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0054										
Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	24 09	79 83	44 08	69 32	31			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	9 19										
High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	374 24	240 23	180 87	106 78	45 24						
Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	2 34										
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	848 99	428 01	153 81	64 43	35 43			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)														
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	9 19										
High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	389 35	240 23	180 87	106 78	45 24						
Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	2 34										
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	849 3	428 01	153 81	64 43	35 43			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	22	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 combinton - Facility Termination per month		UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	80 77	49 95	75 98	13 6							
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 1	6 16	0 6								
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	22	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3 1	6 16	0 6								

Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)														
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	2 34										
Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	849 3	426 01	153 61	64 43	35 43			20 35	21 09	9 8	10 54
STS1 to DS1 Channel System combination per month		UNCSX	MQ3	222 98	428 01	153 81	64 43	25 43						
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	17 58	5 7	4 42								
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	17 58	5 7	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)														
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 174										
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	22 1	58 54	38 32	13 98	8 59			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 174										
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	22 1	58 54	38 32	13 98	8 59			20 35	21 09	9 8	10 54
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
ADDITIONAL NETWORK ELEMENTS														
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														
Node (SynchroNet)														
Node per month		UNCDX	UNCNT	17 11										
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
Local Channel - Dedicated - 2-Wire Voice Grade per month		UNCXV	ULDV2	19 43										
Local Channel - Dedicated - 4-Wire Voice Grade per month		UNCXV	ULDV4	20 56										
Local Channel - Dedicated - DS1 Per Month		UNC1X	ULDF1	40										
OPERATIONAL SUPPORT SYSTEMS														
NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis														
Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3 5									
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														

Exchange Ports																
NOTE. Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res			UEPSR	UEPAQ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)			UEPSR	UEPAH	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R)			UEPSR	UEPAK	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2 Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Subsequent Activity			UEPSR	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSR	UEPVF	0	0	0					20 35	10 54	13 32	1 4
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus			UEPSB	UEPAV	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Subsequent Activity			UEPSB	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSB	UEPVF	0	0	0					20 35	10 54	13 32	1 4
EXCHANGE PORT RATES (DID & PBX)																
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 97	47 75	47 01	9 21	8 47			20 35	10 54	13 32	1 4
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	35 74	75 93	38 15	8 77	8 04			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	16 26	30 23	29 49	4 1	4 1			41 43	42 17	9 8	9 8
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
NOTE. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles			UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75 04	148 66	147 18	38 46	36 98			40 69	42 17	9 07	10 54
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B 1 7	2 Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B 1 7	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B 1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B 1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4

B17	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B17	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B17	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administratve Calling Port TN Calling Port			UEPSP	UEPXN	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B17	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B17	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B17	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
B17	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPSP	UEPXV	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	Subsequent Activity			UEPSP	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0	0	0					20 35	10 54	13 32	1 4
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					2 11	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4

NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports

NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process

UNBUNDLED LOCAL SWITCHING, PORT USAGE

End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0008041										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 0009778										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 0000064										
	Common Transport - Facilities Termination Per MOU					0 0003871										

UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES

Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports

Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit

End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations

For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21 32										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
FEATURES																
	All Features Offered			UEPRX	UEPVF	0	0	0					30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										

NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs															
2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 48										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 31										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21 32										
2-Wire Voice Grade Line Port (Bus)															
2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2 Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES															
All Features Offered			UEPBX	UEPVF	0	0	0					30 89	7 03		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1 03	0 29								
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								30 89	7 03		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12 48										
2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16 31										
2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21 32										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPRG	LNPCP	3 5										
FEATURES															
All Features Offered			UEPRG	UEPVF	0	0	0					30 89	7 03		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1 03	0 29					30 89	7 03		

	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21 32										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 7	22 14	15 25	8 45				30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2 Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Callling Port			UEPPX	UEPXV	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	0	0	0					30 89	7 03		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					14 18										
	2-Wire VG Coin Port/Loop Combo – Zone 2					18 01										
	2-Wire VG Coin Port/Loop Combo – Zone 3					23 02										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	21 32										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976 1+DDD (NC, TN)			UEPCO	UEPRP	1 7	22 14	15 25	8 45	3 91			30 89	7 03		

2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTA	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin 2-Way with Operator Screening 900 Blocking 900/976, 1+DDD 011+, and Local (NC, TN)			UEPCO	UEPCA	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2 Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 88							30 89	7 03		
2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 88							30 89	7 03		
ADDITIONAL UNE COIN PORT/LOOP (RC)															
UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 45	0	0								
Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES															
All Features Offered			UEPCO	UEPVF	0	0	0					20 35	10 54	13 32	1 4
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0					30 89	7 03		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18 38										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19 87										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			24 78										
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9 6										
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11 09										
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16										
Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 78	45 44	29 94	8 45	3 91			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch as-is			UEPPX	USAC1		8 76	5 75					19 99	19 99	19 99	19 99
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		8 76	5 75					19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establisment Charges															
DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0								
Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0								
Reserve DID Numbers			UEPPX	NDV	0	0	0								
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		32 27										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		34 78										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		44 32										
2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	16 2										
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	18 71										
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	28 25										
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	16 07	141 75	118 37	49 2	43 26			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	117 23	117 23					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy - Non Feature/Add Trunk			UEPPB UEPPR	USASB		212 88						19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:															


CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0								
CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0								
CSD			UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS SC,MS, & TN)															
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0	0	0								
CVS (EWSD)			UEPPB UEPPR	U1UCE	0	0	0								
CSD			UEPPB UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE															
User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES															
All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	0	0	0								
Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	17 91	53 99	17 37					19 99	19 99	19 99	19 99
Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 173	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		132 58										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		150 25										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		173 44										
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57 73										
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75 4										
4 Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98 59										
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	74 85	415 53	366 9	89 28	77 43			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-Is			UEPPP	USACP	0	328 53	328 53					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0 94						19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22 36	22 36					19 99	19 99	19 99	19 99
4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44 71	44 7					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
INTERFACE (Provisioning Only)															
Voice/Data			UEPPP	PR71V	0	0	0								
Digital Data			UEPPP	PR71D	0	0	0								
Inward Data			UEPPP	PR71E	0	0	0								
New or Additional "B" Channel															
New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0	28 39						19 99	19 99	19 99	19 99
New or Additional - Digital Data B Channel			UEPPP	PR7BF	0	29 11						19 99	19 99	19 99	19 99
New or Additional Inward Data B Channel			UEPPP	PR7BD	0	29 39						19 99	19 99	19 99	19 99
New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0	28 39						19 99	19 99	19 99	19 99
New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0	28 39						19 99	19 99	19 99	19 99
CALL TYPES															
Inward			UEPPP	PR7C1	0	0	0								
Outward			UEPPP	PR7C0	0	0	0								
Two-way			UEPPP	PR7CC	0	0	0								
Interoffice Channel Mileage															
Fixed Each Including First Mile			UEPPP	1LN1A	76 1825	145 98	109 85	19 55				19 99	19 99	19 99	19 99
Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 3525										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93 28							19 99	19 99	19 99	19 99

4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110 95							19 99	19 99	19 99	19 99
4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134 14							19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57 53										
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75 4				40 45						
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98 59										
4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	35 55	342 8	257 87	61 41	48 49			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC	USAC4		312 91	312 91					19 99	19 99	19 99	19 99
4 Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		312 91	312 91					19 99	19 99	19 99	19 99
4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		312 91	312 91					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		94 88	94 88								
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108 67	108 67					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108 67	108 67					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108 67	108 67					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108 67	108 67					19 99	19 99	19 99	19 99
4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108 67	108 67					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
B8ZS -Superframe Format			UEPDC	CCOSF		0	590					19 99	19 99	19 99	19 99
B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	590					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
AMI -Superframe Format			UEPDC	MCOSF		0	0								
AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0								
Telephone Number/Trunk Group Establisment Charges															
Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0										
Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19 99				
Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19 99				
DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19 99				
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0						19 99				
Reserve Non-Consecutive DID Nos			UEPDC	ND6	0	0	0								
Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	75 83	145 98	109 85	19 66	14 99			19 99	19 99	19 99	19 99
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 3525	0	0								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 3525	0	0								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 3525	0	0								
Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0							
Central Office Termininating Point			UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57 73	0	0								
4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75 4	0	0								
4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98 59	0	0								
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131 87	0	0								
48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263 74	0	0								
96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527 48	0	0								
144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791 42	0	0								
192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0	0								
240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1318 7	0	0								
288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1582 44	0	0								

384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2109 92	0	0								
480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2637 4	0	0								
576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3164 88	0	0								
672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3692 36	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0	303 61	15 74					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
New (Not Currently Combined) in Georgia & Tennessee Only															
NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	704 68	441 48	138 36	16 41			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution															
Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	590					19 99	19 99	19 99	19 99
Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	590					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)															
Superframe Format			UEPMG	MCOSF	0	0	0								
Extended Superframe Format			UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 79	0	0	0	0		19 99				
Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 79	0	0	0	0		19 99				
Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 79	0	0	0	0		19 99				
2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 97	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration															
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 66	23 94	12 64	3 82	3 8			19 99	19 99	19 99	19 99
Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 66	73 67	17 37	54 09	10 57			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service															
DID Trunk Termination (1 per Port)			UEPPX	NDT	0										
DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0								
Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				19 99				
Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0								
Reserve DID Numbers			UEPPX	NDV	0	0	0								
Local Number Portability															
Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
All Features Available			UEPPX	UEPVF	0	0	0				19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
These scenarios include															
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the Interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
The Market Rate for unbundled ports includes all available features in all states															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															
For Not Currently Combined scenarios where Market Rates apply, the Non-recurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Non-recurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12 48										
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 31										
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21 32										

2-Wire Voice Grade Line Port (Res)																
2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90						30 89	7 03		
2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90						30 89	7 03		
2 Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90						30 89	7 03		
2 Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	14	90	90						30 89	7 03		
2-Wire voice unbundlee res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90						30 89	7 03		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRX	LNPCX	0 35											
FEATURES																
All Features Offered			UEPRX	UEPVF	0	0	0									
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41 5									
2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5									
ADDITIONAL NRCs																
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			26 48											
2-Wire VG Loop/Port Combo - Zone 2		2			30 31											
2-Wire VG Loop/Port Combo - Zone 3		3			35 32											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 48											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 31											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21 32											
2-Wire Voice Grade Line Port (Bus)																
2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90						30 89	7 03		
2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90						30 89	7 03		
2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90						30 89	7 03		
2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	14								30 89	7 03		
2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	14	90	90						30 89	7 03		
2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14								30 89	7 03		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPBX	USAC2		41 5	41 5									
2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5									
ADDITIONAL NRCs																
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1		1			26 48											
2-Wire VG Loop/Port Combo - Zone 2		2			30 31											
2-Wire VG Loop/Port Combo - Zone 3		3			35 32											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12 48											
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16 31											
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21 32											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90						30 89	7 03		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRG	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5									
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5									
ADDITIONAL NRCs																

	2-Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			26 48											
	2-Wire VG Loop/Port Combo - Zone 2	2			30 31											
	2-Wire VG Loop/Port Combo - Zone 3	3			35 32											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX	12 48											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX	16 31											
	2 Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	21 32											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14		90	90					30 89	7 03		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14		90	90					30 89	7 03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port		UEPPX	UEPT2	14								30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port		UEPPX	UEPTO	14								30 89	7 03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN		UEPPX	UEPXN	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14		90	90					30 89	7 03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port		UEPPX	UEPXU	14		90	90					30 89	7 03		
	2 Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port		UEPPX	UEPXV	14		90	90					30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2			41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPPX	USACC			41 5	41 5								
ADDITIONAL NRCs															20	20
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2			0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1				26 48											
	2-Wire VG Coin Port/Loop Combo – Zone 2				30 31											
	2-Wire VG Coin Port/Loop Combo – Zone 3				35 32											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	12 48											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	16 31											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	21 32											
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)		UEPCO	UEPTB	14		90	90					30 89	7 03		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)		UEPCO	UEPRP	14								30 89	7 03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)		UEPCO	UEPTA	14		90	90					30 89	7 03		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)		UEPCO	UEPCA	14		90	90					30 89	7 03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)		UEPCO	UEPTC	14		90	90					30 89	7 03		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (TN)		UEPCO	UEPOT	14		90	90					30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPCO	USAC2			41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPCO	USACC			41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2			0	0								



ATTACHMENT 3

NETWORK INTERCONNECTION

TABLE OF CONTENTS

1. GENERAL 3

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) 3

3. NETWORK INTERCONNECTION 4

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES 6

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION 13

6. LOCAL DIALING PARITY 17

7. INTERCONNECTION COMPENSATION 17

8. FRAME RELAY SERVICE INTERCONNECTION 23

9. OPERATIONAL SUPPORT SYSTEMS (OSS) 26

Rates	Exhibit A
Basic Architecture	Exhibit B
One Way Architecture	Exhibit C
Two Way Architecture	Exhibit D
Supergroup Architecture	Exhibit E

NETWORK INTERCONNECTION

1. GENERAL

1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:

2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).

2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).

2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.

2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").

2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching on the other Party's common (shared) network.

2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.

2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that performs the interconnection function for BellSouth and <<customer_name>>.

2.1.9 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.

2.1.10 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and it's the IP's Serving Wire Center.

2.1.11 **Local Traffic** is as defined in Section 7 of this Attachment.

2.1.12 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.

2.1.13 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.

2.1.14 **Transit Traffic** is traffic originating on <<customer_name>>'s network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third Party's network that is switched and/or transported by BellSouth and delivered to <<customer_name>>'s network.

3. NETWORK INTERCONNECTION

3.1 This Attachment pertains only to the provision of network interconnection where <<customer_name>> owns and provides its switch(es).

3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.

3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which local traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of that traffic.

3.2.1.1 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point which is most efficient for both Parties. If the Parties are unable to agree on the location of

the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a particular LATA may be established by mutual agreement of the Parties. If the Parties are unable to agree to additional IPs, each Party will designate the IP for its originated traffic. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

3.3 **Interconnection via Dedicated Facilities**

3.3.1 **Local Channel Facilities.** As part of network interconnection, the originating Party may obtain Local Channel facilities from the terminating Party. The portion of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor. The charges applied to the portion of the Local Channel used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment.

3.3.2 **Dedicated Interoffice Facilities.** As a part of network interconnection, the originating Party may obtain Dedicated Interoffice Facilities. The portion of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor. The charges applied to the portion of the Dedicated Interoffice Facility used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment.

3.4 **Fiber Meet**

3.4.1 If <<customer_name>> elects to interconnect with BellSouth pursuant to a Fiber Meet, <<customer_name>> and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, <<customer_name>>'s SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network .

3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the <<customer_name>> Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection

facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility .

3.4.4 Upon verbal request by <<customer_name>>, BellSouth shall allow <<customer_name>> access to the fusion splice point for the Fiber Meet point for maintenance purposes on <<customer_name>>'s side of the Fiber Meet point.

3.4.5 Neither Party shall charge the other for it's the Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic . All the appropriate charges will apply. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and <<customer_name>> shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.

4.2 <<customer_name>> shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of <<customer_name>>'s originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent <<customer_name>> desires to deliver Local Traffic and/or Transit Traffic BellSouth access tandems within the LATA, other than the tandems(s) to which <<customer_name>> has established interconnection trunk groups , <<customer_name>> shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

4.2.1 Notwithstanding the forgoing, <<customer_name>> shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where <<customer_name>> has homed (i.e. assigned) its NPA/NXXs. <<customer_name>> shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. <<customer_name>> shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.

4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on <<customer_name>>'s NXX access tandem homing arrangement as specified by <<customer_name>> in the LERG.

4.4 Any <<customer_name>> interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2)

affects traffic delivered to <<customer_name>> from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require <<customer_name>> to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.

4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and <<customer_name>> are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.

4.6 For two-way trunk groups that carry only both Parties' Local Traffic , the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and facilities . <<customer_name>> shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.

4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

4.8 In cases where <<customer_name>> is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).

4.9 Each Party shall order interconnection trunks and trunk group, including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in Attachment 9 to this Agreement. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and <<customer_name>>'s equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 **Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic**

4.10.1 Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties Local Traffic . <<customer_name>> shall order such two-way trunks via the Access Service

Request (ASR) process. . BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties use of two-way interconnection trunk groups for the transport of Local Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic to the other Party.

4.10.2 **BellSouth Access Tandem Interconnection**

4.10.2.1 BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

4.10.2.2 **Basic Architecture**

4.10.2.2.1 In the basic architecture, <<customer_name>>'s originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between <<customer_name>> and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between <<customer_name>> and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which <<customer_name>> desires to exchange traffic. This trunk group also carries <<customer_name>> originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to <<customer_name>>. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.2.3 **One-Way Trunk Group Architecture**

4.10.2.3.1 In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for <<customer_name>>-originated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for <<customer_name>> end-users. A two-way trunk group provides Intratandem Access for <<customer_name>>'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between <<customer_name>> and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers

that have a Meet Point Billing arrangement with BellSouth, and other network providers with which <<customer_name>> desires to exchange traffic. This trunk group also carries <<customer_name>> originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to <<customer_name>>. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.2.4 **Two-Way Trunk Group Architecture**

4.10.2.4.1 Upon agreement of the Parties as set forth in Section 4.10.1 above, the two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between <<customer_name>> and BellSouth. In addition, a separate two-way transit trunk group must be established for <<customer_name>>'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between <<customer_name>> and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which <<customer_name>> desires to exchange traffic. This trunk group also carries <<customer_name>> originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to <<customer_name>>. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.5 **Supergroup Architecture**

4.10.2.5.1 Upon agreement of the Parties as set forth in Section 4.10.1 above, the Parties may establish a supergroup architecture. In the supergroup architecture, the Parties' Local Traffic and <<customer_name>>'s Transit Traffic are exchanged on a single two-way trunk group between <<customer_name>> and BellSouth to provide Intratandem Access to <<customer_name>>. This trunk group carries Transit Traffic between <<customer_name>> and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which <<customer_name>> desires to exchange traffic. This trunk group also carries

<<customer_name>> originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to <<customer_name>>. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit D..

4.10.3 **Multiple Tandem Access Interconnection**

4.10.3.1 Where <<customer_name>> does not choose access tandem interconnection at every BellSouth access tandem within a LATA, <<customer_name>> may utilize BellSouth multiple tandem access interconnection (MTA). To utilize MTA <<customer_name>> must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route <<customer_name>>'s originated Local Traffic for LATA wide transport and termination. <<customer_name>> must also establish an interconnection trunk group(s) at all BellSouth access tandems where <<customer_name>> NXXs are homed as described in Section 4.2.1 above. If <<customer_name>> does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, <<customer_name>> can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate <<customer_name>>'s Local Traffic to end-users served through those BellSouth access tandems where <<customer_name>> does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

4.10.3.2 <<customer_name>> may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to <<customer_name>> will be delivered to and from IXCs based on <<customer_name>>'s NXX access tandem homing arrangement as specified by <<customer_name>> in the LERG.

4.10.3.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.

4.10.3.4 To the extent <<customer_name>> does not purchase MTA in a LATA served by multiple access tandems, <<customer_name>> must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To

the extent <<customer_name>> routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA service, <<customer_name>> agrees to pay BellSouth the associated transport and termination charges.

4.10.4 **Local Tandem Interconnection**

4.10.4.1 Local Tandem Interconnection arrangement allows <<customer_name>> to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of <<customer_name>>-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's General Subscriber Services Tariff (GSST), Section A3 served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.

4.10.4.2 When a specified local calling area is served by more than one BellSouth local tandem, <<customer_name>> must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, <<customer_name>> may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. <<customer_name>> may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where <<customer_name>> does not choose to establish an interconnection trunk group(s). It is <<customer_name>>'s responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to <<customer_name>>'s codes. Likewise, <<customer_name>> shall obtain its routing information from the LERG.

4.10.4.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, <<customer_name>> must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which <<customer_name>> has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

4.10.4.4 BellSouth's provisioning of local tandem interconnection assumes that <<customer_name>> has executed the necessary Local Interconnection

Agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.5 **Direct End Office-to-End Office Interconnection**

4.10.5.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating local or intraLATA toll traffic to the terminating Party on a direct end office-to-end office basis.

4.10.5.2 The Parties shall utilize direct end office-to-end office trunk groups under the following conditions:

4.10.5.2.1 (1) Tandem Exhaust - If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between <<customer_name>> and BellSouth's subscribers.

4.10.5.2.2 (2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a <<customer_name>> switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a <<customer_name>> switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. Either Party will install additional capacity between such points when overflow traffic between <<customer_name>>'s switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.5.2.3 (3) Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above, and agreement will not unreasonably be withheld.

4.10.6 **Transit Traffic Trunk Group**

4.10.6.1 Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by <<customer_name>> to deliver and receive local and intraLATA toll Transit Traffic from third parties, such as Independent Companies and other CLECs, via BellSouth access tandems (or BellSouth local tandems for Local Traffic), and Switched Access traffic to and from Interexchange Carriers via BellSouth access tandems pursuant to the Transit Traffic section of this Attachment. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.6.2 **Toll Free Traffic**

4.10.6.2.1 If <<customer_name>> chooses BellSouth to handle Toll Free database queries from its switches, all <<customer_name>> originating Toll Free traffic will be routed over the Transit Traffic Trunk Group.

4.10.6.2.2 All originating Toll Free Service (Toll Free) calls for which <<customer_name>> requests that BellSouth perform the Service Switching Point ("SSP") function (i.e., perform the database query) shall be delivered using GR-394 format over the Transit Traffic Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.

4.10.6.2.3 <<customer_name>> may handle its own Toll Free database queries from its switch. If so, <<customer_name>> will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the query determines that the call is a BellSouth local or intraLATA Toll Free number, <<customer_name>> will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the query determines that the call is a third party (ICO or other CLEC) local or intraLATA Toll Free number, <<customer_name>> will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group. In such case, <<customer_name>> is to provide a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free number, <<customer_name>> will route the post-query interLATA call (Toll Free number) directly from its switch for carriers interconnected with its network or over the Transit Traffic Trunk Group to carriers not directly connected to its network but are connected to BellSouth's access tandem. Calls will be routed to BellSouth over the local/intraLATA and Transit Traffic Trunk Groups within the LATA in which the calls originate.

4.10.6.2.4 All post-query Toll Free Service (Toll Free) calls for which <<customer_name>> performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend the BellSouth access tandem.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

5.1 Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or

networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

5.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.

5.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.

5.4 Network Management Controls. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

5.5 Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks. Neither Party shall alter the CCS parameters, or be a party to altering such parameters, or knowingly pass CCS parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 Signaling Call Information. BellSouth and <<customer_name>> will send and receive 10 digits for Local Traffic. Additionally, BellSouth and <<customer_name>> will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ,

including all proper translations for routing between networks and any information necessary for billing.

5.7 **Forecasting for Trunk Provisioning**

5.7.1 Within six (6) months after execution of this agreement, <<customer_name>> shall provide an initial interconnection trunk group forecast for each LATA that it shall provide service within BellSouth's region. Upon receipt of <<customer_name>>'s forecast, the Parties shall schedule and participate in a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.

5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, <<customer_name>>-to-BellSouth one-way trunks ("<<customer_name>> Trunks"), BellSouth-to-<<customer_name>> one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' local and intraLATA toll. The quantities shall be projected for a minimum of six months in advance and shall include the current year plus next two years total forecasted quantities. Considering <<customer_name>>'s provided forecast, the Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities for the time periods listed and to be included within the initial forecast.

5.7.1.2 Additionally all forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for <<customer_name>> location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).

5.7.2 Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process in place for local interconnection trunks.

5.7.4 Once initial interconnection trunk forecasts have been developed, <<customer_name>> shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. <<customer_name>> shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. Interconnection trunk forecasts shall be updated and provided to BellSouth on an as needed basis, but no less frequently than semiannually and no more frequently than monthly. Upon receipt of <<customer_name>>'s forecast, including forecast updates, the Parties shall confer to mutually develop BellSouth Reciprocal Trunk and/or two-way interconnection trunk forecasted quantities for the listed time periods within such subsequent forecasts.

5.8 **Trunk Utilization**

5.8.1 BellSouth and <<customer_name>> shall monitor traffic on each interconnection trunk group that is installed pursuant to the initial interconnection trunk requirements and subsequent forecasts. At any time after the end of a calendar quarter, based on a review of the capacity utilization during such quarter for installed reciprocal trunk groups and/or two-way interconnection trunk groups, subject to the provisions of the section following, BellSouth may disconnect any non-utilized or under-utilized reciprocal trunk(s) and <<customer_name>> shall refund to BellSouth any associated trunk and facility charges paid by BellSouth. BellSouth may request <<customer_name>> to disconnect any under-utilized two-way interconnection trunk(s), if BellSouth has determined that the trunk group is not being utilized at eighty-five percent (85%) of the time consistent busy hour utilization level, provided that the Parties have not otherwise agreed. <<customer_name>> shall comply with all such requests, subject to Section 5.8.1.1 below. Under-utilized trunks are defined as the trunks being utilized at less than 85% as a result of a time consistent busy hour utilization.

5.8.1.1 BellSouth's LISC will notify the <<customer_name>> of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated <<customer_name>> interface. <<customer_name>> will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected Local Number Ported (LNP) and traffic volumes and the timeframes within which <<customer_name>> expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with <<customer_name>> to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to <<customer_name>>. The due date of these orders will be

four weeks after <<customer_name>> was first notified in writing of the underutilization of the trunk groups.

5.8.1.2 <<customer_name>> monitors all direct trunks from <<customer_name>> to BellSouth. If <<customer_name>> wishes to disconnect any such trunks, <<customer_name>> shall issue an ASR to do so.

5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty-five percent (85%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and <<customer_name>> shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and <<customer_name>> shall permit similarly situated telephone exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.

7. INTERCONNECTION COMPENSATION

7.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-bound Traffic

7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.

7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange or local calling area to an ISP server or modem in the same exchange or local calling area. ISP-bound Traffic is not considered Local Traffic subject to reciprocal compensation, but instead is information traffic subject to interstate compensation.

7.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the call transportation and termination of Local Traffic or ISP-bound Traffic.

7.1.4 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.9 and 7.9.1 below and to Multiple Tandem Access as described in Section 4.10.3 above.

7.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of payment of call transportation and termination compensation.

7.1.6 If <<customer_name>> assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to <<customer_name>> end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a <<customer_name>> customer physically located outside of such LATA, shall not be deemed Local Traffic, and no compensation from BellSouth to <<customer_name>> shall be due therefor. Further, <<customer_name>> agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to <<customer_name>> at BellSouth's switched access tariff rates.

7.2 If <<customer_name>> does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole <<customer_name>> NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if <<customer_name>> can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.

7.3 **Percent Local Use.** Each Party shall report to the other a Percent Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the

PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

7.4 **Percent Local Facility.** Each Party shall report to the other a Percent Local Facility ("PLF"). The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

7.5 **Percent Interstate Usage**. Each Party shall report to the other the projected Percent Interstate Usage ("PIU"). All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to <<customer_name>>. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

7.6 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and <<customer_name>> shall retain records of call detail for a minimum of nine months from which a PLU, PLF and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either

Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.7 **Compensation for 8XX Traffic**

7.7.1 Compensation for 8XX Traffic. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs.

7.7.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.7.3 8XX Access Screening. BellSouth's provision of 8XX TFD to <<customer_name>> requires interconnection from <<customer_name>> to BellSouth 8XX SCP. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. <<customer_name>> shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that <<customer_name>> desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff as amended.

7.8 **Mutual Provision of Switched Access Service**

7.8.1 Switched Access Traffic. Switched Access Traffic is described in the BellSouth Access Tariff. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be compensated as local.

7.8.2 If the BellSouth end user chooses <<customer_name>> as their presubscribed interexchange carrier, or if the BellSouth end user uses <<customer_name>> as an interexchange carrier on a 101XXXX basis, BellSouth will charge <<customer_name>> the appropriate BellSouth tariff charges for originating switched access services

7.8.3 For originating or terminating switched access traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff..

7.8.4 When <<customer_name>>'s end office switch, subtending the BellSouth Access Tandem switch for receipt or delivery of switched access traffic, provides an access service connection to or from an interexchange carrier ("IXC") by either a direct trunk group to the IXC utilizing BellSouth facilities, or via BellSouth's tandem switch, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. Thirty (30)-day billing periods will be employed for these arrangements. For tandem routed traffic, the tandem company agrees to provide to the Initial Billing Company as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. The Initial Billing Company will provide the switched access summary usage data, for all originating and terminating traffic, to all Subsequent Billing Companies as defined in MECAB within 10 days of rendering the initial bill to the IXC. Each Party will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary.

7.8.5 In the event that either Party fails to provide the appropriate MECAB switched access usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable switched access revenues, and a negotiated settlement will be agreed upon between the Parties.

7.8.6 Each Party will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.

7.8.7 Each Party agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.

7.8.8 Each Party also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.

7.8.9 All claims should be filed with the other Party within 120 days of the receipt of the date of the unbillable usage.

7.8.10 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.8.11 <<customer_name>> agrees not to deliver switched access traffic to BellSouth for termination except over <<customer_name>> ordered switched access trunks and facilities.

7.9 **Transit Traffic**

7.9.1 BellSouth shall provide tandem switching and transport services for <<customer_name>>'s Transit Traffic. Rates for Local and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Switched Access Transit Traffic presumes that <<customer_name>>'s end office is subtending the BellSouth Access Tandem for switched access traffic to and from <<customer_name>>'s end users utilizing BellSouth facilities, either by direct trunks with the IXC, or via the BellSouth Access Tandem. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Pursuant to these guidelines, the Initial Billing Company shall provide summary usage data, for all originating and terminating Transit Traffic, to all Subsequent Billing Companies. Traffic between <<customer_name>> and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between <<customer_name>> and Wireless Type 2A or UNE-CLEC third parties shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or UNE-CLEC third party have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.9.2 In the event that either Party fails to provide the appropriate MECAB usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect Transit Traffic revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable revenues and a negotiated settlement will be agreed upon between the Parties

7.9.3 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates stipulated in this Agreement to a terminating carrier. BellSouth agrees to deliver this traffic to the terminating carrier; provided, however, that <<customer_name>> is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to <<customer_name>>. <<customer_name>> agrees to compensate BellSouth for any charges or costs for the delivery of Transit Traffic to a connecting carrier on behalf of <<customer_name>>. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and <<customer_name>>'s frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which <<customer_name>> is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between <<customer_name>> and BellSouth Frame Relay Switches in the same LATA.

8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.

8.3 Upon the request of either Party, such interconnection will be established where BellSouth and <<customer_name>> have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an

interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.

8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:

8.5.1 If the data packets originate and terminate in locations in the same LATA, and consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").

8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").

8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, <<customer_name>> may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies <<customer_name>> that it has found that this method does not adequately represent the PLCU.

8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.

8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and <<customer_name>> will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. <<customer_name>> will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of <<customer_name>>'s PLCU.

8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be

calculated as follows: BellSouth will invoice, and <<customer_name>> will pay, the total non-recurring and recurring charges for the NNI port. <<customer_name>> will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by <<customer_name>>'s PLCU.

8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).

8.8 For the PVC segment between the <<customer_name>> and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.

8.9 Compensation for PVC rate elements will be calculated as follows:

8.9.1 If <<customer_name>> orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the <<customer_name>> Frame Relay switch, BellSouth will invoice, and <<customer_name>> will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and <<customer_name>> Frame Relay switches. If the VC is a Local VC, <<customer_name>> will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to <<customer_name>> for the PVC segment.

8.9.2 If BellSouth orders a Local VC connection between a <<customer_name>> subscriber's PVC segment and a PVC segment from the <<customer_name>> Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and <<customer_name>> will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and <<customer_name>> Frame Relay switches. If the VC is a Local VC, <<customer_name>> will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to <<customer_name>> for the PVC segment.

8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.

8.9.4 If <<customer_name>> requests a change, BellSouth will invoice and <<customer_name>> will pay a Feature Change charge for each affected PVC segment.

8.9.4.1 If BellSouth requests a change to a Local VC, <<customer_name>> will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.

8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.

8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.

8.10 <<customer_name>> will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.

8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.


8.12 If during the term of this Agreement, BellSouth obtains authority to provide interLATA Frame Relay in any State, the Parties agree to renegotiate this arrangement for the exchange of Frame Relay Service Traffic within one hundred eighty (180) days of the date BellSouth receives interLATA authority. In the event the Parties fail to renegotiate this Section 8 within the one hundred eighty day period, they will submit this matter to the appropriate State commission(s) for resolution.

9. OPERATIONAL SUPPORT SYSTEMS (OSS)

9.1 The terms, conditions and rates for OSS are as set forth in FCC Tariff for Access Service Records.

Basic Architecture

Exhibit B



One-Way Architecture

Exhibit C




Exhibit D

Two-Way Architecture





Exhibit E

Supergroup Architecture



CATEGORY	LOCAL INTERCONNECTION / NOTES	Interim	Zone	BCS	USOC	RATES					OSS RATES					
							Nonrecurring		Nonrecurring Disconnect							
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs Electronic 1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge Manual Svc Order vs Electronic Disc Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																
	NOTE "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic															
	TANDEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0 0005692bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0 0005692bk										
	Tandem Intermediary Charge, per MOU*			OHD		$0 0015										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges															
	TRUNK CHARGE															
	Installation Trunk Side Service per DS0			OHD	TPP++		$333 69	$56 91								
	Dedicated End Office Trunk Port Service per DS0**			OHD	TDE0P	$0 00										
	Dedicated End Office Trunk Port Service per DS1**			0H1 OH1MS	TDE1P	$0 00										
	Dedicated Tandem Trunk Port Service per DS0**			OHD	TDW0P	$0 00										
	Dedicated Tandem Trunk Port Service per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements															
LOCAL INTERCONNECTION (TRANSPORT)																
	COMMON TRANSPORT (Shared)															
	Common Transport Per Mile, Per MOU			OHD		0 0000026bk										
	Common Transport Facilities Termination Per MOU			OHD		0 0003685bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel Dedicated Transport - 2 Wire Voice Grade Per Mile per month			OHL, OHM	1L5NF	$0 0101										
	Interoffice Channel Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	$24 15	$81 07	$54 82	$33 47	$13 79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS															
	Interoffice Channel Dedicated Transport - 56 kbps per mile per month			OHL, OHM	1L5NK	$0 0101										
	Interoffice Channel - Dedicated Transport - 56 kbps Facility Termination per month			OHL, OHM	1L5NK	$17 28	$81 08	$54 82	$33 47	$13 79						
	Interoffice Channel Dedicated Transport 64 kbps per mile per month			OHL, OHM	1L5NK	$0 0101										
	Interoffice Channel Dedicated Transport 64 kbps Facility Termination per month			OHL, OHM	1L5NK	$17 28	$81 08	$54 82	$33 47	$13 79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel Dedicated Channel DS1 - Per Mile per month			OH1 OH1MS	1L5NL	$0 2067										
	Interoffice Channel Dedicated Tranport DS1 Facility Termination per month			OH1 OH1MS	1L5NL	$68 75	$178 53	$163 61	$32 7	$28 88						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel Dedicated Transport - DS3 Per Mile per month			OH3 OH3MS	1L5NM	$4 67										
	Interoffice Channel Dedicated Transport DS3 Facility Termination per month			OH3 OH3MS	1L5NM	$804 02	$557 49	$325 51	$120 39	$116 91						
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel Dedicated - 2 Wire Voice Grade per month			OHL OHM	TEFV2	$15 96	$386 19	$66 33	$73 28	$6 39						
	Local Channel Dedicated 4 Wire Voice Grade per month			OHL OHM	TEFV4	$17 06	$387 06	$67 2	$74 22	$7 33						
	Local Channel Dedicated DS1 per month			OH1	TEFHG	$41 52	$354 94	$307 43	$44 38	$30 52						
	Local Channel Dedicated DS3 Facility Termination per month			OH3	TEFHJ	$476 04	$903 03	$527 87	$238 97	$167 16						
	LOCAL INTERCONNECTION MID-SPAN MEET															
	NOTE If Access service ride Mid Span Meet, one half the tariffed service Local Channel rate is applicable															

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs Electronic 1st	Incremental Charge Manual Svc Order vs Electronic-Add'l	Incremental Charge Manual Svc Order vs Electronic-Disc 1st	Incremental Charge Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel Dedicated DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization DS1 to DS0 Channel System			OH1 OH1MS	SATN1	$122 5	$182 08	$125 14	$21 07	$19 58						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$201 37	$356 28	$187 94	$66 51	$63 65						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$15 39	$13 15	$9 43								
		Notes. If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party															

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0005767bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0005767bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$336 43	$57 38								
		Dedicated End Office Trunk Port Service per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport Per Mile, Per MOU			OHD		0 0000034bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004493bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport 2 Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	$0 0084										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facilty Termination per month			OHL, OHM	1L5NF	$26 02	$42 69	$28 66	$16 51	$6 34						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport 56 kbps - per mile per month			OHL, OHM	1L5NK	$0 0084										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facilty Termination per month			OHL, OHM	1L5NK	$18 95	$42 69	$28 66	$16 51	$6 34						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	$0 0084										
		Interoffice Channel - Dedicated Transport 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	$18 95	$42 69	$28 66	$16 51	$6 34						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel DS1 - Per Mile per month			OH1 OH1MS	1L5NL	$0 171										
		Interoffice Channel - Dedicated Tranport DS1 Facility Termination per month			OH1 OH1MS	1L5NL	$90 87	$95 16	$88 78	$16 74	$14 85						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel Dedicated Transport DS3 Per Mile per month			OH3 OH3MS	1L5NM	$3 57										
		Interoffice Channel Dedicated Transport DS3 Facility Termination per month			OH3 OH3MS	1L5NM	$1,101 00	$302 43	$197 7	$64 94	$63 61						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel Dedicated 2 Wire Voice Grade per month			OHL OHM	TEFV2	$21 42	$239 67	$42 34	$33 93	$3 61						

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	$21 91	$240 30	$42 97	$34 47	$4 15						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$34 49	$195 33	$165 48	$21 90	$15 28						
		Local Channel - Dedicated DS3 Facility Termination per month			OH3	TEFHJ	$554 83	$501 59	$309 24	$125 43	$87 3						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1MS OH3	SATN1	$151 74	$91 44	$64 57	$10 00	$9 46						
		DS3 to DS1 Channel System per month			OH3MS	SATNS	$218 7	$179 66	$106 96	$36 37	$35 22						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$14 24	$9 08	$6 38								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE. "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0011009bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0011009bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$333 28	$56 84								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 000008bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004152bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0222										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$17 07	$79 61	$36 08								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0222										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$16 45	$79 61	$36 08								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0222										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$16 45	$79 61	$36 08								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	$0 4523										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	$78 47	$147 07	$111 75								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	$2 72										

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	$788 00	$511 1	$330 77	$122 31	$119 14						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHN	TEFV2	$13 91	$382 95	$62 4								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHN	TEFV4	$14 99	$368 44	$64 05								
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$38 36	$356 15	$312 89								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$515 91	$639 5	$426 31	$122 31	$119 14						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1M	SATN1	$126 22	$198 22	$123 59	$31 03	$19 75						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$182 04	$280 66	$195 33	$83 10	$59 96						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$11 02	$12 02	$8 66								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0007555bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0007555bk										
		Tandem Intermediary Charge, per MOU*			OHD		$0 001096										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges																
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334 09	$57 12								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service per DS1**			0H1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000031bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 000757bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0118										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facilty Termination per month			OHL, OHN	1L5NF	$29 51	$81 10	$54 84	$33 36	$13 75						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0118										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$21 26	$81 11	$54 84	$33 36	$13 75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0118										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$21 26	$81 11	$54 84	$33 36	$13 75						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 2407										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$97 38	$178 59	$163 67	$32 59	$28 79						

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	$5 1										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	$1,191 53	$557 69	$325 62	$120 00	$116 54						
		LOCAL CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHN	TEFV2	$18 81	$386 33	$66 35	$73 04	$6 37						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHN	TEFV4	$20 12	$387 20	$67 22	$73 98	$7 31						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$44 63	$355 06	$307 53	$44 24	$30 42						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$583 57	$903 34	$528 05	$238 20	$166 62						
		LOCAL INTERCONNECTION MID-SPAN MEET															
		NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
		MULTIPLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1 OH1M	SATN1	$139 65	$182 14	$125 19	$21 00	$19 52						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$194 82	$356 40	$188	$66 30	$63 44						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$14 43	$13 16	$9 43								
		Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party															

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0006289bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0006289bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334 94	$56 98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000037bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004332bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0165										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$26 12	$80 98	$54 76	$33 91	$13 97						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0165										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$18 04	$80 99	$54 76	$33 91	$13 97						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0165										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$18 04	$80 99	$54 76	$33 91	$13 97						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 3367										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$81 45	$178 34	$163 44	$33 13	$29 37						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$7 46										

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N 1L5NM	$982 87	$556 89	$325 16	$121 99	$118 47						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN TEFV2	$21 44	$385 78	$66 26	$74 25	$6 48						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN TEFV4	$22 7	$386 65	$67 13	$75 21	$7 43						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$45 1	$354 56	$307 1	$44 97	$30.93						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$543 82	$902 06	$527 3	$242 15	$169.38						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N SATN1	$121 5	$181 88	$125 01	$21 35	$19 84						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$233 25	$355 89	$187 73	$67 40	$64 49						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$13 64	$13 14	$9 42								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0006733bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0006733bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334 11	$56 98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 000003bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 000499bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0112										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$24 75	$80 96	$54 74	$34 27	$14 12						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0.0112										
		Interoffice Channel - Dedicated Transport - 56 [illegible]ility Termination per month			OHL, OHN	1L5NK	$17 24	$80 97	$54 74	$34 27	$14 12						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0112										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17 24	$80 97	$54 74	$34 27	$14 12						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 2293										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$63 00	$178 29	$163 4	$33 48	$29 57						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$5 43										

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N 1L5NM	$705 42	$556 75	$325 07	$123 28	$119 71						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN TEFV2	$16 39	$385 68	$66 24	$75 04	$6 55						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN TEFV4	$17 59	$385 55	$67 11	$76 00	$7 51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$41 40	$354 47	$307 02	$45 45	$31 25						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$455 69	$901 82	$527 16	$244 7	$171.16						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N SATN1	$125 29	$181 84	$124 98	$21.57	$20 05						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$207 87	$355 80	$187 69	$68 11	$65 17						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$15 78	$13 13	$9 41								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

LOCAL INTERCONNECTION
North Carolina

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0012bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0012bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$333 54	$56 88								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 00001bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 00034bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0282										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$18 00	$137 48	$52 58								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17 40	$137 48	$52 58								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17 40	$137 48	$52 58								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$71 29	$217 17	$163 75								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$12 98										

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	$720 38	$794 94	$579 55								
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHM	TEFV2	$14 82	$553 80	$89 69								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	$15 87	$562 23	$92 67								
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$35 68	$534 48	$462 69								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$498 87	$562 25	$527 88								
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1M	SATN1	$146 69	$197 78	$140 06								
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$233 1	$403 97	$234 40								
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$16 07	$13 09	$9 38								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0014911bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0014911bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$335 14	$57 16								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000121bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004672bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0167										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$24 3	$81 25	$54 94	$33 54	$13 82						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$16 76	$81 26	$54 94	$33 54	$13 82						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$16 76	$81 26	$54 94	$33 54	$13 82						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 3415										
		Interoffice Channel - Dedicated Tranport - DS1 - [illegible]rmination per month			OH1 OH1N	1L5NL	$77 14	$178 93	$163 98	$32 77	$28 95						
	INTEROFFI[illegible]	EDICATED TRANSPORT- DS3															
		[illegible] Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$8 02										

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N 1L5NM	$880 65	$558 74	$326 23	$120 66	$117 17						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN TEFV2	$15 33	$387 05	$66 48	$73 44	$6 41						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN TEFV4	$16 54	$387 93	$67 35	$74 38	$7 35						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$42 62	$355 73	$308 11	$44 48	$30 59						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$446 00	$905 04	$529 05	$239 50	$167.53						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N SATN1	$134 46	$182 48	$125 42	$21 12	$19 62						
		DS3 to DS1 Channel System per month			OH3	OH3MS SATNS	$180 03	$357 07	$188 36	$66 66	$63 79						
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS SATCO	$10 8	$13 18	$9 45								

Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0009778bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0009778bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334 29	$57 01								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000064bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0003871bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0174										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$18 58	$55 39	$17 37	$27 96	$3 51						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17 98	$55 39	$17 37	$27 96	$3 51						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17 98	$55 39	$17 37	$27 96	$3 51						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 3562										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$77 86	$112 40	$76 27	$19 55	$14 99						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$2 34										

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N 1L5NM	$848 99	$395 29	$176 56	$109 04	$105 91						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN TEFV2	$19 02	$199 33	$24 16	$54 81	$4 8						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN TEFV4	$20 56	$201 53	$24 83	$55 52	$5 51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$40 99	$277 35	$233.26	$33 18	$22 30						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$611 3	$595.37	$304 5	$215 82	$151 15						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N SATN1	$80 77	$141 87	$77 11	$44 47	$42 62						
		DS3 to DS1 Channel System per month			OH3	OH3MS SATNS	$222 98	$308 03	$108 47	$6 34	$4 23						
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS SATCO	$17 58	$6 07	$4 66								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																