Legal Department

Lisa S. Foshee
General Attorney

BellSouth Telecommunications, Inc.
150 South Monroe Street
Room 400
Tallahassee, Florida 32301
(404) 335-0754

November 29, 2001

Mrs. Blanca S. Bayó
Director, Division of the Commission Clerk
and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850

Re: 960786-B-TL (Section 271)

Dear Ms. Bayó:

Enclosed please find the original and six copies of BellSouth Telecommunications, Inc.'s Notice of Filing with attached Affidavit of Alphonso J. Varner. Also attached are Exhibits which include Revised Flow Through Data for June, July and August which we ask that you file in the captioned docket.

A copy of this letter is enclosed. Please mark it to indicate that the original was filed and return the copy to me. Copies have been served to the parties by Federal Express as shown on the attached Certificate of Service.

Sincerely,

Lisa S. Foshee

Lisa S. Foshee

(22)

Enclosures

cc: All Parties of Record
Marshall M. Criser III
Fred J. McCallum

DOCUMENT NUMBER-DATE
15012 NOV 29 01
FPSC-COMMISSION CLERK

BEFORE THE FLORIDA PUBLIC SERVICE COMMISSION

In Re: Consideration of BellSouth Telecommunications, Inc.'s entry into interLATA services pursuant to Section 271 of the Federal Telecommunications Act of 1996.	)	Docket No. 960786-B-TL
	)	Filed: November 29, 2001

BELLSOUTH TELECOMMUNICATIONS, INC.'S NOTICE OF FILING

BellSouth Telecommunications, Inc. ("BellSouth") hereby files the Affidavit of Alphonso J. Varner that attaches BellSouth's performance data reflecting performance for the month of September 2001. The Affidavit and the accompanying attachments describe the performance data and explain the conclusions that can be drawn from it. Also attached are updated exhibits 2a, 2b and 2c containing revised Flow Through Data for June, July and August.

Respectfully submitted this 29th day of November 2001.

BELLSOUTH TELECOMMUNICATIONS, INC.

Nancy B. White

NANCY B. WHITE (2#)
JAMES MEZA III
c/o Nancy Sims
150 South Monroe Street, Suite 400
Tallahassee, FL 32301
(305) 347-5561

Lisa Foshee

LISA FOSHEE (2#)
FRED MCCALLUM
E. EARL EDENFIELD JR.
Suite 4300
675 W. Peachtree St., NE
Atlanta, GA 30375
(404) 335-0754

406732

CERTIFICATE OF SERVICE
DOCKET NO. 960786-B-TL

I HEREBY CERTIFY that a true and correct copy of the foregoing was served by Federal Express this 29th day of November, 2001 to the following:

Mr. Brian Sulmonetti (+)
LDDS WorldCom Communications
Suite 3200
6 Concourse Parkway
Atlanta, GA 30328
Tel. No. (770) 284-5493
Fax. No. (770) 284-5488
brian.sulmonetti@wcom.com

Floyd R. Self, Esq. (+)
Messer Law Firm
215 South Monroe Street
Suite 701
P.O. Box 1876
Tallahassee, FL 32302-1876
Tel. No. (850) 222-0720
Fax. No. (850) 224-4359
Represents LDDS/ACSI
fself@lawfla.com

Vicki Gordon Kaufman (+)
Joseph A. McGlothlin (+)
McWhirter, Reeves, McGlothlin,
Davidson, Rief & Bakas, P.A.
117 South Gadsden Street
Tallahassee, Florida 32301
Tel. No. (850) 222-2525
Fax. No. (850) 222-5606
Represents FCCA
Represents NewSouth
Represents KMC
Represents NuVox Comm.
Represents ACCESS
Represents XO
Represents Z-Tel
vkaufman@mac-law.com
jmcglothlin@mac-law.com

Charles J. Beck
Office of Public Counsel
111 W. Madison Street
Suite 812
Tallahassee, FL 32399-1400
Tel. No. (850) 488-9330
Fax No. (850 488-4992
Beck.Charles@leg.state.fl.us

Richard D. Melson (+)
Hopping Green Sams & Smith
123 South Calhoun Street
P.O. Box 6526
Tallahassee, FL 32314
Tel. No. (850) 222-7500
Fax. No. (850) 224-8551
Represents MCI, Rhythms
RMelson@hgss.com

Susan S. Masterton (+)
Sprint Communications Co.
Post Office Box 2214 (zip 32316-2214)
1313 Blair Stone Road
Tallahassee, FL 32301
Tel. (850) 599-1560
Fax (850) 878-0777
susan.masterton@mail.sprint.com

Beth Keating, Staff Counsel
MaryAnne Helton
Florida Public Service
Commission
Division of Legal Services
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850
Tel. No. (850) 413-6212
Fax. No. (850) 413-6250
bkeating@psc.state.fl.us
mhelton@psc.state.fl.us

Scott Sapperstein
Intermedia Comm., Inc.
One Intermedia Way
MCFLT-HQ3
Tampa, Florida 33647-1752
Tel. No. (813) 829-4093
Fax. No. (813) 829-4923
Sasapperstein@intermedia.com

Rhonda P. Merritt
AT&T
101 North Monroe Street
Suite 700
Tallahassee, FL 32301
Tel. No. (850) 425-6342
Fax. No. (850) 425-6361
rpmerritt@ATT.com

James P. Lamoureux (+)
Senior Attorney
AT&T Communications of
the Southern States, Inc.
1200 Peachtree Street, N.E.
Atlanta, GA 30309
Tel. No. (404) 810-4196
Fax No. (404) 877-7648
jlamoureux@att.com

Kenneth A. Hoffman, Esq. (+)
Rutledge, Ecenia, Underwood,
Purnell & Hoffman, P.A.
215 South Monroe Street
Suite 420
P.O. Box 551
Tallahassee, FL 32302
Tel No. (850) 681-6788
Fax. No. (850) 681-6515
Represents TCG
Represents US LEC
Ken@Reuphlaw.com

John R. Marks, III
215 South Monroe Street
Suite 130
Tallahassee, FL 32301
Tel. (850) 222-3768
Fax. (850) 561-0397
Represents BellSouth
JohnM@KMRlaw.com

Kenneth S. Ruth
Florida Director CWA
2180 West State Road 434
Longwood, FL 32779
Tel. (407) 772-0266
Fax. (407) 772-2516
Kruth@cwa-union.org

Marilyn H. Ash
MGC Communications, Inc.
3301 N. Buffalo Drive
Las Vegas, NV 89129
Tel. No. (702) 310-8461
Fax. No. (702) 310-5689

Rodney L. Joyce
Shook, Hardy & Bacon, L.L.P.
600 14th Street, N.W.
Suite 800
Washington, D.C. 20005-2004
Tel. No. (202) 639-5602
Fax. No. (202) 783-4211
rjoyce@shb.com
Represents Network Access Solutions

Michael Gross/Charles Dudley (+)
FCTA, Inc.
246 E. 6th Avenue
Suite 100
Tallahassee, FL 32303
Tel. No. (850) 681-1990
Fax. No. (850) 681-9676
mgross@fcta.com

Nanette Edwards
ITC^DeltaCom
4092 South Memorial Parkway
Huntsville, AL 35802
Tel. No. (256) 382-3856
Fax. No. (256) 382-3969
nedwards@itcdeltacom.com
Represented by Hopping Law Firm

Donna McNulty
MCI WorldCom
325 John Knox Road
Suite 105
Tallahassee, FL 32303-4131
Tel. No. (850) 422-1254
Fax. No. (850) 422-2586
donna.mcnulty@wcom.com

Network Access Solutions Corp.
100 Carpenter Drive
Suite 206
Sterling, VA 20164
Tel. No. (703) 742-7700
Fax. No. (703) 742-7706
Represented by Shook, Hardy & Bacon

Karen Camechis (+)
Pennington Law Firm
215 South Monroe Street
2nd Floor
Tallahassee, FL 32301
Tel. No. (850) 222-3533
Fax. No. (850) 222-2126
Represents Time Warner
karen@penningtonlawfirm.com

Rhythms Links, Inc.
6933 South Revere Parkway
Suite 100
Englewood, CO 80112
Tel. No. (303) 476-4200
Represented by Hopping Law Firm

Benjamin Fincher
Sprint/Sprint-Metro
3100 Cumberland Circle
#802
Atlanta, GA 30339
Tel. No. (404) 649-5144
Fax. No. (404) 649-5174
Represented by Ervin Law Firm

Carolyn Marek
Time Warner
Regulatory Affairs, SE Region
233 Bramerton Court
Franklin, TN 37069
Tel. No. (615) 376-6404
Fax. No. (615) 376-6405
carolyn.marek@twtelecom.com
Represented by Pennington Law Firm
Represented by Parker Poe Adams

James Falvey
ACSI
131 National Business Parkway
Annapolis Junction, MD 20701
Represented by Messer Law Firm

Matthew Feil (+)
Florida Digital Network, Inc.
390 North Orange Avenue
Suite 2000
Orlando, FL 32801
Tel. No. (407) 835-0460
mfeil@floridadigital.net

Michael Sloan (+)
Swidler Berlin Shereff Friedman, LLP
3000 K Street, N.W.
Suite 300
Washington, D.C. 20007-5116
Tel. No. (202) 295-8458
Fax No. (202) 424-7645
Represents FDN
mcsloan@swidlaw.com

Katz, Kutter Law Firm (+)
Charles J. Pellegrini/Patrick Wiggins
106 E. College Avenue
Tallahassee, FL 32301
Tel. No. 850-224-9634
Fax. No. 850-224-9634
pkwiggins@katzlaw.com

Lori Reese
Vice President of Governmental Affairs
NewSouth Communications
Two Main Street
Greenville, South Carolina 29609
Tel. No. (864) 672-5177
Fax. No. (864) 672-5040
lreese@newsouth.com

Genevieve Morelli
Andrew M. Klein
Kelley Drye & Warren LLP
1200 19th Street, NW
Suite 500
Washington, DC 20036
Represents KMC
aklein@kelleydrye.com

John D. McLaughlin, Jr.
KMC Telecom
1755 North Brown Road
Lawrenceville, Georgia 30043
jmclau@kmctelecom.com

Suzanne F. Summerlin, Esq.
1311-B Paul Russell Road
Suite 201
Tallahassee, Florida 32301
Tel. No. (850) 656-2288
Fax. No. (850) 656-5589
Represents IDS Telecom
summerlin@nettally.com

Henry C. Campen, Jr. (+)
Parker, Poe, Adams & Bernstein, LLP
P.O. Box 389
First Union Capital Center
150 Fayetteville Street Mall
Suite 1400
Raleigh, NC 27602-0389
Tel. No. (919) 890-4145
Fax. No. (919) 834-4564
Represents US LEC of Florida
Represents NuVox Comm.
Represents XO
Represents Time Warner
henrycampen@parkerpoe.com

Catherine F. Boone
Covad Communications Company
10 Glenlake Parkway, Suite 650
Atlanta, Georgia 30328-3495
Tel. No. (678) 222-3466
Fax. No. (678) 320-0004
cboone@covad.com

Bruce Culpepper, Esq.
Akerman, Senterifft & Eidson
301 South Bronough Street
Suite 200
Post Office Box 10555
Tallahassee, FL 32302-2555
Attys. for AT&T
Tel. No. (850) 222-3471
Fax. No. (850) 222-8628

Mark D. Baxter
Stone & Baxter, LLP
557 Mulberry Street
Suite 1111
Macon, Georgia 31201-8256
Represents ACCESS
mbaxter@stoneandbaxter.com

Dana Shaffer
XO Communications, Inc.
105 Molloy Street, Suite 300
Nashville, Tennessee 37201-2315
Tel. (615) 777-7700
Fax. (615) 345-1564
dana.shaffer@xo.com
Represented by Parker Poe Adams

Peggy Rubino
Z-Tel Communications, Inc.
601 South Harbor Island Boulevard
Suite 220
Tampa, Florida 33602
Tel. No. (813) 233-4611
Fax. No. (813) 233-4620

Lisa S. Foshee (2+)
(+) Signed Protective Agreement

Before the
Florida Public Service Commission
Tallahassee, Florida

AFFIDAVIT OF ALPHONSO J. VARNER

ON BEHALF OF BELLSOUTH TELECOMMUNICATIONS, INC.

FILED NOVEMBER 29, 2001

I, Alphonso J. Varner, being of lawful age and duly sworn upon my oath, depose and state:

1. My name is Alphonso J. Varner. I am employed by BellSouth as Senior Director in Interconnection Services. My business address is 675 West Peachtree Street, Atlanta, Georgia 30375.

PROFESSIONAL AND EDUCATIONAL BACKGROUND

2. I graduated from Florida State University in 1972 with a Bachelor of Engineering Science degree in systems design engineering. I immediately joined Southern Bell in the division of revenues organization with the responsibility for preparation of all Florida investment separations studies for division of revenues and for reviewing interstate settlements.
3. Subsequently, I accepted an assignment in the rates and tariffs organization with responsibilities for administering selected rates and tariffs including preparation of tariff filings. In January 1994, I was appointed Senior Director of Pricing for the nine-state region. I was named Senior Director for Regulatory Policy and Planning in August 1994.

In April 1997, I was named Senior Director of Regulatory for the nine-state BellSouth region, and I accepted my current position in March 2001.

II. PURPOSE OF AFFIDAVIT

4. The purpose of my Affidavit is to provide data specific to BellSouth's operations in Florida. This filing reflects performance for the month of September 2001. Exhibit September PM Data and Attachments 1D though 3D that accompany this filing describe the data and explain the conclusions that can be drawn from it.

DISCUSSION OF PERFORMANCE MEASUREMENTS DATA

TABLE OF CONTENTS

I. Analysis of Performance Measurements 2
A. Introduction 2
B. Checklist Item 1 – Interconnection 6
C. Checklist Item 2 – Unbundled Network Elements 11
D. Checklist Item 4 – Unbundled Local Loops 60
E. Checklist Item 5 – Unbundled Local Transport 83
F. Checklist Item 6 – Unbundled Local Switching 84
G. Checklist Item 7a – 911 and E911 Services 85
H. Checklist Item 7b – Directory Assistance/Operator Services 85
I. Checklist Item 10 - Access To Database & Associated Signaling 85
J. Checklist Item 11 – Number Portability 87
K. Checklist Item 14 – Resale 90

II. Summary 117

Attachments:
1D September 2001 Florida Summary Results
2D September 2001 Flow-Through Report
3D September 2001 Trunk Group Performance Report

DISCUSSION OF PERFORMANCE MEASUREMENTS DATA

I. ANALYSIS OF PERFORMANCE MEASUREMENTS

A. Introduction

BellSouth is currently producing state level results based on the January 12, 2001, Georgia Order from Docket 7892-U. While there are some differences from the interim Service Quality Measurement (SQM) Version 3.0 approved by this Commission on July 3, 2001, they are minor and should not cause any difficulty in determining BellSouth's overall performance level.

Attachment 1D is the Monthly State Summary (MSS) for Florida for September 2001. The MSS contains 2,249 sub-metrics based on the Georgia Public Service Commission (GPSC) Docket 7892-U. As shown in Attachment 1D, there were 816 sub-metrics for which there was CLEC activity in September 2001 and that were compared to either benchmarks or retail analogues. BellSouth met or exceeded the criteria for 687 of these 816 sub-metrics, or 84% for which there were both established benchmarks/retail analogues and CLEC activity. The remainder (1,433) of the sub-metrics were either diagnostic (916), had no CLEC activity (447), were parity by design (10), are still under development (2) or are excluded (58) due to data calculation deficiencies.

As explained in previous updates to this Exhibit, three of the measures have been identified by BellSouth as having deficiencies in their calculations and are being investigated and evaluated for appropriate program code corrections. These three measures are Average Jeopardy Notice Interval, FOC & Reject Completeness (including the "Multiple Responses" sub-metrics), and LNP Disconnect Timeliness. Even though these measures are included in the MSS and in the total number of measurements calculation (2,249), they are excluded from the "Made/Total" percentage calculations (687/816).

During the three-month period of July through September 2001, there were a total of 659 sub-metrics that had CLEC activity for all three months and that were compared with either a benchmark or retail analogue. Of those 659 sub-metrics, 568 or 86% satisfied the comparison criteria for a minimum of two of the three months.

Two general issues can impact the degree to which BellSouth's performance data is meaningful. First, the extreme disaggregation of the data in the reports often dilutes the universe size of individual measurements, which in turn reduces the confidence level of each of the individual Z-test results. As a result, there are many performance measurements for which the results are statistically inconclusive due to the small number of observations. Second, in situations in which there are a large number of observations and the

difference between the means is very small, the results can be misleading and not indicative of the absolute level of performance that BellSouth provides to CLECs.

With respect to the first issue, in many cases, the extensive levels of disaggregation leads to numerous sub-metrics with fewer than 30 observations, which is generally accepted as the smallest number of observations for application of the Z-test. Despite this fact, BellSouth has reported results for all of the measures, even those with statistically inconclusive universe sizes.

The second issue arises in situations where BellSouth provides very high quality service to both BellSouth's retail units and the CLECs, where there are very large universe sizes, and the difference between the means is very small. This scenario can cause an apparent missed condition from a quantitative viewpoint. For example, in September 2001, the % Missed Installation Appointments (%MIA), for Residence / Non-Dispatch / < 10 Circuits (A.2.11.1.1.2) showed that BellSouth retail had 0.03% missed appointments for the 600,500 scheduled orders. The CLEC %MIA for the same period is 0.09% missed appointments for 35,349 scheduled orders. While there is very little difference in the results, only six one hundredths of a percentage point, the universe is so large that the Z-test becomes overly sensitive to any difference. As a result, the statistical test shows that the sub-

metric missed the standard criteria, but BellSouth's actual performance is at a very high level for both the CLECs and BellSouth retail, in this case, greater than 99.9%. From a practical point of view, the CLECs' ability to compete has not been hindered, even though the statistical result does not technically meet the retail analogue.

In reviewing the data, the Florida Public Service Commission (Commission) should use the data as a tool in analyzing whether BellSouth has met its commitments. It is not a substitute for the qualitative evaluation of BellSouth's performance. The commission will still need to conduct a qualitative assessment of the data that considers, among other things, universe size, distributional properties of the data, as well as overall performance.

Each sub-metric designated as having not satisfied the benchmark or BellSouth retail analogue requirement for July, August and/or September 2001 is included in this Exhibit. Each sub-metric discussed is labeled as being missed in any one or more of the months (July/August/September) included in this filing.

The following paragraphs will address specific performance measurements associated with each checklist item.

B. CHECKLIST ITEM 1 – INTERCONNECTION

1. Collocation

BellSouth provides three separate collocation reports: 1) Average Response Time; 2) Average Arrangement Time; and 3) Percent of Due Dates Missed. Section E in Attachment 1D, Items E.1.1.1 through E.1.3.2, provides these results. BellSouth met the approved benchmarks for all 8 of the 8 sub-metrics in July and August and all 10 of the 10 sub-metrics in September 2001 with CLEC activity.

For the three-month period, July through September 2001, there were 6 sub-metrics for which there was CLEC activity in all three months and were compared to retail analogues or benchmarks. All 6 of these sub-metrics met the retail analogue/benchmark comparisons in all three months.

2. Local Interconnection Trunking

Trunking Reports

Attachment 1D, Section C, Items C.1.1 to C.4.2 of the MSS contains data for ordering, provisioning, maintenance and repair, and billing associated with Local Interconnection Trunks.

In July 2001, BellSouth met 21 of 22 sub-metrics or 96% and in August, met 12 of the 18 sub-metrics or 67% of the applicable benchmarks/analogues for

all local interconnection trunking measures having CLEC activity. In September, BellSouth met 20 of the 25 sub-metrics or 80% of the benchmarks/retail analogues having CLEC activity. The sub-metrics that did not meet the benchmarks/retail analogues for July, August and September 2001 are as follows:

Reject Interval / Local Interconnection Trunks (C.1.2) (September)

BellSouth met the benchmark interval for 47 of the 57 rejected ASRs for this sub-metric in September 2001. The 85% benchmark required that 49 of the 57 rejects be returned within the 4-day interval. BellSouth met the benchmark for this sub-metric in July and August 2001.

Order Completion Interval / Local Interconnection Trunks (C.2.1) (August/September)

Investigation has identified that a significant number of the orders for this sub-metric are for new trunk groups (17 of the 28 orders in September). These orders have a normal installation interval of 30 business days. Trunk group augment orders receive a 20 business day completion interval. These intervals are consistent with the 21 and 27 day OCI intervals CLEC orders in this sub-metric in August and September.

% Missed Installation Appointments / Local Interconnection Trunks (C.2.5) (August)

BellSouth missed 1 of the 34 scheduled appointments for this sub-metric in August 2001. The one missed appointment in August was due to an order being twice rescheduled at the customer's request. BellSouth met the benchmark for this sub-metric in July and September 2001.

Service Order Accuracy / Local Interconnection Trunks / >= 10 Circuits / Dispatch (C.2.11.2.1) (July/August)

BellSouth met the standard for 16 of the 17 orders reviewed in this sub-metric for July and 6 of the 7 orders reviewed for August 2001. The 95% benchmark set a requirement of all 17 orders for July and all 7 orders for August based on the quantity of orders for this sub-metric. With a universe size of 17 or 7 orders and a 95% benchmark, a miss on only one order causes a miss for the entire sub-metric. Although BellSouth is within one order of the benchmark for this measure, BellSouth continues to focus on this measurement in order to improve results to meet the benchmark. BellSouth met the benchmark for this sub-metric in September 2001.

Service Order Accuracy / Local Interconnection Trunks / >= 10 Circuits / Non-Dispatch (C.2.11.2.2) (August)

BellSouth met the standard for 22 of the 24 orders reviewed for this sub-metric in August 2001. The 95% benchmark set a requirement of 23 orders in August based on the quantity of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet

the benchmark. BellSouth met the benchmark for this sub-metric in July and September 2001.

Customer Trouble Report Rate / Local Interconnection Trunks / Non-Dispatch (C.3.2.2) (August/September)

BellSouth provided over 99.8% trouble free service for both retail and the CLECs for this sub-metric for the months of August and September. When BellSouth provisions high quality service coupled with very large universe sizes, it can cause an apparent out of equity condition from a quantitative viewpoint. In these cases, there is very little variation and the universe size is so large that the Z-test becomes overly sensitive to any difference. In other words, the statistical test shows that the measurement does not meet the fixed critical value when compared with the retail analogue, but BellSouth's actual performance for both CLECs and its own retail operations is at a very high level – in this case over 99%. From a practical point of view, the CLECs' ability to compete has not been hindered even though the statistical results may technically show that BellSouth failed to meet the benchmark/analogue. BellSouth met or exceeded the retail analogue for this sub-metric in July 2001.

Maintenance Average Duration / Local Interconnection Trunks / Dispatch (C.3.3.1) (September)

There was only one order for this sub-metric in September 2001. The small universe of orders for the month does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July 2001. There was no CLEC activity for this sub-metric in August 2001.

Invoice Accuracy – Interconnection (C.4.1) (August/September)

The CLECs experienced Local Interconnection invoice accuracy rates that were less than the invoices BellSouth sends to its customers during August and September 2001 (98.30% accuracy for BellSouth versus 51.41% for the CLEC invoices for August and 98.61% accuracy for BellSouth versus 97.84% for the CLEC invoices in September). The difference in August performance was the result of two CLEC customers being charged incorrect rates. These rates have now been corrected. The difference in September performance was the result of provisioning and system errors that caused the over billing of one CLEC customer. BellSouth met the retail analogue comparison for this sub-metric in July 2001.

Trunk Blockage

BellSouth has developed a trunk blocking report that compares BellSouth retail's trunk blockage rates to those of CLECs. The report, Trunk Group Performance Report (TGP), Attachment 3D, displays trunk blocking in a manner that accurately represents the customer experience. The TGP report tabulates actual call blocking as a percentage of call attempts for all comparable trunk groups administered by BellSouth that handle CLEC and

BellSouth traffic, and provides a direct comparison of hour-by-hour blocking between CLEC and BellSouth trunk groups. The analogue/benchmark for the Trunk Group Performance measure is any consecutive two-hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5%. BellSouth met or exceeded the benchmark for this sub-metric in July, August and September 2001.

C. CHECKLIST ITEM 2 – UNBUNDLED NETWORK ELEMENTS (UNE)

This section addresses the measures associated with UNEs under checklist item 2. Attachment 1D, Sections B1 – B3, provides data that is divided into Ordering, Provisioning and Maintenance & Repair operations. The Ordering function is disaggregated into 17 sub-metrics. The Provisioning function has 19 sub-metrics, and there are 12 sub-metrics for the Maintenance & Repair function. All Ordering measures will be included in this checklist item because of the overall relationship of the mechanized, partially mechanized and manual processing of Local Service Requests (LSRs). The Provisioning and Maintenance & Repair measures for the following products are included in the checklist item as shown below:

Product	Checklist Item:
Combo (Loop & Port)	#2 – Unbundled Network Elements
Combo (Other)	#2 – Unbundled Network Elements
Other Design	#2 – Unbundled Network Elements
Other Non-Design	#2 – Unbundled Network Elements

1	xDSL Loop	#4 – Unbundled Local Loops
2	UNE ISDN Loop	#4 – Unbundled Local Loops
3	Line Sharing	#4 – Unbundled Local Loops
4	2w Analog Loop Design	#4 – Unbundled Local Loops
5	2w Analog Loop Non Design	#4 – Unbundled Local Loops
6	2w Analog Loop w/INP Design	#4 – Unbundled Local Loops
7	2w Analog Loop w/INP Non Design	#4 – Unbundled Local Loops
8	2w Analog Loop w/LNP Design	#4 – Unbundled Local Loops
9	2w Analog Loop w/LNP Non Design	#4 – Unbundled Local Loops
10	Digital Loop < DS1	#4 – Unbundled Local Loops
11	Digital Loop => DS1	#4 – Unbundled Local Loops
12	Local Interoffice Transport	#5 – Unbundled Local Transport
13	Switch Ports	#6 – Unbundled Local Switching
14	INP Standalone	#11 – Local Number Portability
15	LNP Standalone	#11 – Local Number Portability

16

17 An overall review of the UNE sub-metrics for Ordering, Provisioning,
18 Maintenance & Repair and Billing indicates that BellSouth met the
19 benchmark/analogue for 84%, 83% and 84% of the sub-metrics during the
20 months of July, August and September 2001, respectively.

21

22 For the three-month period, July through September 2001, there were 348
23 sub-metrics in the UNE measurements for which there was CLEC activity in

all three months and that were compared to retail analogues or benchmarks. Of those 348 sub-metrics, 298 sub-metrics (86%) met the retail analogue/benchmark comparisons in at least two of the three months.

1. UNE Ordering Measures

Items B.1.1 – B.1.19 in Attachment 1D show data for Percent Rejected Service Requests, Reject Interval, FOC Timeliness and FOC & Reject Response Completeness. These reports are disaggregated by interface type (electronic, partial electronic and manual), as well as product type.

Reject Interval

Items B.1.4 - B.1.8 in Attachment 1D examine the Reject Interval for the month of September 2001. For orders submitted electronically, the benchmark is 97% within one hour. In July, August and September 2001, 97%, 95% and 90%, respectively, of all rejected service requests were delivered within the one-hour benchmark interval. (See the write-up below for Items B.1.4.2 – B.1.4.17 for further discussion concerning electronically submitted orders.)

For partially mechanized orders, which are LSRs submitted electronically and requiring service representative intervention, the benchmark for July was 85% within 18 hours. Beginning with August 2001 data, the benchmark changed to

85% within 10 hours. BellSouth exceeded these benchmarks in July, August and September 2001, with 96%, 92% and 92%, respectively, of partially mechanized rejects being returned to the CLECs within the benchmark interval.

For manual orders, the current benchmark is 85% within 24 hours. BellSouth also exceeded this requirement, with 98% of the LSRs submitted manually being returned to the CLECs within the 24-hour time period in July, 95% in August and 99% in September 2001.

The following sub-metrics did not meet the established benchmarks in July, August and/or September 2001:

Reject Interval / Combo (Loop & Port) / Electronic (B.1.4.3) (July/August/September)

Reject Interval / Line Sharing / Electronic (B.1.4.7) (September)

Reject Interval / 2w Analog Loop Design / Electronic (B.1.4.8) (August/September)

Reject Interval / 2w Analog Loop Non-Design / Electronic (B.1.4.9) (August/September)

Reject Interval / 2w Analog Loop w/LNP Design / Electronic (B.1.4.12) (July/August/September)

Reject Interval / 2w Analog Loop w/LNP Non-Design / Electronic (B.1.4.13) (July)

Reject Interval / Other Design / Electronic (B.1.4.14) (July/August/September)

Reject Interval / Other Non-Design / Electronic (B.1.4.15) (September)

Reject Interval / INP (Standalone) / Electronic (B.1.4.16) (August)

Reject Interval / LNP (Standalone) / Electronic (B.1.4.17) (September)

The current benchmark for these sub-metrics is >= 97% within one hour. BellSouth is conducting a detailed root cause analysis of the process for electronic rejects. This analysis addresses the ordering systems (EDI, TAG, and LENS) used by the CLECs and the back-end legacy applications, such as SOCS, that are accessed by the ordering systems.

Thus far, the analysis has determined that many of the LSRs that did not meet the one-hour benchmark were issued between 11:00 p.m. and 4:30 a.m. Between these hours the system is unable to process LSRs because certain of the back-end legacy systems are not in service. LSRs submitted during these periods should be excluded from the measurement. BellSouth is currently reviewing the scheduled down time for all systems and how that down time affects the ordering capability of the CLECs.

With the May 2001, data month, BellSouth was directed to change the time stamp identification for the start and complete times of the interval for this measurement from the Local Exchange Ordering (LEO) System to the CLEC

ordering interface system (TAG or EDI). However, with this change, BellSouth is currently unable to identify multiple issues of the same version of LSRs that have been rejected (fatal rejects). These rejected LSRs should be excluded from the measurement. If there are multiple issues of the same version, the measure currently calculates the interval from the initial issue to the final issue of the LSR returned to the CLEC, Reject or FOC. Consequently, BellSouth's performance level is inappropriately understated. BellSouth is currently working to determine a fix for this issue.

Reject Interval / UNE ISDN / Partially Electronic (B.1.7.6) (September)

There were only three LSRs rejected for this sub-metric in September 2001. The small universe of orders for the month does not provide a conclusive benchmark comparison. There was no CLEC activity for this sub-metric in either July or August 2001.

Reject Interval / 2w Analog Loop Non-Design / Partially Electronic (B.1.6.9/B.1.7.9) (July/September)

BellSouth met the benchmark for 124 of the 150 LSRs rejected in this sub-metric for July 2001. This sub-metric missed the overall benchmark by less than 3% for the month. In September, BellSouth met the 10-hour benchmark interval for 66 of the 78 or 84.62% of the rejected LSRs in this sub-metric. Normal rounding convention would indicate that there is no significant

difference between the CLEC result and the 85% benchmark. BellSouth met the 10-hour benchmark for this sub-metric in August 2001.

Reject Interval / 2w Analog Loop w/LNP Design / Partially Electronic (B.1.7.12) (September)

BellSouth met the benchmark for 172 of the 203 or 84.73% of the LSRs rejected in this sub-metric for September 2001. Normal rounding convention would indicate that there is no significant difference between the CLEC result and the 85% benchmark. BellSouth met the 18-hour benchmark for this sub-metric in July and the 10-hour benchmark in August 2001.

Reject Interval / 2w Analog Loop w/LNP Non-Design / Partially Electronic (B.1.6.13/B.1.7.13) (August)

BellSouth met the 10-hour period for 791 (84.5%) of the 936 LSRs rejected for this sub-metric in August 2001. This was only 5 LSRs short (0.5%) of the number required to meet the benchmark for the overall sub-metric for the month. BellSouth met the 18-hour benchmark for this sub-metric in July and the 10-hour benchmark in September 2001.

Reject Interval / Other Design / Partially Electronic (B.1.6.14/B.1.7.14) (July)

BellSouth met the benchmark for 18 of the 22 LSRs rejected in this sub-metric for July 2001. This sub-metric missed the overall benchmark by less than 4% for the month. No systemic issues were uncovered for the items that

missed the benchmark for this sub-metric. BellSouth met the 10-hour benchmark for this sub-metric in August and September 2001.

Reject Interval / 2w Analog Loop Design / Manual (B.1.8.8) (July)

There were only five rejected LSRs for this sub-metric in July 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison. BellSouth met the benchmark for this sub-metric in August and September 2001.

Reject Interval / 2w Analog Loop w/INP Design / Manual (B.1.8.10) (July)

There was only one rejected LSR for this sub-metric in July 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison. BellSouth met the benchmark for this sub-metric in August and September 2001.

Reject Interval / Other Design / Manual (B.1.8.14) (July)

BellSouth met the benchmark for 9 of the 14 LSRs rejected in this sub-metric for July 2001. No systemic issues were uncovered for the items that missed the benchmark for this sub-metric. BellSouth met the benchmark for this sub-metric in August and September 2001.

FOC Timeliness

For LSRs submitted electronically, the benchmark is 95% of the FOCs returned within 3 hours. BellSouth met the benchmark interval for 98%, 98% and 99% of the electronically submitted LSRs in July, August and September 2001, respectively. For partially mechanized LSRs, the benchmark for July 2001 was 85% returned within 18 hours. Beginning with August 2001 data, the benchmark changed to 85% within 10 hours. BellSouth met the 18-hour and 10-hour benchmarks for 99%, 95% and 95% of partially electronic FOCs in July, August and September 2001, respectively. For LSRs submitted manually, the benchmark is 85% returned within 36 hours. BellSouth met the benchmark interval for 98%, 99% and 98% of the manual LSRs submitted in July, August and September 2001, respectively. The sub-metrics that did not meet the benchmark in July, August and/or September 2001 are as follows:

<u>FOC Timeliness / xDSL / Electronic (B.1.9.5) (July/August/September)</u>

BellSouth met the benchmark for 393 of the 485 LSRs that received a FOC in July, for 644 of the 774 FOCs for this sub-metric in August and for 147 of the 160 FOCs in September 2001. BellSouth is conducting a detailed root cause analysis of the process for electronic ordering. This analysis addresses the ordering systems (EDI, TAG, and LENS) used by the CLECs and the back-end legacy applications, such as SOCS, that are accessed by the ordering systems. For further information, see the explanation included with the electronic reject interval measurement.

FOC Timeliness / 2w Analog Loop w/LNP Design / Electronic (B.1.9.12) (August)

BellSouth met the benchmark for 50 of the 53 LSRs in August that received a FOC for this sub-metric. BellSouth is conducting a detailed root cause analysis of the process for electronic ordering. This analysis addresses the ordering systems (EDI, TAG, and LENS) used by the CLECs and the back-end legacy applications, such as SOCS, that are accessed by the ordering systems. For further information, see the explanation included with the electronic reject interval measurement, item B.1.4.x. BellSouth met the benchmark for this sub-metric in July and September 2001.

FOC Timeliness / xDSL / Partially Electronic (B.1.12.5) (August)

BellSouth met the 10-hour benchmark for 39 of the 47 FOCs returned in August 2001. BellSouth fell just one order short of satisfying the overall benchmark for the sub-metric. BellSouth met the benchmark for this sub-metric in July and September 2001.

FOC & Reject Response Completeness and FOC & Reject Response Completeness (Multiple Responses) Measures

BellSouth has determined that the coding for the FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures failed to include rejections that were classified as "auto clarifications." BellSouth is in the process of rewriting the code to correct this

problem, and the change will impact all FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures. Effective with this Exhibit update for September data, the program coding has been corrected for all the FOC & Reject Completeness and FOC and Reject Completeness (Multiple Responses) sub-metrics for Checklist Item No. 2, UNE Loop products, except for: xDSL, 2w Analog Loop w/INP Design, 2w Analog Loop w/INP Non-Design, 2w Analog Loop w/LNP Design, 2w Analog Loop w/LNP Non-Design, INP (Standalone) and LNP (Standalone). The individual sub-metrics with corrected coding that missed the required benchmarks in September 2001 will be addressed separately following the next section. BellSouth did not meet the benchmark in July, August and/or September 2001 for the FOC and Reject Response Completeness and FOC & Reject Response Completeness (Multiple Responses) metrics listed below:

FOC & Reject Response Completeness / Combo (Loop & Port) / Electronic (B.1.14.3) (July)

FOC & Reject Response Completeness / xDSL / Electronic (B.1.14.5) (July/August/September)

FOC & Reject Response Completeness / ISDN Loop / Electronic (B.1.14.6) (August)

FOC & Reject Response Completeness / Line Sharing / Electronic (B.1.14.7) (July)

FOC & Reject Response Completeness / 2w Analog Loop Design / Electronic (B.1.14.8) (July)

FOC & Reject Response Completeness / 2w Analog Loop Non Design / Electronic (B.1.14.9) (July/August)

FOC & Reject Response Completeness / Other Design / Electronic (B.1.14.14) (July)

FOC & Reject Response Completeness / xDSL / Partial Electronic (B.1.15.5) (July/August/September)

FOC & Reject Response Completeness / Switch Ports / Manual (B.1.16.1) (August)

FOC & Reject Response Completeness / Local Interoffice Transport / Manual (B.1.16.2) (August)

FOC & Reject Response Completeness / xDSL / Manual (B.1.16.5) (July/August/September)

FOC & Reject Response Completeness / Line Sharing / Manual (B.1.16.7) (August)

FOC & Reject Response Completeness / 2w Analog Loop Design / Manual (B.1.16.8) (August)

FOC & Reject Response Completeness / 2w Analog Loop Non-Design / Manual (B.1.16.9) (July/August)

FOC & Reject Response Completeness / 2w Analog Loop w/INP Design / Manual (B.1.16.10) (July/August)

FOC & Reject Response Completeness / Other Design / Manual (B.1.16.14) (August)

FOC & Reject Response Completeness (Multiple Responses) / Line Sharing / Electronic (B.1.17.7) (August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Design / Electronic (B.1.17.8) (August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Non-Design / Electronic (B.1.17.9) (August)

FOC & Reject Response Completeness (Multiple Responses) / Other Design / Electronic (B.1.17.14) (August)

FOC & Reject Response Completeness (Multiple Responses) / Combo (Loop & Port) / Partial Electronic (B.1.18.3) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / xDSL / Partial Electronic (B.1.18.5) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Design / Partial Electronic (B.1.18.8) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Non-Design / Partial Electronic (B.1.18.9) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / Other Design / Partial Electronic (B.1.18.14) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / Local Interoffice Transport / Manual (B.1.19.2) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / Combo (Loop & Port) / Manual (B.1.19.3) (July)

FOC & Reject Response Completeness (Multiple Responses) / xDSL / Manual (B.1.19.5) (August/September)

FOC & Reject Response Completeness (Multiple Responses) / ISDN Loop / Manual (B.1.19.6) (August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Design / Manual (B.1.19.8) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Non-Design / Manual (B.1.19.9) (July/August)

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop w/INP Design / Manual (B.1.19.10) (August/September)

FOC & Reject Response Completeness (Multiple Responses) / Other Design / Manual (B.1.19.14) (July/August)

BellSouth has determined that the coding for the FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures failed to include rejections that were classified as "auto clarifications." BellSouth is in the process of rewriting the code to correct this problem, and the change will impact all FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures.

The following FOC & Reject Response Completeness and FOC & Reject Response Completeness (Multiple Responses) sub-metrics, for which the

program code has been corrected, did not meet the benchmarks for September:

FOC & Reject Response Completeness / Line Sharing / Manual (B.1.16.7) (September)

BellSouth met the benchmark for 192 of the 203 or 94.56% of the orders for this sub-metric in September 2001. Normal rounding convention would indicate that there is not significant difference between the CLEC result and the 95% benchmark for this sub-metric.

FOC & Reject Response Completeness / 2w Analog Loop Design / Manual (B.1.16.8) (September)

BellSouth met the benchmark for 122 of the 130 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 124 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness / 2w Analog Loop Non-Design / Manual (B.1.16.9) (September)

BellSouth met the benchmark for 861 of the 928 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 882 orders based on the number of orders for this sub-metric. BellSouth continues to

focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Combo (Loop & Port) / Electronic (B.1.17.3) (September)

BellSouth met the benchmark for 6,459 of the 7,056 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 6,704 of the 7,056 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Design / Electronic (B.1.17.8) (September)

BellSouth met the benchmark for 342 of the 445 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 423 of the 445 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Other Design / Electronic (B.1.17.14) (September)

BellSouth met the benchmark for 77 of the 115 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 110 of the 115

orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Other Non-Design / Electronic (B.1.17.15) (September)

BellSouth met the benchmark for 1,513 of the 3,193 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 3,034 of the 3,193 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Combo (Loop & Port) / Partial Electronic (B.1.18.3) (September)

BellSouth met the benchmark for 3,692 of the 4,018 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 3,818 of the 4,018 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Design / Partial Electronic (B.1.18.8) (September)

BellSouth met the benchmark for 348 of the 403 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 383 of the 403 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Other Design / Partial Electronic (B.1.18.14) (September)

BellSouth met the benchmark for 89 of the 119 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 114 of the 119 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Other Non-Design / Partial Electronic (B.1.18.15) (September)

BellSouth met the benchmark for 1,592 of the 1,688 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 1,604 of the 1,688 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Local Interoffice Transport / Manual (B.1.19.2) (September)

BellSouth met the benchmark for 37 of the 41 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 39 of the 41 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Combo (Loop & Port) / Manual (B.1.19.3) (September)

BellSouth met the benchmark for 1,241 of the 1,334 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 1,268 of the 1,334 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / ISDN Loop / Manual (B.1.19.6) (September)

BellSouth met the benchmark for 452 of the 485 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 461 of the 485 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Line Sharing / Manual (B.1.19.7) (September)

BellSouth met the benchmark for 182 of the 192 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 183 of the 192 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Design / Manual (B.1.19.8) (September)

BellSouth met the benchmark for 115 of the 122 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 116 of the 122 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / 2w Analog Loop Non-Design / Manual (B.1.19.9) (September)

BellSouth met the benchmark for 783 of the 815 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 817 of the 815 orders based on the number of orders for this sub-metric. BellSouth

continues to focus on this measurement in order to improve results to meet the benchmark.

FOC & Reject Response Completeness (Multiple Responses) / Other Design / Manual (B.1.19.14) (September)

BellSouth met the benchmark for 361 of the 395 orders for this sub-metric in September 2001. The 95% benchmark set a requirement of 376 of the 395 orders based on the number of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

Flow-Through

Attachment 1D, Items F.1.1 - F.1.3, shows Flow-Through data disaggregated by customer type and for the Summary/Aggregate. Detailed flow-through results for individual CLECs are included in Attachment 2D. The following table shows the Regional Flow-Through results for June, July, August and September 2001 as compared with the Interim SQM benchmarks.

% Flow-through Service Requests (F.1.1.1 – F.1.3.4)

Customer Type	June 2001	July 2001	August 2001	September 2001	Benchmark
Residence	87.52%	81.69%	90.86%	90.39%	95%
Business	57.11%	60.99%	72.14%	68.47%	90%

UNE	70.70%	67.29%	80.82%	79.33%	85%
LNP	91.83%	86.36%	84.40%	86.96%	85%

The June through August Flow Through results have been modified to include an adjustment for CLEC orders that improperly fell out and were reflected as Planned Manual Fallout (See Revised Attachment 2A, Revised Attachment 2B and Revised Attachment 2C). This adjustment showed orders clarified back to the CLECs as CLEC Caused Fallout and all other LSRs in this category as BellSouth Caused Fallout. In July new computer code to include "Dummy FOCs" in the Flow Through Report was added. Dummy FOCs occur when a CLEC submits an LSR supplement to cancel an existing LSR before BellSouth returns a FOC or Reject message on the original LSR. Finally, new computer code was implemented in August to more accurately account for "post-FOC" Service Orders that require manual handling to pass downstream system edits. These orders should in fact be counted as "Issued SOs" in accordance with the SQM, but the computer programming was in error and was corrected. The overall result for all changes was that the June through August Flow Through results for aggregate, residence, business and UNE metrics were reduced with these changes.

Business flow-through rates are well below the 90% objective. Business LSRs are more complex than the typical LSRs and, as a result, there is a greater probability for error. For example, an LSR requesting 10 lines with

series completion hunting that are located over multiple floors and have a variation of features on the lines presents many more opportunities for system mismatches than one that adds just lines and features.

BellSouth has established a Flow-Through Improvement Program Management process that includes seven different internal organizations. Ongoing analysis is being done to determine trends and identify flow-through problems. To date, fifteen system enhancements have been identified and are targeted for Encore releases. Three of the enhancements were implemented in August. The remainder of the enhancements are scheduled for release between October 2001 and January 2002.

2. UNE Provisioning Measures

BellSouth met 84% of the overall UNE Provisioning measurements in the month of July, 86% of these measurements in August and 87 % in September 2001.

The following sub-metrics did not meet the applicable retail analogues in the months of July, August and/or September 2001:

Order Completion Interval / Combo (Loop & Port) / < 10 Circuits / Switch Based Orders (B.2.1.3.1.3) (September)

This sub-metric is a further disaggregation of Item B.2.1.3.1.2. The completion interval difference between the CLEC result and the result for the BellSouth retail analogue for this sub-metric was only 0.01 days. Both measures were approximately one-third day. This indicates virtually identical service for both the CLECs and the retail anaogue.

Order Completion Interval / Other Non-Design / < 10 Circuits / Non-Dispatch (B.2.1.15.1.2) (July/August)

There were only a total of five orders completed in this sub-metric in July 2001. The small universe of orders for these months does not provide a statistically conclusive comparison with the retail analogue. In August 2001, the average OCI for this sub-metric was 3.79 days for CLECs compared to 0.82 days for the retail analogue. Ten of the orders in August should have received an "L" code due to customer requested extended intervals or customer caused missed installation appointments. Also, the "standard" offered completion interval for this sub-metric is longer than for the retail analogue it is compared against. BellSouth met the retail analogue for this sub-metric in September 2001.

Order Completion Interval / Other Non-Design / >= 10 Circuits / Dispatch (B.2.1.15.2.1) (August)

There were only a total of four orders completed in this sub-metric in August 2001. This small universe of orders does not provide a statistically conclusive

comparison with the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July 2001. There was no CLEC activity for this sub-metric in September 2001.

Held Orders / Other Design / < 10 Circuits / Facilities (B.2.3.14.1.1) (July)

There was only one order associated with this sub-metric in July 2001. This small universe does not provide a statistically conclusive comparison with the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Jeopardies / Other Non-Design (B.2.5.15) (July/August/September)

There were a total of 4 jeopardies issued for the 26 orders that were scheduled for this sub-metric in July, 29 jeopardies issued for the 916 orders scheduled for August and 3 jeopardies issued for the 119 orders scheduled for September 2001. While the data indicates that BellSouth placed a higher percentage of CLEC orders in jeopardy status, all but 1 of the orders which were placed in jeopardy in July and all but 11 jeopardy orders in August were actually worked on time. There were no held orders in July and only one held order in August associated with these jeopardies. All of the jeopardies in September were resolved prior to the due dates and all the orders were completed as scheduled.

% Jeopardy Notice Interval >= 48 hours / Combo (Loop & Port) / < 10 Circuits (B.2.10.3) (July/August/September)

The calculations for this measure have been determined to be incorrect. The coding change in the Service Order Control System (SOCS) was implemented in a September 2001 system update. The October data month will be the first full month that the change will be in effect.

% Missed Installation Appointments / Combo (Loop & Port) / < 10 Circuits / Non-Dispatch (B.2.18.3.1.2) (July/August/September)

BellSouth missed 23 of the 10,347 scheduled appointments in this sub-metric for July, missed 38 of the 12,462 appointments for August and missed 25 of the 9,659 appointments for September 2001. BellSouth met over 99% of the scheduled appointments for both retail and the CLECs in this sub-metric for all three months. When BellSouth provisions high quality service coupled with very large universe sizes, it can cause an apparent out of equity condition from a quantitative viewpoint. In these cases, there is very little variation and the universe size is so large that the Z-test becomes overly sensitive to any difference. In other words, the statistical test shows that the measurement does not meet the fixed critical value when compared with the retail analogue, but BellSouth's actual performance for both CLECs and its own retail operations is at a very high level – in this case over 99%. From a practical point of view, the CLECs' ability to compete has not been hindered even

though the statistical results may technically show that BellSouth failed to meet the benchmark/analogue.

% Missed Installation Appointments / Combo (Loop & Port) / < 10 Circuits / Dispatch In (B.2.18.3.1.4) (July/August/September)

This is a further disaggregation of Item B.2.18.3.1.2, above. BellSouth missed 23 of the 5,556 appointments in this sub-metric scheduled in July, missed 38 of the 6,812 appointments scheduled in August and missed 25 of the 4,091 appointments scheduled in September 2001. BellSouth completed 99.4% or more of the appointments as scheduled in July, August and September.

% Missed Installation Appointments / Combo (Loop & Port) / >= 10 Circuits / Non-Dispatch (B.2.18.3.2.2) (August)

There were only seven orders scheduled for this sub-metric in August 2001. The small universe of orders for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July 2001. There was no CLEC activity for this sub-metric in September 2001.

% Missed Installation Appointments / Combo (Loop & Port) / >= 10 Circuits / Dispatch In (B.2.18.3.2.4) (August)

There were only three orders scheduled for this sub-metric in August 2001. The small universe of orders for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July 2001. There was no CLEC activity for this sub-metric in September 2001.

% Provisioning Troubles w/i 30 Days / Combo (Loop & Port) / >= 10 Circuits / Dispatch (B.2.19.3.2.1) (July/September)

There were three troubles reported for the fifteen orders that completed in the 30 days prior to July 2001 for this sub-metric and five troubles reported for he twenty-one orders completed in the 30 days prior to September. No systemic problems were identified for this small number of troubles in either July or September. BellSouth met or exceeded the retail analogue for this sub-metric in August 2001.

% Provisioning Troubles w/i 30 Days / Other Design / < 10 Circuits / Dispatch (B.2.19.14.1.1) (August/September)

There were 13 troubles reported for the 192 orders that completed in the 30 days prior to August and 44 troubles reported for the 725 orders completed in the 30 days prior to September 2001 for this sub-metric. Three of the August trouble reports were closed as "no trouble found," and four troubles were for the same installation. In September, 9 of the trouble reports, or 21%, were closed as "no trouble found." No systemic problems were identified for any of

the remaining orders for this sub-metric. BellSouth met the retail analogue comparison for this sub-metric in July 2001.

% Provisioning Troubles w/i 30 Days / Other Design / >= 10 Circuits / Dispatch (B.2.19.14.2.1) (September)

There were only ten orders completed for this sub-metric in the 30 days prior to September 2001. The small universe of orders for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. There was no CLEC activity for this sub-metric in July 2001. BellSouth met the retail analogue comparison for this sub-metric in August 2001.

Average Completion Notice Interval / Combo (Loop & Port) / < 10 Circuits / Dispatch-In (B.2.21.3.1.4) (September)

The root cause analysis of this measure indicated that the only differences between the performance between BellSouth retail and CLECs are the mismatches found when the orders are compared with the original LSRs. The start of the completion interval is the point at which the technician completes the order, and the interval ends when the completion notice is sent. Any change to a name, number of items, etc., occurring during the provisioning process will generate inconsistencies with the original LSRs that must be resolved before a final completion notice can be sent. Any time to resolve these inconsistencies with the original LSRs is included in the average. Because of numerous CLEC changes and order updates,

mismatches on CLECs orders exceed those for BellSouth retail orders. Combining this with the smaller base for the CLECs' measurement raises the average, which results in a miss. Specific Service Representatives within the Work Management Centers have been assigned to resolve any completion issues that are required. Providing specific training and dedicating personnel to this task should reduce the difference between the CLEC and retail analogue results. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

Service Order Accuracy / Design (Specials) / < 10 Circuits / Dispatch (B.2.34.1.1.1) (July/August)

BellSouth met the standard for 38 of the 61 orders reviewed in this sub-metric for July and 86 of 108 orders reviewed in August 2001. The 95% benchmark set a requirement of 58 orders for July and 103 orders for August based on the quantity of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark. BellSouth met the benchmark for this sub-metric in September 2001.

Service Order Accuracy / Design (Specials) / < 10 Circuits / Non-Dispatch (B.2.34.1.1.2) (July/August)

BellSouth met the standard for 59 of the 98 orders reviewed in this sub-metric for July and for 88 of 127 orders reviewed in August 2001. The 95% benchmark set a requirement of 93 orders for July and for 121 orders in

August based on the quantity of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark. BellSouth met the benchmark for this sub-metric in September 2001.

Service Order Accuracy / Design (Specials) / >= 10 Circuits / Non-Dispatch (B.2.34.1.2.2) (July/August)

There were only two orders reviewed for this sub-metric in July and two orders reviewed in August 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark. BellSouth met the benchmark for this sub-metric in September 2001.

Service Order Accuracy / Loops Non-Design / < 10 Circuits / Dispatch (B.2.34.2.1.1) (July/August/September)

There were only 4 orders reviewed for this sub-metric in July 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison. BellSouth met the standard for 14 of the 20 orders reviewed for this sub-metric in August and for 23 of the 28 orders reviewed in September 2001. The 95% benchmark sets a requirement of 19 of the 20 orders in August and 27 of the 28 orders in September based on the quantity of orders

in the sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

Service Order Accuracy / Loops Non-Design / < 10 Circuits / Non-Dispatch (B.2.34.2.1.2) (July/August/September)

BellSouth met the standard for 31 of the 51 orders reviewed in this sub-metric for July, for 228 of the 293 orders reviewed in August and for 120 of the 200 orders reviewed in September 2001. The 95% benchmark set a requirement of 49 orders for July, for 279 orders for August and for 190 orders in September based on the quantity of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

Service Order Accuracy / Loops Non-Design / >= 10 Circuits / Dispatch (B.2.34.2.2.1) (August)

There were only three orders reviewed in this sub-metric for August 2001. Such a small universe does not produce a statistically conclusive benchmark comparison. BellSouth met or exceeded the benchmark for this sub-metric in July 2001. There was no CLEC activity for this sub-metric in September 2001.

Service Order Accuracy / Loops Non-Design / >= 10 Circuits / Non-Dispatch (B.2.34.2.2.2) (July/August/September)

There were only 2 orders reviewed for this sub-metric in July, 9 orders reviewed in August and 4 orders reviewed in September 2001. The small universe of orders for this sub-metric combined with the 95% benchmark required that all orders reviewed in each month be trouble free. A problem with any order would cause a miss for the entire sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

3. UNE Maintenance and Repair (M&R) Measures

BellSouth met the applicable performance standard for 81% in July, 74% in August and 90% in September 2001 of the overall UNE M&R measurements. The sub-metrics that did not meet the fixed critical value for this checklist item in July, August and/or September are as follows:

% Missed Repair Appointments / Combo (Loop & Port / Non-Dispatch (B.3.1.3.2) (September)

BellSouth completed 635 of the 662 repair appointments (96%) as scheduled for this sub-metric in September 2001. Eleven of the twenty-seven missed appointments were orders that were grouped together for one customer for the same trouble. Even though the statistical test shows that the measurement does not meet the fixed critical value when compared with the retail analogue, BellSouth's actual performance for both CLECs and its own retail operations is at a high level. From a practical point of view, the CLECs'

ability to compete has not been hindered even though the statistical results may technically show that BellSouth failed to meet the retail analogue comparison. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

% Missed Repair Appointments / Other Design / Dispatch (B.3.1.10.1) (August)

BellSouth missed 2 of the 21 repair appointments scheduled for this sub-metric in August 2001. No systemic problems were identified for the 2 appointments missed in August. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Missed Repair Appointments / Other Design / Non-Dispatch (B.3.1.10.2) (August/September)

BellSouth missed 1 of the 17 repair appointments scheduled for this sub-metric in August and 1 of the 11 appointments scheduled for September 2001. No systemic problems were identified for either of the appointments missed in August or September. BellSouth met the retail analogue comparison for this sub-metric in July 2001.

% Missed Repair Appointments / Other Non-Design / Non-Dispatch (B.3.1.11.2) (August)

BellSouth missed 4 of the 74 repair appointments scheduled for this sub-metric in August 2001. No systemic problems were identified for the four appointments missed in August. BellSouth met or exceeded the retail analogue for this sub-metric in July and September 2001.

Customer Trouble Report Rate / Combo Other / Dispatch (B.3.2.4.1) (September)

Over 97% of the lines in service for this sub-metric for both CLECs and the retail analogue provided trouble free service in September 2001. Of the 31 troubles reported for this sub-metric in September, 5 (16%) were closed as "no trouble found." Major emphasis is being placed on improving field documentation of test results during close-out process. BellSouth met or exceeded the retail analogue for this sub-metric in July and August 2001.

Customer Trouble Report Rate / Other Design / Dispatch (B.3.2.10.1) (July/August)

The difference between the retail analogue and the CLEC aggregate was less than 1% in both July and August 2001. Both the CLECs and BellSouth retail had greater than 97% trouble free service for all in service lines in this sub-metric in all three months. In August, 48% of the trouble reports for this sub-metric were closed as "no trouble found." From a practical point of view, the CLECs' ability to compete has not been hindered even though the statistical results may technically show that BellSouth failed to meet the

benchmark/analogue. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Customer Trouble Report Rate / Other Design / Non-Dispatch (B.3.2.10.2) (August)

The difference between the retail analogue and the CLEC aggregate was less than 1% for this sub-metric in August 2001. Both the CLECs and BellSouth retail had greater than 98% trouble free service for all in service lines in this sub-metric. In August, 7 of the 17 troubles reported for this sub-metric were associated with a conversion project for one CLEC. No patterns or systemic issues were identified for the remaining reports. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

Customer Trouble Report Rate / Other Non-Design / Dispatch (B.3.2.11.1) (July/August/September)

There were a total of 46 trouble reports for the 708 in service lines for this sub-metric in July, 71 trouble reports for the 702 lines in service in August and 67 trouble reports for the 697 lines in service in September 2001. A preliminary analysis indicated that 19% of the troubles were closed out as "Found OK, or FOK" in July. In August, 16% of the troubles were either caused by damaged cable facilities or were closed as "no trouble found." In September, 33 of the 67 total trouble reports (49%) were identified as being BellSouth customers rather than CLEC customers. Of the remaining 34

September reports, 17 reports (50%) were from the same customer for the same trouble incident. Continuing analysis is underway to determine if any systemic issues exist with this sub-metric.

Customer Trouble Report Rate / Other Non Design / Non-Dispatch (B.3.2.11.2) (July/August/September)

There were a total of 41 troubles reports for the 708 in service lines for this sub-metric in July, 71 troubles reported for the 702 lines in service in August and 45 troubles reported for the 697 in service lines for September 2001. An analysis revealed that 28 of the 41 trouble reports (68%) for July, 42 of the 71 reports (59%) for August and 30 of the 45 trouble reports (67%) for September were closed out as "no trouble found," or over half of the troubles reported had minimal impact on the end-user customer. Continuing analysis is underway to determine any systemic issues with this sub-metric.

% Repeat Troubles within 30 Days / Combo Other / Dispatch (B.3.4.4.1) (July/August/September)

There were 5 repeat trouble reports for this sub-metric in July, 11 repeat reports in August and 13 repeat troubles in September 2001. BellSouth is currently investigating this sub-metric to determine if all orders shown as repeats actually had trouble reports within the previous 30 days. Three of the August reports were for the same customer due to an intermittent trouble. Five of the thirteen repeat reports in September should have been classified

as "information only" and not counted as a repeat report, and three of the remaining reports were closed as 'no trouble found." The other reports revealed no patterns or systemic issues.

Out of Service > 24 Hours / Other Design / Dispatch (B.3.5.10.1) (August)

In August 2001, only 2 repair orders were out of service longer than 24 hours of the 21 total repair orders for this sub-metric. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

Out of Service > 24 hours / Other Design / Non-Dispatch (B.3.5.10.2) (August/September)

In August, only 1 of the 17 repair orders scheduled for this sub-metric was out of service longer than 24 hours. In September, 1 of the 11 repair orders was out to service longer than 24 hours. No systemic problems were identified for either of these repair orders. BellSouth met the retail analogue comparison for this sub-metric in July 2001.

Out of Service > 24 Hours / Other Non-Design / Dispatch (B.3.5.11.1) (July)

11 of the 25 repair appointments scheduled for this sub-metric in July 2001 were out of service longer than 24 hours. No systemic problems were identified for the 11 appointments in July. BellSouth met the retail analogue comparison for this sub-metric for August and September 2001.

4. Other UNE Measures

Pre-Ordering

Service Inquiry for xDSL loops (F.3.1.1), Loop Makeup Manual (F.2.1) and Loop Makeup Electronic (F.2.2) are included in the Pre-Ordering measurements. All measures met the established benchmarks for August 2001. The sub-metrics that did not meet the benchmarks in July and September 2001 are as follows:

Service Inquiry with Firm Order / xDSL (F.3.1.1) (July/September)

BellSouth met 271 of the 298 inquiries within the 5-day period in July and 6 of the 7 inquiries within the 5-day interval in September 2001. The 95% benchmark for this quantity of orders required 283 inquiries to be returned in July and all 7 to be returned in the benchmark period in September. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark. BellSouth met the benchmark for this sub-metric in August 2001.

The remainder of the UNE measurements for which BellSouth did not meet the applicable analogue or benchmark in July, August and/or September 2001 is as follows:

Operations Support Systems (OSS)

The OSS/Preordering measures for which BellSouth did not meet the benchmark/retail analogue in July, August and/or September 2001 were:

Average Response Interval – CLEC (LENS) / HAL / CRIS / Region / RNS (D.1.3.5.1) (July)
Average Response Interval – CLEC (LENS) / HAL / CRIS / Region / ROS (D.1.3.5.2) (July)

Detailed analysis identified a problem in the LENS software that deals with response times from HAL/CRIS. This was corrected in an update on July 28, 2001. BellSouth met the retail analogue comparison for these sub-metrics in August and September 2001.

Average Response Interval – CLEC (TAG) / HAL / CRIS / Region / RNS (D.1.4.7.1) (July)
Average Response Interval – CLEC (TAG) / HAL / CRIS / Region / ROS (D.1.4.7.2) (July)

Although BellSouth technically missed these measurements in July 2001, the misses were only by one-tenth and four-tenths of a second respectively. These very small differences in response intervals indicate equivalent service levels for the CLECs and BellSouth retail. BellSouth met the retail analogue comparison for these measurements in August and September 2001.

Average Response Interval / CRIS / Region (D.2.4.1.1)

(July/August/September)

The average response interval for this measure has three separate disaggregations -- the percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds. The average response interval for the CLEC requests did not meet the retail analogue intervals for the less than 4-second disaggregation but exceeded both the less than 10 and greater than 10 seconds responses. For the 4-second interval, there was only approximately 1% difference between the CLEC responses as compared with the retail analogue in all three months. For the less than 10 second response interval, the CLECs received over 99% of their responses while the retail analogue received slightly less than 99%. Similarly, for the greater than 10 seconds interval measure, the CLECs received less than 1% of responses in the longer interval while the BellSouth retail analogue received just over 1% of responses in over 10 seconds. These very small differences in response intervals indicate equivalent service levels for the CLECs and BellSouth retail.

Average Response Interval / LMOS / Region (D.2.4.4.1, D.2.4.4.2, D.2.4.4.3)

(July/August/September)

The average response intervals for these sub-metrics are measured in three separate disaggregations -- the percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds.

For all three measurements, the results are virtually identical, with the less than 4 seconds measure having a difference of 0.03% in July, of 0.15% in August and 0.88% in September and the less than 10 seconds interval and the greater than 10 second interval having differences of only 0.01% in July, of 0.03% in August and 0.26% in September. These results indicate virtually equivalent service levels for both the CLECs and BellSouth retail.

Average Response Interval / LMOSupd / Region (D.2.4.5.1, D.2.4.5.2, D.2.4.5.3) (July/August/September)

The average response interval for this sub-metric is measured in three separate disaggregations. The percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds. For each of the three sub-metrics, there was less than a 3% difference in the responses received by the CLECs and BellSouth retail in each month. Differences of less than 3% for all of these intervals indicate virtually equivalent service levels for both the CLECs and BellSouth retail.

Average Response Interval / LNP/ Region (D.2.4.6.1) (July/August)

Average Response Interval / LNP/ Region (D.2.4.6.2, D.2.4.6.3) (September)

The average response interval for this measurement is measured in three separate disaggregations -- the percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds. In July and August, the average response interval for the CLEC requests did

not meet the retail analogue intervals for the less than 4-second disaggregation but exceeded both the less than 10 and greater than 10 seconds responses. In September, the average response interval for the CLEC requests met the retail analogue interval for the less than 4-second disaggregation but did not meet either the less than 10 or greater than 10 seconds responses. In July, August and September 2001, both the CLECs and BellSouth retail received over 99.4% of responses in less than 4 seconds and less than 0.2% in more than 10 seconds. The less than one-half percent difference for these intervals indicates virtually equivalent service levels for the CLECs and BellSouth retail.

Average Response Interval / MARCH / Region (D.2.4.7.1, D.2.4.7.2, D.2.4.7.3) (August)

The average response interval for this sub-metric is measured in three separate disaggregations -- the percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds. BellSouth missed the retail analogue comparison for this measure in August but met the retail analogue comparison for these sub-metrics in July and September 2001.

Average Response Interval / OSPCM / Region (D.2.4.8.1) (July/August)

Average Response Interval / OSPCM / Region (D.2.4.8.2, D.2.4.8.3) (August/September)

The average response interval for these sub-metrics is measured in three separate disaggregations -- the percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds. In July, August and September 2001, the CLEC response intervals were 34.75%, 35.16% and 44.19% within 4 seconds as compared to 45.00%, 43.74% and 42.76%, respectively, for the retail analogue. For the less than 10 second response interval, the CLECs received 96.61%, 93.75% and 94.19% of their responses and the retail analogue received 97.54%, 97.38% and 97.18% in July, August and September, respectively. For the greater than 10 second response interval, the CLECs received 3.39%, 6.25% and 5.81% of their responses and the retail analogue received 2.48%, 2.62% and 2.82% in July, August and September, respectively. With activity levels of only 118, 128 and 86 requests from this system for the three months, only one to five additional responses within 10 seconds would have brought the sub-metric into parity with the retail analogue.

Average Response Interval / NIW / Region (D.2.4.11.1) (August)

The average response interval for this sub-metric is measured in three separate disaggregations -- the percentage of queries that are responded to in less than 4 seconds, less than 10 seconds and greater than 10 seconds. In August, the average response interval for the CLEC requests did not meet the retail analogue intervals for the less than 4-second disaggregation but exceeded both the less than 10 and greater than 10 seconds responses. The

CLEC response interval was 77.81% within 4 seconds as compared with 79.85% for the retail analogue. For the less than 10 second responses, the CLECs received 99.61% of their responses and the retail analogue received 99.53%. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

General – Billing

Usage Data Delivery Timeliness / Region (F.9.2) (July/August)

This measure tracks the percentage of usage data delivered within six days for both BellSouth retail and the CLEC aggregate. The CLECs experienced usage data delivery timeliness rates that were slightly lower than the rates for BellSouth customers during July and August 2001 (98.95% for BellSouth versus 96.62% for CLECs in July and 98.80% compared to 98.30% for CLECs in August). The difference in performance each month was the result of some input files being left out of the ADUF job before the files were recovered and processed. It is important to point out that the CLEC results of 96.62% and 98.30% still provide the CLECs a meaningful opportunity to compete. BellSouth has developed a fix that should prevent this type of error from occurring in the future. The fix was implemented on September 1, 2001. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Mean Time to Deliver Usage (F.9.4) (July/August)

This measure compares the average number of days to deliver usage to CLECs with the BellSouth retail analogue. In July 2001, the BellSouth result was 3.37 days compared to the CLEC result of 3.83 days. In August 2001, the BellSouth result was 3.37 days compared to the CLEC result of 3.60 days. The difference in the performance for both months was the result of input files being left out of the ADUF job before the files were recovered and processed. While the CLEC measurement is slightly greater than the BellSouth results, the CLECs are provided with substantially the same opportunity to bill end users as is BellSouth. BellSouth exceeded the retail analogue comparison for this sub-metric in September 2001.

Recurring Charge Completeness / UNE (F.9.5.2) (July/September)

In July 2001, the result for this measure was 56.41% against a benchmark of 90%. This result was negatively impacted by service orders issued to move billed amounts from one billing account to another connected with CLECs which have filed for bankruptcy. These orders were backdated several months to the date of the bankruptcy. None of these orders impacted the CLECs' total billed amounts but were issued to separate pre-bankruptcy billed amounts from post-bankruptcy amounts. In September 2001, the result was 86.34%. The benchmark was not met in September because of problems encountered in correcting some service order problems in a timely manner. The CLECs are provided with a meaningful opportunity to compete as these

issues do not impede the ability to serve end users. BellSouth met the retail analogue comparison for this sub-metric in August 2001.

Recurring Charge Completeness / Interconnection (F.9.5.3)
(July/August/September)

This measure tracks the ability of the ordering and billing systems to begin billing an CLEC recurring charges for local interconnection services on the next invoice after an order has "completed". A benchmark of 90% has been set as the level of performance to meet. In July 2001, BellSouth's performance was 82.27%. This measure was missed because of problems encountered in correcting service order errors in a timely manner. In August and September 2001, the results for this measure were 48.13% and 38.01%, respectively, against a benchmark of 90%. These results were negatively impacted by service orders issued to move billed amounts from one billing account to another connected with CLECs which have filed for bankruptcy. These orders were backdated several months to the date of the bankruptcy. None of these orders impacted the CLECs' total billed amounts but were issued to separate pre-bankruptcy billed amounts from post-bankruptcy amounts. The CLECs are provided with a meaningful opportunity to compete as these issues do not impede the ability to serve end users.

Non-Recurring Charge Completeness / Interconnection (F.9.6.3)
(July/August/September)

This measure tracks the ability of the ordering and billing systems to begin billing a CLEC non-recurring charges for local interconnection services on the next invoice after an order has "completed". A benchmark of 90% has been set as the level of performance to meet. In July, August and September 2001, BellSouth's performance was 86.94%, 58.53% and 87.61%, respectively. This measure was missed in all three months because of problems encountered in correcting service order errors in a timely manner. The differences between the benchmark and the CLEC results do not impair a CLEC's ability to support its own end users or to effect billing to those end users in any meaningful way.

General - Change Management

% Change Management Documentation Sent On Time (F.10.3) (July/August)

Average Documentation Release Delay Days (F.10.5) (July/August)

Two of the four change management documentation letters issued in July and one of the three letters issued in August 2001 were released with less than the 30-day benchmark window. All of these letters were, however, primarily dealing with clarifications and information on existing documentation and/or business rules and did not require CLEC coding changes. There was no activity for these sub-metrics in September 2001.

General – New Business Requests

% Quotes Provided in 10 Business Days (F.11.2.1) (July/September)

There were only three requests in July 2001 in sub-metric F.11.2.1. Such a small universe does not provide a statistically conclusive benchmark comparison. BellSouth met this benchmark in August 2001. In September 2001, four items were inadvertently counted in this sub-metric that were not appropriate. The removal of these items would meet the benchmark requirement for September.

General - Ordering

% Acknowledgement Message Timeliness / EDI (F.12.1.1) (August)

In August 2001, BellSouth returned almost 81,000 acknowledgement messages within the 30-minute benchmark period. With a 95% benchmark, almost 82,000 messages would need to meet the criteria. BellSouth is currently investigating this measure to determine the cause or causes for this shortfall. BellSouth met the benchmark for this sub-metric in September 2001.

% Acknowledgement Message Completeness / EDI (F.12.2.1) (July/August/September)

A Stability Plan to improve EDI availability has been put into effect. This plan includes implementing both a manual application monitoring schedule (24 / 7) and increased mechanized application alarms to more adequately monitor and react to application outages. The database parameters have also been adjusted to allow for maximum processing in the EDI system. In July 2001,

problems occurred on only 39 (0.05%) of the total 78,663 messages returned in this sub-metric. BellSouth failed to satisfy the completeness criteria for only 302 of the 86,217 messages returned in August 2001. In September only 2 of 67,850 messages were not acknowledged, less than 0.01%.

% Acknowledgement Message Completeness / TAG (F.12.2.2) (July/August/September)

BellSouth failed to deliver only 51 of the 127,390 messages in July, 20 of the 199,829 messages in August and 5 of 167,159 messages in September 2001 for this sub-metric. Analysis continues to identify any issues in this process. However, such a small number of failed records have not revealed any systemic process problems.

D. CHECKLIST ITEM 4 – UNBUNDLED LOCAL LOOPS

As discussed in Checklist Item 2, Sections B.2 and B.3 of Attachment 1D provide data for provisioning and maintenance & repair measures for unbundled local loops.

For purposes of discussion in this checklist item, the local loop sub-metrics have been separated into two mode-of-entry groups, xDSL and SL1/SL2/Digital. The xDSL group includes xDSL (ADSL, HDSL, UCL), ISDN and Line Sharing sub-metrics. The SL1/SL2/Digital group includes the design

and non-design 2-wire analog loops, as well as the 2-wire and 4-wire digital loop sub-metrics.

xDSL Group

1. Provisioning Measures

The xDSL group sub-metrics that did not meet the fixed critical value comparison requirements for July, August and/or September 2001 are as follows:

Order Completion Interval / Line Sharing / < 6 Circuits / Non-Dispatch (B.2.1.7.3.2) (July/August)

A root cause analysis for OCI for Non-Dispatch orders revealed that BellSouth was offering a 0 to 2-day interval on retail non-dispatched POTS orders, but the wholesale non-dispatched orders were receiving the same interval as "dispatched" orders. On June 2, 2001, a release was added to the due date calculator software to correct this error. However, due to problems with the software load, it had to be removed. In addition to the appointment interval issue, OCI is adversely affected by LSRs for which CLECs request intervals beyond the offered interval. When a CLEC requests an interval beyond the available interval offered by BellSouth, an "L" code is entered on the Service Order generated by BellSouth. "L" coded orders are excluded from the OCI metrics. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Held Orders / UNE ISDN / < 10 Circuits / Facility (B.2.3.6.1.1) (July)

There were only two orders associated with this sub-metric in July 2001. Such a small universe does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Jeopardies – Mechanized / UNE ISDN (B.2.5.6) (July)

There were 15 jeopardies issued for the 70 orders issued in this sub-metric in July 2001. All of these jeopardies were resolved prior to the due date and the scheduled installations were completed on time. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Jeopardy Notice >= 48 Hours / xDSL (B.2.10.5) (August/September)

The calculations for this measure have been determined to be incorrect. The coding change in the Service Order Control System (SOCS) was implemented in a September 2001 system update. The October data month will be the first full month that the change will be in effect.

% Missed Installation Appointments / Line Sharing / < 10 Circuits / Dispatch (B.2.18.7.1.1) (July)

There were only seven orders for this sub-metric in July 2001. Such a small universe does not provide a statistically conclusive comparison to the retail

analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Missed Installation Appointments / Line Sharing / < 10 Circuits / Non-Dispatch (B.2.18.7.1.2) (August)

There was only one missed appointment for the one hundred twenty-four scheduled orders for this sub-metric in August 2001. There was no systemic problem identified for the one missed appointment. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Provisioning Troubles within 30 Days / UNE ISDN / < 10 Circuits / Dispatch (B.2.19.6.1.1) (July)

There were a total of 40 troubles reported for this sub-metric for the orders that completed in the 30 days prior to July 2001. No systemic installation issues were identified for any of these trouble reports. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Provisioning Troubles within 30 Days / Line Sharing / < 10 Circuits / Dispatch (B.2.19.7.1.1) (September)

There were only eight orders for this sub-metric in September 2001. The small universe of orders for this sub-metric does not provide a statistically

conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

% Provisioning Troubles within 30 Days / Line Sharing / < 10 Circuits / Non-Dispatch (B.2.19.7.1.2) (July/September)

There were 9 troubles reported for this sub-metric for the 69 orders completed in the 30 days prior to July and 20 troubles reported for the 125 orders completed in the 30 days prior to September 2001. In September, 50% of the trouble reports were closed as "no trouble found." An analysis of the remainder of the reports did not reveal any distinct patterns or systemic installation problems. BellSouth met the retail analogue comparison for this sub-metric in August 2001.

Average Completion Notice Interval / xDSL / < 10 Circuits / Dispatch (B.2.21.5.1.1) (September)

The root cause analysis of this measure indicated that the only differences between the performance between BellSouth retail and CLECs are the mismatches found when the orders are compared with the original LSRs. The start of the completion interval is the point at which the technician completes the order, and the interval ends when the completion notice is sent. Any change to a name, number of items, etc., occurring during the provisioning process will generate inconsistencies with the original LSRs that must be resolved before a final completion notice can be sent. Any time to

resolve these inconsistencies with the original LSRs is included in the average. Because of numerous CLEC changes and order updates, mismatches on CLECs orders exceed those for BellSouth retail orders. Combining this with the smaller base for the CLECs' measurement raises the average, which results in a miss. Specific Service Representatives within the Work Management Centers have been assigned to resolve any completion issues that are required. Providing specific training and dedicating personnel to this task should reduce the difference between the CLEC and retail analogue results.

2. Maintenance & Repair Measures

The xDSL group sub-metrics that did not meet the fixed critical value comparison requirements for July, August and/or September 2001 are as follows:

% Missed Repair Appointments / UNE ISDN / Dispatch (B.3.1.6.1) (July/August)

BellSouth missed 14 of the 118 scheduled repair appointments in July and 17 of the 149 appointment scheduled for August 2001. Factors contributing to the missed appointments in both months included access issues, problems in coordination of cooperative testing with CLECs, cable and facilities problems, etc. In August, 7 of the 17 trouble reports were due to a flooded remote terminal site that could not be restored until flood water receded. Analysis of

the other orders did not reveal distinctive patterns or systemic issues. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

% Missed Repair Appointments / ISDN Loops / Non-Dispatch (B.3.1.6.2) (August)

BellSouth missed four of the ninety-six scheduled appointments for this sub-metric in August 2001. There was no systemic problem found for the missed appointments. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Missed Repair Appointments / Line Sharing / Non-Dispatch (B.3.1.7.2) (July/August)

BellSouth missed six of thirty-seven appointments scheduled for this sub-metric in July and eight of forty-seven appointments scheduled in August 2001. An action plan has been implemented to cover central office technicians on proper handling of Line Sharing troubles. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Customer Trouble Report Rate / xDSL Loops / Dispatch (B.3.2.5.1) (July/August/September)

A total of 67 troubles were reported for the 5,902 in service lines for this sub-metric in July, 76 troubles for the 5,685 in service lines in August and 57

troubles reported for the 5,448 lines in service in September 2001. Both the CLECs and BellSouth retail had 98% or more trouble free service for all in service lines in this sub-metric in all three months. Even though the measurement indicated that BellSouth did not meet the retail analogue, both BellSouth and the CLECs were being provided a high level of service for this sub-metric.

Customer Trouble Report Rate / xDSL / Non-Dispatch (B.3.2.5.2) (August)

A total of 21 troubles were reported for the 5,685 in service lines for this sub-metric in August 2001. Both the CLECs and BellSouth retail had 99% trouble free service for all in service lines in this sub-metric in August. Even though the measurement indicated that BellSouth did not meet the retail analogue, both BellSouth and the CLECs were being provided a high level of service for this sub-metric. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

Customer Trouble Report Rate / UNE ISDN / Dispatch (B.3.2.6.1) (July/August/September)

Both the CLECs and BellSouth retail had 97% to 98% trouble free service for all in service lines in this sub-metric in July, August and September 2001. Even though the measurement indicated that BellSouth did not meet the retail analogue, both BellSouth and the CLECs were being provided a high level of

service for this sub-metric. BellSouth is developing an action plan to improve circuit testing and turn-up documentation.

Customer Trouble Report Rate / Line Sharing / Dispatch (B.3.2.7.1) (July/August)

There were a total of 10 troubles reported for the 884 in service lines for this sub-metric in July and 14 troubles reported for the 1,007 lines in service in August 2001. Of the 10 troubles reported in July, 5 were closed as "no trouble found." With the exclusion of these reports, this sub-metric would have met the retail analogue comparison for July. Of the 14 August trouble reports, 4 (29%) were closed as "no trouble found." There were no distinctive trends or systemic problems identified for any of the troubles reported for this sub-metric. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Customer Trouble Report Rate / Line Sharing / Non-Dispatch (B.3.2.7.2) (July/August)

There were a total of 37 troubles reported for the 884 in service lines for this sub-metric in July and 47 troubles for the 1,007 in service lines in August 2001. An analysis of the July 2001 troubles for this sub-metric revealed that 27 of the 37 troubles (73%) were closed as "no trouble found." With the exclusion of these reports, 98.8% trouble free service was provided for the in service lines in this sub-metric. In August, 30 of the 47 troubles (64%) were

closed as "no trouble found." Even though the measurement indicated that BellSouth did not meet the retail analogue, both BellSouth and the CLECs were being provided a high level of service for this sub-metric. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Maintenance Average Duration / UNE ISDN / Dispatch (B.3.3.6.1) (July/August)

BellSouth missed this sub-metric for July 2001 with an average duration of 11.22 days as compared to 8.03 days for the retail analogue. In August 2001, BellSouth again missed the retail analogue comparison, but the average durations were reduced to 10.92 days for CLECs compared to 7.49 days for the retail analogue. Factors contributing to the longer interval maintenance orders in both months included access issues, problems in coordination of cooperative testing with CLECs, cable and facilities problems, etc. In August, 7 of the orders had longer durations due to flooded remote terminal facilities. Restoration work on those facilities could not begin until flood water receded and the facilities dried. Analysis of the remaining orders did not reveal distinctive patterns or systemic issues. BellSouth is placing additional focus on ISDN orders in scheduling and prioritizing maintenance activities. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Maintenance Average Duration / UNE ISDN / Non-Dispatch (B.3.3.6.2) (July)

BellSouth missed this sub-metric for July 2001 with an average duration of 5.59 days as compared to 3.48 days for the retail analogue. Two orders in July had significantly longer durations than the other orders, which increased the average for the entire sub-metric. BellSouth is placing additional focus on ISDN orders in scheduling and prioritizing maintenance activities. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Repeat Troubles within 30 Days / UNE ISDN / Non-Dispatch (B.3.4.6.2) (July)

In July 2001, 29 of the 76 trouble reports were repeat reports. No systemic problems were identified for any of these reports. BellSouth met or exceeded the retail analogue for this sub-metric in August and September 2001.

% Repeat Troubles within 30 Days / Line Sharing / Dispatch (B.3.4.7.1) (July/August)

There were only ten trouble reports for this sub-metric in July and fourteen reports in August 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

% Repeat Troubles within 30 Days / Line Sharing / Non-Dispatch (B.3.4.7.2) (July/August)

Fifteen of the thirty-seven trouble reports for this sub-metric in July and twenty-three of the forty-seven reports for August 2001 were repeat reports. In July, eleven of the fifteen repeat reports (73%) were closed as "TOK/FOK." In August, all 23 of the trouble reports were from one CLEC, and 19 of the 23 reports (83%) were closed as "TOK/FOK." With the exclusion of these reports, BellSouth would have met the retail analogue comparison for this sub-metric in both July and August. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

<u>% Out of Service > 24 hours / UNE ISDN / Dispatch (B.3.5.6.1) (July/August)</u>

Factors contributing to the longer interval maintenance orders in both July and August 2001 included access issues, problems in coordination of cooperative testing with CLECs, cable and facilities problems, etc. In August, 7 of the 17 long duration troubles were due to flooding of remote terminal facilities. Restoral of service could not begin until flood water receded and the remote terminals dried. Analysis of the remainder of the orders did not reveal distinctive patterns or systemic issues. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

<u>% Out of Service > 24 hours / UNE ISDN / Non-Dispatch (B.3.5.6.2) (August)</u>

In August 2001, four out of ninety-six total trouble reports were out of service longer than 24 hours. No systemic maintenance problems were identified for the small number of orders out of service in this sub-metric. BellSouth met

the retail analogue comparison for this sub-metric in July and September 2001.

SL1/SL2/Digital Loop Group

1. Provisioning Measures

The SL1/SL2/Digital Loop group sub-metrics that did not meet the fixed critical value comparison requirements for July, August and September 2001 are as follows:

Order Completion Interval (OCI)

A root cause analysis for OCI for Non-Dispatch orders revealed that BellSouth was offering a 0 to 2-day interval on retail non-dispatched POTS orders, but the wholesale non-dispatched orders were receiving the same interval as "dispatched" orders. On June 2, 2001, a release was added to the due date calculator software to correct this error. However, due to problems with the software load, it had to be removed. In addition to the appointment interval issue, OCI is adversely affected by LSRs for which CLECs request intervals beyond the offered interval. When a CLEC requests an interval beyond the available interval offered by BellSouth, an "L" code is entered on the Service Order generated by BellSouth. "L" coded orders are excluded from the OCI metrics.

Order Completion Interval / 2w Analog Loop Design / < 10 Circuits / Dispatch

(B.2.1.8.1.1) (August/September)

There were a total of 175 orders completed for this sub-metric in August and 209 orders completed in September 2001. A detailed analysis indicated that 17 of the 175 orders for August had intervals that were longer than the due date calculator system would have assigned and should have been given an "L Code" for extended interval. When an LSR is received, the due date calculator determines what the current available interval for that product is, based on the available resources from Network. If the CLEC requests a longer interval ("extended interval"), the order is given an "L Code" and excluded from the OCI measurement. BellSouth continues to work to lower the interval for this sub-metric to meet the "3 day" interval ordered for the POTS type retail analogue services in Florida. The current standard interval for this sub-metric is four business days. BellSouth met the retail analogue comparison for this sub-metric in July 2001.

Order Completion Interval / 2w Analog Loop Non-Design / < 10 Circuits / Dispatch In (B.2.1.9.1.4) (July)

There were only seven orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Order Completion Interval / 2w Analog Loop w/INP Non-Design / < 10 Circuits / Dispatch In (B.2.1.11.1.4) (July)

There were only two orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Order Completion Interval / 2w Analog Loop w/LNP Design / < 10 Circuits / Dispatch (B.2.1.12.1.1) (July/August/September)

There were a total of 223 orders that completed for this sub-metric in July, 255 completed in August and 178 orders completed in September 2001. A detailed analysis indicated a significant number of orders with customer requested extended intervals were not "L coded" and should have been excluded from the measurement. BellSouth continues to work to lower the interval for this sub-metric to meet the "3 day" interval ordered for the POTS type retail analogue services in Florida. The current standard interval for orders in this sub-metric is four days as compared to the three-day interval for the retail analogue.

Order Completion Interval / 2w Analog Loop w/LNP Non Design / < 10 Circuits / Dispatch (B.2.1.13.1.1) (September)

There were a total of 266 orders that completed for this sub-metric in September 2001. BellSouth continues to work to lower the interval for this

sub-metric to meet the "3 day" interval ordered for the POTS type retail analogue services in Florida. The current standard interval for this sub-metric is four days as compared to the three-day interval for the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

The remainder of the provisioning measures that did not meet the retail analogue for provisioning is as follows:

Held Orders / 2w Analog Loop w/LNP Design / >= 10 Circuits / Facility (B.2.3.12.2.1) (August)

There was only one order associated with this sub-metric in August 2001. The small universe size for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

Held Orders / Digital Loop >= DS1 / < 10 Circuits / Facility (B.2.3.19.1.1) (August)

There was only one order associated with this sub-metric in August 2001. The small universe size for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Jeopardies / 2w Analog Loop Design (B.2.5.8) (July/August/September)

In July 2001, there were a total of 29 jeopardies issued for the 128 orders that were scheduled for this sub-metric. All but 3 of the jeopardies were resolved and the orders were worked as scheduled. None of the 3 missed appointments in this sub-metric resulted in a held order in July. In August 2001, there were a total of 37 jeopardies issued for the 291 orders that were scheduled for this sub-metric. All but 10 of the jeopardies were resolved prior to the due date and the orders worked as scheduled. None of these jeopardies or missed appointments resulted in held orders in August. In September 2001, there were a total of 33 jeopardies issued for the 292 orders that were scheduled for this sub-metric. All but 6 of the jeopardies were resolved prior to the due date and the orders worked as scheduled. Only one of the missed appointments resulted in a held order – which was resolved and completed in 3 days.

% Jeopardies / 2w Analog Loop Non-Design (B.2.5.9)
(July/August/September)

In July 2001, there were a total of 44 jeopardies issued for the 431 orders that were scheduled for this sub-metric. All but 21 of the jeopardies were resolved and the orders were worked as scheduled. Only 1 of the 21 missed appointments in this sub-metric resulted in a held order that was resolved and completed in 7 days. In August 2001, there were a total of 49 jeopardies issued for the 620 orders that were scheduled for this sub-metric. All but 16

of the jeopardies were resolved and the orders were worked as scheduled. Only 3 of the 16 missed appointments in this sub-metric resulted in held orders that were resolved and completed in an average of 3.33 days. In September 2001, there were a total of 31 jeopardies issued for the 463 orders that were scheduled for this sub-metric. All but 10 of the jeopardies were resolved and the orders were worked as scheduled. Only 3 of the 31 jeopardies in this sub-metric resulted in a held order that were resolved and completed in an average of 4 days.

% Jeopardies / 2w Analog Loop w/LNP Design (B.2.5.12) (September)

In September 2001, there were a total of 82 jeopardies issued for the 3,707 orders that were scheduled for this sub-metric. All but 5 of the jeopardies were resolved and the orders were worked as scheduled. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

% Jeopardies / Digital Loop >= DS1 (B.2.5.19) (July/August)

There were a total of 60 jeopardies issued for the 88 installation appointments that were scheduled for this sub-metric in July, 65 jeopardies for the 157 appointments scheduled for August and 37 jeopardies issued for the 168 orders scheduled for September 2001. While the data indicates that BellSouth placed a higher percentage of CLEC orders in jeopardy status, all but 19 of the orders that were placed in jeopardy in July, all but 17 of the jeopardy orders in August and all but 19 of the orders placed in jeopardy in

September were actually worked on time. Of the 19 missed appointments in July, only 3 resulted in held orders. All of the 3 orders were completed within an average of less than 13 days. Of the 17 missed appointments in August, only 1 resulted in a held order that was completed within 10 days. None of the orders placed in jeopardy in September resulted in a held order.

% Jeopardy Notices issued >= 48 Hours / 2w Analog Loop Non-Design (B.2.10.9) (July/August)

% Jeopardy Notices issued >= 48 Hours / 2w Analog Loop w/LNP Design (B.2.10.12) (July/August)

% Jeopardy Notices issued >= 48 Hours / 2w Analog Loop w/LNP Non Design (B.2.10.13) (July/August)

% Jeopardy Notices issued >= 48 Hours / Digital Loop < DS1 (B.2.10.18) (August)

The calculations for this measure have been determined to be incorrect. The coding change in the Service Order Control System (SOCS) was implemented in a September 2001 system update. The October data month will be the first full month that the change will be in effect.

% Missed Installation Appointments / 2w Analog Loop Non-Design / >= 10 Circuits / Dispatch (B.2.18.9.2.1) (July)

There were only eight orders associated with this sub-metric in July 2001. The small universe size for this sub-metric does not provide a statistically

conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Missed Installation Appointments / Digital Loop >= DS1 / < 10 Circuits / Dispatch (B.2.18.19.1.1) (September)

BellSouth completed 208 of the 227 installation appointments as scheduled for this sub-metric in September 2001. Nine of the nineteen missed appointments were due to unavailability of facilities. The remainder of the missed appointment were due to various scheduling and prioritization problems. BellSouth is refocusing its efforts on this area to improve its performance on these orders.

% Provisioning Troubles w/i 30 Days / 2w Analog Loop Design / < 10 Circuits / Dispatch (B.2.19.8.1.1) (August/September)

In August 2001, there were 21 troubles reported for the 224 orders completed in the prior 30 days. Five of the twenty-one troubles were closed as "no trouble found." An analysis of the remainder of the troubles revealed no specific patterns or trends. In September 2001, 29 troubles were reported for the 302 orders completed in the prior 30 days. Ten of the twenty-nine troubles were closed as "no trouble found" in September. Without these reports, the CLEC result would have been virtually identical to the result for the retail analogue. Twenty of the twenty-nine trouble reports in September for this sub-metric came from one CLEC.

% Provisioning Troubles w/i 30 Days / Digital Loops < DS1 / < 10 Circuits / Dispatch (B.2.19.18.1.1) (July/August)

There were a total of 59 troubles reported for the 813 orders that completed for this sub-metric in the 30 days prior to July and 47 troubles reported for the 901 orders that completed in the 30 days prior to August 2001. Analysis of the trouble reports indicates that a significant portion were closed as "no trouble found." BellSouth is currently investigating this sub-metric. There are no troubles indicated for the retail analogue for this sub-metric in July and less than 1% for August, which is also being reviewed. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

% Provisioning Troubles within 30 Days / Digital Loops >= DS1 / < 10 Circuits / Dispatch (B.2.19.19.1.1) (July/August/September)

There were a total of 26 troubles reported for this sub-metric for the 222 orders that completed in the 30 days prior to July, 19 troubles reported for the 236 orders that completed in the 30 days prior to August and 15 troubles reported for the 251 orders that completed in the 30 days prior to September 2001. In September, 44% of the trouble reports in this sub-metric were closed as "no trouble found" indicating minimal impact on the end user. BellSouth is currently investigating this sub-metric. There are no trouble reports indicated for the retail analogue for this sub-metric in July or August,

and less than 1% trouble reports in September -- which is also being reviewed.

Average Completion Notice Interval / 2w Analog Loop Design / < 10 Circuits / Dispatch (B.2.21.8.1.1) (July/August/September)

Average Completion Notice Interval / 2w Analog Loop Design / >= 10 Circuits / Dispatch (B.2.21.8.2.1) (July)

Average Completion Notice Interval / 2w Analog Loop w/LNP Design / < 10 Circuits / Dispatch (B.2.21.12.1.1) (July/August/September)

Average Completion Notice Interval / 2w Analog Loop w/LNP Non-Design / < 10 Circuits / Dispatch (B.2.21.13.1.1) (July/August/September)

Average Completion Notice Interval / 2w Analog Loop w/LNP Non-Design / >= 10 Circuits / Dispatch (B.2.21.13.2.1) (July)

The root cause analysis of these measures indicated that the only differences between the performance between BellSouth retail and CLECs are the mismatches found when the orders are compared with the original LSRs. The start of the completion interval is the point at which the technician completes the order, and the interval ends when the completion notice is sent. Any change to a name, number of items, etc., occurring during the provisioning process will generate inconsistencies with the original LSRs that must be resolved before a final completion notice can be sent. Any time to resolve these inconsistencies with the original LSRs is included in the average. Because of numerous CLEC changes and order updates,

mismatches on CLECs orders exceed those for BellSouth retail orders. Combining this with the smaller base for the CLECs' measurement raises the average, which results in a miss. Specific Service Representatives within the Work Management Centers have been assigned to resolve any completion issues that are required. Providing specific training and dedicating personnel to this task should reduce the difference between the CLEC and retail analogue results.

2. Maintenance & Repair Measures

The SL1/SL2/Digital Loop group sub-metrics that did not meet the fixed critical value comparison requirements for July, August and/or September 2001 are as follows:

% Missed Repair Appointments / 2W Analog Loop Non-Design / Dispatch (B.3.1.9.1) (August)

There were a total of 128 missed appointments out of the 842 scheduled for this sub-metric in August 2001. A significant cause for the missed appointments in August was found to be wet or damaged cable facilities. BellSouth is refocusing on its existing cable damage prevention plan. BellSouth met or exceeded the retail analogue for this sub-metric in July and September 2001.

% Missed Repair Appointments / 2W Analog Loop Non-Design / Non-Dispatch (B.3.1.9.2) (September)

BellSouth completed 34 of the 36 repair appointments as scheduled in September 2001. There were no distinct patterns or systemic problems identified for the two missed appointments. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

% Repeat Reports w/i 30 Days / 2W Analog Loop Design / Non-Dispatch (B.3.4.8.2) (July)

There were a total of 299 trouble reports of which 79 were repeats in this sub-metric for July 2001. Eighteen of the repeat reports were closed as "no trouble found." With the exclusion of these reports, this sub-metric would have met the retail analogue comparison for July. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

E. CHECKLIST ITEM 5 – UNBUNDLED LOCAL TRANSPORT

The sub-metrics that did not meet the retail analogue in July, August and/or September 2001 associated with Checklist Item 5 are as follows:

% Missed Installation Appointments / Local Interoffice Transport / < 10 Circuits / Dispatch (B.2.18.2.1.1) (September)

BellSouth completed 24 of the 26 installation appointments for this sub-metric as scheduled in September 2001. There were no systemic installation issues

identified for the two missed appointments. There was no CLEC activity for this sub-metric in July 2001. BellSouth met the retail analogue comparison for this sub-metric in August 2001.

% Provisioning Troubles w/i 30 Days / Local Interoffice Transport / < 10 Circuits / Dispatch (B.2.19.2.1.1) (August)

There was only 1 trouble reported for this sub-metric for orders that were completed in the 30 days prior to August 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. There was no CLEC activity for this sub-metric in July 2001. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

Maintenance Average Duration / Local Interoffice Transport / Non-Dispatch (B.3.3.2.2) (July/August)

There were only eight troubles reported for this sub-metric in July and four troubles reported in August 2001. This small universe does not provide a statistically conclusive comparison with the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

F. CHECKLIST ITEM 6 – UNBUNDLED LOCAL SWITCHING

The data in these measures indicate that BellSouth met the benchmark/analogue requirements for all measurements in Checklist Item 6 for July, August and September 2001.

G. CHECKLIST ITEM 7a – 911 AND E911 SERVICES

H. CHECKLIST ITEM 7b – DIRECTORY ASSISTANCE/OPERATOR SERVICES

As indicated in Attachment 1D, Sections F.6, F.7 and F.8, BellSouth met the benchmark/analogue requirements of Checklist Items 7a and 7b in July, August and September 2001. Even though BellSouth tracks and reports these measures, the processes used in providing these services are designed to provide parity for all users.

I. CHECKLIST ITEM 10 – ACCESS TO DATABASES AND ASSOCIATED SIGNALING

BellSouth met the benchmarks for two out of the four sub-metrics in this Checklist Item in July, three out of four in August and one out of four sub-metrics in September 2001. See items F.13.1.1 through F.13.3 in Attachment 1D for further details of the September data. The items that did not meet the appropriate benchmark in July, August and/or September 2001 are as follows:

% Update Accuracy / LIDB (F.13.2.1) (July/September)

The results in this sub-metric are based on a statistical sample of LSRs and service orders which are manually checked for the accuracy of information that impacts the LIDB database. The July 2001 results were based on an average sample size of 59 orders, of which 9 orders were found to contain errors. In September, all but 23 of the 174 orders were error free for this sub-metric. BellSouth has refocused its effort on all LSRs processed in the partial mechanized and manual categories to eliminate basic errors made by the representatives that should meet the benchmark for this sub-metric. BellSouth met the benchmark for this sub-metric in August 2001.

<u>% Update Accuracy / Directory Listings / Region (F.13.2.2) (September)</u>

The results in this sub-metric are based on a statistical sample of LSRs and service orders, which are manually checked for the accuracy of information that impacts the Directory Listings database. The September 2001 results were based on a sample size of 89 orders, of which 23 orders were found to contain errors. BellSouth has refocused its effort on all LSRs processed in the partial mechanized and manual categories to eliminate basic errors made by the representatives that should meet the benchmark for this sub-metric. BellSouth met the benchmark for this sub-metric in July and August 2001.

<u>% NXXs / LRNs Loaded by LERG Effective Date (Region) (F.13.3) (July/August/September)</u>

The measure indicated that 152 of 153 NXXs were loaded by their effective date in July and 23 of 24 NXXs were loaded by their effective date in August 2001. In September 2001, 39 of 40 NXXs were loaded by their effective date across the BellSouth region, with all NXXs completed as scheduled in Florida.

J. CHECKLIST ITEM 11 – NUMBER PORTABILITY

All the measurements in this Checklist Item were met or exceeded for July, August and/or September 2001 except for the following:

% Missed Installation Appointments / LNP (Standalone) / < 10 Circuits / Non-Dispatch (B.2.18.17.1.2) (July/August/September)

BellSouth missed only 6 of the 2,569 scheduled appointments for this sub-metric in July, missed only 9 of the 1,715 appointments scheduled in August and missed only 4 of the 1,381 appointments scheduled in September 2001. BellSouth met over 99% of the scheduled appointments for both retail and the CLECs in this sub-metric for July, August and September. When BellSouth provisions high quality service coupled with very large universe sizes, it can cause an apparent out of equity condition from a quantitative viewpoint. In these cases, there is very little variation and the universe size is so large that the Z-test becomes overly sensitive to any difference. In other words, the statistical test shows that the measurement does not meet the fixed critical value when compared with the retail analogue, but BellSouth's actual performance for both CLECs and its own retail operations is at a very high

level – in this case over 99%. From a practical point of view, the CLECs' ability to compete has not been hindered even though the statistical results may technically show that BellSouth failed to meet the benchmark/analogue.

Average Completion Notice Interval / LNP (Standalone) / < 10 Circuits / Non-Dispatch (B.2.21.17.1.2) (July/August/September)

Average Completion Notice Interval / LNP(Standalone) / >= 10 Circuits / Dispatch (B.2.21.17.2.1) (July)

Average Completion Notice Interval / LNP(Standalone) / >= 10 Circuits / Non-Dispatch (B.2.21.17.2.2) (August)

The root cause analysis of these measures indicated that the only differences between the performance between BellSouth retail and CLECs are the mismatches found when the orders are compared with the original LSRs. The start of the completion interval is the point at which the technician completes the order, and the interval ends when the completion notice is sent. Any change to a name, number of items, etc., occurring during the provisioning process will generate inconsistencies with the original LSRs that must be resolved before a final completion notice can be sent. Any time to resolve these inconsistencies with the original LSRs is included in the average. Because of numerous CLEC changes and order updates, mismatches on CLECs orders exceed those for BellSouth retail orders. Combining this with the smaller base for the CLECs' measurement raises the average, which results in a miss. Specific Service Representatives within the

Work Management Centers have been assigned to resolve any completion issues that are required. Providing specific training and dedicating personnel to this task should reduce the difference between the CLEC and retail analogue results.

Disconnect Timeliness / LNP / < 10 Circuits (B.2.31)

The Disconnect Timeliness measure is supposed to track the time it takes to disconnect a number in the central office switch after the message has been received from the Local Number Portability (LNP) Gateway that it is ready. However, this measurement does not track the relevant time to perform this function.

On a great majority of LNP orders, BellSouth creates what is referred to as a "trigger" in conjunction with the order. This trigger gives the end user customer the ability to make and receive calls from other customers who are served by the customer's host switch at the time of the LNP activation. This ability is not dependent upon BellSouth working a disconnect order in the central office switch. In other words, when a trigger is involved, an end user customer can receive calls from other customers served by the same host switch before the disconnect order is ever worked.

As it currently exists, Performance Measure P-13 does not recognize the importance of triggers and their effect on the LNP process. Rather, the

current measure calculates the end time of the LNP activity as the processing of the actual disconnect order in the host switch, even though, from a customer's perspective, this activity is totally meaningless on most LNP orders. It is the activation of the LNP and the routing function accomplished by the LSMS that ultimately determines whether the end user is back in full service and is able to make and receive calls when a trigger is used in porting a telephone number. So, while BellSouth may be missing this measure, the actual impact on CLECs and their end users, for a great majority of the orders is minimal, or nonexistent. The Georgia PSC is currently evaluating a change in this measure that more accurately reflects the LNP process and its impacts on end users, and, therefore, the measurements will be shown blank until a resolution is reached on this issue.

K. CHECKLIST ITEM 14 – RESALE

BellSouth has met or exceeded the benchmarks/analogues for 88% of the 201 resale metrics for the month of July, for 87% of the 191 metrics in August and for 86% of the 211 metrics in September 2001. The details are delineated in Attachment 1D, Items A.1.1.1 through A.4.2.

For the three-month period, July through September 2001, there were 171 sub-metrics in the Resale measurements for which there was CLEC activity in all three months and were compared to retail analogues or benchmarks. Of

those 171 sub-metrics, 159 sub-metrics (93%) met the retail analogue/benchmark comparisons in at least two of the three months.

1. Resale Ordering Measures

Reject Interval

The benchmark for electronic rejects is 97% within 1 hour. In July 2001, there was a total of 12,088 resale LSRs rejected, with 97% meeting the relevant benchmark or retail analogue. Of the 12,088 rejected LSRs, 52% were processed electronically with 96% of them meeting the 1-hour benchmark interval. In August 2001, there was a total of 16,628 resale LSRs rejected, with 94% meeting the relevant benchmark or retail analogue. Of the 16,628 rejected LSRs, 61% were processed electronically with 92% of them meeting the 1-hour benchmark interval. In September 2001, 14,963 resale LSRs were rejected, with 96% meeting the relevant benchmark or retail analogue. Of the 14,963 rejected LSRs, 60% were processed electronically with 95% of them meeting the 1-hour benchmark interval. See Attachment 1D, Items A.1.4 through A.1.8 for further details.

FOC Timeliness

In July, BellSouth issued FOCs for 45,994 resale LSRs and met the relevant benchmark for 98% of them. Of the 45,995 FOCs returned, 32,639 were fully mechanized with 99% meeting the 3-hour benchmark interval. In August, BellSouth issued FOCs for 53,972 resale LSRs and met the relevant

benchmark for 98% of them. Of the 53,972 FOCs returned, 41,729 were fully mechanized with 98% meeting the 3-hour benchmark interval. In September, BellSouth issued FOCs for 48,475 resale LSRs and met the relevant benchmark for 99% of them. Of the 48,475 FOCs returned, 36,875 were fully mechanized with 99% meeting the 3-hour benchmark interval. See Attachment 1D, Sections A.1.9 through A.1.13 for further details.

The Ordering sub-metrics for which BellSouth did not meet the benchmarks/analogues for July, August and/or September 2001 were:

Reject Interval / Residence / Electronic (A.1.4.1) (July/August/September)

The current benchmark for this sub-metric is >= 97% within one hour. In July, BellSouth met the one-hour benchmark for 96% of the 5,799 rejected LSRs in this sub-metric. In August 2001, there were 8,815 of the 9,536 total rejected LSRs that met the benchmark interval. In September 2001, 7,954 of the 8,395 total rejected LSRs met the one-hour benchmark. BellSouth is conducting a detailed root cause analysis of the process for electronic ordering. This analysis addresses the ordering systems (EDI, TAG, and LENS) used by the CLECs and the back-end legacy applications, such as SOCS, that are accessed by the ordering systems.

Thus far, the analysis has determined that many of the LSRs that did not meet the one-hour benchmark were issued between 11:00 p.m. and 4:30 a.m.

Between these hours the system is unable to process LSRs because some of the back-end legacy systems are out of service. Such hours should be excluded from the measurement. BellSouth is currently reviewing the scheduled down time for all systems and how that down time affects the ordering capability of the CLECs. An analysis of the July 2001 rejected LSRs for this sub-metric revealed that 66% of the rejects missing the benchmark interval were processed during this period. Excluding these rejects from the total, this sub-metric would have met the benchmark, with 98.64% of the remaining rejects meeting the one-hour interval.

With the implementation of May data BellSouth was directed to change the time stamp identification for the start and complete times of the interval for this measurement from the Local Exchange Ordering (LEO) System to the CLEC ordering interface system (TAG or EDI). With this change BellSouth was unable to identify multiple issues of the same version of the LSRs that may be rejected (fatal rejects), which should be excluded from the measurement. If there are multiple issues of the same version, the measure currently calculates the interval from the initial issue to the final issue of the LSR returned to the CLEC, Reject or FOC. Consequently, BellSouth's performance level is inappropriately understated. BellSouth is currently working to determine a fix for this issue.

<u>Reject Interval / Business / Electronic (A.1.4.2) (August/September)</u>

The current benchmark for this sub-metric is >= 97% within one hour. There were 643 LSRs rejected in this sub-metric in August 2001 with 596 or 93% meeting the one hour benchmark. In September 2001, 533 of the 563 rejected LSRs for this sub-metric met the one-hour benchmark. BellSouth is conducting a detailed root cause analysis of the process for electronic ordering. This analysis addresses the ordering systems (EDI, TAG, and LENS) used by the CLECs and the back-end legacy applications, such as SOCS, that are accessed by the ordering systems. For further information see the explanation included with the electronic reject interval measurement, item A.1.4.1. BellSouth met the benchmark for this sub-metric in July 2001.

Reject Interval / PBX / Electronic (A.1.4.4) (August)

There was only one LSR rejected for this sub-metric in August 2001. The small universe size for this sub-metric does not provide a conclusive benchmark comparison. There was no CLEC activity for this sub-metric in either July or September 2001.

Reject Interval / PBX / Partially Electronic (A.1.7.4) (August)

There were only two LSRs rejected for this sub-metric in August 2001. The small universe size for this sub-metric does not provide a conclusive benchmark comparison. There was no CLEC activity for this sub-metric in July 2001. BellSouth met the benchmark for this sub-metric in September 2001.

FOC Timeliness / PBX / Partial Electronic (A.1.11.4/A.1.12.4) (July/August/September)

There were only four orders for which FOCs were returned in this sub-metric in July and only one such order each in August and September 2001. Such a small universe does not provide a conclusive benchmark comparison.

FOC & Reject Response Completeness and FOC & Reject Response Completeness (Multiple Responses) Measures

BellSouth has determined that the coding for the FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures failed to include rejections that were classified as "auto clarifications." BellSouth is in the process of rewriting the code to correct this problem, and the change will impact all FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures. Effective with this Exhibit update for September data, the program coding has been corrected for all the FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) sub-metrics for Checklist Item No. 14, Resale products. The individual sub-metrics with corrected coding that missed the required benchmarks in September 2001 will be addressed separately following the next section. BellSouth did not meet the benchmark in July and/or August 2001 for the FOC and Reject Response Completeness

and the FOC & Reject Response Completeness (Multiple Responses) metrics listed below:

FOC Reject & Response Completeness / Residence / Electronic (A.1.14.1) (July)

FOC Reject & Response Completeness / Business / Electronic (A.1.14.2) (July)

FOC Reject & Response Completeness / PBX / Electronic (A.1.14.4) (July)

FOC Reject & Response Completeness / PBX / Partial Electronic (A.1.15.4) (August)

FOC Reject & Response Completeness / Residence / Manual (A.1.16.1) (July/August)

FOC Reject & Response Completeness / Business / Manual (A.1.16.2) (August)

FOC Reject & Response Completeness / Design (Specials) / Manual (A.1.16.3) (August)

FOC Reject & Response Completeness / PBX / Manual (A.1.16.4) (July/August)

FOC Reject & Response Completeness (Multiple Responses) / Residence / Partially Electronic (A.1.18.1) (August)

FOC Reject & Response Completeness (Multiple Responses) / Business / Partially Electronic (A.1.18.2) (July/August)

FOC Reject & Response Completeness (Multiple Responses) / PBX / Partially Electronic (A.1.18.4) (August)

FOC Reject & Response Completeness (Multiple Responses) / Residence / Manual (A.1.19.1) (July/August)

FOC Reject & Response Completeness (Multiple Responses) / Business / Manual (A.1.19.2) (July/August)

FOC Reject & Response Completeness (Multiple Responses) / Design (Specials) / Manual (A.1.19.3) (August)

FOC Reject & Response Completeness (Multiple Responses) / Centrex / Manual (A.1.19.5) (August)

FOC Reject & Response Completeness (Multiple Responses) / ISDN / Manual (A.1.19.6) (August)

BellSouth has determined that the coding for the FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures failed to include rejections that were classified as "auto clarifications." BellSouth is in the process of rewriting the code to correct this problem, and the change will impact all FOC & Reject Completeness and FOC & Reject Response Completeness (Multiple Responses) measures.

The following FOC & Reject Response Completeness sub-metrics, for which the program code has been corrected, did not meet the benchmarks for September:

FOC Reject & Response Completeness / ISDN / Electronic (A.1.14.6) (September)

There was only one order for this sub-metric in September 2001. The small universe size for this sub-metric does not provide a conclusive benchmark comparison.

FOC Reject & Response Completeness / Residence / Manual (A.1.16.1) (September)

BellSouth met the completeness criteria for 833 of the 922 orders for this sub-metric in September 2001. The 95% benchmark required that 887 of 933 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness / Business / Manual (A.1.16.2) (September)

BellSouth met the completeness criteria for 903 of the 969 orders for this sub-metric in September 2001. The 95% benchmark required that 921 of 969 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness / Design (Specials) / Manual (A.1.16.3) (September)

BellSouth met the completeness criteria for 127 of the 139 orders for this sub-metric in September 2001. The 95% benchmark required that 133 of 139 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness / PBX / Manual (A.1.16.4) (September)

BellSouth met the completeness criteria for 61 of the 66 orders for this sub-metric in September 2001. The 95% benchmark required that 63 of 66 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness / PBX / Manual (A.1.16.4) (September)

BellSouth met the completeness criteria for 16 of the 17 orders for this sub-metric in September 2001. The 95% benchmark required that 17 of 17 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness / PBX / Manual (A.1.16.6) (September)

BellSouth met the completeness criteria for 30 of the 33 orders for this sub-metric in September 2001. The 95% benchmark required that 32 of 33 LSRs

be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness (Multiple Responses) / Residence / Partially Electronic (A.1.18.1) (September)

BellSouth met the completeness criteria for 11,829 of the 12,767 orders for this sub-metric in September 2001. The 95% benchmark required that 12,129 of 12,767 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness (Multiple Responses) / Business / Partially Electronic (A.1.18.2) (September)

BellSouth met the completeness criteria for 1,660 of the 1,861 orders for this sub-metric in September 2001. The 95% benchmark required that 1,768 of 1,861 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness (Multiple Responses) / Residence / Manual (A.1.19.1) (September)

BellSouth met the completeness criteria for 748 of the 833 orders for this sub-metric in September 2001. The 95% benchmark required that 792 of 833 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness (Multiple Responses) / Business / Manual (A.1.19.2) (September)

BellSouth met the completeness criteria for 837 of the 903 orders for this sub-metric in September 2001. The 95% benchmark required that 858 of 903 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

FOC Reject & Response Completeness (Multiple Responses) / Centrex / Manual (A.1.19.5) (September)

BellSouth met the completeness criteria for 15 of the 16 orders for this sub-metric in September 2001. The 95% benchmark required that 16 of 16 LSRs be returned. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

2. Resale Provisioning Measures

For the months of July, August and September 2001, BellSouth met or exceeded the benchmark or retail analogue for 87%, 86% and 92% of all Resale provisioning measures. The details supporting the September percentage are delineated in Items A.2.1.1.1.1 through A.2.25.3.2.2 of Attachment 1D.

The following are the Resale provisioning measures for which BellSouth did not meet the retail analogue in July, August and/or September 2001.

Order Completion Interval / Business / < 10 Circuits / Dispatch (A.2.1.2.1.1) (July)

In July, the unadjusted order completion interval for this sub-metric was 3.97 days compared to the retail analogue of 3.13 days. OCI is adversely affected by LSRs for which CLECs request intervals beyond the offered interval and do not enter an "L" code on the order. When a CLEC requests an interval beyond the available interval offered by BellSouth, an "L" code is entered on the Service Order generated by BellSouth. "L" coded orders are excluded from the OCI metrics. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Held Orders / Residence / < 10 Circuits / Other (A.2.2.1.1.3) (August)

There was only one held order for this sub-metric in August 2001. The small universe size for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

Held Orders / Business / < 10 Circuits / Facility (A.2.2.2.1.1) (July)

There were only four held orders for this sub-metric in July 2001. The small universe for this sub-metric does not proved a statistically conclusive

comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Held Orders / Business / >= 10 Circuits / Facility (A.2.2.2.2.1) (August)

There was only one held order for this sub-metric in August 2001. The small universe size for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

Held Orders / PBX / < 10 Circuits / Facility (A.2.2.4.1.1) (August)

There was only one held order for this sub-metric in August 2001. The small universe size for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Jeopardy Notice >= 48 hours / Residence / Mechanized (A.2.9.1) (July/August)

% Jeopardy Notice >= 48 hours / Business / Mechanized (A.2.9.2) (July)

The calculations for this measure have been determined to be incorrect. The coding change in the Service Order Control System (SOCS) was implemented in a September 2001 system update. The October data month will be the first full month that the change will be in effect.

% Missed Installation Appointments / Residence / < 10 Circuits / Non-Dispatch (A.2.11.1.1.2) (July/August/September)

BellSouth missed only 47 of the 33,535 installation appointments scheduled for this sub-metric in July, missed 37 of the 41,062 appointments scheduled in August and missed only 32 of the 35,349 installation appointments scheduled in September 2001. Both the CLECs and BellSouth retail had over 99% of all orders completed as scheduled in July, August and September.

% Missed Installation Appointments / Business / < 10 Circuits / Dispatch (A.2.11.2.1.1) (July/August)

There were a total of 15 missed appointments out of the 429 appointments scheduled for this sub-metric in July and 23 missed appointments of the 572 appointments scheduled for August 2001. Both BellSouth retail and the CLECs had at least 96% of all scheduled appointments completed on time in July and August. BellSouth met the retail analogue comparison for this sub-metric in September 2001.

% Missed Installation Appointments / Business / < 10 Circuits / Non-Dispatch (A.2.11.2.1.2) (July/August/September)

BellSouth missed 19 of the 2,462 scheduled appointments for this sub-metric in July, missed 6 of the 2,700 appointments scheduled for August and missed 7 of the 2,410 installation appointments scheduled in September 2001. Both

the CLECs and BellSouth retail had over 99% of all orders completed as scheduled in July, August and September 2001.

% Missed Installation Appointments / Design (Specials) / < 10 Circuits / Dispatch (A.2.11.3.1.1) (July)

BellSouth missed 10 of the 131 scheduled appointments for this sub-metric in July 2001. Both the CLECs and BellSouth retail had over 92% of all orders completed as scheduled in July. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

% Missed Installation Appointments / PBX / < 10 Circuits / Dispatch (A.2.11.4.1.1) (September)

BellSouth missed 3 of the 11 scheduled appointments for this sub-metric in August 2001. The small universe of orders for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in July and August 2001.

% Missed Installation Appointments / PBX / < 10 Circuits / Non-Dispatch (A.2.11.4.1.2) (August)

BellSouth missed 3 of the 78 scheduled appointments for this sub-metric in August 2001. Both the CLECs and BellSouth retail had over 96% of all orders completed as scheduled in August. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Provisioning Troubles w/i 30 days / Residence / < 10 Circuits / Non-Dispatch (A.2.12.1.1.2) (July/August/September)

In July 2001, there were 1,538 troubles reported for the 33,424 orders that completed in the prior 30 days. 50% of the troubles reported in July for this sub-metric were reported by one CLEC, and 44% of those troubles were closed as "TOK/FOK." In August 2001, there were 1,388 troubles reported for the 33,535 orders that completed in the prior 30 days. 1,321 (95%) of the August trouble reports for this sub-metric were from one CLEC. Thirty-two percent of the reported troubles were closed as "TOK/FOK." In September 2001, there were 1,905 troubles reported for the 41,062 orders that completed in the prior 30 days. Twenty-nine percent of the reported troubles were closed as "TOK/FOK." Without these "no trouble found" reports, this sub-metric would have met the retail analogue comparison in each of the three months. BellSouth is conducting an analysis of the provisioning situation with this particular CLEC and will conduct joint sessions to determine how to avoid the no trouble found reports.

% Provisioning Troubles w/i 30 days / Business / < 10 Circuits / Dispatch (A.2.12.2.1.1) (August/September)

There were 29 troubles reported for the 429 orders that completed for this sub-metric in the 30 days prior to August 2001. In September 2001, there were 39 troubles reported for the 572 orders that completed in the prior 30

days. Of the 39 troubles reported, 21 (54%) were closed as "no trouble found." BellSouth met the retail analogue comparison for this sub-metric in July 2001.

% Provisioning Troubles w/i 30 days / Business / < 10 Circuits / Non-Dispatch (A.2.12.2.1.2) (August)

There were 141 troubles reported for the 2,462 orders that completed for this sub-metric in the 30 days prior to August 2001. Of the total August trouble reports for this sub-metric, 56% were closed as "TOK/FOK." For two CLECs, 50% or more of their trouble reports for the month were closed as "TOK.FOK." Without these "no trouble found" reports, this sub-metric would have met the retail analogue comparison for August. BellSouth is conducting an analysis of the provisioning situation with these particular CLECs and will conduct joint sessions to determine how to avoid the no trouble found reports. BellSouth met the retail analogue comparison for this sub-metric in July and September 2001.

% Provisioning Troubles w/i 30 days / Design (Specials) / < 10 Circuits / Non-Dispatch (A.2.12.3.1.2) (July)

There were 8 troubles reported for the 592 orders that completed in the 30 days prior to July 2001 for this sub-metric. Both the CLECs and BellSouth retail had over 98% of all orders completed as scheduled in July. BellSouth

met the retail analogue comparison for this sub-metric in August and September 2001.

% Provisioning Troubles w/i 30 days / PBX / >= 10 Circuits / Dispatch (A.2.12.4.2.1) (September)

There was only one order for this sub-metric in September 2001. The small universe for this measurement does not provide a statistically conclusive comparison with the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

% Provisioning Troubles w/i 30 days / Centrex / < 10 Circuits / Dispatch (A.2.12.5.1.1) (July)

There was only one trouble reported for the 5 orders that completed in the 30 days prior to July 2001 for this sub-metric. The small universe for this measurement does not provide a statistically conclusive comparison with the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Average Completion Notice Interval / PBX / >= 10 Circuits / Non-Dispatch / Electronic (A.2.14.4.2.2) (July)

The root cause analysis of this measure indicated that the only differences between the BellSouth retail and CLEC data are the mismatches found when the orders are compared with the original LSRs. Any change to a name,

number of items, etc., occurring during the provisioning process will generate inconsistencies with the original LSRs that must be resolved before a final completion notice can be sent. The start of the interval is the point at which the technician completes the order and the interval ends when the completion notice is sent. Any time to resolve these inconsistencies with the original LSRs is included in the average. Because of numerous CLEC changes and order updates, mismatches on CLEC orders exceed those for BellSouth retail orders. Combining this with the smaller base for the CLECs' measurement raises the average, which results in a miss. Specific Service Representatives within the Work Management Centers have been assigned to resolve any completion issues that are required. Providing specific training and dedicating personnel to this task should reduce the difference between the CLEC and retail analogue results. There was no CLEC activity for this sub-metric in either August or September 2001.

Service Order Accuracy / Residence / >= 10 Circuits / Non-Dispatch (A.2.25.1.2.2) (July)

There was only one order reviewed for this sub-metric in July 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison. There was no CLEC activity for this sub-metric in either August or September 2001.

Service Order Accuracy / Business / < 10 Circuits / Dispatch (A.2.25.2.1.1) (July/August)

There were only eleven orders reviewed for this sub-metric in July and six orders reviewed in August 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison. BellSouth met the benchmark for this sub-metric in September 2001.

Service Order Accuracy / Business / < 10 Circuits / Non-Dispatch (A.2.25.2.1.2) (July/August/September)

BellSouth met the standard for 165 of the 193 orders reviewed in this sub-metric for July, for 159 of the 182 orders reviewed in August and for 204 of the 221 orders reviewed in September 2001. The 95% benchmark set requirements of 184 orders for July, 173 orders for August and 210 orders in September based on the quantity of orders for this sub-metric. BellSouth continues to focus on this measurement in order to improve results to meet the benchmark.

Service Order Accuracy / Business / >= 10 Circuits / Non-Dispatch (A.2.25.2.2.2) (July/August/September)

There was only one order reviewed for this sub-metric in July, five orders reviewed in August and seven orders reviewed in September 2001. The small universe for this sub-metric does not provide a conclusive benchmark comparison.

Service Order Accuracy / Design (Specials) / < 10 Circuits / Dispatch (A.2.25.3.1.1) (July)

There were only four orders reviewed for this sub-metric in July 2001. This small universe size does not provide a conclusive benchmark comparison. BellSouth met or exceeded the benchmark for this sub-metric in August and September 2001.

3. Resale Maintenance and Repair (M&R) Measures

BellSouth met the relevant retail analogues for 89%, 90% and 89% of all the Resale Maintenance & Repair measurements in July, August and September, respectively. The sub-metrics for which BellSouth did not meet the retail analogues were:

Missed Repair Appointments / Design (Specials) / Dispatch (A.3.1.3.1) (July)

BellSouth completed 17 of the 19 repair appointments scheduled in July 2001. The 2 missed appointments did not reveal any systemic repair process issues. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Missed Repair Appointments / Design (Specials) / Non-Dispatch (A.3.1.3.2) (September)

BellSouth completed 16 of the 22 repair appointments as scheduled for this sub-metric in September 2001. There were no maintenance issues or patterns identified for the 6 missed appointments. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

Missed Repair Appointments / PBX / Non-Dispatch (A.3.1.4.2) (July)

There were only five orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Missed Repair Appointments / ISDN / Non-Dispatch (A.3.1.6.2) (July)

There were only five orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue comparison for this sub-metric in August and September 2001.

Customer Trouble Report Rate / Residence / Dispatch (A.3.2.1.1) (August)

There were 3,633 troubles reported for the approximately 145,000 in service lines for this sub-metric in August 2001. Both the CLECs and BellSouth retail had no trouble reports for over 97% of the in service lines in August. There was less than 0.1% difference in the report rates between retail and resale

results for this sub-metric in August. BellSouth met or exceeded the retail analogue for this sub-metric in July and September 2001.

Customer Trouble Report Rate / Business / Dispatch (A.3.2.2.1) (August/September)

There were 1,118 troubles reported for the approximately 57,000 in service lines for this sub-metric in August and 980 troubles reported for the 56,000 lines in service in September 2001. Both the CLECs and BellSouth retail had trouble free service for over 98% of the in service lines in August and September. Of the 1,118 trouble reports in August, 22% were closed as "TOK/FOK." In September, 258 (26%) of the trouble reports were closed as "TOK/FOK." Without these reports, BellSouth would have met the retail analogue comparison for both August and September. BellSouth met the retail analogue for this sub-metric in July 2001.

Customer Trouble Report Rate / PBX / Dispatch (A.3.2.4.1) (September)

There were only 26 trouble reports for the 3,995 in service lines for this sub-metric in September 2001. Sixteen of the twenty-six trouble reports (62%) were from the same customer for the same trouble. Fourteen of the twenty-six reports (54%) were closed as "no trouble found." BellSouth provided over 99% trouble free service for both retail and the CLECs for this sub-metric for the month of September. From a practical point of view, the CLECs' ability to compete has not been hindered even though the statistical results may

technically show that BellSouth failed to meet the benchmark/analogue. BellSouth met the retail analogue comparison for this sub-metric in July and August 2001.

Maintenance Average Duration / PBX / Non-Dispatch (A.3.3.4.2) (August)

There were only five orders for this sub-metric in August 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in July and September 2001.

Maintenance Average Duration / Centrex / Dispatch (A.3.3.5.1) (September)

There were only nine orders for this sub-metric in September 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in July and August 2001.

Maintenance Average Duration / ISDN / Non-Dispatch (A.3.3.6.2) (July)

There were only five orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in August and September 2001.

% Repeat Troubles within 30 Days / PBX / Dispatch (A.3.4.4.1) (August/September)

There were only eight orders for this sub-metric in August 2001. This small universe of orders does not provide a statistically conclusive comparison to the retail analogue. In September 2001, there were 12 repeat trouble reports, 10 of which were by the same customer for the same trouble. Nine of the repeat reports were closed as "No trouble found." BellSouth met the retail analogue for this sub-metric in July 2001.

% Repeat Troubles within 30 Days / PBX / Non-Dispatch (A.3.4.4.2) (July)

There were only five orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in August and September 2001.

Out of Service > 24 Hours / Design (Specials) / Dispatch (A.3.5.3.1) (July)

Of the 19 trouble reports for this sub-metric in July 2001, 2 of the troubles caused out of service conditions longer than 24 hours. These 2 situations did not reveal any systemic maintenance issues. BellSouth met the retail analogue for this sub-metric in August and September 2001.

Out of Service > 24 Hours / Design (Specials) / Non-Dispatch (A.3.5.3.2) (September)

Of the 22 trouble reports for this sub-metric in September 2001, 6 of the troubles caused out of service conditions longer than 24 hours. These 6 situations did not reveal any systemic maintenance issues. BellSouth met the retail analogue for this sub-metric in July and August 2001.

Out of Service > 24 Hours / PBX / Non-Dispatch (A.3.5.4.2) (August)

There were only three trouble reports for this sub-metric in August 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in July and September 2001.

Out of Service > 24 Hours / Centrex / Non-Dispatch (A.3.5.5.2) (August)

There were only three orders for this sub-metric in August 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in July and September 2001.

Out of Service > 24 Hours / ISDN / Non-Dispatch (A.3.5.6.2) (July)

There were only five orders for this sub-metric in July 2001. The small universe for this sub-metric does not provide a statistically conclusive comparison to the retail analogue. BellSouth met the retail analogue for this sub-metric in August and September 2001.

Resale – Billing

Invoice Accuracy / Resale (A.4.1) (September)

The CLECs experienced Resale invoice rates that were slightly less than the invoices BellSouth sends to its retail customers during September 2001 (98.61% accuracy for BellSouth versus 97.84% for the CLEC invoices). The difference in performance was the result of provisioning and system errors that caused the over billing of one CLEC customer.

II. Summary

As stated in the Introduction to the Analysis of Performance Measurements section, BellSouth met or exceeded the criteria for 522 of the 739 sub-metrics (84%) for which there was CLEC activity in July, for 622 of 750 sub-metrics (83%) in August and for 687 of 816 sub-metrics (84%) in September 2001.

During the three-month period of July through September 2001, there were a total of 659 sub-metrics that had CLEC activity for all three months and that were compared with either a benchmark or retail analogue. Of those 659 sub-metrics, 568 or 86% satisfied the comparison criteria for a minimum of two of the three months.

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Resale - Ordering											
	% Rejected Service Requests - Mechanized											
A 1.1.1	O-7	Residence/FL(%)		Diagnostic			19 15%	43,694				Diagnostic
A.1.1.2	O-7	Business/FL(%)		Diagnostic			24.86%	2,261				Diagnostic
A 1 1.3	O-7	Design (Specials)/FL(%)		Diagnostic								Diagnostic
A 1 1 4	O-7	PBX/FL(%)		Diagnostic								Diagnostic
A.1 1.5	O-7	Centrex/FL(%)		Diagnostic								Diagnostic
A 1.1.6	O-7	ISDN/FL(%)		Diagnostic			0 00%	1				Diagnostic
	% Rejected Service Requests - Partially Mechanized											
A 1 2 1	O-7	Residence/FL(%)		Diagnostic			32 10%	12,790				Diagnostic
A 1 2.2	O-7	Business/FL(%)		Diagnostic			40 29%	1,879				Diagnostic
A.1.2.3	O-7	Design (Specials)/FL(%)		Diagnostic								Diagnostic
A.1 2.4	O-7	PBX/FL(%)		Diagnostic			50 00%	2				Diagnostic
A 1 2 5	O-7	Centrex/FL(%)		Diagnostic								Diagnostic
A.1 2.6	O-7	ISDN/FL(%)		Diagnostic								Diagnostic
	% Rejected Service Requests - Non-Mechanized											
A.1.3 1	O-7	Residence/FL(%)		Diagnostic			48 16%	922				Diagnostic
A.1.3.2	O-7	Business/FL(%)		Diagnostic			52.01%	969				Diagnostic
A.1.3 3	O-7	Design (Specials)/FL(%)		Diagnostic			39.57%	139				Diagnostic
A.1.3 4	O-7	PBX/FL(%)		Diagnostic			42 42%	66				Diagnostic
A.1.3 5	O-7	Centrex/FL(%)		Diagnostic			76 47%	17				Diagnostic
A 1.3.6	O-7	ISDN/FL(%)		Diagnostic			48 48%	33				Diagnostic
	Reject Interval - Mechanized											
A 1 4.1	O-8	Residence/FL(%)		>= 97% w in 1 hr			94 75%	8,395				NO
A 1 4 2	O-8	Business/FL(%)		>= 97% w in 1 hr			94 67%	563				NO
A.1.4 3	O-8	Design (Specials)/FL(%)		>= 97% w in 1 hr								
A 1.4.4	O-8	PBX/FL(%)		>= 97% w in 1 hr								
A.1.4 5	O-8	Centrex/FL(%)		>= 97% w in 1 hr								
A.1.4.6	O-8	ISDN/FL(%)		>= 97% w in 1 hr								
	Reject Interval - Partially Mechanized - 10 hours											
A 1 7 1	O-8	Residence/FL(%)		>= 85% w in 10 hrs			96 59%	4,167				YES
A.1.7.2	O-8	Business/FL(%)		>= 85% w in 10 hrs			97 12%	764				YES
A.1 7.3	O-8	Design (Specials)/FL(%)		>= 85% w in 10 hrs								
A 1 7.4	O-8	PBX/FL(%)		>= 85% w in 10 hrs			100 00%	1				YES
A 1 7 5	O-8	Centrex/FL(%)		>= 85% w in 10 hrs								
A 1.7.6	O-8	ISDN/FL(%)		>= 85% w in 10 hrs								
	Reject Interval - Non-Mechanized											
A.1 8.1	O-8	Residence/FL(%)		>= 85% w in 24 hrs			98 89%	450				YES
A.1.8.2	O-8	Business/FL(%)		>= 85% w in 24 hrs			98 63%	510				YES
A.1.8.3	O-8	Design (Specials)/FL(%)		>= 85% w in 24 hrs			92 86%	56				YES
A 1.8 4	O-8	PBX/FL(%)		>= 85% w in 24 hrs			100 00%	28				YES
A.1.8.5	O-8	Centrex/FL(%)		>= 85% w in 24 hrs			100 00%	13				YES
A.1.8.6	O-8	ISDN/FL(%)		>= 85% w in 24 hrs			93 75%	16				YES
	FOC Timeliness - Mechanized											
A 1 9 1	O-9	Residence/FL(%)		>= 95% w in 3 hrs			99 39%	35,242				YES
A.1.9.2	O-9	Business/FL(%)		>= 95% w in 3 hrs			98 78%	1,633				YES
A.1.9.3	O-9	Design (Specials)/FL(%)		>= 95% w in 3 hrs								
A 1.9 4	O-9	PBX/FL(%)		>= 95% w in 3 hrs								
A.1 9.5	O-9	Centrex/FL(%)		>= 95% w in 3 hrs								
A.1.9.6	O-9	ISDN/FL(%)		>= 95% w in 3 hrs								
	FOC Timeliness - Partially Mechanized - 10 hours											
A 1 12.1	O-9	Residence/FL(%)		>= 85% w in 10 hrs			96 59%	9,347				YES
A 1 12.2	O-9	Business/FL(%)		>= 85% w in 10 hrs			96 44%	1,263				YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A 1 12.3	O-9	Design (Specials)/FL(%)	>= 85% w in 10 hrs								
A 1 12 4	O-9	PBX/FL(%)	>= 85% w in 10 hrs			0 00%	1				NO
A.1.12.5	O-9	Centrex/FL(%)	>= 85% w in 10 hrs								
A.1 12 6	O-9	ISDN/FL(%)	>= 85% w in 10 hrs								
		FOC Timeliness - Non-Mechanized									
A 1.13.1	O-9	Residence/FL(%)	>= 85% w in 36 hrs			97 48%	436				YES
A 1 13 2	O-9	Business/FL(%)	>= 85% w in 36 hrs			98 83%	429				YES
A.1 13.3	O-9	Design (Specials)/FL(%)	>= 85% w in 36 hrs			93 15%	73				YES
A.1 13.4	O-9	PBX/FL(%)	>= 85% w in 36 hrs			97 06%	34				YES
A.1 13.5	O-9	Centrex/FL(%)	>= 85% w in 36 hrs			100 00%	2				YES
A.1 13.6	O-9	ISDN/FL(%)	>= 85% w in 36 hrs			100 00%	15				YES
		FOC & Reject Response Completeness - Mechanized									
A.1.14 1	O-11	Residence/FL(%)	>= 95%			99 16%	43,694				YES
A.1 14 2	O-11	Business/FL(%)	>= 95%			96 15%	2,281				YES
A.1.14 3	O-11	Design (Specials)/FL(%)	>= 95%								
A.1.14.4	O-11	PBX/FL(%)	>= 95%								
A.1.14.5	O-11	Centrex/FL(%)	>= 95%								
A.1.14 6	O-11	ISDN/FL(%)	>= 95%			0 00%	1				NO
		FOC & Reject Response Completeness - Partially Mechanized									
A.1 15.1	O-11	Residence/FL(%)	>= 95%			99 82%	12,790				YES
A.1 15 2	O-11	Business/FL(%)	>= 95%			99 04%	1,879				YES
A.1.15.3	O-11	Design (Specials)/FL(%)	>= 95%								
A.1 15 4	O-11	PBX/FL(%)	>= 95%			100 00%	2				YES
A 1 15.5	O-11	Centrex/FL(%)	>= 95%								
A.1 15.6	O-11	ISDN/FL(%)	>= 95%								
		FOC & Reject Response Completeness - Non-Mechanized									
A 1 16 1	O-11	Residence/FL(%)	>= 95%			90 35%	922				NO
A 1.16 2	O-11	Business/FL(%)	>= 95%			93 19%	969				NO
A.1.16 3	O-11	Design (Specials)/FL(%)	>= 95%			91 37%	139				NO
A.1.16.4	O-11	PBX/FL(%)	>= 95%			92 42%	66				NO
A.1.16 5	O-11	Centrex/FL(%)	>= 95%			94 12%	17				NO
A.1.16.6	O-11	ISDN/FL(%)	>= 95%			90.91%	33				NO
		FOC & Reject Response Completeness (Multiple Responses) - Mechanized									
A 1.17 1	O-11	Residence/FL(%)	>= 95%			98 41%	43,329				YES
A 1.17.2	O-11	Business/FL(%)	>= 95%			97 24%	2,174				YES
A.1 17.3	O-11	Design (Specials)/FL(%)	>= 95%								
A 1.17 4	O-11	PBX/FL(%)	>= 95%								
A.1.17 5	O-11	Centrex/FL(%)	>= 95%								
A.1.17.6	O-11	ISDN/FL(%)	>= 95%								
		FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized									
A.1 18 1	O-11	Residence/FL(%)	>= 95%			92 65%	12,767				NO
A.1 18.2	O-11	Business/FL(%)	>= 95%			89.20%	1,861				NO
A 1.18.3	O-11	Design (Specials)/FL(%)	>= 95%								
A.1 18.4	O-11	PBX/FL(%)	>= 95%			100 00%	2				YES
A 1.18.5	O-11	Centrex/FL(%)	>= 95%								
A 1.18 6	O-11	ISDN/FL(%)	>= 95%								
		FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized									
A 1 19.1	O-11	Residence/FL(%)	>= 95%			89 80%	833				NO
A 1 19 2	O-11	Business/FL(%)	>= 95%			92 69%	903				NO
A 1 19 3	O-11	Design (Specials)/FL(%)	>= 95%			95 28%	127				YES
A 1 19.4	O-11	PBX/FL(%)	>= 95%			98 36%	61				YES
A 1 19 5	O-11	Centrex/FL(%)	>= 95%			93 75%	16				NO
A 1 19 6	O-11	ISDN/FL(%)	>= 95%			100 00%	30				YES
		Resale - Provisioning									

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Order Completion Interval										
A.2 1 1.1	P-4	Residence/<10 circuits/Dispatch/FL(days)	Res	4 57	43,931	3 92	1,940	4 813	0 11167	5 7837	YES
A.2 1.1 2	P-4	Residence/<10 circuits/Non-Dispatch/FL(days)	Res	0 93	567,388	0 55	32,366	1 606	0 00918	40 7738	YES
A.2 1.2 1	P-4	Residence/>=10 circuits/Dispatch/FL(days)	Res	4 67	68	5 00	3	4 192	2 47295	-0 1328	YES
A.2 .1 2 2	P-4	Residence/>=10 circuits/Non-Dispatch/FL(days)	Res								
A.2 .2.1 1	P-4	Business/<10 circuits/Dispatch/FL(days)	Bus	2 90	32,301	3 20	321	5 912	0 33161	-0 8968	YES
A.2 .2 1 2	P-4	Business/<10 circuits/Non-Dispatch/FL(days)	Bus	1 68	41,902	0 85	1,867	6 252	0 14789	5 6308	YES
A.2 2 2.1	P-4	Business/>=10 circuits/Dispatch/FL(days)	Bus	12 80	298	5 00	3	18 704	10 85281	0 7183	YES
A.2 .2 2 2	P-4	Business/>=10 circuits/Non-Dispatch/FL(days)	Bus	11 29	8			12 283			
A 2 .3.1.1	P-4	Design (Specials)/<10 circuits/Dispatch/FL(days)	Design	25 60	1,597	10 67	6	32 019	13 09611	1 1404	YES
A.2 1.3 1.2	P-4	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Design	15 78	48			18 221			
A 2 1.3 2.1	P-4	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Design	22.00	4			27 929			
A.2.1.3.2.2	P-4	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Design								
A.2 1 4.1 1	P-4	PBX/<10 circuits/Dispatch/FL(days)	PBX	13 43	72	1 72	8	16 253	6 90624	1 6947	YES
A 2.1 4.1 2	P-4	PBX/<10 circuits/Non-Dispatch/FL(days)	PBX	2 36	277	2 48	25	3 229	0 67421	-0 1704	YES
A.2.1 4.2.1	P-4	PBX/>=10 circuits/Dispatch/FL(days)	PBX	7 00	2			2 828			
A.2.1 4.2.2	P-4	PBX/>=10 circuits/Non-Dispatch/FL(days)	PBX	2 45	32	1 50	8	3 082	1 21835	0 7782	YES
A.2.1.5 1 1	P-4	Centrex/<10 circuits/Dispatch/FL(days)	Centrex	6 83	643	0 33	1	11 869	11 87823	0 5472	YES
A.2.1.5.1.2	P-4	Centrex/<10 circuits/Non-Dispatch/FL(days)	Centrex	1 14	2,047	1 73	5	1 958	0 87680	-0 6792	YES
A.2 1.5 2 1	P-4	Centrex/>=10 circuits/Dispatch/FL(days)	Centrex	14 18	61			12 569			
A.2 1.5 2.2	P-4	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Centrex	0 91	125			1 052			
A.2 1.6 1.1	P-4	ISDN/<10 circuits/Dispatch/FL(days)	ISDN	42 14	753	2 00	4	50 015	25 07398	1 6008	YES
A.2.1 6.1.2	P-4	ISDN/<10 circuits/Non-Dispatch/FL(days)	ISDN	4 90	926	2 57	7	16 472	6.24936	0 3731	YES
A.2.1.6 2 1	P-4	ISDN/>=10 circuits/Dispatch/FL(days)	ISDN	9 50	2			7 778			
A.2.1.6.2.2	P-4	ISDN/>=10 circuits/Non-Dispatch/FL(days)	ISDN	3 69	59	1 00	1	8 634	8.70706	0 3088	YES
	Held Orders										
A.2.2.1 1.1	P-1	Residence/<10 circuits/Facility/FL(days)	Res	11 96	463	10 95	20	12 532	2 86210	0 3525	YES
A.2.2 1 1.2	P-1	Residence/<10 circuits/Equipment/FL(days)	Res	0 00	0	0 00	0				YES
A 2.2.1.1.3	P-1	Residence/<10 circuits/Other/FL(days)	Res	14 31	48	4 00	1	19 416	19 61731	0 5257	YES
A 2.2.1.2 1	P-1	Residence/>=10 circuits/Facility/FL(days)	Res	0 00	0	0 00	0				YES
A.2.2 1 2 2	P-1	Residence/>=10 circuits/Equipment/FL(days)	Res	0 00	0	0 00	0				YES
A.2.2.1 2 3	P-1	Residence/>=10 circuits/Other/FL(days)	Res	0 00	0	0 00	0				YES
A.2.2.2.1 1	P-1	Business/<10 circuits/Facility/FL(days)	Bus	12 95	102	5 00	1	14 804	14 87629	0 5345	YES
A 2.2.2 1.2	P-1	Business/<10 circuits/Equipment/FL(days)	Bus	0 00	0	0 00	0				YES
A 2.2.2.1 3	P-1	Business/<10 circuits/Other/FL(days)	Bus	13.33	9	4 50	2	10 368	8 10519	1 0898	YES
A.2.2.2.2 1	P-1	Business/>=10 circuits/Facility/FL(days)	Bus	10 50	2	0 00	0	0 707			YES
A.2 2.2.2 2	P-1	Business/>=10 circuits/Equipment/FL(days)	Bus	0.00	0	0 00	0				YES
A.2 2.2.2.3	P-1	Business/>=10 circuits/Other/FL(days)	Bus	28 00	1	0 00	0	0 000			YES
A.2.2.3.1.1	P-1	Design (Specials)/<10 circuits/Facility/FL(days)	Design	4 00	2	0 00	0	1 414			YES
A.2.2.3.1 2	P-1	Design (Specials)/<10 circuits/Equipment/FL(days)	Design	0.00	0	0 00	0				YES
A.2.2.3 1 3	P-1	Design (Specials)/<10 circuits/Other/FL(days)	Design	22 89	9	0 00	0	19 445			YES
A.2 2 3.2 1	P-1	Design (Specials)/>=10 circuits/Facility/FL(days)	Design	0 00	0						
A.2.2.3.2.2	P-1	Design (Specials)/>=10 circuits/Equipment/FL(days)	Design	0 00	0						
A.2 2 3 2.3	P-1	Design (Specials)/>=10 circuits/Other/FL(days)	Design	33 00	1			0 000			
A.2.2.4.1 1	P-1	PBX/<10 circuits/Facility/FL(days)	PBX	0 00	0	0 00	0				YES
A.2.2 4.1 2	P-1	PBX/<10 circuits/Equipment/FL(days)	PBX	0 00	0	0 00	0				YES
A.2.2.4 1 3	P-1	PBX/<10 circuits/Other/FL(days)	PBX	24 00	1	0 00	0	0 000			YES
A.2 2.4.2 1	P-1	PBX/>=10 circuits/Facility/FL(days)	PBX	0 00	0	0 00	0				YES
A.2 2.4.2 2	P-1	PBX/>=10 circuits/Equipment/FL(days)	PBX	0 00	0	0 00	0				YES
A.2 2.4.2.3	P-1	PBX/>=10 circuits/Other/FL(days)	PBX	0 00	0	0 00	0				YES
A.2.2.5 1.1	P-1	Centrex/<10 circuits/Facility/FL(days)	Centrex	12 20	5	0 00	0	7 918			YES
A.2.2.5 1 2	P-1	Centrex/<10 circuits/Equipment/FL(days)	Centrex	0 00	0	0 00	0				YES
A.2 2 5.1 3	P-1	Centrex/<10 circuits/Other/FL(days)	Centrex	27.00	1	0 00	0	0 000			YES
A.2 2 5.2.1	P-1	Centrex/>=10 circuits/Facility/FL(days)	Centrex	4 00	1	0 00	0	0 000			YES
A.2 2 5 2 2	P-1	Centrex/>=10 circuits/Equipment/FL(days)	Centrex	0 00	0	0 00	0				YES
A 2 2 5.2 3	P-1	Centrex/>=10 circuits/Other/FL(days)	Centrex	0.00	0	0 00	0				YES
A 2.2 6.1 1	P-1	ISDN/<10 circuits/Facility/FL(days)	ISDN	24 00	5	0 00	0	32 296			YES
A.2 2 6 1 2	P-1	ISDN/<10 circuits/Equipment/FL(days)	ISDN	0 00	0	0 00	0				YES
A 2 2.6 1.3	P-1	ISDN/<10 circuits/Other/FL(days)	ISDN	0 00	0	0 00	0				YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.2.6.2.1	P-1	ISDN/>=10 circuits/Facility/FL(days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.2.2	P-1	ISDN/>=10 circuits/Equipment/FL(days)	ISDN	0.00	0	0.00	0				YES
A.2.2.6.2.3	P-1	ISDN/>=10 circuits/Other/FL(days)	ISDN	33.00	1	0.00	0	0.000			YES
		% Jeopardies - Mechanized									
A.2.4.1	P-2	Residence/FL(%)	Res	0.69%	657,496	0.34%	37,849		0.00044	8.0857	YES
A.2.4.2	P-2	Business/FL(%)	Bus	1.91%	76,737	1.10%	2,897		0.00259	3.1063	YES
A.2.4.3	P-2	Design (Specials)/FL(%)	Design	10.32%	2,752	2.10%	143		0.02609	3.1510	YES
A.2.4.4	P-2	PBX/FL(%)	PBX	4.60%	413	2.00%	50		0.03137	0.8290	YES
A.2.4.5	P-2	Centrex/FL(%)	Centrex	3.66%	3,004	0.00%	22		0.04019	0.9111	YES
A.2.4.6	P-2	ISDN/FL(%)	ISDN	9.54%	1,950	0.00%	22		0.06298	1.5145	YES
		% Jeopardies - Non-Mechanized									
A.2.5.1	P-2	Residence/FL(%)	Diagnostic			25.00%	4				Diagnostic
A.2.5.2	P-2	Business/FL(%)	Diagnostic			60.00%	5				Diagnostic
A.2.5.3	P-2	Design (Specials)/FL(%)	Diagnostic			100.00%	1				Diagnostic
A.2.5.4	P-2	PBX/FL(%)	Diagnostic								Diagnostic
A.2.5.5	P-2	Centrex/FL(%)	Diagnostic								Diagnostic
A.2.5.6	P-2	ISDN/FL(%)	Diagnostic			50.00%	2				Diagnostic
		Average Jeopardy Notice Interval - Mechanized									
	P-2	Residence/FL(hours)				205.04	127				YES
	P-2	Business/FL(hours)				331.50	32				YES
	P-2	Design (Specials)/FL(hours)				408.00	3				YES
	P-2	PBX/FL(hours)				288.00	1				YES
	P-2	Centrex/FL(hours)									
	P-2	ISDN/FL(hours)									
		Average Jeopardy Notice Interval - Non-Mechanized									
A.2.8.1	P-2	Residence/FL(hours)	Diagnostic			24.00	1				Diagnostic
A.2.8.2	P-2	Business/FL(hours)	Diagnostic			80.00	3				Diagnostic
A.2.8.3	P-2	Design (Specials)/FL(hours)	Diagnostic			144.00	1				Diagnostic
A.2.8.4	P-2	PBX/FL(hours)	Diagnostic								Diagnostic
A.2.8.5	P-2	Centrex/FL(hours)	Diagnostic								Diagnostic
A.2.8.6	P-2	ISDN/FL(hours)	Diagnostic			360.00	1				Diagnostic
		% Jeopardy Notice >= 48 hours - Mechanized									
	P-2	Residence/FL(%)				95.28%	127				YES
	P-2	Business/FL(%)				96.88%	32				YES
	P-2	Design (Specials)/FL(%)				100.00%	3				YES
	P-2	PBX/FL(%)				100.00%	1				YES
	P-2	Centrex/FL(%)									
	P-2	ISDN/FL(%)									
		% Jeopardy Notice >= 48 hours - Non-Mechanized									
	P-2	Residence/FL(%)				0.00%	1				Diagnostic
	P-2	Business/FL(%)				66.67%	3				Diagnostic
	P-2	Design (Specials)/FL(%)				100.00%	1				Diagnostic
	P-2	PBX/FL(%)									Diagnostic
	P-2	Centrex/FL(%)									Diagnostic
	P-2	ISDN/FL(%)				100.00%	1				Diagnostic
		% Missed Installation Appointments									
A.2.11.1.1.1	P-3	Residence/<10 circuits/Dispatch/FL(%)	Res	6.01%	53,786	2.84%	2,398		0.00496	6.3948	YES
A.2.11.1.1.2	P-3	Residence/<10 circuits/Non-Dispatch/FL(%)	Res	0.03%	600,500	0.09%	35,349		0.00010	-6.0827	NO
A.2.11.1.2.1	P-3	Residence/>=10 circuits/Dispatch/FL(%)	Res	3.45%	87	0.00%	3		0.10715	0.3218	YES
A.2.11.1.2.2	P-3	Residence/>=10 circuits/Non-Dispatch/FL(%)	Res								
A.2.11.2.1.1	P-3	Business/<10 circuits/Dispatch/FL(%)	Bus	1.86%	33,249	2.67%	486		0.00618	1.3108	YES
A.2.11.2.1.2	P-3	Business/<10 circuits/Non-Dispatch/FL(%)	Bus	0.08%	42,374	0.29%	2,410		0.00058	-3.6390	NO
A.2.11.2.2.1	P-3	Business/>=10 circuits/Dispatch/FL(%)	Bus	7.95%	327	0.00%	6		0.11145	0.7134	YES
A.2.11.2.2.2	P-3	Business/>=10 circuits/Non-Dispatch/FL(%)	Bus	0.00%	8						
A.2.11.3.1.1	P-3	Design (Specials)/<10 circuits/Dispatch/FL(%)	Design	4.99%	1,642	2.84%	141		0.01912	1.1284	YES
A.2.11.3.1.2	P-3	Design (Specials)/<10 circuits/Non-Dispatch/FL(%)	Design	13.46%	52	0.00%	3		0.20266	0.6642	YES
A.2.11.3.2.1	P-3	Design (Specials)/>=10 circuits/Dispatch/FL(%)	Design	0.00%	4						

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.11.3.2.2	P-3	Design (Specials)/>=10 circuits/Non-Dispatch/FL(%)	Design								
A.2.11.4.1.1	P-3	PBX/<10 circuits/Dispatch/FL(%)	PBX	6.49%	77	27.27%	11		0.07943	-2.6162	NO
A.2.11.4.1.2	P-3	PBX/<10 circuits/Non-Dispatch/FL(%)	PBX	0.68%	293	0.00%	32		0.01533	0.4453	YES
A.2.11.4.2.1	P-3	PBX/>=10 circuits/Dispatch/FL(%)	PBX	0.00%	2						
A.2.11.4.2.2	P-3	PBX/>=10 circuits/Non-Dispatch/FL(%)	PBX	0.00%	33	0.00%	8		0.00000		YES
A.2.11.5.1.1	P-3	Centrex/<10 circuits/Dispatch/FL(%)	Centrex	4.51%	709	0.00%	1		0.20774	0.2173	YES
A.2.11.5.1.2	P-3	Centrex/<10 circuits/Non-Dispatch/FL(%)	Centrex	0.00%	2,059	0.00%	23		0.00000		YES
A.2.11.5.2.1	P-3	Centrex/>=10 circuits/Dispatch/FL(%)	Centrex	0.00%	63						
A.2.11.5.2.2	P-3	Centrex/>=10 circuits/Non-Dispatch/FL(%)	Centrex	0.00%	126	0.00%	1		0.00000		YES
A.2.11.6.1.1	P-3	ISDN/<10 circuits/Dispatch/FL(%)	ISDN	4.82%	788	0.00%	12		0.06231	0.7739	YES
A.2.11.6.1.2	P-3	ISDN/<10 circuits/Non-Dispatch/FL(%)	ISDN	1.37%	948	0.00%	14		0.03131	0.4380	YES
A.2.11.6.2.1	P-3	ISDN/>=10 circuits/Dispatch/FL(%)	ISDN	50.00%	2						
A.2.11.6.2.2	P-3	ISDN/>=10 circuits/Non-Dispatch/FL(%)	ISDN	0.00%	62	0.00%	2		0.00000		YES
		% Provisioning Troubles within 30 Days									
A.2.12.1.1.1	P-9	Residence/<10 circuits/Dispatch/FL(%)	Res	7.90%	69,683	8.42%	2,683		0.00531	-0.9778	YES
A.2.12.1.1.2	P-9	Residence/<10 circuits/Non-Dispatch/FL(%)	Res	4.16%	692,958	4.64%	41,062		0.00101	-4.7445	NO
A.2.12.1.2.1	P-9	Residence/>=10 circuits/Dispatch/FL(%)	Res	9.02%	133						
A.2.12.1.2.2	P-9	Residence/>=10 circuits/Non-Dispatch/FL(%)	Res	0.00%	2						
A.2.12.2.1.1	P-9	Business/<10 circuits/Dispatch/FL(%)	Bus	3.56%	37,505	6.82%	572		0.00781	-4.1649	NO
A.2.12.2.1.2	P-9	Business/<10 circuits/Non-Dispatch/FL(%)	Bus	5.12%	48,444	4.89%	2,700		0.00436	0.5267	YES
A.2.12.2.2.1	P-9	Business/>=10 circuits/Dispatch/FL(%)	Bus	8.81%	329	16.67%	12		0.08332	-0.9424	YES
A.2.12.2.2.2	P-9	Business/>=10 circuits/Non-Dispatch/FL(%)	Bus	11.11%	18	25.00%	4		0.17372	-0.7995	YES
A.2.12.3.1.1	P-9	Design (Specials)/<10 circuits/Dispatch/FL(%)	Design	3.29%	2,126	0.00%	23		0.03741	0.8802	YES
A.2.12.3.1.2	P-9	Design (Specials)/<10 circuits/Non-Dispatch/FL(%)	Design	3.17%	63	0.00%	1		0.17671	0.1797	YES
A.2.12.3.2.1	P-9	Design (Specials)/>=10 circuits/Dispatch/FL(%)	Design	0.00%	9						
A.2.12.3.2.2	P-9	Design (Specials)/>=10 circuits/Non-Dispatch/FL(%)	Design								
A.2.12.4.1.1	P-9	PBX/<10 circuits/Dispatch/FL(%)	PBX	2.33%	86	0.00%	13		0.04485	0.5185	YES
A.2.12.4.1.2	P-9	PBX/<10 circuits/Non-Dispatch/FL(%)	PBX	1.55%	387	3.85%	78		0.01533	-1.4972	YES
A.2.12.4.2.1	P-9	PBX/>=10 circuits/Dispatch/FL(%)	PBX	0.00%	3	100.00%	1		0.00000		NO
A.2.12.4.2.2	P-9	PBX/>=10 circuits/Non-Dispatch/FL(%)	PBX	1.47%	68	0.00%	7		0.04778	0.3078	YES
A.2.12.5.1.1	P-9	Centrex/<10 circuits/Dispatch/FL(%)	Centrex	1.47%	882	0.00%	5		0.05404	0.2727	YES
A.2.12.5.1.2	P-9	Centrex/<10 circuits/Non-Dispatch/FL(%)	Centrex	1.15%	1,482	0.00%	64		0.01360	0.8438	YES
A.2.12.5.2.1	P-9	Centrex/>=10 circuits/Dispatch/FL(%)	Centrex	3.17%	63						
A.2.12.5.2.2	P-9	Centrex/>=10 circuits/Non-Dispatch/FL(%)	Centrex	2.08%	144	0.00%	103		0.01843	1.1303	YES
A.2.12.6.1.1	P-9	ISDN/<10 circuits/Dispatch/FL(%)	ISDN	2.57%	1,088	0.00%	22		0.03410	0.7547	YES
A.2.12.6.1.2	P-9	ISDN/<10 circuits/Non-Dispatch/FL(%)	ISDN	2.68%	784	0.00%	20		0.03656	0.7326	YES
A.2.12.6.2.1	P-9	ISDN/>=10 circuits/Dispatch/FL(%)	ISDN	0.00%	5	0.00%	1		0.00000		YES
A.2.12.6.2.2	P-9	ISDN/>=10 circuits/Non-Dispatch/FL(%)	ISDN	0.00%	100	0.00%	5		0.00000		YES
		Average Completion Notice Interval - Mechanized									
A.2.14.1.1.1	P-5	Residence/<10 circuits/Dispatch/FL(hours)	Res	8.06	43,758	0.74	2,066	34.432	0.77519	9.4481	YES
A.2.14.1.1.2	P-5	Residence/<10 circuits/Non-Dispatch/FL(hours)	Res	1.38	523,075	0.68	32,232	6.081	0.03490	19.8667	YES
A.2.14.1.2.1	P-5	Residence/>=10 circuits/Dispatch/FL(hours)	Res	2.90	74	0.03	3	11.513	6.78020	0.4234	YES
A.2.14.1.2.2	P-5	Residence/>=10 circuits/Non-Dispatch/FL(hours)	Res								
A.2.14.2.1.1	P-5	Business/<10 circuits/Dispatch/FL(hours)	Bus	9.07	9,472	1.88	396	36.743	1.88463	3.8159	YES
A.2.14.2.1.2	P-5	Business/<10 circuits/Non-Dispatch/FL(hours)	Bus	1.65	37,181	0.65	1,689	10.935	0.27206	3.6892	YES
A.2.14.2.2.1	P-5	Business/>=10 circuits/Dispatch/FL(hours)	Bus	9.99	229	0.02	5	29.018	13.11815	0.7602	YES
A.2.14.2.2.2	P-5	Business/>=10 circuits/Non-Dispatch/FL(hours)	Bus	0.43	7			0.455			
A.2.14.3.1.1	P-5	Design (Specials)/<10 circuits/Dispatch/FL(hours)	Design	176.81	1,177			509.763			
A.2.14.3.1.2	P-5	Design (Specials)/<10 circuits/Non-Dispatch/FL(hours)	Design	175.60	42			358.841			
A.2.14.3.2.1	P-5	Design (Specials)/>=10 circuits/Dispatch/FL(hours)	Design	0.38	2			0.502			
A.2.14.3.2.2	P-5	Design (Specials)/>=10 circuits/Non-Dispatch/FL(hours)	Design								
A.2.14.4.1.1	P-5	PBX/<10 circuits/Dispatch/FL(hours)	PBX	67.69	46			247.179			
A.2.14.4.1.2	P-5	PBX/<10 circuits/Non-Dispatch/FL(hours)	PBX	7.68	232	2.99	2	37.779	26.82840	0.1748	YES
A.2.14.4.2.1	P-5	PBX/>=10 circuits/Dispatch/FL(hours)	PBX	1.62	2			2.263			
A.2.14.4.2.2	P-5	PBX/>=10 circuits/Non-Dispatch/FL(hours)	PBX	1.24	33			2.821			
A.2.14.5.1.1	P-5	Centrex/<10 circuits/Dispatch/FL(hours)	Centrex	11.65	617			40.914			
A.2.14.5.1.2	P-5	Centrex/<10 circuits/Non-Dispatch/FL(hours)	Centrex	1.79	1,908			12.959			
A.2.14.5.2.1	P-5	Centrex/>=10 circuits/Dispatch/FL(hours)	Centrex	4.03	37			11.645			
A.2.14.5.2.2	P-5	Centrex/>=10 circuits/Non-Dispatch/FL(hours)	Centrex	1.44	123			3.378			

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.14.6.1.1	P-5	ISDN/<10 circuits/Dispatch/FL(hours)	ISDN	526.51	422			1334.734			
A.2.14.6.1.2	P-5	ISDN/<10 circuits/Non-Dispatch/FL(hours)	ISDN	8.57	671			33.801			
A.2.14.6.2.1	P-5	ISDN/>=10 circuits/Dispatch/FL(hours)	ISDN	93.98	1			0.000			
A.2.14.6.2.2	P-5	ISDN/>=10 circuits/Non-Dispatch/FL(hours)	ISDN	2.50	52			4.895			
		Average Completion Notice Interval - Non-Mechanized									
A.2.15.1.1.1	P-5	Residence/<10 circuits/Dispatch/FL(hours)	Diagnostic			28.47	109				Diagnostic
A.2.15.1.1.2	P-5	Residence/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			20.51	210				Diagnostic
A.2.15.1.2.1	P-5	Residence/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.1.2.2	P-5	Residence/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.2.1.1	P-5	Business/<10 circuits/Dispatch/FL(hours)	Diagnostic			23.78	39				Diagnostic
A.2.15.2.1.2	P-5	Business/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			19.36	266				Diagnostic
A.2.15.2.2.1	P-5	Business/>=10 circuits/Dispatch/FL(hours)	Diagnostic			14.75	1				Diagnostic
A.2.15.2.2.2	P-5	Business/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.3.1.1	P-5	Design (Specials)/<10 circuits/Dispatch/FL(hours)	Diagnostic			45.25	7				Diagnostic
A.2.15.3.1.2	P-5	Design (Specials)/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			50.83	2				Diagnostic
A.2.15.3.2.1	P-5	Design (Specials)/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.3.2.2	P-5	Design (Specials)/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.4.1.1	P-5	PBX/<10 circuits/Dispatch/FL(hours)	Diagnostic			57.48	9				Diagnostic
A.2.15.4.1.2	P-5	PBX/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			29.31	18				Diagnostic
A.2.15.4.2.1	P-5	PBX/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.4.2.2	P-5	PBX/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic			14.01	6				Diagnostic
A.2.15.5.1.1	P-5	Centrex/<10 circuits/Dispatch/FL(hours)	Diagnostic			33.90	1				Diagnostic
A.2.15.5.1.2	P-5	Centrex/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			26.00	4				Diagnostic
A.2.15.5.2.1	P-5	Centrex/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.5.2.2	P-5	Centrex/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.6.1.1	P-5	ISDN/<10 circuits/Dispatch/FL(hours)	Diagnostic			61.04	11				Diagnostic
A.2.15.6.1.2	P-5	ISDN/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			25.61	10				Diagnostic
A.2.15.6.2.1	P-5	ISDN/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
A.2.15.6.2.2	P-5	ISDN/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic			38.00	1				Diagnostic
		Total Service Order Cycle Time - Mechanized									
A.2.17.1.1.1	P-10	Residence/<10 circuits/Dispatch/FL(days)	Diagnostic			4.30	1,496				Diagnostic
A.2.17.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			0.78	24,015				Diagnostic
A.2.17.1.2.1	P-10	Residence/>=10 circuits/Dispatch/FL(days)	Diagnostic			3.00	1				Diagnostic
A.2.17.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.2.1.1	P-10	Business/<10 circuits/Dispatch/FL(days)	Diagnostic			3.57	145				Diagnostic
A.2.17.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			0.99	697				Diagnostic
A.2.17.2.2.1	P-10	Business/>=10 circuits/Dispatch/FL(days)	Diagnostic			5.00	1				Diagnostic
A.2.17.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.4.1.1	P-10	PBX/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.4.2.1	P-10	PBX/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.5.1.1	P-10	Centrex/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.6.1.1	P-10	ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.17.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.1.1.1	P-10	Residence/<10 circuits/Dispatch/FL(days)	Diagnostic			3.30	239				Diagnostic
A.2.18.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1.40	5,901				Diagnostic
A.2.18.1.2.1	P-10	Residence/>=10 circuits/Dispatch/FL(days)	Diagnostic			4.00	1				Diagnostic
A.2.18.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.2.18.2.1.1	P-10	Business/<10 circuits/Dispatch/FL(days)	Diagnostic			3.71	105				Diagnostic
A.2.18.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1.76	594				Diagnostic
A.2.18.2.2.1	P-10	Business/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.4.1.1	P-10	PBX/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			10.00	1				Diagnostic
A.2.18.4.2.1	P-10	PBX/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.5.1.1	P-10	Centrex/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.6.1.1	P-10	ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.18.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Non-Mechanized									
A.2.19.1.1.1	P-10	Residence/<10 circuits/Dispatch/FL(days)	Diagnostic			5.51	69				Diagnostic
A.2.19.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3.57	178				Diagnostic
A.2.19.1.2.1	P-10	Residence/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.2.1.1	P-10	Business/<10 circuits/Dispatch/FL(days)	Diagnostic			6.72	29				Diagnostic
A.2.19.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3.27	186				Diagnostic
A.2.19.2.2.1	P-10	Business/>=10 circuits/Dispatch/FL(days)	Diagnostic			5.00	1				Diagnostic
A.2.19.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/FL(days)	Diagnostic			14.00	3				Diagnostic
A.2.19.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.4.1.1	P-10	PBX/<10 circuits/Dispatch/FL(days)	Diagnostic			7.83	6				Diagnostic
A.2.19.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			5.33	15				Diagnostic
A.2.19.4.2.1	P-10	PBX/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			6.00	6				Diagnostic
A.2.19.5.1.1	P-10	Centrex/<10 circuits/Dispatch/FL(days)	Diagnostic			2.00	1				Diagnostic
A.2.19.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			11.00	1				Diagnostic
A.2.19.5.2.1	P-10	Centrex/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.6.1.1	P-10	ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic			6.67	3				Diagnostic
A.2.19.6.1.2	P-10	ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3.00	5				Diagnostic
A.2.19.6.2.1	P-10	ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.19.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Mechanized									
A.2.21.1.1.1	P-10	Residence/<10 circuits/Dispatch/FL(days)	Diagnostic			4.30	1,360				Diagnostic
A.2.21.1.1.2	P-10	Residence/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			0.94	14,985				Diagnostic
A.2.21.1.2.1	P-10	Residence/>=10 circuits/Dispatch/FL(days)	Diagnostic			3.00	1				Diagnostic
A.2.21.1.2.2	P-10	Residence/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.2.1.1	P-10	Business/<10 circuits/Dispatch/FL(days)	Diagnostic			3.58	144				Diagnostic
A.2.21.2.1.2	P-10	Business/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1.02	640				Diagnostic
A.2.21.2.2.1	P-10	Business/>=10 circuits/Dispatch/FL(days)	Diagnostic			5.00	1				Diagnostic
A.2.21.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.3.1.2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.3.2.1	P-10	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.3.2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.4.1.1	P-10	PBX/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A 2.21.4 1 2	P-10	PBX/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.21 4.2 1	P-10	PBX/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.5.1.1	P-10	Centrex/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.5.1.2	P-10	Centrex/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.21 5.2 1	P-10	Centrex/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.21 5.2.2	P-10	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 21.6 1 1	P-10	ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 21 6 1 2	P-10	ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 21.6.2 1	P-10	ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.21.6.2 2	P-10	ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Partially Mechanized									
A 2.22.1 1 1	P-10	Residence/<10 circuits/Dispatch/FL(days)	Diagnostic			3 20	223				Diagnostic
A.2 22.1 1 2	P-10	Residence/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1 38	4,951				Diagnostic
A.2.22.1.2 1	P-10	Residence/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.1 2.2	P-10	Residence/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.2 1 1	P-10	Business/<10 circuits/Dispatch/FL(days)	Diagnostic			3 62	98				Diagnostic
A.2.22.2 1 2	P-10	Business/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1 73	507				Diagnostic
A.2.22.2.2 1	P-10	Business/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 22.2.2.2	P-10	Business/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.3.1.1	P-10	Design (Specials)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.22.3 1 2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22 3 2 1	P-10	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 22.3 2.2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22 4.1.1	P-10	PBX/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.4.1.2	P-10	PBX/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			10 00	1				Diagnostic
A.2.22 4.2.1	P-10	PBX/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22 4 2.2	P-10	PBX/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.5 1 1	P-10	Centrex/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22 5 1.2	P-10	Centrex/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22 5 2.1	P-10	Centrex/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.22.5.2 2	P-10	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 22 6.1.1	P-10	ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.22 6 1 2	P-10	ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.6 2.1	P-10	ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.22.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Non-Mechanized									
A 2.23 1 1 1	P-10	Residence/<10 circuits/Dispatch/FL(days)	Diagnostic			5.57	60				Diagnostic
A.2.23.1 1.2	P-10	Residence/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3.09	147				Diagnostic
A.2.23 1 2.1	P-10	Residence/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.23 1.2 2	P-10	Residence/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2 23.2.1 1	P-10	Business/<10 circuits/Dispatch/FL(days)	Diagnostic			6 50	24				Diagnostic
A.2.23 2.1.2	P-10	Business/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3 24	136				Diagnostic
A.2.23.2 2 1	P-10	Business/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.23.2.2 2	P-10	Business/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2 23 3 1 1	P-10	Design (Specials)/<10 circuits/Dispatch/FL(days)	Diagnostic			17 00	2				Diagnostic
A.2 23.3 1 2	P-10	Design (Specials)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2 23.3.2 1	P-10	Design (Specials)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2 23.3 2 2	P-10	Design (Specials)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.23.4 1 1	P-10	PBX/<10 circuits/Dispatch/FL(days)	Diagnostic			7 83	6				Diagnostic
A.2.23 4 1 2	P-10	PBX/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			6 75	8				Diagnostic
A.2 23 4 2 1	P-10	PBX/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.23 4.2.2	P-10	PBX/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			4 33	3				Diagnostic
A 2.23.5 1 1	P-10	Centrex/<10 circuits/Dispatch/FL(days)	Diagnostic			2 00	1				Diagnostic
A 2 23 5 1 2	P-10	Centrex/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A.2 23.5 2 1	P-10	Centrex/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A 2.23 5 2 2	P-10	Centrex/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
A 2 23 6 1 1	P-10	ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic			5 50	2				Diagnostic
A 2.23 6 1 2	P-10	ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			2 67	3				Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A 2 23 6.2 1	P-10	ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
A.2.23.6.2.2	P-10	ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		% Completions w/o Notice or < 24 hours									
A 2.24.1 1	P-6	Residence/Dispatch/FL(%)	Diagnostic			100.00%	1,943				Diagnostic
A 2 24 1.2	P-6	Residence/Non-Dispatch/FL(%)	Diagnostic			100.00%	32,380				Diagnostic
A 2.24 2 1	P-6	Business/Dispatch/FL(%)	Diagnostic			100 00%	324				Diagnostic
A 2 24 2.2	P-6	Business/Non-Dispatch/FL(%)	Diagnostic			100 00%	1,872				Diagnostic
A.2 24 3 1	P-6	Design (Specials)/Dispatch/FL(%)	Diagnostic			100 00%	6				Diagnostic
A.2.24 3 2	P-6	Design (Specials)/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
A.2.24.4.1	P-6	PBX/Dispatch/FL(%)	Diagnostic			100 00%	7				Diagnostic
A.2.24.4.2	P-6	PBX/Non-Dispatch/FL(%)	Diagnostic			100 00%	33				Diagnostic
A.2 24 5.1	P-6	Centrex/Dispatch/FL(%)	Diagnostic			100 00%	1				Diagnostic
A 2.24.5.2	P-6	Centrex/Non-Dispatch/FL(%)	Diagnostic			100 00%	6				Diagnostic
A.2.24.6 1	P-6	ISDN/Dispatch/FL(%)	Diagnostic			100 00%	4				Diagnostic
A.2.24 6.2	P-6	ISDN/Non-Dispatch/FL(%)	Diagnostic			100 00%	9				Diagnostic
		Service Order Accuracy									
A 2.25.1.1.1	P-11	Residence/<10 circuits/Dispatch/FL(%)	>= 95%			100 00%	1				YES
A 2.25.1.1.2	P-11	Residence/<10 circuits/Non-Dispatch/FL(%)	>= 95%			98 34%	82				YES
A.2.25.1.2.1	P-11	Residence/>=10 circuits/Dispatch/FL(%)	>= 95%								
A.2.25.1.2.2	P-11	Residence/>=10 circuits/Non-Dispatch/FL(%)	>= 95%								
A.2 25.2.1.1	P-11	Business/<10 circuits/Dispatch/FL(%)	>= 95%			100 00%	5				YES
A.2 25.2.1 2	P-11	Business/<10 circuits/Non-Dispatch/FL(%)	>= 95%			92 31%	221				NO
A.2.25 2.2 1	P-11	Business/>=10 circuits/Dispatch/FL(%)	>= 95%			100 00%	1				YES
A.2.25 2.2.2	P-11	Business/>=10 circuits/Non-Dispatch/FL(%)	>= 95%			85 71%	7				NO
A 2.25.3 1.1	P-11	Design (Specials)/<10 circuits/Dispatch/FL(%)	>= 95%			100.00%	10				YES
A.2.25.3.1.2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/FL(%)	>= 95%								
A 2.25 3.2 1	P-11	Design (Specials)/>=10 circuits/Dispatch/FL(%)	>= 95%								
A.2.25.3.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/FL(%)	>= 95%								
		Resale - Maintenance and Repair									
		Missed Repair Appointments									
A.3.1.1 1	M&R-1	Residence/Dispatch/FL(%)	Res	13 48%	108,273	8 29%	3,666		0 00573	9 0384	YES
A.3.1.1 2	M&R-1	Residence/Non-Dispatch/FL(%)	Res	1 95%	54,934	1 34%	1,640		0 00346	1 7553	YES
A.3 1.2.1	M&R-1	Business/Dispatch/FL(%)	Bus	13 52%	19,911	10 59%	982		0 01118	2 6209	YES
A.3 1 2.2	M&R-1	Business/Non-Dispatch/FL(%)	Bus	2.80%	10,172	1 87%	375		0 00868	1 0777	YES
A.3 1.3.1	M&R-1	Design (Specials)/Dispatch/FL(%)	Design	4 04%	3,072	6 06%	33		0.03444	-0 5877	YES
A.3.1.3.2	M&R-1	Design (Specials)/Non-Dispatch/FL(%)	Design	1 19%	3,031	27 27%	22		0 02318	-11 2530	NO
A.3.1.4.1	M&R-1	PBX/Dispatch/FL(%)	PBX	21 38%	318	7 69%	26		0 08363	1 6371	YES
A.3 1.4.2	M&R-1	PBX/Non-Dispatch/FL(%)	PBX	3 50%	200	0 00%	1		0 18424	0 1900	YES
A.3.1 5.1	M&R-1	Centrex/Dispatch/FL(%)	Centrex	20 91%	1,693	11 11%	9		0 13591	0 7209	YES
A.3.1.5.2	M&R-1	Centrex/Non-Dispatch/FL(%)	Centrex	4 74%	822	16.67%	6		0 08711	-1 3687	YES
A.3.1.6 1	M&R-1	ISDN/Dispatch/FL(%)	ISDN	4 82%	436	0 00%	2		0 15175	0 3174	YES
A.3.1.6.2	M&R-1	ISDN/Non-Dispatch/FL(%)	ISDN	2.38%	547	0 00%	4		0 07644	0 3109	YES
		Customer Trouble Report Rate									
A.3.2 1 1	M&R-2	Residence/Dispatch/FL(%)	Res	2 41%	4,500,468	2 40%	152,887		0 00040	0 1975	YES
A.3 2.1.2	M&R-2	Residence/Non-Dispatch/FL(%)	Res	1 22%	4,500,466	1 07%	152,887		0.00029	5 1491	YES
A.3.2.2 1	M&R-2	Business/Dispatch/FL(%)	Bus	1 60%	1,246,925	1 74%	56,299		0 00054	-2 7082	NO
A 3 2 2.2	M&R-2	Business/Non-Dispatch/FL(%)	Bus	0 82%	1,246,925	0 67%	56,299		0 00039	3 8463	YES
A.3.2 3.1	M&R-2	Design (Specials)/Dispatch/FL(%)	Design	0 39%	792,549	0 26%	12,561		0 00056	2 2307	YES
A.3 2.3.2	M&R-2	Design (Specials)/Non-Dispatch/FL(%)	Design	0 38%	792,549	0 18%	12,561		0 00056	3 7273	YES
A.3 2.4.1	M&R-2	PBX/Dispatch/FL(%)	PBX	0 24%	134,806	0 65%	3,995		0 00078	-5 3213	NO
A.3.2.4.2	M&R-2	PBX/Non-Dispatch/FL(%)	PBX	0 15%	134,806	0 03%	3,995		0 00062	1 9945	YES
A 3.2 5 1	M&R-2	Centrex/Dispatch/FL(%)	Centrex	0 73%	233,393	0 41%	2,208		0 00182	1 7450	YES
A 3.2 5 2	M&R-2	Centrex/Non-Dispatch/FL(%)	Centrex	0 35%	233,393	0 27%	2,208		0 00127	0 6341	YES
A 3.2 6 1	M&R-2	ISDN/Dispatch/FL(%)	ISDN	1 16%	37,674	0 14%	1,419		0 00291	3 4937	YES
A 3 2 6 2	M&R-2	ISDN/Non-Dispatch/FL(%)	ISDN	1 45%	37,674	0 28%	1,419		0 00326	3 5908	YES
		Maintenance Average Duration									

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
A.3.3.1.1	M&R-3	Residence/Dispatch/FL(hours)	Res	27.18	108,273	22.80	3,666	26.204	0.44005	9.9543	YES
A.3.3.1.2	M&R-3	Residence/Non-Dispatch/FL(hours)	Res	9.95	54,934	6.14	1,640	14.691	0.36815	10.3552	YES
A.3.3.2.1	M&R-3	Business/Dispatch/FL(hours)	Bus	19.80	19,911	17.83	982	23.111	0.75545	2.6175	YES
A.3.3.2.2	M&R-3	Business/Non-Dispatch/FL(hours)	Bus	5.86	10,172	5.83	375	10.824	0.56916	0.0574	YES
A.3.3.3.1	M&R-3	Design (Specials)/Dispatch/FL(hours)	Design	26.17	3,072	8.82	33	11.234	1.96606	8.8247	YES
A.3.3.3.2	M&R-3	Design (Specials)/Non-Dispatch/FL(hours)	Design	7.67	3,031	9.25	22	5.382	1.15165	-1.3724	YES
A.3.3.4.1	M&R-3	PBX/Dispatch/FL(hours)	PBX	21.16	318	23.13	26	22.269	4.54224	-0.4334	YES
A.3.3.4.2	M&R-3	PBX/Non-Dispatch/FL(hours)	PBX	8.44	200	0.18	1	14.935	14.97269	0.5512	YES
A.3.3.5.1	M&R-3	Centrex/Dispatch/FL(hours)	Centrex	21.22	1,693	42.26	9	23.240	7.76710	-2.7080	NO
A.3.3.5.2	M&R-3	Centrex/Non-Dispatch/FL(hours)	Centrex	5.68	822	7.73	6	11.568	4.73990	-0.4311	YES
A.3.3.6.1	M&R-3	ISDN/Dispatch/FL(hours)	ISDN	7.61	436	5.39	2	12.091	8.56921	0.2592	YES
A.3.3.6.2	M&R-3	ISDN/Non-Dispatch/FL(hours)	ISDN	3.34	547	0.76	4	7.698	3.86295	0.6685	YES
		% Repeat Troubles within 30 Days									
A.3.4.1.1	M&R-4	Residence/Dispatch/FL(%)	Res	20.90%	108,273	16.99%	3,666		0.00683	5.7230	YES
A.3.4.1.2	M&R-4	Residence/Non-Dispatch/FL(%)	Res	18.62%	54,934	17.07%	1,640		0.00976	1.5899	YES
A.3.4.2.1	M&R-4	Business/Dispatch/FL(%)	Bus	17.62%	19,911	14.77%	982		0.01246	2.2944	YES
A.3.4.2.2	M&R-4	Business/Non-Dispatch/FL(%)	Bus	16.06%	10,172	16.53%	375		0.01931	-0.2432	YES
A.3.4.3.1	M&R-4	Design (Specials)/Dispatch/FL(%)	Design	38.90%	3,072	27.27%	33		0.08532	1.3627	YES
A.3.4.3.2	M&R-4	Design (Specials)/Non-Dispatch/FL(%)	Design	36.85%	3,031	27.27%	22		0.10322	0.9281	YES
A.3.4.4.1	M&R-4	PBX/Dispatch/FL(%)	PBX	17.30%	318	46.15%	26		0.07715	-3.7408	NO
A.3.4.4.2	M&R-4	PBX/Non-Dispatch/FL(%)	PBX	10.50%	200	0.00%	1		0.30732	0.3417	YES
A.3.4.5.1	M&R-4	Centrex/Dispatch/FL(%)	Centrex	15.77%	1,693	11.11%	9		0.12181	0.3825	YES
A.3.4.5.2	M&R-4	Centrex/Non-Dispatch/FL(%)	Centrex	15.69%	822	16.67%	6		0.14904	-0.0653	YES
A.3.4.6.1	M&R-4	ISDN/Dispatch/FL(%)	ISDN	27.98%	436	50.00%	2		0.31815	-0.6921	YES
A.3.4.6.2	M&R-4	ISDN/Non-Dispatch/FL(%)	ISDN	29.07%	547	25.00%	4		0.22787	0.1785	YES
		Out of Service > 24 hours									
A.3.5.1.1	M&R-5	Residence/Dispatch/FL(%)	Res	34.24%	75,017	28.68%	2,730		0.00925	6.0126	YES
A.3.5.1.2	M&R-5	Residence/Non-Dispatch/FL(%)	Res	17.64%	18,405	5.95%	672		0.01497	7.8059	YES
A.3.5.2.1	M&R-5	Business/Dispatch/FL(%)	Bus	24.11%	13,290	21.81%	674		0.01689	1.3608	YES
A.3.5.2.2	M&R-5	Business/Non-Dispatch/FL(%)	Bus	7.26%	4,284	5.39%	204		0.01859	1.0043	YES
A.3.5.3.1	M&R-5	Design (Specials)/Dispatch/FL(%)	Design	4.04%	3,072	6.06%	33		0.03444	-0.5877	YES
A.3.5.3.2	M&R-5	Design (Specials)/Non-Dispatch/FL(%)	Design	1.19%	3,031	27.27%	22		0.02318	-11.2530	NO
A.3.5.4.1	M&R-5	PBX/Dispatch/FL(%)	PBX	31.94%	216	14.29%	21		0.10658	1.6569	YES
A.3.5.4.2	M&R-5	PBX/Non-Dispatch/FL(%)	PBX	7.29%	96	0.00%	1		0.26135	0.2790	YES
A.3.5.5.1	M&R-5	Centrex/Dispatch/FL(%)	Centrex	26.70%	1,161	25.00%	8		0.15695	0.1084	YES
A.3.5.5.2	M&R-5	Centrex/Non-Dispatch/FL(%)	Centrex	8.46%	331	0.00%	1		0.27869	0.3035	YES
A.3.5.6.1	M&R-5	ISDN/Dispatch/FL(%)	ISDN	4.82%	436	0.00%	2		0.15175	0.3174	YES
A.3.5.6.2	M&R-5	ISDN/Non-Dispatch/FL(%)	ISDN	2.38%	546	0.00%	4		0.07651	0.3112	YES
		Resale - Billing									
		Invoice Accuracy									
A.4.1	B-1	FL(%)	BST - State	98.61%	$499,536,508	97.84%	$11,413,528		0.00004	219.3598	NO
		Mean Time to Deliver Invoices - CRIS									
A.4.2	B-2	Region(business days)	BST - Region	4.35	1	3.76	1,806				YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
Unbundled Network Elements - Ordering											
% Rejected Service Requests - Mechanized											
B.1.1.1	O-7	Switch Ports/FL(%)	Diagnostic								Diagnostic
B.1.1.2	O-7	Local Interoffice Transport/FL(%)	Diagnostic								Diagnostic
B.1.1.3	O-7	Loop + Port Combinations/FL(%)	Diagnostic			23.55%	7,201				Diagnostic
B.1.1.4	O-7	Combo Other/FL(%)	Diagnostic								Diagnostic
B.1.1.5	O-7	xDSL (ADSL, HDSL and UCL)/FL(%)	Diagnostic			8.29%	205				Diagnostic
B.1.1.6	O-7	ISDN Loop (UDN, UDC)/FL(%)	Diagnostic			0.00%	4				Diagnostic
B.1.1.7	O-7	Line Sharing/FL(%)	Diagnostic			50.00%	4				Diagnostic
B.1.1.8	O-7	2W Analog Loop Design/FL(%)	Diagnostic			22.64%	455				Diagnostic
B.1.1.9	O-7	2W Analog Loop Non-Design/FL(%)	Diagnostic			10.14%	345				Diagnostic
B.1.1.10	O-7	2W Analog Loop w/INP Design/FL(%)	Diagnostic								Diagnostic
B.1.1.11	O-7	2W Analog Loop w/INP Non-Design/FL(%)	Diagnostic								Diagnostic
B.1.1.12	O-13	2W Analog Loop w/LNP Design/FL(%)	Diagnostic			24.14%	87				Diagnostic
B.1.1.13	O-13	2W Analog Loop w/LNP Non-Design/FL(%)	Diagnostic			42.98%	121				Diagnostic
B.1.1.14	O-7	Other Design/FL(%)	Diagnostic			33.05%	118				Diagnostic
B.1.1.15	O-7	Other Non-Design/FL(%)	Diagnostic			55.53%	3,207				Diagnostic
B.1.1.16	O-7	INP Standalone/FL(%)	Diagnostic								Diagnostic
B.1.1.17	O-13	LNP Standalone/FL(%)	Diagnostic			5.92%	1,048				Diagnostic
% Rejected Service Requests - Partially Mechanized											
B.1.2.1	O-7	Switch Ports/FL(%)	Diagnostic								Diagnostic
B.1.2.2	O-7	Local Interoffice Transport/FL(%)	Diagnostic								Diagnostic
B.1.2.3	O-7	Loop + Port Combinations/FL(%)	Diagnostic			34.32%	4,041				Diagnostic
B.1.2.4	O-7	Combo Other/FL(%)	Diagnostic								Diagnostic
B.1.2.5	O-7	xDSL (ADSL, HDSL and UCL)/FL(%)	Diagnostic			0.00%	62				Diagnostic
B.1.2.6	O-7	ISDN Loop (UDN, UDC)/FL(%)	Diagnostic			40.00%	5				Diagnostic
B.1.2.7	O-7	Line Sharing/FL(%)	Diagnostic			100.00%	7				Diagnostic
B.1.2.8	O-7	2W Analog Loop Design/FL(%)	Diagnostic			21.67%	406				Diagnostic
B.1.2.9	O-7	2W Analog Loop Non-Design/FL(%)	Diagnostic			13.49%	504				Diagnostic
B.1.2.10	O-7	2W Analog Loop w/INP Design/FL(%)	Diagnostic								Diagnostic
B.1.2.11	O-7	2W Analog Loop w/INP Non-Design/FL(%)	Diagnostic								Diagnostic
B.1.2.12	O-13	2W Analog Loop w/LNP Design/FL(%)	Diagnostic			33.63%	565				Diagnostic
B.1.2.13	O-13	2W Analog Loop w/LNP Non-Design/FL(%)	Diagnostic			21.46%	1,230				Diagnostic
B.1.2.14	O-7	Other Design/FL(%)	Diagnostic			60.50%	119				Diagnostic
B.1.2.15	O-7	Other Non-Design/FL(%)	Diagnostic			65.72%	1,689				Diagnostic
B.1.2.16	O-7	INP Standalone/FL(%)	Diagnostic								Diagnostic
B.1.2.17	O-13	LNP Standalone/FL(%)	Diagnostic			33.65%	841				Diagnostic
% Rejected Service Requests - Non-Mechanized											
B.1.3.1	O-7	Switch Ports/FL(%)	Diagnostic								Diagnostic
B.1.3.2	O-7	Local Interoffice Transport/FL(%)	Diagnostic			45.24%	42				Diagnostic
B.1.3.3	O-7	Loop + Port Combinations/FL(%)	Diagnostic			34.76%	1,375				Diagnostic
B.1.3.4	O-7	Combo Other/FL(%)	Diagnostic								Diagnostic
B.1.3.5	O-7	xDSL (ADSL, HDSL and UCL)/FL(%)	Diagnostic			14.99%	507				Diagnostic
B.1.3.6	O-7	ISDN Loop (UDN, UDC)/FL(%)	Diagnostic			11.56%	493				Diagnostic
B.1.3.7	O-7	Line Sharing/FL(%)	Diagnostic			16.26%	203				Diagnostic
B.1.3.8	O-7	2W Analog Loop Design/FL(%)	Diagnostic			26.92%	130				Diagnostic
B.1.3.9	O-7	2W Analog Loop Non-Design/FL(%)	Diagnostic			34.59%	928				Diagnostic
B.1.3.10	O-7	2W Analog Loop w/INP Design/FL(%)	Diagnostic			18.57%	210				Diagnostic
B.1.3.11	O-7	2W Analog Loop w/INP Non-Design/FL(%)	Diagnostic								Diagnostic
B.1.3.12	O-13	2W Analog Loop w/LNP Design/FL(%)	Diagnostic			28.95%	304				Diagnostic
B.1.3.13	O-13	2W Analog Loop w/LNP Non-Design/FL(%)	Diagnostic			21.76%	749				Diagnostic
B.1.3.14	O-7	Other Design/FL(%)	Diagnostic			39.47%	413				Diagnostic
B.1.3.15	O-7	Other Non-Design/FL(%)	Diagnostic			28.72%	1,511				Diagnostic
B.1.3.16	O-7	INP Standalone/FL(%)	Diagnostic			31.39%	1,185				Diagnostic
B.1.3.17	O-13	LNP Standalone/FL(%)	Diagnostic			17.88%	794				Diagnostic

Reject Interval - Mechanized

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 1.4.1	O-8	Switch Ports/FL(%)	>= 97% w in 1 hr								
B 1.4.2	O-8	Local Interoffice Transport/FL(%)	>= 97% w in 1 hr								
B 1.4.3	O-8	Loop + Port Combinations/FL(%)	>= 97% w in 1 hr			96.12%	1,701				NO
B 1.4.4	O-8	Combo Other/FL(%)	>= 97% w in 1 hr								
B.1.4.5	O-8	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 97% w in 1 hr			100.00%	17				YES
B 1.4.6	O-8	ISDN Loop (UDN, UDC)/FL(%)	>= 97% w in 1 hr								
B.1.4.7	O-8	Line Sharing/FL(%)	>= 97% w in 1 hr			50.00%	2				NO
B.1.4.8	O-8	2W Analog Loop Design/FL(%)	>= 97% w in 1 hr			78.10%	105				NO
B.1.4.9	O-8	2W Analog Loop Non-Design/FL(%)	>= 97% w in 1 hr			69.44%	36				NO
B.1.4.10	O-8	2W Analog Loop w/INP Design/FL(%)	>= 97% w in 1 hr								
B.1.4.11	O-8	2W Analog Loop w/INP Non-Design/FL(%)	>= 97% w in 1 hr								
B 1.4.12	O-14	2W Analog Loop w/LNP Design/FL(%)	>= 97% w in 1 hr			95.24%	21				NO
B.1.4.13	O-14	2W Analog Loop w/LNP Non-Design/FL(%)	>= 97% w in 1 hr			98.08%	52				YES
B 1.4.14	O-8	Other Design/FL(%)	>= 97% w in 1 hr			87.18%	39				NO
B 1.4.15	O-8	Other Non-Design/FL(%)	>= 97% w in 1 hr			84.03%	1,835				NO
B.1.4.16	O-8	INP Standalone/FL(%)	>= 97% w in 1 hr								
B.1.4.17	O-14	LNP Standalone/FL(%)	>= 97% w in 1 hr			93.55%	62				NO
	Reject Interval - Partially Mechanized - 10 hours										
B 1.7.1	O-8	Switch Ports/FL(%)	>= 85% w in 10 hrs								
B 1.7.2	O-8	Local Interoffice Transport/FL(%)	>= 85% w in 10 hrs								
B.1.7.3	O-8	Loop + Port Combinations/FL(%)	>= 85% w in 10 hrs			97.71%	1,399				YES
B.1.7.4	O-8	Combo Other/FL(%)	>= 85% w in 10 hrs								
B 1.7.5	O-8	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 85% w in 10 hrs								
B 1.7.6	O-8	ISDN Loop (UDN, UDC)/FL(%)	>= 85% w in 10 hrs			66.67%	3				NO
B.1.7.7	O-8	Line Sharing/FL(%)	>= 85% w in 10 hrs			100.00%	7				YES
B 1.7.8	O-8	2W Analog Loop Design/FL(%)	>= 85% w in 10 hrs			87.91%	91				YES
B 1.7.9	O-8	2W Analog Loop Non-Design/FL(%)	>= 85% w in 10 hrs			84.62%	78				NO
B 1.7.10	O-8	2W Analog Loop w/INP Design/FL(%)	>= 85% w in 10 hrs								
B 1.7.11	O-8	2W Analog Loop w/INP Non-Design/FL(%)	>= 85% w in 10 hrs								
B.1.7.12	O-14	2W Analog Loop w/LNP Design/FL(%)	>= 85% w in 10 hrs			84.73%	203				NO
B 1.7.13	O-14	2W Analog Loop w/LNP Non-Design/FL(%)	>= 85% w in 10 hrs			92.86%	294				YES
B.1.7.14	O-8	Other Design/FL(%)	>= 85% w in 10 hrs			93.15%	73				YES
B.1.7.15	O-8	Other Non-Design/FL(%)	>= 85% w in 10 hrs			90.60%	1,117				YES
B.1.7.16	O-8	INP Standalone/FL(%)	>= 85% w in 10 hrs								
B.1.7.17	O-14	LNP Standalone/FL(%)	>= 85% w in 10 hrs			96.54%	289				YES
	Reject Interval - Non-Mechanized										
B 1.8.1	O-8	Switch Ports/FL(%)	>= 85% w in 24 hrs								
B 1.8.2	O-8	Local Interoffice Transport/FL(%)	>= 85% w in 24 hrs			95.45%	22				YES
B.1.8.3	O-8	Loop + Port Combinations/FL(%)	>= 85% w in 24 hrs			98.75%	479				YES
B 1.8.4	O-8	Combo Other/FL(%)	>= 85% w in 24 hrs								
B.1.8.5	O-8	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 85% w in 24 hrs			97.44%	78				YES
B 1.8.6	O-8	ISDN Loop (UDN, UDC)/FL(%)	>= 85% w in 24 hrs			100.00%	58				YES
B.1.8.7	O-8	Line Sharing/FL(%)	>= 85% w in 24 hrs			97.14%	35				YES
B.1.8.8	O-8	2W Analog Loop Design/FL(%)	>= 85% w in 24 hrs			100.00%	40				YES
B 1.8.9	O-8	2W Analog Loop Non-Design/FL(%)	>= 85% w in 24 hrs			99.40%	333				YES
B 1.8.10	O-8	2W Analog Loop w/INP Design/FL(%)	>= 85% w in 24 hrs			100.00%	40				YES
B.1.8.11	O-8	2W Analog Loop w/INP Non-Design/FL(%)	>= 85% w in 24 hrs								
B.1.8.12	O-14	2W Analog Loop w/LNP Design/FL(%)	>= 85% w in 24 hrs			97.73%	88				YES
B.1.8.13	O-14	2W Analog Loop w/LNP Non-Design/FL(%)	>= 85% w in 24 hrs			93.68%	174				YES
B.1.8.14	O-8	Other Design/FL(%)	>= 85% w in 24 hrs			99.39%	163				YES
B 1.8.15	O-8	Other Non-Design/FL(%)	>= 85% w in 24 hrs			99.33%	447				YES
B.1.8.16	O-8	INP Standalone/FL(%)	>= 85% w in 24 hrs			98.42%	380				YES
B 1.8.17	O-14	LNP Standalone/FL(%)	>= 85% w in 24 hrs			98.64%	147				YES
	FOC Timeliness - Mechanized										
B 1.9.1	O-9	Switch Ports/FL(%)	>= 95% w in 3 hrs								
B 1.9.2	O-9	Local Interoffice Transport/FL(%)	>= 95% w in 3 hrs								
B 1.9.3	O-9	Loop + Port Combinations/FL(%)	>= 95% w in 3 hrs			98.81%	5,376				YES
B 1.9.4	O-9	Combo Other/FL(%)	>= 95% w in 3 hrs								
B 1.9.5	O-9	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95% w in 3 hrs			91.87%	160				NO

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.9.6	O-9	ISDN Loop (UDN, UDC)/FL(%)	>= 95% w in 3 hrs			100.00%	4				YES
B.1.9.7	O-9	Line Sharing/FL(%)	>= 95% w in 3 hrs			100.00%	2				YES
B.1.9.8	O-9	2W Analog Loop Design/FL(%)	>= 95% w in 3 hrs			98.86%	352				YES
B.1.9.9	O-9	2W Analog Loop Non-Design/FL(%)	>= 95% w in 3 hrs			100.00%	309				YES
B.1.9.10	O-9	2W Analog Loop w/INP Design/FL(%)	>= 95% w in 3 hrs								
B.1.9.11	O-9	2W Analog Loop w/INP Non-Design/FL(%)	>= 95% w in 3 hrs								
B.1.9.12	O-15	2W Analog Loop w/LNP Design/FL(%)	>= 95% w in 3 hrs			97.78%	45				YES
B.1.9.13	O-15	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95% w in 3 hrs			100.00%	67				YES
B.1.9.14	O-9	Other Design/FL(%)	>= 95% w in 3 hrs			100.00%	78				YES
B.1.9.15	O-9	Other Non-Design/FL(%)	>= 95% w in 3 hrs			99.48%	1,532				YES
B.1.9.16	O-9	INP Standalone/FL(%)	>= 95% w in 3 hrs								
B.1.9.17	O-15	LNP Standalone/FL(%)	>= 95% w in 3 hrs			97.29%	811				YES
		FOC Timeliness - Partially Mechanized - 10 hours									
B.1.12.1	O-9	Switch Ports/FL(%)	>= 85% w in 10 hrs								
B.1.12.2	O-9	Local Interoffice Transport/FL(%)	>= 85% w in 10 hrs								
B.1.12.3	O-9	Loop + Port Combinations/FL(%)	>= 85% w in 10 hrs			96.37%	2,890				YES
B.1.12.4	O-9	Combo Other/FL(%)	>= 85% w in 10 hrs								
B.1.12.5	O-9	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 85% w in 10 hrs			93.10%	29				YES
B.1.12.6	O-9	ISDN Loop (UDN, UDC)/FL(%)	>= 85% w in 10 hrs			100.00%	2				YES
B.1.12.7	O-9	Line Sharing/FL(%)	>= 85% w in 10 hrs								
B.1.12.8	O-9	2W Analog Loop Design/FL(%)	>= 85% w in 10 hrs			91.62%	334				YES
B.1.12.9	O-9	2W Analog Loop Non-Design/FL(%)	>= 85% w in 10 hrs			91.55%	426				YES
B.1.12.10	O-9	2W Analog Loop w/INP Design/FL(%)	>= 85% w in 10 hrs								
B.1.12.11	O-9	2W Analog Loop w/INP Non-Design/FL(%)	>= 85% w in 10 hrs								
B.1.12.12	O-15	2W Analog Loop w/LNP Design/FL(%)	>= 85% w in 10 hrs			92.87%	449				YES
B.1.12.13	O-15	2W Analog Loop w/LNP Non-Design/FL(%)	>= 85% w in 10 hrs			97.64%	1,015				YES
B.1.12.14	O-9	Other Design/FL(%)	>= 85% w in 10 hrs			85.29%	68				YES
B.1.12.15	O-9	Other Non-Design/FL(%)	>= 85% w in 10 hrs			88.31%	590				YES
B.1.12.16	O-9	INP Standalone/FL(%)	>= 85% w in 10 hrs								
B.1.12.17	O-15	LNP Standalone/FL(%)	>= 85% w in 10 hrs			94.53%	603				YES
		FOC Timeliness - Non-Mechanized									
B.1.13.1	O-9	Switch Ports/FL(%)	>= 85% w in 36 hrs								
B.1.13.2	O-9	Local Interoffice Transport/FL(%)	>= 85% w in 36 hrs			96.15%	26				YES
B.1.13.3	O-9	Loop + Port Combinations/FL(%)	>= 85% w in 36 hrs			99.21%	887				YES
B.1.13.4	O-9	Combo Other/FL(%)	>= 85% w in 36 hrs								
B.1.13.5	O-9	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 85% w in 36 hrs			96.39%	360				YES
B.1.13.6	O-9	ISDN Loop (UDN, UDC)/FL(%)	>= 85% w in 36 hrs			99.57%	470				YES
B.1.13.7	O-9	Line Sharing/FL(%)	>= 85% w in 36 hrs			100.00%	163				YES
B.1.13.8	O-9	2W Analog Loop Design/FL(%)	>= 85% w in 36 hrs			98.94%	94				YES
B.1.13.9	O-9	2W Analog Loop Non-Design/FL(%)	>= 85% w in 36 hrs			99.47%	566				YES
B.1.13.10	O-9	2W Analog Loop w/INP Design/FL(%)	>= 85% w in 36 hrs			96.34%	191				YES
B.1.13.11	O-9	2W Analog Loop w/INP Non-Design/FL(%)	>= 85% w in 36 hrs								
B.1.13.12	O-15	2W Analog Loop w/LNP Design/FL(%)	>= 85% w in 36 hrs			95.09%	224				YES
B.1.13.13	O-15	2W Analog Loop w/LNP Non-Design/FL(%)	>= 85% w in 36 hrs			95.08%	589				YES
B.1.13.14	O-9	Other Design/FL(%)	>= 85% w in 36 hrs			99.20%	251				YES
B.1.13.15	O-9	Other Non-Design/FL(%)	>= 85% w in 36 hrs			100.00%	1,030				YES
B.1.13.16	O-9	INP Standalone/FL(%)	>= 85% w in 36 hrs								
B.1.13.17	O-15	LNP Standalone/FL(%)	>= 85% w in 36 hrs			96.82%	597				YES
		FOC & Reject Response Completeness - Mechanized									
B.1.14.1	O-11	Switch Ports/FL(%)	>= 95%								
B.1.14.2	O-11	Local Interoffice Transport/FL(%)	>= 95%								
B.1.14.3	O-11	Loop + Port Combinations/FL(%)	>= 95%			97.99%	7,201				YES
B.1.14.4	O-11	Combo Other/FL(%)	>= 95%								
B.1.14.5	O-11	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95%			84.89%	225				NO
B.1.14.6	O-11	ISDN Loop (UDN, UDC)/FL(%)	>= 95%			100.00%	4				YES
B.1.14.7	O-11	Line Sharing/FL(%)	>= 95%			100.00%	4				YES
B.1.14.8	O-11	2W Analog Loop Design/FL(%)	>= 95%			97.80%	455				YES
B.1.14.9	O-11	2W Analog Loop Non-Design/FL(%)	>= 95%			97.68%	345				YES
B.1.14.10	O-11	2W Analog Loop w/INP Design/FL(%)	>= 95%								

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 1.14.11	O-11	2W Analog Loop w/INP Non-Design/FL(%)	>= 95%								
B 1 14.12	O-11	2W Analog Loop w/LNP Design/FL(%)	>= 95%			100 00%	238				YES
B.1.14 13	O-11	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95%			100 00%	360				YES
B.1.14.14	O-11	Other Design/FL(%)	>= 95%			97 46%	118				YES
B 1 14 15	O-11	Other Non-Design/FL(%)	>= 95%			99 56%	3,207				YES
B 1.14 16	O-11	INP Standalone/FL(%)	>= 95%								
B 1.14.17	O-11	LNP Standalone/FL(%)	>= 95%			100 00%	329				YES
		FOC & Reject Response Completeness - Partially Mechanized									
B 1.15.1	O-11	Switch Ports/FL(%)	>= 95%								
B.1.15.2	O-11	Local Interoffice Transport/FL(%)	>= 95%								
B.1.15.3	O-11	Loop + Port Combinations/FL(%)	>= 95%			99.43%	4,041				YES
B.1 15 4	O-11	Combo Other/FL(%)	>= 95%								
B 1 15 5	O-11	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95%			42 19%	64				NO
B.1.15 6	O-11	ISDN Loop (UDN, UDC)/FL(%)	>= 95%			100 00%	5				YES
B 1.15.7	O-11	Line Sharing/FL(%)	>= 95%			100 00%	7				YES
B.1.15.8	O-11	2W Analog Loop Design/FL(%)	>= 95%			99.26%	406				YES
B 1.15.9	O-11	2W Analog Loop Non-Design/FL(%)	>= 95%			99 40%	504				YES
B.1.15.10	O-11	2W Analog Loop w/INP Design/FL(%)	>= 95%								
B.1.15.11	O-11	2W Analog Loop w/INP Non-Design/FL(%)	>= 95%								
B.1 15.12	O-11	2W Analog Loop w/LNP Design/FL(%)	>= 95%			99 79%	469				YES
B.1 15.13	O-11	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95%			99 91%	1,112				YES
B.1.15.14	O-11	Other Design/FL(%)	>= 95%			100 00%	119				YES
B 1.15.15	O-11	Other Non-Design/FL(%)	>= 95%			99 94%	1,689				YES
B.1.15 16	O-11	INP Standalone/FL(%)	>= 95%								
B.1 15.17	O-11	LNP Standalone/FL(%)	>= 95%			100 00%	1,669				YES
		FOC & Reject Response Completeness - Non-Mechanized									
B.1 16 1	O-11	Switch Ports/FL(%)	>= 95%								
B 1.16 2	O-11	Local Interoffice Transport/FL(%)	>= 95%			97 62%	42				YES
B.1 16.3	O-11	Loop + Port Combinations/FL(%)	>= 95%			97 02%	1,375				YES
B.1.16.4	O-11	Combo Other/FL(%)	>= 95%								
B.1.16 5	O-11	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95%			92 41%	514				NO
B 1.16 6	O-11	ISDN Loop (UDN, UDC)/FL(%)	>= 95%			98.38%	493				YES
B.1.16.7	O-11	Line Sharing/FL(%)	>= 95%			94 58%	203				NO
B.1.16.8	O-11	2W Analog Loop Design/FL(%)	>= 95%			93.86%	130				NO
B.1.16 9	O-11	2W Analog Loop Non-Design/FL(%)	>= 95%			92 56%	928				NO
B.1 16 10	O-11	2W Analog Loop w/INP Design/FL(%)	>= 95%			99 21%	380				YES
B.1.16.11	O-11	2W Analog Loop w/INP Non-Design/FL(%)	>= 95%								
B 1 16 12	O-11	2W Analog Loop w/LNP Design/FL(%)	>= 95%			100 00%	316				YES
B 1.16.13	O-11	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95%			99 87%	765				YES
B.1.16.14	O-11	Other Design/FL(%)	>= 95%			95 64%	413				YES
B.1.16 15	O-11	Other Non-Design/FL(%)	>= 95%			96 69%	1,511				YES
B.1.16.16	O-11	INP Standalone/FL(%)	>= 95%								
B.1.16.17	O-11	LNP Standalone/FL(%)	>= 95%			99 88%	819				YES
		FOC & Reject Response Completeness (Multiple Responses) - Mechanized									
B.1.17 1	O-11	Switch Ports/FL(%)	>= 95%								
B.1.17.2	O-11	Local Interoffice Transport/FL(%)	>= 95%								
B 1.17.3	O-11	Loop + Port Combinations/FL(%)	>= 95%			91 54%	7,056				NO
B 1 17.4	O-11	Combo Other/FL(%)	>= 95%								
B.1 17.5	O-11	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95%			100 00%	191				YES
B 1 17.6	O-11	ISDN Loop (UDN, UDC)/FL(%)	>= 95%			100 00%	4				YES
B 1.17 7	O-11	Line Sharing/FL(%)	>= 95%			100 00%	4				YES
B.1 17 8	O-11	2W Analog Loop Design/FL(%)	>= 95%			76 85%	445				NO
B.1 17.9	O-11	2W Analog Loop Non-Design/FL(%)	>= 95%			95 25%	337				YES
B 1.17.10	O-11	2W Analog Loop w/INP Design/FL(%)	>= 95%								
B 1 17.11	O-11	2W Analog Loop w/INP Non-Design/FL(%)	>= 95%								
B 1 17 12	O-11	2W Analog Loop w/LNP Design/FL(%)	>= 95%			100 00%	238				YES
B 1.17 13	O-11	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95%			100 00%	360				YES
B 1 17 14	O-11	Other Design/FL(%)	>= 95%			66 96%	115				NO
B 1 17 15	O-11	Other Non-Design/FL(%)	>= 95%			47 38%	3,193				NO

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.1.17.16	O-11	INP Standalone/FL(%)	>= 95%								
B.1.17.17	O-11	LNP Standalone/FL(%)	>= 95%			100.00%	329				YES
		FOC & Reject Response Completeness (Multiple Responses) - Partially Mechanized									
B.1.18.1	O-11	Switch Ports/FL(%)	>= 95%								
B.1.18.2	O-11	Local Interoffice Transport/FL(%)	>= 95%								
B.1.18.3	O-11	Loop + Port Combinations/FL(%)	>= 95%			91.89%	4,016				NO
B.1.18.4	O-11	Combo Other/FL(%)	>= 95%								
B.1.18.5	O-11	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95%			100.00%	27				YES
B.1.18.6	O-11	ISDN Loop (UDN, UDC)/FL(%)	>= 95%			100.00%	5				YES
B.1.18.7	O-11	Line Sharing/FL(%)	>= 95%			100.00%	7				YES
B.1.18.8	O-11	2W Analog Loop Design/FL(%)	>= 95%			85.36%	403				NO
B.1.18.9	O-11	2W Analog Loop Non-Design/FL(%)	>= 95%			96.21%	501				YES
B.1.18.10	O-11	2W Analog Loop w/INP Design/FL(%)	>= 95%								
B.1.18.11	O-11	2W Analog Loop w/INP Non-Design/FL(%)	>= 95%								
B.1.18.12	O-11	2W Analog Loop w/LNP Design/FL(%)	>= 95%			100.00%	468				YES
B.1.18.13	O-11	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95%			100.00%	1,111				YES
B.1.18.14	O-11	Other Design/FL(%)	>= 95%			74.79%	119				NO
B.1.18.15	O-11	Other Non-Design/FL(%)	>= 95%			94.31%	1,688				NO
B.1.18.16	O-11	INP Standalone/FL(%)	>= 95%								
B.1.18.17	O-11	LNP Standalone/FL(%)	>= 95%			100.00%	1,669				YES
		FOC & Reject Response Completeness (Multiple Responses) - Non-Mechanized									
B.1.19.1	O-11	Switch Ports/FL(%)	>= 95%								
B.1.19.2	O-11	Local Interoffice Transport/FL(%)	>= 95%			90.24%	41				NO
B.1.19.3	O-11	Loop + Port Combinations/FL(%)	>= 95%			93.03%	1,334				NO
B.1.19.4	O-11	Combo Other/FL(%)	>= 95%								
B.1.19.5	O-11	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95%			94.11%	475				NO
B.1.19.6	O-11	ISDN Loop (UDN, UDC)/FL(%)	>= 95%			93.20%	485				NO
B.1.19.7	O-11	Line Sharing/FL(%)	>= 95%			94.79%	192				NO
B.1.19.8	O-11	2W Analog Loop Design/FL(%)	>= 95%			94.26%	122				NO
B.1.19.9	O-11	2W Analog Loop Non-Design/FL(%)	>= 95%			91.15%	859				NO
B.1.19.10	O-11	2W Analog Loop w/INP Design/FL(%)	>= 95%			88.06%	377				NO
B.1.19.11	O-11	2W Analog Loop w/INP Non-Design/FL(%)	>= 95%								
B.1.19.12	O-11	2W Analog Loop w/LNP Design/FL(%)	>= 95%			100.00%	316				YES
B.1.19.13	O-11	2W Analog Loop w/LNP Non-Design/FL(%)	>= 95%			100.00%	764				YES
B.1.19.14	O-11	Other Design/FL(%)	>= 95%			91.39%	395				NO
B.1.19.15	O-11	Other Non-Design/FL(%)	>= 95%			97.95%	1,461				YES
B.1.19.16	O-11	INP Standalone/FL(%)	>= 95%								
B.1.19.17	O-11	LNP Standalone/FL(%)	>= 95%			100.00%	818				YES
		Unbundled Network Elements - Provisioning									
		Order Completion Interval									
B.2.1.1.1.1	P-4	Switch Ports/<10 circuits/Dispatch/FL(days)	R&B (POTS)	3.86	76,232			5.371			
B.2.1.1.1.2	P-4	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	R&B (POTS)	0.98	609,290			2.265			
B.2.1.1.2.1	P-4	Switch Ports/>=10 circuits/Dispatch/FL(days)	R&B (POTS)	11.29	366			17.260			
B.2.1.1.2.2	P-4	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	R&B (POTS)	11.29	8			12.283			
B.2.1.2.1.1	P-4	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	DS1/DS3	17.25	1,958	12.84	19	15.973	3.68210	1.1968	YES
B.2.1.2.1.2	P-4	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	DS1/DS3	0.33	1			0.000			
B.2.1.2.2.1	P-4	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	DS1/DS3								
B.2.1.2.2.2	P-4	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	DS1/DS3								
B.2.1.3.1.1	P-4	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	R&B	3.88	76,881	1.70	319	5.458	0.30624	7.1290	YES
B.2.1.3.1.2	P-4	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	R&B	0.98	612,155	0.51	6,522	2.263	0.02817	16.7163	YES
B.2.1.3.1.3	P-4	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL(days)	R&B	0.33	384,805	0.34	5,372	0.178	0.00245	-2.1153	NO
B.2.1.3.1.4	P-4	Loop + Port Combinations/<10 circuits/Dispatch In/FL(days)	R&B	2.07	227,350	1.30	1,150	3.440	0.10169	7.5664	YES
B.2.1.3.2.1	P-4	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	R&B	11.68	429	2.48	9	16.653	5.60906	1.6396	YES
B.2.1.3.2.2	P-4	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	R&B	1.71	165			3.760			
B.2.1.3.2.3	P-4	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL(days)	R&B	0.33	76			0.000			
B.2.1.3.2.4	P-4	Loop + Port Combinations/>=10 circuits/Dispatch In/FL(days)	R&B	2.90	89			4.826			
B.2.1.4.1.1	P-4	Combo Other/<10 circuits/Dispatch/FL(days)	R&B&D - Disp	4.70	79,297			9.816			

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2 1.4 1 4	P-4	Combo Other/<10 circuits/Dispatch In/FL(days)	R&B&D - Disp								
B 2 1 4 2.1	P-4	Combo Other/>=10 circuits/Dispatch/FL(days)	R&B&D - Disp	11 76	435			16 734			
B.2 1 4.2 4	P-4	Combo Other/>=10 circuits/Dispatch In/FL(days)	R&B&D - Disp								
B.2 1 5.3 1	P-4	xDSL (ADSL, HDSL and UCL)/<6 circuits/Dispatch/FL(days)	ADSL to Retail	9 43	583	4 79	189	25 274	2 11556	2 1933	YES
B.2 1 5.3.2	P-4	xDSL (ADSL, HDSL and UCL)/<6 circuits/Non-Dispatch/FL(days)	ADSL to Retail	2 79	261			3 017			
B.2.1 5.4.1	P-4	xDSL (ADSL, HDSL and UCL)/6-13 circuits/Dispatch/FL(days)	ADSL to Retail								
B.2.1 5 4 2	P-4	xDSL (ADSL, HDSL and UCL)/6-13 circuits/Non-Dispatch/FL(days)	ADSL to Retail								
B.2.1 5 5 1	P-4	xDSL (ADSL, HDSL and UCL)/>=14 circuits/Dispatch/FL(days)	ADSL to Retail								
B.2.1.5 5 2	P-4	xDSL (ADSL, HDSL and UCL)/>=14 circuits/Non-Dispatch/FL(days)	ADSL to Retail								
B.2.1.6.3.1	P-4	UNE ISDN/<6 circuits/Dispatch/FL(days)	ISDN - BRI	17 05	327	11 17	283	19 042	1 54598	3 8034	YES
B 2.1 6 3 2	P-4	UNE ISDN/<6 circuits/Non-Dispatch/FL(days)	ISDN - BRI	2 50	672			4 336			
B.2.1 6 4 1	P-4	UNE ISDN/6-13 circuits/Dispatch/FL(days)	ISDN - BRI	15 00	1			0.000			
B.2.1.6.4.2	P-4	UNE ISDN/6-13 circuits/Non-Dispatch/FL(days)	ISDN - BRI								
B.2 1 6.5 1	P-4	UNE ISDN/>=14 circuits/Dispatch/FL(days)	ISDN - BRI								
B 2.1.6.5.2	P-4	UNE ISDN/>=14 circuits/Non-Dispatch/FL(days)	ISDN - BRI								
B.2.1 7.3.1	P-4	Line Sharing/<6 circuits/Dispatch/FL(days)	ADSL to Retail	9 43	583	4 89	9	25 274	8.48958	0 5348	YES
B.2.1 7.3.2	P-4	Line Sharing/<6 circuits/Non-Dispatch/FL(days)	ADSL to Retail	2 79	261	3 32	47	3 017	0 47801	-1 1088	YES
B.2.1.7.4.1	P-4	Line Sharing/6-13 circuits/Dispatch/FL(days)	ADSL to Retail								
B.2.1.7.4.2	P-4	Line Sharing/6-13 circuits/Non-Dispatch/FL(days)	ADSL to Retail								
B.2 1.7.5 1	P-4	Line Sharing/>=14 circuits/Dispatch/FL(days)	ADSL to Retail								
B.2.1.7.5 2	P-4	Line Sharing/>=14 circuits/Non-Dispatch/FL(days)	ADSL to Retail								
B.2 1.8.1.1	P-4	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	R&B - Disp	3 88	76,881	4 74	209	5 458	0.37807	-2 2609	NO
B.2.1.8.1.2	P-4	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	R&B - Disp	3.88	76,881			5 458			
B.2 1.8.2 1	P-4	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	R&B - Disp	11 68	429	7 00	1	16 653	16 67280	0 2805	YES
B.2 1.8.2 2	P-4	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	R&B - Disp	11 68	429			16 653			
B.2.1 9.1.1	P-4	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	R&B (POTS) excl SB Or	3 86	76,232	4 28	240	5 371	0 34721	-1 2096	YES
B 2 1.9.1.4	P-4	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL(days)	R&B (POTS) excl SB Or	2 07	226,032	3 50	6	3 445	1 40627	-1 0153	YES
B.2.1.9.2.1	P-4	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	R&B (POTS) excl SB Or	11 29	366	6 60	5	17 260	7.77123	0 6030	YES
B.2 1.9 2.4	P-4	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL(days)	R&B (POTS) excl SB Or	11 29	8			12 283			
B.2 1 10.1 1	P-4	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	R&B - Disp	3 88	76,881			5 458			
B 2.1 10.1.2	P-4	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	R&B - Disp	3 88	76,881			5 458			
B 2 1 10 2.1	P-4	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	R&B - Disp	11 68	429			16 653			
B 2 1 10.2 2	P-4	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	R&B - Disp	11 68	429			16.653			
B.2.1.11.1 1	P-4	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	R&B (POTS) excl SB Or	3 86	76,232	9 00	1	5 371	5 37054	-0 9567	YES
B.2 1 11 1.4	P-4	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL(days)	R&B (POTS) excl SB Or	2 07	226,032	6 00	1	3 445	3 44461	-1 1403	YES
B 2 1 11.2.1	P-4	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	R&B (POTS) excl SB Or	11 29	366			17 260			
B.2 1.11 2.4	P-4	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL(days)	R&B (POTS) excl SB Or	11 29	8			12 283			
B 2.1 12.1 1	P-4	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	R&B - Disp	3 88	76,881	5 75	178	5 458	0 40959	-4 5566	NO
B.2.1 12.1.2	P-4	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	R&B - Disp	3.88	76,881			5 458			
B.2.1.12.2.1	P-4	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	R&B - Disp	11 68	429	7 50	2	16 653	11 80315	0 3539	YES
B 2 1.12.2 2	P-4	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	R&B - Disp	11 68	429			16 653			
B 2 1.13.1 1	P-4	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	R&B (POTS) excl SB Or	3 86	76,232	4 67	266	5 371	0 32986	-2 4497	NO
B.2.1.13 1.4	P-4	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL(days)	R&B (POTS) excl SB Or	2 07	226,032			3 445			
B.2.1.13.2.1	P-4	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	R&B (POTS) excl SB Or	11 29	366	5 63	8	17 260	6 16848	0 9169	YES
B.2.1.13.2.4	P-4	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL(days)	R&B (POTS) excl SB Or	11 29	8			12 283			
B.2 1 14 1.1	P-4	Other Design/<10 circuits/Dispatch/FL(days)	Design	30 55	2,416	6 59	32	39 067	6 95176	3 4454	YES
B.2.1 14 1 2	P-4	Other Design/<10 circuits/Non-Dispatch/FL(days)	Design	11 05	433			19 928			
B 2.1.14.2 1	P-4	Other Design/>=10 circuits/Dispatch/FL(days)	Design	17 83	6			22 842			
B.2 1.14 2.2	P-4	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Design	3 69	59			8 634			
B.2 1 15 1.1	P-4	Other Non-Design/<10 circuits/Dispatch/FL(days)	R&B	3 88	76,881	4 33	14	5 458	1 45892	-0 3079	YES
B.2.1.15.1.2	P-4	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	R&B	0 98	612,155	0 69	11	2 263	0 68236	0 4171	YES
B.2.1.15.2.1	P-4	Other Non-Design/>=10 circuits/Dispatch/FL(days)	R&B	11 68	429			16 653			
B.2.1.15.2.2	P-4	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	R&B	1 71	165			3 760			
B.2 1.16 1.1	P-4	INP (Standalone)/<10 circuits/Dispatch/FL(days)	R&B (POTS)	3 86	76,232			5 371			
B.2 1 16 1.2	P-4	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	R&B (POTS)	0 98	609,290			2 265			
B 2 1 16.2 1	P-4	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	R&B (POTS)	11 29	366			17 260			
B.2 1.16 2.2	P-4	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	R&B (POTS)	11 29	8			12 283			
B 2 1 17 1 1	P-4	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	R&B (POTS)	3 86	76,232	1 60	5	5 371	2 40184	0 9418	YES
B 2.1 17 1 2	P-4	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	R&B (POTS)	0 98	609,290	0 71	1,360	2 265	0 06147	4 3599	YES
B 2 1 17.2 1	P-4	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	R&B (POTS)	11 29	366	0 33	1	17 260	17 28306	0 6339	YES
B.2 1 17 2 2	P-4	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	R&B (POTS)	11 29	8	0 33	4	12 283	7 52202	1 4572	YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.1.18.1.1	P-4	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Digital Loop < DS1	14.43	1,433	8.66	463	19.728	1.05461	5.4749	YES
B.2.1.18.1.2	P-4	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Digital Loop < DS1	4.74	1,598			9.275			
B.2.1.18.2.1	P-4	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Digital Loop < DS1								
B.2.1.18.2.2	P-4	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Digital Loop < DS1								
B.2.1.19.1.1	P-4	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Digital Loop >= DS1	56.05	486	7.49	109	18.348	1.94458	24.9763	YES
B.2.1.19.1.2	P-4	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Digital Loop >= DS1	11.14	284			8.417			
B.2.1.19.2.1	P-4	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Digital Loop >= DS1								
B.2.1.19.2.2	P-4	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Digital Loop >= DS1								
		Order Completion interval within X days									
B.2.2.1	P-4	xDSL (ADSL, HDSL and UCL) Loop with Conditioning/<6 circuits/Dispatch/FL(days)	14 days			11.33	3				YES
B.2.2.2	P-4	xDSL (ADSL, HDSL and UCL) Loop w/o Conditioning/<6 circuits/Dispatch/FL(days)	7 days			4.68	186				YES
		Held Orders									
B.2.3.1.1.1	P-1	Switch Ports/<10 circuits/Facility/FL(days)	R&B (POTS)	12.14	565			12.963			
B.2.3.1.1.2	P-1	Switch Ports/<10 circuits/Equipment/FL(days)	R&B (POTS)	0.00	0						
B.2.3.1.1.3	P-1	Switch Ports/<10 circuits/Other/FL(days)	R&B (POTS)	14.16	57			18.218			
B.2.3.1.2.1	P-1	Switch Ports/>=10 circuits/Facility/FL(days)	R&B (POTS)	10.50	2			0.707			
B.2.3.1.2.2	P-1	Switch Ports/>=10 circuits/Equipment/FL(days)	R&B (POTS)	0.00	0						
B.2.3.1.2.3	P-1	Switch Ports/>=10 circuits/Other/FL(days)	R&B (POTS)	28.00	1			0.000			
B.2.3.2.1.1	P-1	Local Interoffice Transport/<10 circuits/Facility/FL(days)	DS1/ DS3 - Interoffice	42.67	3	0.00	0	20.207			YES
B.2.3.2.1.2	P-1	Local Interoffice Transport/<10 circuits/Equipment/FL(days)	DS1/ DS3 - Interoffice	0.00	0	0.00	0				YES
B.2.3.2.1.3	P-1	Local Interoffice Transport/<10 circuits/Other/FL(days)	DS1/ DS3 - Interoffice	48.00	9	0.00	0	54.822			YES
B.2.3.2.2.1	P-1	Local Interoffice Transport/>=10 circuits/Facility/FL(days)	DS1/ DS3 - Interoffice								
B.2.3.2.2.2	P-1	Local Interoffice Transport/>=10 circuits/Equipment/FL(days)	DS1/ DS3 - Interoffice								
B.2.3.2.2.3	P-1	Local Interoffice Transport/>=10 circuits/Other/FL(days)	DS1/ DS3 - Interoffice								
B.2.3.3.1.1	P-1	Loop + Port Combinations/<10 circuits/Facility/FL(days)	R&B	12.14	570	8.60	5	12.923	5.80459	0.6096	YES
B.2.3.3.1.2	P-1	Loop + Port Combinations/<10 circuits/Equipment/FL(days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.1.3	P-1	Loop + Port Combinations/<10 circuits/Other/FL(days)	R&B	14.38	58	0.00	0	18.136			YES
B.2.3.3.2.1	P-1	Loop + Port Combinations/>=10 circuits/Facility/FL(days)	R&B	8.33	3	3.00	1	3.786	4.37158	1.2200	YES
B.2.3.3.2.2	P-1	Loop + Port Combinations/>=10 circuits/Equipment/FL(days)	R&B	0.00	0	0.00	0				YES
B.2.3.3.2.3	P-1	Loop + Port Combinations/>=10 circuits/Other/FL(days)	R&B	28.00	1	0.00	0	0.000			YES
B.2.3.4.1.1	P-1	Combo Other/<10 circuits/Facility/FL(days)	R&B&D - Disp	12.22	576			13.205			
B.2.3.4.1.2	P-1	Combo Other/<10 circuits/Equipment/FL(days)	R&B&D - Disp	0.00	0						
B.2.3.4.1.3	P-1	Combo Other/<10 circuits/Other/FL(days)	R&B&D - Disp	15.86	66			18.622			
B.2.3.4.2.1	P-1	Combo Other/>=10 circuits/Facility/FL(days)	R&B&D - Disp	8.33	3			3.786			
B.2.3.4.2.2	P-1	Combo Other/>=10 circuits/Equipment/FL(days)	R&B&D - Disp	0.00	0						
B.2.3.4.2.3	P-1	Combo Other/>=10 circuits/Other/FL(days)	R&B&D - Disp	31.33	3			2.887			
B.2.3.5.1.1	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Facility/FL(days)	ADSL to Retail	39.61	529	3.00	1	38.004	38.04030	0.9624	YES
B.2.3.5.1.2	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Equipment/FL(days)	ADSL to Retail	11.00	1	0.00	0	0.000			YES
B.2.3.5.1.3	P-1	xDSL (ADSL, HDSL and UCL)/<10 circuits/Other/FL(days)	ADSL to Retail	44.00	11	0.00	0	44.571			YES
B.2.3.5.2.1	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Facility/FL(days)	ADSL to Retail	0.00	0						
B.2.3.5.2.2	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Equipment/FL(days)	ADSL to Retail	0.00	0						
B.2.3.5.2.3	P-1	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Other/FL(days)	ADSL to Retail	0.00	0						
B.2.3.6.1.1	P-1	UNE ISDN/<10 circuits/Facility/FL(days)	ISDN - BRI	24.00	5	15.50	4	32.296	21.66448	0.3923	YES
B.2.3.6.1.2	P-1	UNE ISDN/<10 circuits/Equipment/FL(days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.1.3	P-1	UNE ISDN/<10 circuits/Other/FL(days)	ISDN - BRI	0.00	0	0.00	0				YES
B.2.3.6.2.1	P-1	UNE ISDN/>=10 circuits/Facility/FL(days)	ISDN - BRI	0.00	0						
B.2.3.6.2.2	P-1	UNE ISDN/>=10 circuits/Equipment/FL(days)	ISDN - BRI	0.00	0						
B.2.3.6.2.3	P-1	UNE ISDN/>=10 circuits/Other/FL(days)	ISDN - BRI	0.00	0						
B.2.3.7.1.1	P-1	Line Sharing/<10 circuits/Facility/FL(days)	ADSL to Retail	39.61	529	0.00	0	38.004			YES
B.2.3.7.1.2	P-1	Line Sharing/<10 circuits/Equipment/FL(days)	ADSL to Retail	11.00	1	0.00	0	0.000			YES
B.2.3.7.1.3	P-1	Line Sharing/<10 circuits/Other/FL(days)	ADSL to Retail	44.00	11	0.00	0	44.571			YES
B.2.3.7.2.1	P-1	Line Sharing/>=10 circuits/Facility/FL(days)	ADSL to Retail	0.00	0						
B.2.3.7.2.2	P-1	Line Sharing/>=10 circuits/Equipment/FL(days)	ADSL to Retail	0.00	0						
B.2.3.7.2.3	P-1	Line Sharing/>=10 circuits/Other/FL(days)	ADSL to Retail	0.00	0						
B.2.3.8.1.1	P-1	2W Analog Loop Design/<10 circuits/Facility/FL(days)	R&B - Disp	12.14	570	3.00	1	12.934	12.94534	0.7059	YES
B.2.3.8.1.2	P-1	2W Analog Loop Design/<10 circuits/Equipment/FL(days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.8.1.3	P-1	2W Analog Loop Design/<10 circuits/Other/FL(days)	R&B - Disp	14.38	58	0.00	0	18.407			YES
B.2.3.8.2.1	P-1	2W Analog Loop Design/>=10 circuits/Facility/FL(days)	R&B - Disp	8.33	3	0.00	0	3.786			YES
B.2.3.8.2.2	P-1	2W Analog Loop Design/>=10 circuits/Equipment/FL(days)	R&B - Disp	0.00	0	0.00	0				YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.3.8.2.3	P-1	2W Analog Loop Design/>=10 circuits/Other/FL(days)	R&B - Disp	28.00	1	0.00	0	0.000			YES
B.2.3.9.1.1	P-1	2W Analog Loop Non-Design/<10 circuits/Facility/FL(days)	R&B (POTS) excl SB Or	12.14	565	4.00	3	12.963	7.50398	1.0845	YES
B.2.3.9.1.2	P-1	2W Analog Loop Non-Design/<10 circuits/Equipment/FL(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.9.1.3	P-1	2W Analog Loop Non-Design/<10 circuits/Other/FL(days)	R&B (POTS) excl SB Or	14.16	57	0.00	0	18.218			YES
B.2.3.9.2.1	P-1	2W Analog Loop Non-Design/>=10 circuits/Facility/FL(days)	R&B (POTS) excl SB Or	10.50	2	0.00	0	0.707			YES
B.2.3.9.2.2	P-1	2W Analog Loop Non-Design/>=10 circuits/Equipment/FL(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.9.2.3	P-1	2W Analog Loop Non-Design/>=10 circuits/Other/FL(days)	R&B (POTS) excl SB Or	28.00	1	0.00	0	0.000			YES
B.2.3.10.1.1	P-1	2W Analog Loop w/INP Design/<10 circuits/Facility/FL(days)	R&B - Disp	12.14	570	0.00	0	12.934			YES
B.2.3.10.1.2	P-1	2W Analog Loop w/INP Design/<10 circuits/Equipment/FL(days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.10.1.3	P-1	2W Analog Loop w/INP Design/<10 circuits/Other/FL(days)	R&B - Disp	14.38	58	0.00	0	18.407			YES
B.2.3.10.2.1	P-1	2W Analog Loop w/INP Design/>=10 circuits/Facility/FL(days)	R&B - Disp	8.33	3			3.786			
B.2.3.10.2.2	P-1	2W Analog Loop w/INP Design/>=10 circuits/Equipment/FL(days)	R&B - Disp	0.00	0						
B.2.3.10.2.3	P-1	2W Analog Loop w/INP Design/>=10 circuits/Other/FL(days)	R&B - Disp	28.00	1			0.000			
B.2.3.11.1.1	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Facility/FL(days)	R&B (POTS) excl SB Or	12.14	565	0.00	0	12.963			YES
B.2.3.11.1.2	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Equipment/FL(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.11.1.3	P-1	2W Analog Loop w/INP Non-Design/<10 circuits/Other/FL(days)	R&B (POTS) excl SB Or	14.16	57	0.00	0	18.218			YES
B.2.3.11.2.1	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Facility/FL(days)	R&B (POTS) excl SB Or	10.50	2			0.707			
B.2.3.11.2.2	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Equipment/FL(days)	R&B (POTS) excl SB Or	0.00	0						
B.2.3.11.2.3	P-1	2W Analog Loop w/INP Non-Design/>=10 circuits/Other/FL(days)	R&B (POTS) excl SB Or	28.00	1			0.000			
B.2.3.12.1.1	P-1	2W Analog Loop w/LNP Design/<10 circuits/Facility/FL(days)	R&B - Disp	12.14	570	2.92	26	12.934	2.59377	3.5529	YES
B.2.3.12.1.2	P-1	2W Analog Loop w/LNP Design/<10 circuits/Equipment/FL(days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.12.1.3	P-1	2W Analog Loop w/LNP Design/<10 circuits/Other/FL(days)	R&B - Disp	14.38	58	0.00	0	18.407			YES
B.2.3.12.2.1	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Facility/FL(days)	R&B - Disp	8.33	3	7.75	4	3.786	2.89153	0.2017	YES
B.2.3.12.2.2	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Equipment/FL(days)	R&B - Disp	0.00	0	0.00	0				YES
B.2.3.12.2.3	P-1	2W Analog Loop w/LNP Design/>=10 circuits/Other/FL(days)	R&B - Disp	28.00	1	0.00	0	0.000			YES
B.2.3.13.1.1	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Facility/FL(days)	R&B (POTS) excl SB Or	12.14	565	4.00	7	12.963	4.92977	1.6508	YES
B.2.3.13.1.2	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Equipment/FL(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.13.1.3	P-1	2W Analog Loop w/LNP Non-Design/<10 circuits/Other/FL(days)	R&B (POTS) excl SB Or	14.16	57	2.00	1	18.218	18.37681	0.6616	YES
B.2.3.13.2.1	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Facility/FL(days)	R&B (POTS) excl SB Or	10.50	2	0.00	0	0.707			YES
B.2.3.13.2.2	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Equipment/FL(days)	R&B (POTS) excl SB Or	0.00	0	0.00	0				YES
B.2.3.13.2.3	P-1	2W Analog Loop w/LNP Non-Design/>=10 circuits/Other/FL(days)	R&B (POTS) excl SB Or	28.00	1	0.00	0	0.000			YES
B.2.3.14.1.1	P-1	Other Design/<10 circuits/Facility/FL(days)	Design	18.29	7	14.00	1	28.123	30.06475	0.1425	YES
B.2.3.14.1.2	P-1	Other Design/<10 circuits/Equipment/FL(days)	Design	0.00	0	0.00	0				YES
B.2.3.14.1.3	P-1	Other Design/<10 circuits/Other/FL(days)	Design	23.00	10	3.00	1	18.336	19.23138	1.0400	YES
B.2.3.14.2.1	P-1	Other Design/>=10 circuits/Facility/FL(days)	Design	0.00	0	0.00	0				YES
B.2.3.14.2.2	P-1	Other Design/>=10 circuits/Equipment/FL(days)	Design	0.00	0	0.00	0				YES
B.2.3.14.2.3	P-1	Other Design/>=10 circuits/Other/FL(days)	Design	33.00	2	0.00	0	0.000			YES
B.2.3.15.1.1	P-1	Other Non-Design/<10 circuits/Facility/FL(days)	R&B	12.14	570	0.00	0	12.923			YES
B.2.3.15.1.2	P-1	Other Non-Design/<10 circuits/Equipment/FL(days)	R&B	0.00	0	0.00	0				YES
B.2.3.15.1.3	P-1	Other Non-Design/<10 circuits/Other/FL(days)	R&B	14.38	58	0.00	0	18.136			YES
B.2.3.15.2.1	P-1	Other Non-Design/>=10 circuits/Facility/FL(days)	R&B	8.33	3	0.00	0	3.786			YES
B.2.3.15.2.2	P-1	Other Non-Design/>=10 circuits/Equipment/FL(days)	R&B	0.00	0	0.00	0				YES
B.2.3.15.2.3	P-1	Other Non-Design/>=10 circuits/Other/FL(days)	R&B	28.00	1	0.00	0	0.000			YES
B.2.3.16.1.1	P-1	INP (Standalone)/<10 circuits/Facility/FL(days)	R&B (POTS)	12.14	565			12.963			
B.2.3.16.1.2	P-1	INP (Standalone)/<10 circuits/Equipment/FL(days)	R&B (POTS)	0.00	0						
B.2.3.16.1.3	P-1	INP (Standalone)/<10 circuits/Other/FL(days)	R&B (POTS)	14.16	57			18.218			
B.2.3.16.2.1	P-1	INP (Standalone)/>=10 circuits/Facility/FL(days)	R&B (POTS)	10.50	2			0.707			
B.2.3.16.2.2	P-1	INP (Standalone)/>=10 circuits/Equipment/FL(days)	R&B (POTS)	0.00	0						
B.2.3.16.2.3	P-1	INP (Standalone)/>=10 circuits/Other/FL(days)	R&B (POTS)	28.00	1			0.000			
B.2.3.17.1.1	P-1	LNP (Standalone)/<10 circuits/Facility/FL(days)	R&B (POTS)	12.14	565	0.00	0	12.963			YES
B.2.3.17.1.2	P-1	LNP (Standalone)/<10 circuits/Equipment/FL(days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.17.1.3	P-1	LNP (Standalone)/<10 circuits/Other/FL(days)	R&B (POTS)	14.16	57	0.00	0	18.218			YES
B.2.3.17.2.1	P-1	LNP (Standalone)/>=10 circuits/Facility/FL(days)	R&B (POTS)	10.50	2	0.00	0	0.707			YES
B.2.3.17.2.2	P-1	LNP (Standalone)/>=10 circuits/Equipment/FL(days)	R&B (POTS)	0.00	0	0.00	0				YES
B.2.3.17.2.3	P-1	LNP (Standalone)/>=10 circuits/Other/FL(days)	R&B (POTS)	28.00	1	0.00	0	0.000			YES
B.2.3.18.1.1	P-1	Digital Loop < DS1/<10 circuits/Facility/FL(days)	Digital Loop < DS1	39.33	536	13.00	5	0.707	0.31770	82.8786	YES
B.2.3.18.1.2	P-1	Digital Loop < DS1/<10 circuits/Equipment/FL(days)	Digital Loop < DS1	11.00	1	0.00	0				YES
B.2.3.18.1.3	P-1	Digital Loop < DS1/<10 circuits/Other/FL(days)	Digital Loop < DS1	44.00	11	0.00	0				YES
B.2.3.18.2.1	P-1	Digital Loop < DS1/>=10 circuits/Facility/FL(days)	Digital Loop < DS1	0.00	0						
B.2.3.18.2.2	P-1	Digital Loop < DS1/>=10 circuits/Equipment/FL(days)	Digital Loop < DS1	0.00	0						
B.2.3.18.2.3	P-1	Digital Loop < DS1/>=10 circuits/Other/FL(days)	Digital Loop < DS1	0.00	0						

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.3.19.1.1	P-1	Digital Loop >= DS1/<10 circuits/Facility/FL(days)	Digital Loop >= DS1	7.00	1	0.00	0	0.000			YES
B.2.3.19.1.2	P-1	Digital Loop >= DS1/<10 circuits/Equipment/FL(days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.1.3	P-1	Digital Loop >= DS1/<10 circuits/Other/FL(days)	Digital Loop >= DS1	0.00	0	0.00	0				YES
B.2.3.19.2.1	P-1	Digital Loop >= DS1/>=10 circuits/Facility/FL(days)	Digital Loop >= DS1	0.00	0						
B.2.3.19.2.2	P-1	Digital Loop >= DS1/>=10 circuits/Equipment/FL(days)	Digital Loop >= DS1	0.00	0						
B.2.3.19.2.3	P-1	Digital Loop >= DS1/>=10 circuits/Other/FL(days)	Digital Loop >= DS1	33.00	1						
		% Jeopardies - Mechanized									
B.2.5.1	P-2	Switch Ports/FL(%)	R&B (POTS)	0.82%	734,233						
B.2.5.2	P-2	Local Interoffice Transport/FL(%)	DS1/ DS3 - Interoffice	40.39%	2,414	0.00%	30		0.09014	4.4807	YES
B.2.5.3	P-2	Loop + Port Combinations/FL(%)	R&B	0.83%	738,093	0.21%	10,189		0.00090	6.8656	YES
B.2.5.4	P-2	Combo Other/FL(%)	R&B&D - Disp	6.87%	95,929						
B.2.5.5	P-2	xDSL (ADSL, HDSL and UCL)/FL(%)	ADSL to Retail	20.51%	14,374	4.76%	357		0.02163	7.2792	YES
B.2.5.6	P-2	UNE ISDN/FL(%)	ISDN - BRI	10.93%	1,052	1.56%	256		0.02175	4.3084	YES
B.2.5.7	P-2	Line Sharing/FL(%)	ADSL to Retail	20.51%	14,374	0.00%	87		0.04342	4.7235	YES
B.2.5.8	P-2	2W Analog Loop Design/FL(%)	R&B - Disp	0.83%	738,093	11.30%	292		0.00530	-19.7748	NO
B.2.5.9	P-2	2W Analog Loop Non-Design/FL(%)	R&B (POTS) excl SB Or	1.71%	350,462	6.70%	463		0.00603	-8.2667	NO
B.2.5.10	P-2	2W Analog Loop w/INP Design/FL(%)	R&B - Disp	0.83%	738,093	0.00%	2		0.06400	0.1291	YES
B.2.5.11	P-2	2W Analog Loop w/INP Non-Design/FL(%)	R&B (POTS) excl SB Or	1.71%	350,462	5.00%	20		0.02900	-1.1345	YES
B.2.5.12	P-2	2W Analog Loop w/LNP Design/FL(%)	R&B - Disp	0.83%	738,093	2.22%	3,707		0.00149	-9.3551	NO
B.2.5.13	P-2	2W Analog Loop w/LNP Non-Design/FL(%)	R&B (POTS) excl SB Or	1.71%	350,462	0.72%	7,732		0.00149	6.6447	YES
B.2.5.14	P-2	Other Design/FL(%)	Design	11.72%	4,259	6.12%	98		0.03286	1.7024	YES
B.2.5.15	P-2	Other Non-Design/FL(%)	R&B	0.83%	738,093	2.52%	119		0.00830	-2.0430	NO
B.2.5.16	P-2	INP (Standalone)/FL(%)	R&B (POTS)	0.82%	734,233						
B.2.5.17	P-2	LNP (Standalone)/FL(%)	R&B (POTS)	0.82%	734,233	0.00%	1,784		0.00213	3.8279	YES
B.2.5.18	P-2	Digital Loop < DS1/FL(%)	Digital Loop < DS1	19.34%	16,710	3.34%	598		0.01644	9.7292	YES
B.2.5.19	P-2	Digital Loop >= DS1/FL(%)	Digital Loop >= DS1	10.03%	1,077	22.02%	168		0.02492	-4.8145	NO
		% Jeopardies - Non-Mechanized									
B.2.6.1	P-2	Switch Ports/FL(%)	Diagnostic	[redacted]				[redacted]			Diagnostic
B.2.6.2	P-2	Local Interoffice Transport/FL(%)	Diagnostic								Diagnostic
B.2.6.3	P-2	Loop + Port Combinations/FL(%)	Diagnostic			66.67%	6				Diagnostic
B.2.6.4	P-2	Combo Other/FL(%)	Diagnostic								Diagnostic
B.2.6.5	P-2	xDSL (ADSL, HDSL and UCL)/FL(%)	Diagnostic			40.48%	42				Diagnostic
B.2.6.6	P-2	UNE ISDN/FL(%)	Diagnostic			53.54%	99				Diagnostic
B.2.6.7	P-2	Line Sharing/FL(%)	Diagnostic								Diagnostic
B.2.6.8	P-2	2W Analog Loop Design/FL(%)	Diagnostic			54.55%	11				Diagnostic
B.2.6.9	P-2	2W Analog Loop Non-Design/FL(%)	Diagnostic			54.55%	11				Diagnostic
B.2.6.10	P-2	2W Analog Loop w/INP Design/FL(%)	Diagnostic			50.00%	2				Diagnostic
B.2.6.11	P-2	2W Analog Loop w/INP Non-Design/FL(%)	Diagnostic			0.00%	1				Diagnostic
B.2.6.12	P-2	2W Analog Loop w/LNP Design/FL(%)	Diagnostic			15.20%	5,030				Diagnostic
B.2.6.13	P-2	2W Analog Loop w/LNP Non-Design/FL(%)	Diagnostic			4.97%	10,260				Diagnostic
B.2.6.14	P-2	Other Design/FL(%)	Diagnostic			76.19%	21				Diagnostic
B.2.6.15	P-2	Other Non-Design/FL(%)	Diagnostic			62.50%	8				Diagnostic
B.2.6.16	P-2	INP (Standalone)/FL(%)	Diagnostic								Diagnostic
B.2.6.17	P-2	LNP (Standalone)/FL(%)	Diagnostic			0.00%	942				Diagnostic
B.2.6.18	P-2	Digital Loop < DS1/FL(%)	Diagnostic			49.28%	138				Diagnostic
B.2.6.19	P-2	Digital Loop >= DS1/FL(%)	Diagnostic			36.71%	79				Diagnostic
		Average Jeopardy Notice Interval - Mechanized									
B.2.8.1	P-2	Switch Ports/FL(hours)	>= 48 hrs	[redacted]				[redacted]			
B.2.8.2	P-2	Local Interoffice Transport/FL(hours)	>= 48 hrs								
B.2.8.3	P-2	Loop + Port Combinations/FL(hours)	>= 48 hrs			195.43	21				YES
B.2.8.4	P-2	Combo Other/FL(hours)	>= 48 hrs								
B.2.8.5	P-2	xDSL (ADSL, HDSL and UCL)/FL(hours)	>= 48 hrs			240.00	17				YES
B.2.8.6	P-2	UNE ISDN/FL(hours)	>= 48 hrs			294.00	4				YES
B.2.8.7	P-2	Line Sharing/FL(hours)	>= 48 hrs								
B.2.8.8	P-2	2W Analog Loop Design/FL(hours)	>= 48 hrs			189.82	33				YES
B.2.8.9	P-2	2W Analog Loop Non-Design/FL(hours)	>= 48 hrs			144.00	31				YES
B.2.8.10	P-2	2W Analog Loop w/INP Design/FL(hours)	>= 48 hrs								
B.2.8.11	P-2	2W Analog Loop w/INP Non-Design/FL(hours)	>= 48 hrs			576.00	1				YES
B.2.8.12	P-2	2W Analog Loop w/LNP Design/FL(hours)	>= 48 hrs			190.78	15				YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.8.13	P-2	2W Analog Loop w/LNP Non-Design/FL(hours)	>= 48 hrs			380.84	20				YES
B.2.8.14	P-2	Other Design/FL(hours)	>= 48 hrs			416.00	6				YES
B.2.8.15	P-2	Other Non-Design/FL(hours)	>= 48 hrs			336.00	3				YES
B.2.8.16	P-2	INP (Standalone)/FL(hours)	>= 48 hrs								
B.2.8.17	P-2	LNP (Standalone)/FL(hours)	>= 48 hrs								
B.2.8.18	P-2	Digital Loop < DS1/FL(hours)	>= 48 hrs			242.40	20				YES
B.2.8.19	P-2	Digital Loop >= DS1/FL(hours)	>= 48 hrs			368.49	37				YES
		Average Jeopardy Notice Interval - Non-Mechanized									
B.2.9.1	P-2	Switch Ports/FL(hours)	Diagnostic								Diagnostic
B.2.9.2	P-2	Local Interoffice Transport/FL(hours)	Diagnostic								Diagnostic
B.2.9.3	P-2	Loop + Port Combinations/FL(hours)	Diagnostic			138.00	4				Diagnostic
B.2.9.4	P-2	Combo Other/FL(hours)	Diagnostic								Diagnostic
B.2.9.5	P-2	xDSL (ADSL, HDSL and UCL)/FL(hours)	Diagnostic			190.59	17				Diagnostic
B.2.9.6	P-2	UNE ISDN/FL(hours)	Diagnostic			209.21	53				Diagnostic
B.2.9.7	P-2	Line Sharing/FL(hours)	Diagnostic								Diagnostic
B.2.9.8	P-2	2W Analog Loop Design/FL(hours)	Diagnostic			100.00	6				Diagnostic
B.2.9.9	P-2	2W Analog Loop Non-Design/FL(hours)	Diagnostic			184.00	6				Diagnostic
B.2.9.10	P-2	2W Analog Loop w/INP Design/FL(hours)	Diagnostic			120.00	1				Diagnostic
B.2.9.11	P-2	2W Analog Loop w/INP Non-Design/FL(hours)	Diagnostic								Diagnostic
B.2.9.12	P-2	2W Analog Loop w/LNP Design/FL(hours)	Diagnostic			34.71	761				Diagnostic
B.2.9.13	P-2	2W Analog Loop w/LNP Non-Design/FL(hours)	Diagnostic			76.75	514				Diagnostic
B.2.9.14	P-2	Other Design/FL(hours)	Diagnostic			237.00	16				Diagnostic
B.2.9.15	P-2	Other Non-Design/FL(hours)	Diagnostic			235.20	5				Diagnostic
B.2.9.16	P-2	INP (Standalone)/FL(hours)	Diagnostic								Diagnostic
B.2.9.17	P-2	LNP (Standalone)/FL(hours)	Diagnostic								Diagnostic
B.2.9.18	P-2	Digital Loop < DS1/FL(hours)	Diagnostic			201.88	68				Diagnostic
B.2.9.19	P-2	Digital Loop >= DS1/FL(hours)	Diagnostic			196.97	29				Diagnostic
		% Jeopardy Notice >= 48 hours - Mechanized									
B.2.10.1	P-2	Switch Ports/FL(%)	95% >= 48 hrs								
B.2.10.2	P-2	Local Interoffice Transport/FL(%)	95% >= 48 hrs								
B.2.10.3	P-2	Loop + Port Combinations/FL(%)	95% >= 48 hrs			80.95%	21				NO
B.2.10.4	P-2	Combo Other/FL(%)	95% >= 48 hrs								
B.2.10.5	P-2	xDSL (ADSL, HDSL and UCL)/FL(%)	95% >= 48 hrs			94.12%	17				NO
B.2.10.6	P-2	UNE ISDN/FL(%)	95% >= 48 hrs			100.00%	4				YES
B.2.10.7	P-2	Line Sharing/FL(%)	95% >= 48 hrs								
B.2.10.8	P-2	2W Analog Loop Design/FL(%)	95% >= 48 hrs			100.00%	33				YES
B.2.10.9	P-2	2W Analog Loop Non-Design/FL(%)	95% >= 48 hrs			100.00%	31				YES
B.2.10.10	P-2	2W Analog Loop w/INP Design/FL(%)	95% >= 48 hrs								
B.2.10.11	P-2	2W Analog Loop w/INP Non-Design/FL(%)	95% >= 48 hrs			100.00%	1				YES
B.2.10.12	P-2	2W Analog Loop w/LNP Design/FL(%)	95% >= 48 hrs			100.00%	15				YES
B.2.10.13	P-2	2W Analog Loop w/LNP Non-Design/FL(%)	95% >= 48 hrs			100.00%	20				YES
B.2.10.14	P-2	Other Design/FL(%)	95% >= 48 hrs			100.00%	6				YES
B.2.10.15	P-2	Other Non-Design/FL(%)	95% >= 48 hrs			100.00%	3				YES
B.2.10.16	P-2	INP (Standalone)/FL(%)	95% >= 48 hrs								
B.2.10.17	P-2	LNP (Standalone)/FL(%)	95% >= 48 hrs								
B.2.10.18	P-2	Digital Loop < DS1/FL(%)	95% >= 48 hrs			95.00%	20				YES
B.2.10.19	P-2	Digital Loop >= DS1/FL(%)	95% >= 48 hrs			100.00%	37				YES
		% Jeopardy Notice >= 48 hours - Non-Mechanized									
B.2.11.1	P-2	Switch Ports/FL(%)	Diagnostic								Diagnostic
B.2.11.2	P-2	Local Interoffice Transport/FL(%)	Diagnostic								Diagnostic
B.2.11.3	P-2	Loop + Port Combinations/FL(%)	Diagnostic			75.00%	4				Diagnostic
B.2.11.4	P-2	Combo Other/FL(%)	Diagnostic								Diagnostic
B.2.11.5	P-2	xDSL (ADSL, HDSL and UCL)/FL(%)	Diagnostic			94.12%	17				Diagnostic
B.2.11.6	P-2	UNE ISDN/FL(%)	Diagnostic			100.00%	53				Diagnostic
B.2.11.7	P-2	Line Sharing/FL(%)	Diagnostic								Diagnostic
B.2.11.8	P-2	2W Analog Loop Design/FL(%)	Diagnostic			100.00%	6				Diagnostic
B.2.11.9	P-2	2W Analog Loop Non-Design/FL(%)	Diagnostic			83.33%	6				Diagnostic
B.2.11.10	P-2	2W Analog Loop w/INP Design/FL(%)	Diagnostic			100.00%	1				Diagnostic
B.2.11.11	P-2	2W Analog Loop w/INP Non-Design/FL(%)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.11.12	P-2	2W Analog Loop w/LNP Design/FL(%)	Diagnostic			8 67%	761				Diagnostic
B 2 11.13	P-2	2W Analog Loop w/LNP Non-Design/FL(%)	Diagnostic			24 95%	514				Diagnostic
B 2 11 14	P-2	Other Design/FL(%)	Diagnostic			100 00%	16				Diagnostic
B 2.11 15	P-2	Other Non-Design/FL(%)	Diagnostic			100 00%	5				Diagnostic
B.2.11.16	P-2	INP (Standalone)/FL(%)	Diagnostic								Diagnostic
B 2 11.17	P-2	LNP (Standalone)/FL(%)	Diagnostic								Diagnostic
B.2.11.18	P-2	Digital Loop < DS1/FL(%)	Diagnostic			98 53%	68				Diagnostic
B.2.11.19	P-2	Digital Loop >= DS1/FL(%)	Diagnostic			100.00%	29				Diagnostic
		Coordinated Customers Conversions									
B.2 12.1	P-7	Loops with INP/FL(%)	>= 95% w in 15 min								
B 2.12.2	P-7	Loops with LNP/FL(%)	>= 95% w in 15 min			99 62%	6,386				YES
		% Hot Cuts > 15 minutes Early									
B 2 13.1	P-7A	Time-Specific SL1/FL(%)	<= 5%			4.31%	1,718				YES
B 2.13.2	P-7A	Time-Specific SL2/FL(%)	<= 5%			0 26%	391				YES
B 2.13.3	P-7A	Non-Time Specific SL1/FL(%)	<= 5%			0 00%	5				YES
B.2.13.4	P-7A	Non-Time Specific SL2/FL(%)	<= 5%			0 00%	316				YES
		Hot Cut Timeliness									
B 2 14.1	P-7A	Time-Specific SL1/FL(%)	>= 95% w in 15 min			95 40%	1,718				YES
B.2.14.2	P-7A	Time-Specific SL2/FL(%)	>= 95% w in 15 min			98 98%	391				YES
B 2.14.3	P-7A	Non-Time Specific SL1/FL(%)	>= 95% w in 15 min			100 00%	5				YES
B.2 14.4	P-7A	Non-Time Specific SL2/FL(%)	>= 95% w in 15 min			100 00%	316				YES
		% Hot Cuts > 15 minutes Late									
B 2 15 1	P-7A	Time-Specific SL1/FL(%)	<= 5%			0 29%	1,718				YES
B.2 15.2	P-7A	Time-Specific SL2/FL(%)	<= 5%			0 77%	391				YES
B 2 15.3	P-7A	Non-Time Specific SL1/FL(%)	<= 5%			0 00%	5				YES
B.2.15.4	P-7A	Non-Time Specific SL2/FL(%)	<= 5%			0 00%	316				YES
		Average Recovery Time - CCC									
B.2.16.1	P-7B	Loops with INP/FL(time units)	Diagnostic								Diagnostic
B.2 16.2	P-7B	Loops with LNP/FL(time units)	Diagnostic			169 15	8				Diagnostic
		% Provisioning Troubles within 7 Days - Hot Cuts									
B 2.17 1 1	P-7C	UNE Loop Design/Dispatch/FL(%)	<= 5%			1 78%	3,145				YES
B 2.17.1 2	P-7C	UNE Loop Design/Non-Dispatch/FL(%)	<= 5%			0 00%	4				YES
B.2.17.2.1	P-7C	UNE Loop Non-Design/Dispatch/FL(%)	<= 5%			1 94%	2,116				YES
B.2.17.2.2	P-7C	UNE Loop Non-Design/Non-Dispatch/FL(%)	<= 5%			1 07%	1,585				YES
		% Missed Installation Appointments									
B.2.18 1 1 1	P-3	Switch Ports/<10 circuits/Dispatch/FL(%)	R&B (POTS)	4 42%	87,035						
B.2.18 1.1 2	P-3	Switch Ports/<10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	0 03%	642,874						
B 2.18.1 2 1	P-3	Switch Ports/>=10 circuits/Dispatch/FL(%)	R&B (POTS)	7 00%	414						
B.2.18.1 2.2	P-3	Switch Ports/>=10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	0 00%	8						
B.2.18.2 1.1	P-3	Local Interoffice Transport/<10 circuits/Dispatch/FL(%)	DS1/DS3	2 30%	1,958	7 69%	26		0 02958	-1 8234	NO
B 2 18.2 1 2	P-3	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(%)	DS1/DS3	0 00%	1						
B.2 18.2.2 1	P-3	Local Interoffice Transport/>=10 circuits/Dispatch/FL(%)	DS1/DS3								
B.2.18.2.2.2	P-3	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(%)	DS1/DS3								
B.2.18.3 1 1	P-3	Loop + Port Combinations/<10 circuits/Dispatch/FL(%)	R&B	4 42%	87,747	5 81%	534		0 00892	-1 5518	YES
B.2 18.3.1.2	P-3	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(%)	R&B	0 04%	645,760	0 26%	9,659		0 00019	-11 5399	NO
B.2 18.3.1.3	P-3	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL(%)	R&B	0 00%	385,080	0 00%	5,568		0 00000		YES
B 2 18.3 1.4	P-3	Loop + Port Combinations/<10 circuits/Dispatch In/FL(%)	R&B	0 09%	260,680	0 61%	4,091		0 00047	-11 1765	NO
B 2 18.3 2 1	P-3	Loop + Port Combinations/>=10 circuits/Dispatch/FL(%)	R&B	6 05%	479	13 33%	15		0 06253	-1 1640	YES
B 2.18 3.2 2	P-3	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(%)	R&B	0 00%	167						
B 2.18 3.2 3	P-3	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL(%)	R&B	0 00%	76						
B 2 18 3 2 4	P-3	Loop + Port Combinations/>=10 circuits/Dispatch In/FL(%)	R&B	0 00%	91						
B 2 18.4.1.1	P-3	Combo Other/<10 circuits/Dispatch/FL(%)	R&B&D - Disp	4 44%	90,251						
B 2 18 4 1 4	P-3	Combo Other/<10 circuits/Dispatch In/FL(%)	R&B&D - Disp								
B 2 18 4.2 1	P-3	Combo Other/>=10 circuits/Dispatch/FL(%)	R&B&D - Disp	6 19%	485						
B 2.18 4 2 4	P-3	Combo Other/>=10 circuits/Dispatch In/FL(%)	R&B&D - Disp								
B 2.18 5 1 1	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(%)	ADSL to Retail	8 54%	10,729	3 71%	377		0 01464	3 2946	YES
B 2 18.5 1 2	P-3	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(%)	ADSL to Retail	0 00%	3,277						

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.18.5.2.1	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(%)	ADSL to Retail	0.00%	17						
B.2.18.5.2.2	P-3	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(%)	ADSL to Retail								
B.2.18.8.1.1	P-3	UNE ISDN/<10 circuits/Dispatch/FL(%)	ISDN - BRI	7.83%	345	10.66%	347		0.02042	-1.3892	YES
B.2.18.8.1.2	P-3	UNE ISDN/<10 circuits/Non-Dispatch/FL(%)	ISDN - BRI	1.93%	673						
B.2.18.8.2.1	P-3	UNE ISDN/>=10 circuits/Dispatch/FL(%)	ISDN - BRI	100.00%	1						
B.2.18.8.2.2	P-3	UNE ISDN/>=10 circuits/Non-Dispatch/FL(%)	ISDN - BRI								
B.2.18.7.1.1	P-3	Line Sharing/<10 circuits/Dispatch/FL(%)	ADSL to Retail	8.54%	10,729	6.67%	15		0.07220	0.2591	YES
B.2.18.7.1.2	P-3	Line Sharing/<10 circuits/Non-Dispatch/FL(%)	ADSL to Retail	0.00%	3,277	0.00%	77		0.00000		YES
B.2.18.7.2.1	P-3	Line Sharing/>=10 circuits/Dispatch/FL(%)	ADSL to Retail	0.00%	17						
B.2.18.7.2.2	P-3	Line Sharing/>=10 circuits/Non-Dispatch/FL(%)	ADSL to Retail								
B.2.18.8.1.1	P-3	2W Analog Loop Design/<10 circuits/Dispatch/FL(%)	R&B - Disp	4.42%	87,747	2.03%	296		0.01197	2.0001	YES
B.2.18.8.1.2	P-3	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(%)	R&B - Disp	4.42%	87,747						
B.2.18.8.2.1	P-3	2W Analog Loop Design/>=10 circuits/Dispatch/FL(%)	R&B - Disp	6.05%	479	0.00%	1		0.23874	0.2536	YES
B.2.18.8.2.2	P-3	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(%)	R&B - Disp	6.05%	479						
B.2.18.9.1.1	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	4.42%	87,035	1.74%	459		0.00962	2.7866	YES
B.2.18.9.1.4	P-3	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	0.09%	259,344	0.00%	10		0.00925	0.0926	YES
B.2.18.9.2.1	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	7.00%	414	16.67%	12		0.07474	-1.2928	YES
B.2.18.9.2.4	P-3	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	0.00%	8						
B.2.18.10.1.1	P-3	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(%)	R&B - Disp	4.42%	87,747	0.00%	2		0.14535	0.3041	YES
B.2.18.10.1.2	P-3	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(%)	R&B - Disp	4.42%	87,747						
B.2.18.10.2.1	P-3	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(%)	R&B - Disp	6.05%	479						
B.2.18.10.2.2	P-3	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(%)	R&B - Disp	6.05%	479						
B.2.18.11.1.1	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	4.42%	87,035	0.00%	22		0.04385	1.0091	YES
B.2.18.11.1.4	P-3	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	0.09%	259,344	0.00%	2		0.02068	0.0414	YES
B.2.18.11.2.1	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	7.00%	414						
B.2.18.11.2.4	P-3	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	0.00%	8						
B.2.18.12.1.1	P-12	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(%)	R&B - Disp	4.42%	87,747	0.57%	704		0.00778	4.9506	YES
B.2.18.12.1.2	P-12	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(%)	R&B - Disp	4.42%	87,747						
B.2.18.12.2.1	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(%)	R&B - Disp	6.05%	479	20.00%	5		0.10721	1.3008	YES
B.2.18.12.2.2	P-12	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(%)	R&B - Disp	6.05%	479						
B.2.18.13.1.1	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	4.42%	87,035	0.37%	1,627		0.00515	7.8798	YES
B.2.18.13.1.4	P-12	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	0.09%	259,344						
B.2.18.13.2.1	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	7.00%	414	6.98%	43		0.04089	0.0061	YES
B.2.18.13.2.4	P-12	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	0.00%	8						
B.2.18.14.1.1	P-3	Other Design/<10 circuits/Dispatch/FL(%)	Design	5.15%	2,504	3.85%	104		0.02212	0.5902	YES
B.2.18.14.1.2	P-3	Other Design/<10 circuits/Non-Dispatch/FL(%)	Design	3.00%	466						
B.2.18.14.2.1	P-3	Other Design/>=10 circuits/Dispatch/FL(%)	Design	16.67%	6	0.00%	1		0.40254	0.4140	YES
B.2.18.14.2.2	P-3	Other Design/>=10 circuits/Non-Dispatch/FL(%)	Design	0.00%	62						
B.2.18.15.1.1	P-3	Other Non-Design/<10 circuits/Dispatch/FL(%)	R&B	4.42%	87,747	0.00%	92		0.02144	2.0617	YES
B.2.18.15.1.2	P-3	Other Non-Design/<10 circuits/Non-Dispatch/FL(%)	R&B	0.04%	645,760	0.00%	13		0.00523	0.0681	YES
B.2.18.15.2.1	P-3	Other Non-Design/>=10 circuits/Dispatch/FL(%)	R&B	6.05%	479	0.00%	7		0.09080	0.6668	YES
B.2.18.15.2.2	P-3	Other Non-Design/>=10 circuits/Non-Dispatch/FL(%)	R&B	0.00%	167						
B.2.18.16.1.1	P-3	INP (Standalone)/<10 circuits/Dispatch/FL(%)	R&B (POTS)	4.42%	87,035						
B.2.18.16.1.2	P-3	INP (Standalone)/<10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	0.03%	642,874						
B.2.18.16.2.1	P-3	INP (Standalone)/>=10 circuits/Dispatch/FL(%)	R&B (POTS)	7.00%	414						
B.2.18.16.2.2	P-3	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	0.00%	8						
B.2.18.17.1.1	P-12	LNP (Standalone)/<10 circuits/Dispatch/FL(%)	R&B (POTS)	4.42%	87,035	0.00%	6		0.08396	0.5270	YES
B.2.18.17.1.2	P-12	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	0.03%	642,874	0.29%	1,381		0.00050	-5.1042	NO
B.2.18.17.2.1	P-12	LNP (Standalone)/>=10 circuits/Dispatch/FL(%)	R&B (POTS)	7.00%	414	0.00%	1		0.25554	0.2741	YES
B.2.18.17.2.2	P-12	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	0.00%	8	0.00%	7		0.00000		YES
B.2.18.18.1.1	P-3	Digital Loop < DS1/<10 circuits/Dispatch/FL(%)	Digital Loop < DS1	8.56%	11,625	7.15%	713		0.01079	1.3029	YES
B.2.18.18.1.2	P-3	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(%)	Digital Loop < DS1	0.30%	4,663						
B.2.18.18.2.1	P-3	Digital Loop < DS1/>=10 circuits/Dispatch/FL(%)	Digital Loop < DS1	5.56%	18						
B.2.18.18.2.2	P-3	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(%)	Digital Loop < DS1								
B.2.18.19.1.1	P-3	Digital Loop >= DS1/<10 circuits/Dispatch/FL(%)	Digital Loop >= DS1	4.35%	506	8.37%	227		0.01629	-2.4690	NO
B.2.18.19.1.2	P-3	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(%)	Digital Loop >= DS1	0.00%	305						
B.2.18.19.2.1	P-3	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(%)	Digital Loop >= DS1	0.00%	1						
B.2.18.19.2.2	P-3	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(%)	Digital Loop >= DS1	0.00%	62						
		% Provisioning Troubles within 30 Days									
B.2.19.1.1.1	P-9	Switch Ports/<10 circuits/Dispatch/FL(%)	R&B (POTS)	6.39%	107,188						

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2 19.1 1 2	P-9	Switch Ports/<10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	4 22%	741,402						
B 2 19.1 2 1	P-9	Switch Ports/>=10 circuits/Dispatch/FL(%)	R&B (POTS)	8 87%	462						
B 2 19.1 2 2	P-9	Switch Ports/>=10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	10 00%	20						
B 2 19.2.1.1	P-9	Local Interoffice Transport/<10 circuits/Dispatch/FL(%)	DS1/DS3	5.61%	2,174	0 00%	23		0 04824	1 1632	YES
B 2 19.2.1.2	P-9	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(%)	DS1/DS3								
B 2 19.2.2 1	P-9	Local Interoffice Transport/>=10 circuits/Dispatch/FL(%)	DS1/DS3								
B 2 19.2.2 2	P-9	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(%)	DS1/DS3								
B 2 19.3 1 1	P-9	Loop + Port Combinations/<10 circuits/Dispatch/FL(%)	R&B	6 35%	108,029	4 08%	612		0 00989	2 2914	YES
B 2 19 3 1 2	P-9	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(%)	R&B	4 22%	743,630	2 92%	12,462		0 00182	7 1335	YES
B 2 19 3.1.3	P-9	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL(%)	R&B	4 23%	438,455	3 17%	5,650		0 00269	3 9241	YES
B 2 19 3.1 4	P-9	Loop + Port Combinations/<10 circuits/Dispatch In/FL(%)	R&B	4 20%	305,200	2 72%	6,812		0 00246	6 0472	YES
B 2 19.3.2 1	P-9	Loop + Port Combinations/>=10 circuits/Dispatch/FL(%)	R&B	8 14%	528	23 81%	21		0 06086	-2 5740	NO
B 2 19 3.2.2	P-9	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(%)	R&B	2.60%	231	0 00%	7		0 06102	0 4256	YES
B 2 19.3.2.3	P-9	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL(%)	R&B	1 47%	68	0 00%	4		0 06193	0 2376	YES
B 2 19.3.2 4	P-9	Loop + Port Combinations/>=10 circuits/Dispatch In/FL(%)	R&B	3 64%	165	0.00%	3		0 10905	0 3334	YES
B 2 19 4 1.1	P-9	Combo Other/<10 circuits/Dispatch/FL(%)	R&B&D - Disp	6 25%	111,345						
B 2 19 4 1.4	P-9	Combo Other/<10 circuits/Dispatch In/FL(%)	R&B&D - Disp								
B 2 19 4 2 1	P-9	Combo Other/>=10 circuits/Dispatch/FL(%)	R&B&D - Disp	7 78%	540						
B 2 19 4 2.4	P-9	Combo Other/>=10 circuits/Dispatch In/FL(%)	R&B&D - Disp								
B 2 19.5 1 1	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(%)	ADSL to Retail	8.49%	16,999	4 54%	507		0 01257	3 1500	YES
B 2 19.5 1 2	P-9	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(%)	ADSL to Retail	9 05%	729						
B 2 19.5.2 1	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(%)	ADSL to Retail	11 11%	18						
B 2 19.5.2.2	P-9	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(%)	ADSL to Retail								
B 2 19.6.1.1	P-9	UNE ISDN/<10 circuits/Dispatch/FL(%)	ISDN - BRI	4 68%	491	6 80%	397		0 01426	-1 4842	YES
B 2 19 6 1.2	P-9	UNE ISDN/<10 circuits/Non-Dispatch/FL(%)	ISDN - BRI	4 17%	503						
B 2 19.6.2.1	P-9	UNE ISDN/>=10 circuits/Dispatch/FL(%)	ISDN - BRI	0 00%	1						
B 2 19 6.2.2	P-9	UNE ISDN/>=10 circuits/Non-Dispatch/FL(%)	ISDN - BRI								
B 2 19 7 1 1	P-9	Line Sharing/<10 circuits/Dispatch/FL(%)	ADSL to Retail	8 49%	16,999	25 00%	8		0 09859	-1 6741	NO
B 2 19 7.1.2	P-9	Line Sharing/<10 circuits/Non-Dispatch/FL(%)	ADSL to Retail	9 05%	729	16 00%	125		0 02778	-2 5007	NO
B 2 19.7 2.1	P-9	Line Sharing/>=10 circuits/Dispatch/FL(%)	ADSL to Retail	11 11%	18						
B 2 19.7.2 2	P-9	Line Sharing/>=10 circuits/Non-Dispatch/FL(%)	ADSL to Retail								
B 2 19 8 1.1	P-9	2W Analog Loop Design/<10 circuits/Dispatch/FL(%)	R&B - Disp	6.35%	108,029	9 60%	302		0 01405	-2 3146	NO
B 2 19.8.1 2	P-9	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(%)	R&B - Disp	6 35%	108,029						
B 2 19 8 2.1	P-9	2W Analog Loop Design/>=10 circuits/Dispatch/FL(%)	R&B - Disp	8 14%	528	16 67%	6		0 11229	-0 7590	YES
B 2 19.8 2 2	P-9	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(%)	R&B - Disp	8.14%	528						
B 2 19 9.1.1	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	6.39%	107,164	0 00%	632		0 00975	6 5470	YES
B 2 19.9.1 4	P-9	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	4 21%	303,908	0 00%	19		0 04609	0 9142	YES
B 2 19.9 2 1	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	8 70%	460	0 00%	20		0 06436	1 3511	YES
B 2 19 9.2 4	P-9	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	17 65%	17	0.00%	1		0 39227	0 4499	YES
B 2.19 10 1.1	P-9	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(%)	R&B - Disp	6 35%	108,029	0 00%	3		0 14080	0.4510	YES
B 2.19.10 1.2	P-9	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(%)	R&B - Disp	6.35%	108,029						
B 2.19 10.2.1	P-9	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(%)	R&B - Disp	8 14%	528						
B 2.19.10.2.2	P-9	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(%)	R&B - Disp	8.14%	528						
B 2 19 11.1.1	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	6 39%	107,164	0 00%	9		0 08151	0 7835	YES
B.2.19 11 1 4	P-9	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	4 21%	303,908	0 00%	3		0 11599	0 3633	YES
B 2.19 11 2 1	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	8 70%	460	0 00%	1		0 28208	0 3083	YES
B 2.19 11.2.4	P-9	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	17 65%	17						
B 2.19.12 1 1	P-9	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(%)	R&B - Disp	6 35%	108,029	2 56%	859		0 00835	4 5372	YES
B.2.19 12.1 2	P-9	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(%)	R&B - Disp	6 35%	108,029						
B.2 19.12.2 1	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(%)	R&B - Disp	8 14%	528	0 00%	16		0.06941	1 1734	YES
B 2 19 12 2.2	P-9	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(%)	R&B - Disp	8 14%	528						
B.2 19.13.1 1	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	6 39%	107,164	0 00%	738		0 00903	7 0713	YES
B 2.19 13 1 4	P-9	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	4 21%	303,908				-		
B 2.19 13.2.1	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(%)	R&B (POTS) excl SB Or	8 70%	460	0 00%	24		0 05900	1 4739	YES
B 2 19 13.2 4	P-9	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL(%)	R&B (POTS) excl SB Or	17.65%	17						
B.2.19.14 1 1	P-9	Other Design/<10 circuits/Dispatch/FL(%)	Design	2 93%	3,341	6 07%	725		0 00691	-4 5358	NO
B.2 19 14.1 2	P-9	Other Design/<10 circuits/Non-Dispatch/FL(%)	Design	1 64%	488						
B 2 19.14 2.1	P-9	Other Design/>=10 circuits/Dispatch/FL(%)	Design	0 00%	14	30 00%	10		0 00000		NO
B 2 19 14 2.2	P-9	Other Design/>=10 circuits/Non-Dispatch/FL(%)	Design	0.00%	101						
B 2 19 15 1 1	P-9	Other Non-Design/<10 circuits/Dispatch/FL(%)	R&B	6 35%	108,029	0 00%	548		0 01044	6 0804	YES
B 2 19.15.1 2	P-9	Other Non-Design/<10 circuits/Non-Dispatch/FL(%)	R&B	4 22%	743,630	0 00%	375		0 01038	4 0616	YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.19 15.2.1	P-9	Other Non-Design/>=10 circuits/Dispatch/FL(%)	R&B	8 14%	528	0 00%	24		0 05708	1 4266	YES
B.2.19.15.2.2	P-9	Other Non-Design/>=10 circuits/Non-Dispatch/FL(%)	R&B	2 60%	231	0 00%	5		0 07190	0 3613	YES
B.2 19 16.1.1	P-9	INP (Standalone)/<10 circuits/Dispatch/FL(%)	R&B (POTS)	6.39%	107,188						
B.2.19.16.1.2	P-9	INP (Standalone)/<10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	4.22%	741,402	0 00%	2		0 14221	0 2970	YES
B.2 19 16.2.1	P-9	INP (Standalone)/>=10 circuits/Dispatch/FL(%)	R&B (POTS)	8 87%	462						
B.2.19.16 2.2	P-9	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	10 00%	20						
B.2 19.17.1 1	P-9	LNP (Standalone)/<10 circuits/Dispatch/FL(%)	R&B (POTS)	6 39%	107,188						
B.2.19.17.1.2	P-9	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	4 22%	741,402						
B.2.19 17.2.1	P-9	LNP (Standalone)/>=10 circuits/Dispatch/FL(%)	R&B (POTS)	8 87%	462						
B.2 19.17.2.2	P-9	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(%)	R&B (POTS)	10 00%	20						
B.2.19.18 1.1	P-9	Digital Loop < DS1/<10 circuits/Dispatch/FL(%)	Digital Loop < DS1	8 06%	18,339	5 49%	893		0 00933	2 7624	YES
B.2.19.18 1.2	P-9	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(%)	Digital Loop < DS1	4 35%	2,047						
B.2 19 18.2.1	P-9	Digital Loop < DS1/>=10 circuits/Dispatch/FL(%)	Digital Loop < DS1	10 53%	19						
B.2.19 18 2.2	P-9	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(%)	Digital Loop < DS1								
B.2 19.19.1.1	P-9	Digital Loop >= DS1/<10 circuits/Dispatch/FL(%)	Digital Loop >= DS1	0 72%	691	5 98%	251		0 00625	-8 4091	NO
B.2.19.19 1.2	P-9	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(%)	Digital Loop >= DS1	0 00%	364						
B.2.19 19.2 1	P-9	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(%)	Digital Loop >= DS1	0 00%	4						
B.2.19.19.2.2	P-9	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(%)	Digital Loop >= DS1	0 00%	100						
		Average Completion Notice Interval - Mechanized									
B.2 21 1.1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL(hours)	R&B (POTS)	8 24	53,230			34 856			
B.2.21 1.1 2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL(hours)	R&B (POTS)	1 39	560,256			6 518			
B.2.21.1.2.1	P-5	Switch Ports/>=10 circuits/Dispatch/FL(hours)	R&B (POTS)	8 26	303			26 021			
B.2.21.1.2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL(hours)	R&B (POTS)	0 43	7			0 455			
B.2.21.2 1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL(hours)	DS1/ DS3 - Interoffice	56.25	1,661			184 528			
B.2.21.2.1 2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(hours)	DS1/ DS3 - Interoffice								
B.2 21.2 2.1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL(hours)	DS1/ DS3 - Interoffice								
B.2.21 2.2 2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(hours)	DS1/ DS3 - Interoffice								
B.2.21 3.1.1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL(hours)	R&B	8 24	53,841	0 94	303	34 804	2 00504	3 6394	YES
B.2.21 3.1.2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(hours)	R&B	1 40	562,774	0 96	6,392	6 584	0 08282	5 2127	YES
B.2.21 3 1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL(hours)	R&B	1 80	316,724	0 88	3,055	7 643	0 13894	6 6500	YES
B.2 21 3.1 4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL(hours)	R&B	0 87	246,050	1 04	3,337	4 845	0 08444	-2 0097	NO
B.2.21.3.2 1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL(hours)	R&B	7 76	342	0 61	9	24 818	8 38074	0 8538	YES
B.2.21.3.2 2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(hours)	R&B	1 36	163			3 197			
B.2.21.3 2 3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL(hours)	R&B	1 05	75			2 240			
B.2 21 3.2 4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL(hours)	R&B	1 62	88			3 823			
B.2.21.4 1 1	P-5	Combo Other/<10 circuits/Dispatch/FL(hours)	R&B&D - Disp	15.85	55,492			151 153			
B.2.21.4 1 4	P-5	Combo Other/<10 circuits/Dispatch In/FL(hours)	R&B&D - Disp								
B.2 21.4.2 1	P-5	Combo Other/>=10 circuits/Dispatch/FL(hours)	R&B&D - Disp	7 97	345			25 148			
B.2.21.4.2.4	P-5	Combo Other/>=10 circuits/Dispatch In/FL(hours)	R&B&D - Disp								
B.2.21 5 1 1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(hours)	ADSL to Retail	6.94	9,754	14 67	81	37 041	4 13274	-1 8694	NO
B.2 21.5.1 2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(hours)	ADSL to Retail	0 89	3,149			3 814			
B.2.21.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(hours)	ADSL to Retail	0 25	12			0 761			
B.2.21.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(hours)	ADSL to Retail								
B.2.21.6.1 1	P-5	UNE ISDN/<10 circuits/Dispatch/FL(hours)	ISDN - BRI	49 01	276	10.18	1	58 284	58 38919	0 6650	YES
B.2.21.6.1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL(hours)	ISDN - BRI	9 99	487			37 040			
B.2.21 6 2 1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL(hours)	ISDN - BRI	93 98	1			0 000			
B.2.21.6.2.2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL(hours)	ISDN - BRI								
B.2 21.7.1.1	P-5	Line Sharing/<10 circuits/Dispatch/FL(hours)	ADSL to Retail	6 94	9,754	0 02	1	37 041	37 04310	0 1869	YES
B.2 21.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL(hours)	ADSL to Retail	0 89	3,149	0 66	3	3 814	2 20312	0 1021	YES
B.2.21 7.2 1	P-5	Line Sharing/>=10 circuits/Dispatch/FL(hours)	ADSL to Retail	0 25	12			0 761			
B.2.21 7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL(hours)	ADSL to Retail								
B.2.21.8 1 1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL(hours)	R&B - Disp	8 24	53,841	23 03	245	34 804	2 22858	-6 6383	NO
B.2 21 8.1 2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(hours)	R&B - Disp	8 24	53,841			34 804			
B.2 21.8 2 1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL(hours)	R&B - Disp	7 76	342	16 18	1	24 818	24 85406	-0 3386	YES
B.2 21.8 2.2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(hours)	R&B - Disp	7 76	342			24 818			
B.2 21 9.1 1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(hours)	R&B (POTS) excl SB Or	8 24	53,230	0 35	349	34 856	1 87190	4 2194	YES
B.2 21.9 1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL(hours)	R&B (POTS) excl SB Or	0 87	244,787	0 76	2	4 639	3 28035	0 0326	YES
B.2 21.9.2 1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(hours)	R&B (POTS) excl SB Or	8 26	303	0 27	6	26 021	10 72757	0 7453	YES
B.2 21 9 2 4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL(hours)	R&B (POTS) excl SB Or	0 43	7			0 455			
B.2 21 10 1 1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(hours)	R&B - Disp	8 24	53,841			34 804			

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2 21 10 1 2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(hours)	R&B - Disp	8 24	53,841			34 804			
B.2.21 10 2 1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(hours)	R&B - Disp	7.76	342			24 818			
B.2.21 10.2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(hours)	R&B - Disp	7 76	342			24 818			
B.2 21 11.1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(hours)	R&B (POTS) excl SB Or	8 24	53,230			34 856			
B 2.21.11 1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL(hours)	R&B (POTS) excl SB Or	0 87	244,787			4 639			
B.2 21.11 2 1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(hours)	R&B (POTS) excl SB Or	8 26	303			26 021			
B.2.21.11 2 4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL(hours)	R&B (POTS) excl SB Or	0 43	7			0 455			
B.2 21.12 1 1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(hours)	R&B - Disp	8.24	53,841	20.42	368	34 804	1 82046	-6 6902	NO
B.2.21 12 1.2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(hours)	R&B - Disp	8 24	53,841			34 804			
B 2.21 12 2.1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(hours)	R&B - Disp	7 76	342	7 98	1	24 818	24 85406	-0 0087	YES
B.2.21.12.2.2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(hours)	R&B - Disp	7 76	342			24 818			
B.2.21.13 1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(hours)	R&B (POTS) excl SB Or	8 24	53,230	17.36	752	34 856	1 28001	-7 1221	NO
B 2.21.13.1 4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL(hours)	R&B (POTS) excl SB Or	0 87	244,787			4 639			
B 2 21 13.2 1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(hours)	R&B (POTS) excl SB Or	8 26	303	9 00	17	26 021	6 48557	-0 1141	YES
B 2 21 13.2 4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL(hours)	R&B (POTS) excl SB Or	0 43	7			0 455			
B.2.21.14 1.1	P-5	Other Design/<10 circuits/Dispatch/FL(hours)	Design	263 91	1,651	37 46	3	815 714	471 38015	0 4804	YES
B.2.21.14 1.2	P-5	Other Design/<10 circuits/Non-Dispatch/FL(hours)	Design	39 58	335			143 910			
B 2 21 14.2.1	P-5	Other Design/>=10 circuits/Dispatch/FL(hours)	Design	31 58	3			54 044			
B.2.21.14.2.2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL(hours)	Design	2 50	52			4 895			
B.2.21.15.1 1	P-5	Other Non-Design/<10 circuits/Dispatch/FL(hours)	R&B	8 24	53,841			34 804			
B.2.21.15 1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL(hours)	R&B	1 40	562,774			6 584			
B.2.21.15.2 1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL(hours)	R&B	7.76	342			24 818			
B.2.21.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL(hours)	R&B	1 36	163			3 197			
B.2.21.16 1 1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL(hours)	R&B (POTS)	8 24	53,230			34 856			
B.2.21 16.1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL(hours)	R&B (POTS)	1 39	560,256			6 516			
B 2 21.16.2 1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL(hours)	R&B (POTS)	8.26	303			26 021			
B.2 21.16.2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(hours)	R&B (POTS)	0 43	7			0 455			
B.2 21 17.1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL(hours)	R&B (POTS)	8 24	53,230	1 41	6	34 856	14 23066	0 4802	YES
B.2.21.17 1.2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(hours)	R&B (POTS)	1 39	560,256	91 41	851	6 516	0 22354	-402 6870	NO
B 2 21.17 2 1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL(hours)	R&B (POTS)	8 26	303			26 021			
B.2.21 17.2 2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(hours)	R&B (POTS)	0 43	7			0 455			
B.2 21.18.1 1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL(hours)	Digital Loop < DS1	10 89	10,448	10 18	1	189 583	189 59237	0 0038	YES
B 2.21.18 1.2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(hours)	Digital Loop < DS1	2 19	3,650			36 051			
B 2.21.18.2.1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL(hours)	Digital Loop < DS1	7.46	13						
B.2.21 18.2.2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(hours)	Digital Loop < DS1								
B.2 21 19.1 1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL(hours)	Digital Loop >= DS1	1092 61	195	72 87	55	217 501	33 20715	30 7086	YES
B.2.21 19.1.2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(hours)	Digital Loop >= DS1	6 95	194			46 640			
B.2.21.19 2 1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(hours)	Digital Loop >= DS1								
B.2 21.19.2.2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(hours)	Digital Loop >= DS1	2 50	52						
		Average Completion Notice Interval - Non-Mechanized									
B 2.22.1 1.1	P-5	Switch Ports/<10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.1.1.2	P-5	Switch Ports/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 1 2 1	P-5	Switch Ports/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.1 2.2	P-5	Switch Ports/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.2 1.1	P-5	Local Interoffice Transport/<10 circuits/Dispatch/FL(hours)	Diagnostic			30 26	19				Diagnostic
B 2.22.2.1.2	P-5	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.2.2 1	P-5	Local Interoffice Transport/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 2.2 2	P-5	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22 3.1 1	P-5	Loop + Port Combinations/<10 circuits/Dispatch/FL(hours)	Diagnostic			31 18	108				Diagnostic
B.2 22.3 1 2	P-5	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			21 34	1,325				Diagnostic
B 2 22 3.1.3	P-5	Loop + Port Combinations/<10 circuits/Switch Based Orders/FL(hours)	Diagnostic			20 32	768				Diagnostic
B 2.22.3.1 4	P-5	Loop + Port Combinations/<10 circuits/Dispatch In/FL(hours)	Diagnostic			22 73	557				Diagnostic
B.2 22.3.2.1	P-5	Loop + Port Combinations/>=10 circuits/Dispatch/FL(hours)	Diagnostic			16 25	2				Diagnostic
B.2 22 3.2.2	P-5	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B 2.22 3 2 3	P-5	Loop + Port Combinations/>=10 circuits/Switch Based Orders/FL(hours)	Diagnostic								Diagnostic
B 2.22.3.2.4	P-5	Loop + Port Combinations/>=10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic
B 2 22.4 1 1	P-5	Combo Other/<10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 4 1 4	P-5	Combo Other/<10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic
B 2.22.4 2 1	P-5	Combo Other/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B 2.22 4.2 4	P-5	Combo Other/>=10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2.22.5 1 1	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(hours)	Diagnostic			56 41	218				Diagnostic
B.2.22 5 1 2	P-5	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.5.2.1	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.5.2.2	P-5	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22 6 1 1	P-5	UNE ISDN/<10 circuits/Dispatch/FL(hours)	Diagnostic			58 11	305				Diagnostic
B.2 22.6 1.2	P-5	UNE ISDN/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.6 2.1	P-5	UNE ISDN/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.6.2 2	P-5	UNE ISDN/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 7 1 1	P-5	Line Sharing/<10 circuits/Dispatch/FL(hours)	Diagnostic			25 15	11				Diagnostic
B.2.22.7.1.2	P-5	Line Sharing/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			16 92	64				Diagnostic
B.2.22 7.2 1	P-5	Line Sharing/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.7.2.2	P-5	Line Sharing/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.8 1 1	P-5	2W Analog Loop Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			52 15	39				Diagnostic
B.2 22 8 1 2	P-5	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 8 2 1	P-5	2W Analog Loop Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.8 2 2	P-5	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22 9 1 1	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			20 80	102				Diagnostic
B.2 22.9.1.4	P-5	2W Analog Loop Non-Design/<10 circuits/Dispatch In/FL(hours)	Diagnostic			22 86	8				Diagnostic
B.2 22 9.2 1	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic			14 68	5				Diagnostic
B.2.22 9.2 4	P-5	2W Analog Loop Non-Design/>=10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic
B 2.22.10.1.1	P-5	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			52 26	2				Diagnostic
B 2 22 10 1 2	P-5	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22 10.2 1	P-5	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 10 2.2	P-5	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 11 1.1	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			34 06	17				Diagnostic
B.2.22 11.1.4	P-5	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch In/FL(hours)	Diagnostic			16 85	1				Diagnostic
B.2 22 11 2 1	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.11 2.4	P-5	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic
B.2 22.12 1 1	P-5	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			36 35	206				Diagnostic
B 2 22.12 1 2	P-5	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.12 2 1	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic			23 00	2				Diagnostic
B.2.22.12 2 2	P-5	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.13 1.1	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			27 87	816				Diagnostic
B.2.22 13 1 4	P-5	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic
B.2 22 13 2 1	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic			27 07	23				Diagnostic
B 2.22 13 2.4	P-5	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch In/FL(hours)	Diagnostic								Diagnostic
B.2.22 14 1 1	P-5	Other Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			56 05	18				Diagnostic
B 2.22 14 1 2	P-5	Other Design/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22 14 2.1	P-5	Other Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B 2.22 14.2 2	P-5	Other Design/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.15 1 1	P-5	Other Non-Design/<10 circuits/Dispatch/FL(hours)	Diagnostic			31 86	33				Diagnostic
B.2.22 15.1.2	P-5	Other Non-Design/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			19.73	6				Diagnostic
B.2.22.15 2 1	P-5	Other Non-Design/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.15.2.2	P-5	Other Non-Design/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.18.1 1	P-5	INP (Standalone)/<10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.18 1.2	P-5	INP (Standalone)/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.16 2.1	P-5	INP (Standalone)/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22 16 2.2	P-5	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.17 1.1	P-5	LNP (Standalone)/<10 circuits/Dispatch/FL(hours)	Diagnostic			14 84	34				Diagnostic
B 2 22 17 1 2	P-5	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic			23 30	485				Diagnostic
B.2.22 17.2 1	P-5	LNP (Standalone)/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22.17.2.2	P-5	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic			13 37	1				Diagnostic
B.2 22.18 1 1	P-5	Digital Loop < DS1/<10 circuits/Dispatch/FL(hours)	Diagnostic			57 59	516				Diagnostic
B.2.22 18.1 2	P-5	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 18.2 1	P-5	Digital Loop < DS1/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2 22 18 2 2	P-5	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B 2 22 19 1 1	P-5	Digital Loop >= DS1/<10 circuits/Dispatch/FL(hours)	Diagnostic			54 91	126				Diagnostic
B.2 22 19.1 2	P-5	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic
B.2.22.19.2 1	P-5	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(hours)	Diagnostic								Diagnostic
B 2 22 19 2 2	P-5	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(hours)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

Total Service Order Cycle Time - Mechanized

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.24.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	Diagnostic			3.76	66				Diagnostic
B.2.24.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			0.68	2,473				Diagnostic
B.2.24.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	Diagnostic			2.50	2				Diagnostic
B.2.24.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3.00	1				Diagnostic
B.2.24.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5.15	103				Diagnostic
B.2.24.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5.07	28				Diagnostic
B.2.24.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			7.33	3				Diagnostic
B.2.24.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	Diagnostic			6.50	18				Diagnostic
B.2.24.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			3.93	15				Diagnostic
B.2.24.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			4.80	5				Diagnostic
B.2.24.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.24.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			2.78	684				Diagnostic
B.2.24.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			6.88	8				Diagnostic
B.2.24.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.24.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time - Partially Mechanized									
B.2.25.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	Diagnostic			3.48	89				Diagnostic
B.2.25.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1.38	1,604				Diagnostic
B.2.25.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	Diagnostic			3.00	3				Diagnostic
B.2.25.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5.90	60				Diagnostic
B.2.25.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			8.00	1				Diagnostic
B.2.25.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			4.74	150				Diagnostic
B.2.25.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			7.00	1				Diagnostic
B.2.25.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2.25 11 2 1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.25 11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 12 1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	Diagnostic			6 99	120				Diagnostic
B.2 25 12 1 2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 12 2 1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			8 00	1				Diagnostic
B 2.25.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 25 13 1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5 05	183				Diagnostic
B.2.25 13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			4 25	115				Diagnostic
B 2 25 13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			9 17	6				Diagnostic
B.2.25 13 2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			8 00	1				Diagnostic
B.2.25.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL(days)	Diagnostic			7 00	1				Diagnostic
B.2.25.14.1 2	P-10	Other Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.25.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.25.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.15.2 1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.25.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 25 16.2 1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 25.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic			9 16	2				Diagnostic
B.2.25.17 1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			5 02	247				Diagnostic
B 2.25.17 2 1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			1 00	1				Diagnostic
B 2 25.18.1 1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.25.18.1 2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.25.18.2 1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.18 2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			10 19	21				Diagnostic
B.2.25.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25 19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.25.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
Total Service Order Cycle Time - Non-Mechanized											
B 2 26 1 1 1	P-10	Switch Ports/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.26 1 2 1	P-10	Switch Ports/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.1 2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 26.2 1 1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	Diagnostic			14 08	13				Diagnostic
B.2.26.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.2.2 1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 26.2 2 2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.3 1 1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	Diagnostic			5 46	52				Diagnostic
B.2.26.3 1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3 30	763				Diagnostic
B.2.26.3.2 1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	Diagnostic			7 00	1				Diagnostic
B.2 26.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26 4 1 1	P-10	Combo Other/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 26.4 1 2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 26.4.2 1	P-10	Combo Other/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.4.2 2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.5.1 1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(days)	Diagnostic			7 10	116				Diagnostic
B.2.26 5.1 2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 26.5.2 1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.26 5 2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 26 6.1 1	P-10	UNE ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic			12 45	242				Diagnostic
B 2 26 6 1 2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26 6.2 1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 26 6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 26 7 1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL(days)	Diagnostic			6 71	7				Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.26.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL(days)	Diagnostic			5.00	43				Diagnostic
B.2.26.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			7.89	28				Diagnostic
B.2.26.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			6.54	46				Diagnostic
B.2.26.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			4.00	1				Diagnostic
B.2.26.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			8.67	32				Diagnostic
B.2.26.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			11.00	1				Diagnostic
B.2.26.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			8.91	58				Diagnostic
B.2.26.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			7.23	64				Diagnostic
B.2.26.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			9.50	2				Diagnostic
B.2.26.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL(days)	Diagnostic			8.75	4				Diagnostic
B.2.26.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			11.78	9				Diagnostic
B.2.26.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			5.50	2				Diagnostic
B.2.26.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			2.27	5				Diagnostic
B.2.26.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			12.33	3				Diagnostic
B.2.26.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic			9.84	269				Diagnostic
B.2.26.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			1.00	1				Diagnostic
B.2.26.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			0.67	2				Diagnostic
B.2.26.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			10.73	353				Diagnostic
B.2.26.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			9.73	59				Diagnostic
B.2.26.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.26.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Mechanized									
B.2.28.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.28.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	Diagnostic			3.67	62				Diagnostic
B.2.28.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			0.70	2,014				Diagnostic
B.2.28.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	Diagnostic			2.50	2				Diagnostic
B.2.28.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL(days)	Diagnostic			3.00	1				Diagnostic
B.2.28.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			5.08	100				Diagnostic
B.2.28.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			5.07	28				Diagnostic
B.2.28.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			7.33	3				Diagnostic
B.2.28.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	Diagnostic			6.50	18				Diagnostic
B.2.28.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			3.93	15				Diagnostic
B.2.28.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			4.80	5				Diagnostic
B.2.28.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			2.78	684				Diagnostic
B.2.28.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.28.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			6.88	8				Diagnostic
B.2.28.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.28.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Partially Mechanized									
B.2.29.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	Diagnostic			3.37	82				Diagnostic
B.2.29.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			1.33	1,418				Diagnostic
B.2.29.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	Diagnostic			3.00	3				Diagnostic
B.2.29.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5.81	54				Diagnostic
B.2.29.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			6.00	1				Diagnostic
B.2.29.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			4.75	146				Diagnostic
B.2.29.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			7.00	1				Diagnostic
B.2.29.9.2.2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.10.1.2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.10.2.1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.11.1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.11.2.1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.11.2.2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	Diagnostic			6.96	115				Diagnostic
B.2.29.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.12.2.1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			8.00	1				Diagnostic
B.2.29.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5.06	181				Diagnostic
B.2.29.13.1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			4.25	115				Diagnostic
B.2.29.13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			9.17	6				Diagnostic
B.2.29.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			8.00	1				Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.2.29.14.1.1	P-10	Other Design/<10 circuits/Dispatch/FL(days)	Diagnostic			7.00	1				Diagnostic
B.2.29.14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.14.2.1	P-10	Other Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.15.1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.15.1.2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.15.2.1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.15.2.2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.16.1.2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.16.2.1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.16.2.2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.17.1.1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic			9.16	2				Diagnostic
B.2.29.17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			4.99	229				Diagnostic
B.2.29.17.2.1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.18.1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.18.1.2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.19.1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			9.11	19				Diagnostic
B.2.29.19.1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.29.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Total Service Order Cycle Time (offered) - Non-Mechanized									
B.2.30.1.1.1	P-10	Switch Ports/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.1.1.2	P-10	Switch Ports/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.1.2.1	P-10	Switch Ports/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.1.2.2	P-10	Switch Ports/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.2.1.1	P-10	Local Interoffice Transport/<10 circuits/Dispatch/FL(days)	Diagnostic			14.80	10				Diagnostic
B.2.30.2.1.2	P-10	Local Interoffice Transport/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.2.2.1	P-10	Local Interoffice Transport/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.2.2.2	P-10	Local Interoffice Transport/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.3.1.1	P-10	Loop + Port Combinations/<10 circuits/Dispatch/FL(days)	Diagnostic			5.30	43				Diagnostic
B.2.30.3.1.2	P-10	Loop + Port Combinations/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			3.18	630				Diagnostic
B.2.30.3.2.1	P-10	Loop + Port Combinations/>=10 circuits/Dispatch/FL(days)	Diagnostic			7.00	1				Diagnostic
B.2.30.3.2.2	P-10	Loop + Port Combinations/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.4.1.1	P-10	Combo Other/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.4.1.2	P-10	Combo Other/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.4.2.1	P-10	Combo Other/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.4.2.2	P-10	Combo Other/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.5.1.1	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Dispatch/FL(days)	Diagnostic			7.20	101				Diagnostic
B.2.30.5.1.2	P-10	xDSL (ADSL, HDSL and UCL)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.5.2.1	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.5.2.2	P-10	xDSL (ADSL, HDSL and UCL)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.6.1.1	P-10	UNE ISDN/<10 circuits/Dispatch/FL(days)	Diagnostic			12.88	225				Diagnostic
B.2.30.6.1.2	P-10	UNE ISDN/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.6.2.1	P-10	UNE ISDN/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.6.2.2	P-10	UNE ISDN/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.7.1.1	P-10	Line Sharing/<10 circuits/Dispatch/FL(days)	Diagnostic			6.71	7				Diagnostic
B.2.30.7.1.2	P-10	Line Sharing/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			5.00	42				Diagnostic
B.2.30.7.2.1	P-10	Line Sharing/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.7.2.2	P-10	Line Sharing/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.8.1.1	P-10	2W Analog Loop Design/<10 circuits/Dispatch/FL(days)	Diagnostic			7.96	26				Diagnostic
B.2.30.8.1.2	P-10	2W Analog Loop Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.8.2.1	P-10	2W Analog Loop Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.8.2.2	P-10	2W Analog Loop Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.9.1.1	P-10	2W Analog Loop Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			6.59	39				Diagnostic
B.2.30.9.1.2	P-10	2W Analog Loop Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.9.2.1	P-10	2W Analog Loop Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			4.00	1				Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2.30.9 2 2	P-10	2W Analog Loop Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30.10.1.1	P-10	2W Analog Loop w/INP Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30.10.1 2	P-10	2W Analog Loop w/INP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.30 10 2 1	P-10	2W Analog Loop w/INP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.10.2.2	P-10	2W Analog Loop w/INP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.11 1.1	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2 30.11.1.2	P-10	2W Analog Loop w/INP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30.11.2 1	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.11.2 2	P-10	2W Analog Loop w/INP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.30 12.1.1	P-14	2W Analog Loop w/LNP Design/<10 circuits/Dispatch/FL(days)	Diagnostic			8 81	30				Diagnostic
B.2.30.12.1.2	P-14	2W Analog Loop w/LNP Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.12.2 1	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			11 00	1				Diagnostic
B 2.30.12.2.2	P-14	2W Analog Loop w/LNP Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30.13.1.1	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			8 84	55				Diagnostic
B.2.30.13 1.2	P-14	2W Analog Loop w/LNP Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			7 25	63				Diagnostic
B.2 30 13.2.1	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic			9 50	2				Diagnostic
B.2 30.13.2.2	P-14	2W Analog Loop w/LNP Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			8 75	4				Diagnostic
B.2.30.14.1 1	P-10	Other Design/<10 circuits/Dispatch/FL(days)	Diagnostic			12 38	8				Diagnostic
B.2 30 14.1.2	P-10	Other Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30 14 2.1	P-10	Other Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30 14.2.2	P-10	Other Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30 15 1.1	P-10	Other Non-Design/<10 circuits/Dispatch/FL(days)	Diagnostic			5 50	2				Diagnostic
B.2 30.15.1 2	P-10	Other Non-Design/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			2 27	5				Diagnostic
B.2 30 15.2 1	P-10	Other Non-Design/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30 15.2 2	P-10	Other Non-Design/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30.16.1.1	P-10	INP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.16 1 2	P-10	INP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30 16.2 1	P-10	INP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30 16.2 2	P-10	INP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.17 1 1	P-14	LNP (Standalone)/<10 circuits/Dispatch/FL(days)	Diagnostic			12 33	3				Diagnostic
B 2.30 17.1.2	P-14	LNP (Standalone)/<10 circuits/Non-Dispatch/FL(days)	Diagnostic			10 53	233				Diagnostic
B.2.30.17.2 1	P-14	LNP (Standalone)/>=10 circuits/Dispatch/FL(days)	Diagnostic			1 00	1				Diagnostic
B.2.30 17.2.2	P-14	LNP (Standalone)/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic			0 67	2				Diagnostic
B.2 30.18 1.1	P-10	Digital Loop < DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			11 11	322				Diagnostic
B 2 30.18.1 2	P-10	Digital Loop < DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30 18.2.1	P-10	Digital Loop < DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B 2.30.18.2.2	P-10	Digital Loop < DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.19 1.1	P-10	Digital Loop >= DS1/<10 circuits/Dispatch/FL(days)	Diagnostic			9 75	56				Diagnostic
B 2.30.19 1.2	P-10	Digital Loop >= DS1/<10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
B.2 30.19.2.1	P-10	Digital Loop >= DS1/>=10 circuits/Dispatch/FL(days)	Diagnostic								Diagnostic
B.2.30.19.2.2	P-10	Digital Loop >= DS1/>=10 circuits/Non-Dispatch/FL(days)	Diagnostic								Diagnostic
		Disconnect Timeliness									
B.2.31	P-13	LNP/FL(%)	>= 95% w in 15 min								
		% Completions w/o Notice or < 24 hours									
B 2 32 1.1	P-6	Switch Ports/Dispatch/FL(%)	Diagnostic								Diagnostic
B.2.32.1.2	P-6	Switch Ports/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2 32.2 1	P-6	Local Interoffice Transport/Dispatch/FL(%)	Diagnostic			100 00%	19				Diagnostic
B 2.32.2.2	P-6	Local Interoffice Transport/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2.32 3 1	P-6	Loop + Port Combinations/Dispatch/FL(%)	Diagnostic			100 00%	331				Diagnostic
B.2 32.3.2	P-6	Loop + Port Combinations/Non-Dispatch/FL(%)	Diagnostic			100 00%	6,526				Diagnostic
B.2.32 4.1	P-6	Combo Other/Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32 4.2	P-6	Combo Other/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2.32.5 1	P-6	xDSL (ADSL, HDSL and UCL)/Dispatch/FL(%)	Diagnostic			100 00%	189				Diagnostic
B 2 32 5.2	P-6	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32 6 1	P-6	UNE ISDN/Dispatch/FL(%)	Diagnostic			100 00%	283				Diagnostic
B.2 32 6 2	P-6	UNE ISDN/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2 32 7 1	P-6	Line Sharing/Dispatch/FL(%)	Diagnostic			100 00%	9				Diagnostic
B 2.32 7 2	P-6	Line Sharing/Non-Dispatch/FL(%)	Diagnostic			100 00%	47				Diagnostic
B 2 32 8 1	P-6	2W Analog Loop Design/Dispatch/FL(%)	Diagnostic			100 00%	210				Diagnostic

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 2.32 8.2	P-6	2W Analog Loop Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2 32 9.1	P-6	2W Analog Loop Non-Design/Dispatch/FL(%)	Diagnostic			100 00%	247				Diagnostic
B 2 32.9.2	P-6	2W Analog Loop Non-Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32.10.1	P-6	2W Analog Loop w/INP Design/Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32.10.2	P-6	2W Analog Loop w/INP Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2.32.11.1	P-6	2W Analog Loop w/INP Non-Design/Dispatch/FL(%)	Diagnostic			100 00%	1				Diagnostic
B 2.32.11.2	P-6	2W Analog Loop w/INP Non-Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2.32 12 1	P-6	2W Analog Loop w/LNP Design/Dispatch/FL(%)	Diagnostic			100 00%	180				Diagnostic
B.2.32.12.2	P-6	2W Analog Loop w/LNP Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32.13.1	P-6	2W Analog Loop w/LNP Non-Design/Dispatch/FL(%)	Diagnostic			100 00%	275				Diagnostic
B.2.32.13.2	P-6	2W Analog Loop w/LNP Non-Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2.32 14.1	P-6	Other Design/Dispatch/FL(%)	Diagnostic			100 00%	32				Diagnostic
B.2.32.14.2	P-6	Other Design/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B.2 32.15 1	P-6	Other Non-Design/Dispatch/FL(%)	Diagnostic			100 00%	14				Diagnostic
B.2.32.15.2	P-6	Other Non-Design/Non-Dispatch/FL(%)	Diagnostic			100 00%	11				Diagnostic
B.2.32 16.1	P-6	INP (Standalone)/Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32.16.2	P-6	INP (Standalone)/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32 17 1	P-6	LNP (Standalone)/Dispatch/FL(%)	Diagnostic			0 00%	2				Diagnostic
B.2.32.17.2	P-6	LNP (Standalone)/Non-Dispatch/FL(%)	Diagnostic			6 53%	245				Diagnostic
B.2.32.18.1	P-6	Digital Loop < DS1/Dispatch/FL(%)	Diagnostic			100 00%	463				Diagnostic
B.2.32 18.2	P-6	Digital Loop < DS1/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
B 2.32.19.1	P-6	Digital Loop >= DS1/Dispatch/FL(%)	Diagnostic			100 00%	109				Diagnostic
B.2.32.19.2	P-6	Digital Loop >= DS1/Non-Dispatch/FL(%)	Diagnostic								Diagnostic
		% Cooperative Test Attempts for xDSL									
B.2 33 1	P-8	xDSL (ADSL, HDSL and UCL)/FL(%)	>= 95% of requests			99 62%	263				YES
B.2.33.2	P-8	xDSL Other/FL(%)	>= 95% of requests								
		Service Order Accuracy									
B 2 34.1 1 1	P-11	Design (Specials)/<10 circuits/Dispatch/FL(%)	>= 95%			99 09%	110				YES
B 2.34.1.1 2	P-11	Design (Specials)/<10 circuits/Non-Dispatch/FL(%)	>= 95%			96 94%	98				YES
B.2.34.1.2 1	P-11	Design (Specials)/>=10 circuits/Dispatch/FL(%)	>= 95%								
B.2.34.1.2.2	P-11	Design (Specials)/>=10 circuits/Non-Dispatch/FL(%)	>= 95%			100 00%	1				YES
B.2.34.2.1.1	P-11	Loops Non-Design/<10 circuits/Dispatch/FL(%)	>= 95%			82 14%	28				NO
B 2 34 2 1 2	P-11	Loops Non-Design/<10 circuits/Non-Dispatch/FL(%)	>= 95%			60 00%	200				NO
B.2.34 2.2.1	P-11	Loops Non-Design/>=10 circuits/Dispatch/FL(%)	>= 95%								
B.2.34 2.2.2	P-11	Loops Non-Design/>=10 circuits/Non-Dispatch/FL(%)	>= 95%			50 00%	4				NO
		Unbundled Network Elements - Maintenance and Repair									
		Missed Repair Appointments									
B 3.1 1.1	M&R-1	Switch Ports/Dispatch/FL(%)	R&B (POTS)	13 48%	128,184						
B.3.1.1.2	M&R-1	Switch Ports/Non-Dispatch/FL(%)	R&B (POTS)	2.08%	65,106						
B.3.1.2 1	M&R-1	Local Interoffice Transport/Dispatch/FL(%)	DS1/DS3	0 36%	1,106	0 00%	2		0 04249	0 0851	YES
B.3 1.2 2	M&R-1	Local Interoffice Transport/Non-Dispatch/FL(%)	DS1/DS3	0 00%	717	0 00%	7		0 00000		YES
B.3 1 3 1	M&R-1	Loop + Port Combinations/Dispatch/FL(%)	R&B	13 60%	130,195	10 31%	1,920		0 00788	4 1695	YES
B.3.1.3.2	M&R-1	Loop + Port Combinations/Non-Dispatch/FL(%)	R&B	2 12%	68,128	4 08%	662		0 00563	-3 4805	NO
B 3 1.4.1	M&R-1	Combo Other/Dispatch/FL(%)	R&B&D - Disp	13.33%	133,301	0 00%	31		0 06105	2 1829	YES
B.3.1.4 2	M&R-1	Combo Other/Non-Dispatch/FL(%)	R&B&D - Disp	13.33%	133,301	0 00%	7		0 12845	1 0374	YES
B.3.1.5 1	M&R-1	xDSL (ADSL, HDSL and UCL)/Dispatch/FL(%)	ADSL to Retail	61 08%	1,598	5 26%	57		0 06572	8 4922	YES
B.3.1.5 2	M&R-1	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL(%)	ADSL to Retail	4 31%	4,222	0 00%	19		0 04670	0 9231	YES
B 3.1 6 1	M&R-1	UNE ISDN/Dispatch/FL(%)	ISDN - BRI	6 29%	302	6 45%	124		0 02590	-0 0619	YES
B 3 1.6 2	M&R-1	UNE ISDN/Non-Dispatch/FL(%)	ISDN - BRI	2 86%	350	0 00%	56		0 02398	1 1916	YES
B.3 1 7 1	M&R-1	Line Sharing/Dispatch/FL(%)	ADSL to Retail	61 08%	1,598	50 00%	8		0 17282	0 6409	YES
B.3 1 7 2	M&R-1	Line Sharing/Non-Dispatch/FL(%)	ADSL to Retail	4 31%	4,222	5 00%	20		0 04552	-0 1514	YES
B 3 1.8 1	M&R-1	2W Analog Loop Design/Dispatch/FL(%)	R&B - Disp	13 60%	130,195	4 61%	1,150		0 01015	8 8546	YES
B.3.1.8 2	M&R-1	2W Analog Loop Design/Non-Dispatch/FL(%)	R&B - Disp	13 60%	130,195	0 58%	172		0 02615	4 9771	YES
B.3 1.9.1	M&R-1	2W Analog Loop Non-Design/Dispatch/FL(%)	R&B (POTS) excl SB FT	13 46%	127,782	13 32%	788		0 01219	0 1086	YES
B 3 1.9 2	M&R-1	2W Analog Loop Non-Design/Non-Dispatch/FL(%)	R&B (POTS) excl SB FT	1 77%	55,847	5 56%	36		0 02201	-1 7178	NO
B 3.1.10 1	M&R-1	Other Design/Dispatch/FL(%)	Design	4 13%	3,508	9 09%	11		0 06011	0 6247	YES
B 3 1 10 2	M&R-1	Other Design/Non-Dispatch/FL(%)	Design	1 37%	3,578	9 09%	11		0 03510	-2 2001	NO

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B 3.1.11 1	M&R-1	Other Non-Design/Dispatch/FL(%)	R&B	13 60%	130,195	4 48%	67		0 04189	2 1774	YES
B.3.1 11.2	M&R-1	Other Non-Design/Non-Dispatch/FL(%)	R&B	2 12%	66,128	0 00%	45		0.02148	0 9869	YES
B.3.1 12 1	M&R-1	LNP (Standalone)/Dispatch/FL(%)	R&B (POTS)	13 48%	128,184						
B.3.1.12.2	M&R-1	LNP (Standalone)/Non-Dispatch/FL(%)	R&B (POTS)	2.08%	65,106						
		Customer Trouble Report Rate									
B 3.2 1 1	M&R-2	Switch Ports/Dispatch/FL(%)	R&B (POTS)	2 23%	5,747,391						
B 3.2 1.2	M&R-2	Switch Ports/Non-Dispatch/FL(%)	R&B (POTS)	1 13%	5,747,391						
B 3.2.2 1	M&R-2	Local Interoffice Transport/Dispatch/FL(%)	DS1/DS3	2 21%	49,994	0 16%	1,223		0 00430	4 7592	YES
B 3.2 2.2	M&R-2	Local Interoffice Transport/Non-Dispatch/FL(%)	DS1/DS3	1 43%	49,994	0 57%	1,223		0 00347	2 4864	YES
B.3 2 3 1	M&R-2	Loop + Port Combinations/Dispatch/FL(%)	R&B	2.13%	6,115,590	1 62%	118,215		0 00043	11 7807	YES
B.3 2.3.2	M&R-2	Loop + Port Combinations/Non-Dispatch/FL(%)	R&B	1 08%	6,115,590	0 56%	118,215		0 00031	17 0725	YES
B.3 2 4.1	M&R-2	Combo Other/Dispatch/FL(%)	R&B&D - Disp	1.92%	6,945,813	2 81%	1,104		0 00417	-2 1316	NO
B.3 2.4 2	M&R-2	Combo Other/Non-Dispatch/FL(%)	R&B&D - Disp	1 92%	6,945,813	0 63%	1,104		0 00417	3 0820	YES
B 3.2 5.1	M&R-2	xDSL (ADSL, HDSL and UCL)/Dispatch/FL(%)	ADSL to Retail	0 65%	247,696	1 05%	5,448		0 00110	-3 6461	NO
B 3.2 5 2	M&R-2	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL(%)	ADSL to Retail	1 70%	247,696	0 35%	5,448		0 00179	7 5819	YES
B 3.2 6.1	M&R-2	UNE ISDN/Dispatch/FL(%)	ISDN - BRI	1 21%	25,024	2 08%	5,975		0 00158	-5 4904	NO
B 3.2 6 2	M&R-2	UNE ISDN/Non-Dispatch/FL(%)	ISDN - BRI	1.40%	25,024	0 94%	5,975		0 00170	2 7096	YES
B.3.2.7 1	M&R-2	Line Sharing/Dispatch/FL(%)	ADSL to Retail	0 65%	247,696	0 76%	1,051		0 00248	-0 4673	YES
B.3.2 7.2	M&R-2	Line Sharing/Non-Dispatch/FL(%)	ADSL to Retail	1 70%	247,696	1 90%	1,051		0 00404	-0 4917	YES
B 3 2.8.1	M&R-2	2W Analog Loop Design/Dispatch/FL(%)	R&B - Disp	2 13%	6,115,590	1 52%	75,663		0 00053	11 4108	YES
B 3.2 8.2	M&R-2	2W Analog Loop Design/Non-Dispatch/FL(%)	R&B - Disp	2 13%	6,115,590	0 23%	75,663		0 00053	35 6294	YES
B.3 2.9.1	M&R-2	2W Analog Loop Non-Design/Dispatch/FL(%)	R&B (POTS) excl SB FT	2 22%	5,747,391	1 77%	44,595		0 00071	6 4373	YES
B 3.2.9 2	M&R-2	2W Analog Loop Non-Design/Non-Dispatch/FL(%)	R&B (POTS) excl SB FT	0 97%	5,747,391	0 08%	44,595		0 00047	19 0135	YES
B.3.2.10 1	M&R-2	Other Design/Dispatch/FL(%)	Design	0 42%	830,223	0 66%	1,673		0 00159	-1 4770	YES
B.3.2.10 2	M&R-2	Other Design/Non-Dispatch/FL(%)	Design	0 43%	830,223	0 66%	1,673		0 00161	-1 4100	YES
B 3.2 11.1	M&R-2	Other Non-Design/Dispatch/FL(%)	R&B	2 13%	6,115,590	9 61%	697		0 00553	-13 5404	NO
B.3 2 11 2	M&R-2	Other Non-Design/Non-Dispatch/FL(%)	R&B	1 08%	6,115,590	6 46%	697		0 00394	-13 6456	NO
B.3.2.12 1	M&R-2	LNP (Standalone)/Dispatch/FL(%)	R&B (POTS)	2 23%	5,747,391						
B.3.2.12.2	M&R-2	LNP (Standalone)/Non-Dispatch/FL(%)	R&B (POTS)	1 13%	5,747,391						
		Maintenance Average Duration									
B 3.3 1.1	M&R-3	Switch Ports/Dispatch/FL(hours)	R&B (POTS)	26 04	128,184			25 879			
B 3.3.1 2	M&R-3	Switch Ports/Non-Dispatch/FL(hours)	R&B (POTS)	9 31	65,106			14 239			
B 3.3.2.1	M&R-3	Local Interoffice Transport/Dispatch/FL(hours)	DS1/DS3	4 02	1,106	4 44	2	3 979	2 81577	-0 1489	YES
B 3 3.2.2	M&R-3	Local Interoffice Transport/Non-Dispatch/FL(hours)	DS1/DS3	1 98	717	2 01	7	3 049	1 15814	-0 0285	YES
B 3.3.3.1	M&R-3	Loop + Port Combinations/Dispatch/FL(hours)	R&B	25 96	130,195	19 55	1,920	25 848	0 59423	10 7847	YES
B.3 3.3.2	M&R-3	Loop + Port Combinations/Non-Dispatch/FL(hours)	R&B	9 26	66,128	6 04	662	14 216	0 55527	5 8146	YES
B.3.3.4 1	M&R-3	Combo Other/Dispatch/FL(hours)	R&B&D - Disp	25 91	133,301	5 35	31	25 753	4.62584	4 4437	YES
B 3.3.4 2	M&R-3	Combo Other/Non-Dispatch/FL(hours)	R&B&D - Disp	25 91	133,301	2 12	7	25 753	9 73382	2 4434	YES
B.3.3.5.1	M&R-3	xDSL (ADSL, HDSL and UCL)/Dispatch/FL(hours)	ADSL to Retail	78 14	1,598	7 20	57	57 263	7 71869	9 1908	YES
B 3 3.5.2	M&R-3	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL(hours)	ADSL to Retail	5 07	4,222	1 69	19	23 362	5 37159	0 6297	YES
B 3.3.6 1	M&R-3	UNE ISDN/Dispatch/FL(hours)	ISDN - BRI	8 66	302	8 00	124	13 977	1 49071	0 4415	YES
B.3.3.6.2	M&R-3	UNE ISDN/Non-Dispatch/FL(hours)	ISDN - BRI	3 63	350	4 05	56	8 976	1 29180	-0 3243	YES
B.3 3.7 1	M&R-3	Line Sharing/Dispatch/FL(hours)	ADSL to Retail	78 14	1,598	29 10	8	57 263	20 29596	2 4162	YES
B 3.3.7.2	M&R-3	Line Sharing/Non-Dispatch/FL(hours)	ADSL to Retail	5 07	4,222	12 05	20	23 362	5 23619	-1 3336	YES
B 3.3.8.1	M&R-3	2W Analog Loop Design/Dispatch/FL(hours)	R&B - Disp	25 96	130,195	6 80	1,150	25.848	0 76557	25 0252	YES
B 3.3.8 2	M&R-3	2W Analog Loop Design/Non-Dispatch/FL(hours)	R&B - Disp	25 96	130,195	3 46	172	25 848	1 97219	11 4095	YES
B.3.3 9.1	M&R-3	2W Analog Loop Non-Design/Dispatch/FL(hours)	R&B (POTS) excl SB FT	26 04	127,782	15 69	788	25 884	0.92493	11 1871	YES
B 3.3.9.2	M&R-3	2W Analog Loop Non-Design/Non-Dispatch/FL(hours)	R&B (POTS) excl SB FT	9 72	55,847	7 55	36	14 644	2 44150	0 8900	YES
B 3.3.10.1	M&R-3	Other Design/Dispatch/FL(hours)	Design	23 87	3,508	9 00	11	11 351	3 42773	4 3383	YES
B 3 3 10.2	M&R-3	Other Design/Non-Dispatch/FL(hours)	Design	7 00	3,578	4 77	11	5 800	1 75151	1 2750	YES
B 3.3 11.1	M&R-3	Other Non-Design/Dispatch/FL(hours)	R&B	25 96	130,195	18 76	67	25 848	3 15865	2 2800	YES
B.3 3 11.2	M&R-3	Other Non-Design/Non-Dispatch/FL(hours)	R&B	9 26	66,128	3 08	45	14 216	2 11987	2 9184	YES
B 3 3 12.1	M&R-3	LNP (Standalone)/Dispatch/FL(hours)	R&B (POTS)	26 04	128,184			25.879			
B 3.3.12.2	M&R-3	LNP (Standalone)/Non-Dispatch/FL(hours)	R&B (POTS)	9 31	65,106			14 239			
		% Repeat Troubles within 30 Days									
B 3 4 1 1	M&R-4	Switch Ports/Dispatch/FL(%)	R&B (POTS)	20 39%	128,184						
B 3.4 1 2	M&R-4	Switch Ports/Non-Dispatch/FL(%)	R&B (POTS)	18 22%	65,106						
B 3 4 2 1	M&R-4	Local Interoffice Transport/Dispatch/FL(%)	DS1/DS3	33.27%	1,106	0 00%	2		0 33348	0 9977	YES
B 3 4.2 2	M&R-4	Local Interoffice Transport/Non-Dispatch/FL(%)	DS1/DS3	29 43%	717	0 00%	7		0 17308	1 7002	YES

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
B.3.4.3.1	M&R-4	Loop + Port Combinations/Dispatch/FL(%)		R&B	20.32%	130,195	18.59%	1,920		0.00925	1.8712	YES
B.3.4.3.2	M&R-4	Loop + Port Combinations/Non-Dispatch/FL(%)		R&B	18.17%	66,128	16.16%	662		0.01506	1.3320	YES
B.3.4.4.1	M&R-4	Combo Other/Dispatch/FL(%)		R&B&D - Disp	20.75%	133,301	41.94%	31		0.07284	-2.9082	NO
B.3.4.4.2	M&R-4	Combo Other/Non-Dispatch/FL(%)		R&B&D - Disp	20.75%	133,301	28.57%	7		0.15328	-0.5102	YES
B.3.4.5.1	M&R-4	xDSL (ADSL, HDSL and UCL)/Dispatch/FL(%)		ADSL to Retail	48.81%	1,598	26.32%	57		0.06738	3.3388	YES
B.3.4.5.2	M&R-4	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL(%)		ADSL to Retail	40.08%	4,222	26.32%	19		0.11268	1.2212	YES
B.3.4.6.1	M&R-4	UNE ISDN/Dispatch/FL(%)		ISDN - BRI	25.17%	302	32.26%	124		0.04629	-1.5323	YES
B.3.4.6.2	M&R-4	UNE ISDN/Non-Dispatch/FL(%)		ISDN - BRI	33.43%	350	23.21%	56		0.06790	1.5044	YES
B.3.4.7.1	M&R-4	Line Sharing/Dispatch/FL(%)		ADSL to Retail	48.81%	1,598	25.00%	8		0.17717	1.3440	YES
B.3.4.7.2	M&R-4	Line Sharing/Non-Dispatch/FL(%)		ADSL to Retail	40.08%	4,222	55.00%	20		0.10984	-1.3587	YES
B.3.4.8.1	M&R-4	2W Analog Loop Design/Dispatch/FL(%)		R&B - Disp	20.32%	130,195	19.48%	1,150		0.01192	0.7103	YES
B.3.4.8.2	M&R-4	2W Analog Loop Design/Non-Dispatch/FL(%)		R&B - Disp	20.32%	130,195	16.86%	172		0.03070	1.1283	YES
B.3.4.9.1	M&R-4	2W Analog Loop Non-Design/Dispatch/FL(%)		R&B (POTS) excl SB FT	20.37%	127,782	14.09%	788		0.01439	4.3633	YES
B.3.4.9.2	M&R-4	2W Analog Loop Non-Design/Non-Dispatch/FL(%)		R&B (POTS) excl SB FT	18.06%	55,847	16.67%	36		0.06414	0.2175	YES
B.3.4.10.1	M&R-4	Other Design/Dispatch/FL(%)		Design	37.54%	3,508	0.00%	11		0.14623	2.5674	YES
B.3.4.10.2	M&R-4	Other Design/Non-Dispatch/FL(%)		Design	36.66%	3,578	45.45%	11		0.14465	-0.6770	YES
B.3.4.11.1	M&R-4	Other Non-Design/Dispatch/FL(%)		R&B	20.32%	130,195	14.93%	67		0.04918	1.0980	YES
B.3.4.11.2	M&R-4	Other Non-Design/Non-Dispatch/FL(%)		R&B	18.17%	66,128	8.89%	45		0.05760	1.6140	YES
B.3.4.12.1	M&R-4	LNP (Standalone)/Dispatch/FL(%)		R&B (POTS)	20.39%	128,184						
B.3.4.12.2	M&R-4	LNP (Standalone)/Non-Dispatch/FL(%)		R&B (POTS)	18.22%	65,106						
		Out of Service > 24 hours										
B.3.5.1.1	M&R-5	Switch Ports/Dispatch/FL(%)		R&B (POTS)	32.72%	88,307						
B.3.5.1.2	M&R-5	Switch Ports/Non-Dispatch/FL(%)		R&B (POTS)	15.68%	22,689						
B.3.5.2.1	M&R-5	Local Interoffice Transport/Dispatch/FL(%)		DS1/DS3	0.36%	1,106	0.00%	2		0.04249	0.0851	YES
B.3.5.2.2	M&R-5	Local Interoffice Transport/Non-Dispatch/FL(%)		DS1/DS3	0.00%	717	0.00%	7		0.00000		YES
B.3.5.3.1	M&R-5	Loop + Port Combinations/Dispatch/FL(%)		R&B	32.64%	89,684	24.77%	1,316		0.01302	6.0399	YES
B.3.5.3.2	M&R-5	Loop + Port Combinations/Non-Dispatch/FL(%)		R&B	15.54%	23,116	11.08%	352		0.01946	2.2921	YES
B.3.5.4.1	M&R-5	Combo Other/Dispatch/FL(%)		R&B&D - Disp	31.56%	93,121	0.00%	31		0.08349	3.7805	YES
B.3.5.4.2	M&R-5	Combo Other/Non-Dispatch/FL(%)		R&B&D - Disp	31.56%	93,121	0.00%	7		0.17567	1.7967	YES
B.3.5.5.1	M&R-5	xDSL (ADSL, HDSL and UCL)/Dispatch/FL(%)		ADSL to Retail	61.08%	1,598	5.26%	57		0.06572	8.4922	YES
B.3.5.5.2	M&R-5	xDSL (ADSL, HDSL and UCL)/Non-Dispatch/FL(%)		ADSL to Retail	4.31%	4,222	0.00%	19		0.04670	0.9231	YES
B.3.5.6.1	M&R-5	UNE ISDN/Dispatch/FL(%)		ISDN - BRI	6.29%	302	6.45%	124		0.02590	-0.0619	YES
B.3.5.6.2	M&R-5	UNE ISDN/Non-Dispatch/FL(%)		ISDN - BRI	2.87%	349	0.00%	56		0.02402	1.1931	YES
B.3.5.7.1	M&R-5	Line Sharing/Dispatch/FL(%)		ADSL to Retail	61.08%	1,598	50.00%	2		0.34498	0.3211	YES
B.3.5.7.2	M&R-5	Line Sharing/Non-Dispatch/FL(%)		ADSL to Retail	4.31%	4,222	0.00%	0				YES
B.3.5.8.1	M&R-5	2W Analog Loop Design/Dispatch/FL(%)		R&B - Disp	32.64%	89,684	4.61%	1,150		0.01391	20.1418	YES
B.3.5.8.2	M&R-5	2W Analog Loop Design/Non-Dispatch/FL(%)		R&B - Disp	32.64%	89,684	0.58%	172		0.03579	8.9572	YES
B.3.5.9.1	M&R-5	2W Analog Loop Non-Design/Dispatch/FL(%)		R&B (POTS) excl SB FT	32.72%	88,236	13.35%	442		0.02237	8.6573	YES
B.3.5.9.2	M&R-5	2W Analog Loop Non-Design/Non-Dispatch/FL(%)		R&B (POTS) excl SB FT	15.70%	22,494	8.70%	23		0.07589	0.9228	YES
B.3.5.10.1	M&R-5	Other Design/Dispatch/FL(%)		Design	4.13%	3,508	9.09%	11		0.06011	-0.8247	YES
B.3.5.10.2	M&R-5	Other Design/Non-Dispatch/FL(%)		Design	1.37%	3,577	9.09%	11		0.03510	-2.1997	NO
B.3.5.11.1	M&R-5	Other Non-Design/Dispatch/FL(%)		R&B	32.64%	89,684	25.00%	24		0.09572	0.7977	YES
B.3.5.11.2	M&R-5	Other Non-Design/Non-Dispatch/FL(%)		R&B	15.54%	23,116	0.00%	29		0.06732	2.3084	YES
B.3.5.12.1	M&R-5	LNP (Standalone)/Dispatch/FL(%)		R&B (POTS)	32.72%	88,307						
B.3.5.12.2	M&R-5	LNP (Standalone)/Non-Dispatch/FL(%)		R&B (POTS)	15.68%	22,689						
		Unbundled Network Elements - Billing										
		Invoice Accuracy										
B.4.1	B-1	FL(%)		BST - State	98.61%	$499,536,508	99.59%	$5,707,952		0.00005	-199.0510	YES
		Mean Time to Deliver Invoices - CRIS										
B.4.2	B-2	Region(business days)		BST - Region	4.35	1	3.74	1,300				YES

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Local Interconnection Trunks - Ordering											
	% Rejected Service Requests											
C 1.1	O-7	Local Interconnection Trunks/FL(%)		Diagnostic			55 88%	102				Diagnostic
	Reject Interval											
C 1.2	O-8	Local Interconnection Trunks/FL(%)		>= 85% w in 4 days			82 46%	57				NO
	FOC Timeliness											
C.1.3	O-9	Local Interconnection Trunks/FL(%)		>= 95% w in 10 days			100 00%	124				YES
	FOC & Reject Response Completeness											
C.1.4	O-11	Local Interconnection Trunks/FL(%)		>= 95%			96.60%	87				YES
	FOC & Reject Response Completeness (Multiple Responses)											
C.1.5	O-11	Local Interconnection Trunks/FL(%)		>= 95%								
	Local Interconnection Trunks - Provisioning											
	Order Completion Interval											
C 2 1	P-4	Local Interconnection Trunks/FL(days)		Parity w Retail	17 62	39	27 93	28	9 466	2 34480	-4 3983	NO
	Held Orders											
C.2.2	P-1	Local Interconnection Trunks/FL(days)		Parity w Retail	0 00	0	0 00	0				YES
	% Jeopardies											
C.2 3	P-2	Local Interconnection Trunks/FL(%)		Parity w Retail	0 00%	62	0 00%	32		0 00000		YES
	Average Jeopardy Notice Interval											
C.2.4	P-2	Local Interconnection Trunks/FL(hours)		95% >= 48 hrs								
	% Missed Installation Appointments											
C.2.5	P-3	Local Interconnection Trunks/FL(%)		Parity w Retail	0 00%	39	0 00%	28		0 00000		YES
	% Provisioning Troubles within 30 Days											
C 2 6	P-9	Local Interconnection Trunks/FL(%)		Parity w Retail	0.00%	1,249	0 00%	1,323		0 00000		YES
	Average Completion Notice Interval											
C.2 7	P-5	Local Interconnection Trunks/FL(hours)		Parity w Retail	80 02	16	14 09	17	153 004	53 29373	1 2372	YES
	Total Service Order Cycle Time											
C.2.8	P-10	Local Interconnection Trunks/FL(days)		Diagnostic								
	Total Service Order Cycle Time (offered)											
C 2.9	P-10	Local Interconnection Trunks/FL(days)		Diagnostic								
	% Completions w/o Notice or < 24 hours											
C.2 10 1	P-6	Local Interconnection Trunks/Dispatch/FL(%)		Diagnostic			100 00%	28				Diagnostic
C.2.10.2	P-6	Local Interconnection Trunks/Non-Dispatch/FL(%)		Diagnostic								Diagnostic
	Service Order Accuracy											
C.2 11 1 1	P-11	Local Interconnection Trunks/<10 circuits/Dispatch/FL(%)		>= 95%			100 00%	16				YES
C 2 11.1.2	P-11	Local Interconnection Trunks/<10 circuits/Non-Dispatch/FL(%)		>= 95%			100.00%	8				YES
C.2 11.2.1	P-11	Local Interconnection Trunks/>=10 circuits/Dispatch/FL(%)		>= 95%			100 00%	8				YES
C.2.11.2.2	P-11	Local Interconnection Trunks/>=10 circuits/Non-Dispatch/FL(%)		>= 95%			100 00%	26				YES
	Local Interconnection Trunks - Maintenance and Repair											
	Missed Repair Appointments											
C 3 1 1	M&R-1	Local Interconnection Trunks/Dispatch/FL(%)		Parity w Retail	0 00%	1	0 00%	1		0 00000		YES
C 3 1.2	M&R-1	Local Interconnection Trunks/Non-Dispatch/FL(%)		Parity w Retail	0 00%	84	0 00%	119		0 00000		YES
	Customer Trouble Report Rate											
C 3 2 1	M&R-2	Local Interconnection Trunks/Dispatch/FL(%)		Parity w Retail	0 00%	396,275	0 00%	139,052		0 00000	-0 9428	YES
C.3 2 2	M&R-2	Local Interconnection Trunks/Non-Dispatch/FL(%)		Parity w Retail	0 02%	396,275	0 09%	139,052		0 00005	14 1873	NO

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Maintenance Average Duration											
C.3.3.1	M&R-3	Local Interconnection Trunks/Dispatch/FL(hours)		Parity w Retail	0.95	1	1.10	1	0.000	0.00000		NO
C.3.3.2	M&R-3	Local Interconnection Trunks/Non-Dispatch/FL(hours)		Parity w Retail	0.52	84	0.07	119	1.320	0.18811	2.4112	YES
	% Repeat Troubles within 30 Days											
C.3.4.1	M&R-4	Local Interconnection Trunks/Dispatch/FL(%)		Parity w Retail	0.00%	1	0.00%	1		0.00000		YES
C.3.4.2	M&R-4	Local Interconnection Trunks/Non-Dispatch/FL(%)		Parity w Retail	28.57%	84	1.68%	119		0.06438	4.1770	YES
	Out of Service > 24 hours											
C.3.5.1	M&R-5	Local Interconnection Trunks/Dispatch/FL(%)		Parity w Retail	0.00%	1	0.00%	1		0.00000		YES
C.3.5.2	M&R-5	Local Interconnection Trunks/Non-Dispatch/FL(%)		Parity w Retail	0.00%	84	0.00%	119		0.00000		YES
	Local Interconnection Trunks - Billing											
	Invoice Accuracy											
C.4.1	B-1	FL(%)		BST - State	98.61%	$499,536,508	98.17%	$8,489,682		0.00004	108.3440	NO
	Mean Time to Deliver Invoices - CABS											
C.4.2	B-2	Region(calendar days)		BST - Region	4.79	1	4.43	3,457				YES
	LOCAL INTERCONNECTION TRUNKS - TRUNK BLOCKING											
	Trunk Group Performance - Aggregate											
C.5.1	TGP-1	FL		>0.5% dif 2 consec. Hrs			0					YES

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Operations Support Systems - Pre-Ordering											
	% Interface Availability - CLEC											
D.1.1.1	OSS-2	EDI/Region(%)		>= 99.5%			100.00%					YES
D.1.1.2	OSS-2	HAL/Region(%)		>= 99.5%			100.00%					YES
D.1.1.3	OSS-2	LENS/Region(%)		>= 99.5%			99.88%					YES
D.1.1.4	OSS-2	LEO MAINFRAME/Region(%)		>= 99.5%			100.00%					YES
D.1.1.5	OSS-2	LEO UNIX/Region(%)		>= 99.5%								
D.1.1.6	OSS-2	LESOG/Region(%)		>= 99.5%			100.00%					YES
D.1.1.7	OSS-2	TAG/Region(%)		>= 99.5%			99.96%					YES
D.1.1.8	OSS-2	PSIMS/Region(%)		>= 99.5%			100.00%					YES
	% Interface Availability - BST & CLEC											
D.1.2.1	OSS-2	ATLAS/COFFI/Region(%)		>= 99.5%			99.92%					YES
D.1.2.2	OSS-2	BOCRIS/Region(%)		>= 99.5%			99.92%					YES
D.1.2.3	OSS-2	DSAP/Region(%)		>= 99.5%			99.94%					YES
D.1.2.4	OSS-2	RSAG/Region(%)		>= 99.5%			99.90%					YES
D.1.2.5	OSS-2	SOCS/Region(%)		>= 99.5%			99.92%					YES
D.1.2.6	OSS-2	SONGS/Region(%)		>= 99.5%			99.92%					YES
D.1.2.7	OSS-2	DOE/Region(%)		>= 99.5%			100.00%					YES
D.1.2.8	OSS-2	LNP Gateway/Region(%)		>= 99.5%			99.93%					YES
D.1.2.9	OSS-2	COG/Region(%)		>= 99.5%			100.00%					YES
D.1.2.10	OSS-2	DOM/Region(%)		>= 99.5%			100.00%					YES
D.1.2.11	OSS-2	SOG/Region(%)		>= 99.5%			100.00%					YES
	Average Response Interval - CLEC (LENS) *(BST Measure Includes Additional 2 Seconds)*											
D.1.3.1.1	OSS-1	RSAG, by TN/Region (seconds)		RNS - RSAG, by TN + 2 Sec	2.86	2,521,984	1.52	274,584				YES
D.1.3.1.2	OSS-1	RSAG, by TN/Region (seconds)		ROS - RSAG, by TN + 2 Sec	3.17	6,295	1.52	274,584				YES
D.1.3.2.1	OSS-1	RSAG, by ADDR/Region (seconds)		RNS - RSAG, by ADDR + 2 Sec	2.94	7,494,181	1.34	201,016				YES
D.1.3.2.2	OSS-1	RSAG, by ADDR/Region (seconds)		ROS - RSAG, by ADDR + 2 Sec	5.35	603,369	1.34	201,016				YES
D.1.3.3.1	OSS-1	ATLAS/Region (seconds)		RNS - ATLAS + 2 Sec	2.95	660,511	0.97	78,562				YES
D.1.3.3.2	OSS-1	ATLAS/Region (seconds)		ROS - ATLAS + 2 Sec	2.63	246,979	0.97	78,562				YES
D.1.3.4.1	OSS-1	DSAP/Region (seconds)		RNS - DSAP + 2 Sec	2.74	1,192,936	0.69	2,310				YES
D.1.3.4.2	OSS-1	DSAP/Region (seconds)		ROS - DSAP + 2 Sec	2.65	276,940	0.69	2,310				YES
D.1.3.5.1	OSS-1	CRSECSRL/Region (seconds)		RNS - CRSACCTS + 2 Sec	3.43	4,241,777	1.29	979,115				YES
D.1.3.5.2	OSS-1	CRSECSRL/Region (seconds)		ROS - CRSOCSR + 2 Sec	3.10	442,287	1.29	979,115				YES
D.1.3.6.1	OSS-1	COFFI/USOC/Region (seconds)		RNS - OASISBIG + 2 Sec	4.51	8,821,300	0.75	38,316				YES
D.1.3.6.2	OSS-1	COFFI/USOC/Region (seconds)		ROS - OASISBIG + 2 Sec	4.46	565,533	0.75	38,316				YES
D.1.3.7.1	OSS-1	PSIMS/ORB/Region (seconds)		RNS - OASISBIG + 2 Sec	4.51	8,821,300	0.04	75,609				YES
D.1.3.7.2	OSS-1	PSIMS/ORB/Region (seconds)		ROS - OASISBIG + 2 Sec	4.48	565,533	0.04	75,609				YES
	Average Response Interval - CLEC (TAG) *(BST Measure Includes Additional 2 Seconds)*											
D.1.4.1.1	OSS-1	RSAG, by TN/Region (seconds)		RNS - RSAG, by TN + 2 Sec	2.86	2,521,984	1.44	233,416				YES
D.1.4.1.2	OSS-1	RSAG, by TN/Region (seconds)		ROS - RSAG, by TN + 2 Sec	3.17	6,295	1.44	233,416				YES
D.1.4.2.1	OSS-1	RSAG, by ADDR/Region (seconds)		RNS - RSAG, by ADDR + 2 Sec	2.94	7,494,181	1.75	41,368				YES
D.1.4.2.2	OSS-1	RSAG, by ADDR/Region (seconds)		ROS - RSAG, by ADDR + 2 Sec	5.35	603,369	1.75	41,368				YES
D.1.4.3.1	OSS-1	ATLAS - MLH/Region (seconds)		Diagnostic								Diagnostic
D.1.4.3.2	OSS-1	ATLAS - MLH/Region (seconds)		Diagnostic								Diagnostic
D.1.4.4.1	OSS-1	ATLAS - DID/Region (seconds)		Diagnostic			8.03	1				Diagnostic
D.1.4.4.2	OSS-1	ATLAS - DID/Region (seconds)		Diagnostic			8.03	1				Diagnostic
D.1.4.5.1	OSS-1	ATLAS - TN/Region (seconds)		RNS - ATLAS - TN + 2 Sec	2.95	660,511	1.70	7,185				YES
D.1.4.5.2	OSS-1	ATLAS - TN/Region (seconds)		ROS - ATLAS - TN + 2 Sec	2.63	246,979	1.70	7,185				YES
D.1.4.6.1	OSS-1	DSAP/Region (seconds)		RNS - DSAP + 2 Sec	2.74	1,192,936	2.06	56,909				YES
D.1.4.6.2	OSS-1	DSAP/Region (seconds)		ROS - DSAP + 2 Sec	2.65	276,940	2.06	56,909				YES
D.1.4.7.1	OSS-1	HAL/CRIS/Region (seconds)		RNS - CRSACCTS + 2 Sec	3.43	4,241,777	2.62	93,520				YES
D.1.4.7.2	OSS-1	HAL/CRIS/Region (seconds)		ROS - CRSOCSR + 2 Sec	3.10	442,287	2.62	93,520				YES
D.1.4.8.1	OSS-1	CRSEINT/Region(seconds)		RNS - CRSACCTS + 2 sec								
D.1.4.8.2	OSS-1	CRSEINT/Region(seconds)		ROS - CRSOCSR + 2 sec								
D.1.4.9.1	OSS-1	CRSECSRL/Region(seconds)		RNS - CRSACCTS + 2 sec								
D.1.4.9.2	OSS-1	CRSECSRL/Region(seconds)		ROS - CRSOCSR + 2 sec								

This data not applicable after 8-1-2001, see D.1.4.7.1

This data not applicable after 8-1-2001, see D.1.4.7.2

This data not applicable after 7-1-2001; see D.1.4.7.1

This data not applicable after 7-1-2001; see D.1.4.7.2

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Operations Support Systems - Maintenance and Repair										
	% Interface Availability - BST										
D.2.1.1	OSS-3	TAFI/Region(%)	>= 99.5%	100.00%							YES
	% Interface Availability - CLEC										
D.2.2.1	OSS-3	CLEC TAFI/Region(%)	>= 99.5%			100.00%					YES
D.2.2.2	OSS-3	ECTA/Region(%)	>= 99.5%			100.00%					YES
	% Interface Availability - BST & CLEC										
D.2.3.1	OSS-3	CRIS/Region(%)	>= 99.5%			99.92%					YES
D.2.3.2	OSS-3	LMOS HOST/Region(%)	>= 99.5%			99.97%					YES
D.2.3.3	OSS-3	LNP/Region(%)	>= 99.5%			100.00%					YES
D.2.3.4	OSS-3	MARCH/Region(%)	>= 99.5%			99.98%					YES
D.2.3.5	OSS-3	OSPCM/Region(%)	>= 99.5%			100.00%					YES
D.2.3.6	OSS-3	Predictor/Region(%)	>= 99.5%			100.00%					YES
D.2.3.7	OSS-3	SOCS/Region(%)	>= 99.5%			99.92%					YES
	Average Response Interval										
D.2.4.1.1	OSS-4	CRIS/Region(%) <= 4 Seconds	Parity w Retail	96.22%	1,760,653	95.27%	91,954		0.00065	14.6787	NO
D.2.4.1.2	OSS-4	CRIS/Region(%) <= 10 Seconds	Parity w Retail	99.02%	1,760,653	99.38%	91,954		0.00033	-10.2612	YES
D.2.4.1.3	OSS-4	CRIS/Region(%) > 10 Seconds	Parity w Retail	0.98%	1,760,653	0.64%	91,954		0.00033	10.2612	YES
D.2.4.2.1	OSS-4	DLETH/Region(%) <= 4 Seconds	Parity w Retail	10.68%	50,395	9.30%	785		0.01111	1.2408	YES
D.2.4.2.2	OSS-4	DLETH/Region(%) <= 10 Seconds	Parity w Retail	81.70%	50,395	84.97%	785		0.01391	-2.3468	YES
D.2.4.2.3	OSS-4	DLETH/Region(%) > 10 Seconds	Parity w Retail	18.30%	50,395	15.03%	785		0.01391	2.3468	YES
D.2.4.3.1	OSS-4	DLR/Region(%) <= 4 Seconds	Parity w Retail	6.60%	31,065	18.01%	33,356		0.00196	-58.2862	YES
D.2.4.3.2	OSS-4	DLR/Region(%) <= 10 Seconds	Parity w Retail	88.70%	31,065	95.12%	33,356		0.00250	-25.7146	YES
D.2.4.3.3	OSS-4	DLR/Region(%) > 10 Seconds	Parity w Retail	11.30%	31,065	4.88%	33,356		0.00250	25.7146	YES
D.2.4.4.1	OSS-4	LMOS/Region(%) <= 4 Seconds	Parity w Retail	99.65%	1,760,611	98.77%	92,723		0.00020	44.5473	NO
D.2.4.4.2	OSS-4	LMOS/Region(%) <= 10 Seconds	Parity w Retail	99.79%	1,760,611	99.53%	92,723		0.00016	16.1364	NO
D.2.4.4.3	OSS-4	LMOS/Region(%) > 10 Seconds	Parity w Retail	0.21%	1,760,611	0.47%	92,723		0.00016	-16.1364	NO
D.2.4.5.1	OSS-4	LMOSupd/Region(%) <= 4 Seconds	Parity w Retail	97.95%	1,320,389	95.50%	56,173		0.00061	40.0028	NO
D.2.4.5.2	OSS-4	LMOSupd/Region(%) <= 10 Seconds	Parity w Retail	99.84%	1,320,389	98.29%	56,173		0.00017	88.5141	NO
D.2.4.5.3	OSS-4	LMOSupd/Region(%) > 10 Seconds	Parity w Retail	0.16%	1,320,389	1.71%	56,173		0.00017	-88.5141	NO
D.2.4.6.1	OSS-4	LNP/Region(%) <= 4 Seconds	Parity w Retail	99.78%	125,274	99.74%	5,722		0.00063	0.6738	YES
D.2.4.6.2	OSS-4	LNP/Region(%) <= 10 Seconds	Parity w Retail	99.92%	125,274	99.83%	5,722		0.00038	2.5542	NO
D.2.4.6.3	OSS-4	LNP/Region(%) > 10 Seconds	Parity w Retail	0.08%	125,274	0.17%	5,722		0.00038	-2.5542	NO
D.2.4.7.1	OSS-4	MARCH/Region(%) <= 4 Seconds	Parity w Retail	32.36%	7,535	29.40%	364		0.02511	1.1790	YES
D.2.4.7.2	OSS-4	MARCH/Region(%) <= 10 Seconds	Parity w Retail	32.36%	7,535	29.40%	364		0.02511	1.1790	YES
D.2.4.7.3	OSS-4	MARCH/Region(%) > 10 Seconds	Parity w Retail	67.64%	7,535	70.60%	364		0.02511	-1.1790	YES
D.2.4.8.1	OSS-4	OSPCM/Region(%) <= 4 Seconds	Parity w Retail	42.76%	6,995	44.19%	86		0.05367	-0.2658	YES
D.2.4.8.2	OSS-4	OSPCM/Region(%) <= 10 Seconds	Parity w Retail	97.18%	6,995	94.19%	86		0.01795	1.6701	NO
D.2.4.8.3	OSS-4	OSPCM/Region(%) > 10 Seconds	Parity w Retail	2.82%	6,995	5.81%	86		0.01795	-1.6701	NO
D.2.4.9.1	OSS-4	Predictor/Region(%) <= 4 Seconds	Parity w Retail	19.22%	67,552	27.41%	3,678		0.00667	-12.2636	YES
D.2.4.9.2	OSS-4	Predictor/Region(%) <= 10 Seconds	Parity w Retail	19.22%	67,552	27.41%	3,678		0.00667	-12.2636	YES
D.2.4.9.3	OSS-4	Predictor/Region(%) > 10 Seconds	Parity w Retail	80.78%	67,552	72.59%	3,678		0.00667	12.2636	YES
D.2.4.10.1	OSS-4	SOCS/Region(%) <= 4 Seconds	Parity w Retail	99.85%	239,252	99.89%	14,802		0.00033	-1.2908	YES
D.2.4.10.2	OSS-4	SOCS/Region(%) <= 10 Seconds	Parity w Retail	99.98%	239,252	99.99%	14,802		0.00013	-0.7889	YES
D.2.4.10.3	OSS-4	SOCS/Region(%) > 10 Seconds	Parity w Retail	0.02%	239,252	0.01%	14,802		0.00013	0.7889	YES
D.2.4.11.1	OSS-4	NIW/Region(%) <= 4 Seconds	Parity w Retail	75.21%	66,851	74.39%	3,655		0.00734	1.1129	YES
D.2.4.11.2	OSS-4	NIW/Region(%) <= 10 Seconds	Parity w Retail	98.81%	66,851	98.96%	3,655		0.00184	-0.7968	YES
D.2.4.11.3	OSS-4	NIW/Region(%) > 10 Seconds	Parity w Retail	1.19%	66,851	1.04%	3,655		0.00184	0.7968	YES

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	COLLOCATION - Collocation										
	Average Response Time										
E 1.1.1	C-1	Virtual/FL (calendar days)	<= 15 days			8	4				YES
E 1.1.2	C-1	Physical-Caged/FL (calendar days)	<= 15 days			5	13				YES
E.1.1.3	C-1	Physical-Cageless/FL (calendar days)	<= 15 days			9	22				YES
	Average Arrangement Time										
E.1.2.1	C-2	Virtual/FL (calendar days)	<= 60 days								
E 1.2.2	C-2	Virtual-Augments/FL (calendar days)	<= 60 days			6	3				YES
E 1.2.3	C-2	Virtual-Augments - Additional Space Required/FL (calendar days)	<= 60 days								
E 1.2.4	C-2	Physical Caged-Ordinary/FL (calendar days)	<= 90 days			60	2				YES
E 1.2.5	C-2	Physical Caged-Augments/FL (calendar days)	<= 45 days			26	17				YES
E.1.2.6	C-2	Physical Caged-Augments - Additional Space Required/FL (calendar days)	<= 90 days								
E.1.2.7	C-2	Physical Cageless/FL (calendar days)	<= 90 days			56	6				YES
E 1.2.8	C-2	Physical Cageless-Augments/FL (calendar days)	<= 45 days			28	15				YES
E.1.2.9	C-2	Physical Cageless-Augments - Additional Space Required/FL (calendar days)	<= 90 days								
	% Due Dates Missed										
E 1.3.1	C-3	Virtual/FL (%)	< 5% missed			0 00%	3				YES
E.1.3.2	C-3	Physical/FL (%)	< 5% missed			0 00%	40				YES

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	General - Flow Through											
	% Flow Through Service Requests											
F.1.1.1	O-3	Summary/Region(%)		Diagnostic			86 82%	236,181				Diagnostic
F 1 1 2	O-3	Aggregate/Region(%)		Diagnostic			86 82%	236,181				Diagnostic
F 1 1.3	O-3	Residence/Region(%)		>= 95%			90 39%	165,598				NO
F.1 1 4	O-3	Business/Region(%)		>= 90%			68 47%	5,636				NO
F 1 1.5	O-3	UNE/Region(%)		>= 85%			79 33%	64,940				NO
	% Flow Through Service Requests - Achieved											
F 2 1	O-3	Summary/Region(%)		Diagnostic			77 69%	263,262				Diagnostic
F .2 2	O-3	Aggregate/Region(%)		Diagnostic			77 69%	263,262				Diagnostic
F. 2.3	O-3	Residence/Region(%)		Diagnostic			82 49%	181,451				Diagnostic
F 2.4	O-3	Business/Region(%)		Diagnostic			50 03%	7,714				Diagnostic
F 2.5	O-3	UNE/Region(%)		Diagnostic			68 82%	74,097				Diagnostic
	% Flow Through Service Requests - LNP											
F .3 1	O-3	Summary/Region(%)		>= 85%			86 96%	4,647				YES
F. 3.2	O-3	Aggregate/Region(%)		>= 85%			86.96%	4,647				YES
F.1 3.3	O-3	Residence/Region(%)		Diagnostic								Diagnostic
F.1.3.4	O-3	Business/Region(%)		Diagnostic								Diagnostic
	General											
	Loop Makeup Inquiry (Manual)											
F.2.1	PO-1	Loops/FL(%)		>= 95% w in 3 bus days			95 35%	43				YES
	Loop Makeup Inquiry (Electronic)											
F.2 2	PO-2	Loops/FL(%)		>= 96% w in 1 min			98 70%	1,230				YES
	General - Ordering											
	Service Inquiry with Firm Order											
F 3.1 1	O-10	xDSL (ADSL, HDSL and UCL)/FL(%)		>= 95% w in 5 bus days			94 83%	116				NO
F.3.1.2	O-10	Local Interoffice Transport/FL(%)		>= 96% w in 5 bus days			100 00%	2				YES
	General - Ordering											
	Average Speed of Answer											
F 4.1	O-12	Region(seconds)		Parity w Retail	178 20	6,077,324	22 12	40,881				YES
	General - Maintenance Center											
	Average Answer Time											
F.5.1	M&R-6	Region(seconds)		Parity w Retail	82 14	2,175,215	27 35	82,158				YES
	General - Operator Services (Toll)											
	Average Speed to Answer											
F 6.1	OS-1	FL(seconds)		PBD			4 99					PBD
	% Answered in 30 seconds											
F 6 2	OS-2	FL (%)		PBD			96 60%					PBD
	General - Directory Assistance											
	Average Speed to Answer											
F 7 1	DA-1	FL(seconds)		PBD			5 16					PBD
	% Answered in 20 seconds											

BellSouth Monthly State Summary

Florida, September 2001

				Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
F 7.2	DA-2	FL (%)		PBD			96 40%					PBD
	General - E911											
	Mean Interval											
F.8.1	E-3	FL(hours)		PBD			1 17	1,139				PBD
	% Accuracy											
F.8.2	E-2	FL(%)		PBD			94 89%	563,849				PBD
	% Timeliness											
F.8.3	E-1	FL(%)		PBD			100 00%	1,139				PBD
	General - Billing											
	Usage Data Delivery Accuracy											
F.9.1	B-3	Region(%)		Parity w Retail	99 88%	4,197	100 00%	15,090		0 00060	-1 9790	YES
	Usage Data Delivery Timeliness											
F.9.2	B-5	Region(%)		Parity w Retail	97 37%	30,110	98 48%	239,167,648		0 00092	-12 0158	YES
	Usage Data Delivery Completeness											
F.9.3	B-4	Region(%)		Parity w Retail	99 12%	30,110	99 78%	239,167,648		0 00054	-12 1711	YES
	Mean Time to Deliver Usage											
F 9 4	B-6	Region(days)		Parity w Retail	3 77	30,110	3 07	239,167,648				YES
	Recurring Charge Completeness											
F.9.5.1	B-7	Resale/FL(%)		Parity w Retail	81 48%	$20,892,294	98 15%	$1,029,727		0 00091	-182 9656	YES
F 9.5 2	B-7	UNE/FL(%)		>= 90%			88 34%	$505,125				NO
F.9.5.3	B-7	Interconnection/FL(%)		>= 90%			36 01%	$243,831				NO
	Non-Recurring Charge Completeness											
F 9.6 1	B-8	Resale/FL(%)		Parity w Retail	92 12%	$24,113,521	98 93%	$906,952		0 00103	-66 2570	YES
F 9 6.2	B-8	UNE/FL(%)		>= 90%			98 88%	$1,786,860				YES
F.9.6.3	B-8	Interconnection/FL(%)		>= 90%			87 61%	$873,875				NO
	General - Change Management											
	% Software Release Notices Sent On Time											
F.10 1	CM-1	FL(%)		>= 98% w in 30 days			100.00%	2				YES
	Average Software Release Notice Delay Days											
F 10.2	CM-2	FL(average)		>= 25 days prior to release								
	% Change Management Documentation Sent On Time											
F.10.3	CM-3	FL(%)		>= 98% w in 30 days								
	Average Documentation Release Delay Days											
F.10.5	CM-4	FL(average)		>= 25 days prior to release								
	% CLEC Interface Outages Sent within 15 Minutes											
F.10.6	CM-5	FL(%)		>= 97% w in 15 min			100 00%	24				YES
	General - New Business Requests											
	% New Business Requests Processed within 30 Business Days											
F.11.1	BFR-1	Region(%)		>= 90% w in 30 bus days			100 00%	11				YES
	% Quotes Provided within X Business Days											
F 11 2 1	BFR-2A	Region(%)		>= 90% w in 10 bus days			42 86%	7				NO
F.11 2 2	BFR-2B	Region(%)		>= 90% w in 30 bus days								
F.11 2 3	BFR-2C	Region(%)		>= 90% w in 60 bus days								
	General - Ordering											

BellSouth Monthly State Summary

Florida, September 2001

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Acknowledgement Message Timeliness										
F.12.1.1	O-1	EDI/Region(%)	>= 95% w in 30 min			99.99%	67,850				YES
F.12.1.2	O-1	TAG/Region(%)	>= 95% w in 30 min			100.00%	167,159				YES
	Acknowledgement Message Completeness										
F.12.2.1	O-2	EDI/Region(%)	100%			100.00%	67,850				NO
F.12.2.2	O-2	TAG/Region(%)	100%			100.00%	167,159				NO
	General - Database Updates										
	Average Database Update Interval										
F.13.1.1	D-1	LIDB/FL(hours)	PBD	0.26	19	0.26	19				PBD
F.13.1.2	D-1	Directory Listings/FL(hours)	PBD	0.09	25	0.09	25				PBD
F.13.1.3	D-1	Directory Assistance/FL(hours)	PBD	4.16	25	4.16	25				PBD
	% Update Accuracy										
F.13.2.1	D-2	LIDB/FL(%)	>= 95%			86.78%	174				NO
F.13.2.2	D-2	Directory Listings/FL(%)	>= 95%			74.16%	89				NO
F.13.2.3	D-2	Directory Assistance/FL(%)	>= 95%			99.54%	218				YES
	% NXXs / LRNs Loaded by LERG Effective Date										
F.13.3	D-3	Region(%)	100%			97.50%	40				NO
	General - Network Outage Notification										
	Mean Time to Notify CLEC of Major Network Outages										
F.14.1	M&R-7	Region (minutes)	Parity w Retail	2,377	6	903	6				YES

BellSouth Monthly State Summary

Florida, September 2001

(Georgia Format)

			Benchmark / Analog	BST Measure	BST Volume	CLEC Measure	CLEC Volume	Standard Deviation	Standard Error	ZScore	Equity
	Collocation - Collocation										
	Average Response Time										
E.1.1.1	C-1	Virtual/FL (calendar days)	<= 20 days			8	4				YES
E.1.1.2	C-1	Physical/FL (calendar days)	<= 30 days			8	35				YES
	Average Arrangement Time										
E.1.2.1	C-2	Virtual/FL (calendar days)	<= 50 days			6	3				YES
E.1.2.2	C-2	Virtual (Extraordinary)/FL (calendar days)	<= 75 days								
E.1.2.3	C-2	Physical Caged/FL (calendar days)	<= 90 days			29	19				YES
E.1.2.4	C-2	Physical Caageless/FL (calendar days)	<= 60 days			36	21				YES
E.1.2.5	C-2	Physical Caageless (Extraordinary)/FL (calendar days)	<= 90 days								
	% Due Dates Missed										
E.1.3.1	C-3	Virtual/FL (%)	< 5% missed			0.00%	3				YES
E.1.3.2	C-3	Physical/FL (%)	< 5% missed			0.00%	40				YES

		PERCENT ACHIEVED FLOW-THROUGH	PERCENT FLOW THROUGH
REGION ALL SERVICES		77 71%	86 82%
		FLOW-THROUGH %	
REGION			
- RETAIL RESIDENCE		93.70%	
- RETAIL BUSINESS*		TBD	

***NOTE: BellSouth is reinstituting the reporting of business retail flow through as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flow through for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually. BellSouth has initiated the development of an accurate report and will reflect this measure as soon as its development is complete**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flo Through
#1		626	0	0	626	90	99	5	432	144	110	34	288	59.02%	66.67%	72 36%
#2		1317	0	0	1317	180	29	7	1101	203	181	22	898	71 33%	81 56%	83 23%
#3		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#4		2	0	0	2	0	0	0	2	2	0	2	0	0.00%	0.00%	0 00%
#5		5	0	0	5	3	0	0	2	0	0	0	2	40.00%	100 00%	100 00%
#6		58	0	0	58	0	10	0	48	11	10	1	37	78 72%	77 08%	78 72%
#7		473	0	0	473	63	34	1	375	57	41	16	318	75.36%	84 80%	88 58%
#8		0	0	10	10	2	2	0	6	3	2	1	3	42.86%	50 00%	60 00%
#9		47	0	0	47	7	1	1	38	18	13	5	20	50.00%	52 63%	60 61%
#10		282	0	0	282	110	28	5	139	45	28	17	94	40 52%	67 63%	77 05%
#11		65	0	0	65	8	13	1	43	14	11	3	29	60.42%	67 44%	72 50%
#12		304	0	0	304	15	19	1	269	23	17	6	246	88 49%	91 45%	93 54%
#13		0	358	0	515	99	51	4	361	128	104	24	233	53 44%	64.54%	69 14%
#14		963	0	0	963	190	70	15	688	304	236	68	384	47 41%	55 81%	61.94%
#15		0	17	0	18	1	6	0	11	9	5	4	2	25 00%	18 18%	28.57%
#16		367	0	0	367	61	52	8	246	53	32	21	193	67 48%	78 46%	85 78%
#17		78	0	0	78	15	15	1	47	11	7	4	36	62.07%	76.60%	83 72%
#18		0	0	42	42	6	18	2	16	4	3	1	12	57 14%	75.00%	80 00%
#19		33	0	0	33	4	4	1	24	8	3	5	16	69 57%	66 67%	84 21%
#20		0	110	0	111	13	24	0	74	10	7	3	64	76.19%	86 49%	90 14%
#21		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0.00%	0 00%
#22		848	0	0	848	78	94	4	672	46	32	14	626	85.05%	93 15%	95 14%
#23		0	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#24		0	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#25		0	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#26		17	0	0	87	5	9	0	73	8	7	1	65	84 42%	89 04%	90 28%
#27		527	0	0	527	15	32	0	480	49	31	18	431	90 36%	89 79%	93 29%
#28		493	0	0	493	33	15	2	443	11	7	4	432	91 53%	97 52%	98 41%
#29		0	5	0	5	2	1	0	2	0	0	0	2	50 00%	100 00%	100 00%
#30		1922	0	0	1922	126	161	10	1625	245	201	44	1380	80 84%	84 92%	87 29%
#31		0	621	0	621	55	82	3	481	230	190	40	251	50.60%	52 18%	56 92%
#32		1755	0	0	1755	135	198	11	1411	296	234	62	1115	75 13%	79 02%	82 65%
#33		407	0	0	407	66	41	25	275	127	64	63	148	53 24%	53 82%	69 81%
#34		115	0	0	115	12	13	1	89	9	8	1	80	80 00%	89 89%	90 91%
#35		47	0	0	47	2	1	1	43	4	3	1	39	88 64%	90 70%	92 86%
#36		23	0	0	23	7	2	1	13	1	0	1	12	63 16%	92 31%	100 00%
#37		316	0	0	316	19	25	0	272	18	17	1	254	87 59%	93 38%	93 73%
#38		76	0	0	76	2	12	1	61	4	2	2	57	93 44%	93 44%	96 61%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flo Through
#39		172	0	0	172	40	7	1	124	39	21	18	85	58 22%	68 55%	80 19%
#40		130	0	0	130	20	14	0	96	2	2	0	94	81 03%	97.92%	97 92%
#41		375	0	0	375	31	32	0	312	58	36	22	254	79 13%	81 41%	87 59%
#42		589	0	0	589	57	31	0	501	23	17	6	478	86 59%	95.41%	96.57%
#43		91	0	0	91	33	7	1	50	7	6	1	43	52 44%	86 00%	87 76%
#44		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100 00%	100 00%
#45		27891	0	0	27891	2459	2289	48	23095	1568	1364	204	21527	84 92%	93 21%	94 04%
#46		80	0	0	80	7	0	0	73	21	15	6	52	70.27%	71 23%	77 61%
#47		11	0	0	11	1	1	0	9	2	2	0	7	70 00%	77 78%	77 78%
#48		5	0	0	5	0	2	0	3	0	0	0	3	100 00%	100 00%	100 00%
#49		6	0	0	6	0	1	0	5	5	4	1	0	0 00%	0 00%	0 00%
#50		4743	0	0	4743	512	601	8	3622	297	235	62	3325	81 66%	91 80%	93 40%
#51		394	0	0	394	27	15	1	351	27	22	5	324	86.86%	92 31%	93 64%
#52		27	0	0	27	2	4	2	19	11	6	5	8	50 00%	42 11%	57 14%
#53		21	0	0	21	4	2	0	15	1	1	0	14	73.68%	93 33%	93 33%
#54		0	106	0	106	70	9	0	27	8	8	0	19	19.59%	70 37%	70 37%
#55		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#56		59	0	0	59	3	2	1	53	11	9	2	42	77 78%	79 25%	82 35%
#57		63	0	0	63	8	2	0	53	0	0	0	53	86 89%	100 00%	100 00%
#58		431	0	0	431	58	40	7	326	125	91	34	201	57 43%	61 66%	68 84%
#59		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#60		9	0	0	9	1	2	0	6	0	0	0	6	85 71%	100 00%	100 00%
#61		0	219	0	219	122	11	11	75	35	27	8	40	21.16%	53 33%	59 70%
#62		0	0	3	3	2	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#63		3981	0	0	3981	706	326	55	2894	715	564	151	2179	63 18%	75.29%	79 44%
#64		0	2998	0	2998	92	466	2	2438	432	334	98	2006	82 48%	82.28%	85 73%
#65		96	0	0	96	5	19	0	72	26	23	3	46	62 16%	63 89%	66 67%
#66		0	0	71	71	2	4	1	64	4	2	2	60	93 75%	93 75%	96 77%
#67		47	0	0	47	0	1	0	46	2	2	0	44	95 65%	95 65%	95 65%
#68		0	0	20	20	4	6	0	10	2	0	2	8	66 67%	80 00%	100 00%
#69		43	0	0	43	9	2	0	32	9	4	5	23	63 89%	71 88%	85 19%
#70		325	0	0	325	23	21	1	280	22	18	4	258	86 29%	92 14%	93 48%
#71		153	0	0	158	1	17	5	135	36	16	20	99	85 34%	73 33%	86 09%
#72		12	0	0	12	0	2	0	10	0	0	0	10	100 00%	100 00%	100 00%
#73		481	0	0	481	70	46	3	362	52	41	11	310	73 63%	85 64%	88 32%
#74		0	2	0	2	1	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#75		1367	0	0	1367	262	144	16	945	300	245	55	645	55 99%	68 25%	72 47%
#76		39	0	0	39	7	7	0	25	7	5	2	18	60 00%	72 00%	78 26%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#77		0	0	277	277	2	43	0	232	0	0	0	232	99 15%	100 00%	100 00%
#78		13	0	0	13	0	3	0	10	3	2	1	7	77.78%	70 00%	77 78%
#79		0	0	52	52	30	1	0	21	4	4	0	17	33.33%	80 95%	80 95%
#80		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0 00%
#81		0	186	0	186	120	22	2	42	17	14	3	25	15 72%	59 52%	64 10%
#82		30	0	0	30	6	6	0	18	6	5	1	12	52 17%	66.67%	70 59%
#83		903	0	0	903	82	92	0	729	45	33	12	684	85 61%	93 83%	95 40%
#84		4	0	0	4	0	1	0	3	0	0	0	3	100.00%	100 00%	100 00%
#85		0	0	510	510	3	18	0	489	0	0	0	489	99.39%	100 00%	100 00%
#86		42	0	0	42	0	4	1	37	7	4	3	30	88 24%	81 08%	88 24%
#87		37	0	0	37	7	4	0	26	6	5	1	20	62.50%	76.92%	80.00%
#88		0	2355	0	2355	164	261	2	1928	1007	830	177	921	48 09%	47.77%	52.60%
#89		2317	0	0	2317	151	162	7	1997	346	304	42	1651	78 40%	82 67%	84 45%
#90		0	0	1370	1370	173	91	6	1100	191	141	50	909	74 33%	82 64%	86 57%
#91		4	0	0	4	3	0	0	1	0	0	0	1	25.00%	100 00%	100.00%
#92		10	0	0	10	4	0	0	6	0	0	0	6	60.00%	100.00%	100 00%
#93		2042	0	0	2042	160	256	2	1624	172	122	50	1452	83 74%	89 41%	92 25%
#94		79	0	0	79	3	3	0	73	2	2	0	71	93 42%	97 26%	97 26%
#95		35	0	0	254	1	5	0	248	44	28	16	204	87 55%	82 26%	87 93%
#96		5	0	0	5	0	2	0	3	1	1	0	2	66 67%	66 67%	66 67%
#97		4	0	0	4	0	0	0	4	1	1	0	3	75.00%	75 00%	75 00%
#98		338	0	0	338	94	29	7	208	50	23	27	158	57.45%	75.96%	87 29%
#99		0	0	964	964	8	43	0	913	10	9	1	903	98 15%	98.90%	99 01%
#100		122	0	0	122	9	11	0	102	12	10	2	90	82.57%	88 24%	90 00%
#101		166	0	0	166	3	18	0	145	16	10	6	129	90 85%	88 97%	92 81%
#102		1020	0	0	1020	120	119	2	779	40	31	9	739	83 03%	94.87%	95 97%
#103		50	0	0	50	16	3	4	27	10	4	6	17	45.95%	62 96%	80 95%
#104		593	0	0	593	88	61	10	434	171	114	57	263	56 56%	60 60%	69 76%
#105		0	382	0	382	200	96	3	83	44	32	12	39	14 39%	46 99%	54 93%
#106		628	0	0	628	115	70	11	432	105	84	21	327	62.17%	75 69%	79 56%
#107		110	0	0	110	32	7	2	69	29	22	7	40	42 55%	57 97%	64 52%
#108		563	0	0	563	65	39	8	451	126	103	23	325	65 92%	72 06%	75 93%
#109		0	0	8515	8515	57	303	11	8144	257	206	51	7887	96 77%	96 84%	97 45%
#110		3150	0	0	3150	208	193	22	2727	304	231	73	2423	84 66%	88 85%	91 30%
#111		15	0	0	15	5	2	0	8	2	1	1	6	50 00%	75 00%	85 71%
#112		0	0	19	19	6	6	0	7	3	3	0	4	30 77%	57 14%	57 14%
#113		33	0	0	33	20	7	0	6	2	1	1	4	16 00%	66 67%	80 00%
#114		0	2259	0	2259	361	304	40	1554	679	417	262	875	52 93%	56 31%	67 72%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#115		101	0	0	101	15	17	1	68	17	13	4	51	64 56%	75 00%	79 69%
#116		153	0	0	153	25	13	5	110	15	12	3	95	71 97%	86 36%	88 79%
#117		381	0	0	381	5	9	3	364	38	34	4	326	89 32%	89 56%	90 56%
#118		0	67	0	67	0	7	0	60	7	3	4	53	94 64%	88 33%	94 64%
#119		54	0	0	54	0	2	0	52	2	1	1	50	98 04%	96 15%	98 04%
#120		8624	0	0	8624	266	554	21	7783	316	236	80	7467	93 70%	95 94%	96 94%
#121		3368	0	0	3368	277	159	11	2921	282	247	35	2639	83 43%	90.35%	91 44%
#122		11	0	0	11	0	2	0	9	1	1	0	8	88 89%	88 89%	88 89%
#123		1513	0	0	1513	264	368	17	864	478	326	152	386	39 55%	44 68%	54 21%
#124		11	0	0	11	0	2	1	8	2	1	1	6	85 71%	75 00%	85 71%
#125		0	0	115	115	23	33	2	57	30	17	13	27	40.30%	47.37%	61 36%
#126		14	0	0	14	3	2	0	9	1	1	0	8	66.67%	88.89%	88 89%
#127		38	0	0	38	3	4	0	31	2	2	0	29	85 29%	93 55%	93 55%
#128		566	0	0	566	16	15	2	533	54	41	13	479	89.37%	89 87%	92 12%
#129		13	0	0	13	5	1	0	7	2	2	0	5	41 67%	71 43%	71 43%
#130		5	0	0	5	3	0	0	2	1	1	0	1	20 00%	50 00%	50 00%
#131		0	0	66	66	35	13	0	18	4	2	2	14	27 45%	77 78%	87 50%
#132		0	0	97	97	21	16	0	60	12	6	6	48	64 00%	80 00%	88 89%
#133		0	0	67	67	0	30	1	36	19	16	3	17	51 52%	47 22%	51 52%
#134		0	0	363	363	130	56	2	175	59	32	27	116	41 73%	66 29%	78 38%
#135		4	0	0	4	0	0	0	4	1	1	0	3	75 00%	75 00%	75 00%
#136		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100.00%	100 00%
#137		99	0	0	99	10	21	0	68	2	2	0	66	84.62%	97 06%	97 06%
#138		7	0	0	7	3	0	0	4	1	0	1	3	50.00%	75 00%	100 00%
#139		42	0	0	52	0	3	4	45	39	31	8	6	16 22%	13 33%	16 22%
#140		0	3847	0	3847	27	1436	0	2384	1500	392	1108	884	67.84%	37 08%	69 28%
#141		0	1	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#142		4	0	0	4	0	1	0	3	2	2	0	1	33 33%	33 33%	33 33%
#143		0	0	3	3	1	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#144		144	0	0	144	21	22	2	99	40	22	18	59	57 84%	59.60%	72 84%
#145		632	0	0	632	57	42	1	532	170	130	40	362	65 94%	68 05%	73 58%
#146		430	0	0	430	31	26	0	373	56	47	9	317	80 25%	84 99%	87 09%
#147		22	0	0	22	4	2	1	15	4	2	2	11	64 71%	73 33%	84 62%
#148		10	0	0	10	2	0	0	8	0	0	0	8	80 00%	100 00%	100 00%
#149		60	0	0	60	20	4	1	35	4	3	1	31	57 41%	88 57%	91 18%
#150		0	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#151		7	0	0	7	5	0	0	2	0	0	0	2	28 57%	100 00%	100 00%
#152		0	0	1314	1314	451	263	16	584	111	58	53	473	48 17%	80 99%	89 08%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#153		245	0	0	245	47	27	6	165	66	46	20	99	51 56%	60 00%	68 28%
#154		0	0	101	101	4	23	0	74	20	12	8	54	77.14%	72.97%	81 82%
#155		0	6479	0	6479	187	1170	4	5118	1171	956	215	3947	77 54%	77.12%	80 50%
#156		216	0	0	216	15	24	0	177	16	12	4	161	85 64%	90 96%	93 06%
#157		8	0	0	8	0	2	0	6	3	3	0	3	50.00%	50 00%	50 00%
#158		0	4505	0	4505	107	1081	1	3316	529	414	115	2787	84.25%	84 05%	87 07%
#159		131	0	0	131	10	22	0	99	6	5	1	93	86 11%	93 94%	94 90%
#160		0	2	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#161		30	0	0	30	0	2	0	28	1	0	1	27	100.00%	96 43%	100 00%
#162		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#163		35	0	0	35	5	1	0	29	11	5	6	18	64 29%	62 07%	78 26%
#164		0	593	0	593	221	89	3	280	67	46	21	213	44 38%	76 07%	82 24%
#165		16	0	0	16	1	5	0	10	4	3	1	6	60 00%	60 00%	66 67%
#166		6	0	0	6	2	1	0	3	0	0	0	3	60 00%	100 00%	100 00%
#167		0	0	15	15	0	4	0	11	0	0	0	11	100 00%	100 00%	100.00%
#168		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#169		0	59	0	59	3	26	0	30	16	7	9	14	58 33%	46 67%	66 67%
#170		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#171		13	0	0	13	8	0	0	5	1	1	0	4	30 77%	80 00%	80 00%
#172		14	0	0	14	1	1	0	12	0	0	0	12	92 31%	100 00%	100 00%
#173		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#174		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#175		0	36514	0	36514	1722	5255	50	29487	7262	5087	2175	22225	76 55%	75 37%	81 37%
#176		28	0	0	28	2	5	0	21	1	0	1	20	90 91%	95 24%	100 00%
#177		0	0	35	35	21	3	0	11	6	6	0	5	15 63%	45.45%	45 45%
#178		62	0	0	62	7	5	1	49	16	12	4	33	63 46%	67 35%	73 33%
#179		0	767	0	767	28	50	0	689	73	58	15	616	87 75%	89 40%	91 39%
#180		0	0	67	67	18	16	1	32	25	16	9	7	17 07%	21.88%	30 43%
#181		55	0	0	55	5	0	0	50	30	16	14	20	48 78%	40 00%	55 56%
#182		58	0	0	58	0	0	0	58	26	10	16	32	76 19%	55 17%	76 19%
#183		0	510	0	510	158	78	8	266	143	69	74	123	35 14%	46 24%	64 06%
#184		2	0	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#185		3060	0	0	3060	157	345	4	2554	72	51	21	2482	92 27%	97 18%	97 99%
#186		126	0	0	126	12	3	1	110	22	14	8	88	77 19%	80 00%	86 27%
#187		353	0	0	353	44	31	3	275	18	14	4	257	81 59%	93 45%	94 83%
#188		361	0	0	361	22	3	0	336	9	8	1	327	91 60%	97 32%	97 61%
#189		3	0	0	3	0	1	0	2	1	1	0	1	50 00%	50 00%	50 00%
#190		24	0	0	24	0	2	0	22	0	0	0	22	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#191		0	0	3	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100 00%
#192		19	0	0	19	2	0	1	16	9	5	4	7	50 00%	43 75%	58 33%
#193		0	21	0	21	1	5	0	15	5	0	5	10	90.91%	66.67%	100.00%
#194		85	0	0	85	16	9	0	60	8	8	0	52	68 42%	86 67%	86 67%
#195		0	0	266	307	21	18	9	259	53	32	21	206	79.54%	79.54%	86 55%
#196		6	0	0	6	0	2	0	4	0	0	0	4	100 00%	100.00%	100 00%
#197		0	0	187	187	22	26	1	138	48	28	20	90	64 29%	65 22%	76 27%
#198		779	0	0	779	102	59	5	613	97	78	19	516	74.14%	84 18%	86 87%
#199		510	0	0	510	61	33	0	416	21	17	4	395	83 51%	94 95%	95 87%
#200		13	0	0	13	8	3	0	2	0	0	0	2	20.00%	100 00%	100 00%
#201		30726	0	0	30726	2861	6561	323	20981	6913	4695	2218	14068	65 06%	67.05%	74 98%
#202		46	0	0	46	16	10	1	19	12	7	5	7	23.33%	36 84%	50 00%
#203		415	0	0	415	38	25	0	352	33	30	3	319	82.43%	90.63%	91 40%
#204		0	0	554	554	0	78	1	475	7	5	2	468	98 94%	98.53%	98 94%
#205		59	0	0	59	3	9	1	46	6	4	2	40	85 11%	86.96%	90 91%
#206		253	0	0	255	10	34	3	208	158	91	67	50	33 11%	24 04%	35 46%
#207		76	0	0	76	9	15	3	49	26	17	9	23	46 94%	46 94%	57 50%
#208		1736	0	0	1736	651	102	4	979	52	38	14	927	57.36%	94.69%	96 06%
#209		129	0	0	129	4	4	1	120	10	8	2	110	90 16%	91 67%	93 22%
#210		384	0	0	384	53	77	4	250	117	98	19	133	46.83%	53.20%	57 58%
#211		363	0	0	363	12	22	1	328	17	9	8	311	93 67%	94 82%	97 19%
#212		322	0	0	322	58	16	1	247	14	10	4	233	77 41%	94 33%	95 88%
#213		598	0	0	598	52	22	0	524	8	6	2	516	89 90%	98 47%	98 85%
#214		13	0	0	13	1	7	0	5	1	1	0	4	66.67%	80 00%	80 00%
#215		1012	0	0	1012	123	25	2	862	44	29	15	818	84 33%	94.90%	96 58%
#216		70	0	0	70	44	14	0	12	3	2	1	9	16 36%	75 00%	81 82%
#217		17	0	0	17	7	6	0	4	2	1	1	2	20 00%	50 00%	66 67%
#218		0	25	0	25	8	1	3	13	5	4	1	8	40 00%	61.54%	66 67%
#219		0	0	3297	3297	3	439	36	2819	1041	638	403	1778	73.50%	63.07%	73 59%
#220		11	0	0	11	1	3	0	7	1	1	0	6	75 00%	85 71%	85 71%
#221		0	0	2530	2530	95	41	24	2370	483	405	78	1887	79.05%	79 62%	82 33%
#222		11409	0	0	11409	686	501	3	10219	313	257	56	9906	91 31%	96 94%	97 47%
#223		557	0	0	557	27	38	1	491	25	20	5	466	90 84%	94 91%	95 88%
#224		15	0	0	15	5	8	0	2	0	0	0	2	28 57%	100.00%	100 00%
#225		13	0	0	13	0	0	1	12	4	4	0	8	66 67%	66 67%	66 67%
#226		105	0	0	105	13	13	4	75	30	19	11	45	58 44%	60 00%	70 31%
#227		34	0	0	34	11	3	3	17	8	4	4	9	37 50%	52 94%	69 23%
#228		420	0	0	420	48	130	5	237	63	32	31	174	68 50%	73 42%	84 47%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#229		65	0	0	65	6	15	0	44	29	28	1	15	30 61%	34.09%	34 88%
#230		9	0	0	9	1	0	0	8	2	1	1	6	75.00%	75.00%	85 71%
#231		10	0	0	10	1	5	0	4	3	0	3	1	50.00%	25.00%	100 00%
#232		57	0	0	57	12	5	0	40	4	4	0	36	69.23%	90.00%	90 00%
#233		3257	0	0	3257	109	526	10	2612	99	51	48	2513	94.01%	96 21%	98 01%
#234		11	0	0	11	3	0	0	8	4	1	3	4	50.00%	50.00%	80 00%
#235		150	0	0	150	23	13	0	114	8	8	0	106	77 37%	92.98%	92 98%
#236		16	0	0	16	8	0	0	8	4	2	2	4	28 57%	50.00%	66 67%
#237		116	0	0	116	11	2	0	103	15	11	4	88	80 00%	85 44%	88 89%
#238		4	0	0	4	0	1	0	3	2	2	0	1	33 33%	33.33%	33 33%
#239		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100.00%	100 00%
#240		50	0	0	50	6	2	0	42	6	3	3	36	80.00%	85 71%	92 31%
#241		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#242		15	0	0	15	0	4	0	11	1	1	0	10	90 91%	90 91%	90 91%
#243		17	0	0	17	0	5	1	11	2	2	0	9	81 82%	81 82%	81 82%
#244		206	0	0	206	26	22	1	157	12	10	2	145	80.11%	92 36%	93 55%
#245		0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0 00%
#246		279	0	0	279	24	74	1	180	13	9	4	167	83 50%	92 78%	94 89%
#247		4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100 00%	100 00%
#248		43	0	0	43	4	3	0	36	6	5	1	30	76 92%	83.33%	85 71%
#249		38	0	0	38	2	4	3	29	11	8	3	18	64 29%	62 07%	69 23%
#250		279	0	0	279	48	21	1	209	17	10	7	192	76.80%	91 87%	95 05%
#251		0	0	64	64	8	11	1	44	26	23	3	18	36 73%	40.91%	43 90%
#252		14	0	0	14	6	3	0	5	2	0	2	3	33 33%	60.00%	100 00%
#253		18	0	0	18	5	1	0	12	5	2	3	7	50 00%	58 33%	77 78%
#254		357	0	0	357	36	44	2	275	68	59	9	207	68.54%	75 27%	77 82%
#255		5	0	0	5	0	2	0	3	3	3	0	0	0 00%	0.00%	0 00%
#256		1118	0	0	1118	85	56	2	975	44	32	12	931	88 84%	95 49%	96 68%
#257		1910	0	0	1910	50	103	2	1755	159	82	77	1596	92 36%	90 94%	95 11%
#258		40	0	0	40	1	3	0	36	11	10	1	25	69 44%	69 44%	71 43%
#259		15	0	0	15	1	2	0	12	3	2	1	9	75 00%	75 00%	81 82%
#260		0	0	1	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#261		2240	0	0	2240	240	226	7	1767	150	107	43	1617	82.33%	91 51%	93 79%
#262		0	0	11849	11849	1418	2876	149	7406	1848	1173	675	5558	68 20%	75 05%	82 57%
#263		2080	0	0	2080	262	104	3	1711	213	161	52	1498	77 98%	87 55%	90 30%
#264		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#265		176	0	0	176	31	10	1	134	12	9	3	122	75 31%	91 04%	93 13%
#266		3	0	0	3	0	0	0	3	0	0	0	3	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#267		106	0	0	106	8	10	0	88	5	2	3	83	89 25%	94 32%	97 65%
#268		163	0	0	163	41	2	0	120	6	5	1	114	71.25%	95 00%	95 80%
#269		26	0	0	26	0	3	0	23	0	0	0	23	100 00%	100 00%	100 00%
#270		66	0	0	66	22	4	0	40	11	8	3	29	49 15%	72.50%	78.38%
#271		0	0	287	287	9	21	0	257	5	2	3	252	95.82%	98 05%	99 21%
#272		40	0	0	40	2	16	0	22	0	0	0	22	91 67%	100 00%	100 00%
#273		1272	0	0	1272	91	171	2	1008	48	43	5	960	87 75%	95.24%	95 71%
#274		618	0	0	618	48	84	4	482	33	31	2	449	85.04%	93 15%	93 54%
#275		7128	0	0	7128	375	420	16	6317	734	546	188	5583	85 84%	88 38%	91 09%
#276		122	0	0	122	15	9	0	98	5	3	2	93	83.78%	94 90%	96 88%
#277		4	0	0	4	0	3	0	1	0	0	0	1	100 00%	100 00%	100 00%
#278		74	0	0	74	8	7	4	55	13	10	3	42	70 00%	76.36%	80 77%
#279		789	0	0	789	82	132	5	570	37	23	14	533	83 54%	93 51%	95 86%
#280		1384	0	0	1384	89	81	0	1214	66	63	3	1148	88 31%	94 56%	94 80%
#281		0	0	0	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#282		0	0	26	26	4	8	0	14	5	4	1	9	52 94%	64 29%	69 23%
#283		135	0	0	135	6	8	5	116	73	43	30	43	46 74%	37 07%	50 00%
#284		12	0	0	12	0	1	0	11	3	1	2	8	88 89%	72 73%	88 89%
#285		206	0	0	206	34	9	3	160	46	40	6	114	60 64%	71 25%	74.03%
#286		1830	0	0	1830	207	173	8	1442	106	78	28	1336	82 42%	92.65%	94 48%
#287		47	0	0	51	5	6	0	40	15	11	4	25	60 98%	62.50%	69 44%
#288		31	0	0	31	0	1	0	30	5	5	0	25	83 33%	83 33%	83 33%
#289		0	0	11	11	5	2	0	4	0	0	0	4	44 44%	100 00%	100 00%
#290		44	0	0	44	5	13	0	26	19	4	15	7	43 75%	26 92%	63 64%
#291		486	0	0	486	49	51	13	373	158	115	43	215	56 73%	57.64%	65 15%
#292		240	0	0	240	26	10	2	202	24	14	10	178	81 65%	88 12%	92 71%
#293		0	0	45	45	3	8	2	32	13	5	8	19	70 37%	59 38%	79 17%
#294		0	0	2	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#295		0	0	368	368	81	22	2	263	57	44	13	206	62 24%	78 33%	82 40%
#296		620	0	0	620	47	53	7	513	80	53	27	433	81 24%	84 41%	89 09%
#297		125	0	0	125	35	20	4	66	23	11	12	43	48 31%	65 15%	79 63%
#298		26	0	0	26	0	1	0	25	0	0	0	25	100 00%	100.00%	100 00%
#299		737	0	0	737	70	133	4	530	40	29	11	490	83 19%	92 45%	94 41%
#300		3	0	0	3	0	0	0	3	3	3	0	0	0 00%	0 00%	0 00%
#301		14	0	0	14	2	1	0	11	9	3	6	2	28 57%	18 18%	40 00%
#302		397	0	0	397	61	56	5	275	37	20	17	238	74 61%	86 55%	92 25%
#303		167	0	0	167	7	11	0	149	15	12	3	134	87 58%	89 93%	91 78%
#304		13	0	0	13	6	3	0	4	2	1	1	2	22 22%	50 00%	66 67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#305		2	0	0	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#306		7	0	0	7	0	0	0	7	3	1	2	4	80 00%	57 14%	80 00%
#307		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#308		52	0	0	52	0	0	1	51	20	9	11	31	77 50%	60.78%	77 50%
#309		15	0	0	15	0	2	0	13	0	0	0	13	100 00%	100.00%	100 00%
#310		2726	0	0	2726	269	194	15	2248	103	66	37	2145	86 49%	95.42%	97 01%
#311		1569	0	0	1569	122	71	4	1372	50	38	12	1322	89 20%	96.36%	97 21%
#312		878	0	0	878	69	27	0	782	67	63	4	715	84 42%	91.43%	91 90%
#313		0	0	930	930	110	13	93	714	325	291	34	389	49.24%	54 48%	57 21%
#314		1602	0	0	1602	121	94	0	1387	70	49	21	1317	88.57%	94.95%	96 41%
#315		200	0	0	200	33	12	0	155	5	4	1	150	80.21%	96 77%	97 40%
#316		127	0	0	127	9	4	0	114	4	3	1	110	90 16%	96.49%	97 35%
#317		0	29	0	29	0	3	0	26	16	10	6	10	50 00%	38.46%	50 00%
#318		45	0	0	45	11	6	0	28	7	1	6	21	63 64%	75.00%	95 45%
#319		17	0	0	27	2	3	1	21	3	3	0	18	78 26%	85 71%	85 71%
#320		29	0	0	29	1	1	0	27	2	2	0	25	89 29%	92 59%	92 59%
#321		97	0	0	97	13	8	2	74	4	3	1	70	81 40%	94.59%	95 89%
#322		284	0	0	284	63	30	5	186	26	15	11	160	67.23%	86.02%	91 43%
#323		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#324		11	0	0	11	2	0	0	9	2	2	0	7	63 64%	77 78%	77 78%
#325		85	0	0	85	3	3	1	78	25	24	1	53	66.25%	67 95%	68 83%
#326		0	88	0	88	6	10	0	72	41	17	24	31	57 41%	43 06%	64 58%
#327		42	0	0	42	1	10	0	31	8	4	4	23	82 14%	74 19%	85 19%
#328		519	0	0	519	46	33	0	440	12	11	1	428	88 25%	97 27%	97 49%
#329		161	0	0	161	28	8	1	124	21	19	2	103	68 67%	83 06%	84 43%
#330		0	0	30	30	0	4	0	26	1	0	1	25	100 00%	96 15%	100 00%
#331		119	0	0	119	10	4	0	105	6	3	3	99	88.39%	94 29%	97 06%
#332		3	0	0	3	0	1	0	2	0	0	0	2	100 00%	100.00%	100 00%
#333		0	0	1051	1051	46	95	0	910	33	23	10	877	92 71%	96 37%	97 44%
#334		316	0	0	316	42	26	0	248	26	17	9	222	79 00%	89 52%	92 89%
#335		0	0	17	17	9	0	1	7	3	3	0	4	25 00%	57 14%	57 14%
#336		234	0	0	234	20	14	0	200	58	49	9	142	67 30%	71 00%	74 35%
#337		10	0	0	10	0	0	1	9	5	3	2	4	57 14%	44 44%	57 14%
#338		206	0	0	206	38	6	3	159	16	11	5	143	74 48%	89 94%	92 86%
#339		310	0	0	310	42	8	2	258	16	14	2	242	81 21%	93 80%	94 53%
#340		9	0	0	9	0	2	0	7	3	0	3	4	100 00%	57 14%	100 00%
#341		9	0	0	14	0	2	0	12	4	4	0	8	66 67%	66 67%	66 67%
#342		75	0	0	75	7	2	0	66	1	0	1	65	90 28%	98 48%	100 00%

AGGREGATE ORDER TYPES																	
Company Info						LSR PROCESSING										FLOWTHROUGH	
						LESOG											
		Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#343		120	0	0	120	24	27	1	68	10	6	4	58	65 91%	85.29%	90 63%
#344		0	0	1112	1112	42	95	2	973	26	20	6	947	93 86%	97.33%	97 93%
#345		73	0	0	73	7	17	2	47	1	0	1	46	86 79%	97.87%	100 00%
#346		380	0	0	380	43	14	1	322	12	10	2	310	85.40%	96.27%	96 88%
#347		0	6	0	6	3	1	0	2	1	0	1	1	25.00%	50 00%	100 00%
#348		7	0	0	7	0	0	0	7	1	0	1	6	100 00%	85 71%	100 00%
#349		659	0	0	659	57	38	0	564	47	39	8	517	84.34%	91 67%	92 99%
#350		30	0	0	82	4	8	0	70	14	11	3	56	78.87%	80 00%	83 58%
#351		26	0	0	26	2	0	1	23	5	3	2	18	78.26%	78.26%	85 71%
#352		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#353		213	0	0	213	17	13	1	182	8	7	1	174	87 88%	95.60%	96 13%
#354		0	4	0	4	1	0	0	3	2	1	1	1	33 33%	33 33%	50 00%
#355		19	0	0	19	1	9	0	9	4	3	1	5	55.56%	55 56%	62 50%
#356		0	9	0	9	0	0	0	9	2	2	0	7	77.78%	77 78%	77 78%
#357		74	0	0	74	2	4	0	68	9	5	4	59	89 39%	86.76%	92 19%
#358		52	0	0	52	12	4	0	36	13	11	2	23	50.00%	63 89%	67 65%
#359		0	0	216	216	35	19	1	161	76	54	22	85	48.85%	52 80%	61 15%
#360		244	0	0	244	21	14	2	207	31	29	2	176	77.88%	85 02%	85 85%
#361		111	0	0	111	39	2	1	69	13	12	1	56	52 34%	81 16%	82 35%
#362		0	0	30	30	3	5	0	22	1	1	0	21	84.00%	95 45%	95 45%
#363		7	0	0	7	0	0	1	6	2	1	1	4	80.00%	66 67%	80 00%
#364		30	0	0	30	2	14	1	13	6	1	5	7	70 00%	53 85%	87 50%
#365		394	0	0	394	22	32	9	331	89	48	41	242	77 56%	73 11%	83 45%
#366		32	0	0	32	4	3	0	25	0	0	0	25	86 21%	100 00%	100 00%
#367		12	0	0	12	0	6	0	6	3	3	0	3	50 00%	50.00%	50 00%
#368		16	0	0	16	0	9	0	7	1	1	0	6	85 71%	85 71%	85 71%
#369		30	0	0	30	3	8	1	18	5	2	3	13	72 22%	72 22%	86 67%
#370		0	0	77	77	19	2	2	54	27	20	7	27	40.91%	50 00%	57 45%
#371		111	0	0	111	9	4	0	98	19	14	5	79	77 45%	80.61%	84 95%
#372		1105	0	0	1105	169	86	4	846	51	41	10	795	79 10%	93 97%	95 10%
#373		81	0	0	81	10	17	1	53	14	12	2	39	63 93%	73 58%	76 47%
#374		0	0	23	23	6	2	0	15	1	1	0	14	66 67%	93 33%	93 33%
#375		10	0	0	10	2	1	0	7	2	2	0	5	55 56%	71 43%	71 43%
#376		70	0	0	70	1	5	0	64	13	8	5	51	85 00%	79 69%	86 44%
#377		122	0	0	122	18	12	1	91	21	10	11	70	71 43%	76 92%	87 50%
#378		6	0	0	6	2	2	0	2	0	0	0	2	50 00%	100 00%	100 00%
#379		0	0	0	52	0	4	0	48	4	4	0	44	91 67%	91 67%	91 67%
#380		51	0	0	51	11	13	0	27	5	2	3	22	62 86%	81 48%	91 67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#381		0	0	30	30	4	7	0	19	3	1	2	16	76.19%	84 21%	94 12%
#382		12	0	0	12	2	3	0	7	1	1	0	6	66 67%	85.71%	85 71%
#383		0	56	0	56	1	23	0	32	5	3	2	27	87 10%	84 38%	90 00%
#384		23	0	0	23	0	7	0	16	2	1	1	14	93 33%	87.50%	93 33%
#385		0	0	0	9	0	0	0	9	2	0	2	7	100.00%	77 78%	100 00%
#386		0	2	0	2	0	0	0	2	1	0	1	1	100.00%	50 00%	100 00%
#387		88	0	0	88	25	13	1	49	11	8	3	38	53 52%	77.55%	82 61%
#388		0	0	15	15	14	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#389		205	0	0	205	21	8	0	176	6	5	1	170	86 73%	96 59%	97 14%
#390		2655	0	0	2655	156	147	17	2335	345	202	143	1990	84.75%	85 22%	90 78%
#391		2253	0	0	2253	247	118	3	1885	144	107	37	1741	83 10%	92 36%	94 21%
#392		0	0	575	575	99	58	1	417	146	120	26	271	55 31%	64.99%	69 31%
#393		614	0	0	614	70	43	7	494	101	68	33	393	74 01%	79.55%	85 25%
#394		35	0	0	35	5	3	0	27	1	0	1	26	83.87%	96.30%	100 00%
#395		1023	0	0	1023	103	103	2	815	55	44	11	760	83 79%	93.25%	94 53%
#396		3	0	0	3	0	0	0	3	2	1	1	1	50.00%	33 33%	50 00%
#397		0	0	57	57	5	4	4	44	41	35	6	3	6 98%	6.82%	7 89%
#398		111	0	0	111	9	15	6	81	50	35	15	31	41 33%	38.27%	46 97%
#399		0	0	94	94	12	24	3	55	30	19	11	25	44 64%	45 45%	56 82%
#400		333	0	0	333	16	36	2	279	45	20	25	234	86 67%	83 87%	92 13%
#401		2998	0	0	2998	137	341	4	2516	136	102	34	2380	90 87%	94.59%	95 89%
#402		547	0	0	547	69	11	0	467	12	10	2	455	85 21%	97.43%	97 85%
#403		59	0	0	59	6	3	0	50	6	4	2	44	81 48%	88 00%	91.67%
#404		115	0	0	115	35	6	0	74	5	2	3	69	65 09%	93 24%	97 18%
#405		3651	0	0	3651	482	573	41	2555	806	574	232	1749	62 35%	68 45%	75 29%
#406		1499	0	0	1499	164	293	14	1028	321	180	141	707	67 27%	68 77%	79 71%
#407		361	0	0	361	18	29	0	314	10	5	5	304	92 97%	96 82%	98 38%
#408		0	0	216	216	39	39	9	129	38	23	15	91	59 48%	70 54%	79 82%
#409		76	0	0	76	17	12	0	47	13	6	7	34	59 65%	72 34%	85 00%
#410		18	0	0	18	5	2	0	11	2	1	1	9	60.00%	81 82%	90 00%
#411		0	229	0	233	11	49	1	172	79	50	29	93	60 39%	54 07%	65 03%
#412		416	0	0	416	61	23	6	326	90	76	14	236	63 27%	72 39%	75 64%
#413		620	0	0	620	51	105	2	462	22	16	6	440	86 79%	95.24%	96 49%
#414		21	0	0	21	10	2	0	9	5	3	2	4	23 53%	44 44%	57 14%
#415		439	0	0	439	61	26	0	352	59	41	18	293	74.18%	83 24%	87 72%
#416		0	0	951	951	151	104	12	684	295	242	53	389	49 74%	56 87%	61 65%
#417		0	0	889	889	136	118	8	627	254	207	47	373	52 09%	59 49%	64 31%
#418		23	0	0	23	2	4	0	17	0	0	0	17	89 47%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#419		6	0	0	6	1	0	1	4	3	3	0	1	20.00%	25.00%	25.00%
#420		807	0	0	807	83	131	2	591	106	61	45	485	77.11%	82.06%	88.83%
#421		0	59	0	59	37	11	0	11	2	1	1	9	19.15%	81.82%	90.00%
#422		0	0	1688	1688	322	229	19	1118	520	393	127	598	45.54%	53.49%	60.34%
#423		19	0	0	19	1	0	0	18	2	0	2	16	94.12%	88.89%	100.00%
#424		200	0	0	200	9	39	2	150	31	25	6	119	77.78%	79.33%	82.64%
#425		0	0	2	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#426		0	0	963	963	134	112	8	709	312	267	45	397	49.75%	55.99%	59.79%
#427		87	0	0	87	16	14	2	55	27	21	6	28	43.08%	50.91%	57.14%
#428		28	0	0	28	3	1	1	23	5	4	1	18	72.00%	78.26%	81.82%
#429		214	0	0	214	17	8	1	188	15	13	2	173	85.22%	92.02%	93.01%
#430		0	0	2095	2095	331	210	13	1541	662	531	131	879	50.49%	57.04%	62.34%
#431		0	0	6	6	0	1	0	5	3	0	3	2	100.00%	40.00%	100.00%
#432		2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100.00%	100.00%
#433		3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
#434		0	6	0	6	0	0	0	6	6	6	0	0	0.00%	0.00%	0.00%
#435		211	0	0	211	14	59	0	138	58	41	17	80	59.26%	57.97%	66.12%
#436		5	0	0	5	0	2	0	3	0	0	0	3	100.00%	100.00%	100.00%
#437		0	0	10	20	1	3	1	15	3	3	0	12	75.00%	80.00%	80.00%
#438		1672	0	0	1672	125	30	4	1513	91	66	25	1422	88.16%	93.99%	95.56%
#439		331	0	0	331	57	18	3	253	33	28	5	220	72.13%	86.96%	88.71%
#440		213	0	0	213	20	14	1	178	26	21	5	152	78.76%	85.39%	87.86%
#441		0	41	0	41	11	2	0	28	23	10	13	5	19.23%	17.86%	33.33%
#442		1542	0	0	1542	137	141	20	1244	193	108	85	1051	81.10%	84.49%	90.68%
#443		0	0	16	16	2	3	0	11	6	4	2	5	45.45%	45.45%	55.56%
#444		14	0	0	14	4	0	0	10	4	4	0	6	42.86%	60.00%	60.00%
#445		1003	0	0	1003	107	110	2	784	84	49	35	700	81.78%	89.29%	93.46%
#446		142	0	0	142	19	20	1	102	37	37	0	65	53.72%	63.73%	63.73%
#447		4	0	0	4	0	1	0	3	0	0	0	3	100.00%	100.00%	100.00%
#448		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#449		1149	0	0	1149	151	47	1	950	37	33	4	913	83.23%	96.11%	96.51%
#450		10	0	0	10	2	0	0	8	1	1	0	7	70.00%	87.50%	87.50%
#451		0	19	0	19	9	0	0	10	9	6	3	1	6.25%	10.00%	14.29%
#452		15	0	0	32	0	8	1	23	3	3	0	20	86.96%	86.96%	86.96%
#453		0	579	0	579	61	70	1	447	297	115	182	150	46.01%	33.56%	56.60%
#454		1349	0	0	1349	182	82	16	1069	313	164	149	756	68.60%	70.72%	82.17%
#455		0	45	0	45	3	11	0	31	10	4	6	21	75.00%	67.74%	84.00%
#456		62	0	0	62	14	5	4	39	5	1	4	34	69.39%	87.18%	97.14%

AGGREGATE ORDER TYPES						LSR PROCESSING									FLOWTHROUGH	
Company Info						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
LENS Subtotal		207154	0	0	207555	19593	21560	1125	165277	23224	16731	6493	142053	79 64%	85.95%	89 46%
EDI Subtotal		0	64180	0	64404	3907	10716	138	49643	13878	9233	4645	35765	73 13%	72 04%	79 48%
TAG Subtotal		0	0	44684	44735	4194	5695	444	34402	7159	5153	2006	27243	74 45%	79 19%	84 09%
TOTAL INTERFACES		**207154**	**64180**	**44684**	**316694**	**27694**	**37971**	**1707**	**249322**	**44261**	**31117**	**13144**	**205061**	**77.71%**	**82.25%**	**86.82%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		1317	0	0	1317	180	29	7	1101	203	181	22	898	71.33%	81.56%	83.23%
#2		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#3		23	0	0	23	0	2	0	21	5	4	1	16	80.00%	76.19%	80.00%
#4		468	0	0	468	62	32	1	373	57	41	16	316	75.42%	84.72%	88.52%
#5		76	0	0	76	11	10	3	52	14	7	7	38	67.86%	73.08%	84.44%
#6		20	0	0	20	1	4	0	15	6	4	2	9	64.29%	60.00%	69.23%
#7		304	0	0	304	15	19	1	269	23	17	6	246	88.49%	91.45%	93.54%
#8		0	2	0	2	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%
#9		5	0	0	5	2	2	0	1	0	0	0	1	33.33%	100.00%	100.00%
#10		0	6	0	6	0	1	0	5	3	1	2	2	66.67%	40.00%	66.67%
#11		183	0	0	183	24	21	2	136	8	8	0	128	80.00%	94.12%	94.12%
#12		46	0	0	46	6	7	0	33	3	3	0	30	76.92%	90.91%	90.91%
#13		847	0	0	847	77	94	4	672	46	32	14	626	85.17%	93.15%	95.14%
#14		527	0	0	527	15	32	0	480	49	31	18	431	90.36%	89.79%	93.29%
#15		493	0	0	493	33	15	2	443	11	7	4	432	91.53%	97.52%	98.41%
#16		0	5	0	5	2	1	0	2	0	0	0	2	50.00%	100.00%	100.00%
#17		1910	0	0	1910	125	159	10	1616	241	198	43	1375	80.98%	85.09%	87.41%
#18		55	0	0	55	13	3	0	39	10	10	0	29	55.77%	74.36%	74.36%
#19		115	0	0	115	12	13	1	89	9	8	1	80	80.00%	89.89%	90.91%
#20		47	0	0	47	2	1	1	43	4	3	1	39	88.64%	90.70%	92.86%
#21		23	0	0	23	7	2	1	13	1	0	1	12	63.16%	92.31%	100.00%
#22		316	0	0	316	19	25	0	272	18	17	1	254	87.59%	93.38%	93.73%
#23		76	0	0	76	2	12	1	61	4	2	2	57	93.44%	93.44%	96.61%
#24		125	0	0	125	20	13	0	92	1	1	0	91	81.25%	98.91%	98.91%
#25		375	0	0	375	31	32	0	312	58	36	22	254	79.13%	81.41%	87.59%
#26		589	0	0	589	57	31	0	501	23	17	6	478	86.59%	95.41%	96.57%
#27		64	0	0	64	23	4	0	37	4	4	0	33	55.00%	89.19%	89.19%
#28		27891	0	0	27891	2459	2289	48	23095	1568	1364	204	21527	84.92%	93.21%	94.04%
#29		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#30		5	0	0	5	0	2	0	3	0	0	0	3	100.00%	100.00%	100.00%
#31		4743	0	0	4743	512	601	8	3622	297	235	62	3325	81.66%	91.80%	93.40%
#32		394	0	0	394	27	15	1	351	27	22	5	324	86.86%	92.31%	93.64%
#33		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#34		21	0	0	21	4	2	0	15	1	1	0	14	73.68%	93.33%	93.33%
#35		63	0	0	63	8	2	0	53	0	0	0	53	86.89%	100.00%	100.00%
#36		9	0	0	9	1	2	0	6	0	0	0	6	85.71%	100.00%	100.00%
#37		394	0	0	394	58	40	3	293	58	42	16	235	70.15%	80.20%	84.84%
#38		0	2998	0	2998	92	466	2	2438	432	334	98	2006	82.48%	82.28%	85.73%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#39		96	0	0	96	5	19	0	72	26	23	3	46	62.16%	63.89%	66 67%
#40		0	0	71	71	2	4	1	64	4	2	2	60	93 75%	93 75%	96 77%
#41		47	0	0	47	0	1	0	46	2	2	0	44	95 65%	95.65%	95 65%
#42		12	0	0	12	1	1	0	10	2	2	0	8	72.73%	80 00%	80 00%
#43		325	0	0	325	23	21	1	280	22	18	4	258	86.29%	92 14%	93 48%
#44		12	0	0	12	0	2	0	10	0	0	0	10	100.00%	100.00%	100 00%
#45		479	0	0	479	70	46	3	360	52	41	11	308	73 51%	85 56%	88 25%
#46		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#47		39	0	0	39	7	7	0	25	7	5	2	18	60 00%	72.00%	78 26%
#48		0	0	277	277	2	43	0	232	0	0	0	232	99.15%	100 00%	100 00%
#49		13	0	0	13	0	3	0	10	3	2	1	7	77.78%	70.00%	77 78%
#50		0	0	36	36	22	0	0	14	4	4	0	10	27 78%	71 43%	71 43%
#51		903	0	0	903	82	92	0	729	45	33	12	684	85.61%	93 83%	95 40%
#52		4	0	0	4	0	1	0	3	0	0	0	3	100 00%	100.00%	100 00%
#53		0	0	510	510	3	18	0	489	0	0	0	489	99 39%	100 00%	100 00%
#54		42	0	0	42	0	4	1	37	7	4	3	30	88.24%	81.08%	88 24%
#55		4	0	0	4	0	0	0	4	1	1	0	3	75 00%	75.00%	75 00%
#56		0	2355	0	2355	164	261	2	1928	1007	830	177	921	48 09%	47.77%	52 60%
#57		2317	0	0	2317	151	162	7	1997	346	304	42	1651	78 40%	82 67%	84 45%
#58		0	0	1370	1370	173	91	6	1100	191	141	50	969	74 33%	82 64%	86 57%
#59		4	0	0	4	3	0	0	1	0	0	0	1	25 00%	100.00%	100 00%
#60		6	0	0	6	2	0	0	4	0	0	0	4	66.67%	100 00%	100 00%
#61		2042	0	0	2042	160	256	2	1624	172	122	50	1452	83 74%	89 41%	92 25%
#62		79	0	0	79	3	3	0	73	2	2	0	71	93 42%	97 26%	97 26%
#63		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#64		114	0	0	114	13	5	3	93	19	6	13	74	79 57%	79 57%	92 50%
#65		0	0	964	964	8	43	0	913	10	9	1	903	98 15%	98 90%	99 01%
#66		122	0	0	122	9	11	0	102	12	10	2	90	82 57%	88 24%	90 00%
#67		166	0	0	166	3	18	0	145	16	10	6	129	90.85%	88 97%	92 81%
#68		1012	0	0	1012	120	119	2	771	40	31	9	731	82 88%	94 81%	95 93%
#69		30	0	0	30	8	3	2	17	5	2	3	12	54 55%	70 59%	85 71%
#70		122	0	0	122	5	17	4	96	39	24	15	57	66 28%	59 38%	70 37%
#71		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0.00%	0 00%
#72		33	0	0	33	4	2	2	25	10	6	4	15	60 00%	60 00%	71 43%
#73		298	0	0	298	40	16	4	238	57	47	10	181	67 54%	76 05%	79 39%
#74		0	0	8515	8515	57	303	11	8144	257	206	51	7887	96 77%	96.84%	97 45%
#75		3150	0	0	3150	208	193	22	2727	304	231	73	2423	84 66%	88 85%	91 30%
#76		2	0	0	2	0	0	0	2	2	1	1	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#77		0	189	0	189	11	37	2	139	90	49	41	49	44.95%	35.25%	50.00%
#78		9	0	0	9	1	2	0	6	1	1	0	5	71.43%	83.33%	83.33%
#79		84	0	0	84	2	11	1	70	6	5	1	64	90.14%	91.43%	92.75%
#80		381	0	0	381	5	9	3	364	38	34	4	326	89.32%	89.56%	90.56%
#81		0	67	0	67	0	7	0	60	7	3	4	53	94.64%	88.33%	94.64%
#82		53	0	0	53	0	2	0	51	2	1	1	49	98.00%	96.08%	98.00%
#83		8614	0	0	8614	265	548	21	7780	316	236	80	7464	93.71%	95.94%	96.94%
#84		3368	0	0	3368	277	159	11	2921	282	247	35	2639	83.43%	90.35%	91.44%
#85		11	0	0	11	0	2	0	9	1	1	0	8	88.89%	88.89%	88.89%
#86		188	0	0	188	17	25	0	146	65	34	31	81	61.36%	55.48%	70.43%
#87		11	0	0	11	0	2	1	8	2	1	1	6	85.71%	75.00%	85.71%
#88		38	0	0	38	3	4	0	31	2	2	0	29	85.29%	93.55%	93.55%
#89		566	0	0	566	16	15	2	533	54	41	13	479	89.37%	89.87%	92.12%
#90		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#91		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#92		95	0	0	95	9	19	0	67	2	2	0	65	85.53%	97.01%	97.01%
#93		0	3847	0	3847	27	1436	0	2384	1500	392	1108	884	67.84%	37.08%	69.28%
#94		0	1	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
#95		0	0	2	2	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%
#96		42	0	0	42	2	7	0	33	11	8	3	22	68.75%	66.67%	73.33%
#97		335	0	0	335	26	17	0	292	57	42	15	235	77.56%	80.48%	84.84%
#98		374	0	0	374	24	20	0	330	47	40	7	283	81.56%	85.76%	87.62%
#99		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#100		0	0	1179	1179	404	239	11	525	78	47	31	447	49.78%	85.14%	90.49%
#101		74	0	0	74	8	13	3	50	13	12	1	37	64.91%	74.00%	75.51%
#102		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#103		0	6479	0	6479	187	1170	4	5118	1171	956	215	3947	77.54%	77.12%	80.50%
#104		216	0	0	216	15	24	0	177	16	12	4	161	85.64%	90.96%	93.06%
#105		0	4505	0	4505	107	1081	1	3316	529	414	115	2787	84.25%	84.05%	87.07%
#106		131	0	0	131	10	22	0	99	6	5	1	93	86.11%	93.94%	94.90%
#107		29	0	0	29	0	2	0	27	0	0	0	27	100.00%	100.00%	100.00%
#108		0	0	2	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#109		0	381	0	381	36	35	0	310	4	3	1	306	88.70%	98.71%	99.03%
#110		7	0	0	7	0	1	0	6	0	0	0	6	100.00%	100.00%	100.00%
#111		0	767	0	767	28	50	0	689	73	58	15	616	87.75%	89.40%	91.39%
#112		0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#113		0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#114		3059	0	0	3059	157	344	4	2554	72	51	21	2482	92.27%	97.18%	97.99%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#115		70	0	0	70	7	2	1	60	12	10	2	48	73.85%	80.00%	82.76%
#116		353	0	0	353	44	31	3	275	18	14	4	257	81.59%	93.45%	94.83%
#117		361	0	0	361	22	3	0	336	9	8	1	327	91.60%	97.32%	97.61%
#118		24	0	0	24	0	2	0	22	0	0	0	22	100.00%	100.00%	100.00%
#119		10	0	0	10	1	0	1	8	3	2	1	5	62.50%	62.50%	71.43%
#120		85	0	0	85	16	9	0	60	8	8	0	52	68.42%	86.67%	86.67%
#121		0	0	160	160	16	21	1	122	41	27	14	81	65.32%	66.39%	75.00%
#122		612	0	0	612	45	32	3	532	80	65	15	452	80.43%	84.96%	87.43%
#123		510	0	0	510	61	33	0	416	21	17	4	395	83.51%	94.95%	95.87%
#124		28848	0	0	28848	2589	6285	276	19698	6350	4303	2047	13348	65.95%	67.76%	75.62%
#125		12	0	0	12	4	4	0	4	0	0	0	4	50.00%	100.00%	100.00%
#126		415	0	0	415	38	25	0	352	33	30	3	319	82.43%	90.63%	91.40%
#127		0	0	554	554	0	78	1	475	7	5	2	468	98.94%	98.53%	98.94%
#128		59	0	0	59	3	9	1	46	6	4	2	40	85.11%	86.96%	90.91%
#129		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#130		1723	0	0	1723	643	101	4	975	50	36	14	925	57.67%	94.87%	96.25%
#131		129	0	0	129	4	4	1	120	10	8	2	110	90.16%	91.67%	93.22%
#132		39	0	0	39	1	7	2	29	6	4	2	23	82.14%	79.31%	85.19%
#133		362	0	0	362	12	22	1	327	16	8	8	311	93.96%	95.11%	97.49%
#134		322	0	0	322	58	16	1	247	14	10	4	233	77.41%	94.33%	95.88%
#135		596	0	0	596	52	22	0	522	7	6	1	515	89.88%	98.66%	98.85%
#136		984	0	0	984	118	23	1	842	37	26	11	805	84.83%	95.61%	96.87%
#137		12	0	0	12	9	0	0	3	0	0	0	3	25.00%	100.00%	100.00%
#138		0	0	3257	3257	2	429	36	2790	1029	634	395	1761	73.47%	63.12%	73.53%
#139		0	0	2530	2530	95	41	24	2370	483	405	78	1887	79.05%	79.62%	82.33%
#140		11409	0	0	11409	686	501	3	10219	313	257	56	9906	91.31%	96.94%	97.47%
#141		557	0	0	557	27	38	1	491	25	20	5	466	90.84%	94.91%	95.88%
#142		11	0	0	11	2	8	0	1	0	0	0	1	33.33%	100.00%	100.00%
#143		13	0	0	13	0	0	1	12	4	4	0	8	66.67%	66.67%	66.67%
#144		13	0	0	13	2	2	2	7	2	1	1	5	62.50%	71.43%	83.33%
#145		420	0	0	420	48	130	5	237	63	32	31	174	68.50%	73.42%	84.47%
#146		65	0	0	65	6	15	0	44	29	28	1	15	30.61%	34.09%	34.88%
#147		9	0	0	9	1	0	0	8	2	1	1	6	75.00%	75.00%	85.71%
#148		492	0	0	492	25	429	6	32	15	1	14	17	39.53%	53.13%	94.44%
#149		150	0	0	150	23	13	0	114	8	8	0	106	77.37%	92.98%	92.98%
#150		3	0	0	3	2	0	0	1	0	0	0	1	33.33%	100.00%	100.00%
#151		3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%
#152		45	0	0	45	6	2	0	37	3	1	2	34	82.93%	91.89%	97.14%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#153		206	0	0	206	26	22	1	157	12	10	2	145	80 11%	92.36%	93 55%
#154		277	0	0	277	47	21	1	208	17	10	7	191	77 02%	91.83%	95 02%
#155		14	0	0	14	6	3	0	5	2	0	2	3	33 33%	60.00%	100 00%
#156		18	0	0	18	5	1	0	12	5	2	3	7	50 00%	58 33%	77 78%
#157		8	0	0	8	0	2	2	4	0	0	0	4	100 00%	100 00%	100 00%
#158		1118	0	0	1118	85	56	2	975	44	32	12	931	88 64%	95 49%	96 68%
#159		1910	0	0	1910	50	103	2	1755	159	82	77	1596	92 36%	90 94%	95 11%
#160		2217	0	0	2217	235	223	7	1752	146	105	41	1606	82.53%	91.67%	93 86%
#161		0	0	22	22	2	6	3	11	9	0	9	2	50.00%	18 18%	100 00%
#162		12	0	0	12	2	7	0	3	0	0	0	3	60.00%	100 00%	100 00%
#163		176	0	0	176	31	10	1	134	12	9	3	122	75.31%	91 04%	93 13%
#164		3	0	0	3	0	0	0	3	0	0	0	3	100 00%	100 00%	100 00%
#165		106	0	0	106	8	10	0	88	5	2	3	83	89 25%	94 32%	97 65%
#166		163	0	0	163	41	2	0	120	6	5	1	114	71 25%	95 00%	95 80%
#167		26	0	0	26	0	3	0	23	0	0	0	23	100 00%	100 00%	100.00%
#168		0	0	287	287	9	21	0	257	5	2	3	252	95 82%	98 05%	99 21%
#169		15	0	0	15	2	2	0	11	0	0	0	11	84 62%	100 00%	100 00%
#170		1272	0	0	1272	91	171	2	1008	48	43	5	960	87.75%	95 24%	95 71%
#171		615	0	0	615	48	84	3	480	31	29	2	449	85 36%	93 54%	93 93%
#172		7128	0	0	7128	375	420	16	6317	734	546	188	5583	85 84%	88 38%	91 09%
#173		122	0	0	122	15	9	0	98	5	3	2	93	83 78%	94 90%	96 88%
#174		40	0	0	40	2	5	1	32	6	5	1	26	78 79%	81 25%	83 87%
#175		774	0	0	774	82	125	5	562	37	23	14	525	83 33%	93.42%	95 80%
#176		1384	0	0	1384	89	81	0	1214	66	63	3	1148	88 31%	94 56%	94 80%
#177		0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0 00%
#178		28	0	0	28	2	3	3	20	15	10	5	5	29 41%	25 00%	33 33%
#179		1830	0	0	1830	207	173	8	1442	106	78	28	1336	82 42%	92 65%	94 48%
#180		31	0	0	31	0	1	0	30	5	5	0	25	83 33%	83.33%	83 33%
#181		43	0	0	43	5	12	0	26	19	4	15	7	43 75%	26 92%	63.64%
#182		4	0	0	4	1	1	0	2	1	0	1	1	50 00%	50.00%	100 00%
#183		240	0	0	240	26	10	2	202	24	14	10	178	81 65%	88 12%	92 71%
#184		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#185		26	0	0	26	0	1	0	25	0	0	0	25	100 00%	100 00%	100 00%
#186		737	0	0	737	70	133	4	530	40	29	11	490	83 19%	92 45%	94 41%
#187		3	0	0	3	0	0	0	3	3	1	2	0	0 00%	0.00%	0 00%
#188		388	0	0	388	57	56	4	271	35	19	16	236	75 64%	87 08%	92 55%
#189		167	0	0	167	7	11	0	149	15	12	3	134	87.58%	89 93%	91 78%
#190		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#191		15	0	0	15	0	2	0	13	0	0	0	13	100 00%	100.00%	100 00%
#192		2726	0	0	2726	269	194	15	2248	103	66	37	2145	86 49%	95 42%	97 01%
#193		1564	0	0	1564	119	71	4	1370	50	38	12	1320	89 37%	96 35%	97 20%
#194		868	0	0	868	67	27	0	774	66	62	4	708	84 59%	91 47%	91 95%
#195		1602	0	0	1602	121	94	0	1387	70	49	21	1317	88 57%	94 95%	96 41%
#196		200	0	0	200	33	12	0	155	5	4	1	150	80 21%	96 77%	97 40%
#197		119	0	0	119	8	3	0	108	4	3	1	104	90.43%	96 30%	97 20%
#198		29	0	0	29	1	1	0	27	2	2	0	25	89.29%	92.59%	92 59%
#199		97	0	0	97	13	8	2	74	4	3	1	70	81.40%	94 59%	95 89%
#200		256	0	0	256	56	18	4	178	23	14	9	155	68.89%	67.08%	91.72%
#201		3	0	0	3	0	0	0	3	0	0	0	3	100 00%	100.00%	100 00%
#202		85	0	0	85	3	3	1	78	25	24	1	53	66 25%	67 95%	68 83%
#203		519	0	0	519	46	33	0	440	12	11	1	428	88 25%	97.27%	97 49%
#204		161	0	0	161	28	8	1	124	21	19	2	103	68.67%	83.06%	84 43%
#205		3	0	0	3	0	2	0	1	0	0	0	1	100 00%	100 00%	100 00%
#206		0	0	1051	1051	46	95	0	910	33	23	10	877	92.71%	96 37%	97.44%
#207		316	0	0	316	42	26	0	248	26	17	9	222	79 00%	89.52%	92 89%
#208		206	0	0	206	38	6	3	159	16	11	5	143	74 48%	89 94%	92 86%
#209		310	0	0	310	42	8	2	258	16	14	2	242	81 21%	93.80%	94 53%
#210		75	0	0	75	7	2	0	66	1	0	1	65	90 28%	98 48%	100 00%
#211		120	0	0	120	24	27	1	68	10	6	4	58	65.91%	85 29%	90 63%
#212		0	0	1112	1112	42	95	2	973	26	20	6	947	93.86%	97 33%	97 93%
#213		46	0	0	46	7	0	2	37	1	0	1	36	83 72%	97 30%	100 00%
#214		380	0	0	380	43	14	1	322	12	10	2	310	85.40%	96 27%	96 88%
#215		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0 00%	0 00%
#216		659	0	0	659	57	38	0	564	47	39	8	517	84 34%	91 67%	92 99%
#217		22	0	0	22	2	0	1	19	3	3	0	16	76 19%	84 21%	84 21%
#218		212	0	0	212	17	13	1	181	8	7	1	173	87 82%	95.58%	96 11%
#219		74	0	0	74	2	4	0	68	9	5	4	59	89 39%	86 76%	92 19%
#220		46	0	0	46	10	4	0	32	11	9	2	21	52 50%	65 63%	70 00%
#221		4	0	0	4	1	2	0	1	0	0	0	1	50 00%	100.00%	100 00%
#222		22	0	0	22	1	14	0	7	1	0	1	6	85 71%	85 71%	100 00%
#223		389	0	0	389	22	31	9	327	88	47	41	239	77 60%	73.09%	83 57%
#224		32	0	0	32	4	3	0	25	0	0	0	25	86 21%	100 00%	100 00%
#225		16	0	0	16	0	3	0	13	0	0	0	13	100 00%	100 00%	100 00%
#226		1105	0	0	1105	169	86	4	846	51	41	10	795	79 10%	93 97%	95 10%
#227		49	0	0	49	4	11	0	34	8	8	0	26	68 42%	76 47%	76 47%
#228		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#229		38	0	0	38	6	9	0	23	4	1	3	19	73.08%	82 61%	95 00%
#230		205	0	0	205	21	8	0	176	6	5	1	170	86 73%	96 59%	97 14%
#231		2655	0	0	2655	156	147	17	2335	345	202	143	1990	84 75%	85 22%	90 78%
#232		2250	0	0	2250	245	118	3	1884	143	106	37	1741	83.22%	92 41%	94 26%
#233		5	0	0	5	0	3	0	2	0	0	0	2	100.00%	100 00%	100 00%
#234		35	0	0	35	5	3	0	27	1	0	1	26	83.87%	96.30%	100 00%
#235		1022	0	0	1022	103	103	2	814	54	44	10	760	83.79%	93.37%	94 53%
#236		0	0	81	81	10	23	2	46	28	18	10	18	39 13%	39 13%	50 00%
#237		301	0	0	301	15	29	1	256	36	17	19	220	87.30%	85 94%	92 83%
#238		2998	0	0	2998	137	341	4	2516	136	102	34	2380	90 87%	94.59%	95 89%
#239		547	0	0	547	69	11	0	467	12	10	2	455	85.21%	97.43%	97 85%
#240		57	0	0	57	6	2	0	49	5	3	2	44	83 02%	89.80%	93 62%
#241		74	0	0	74	5	4	0	65	4	1	3	61	91 04%	93.85%	98 39%
#242		4	0	0	4	0	1	0	3	1	0	1	2	100 00%	66 67%	100 00%
#243		3	0	0	3	1	1	0	1	0	0	0	1	50.00%	100 00%	100 00%
#244		361	0	0	361	18	29	0	314	10	5	5	304	92 97%	96 82%	98 38%
#245		18	0	0	18	5	2	0	11	2	1	1	9	60 00%	81 82%	90 00%
#246		620	0	0	620	51	105	2	462	22	16	6	440	86 79%	95 24%	96 49%
#247		439	0	0	439	61	26	0	352	59	41	18	293	74.18%	83 24%	87 72%
#248		23	0	0	23	2	4	0	17	0	0	0	17	89 47%	100 00%	100 00%
#249		2	0	0	2	0	0	1	1	0	0	0	1	100 00%	100 00%	100 00%
#250		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100 00%	100 00%
#251		19	0	0	19	1	0	0	18	2	0	2	16	94 12%	88.89%	100 00%
#252		2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0 00%	0 00%
#253		28	0	0	28	3	1	1	23	5	4	1	18	72 00%	78 26%	81 82%
#254		212	0	0	212	16	8	1	187	14	12	2	173	86.07%	92.51%	93 51%
#255		2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100 00%	100 00%
#256		1672	0	0	1672	125	30	4	1513	91	66	25	1422	88 16%	93 99%	95 56%
#257		316	0	0	316	51	17	1	247	32	27	5	215	73 38%	87.04%	88 84%
#258		212	0	0	212	20	14	1	177	26	21	5	151	78 65%	85 31%	87 79%
#259		23	0	0	23	2	8	0	13	2	0	2	11	84 62%	84 62%	100 00%
#260		243	0	0	243	18	57	1	167	18	9	9	149	84.66%	89.22%	94 30%
#261		142	0	0	142	19	20	1	102	37	37	0	65	53 72%	63 73%	63 73%
#262		1149	0	0	1149	151	47	1	950	37	33	4	913	83.23%	96 11%	96 51%
#263		0	5	0	5	0	0	0	5	0	0	0	5	100 00%	100 00%	100 00%
#264		10	0	0	10	3	3	0	4	0	0	0	4	57 14%	100 00%	100 00%
#265		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
LENS Subtotal		168537	0	0	168537	14303	17221	662	136351	15476	11327	4149	120875	82 51%	88.65%	91 43%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
EDI Subtotal		0	21608	0	21608	654	4546	11	16397	4818	3040	1778	11579	75.81%	70.62%	79 21%
TAG Subtotal		0	0	21985	21985	896	1551	98	19440	2207	1544	663	17233	87.60%	88.65%	91 78%
TOTAL INTERFACES		**168537**	**21608**	**21985**	**212130**	**15853**	**23318**	**771**	**172188**	**22501**	**15911**	**6590**	**149687**	**82.49%**	**86.93%**	**90.39%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0 00%
#2		5	0	0	5	3	0	0	2	0	0	0	2	40.00%	100 00%	100 00%
#3		35	0	0	35	0	8	0	27	6	6	0	21	77.78%	77 78%	77 78%
#4		5	0	0	5	1	2	0	2	0	0	0	2	66.67%	100.00%	100 00%
#5		0	0	10	10	2	2	0	6	3	2	1	3	42 86%	50 00%	60 00%
#6		6	0	0	6	0	0	0	6	0	0	0	6	100 00%	100.00%	100 00%
#7		206	0	0	206	99	18	2	87	31	21	10	56	31.82%	64.37%	72 73%
#8		27	0	0	27	5	3	0	19	8	7	1	11	47.83%	57.89%	61 11%
#9		23	0	0	23	1	3	0	19	5	1	4	14	87.50%	73 68%	93 33%
#10		0	10	0	10	0	4	0	6	6	4	2	0	0 00%	0.00%	0 00%
#11		176	0	0	176	36	30	6	104	41	23	18	63	51 64%	60 58%	73 26%
#12		32	0	0	32	9	8	1	14	8	4	4	6	31 58%	42 86%	60 00%
#13		0	0	5	5	0	5	0	0	0	0	0	0	0.00%	0 00%	0 00%
#14		4	0	0	4	1	0	0	3	2	0	2	1	50.00%	33.33%	100 00%
#15		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0 00%
#16		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#17		12	0	0	12	1	2	0	9	4	3	1	5	55 56%	55.56%	62.50%
#18		48	0	0	48	9	3	0	36	13	7	6	23	58.97%	63 89%	76 67%
#19		249	0	0	249	41	27	17	164	55	32	23	109	59 89%	66 46%	77 30%
#20		150	0	0	150	40	7	1	102	21	14	7	81	60 00%	79 41%	85.26%
#21		5	0	0	5	0	1	0	4	1	1	0	3	75.00%	75.00%	75 00%
#22		23	0	0	23	9	2	1	11	2	2	0	9	45 00%	81 82%	81 82%
#23		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100 00%	100 00%
#24		80	0	0	80	7	0	0	73	21	15	6	52	70.27%	71 23%	77 61%
#25		10	0	0	10	1	1	0	8	2	2	0	6	66.67%	75 00%	75 00%
#26		25	0	0	25	2	3	2	18	11	6	5	7	46 67%	38 89%	53.85%
#27		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0.00%	0 00%
#28		57	0	0	57	3	2	1	51	9	8	1	42	79 25%	82.35%	84 00%
#29		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#30		0	0	2	2	1	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#31		696	0	0	696	216	71	18	391	120	71	49	271	48 57%	69 31%	79 24%
#32		0	0	20	20	4	6	0	10	2	0	2	8	66 67%	80 00%	100 00%
#33		31	0	0	31	8	1	0	22	7	2	5	15	60 00%	68 18%	88 24%
#34		3	0	0	3	1	0	0	2	1	0	1	1	50 00%	50 00%	100 00%
#35		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#36		0	2	0	2	1	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#37		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#38		0	0	8	8	4	1	0	3	0	0	0	3	42 86%	100 00%	100 00%
#39		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0 00%	0 00%
#40		30	0	0	30	6	6	0	18	6	5	1	12	52 17%	66 67%	70 59%
#41		33	0	0	33	7	4	0	22	5	4	1	17	60 71%	77 27%	80 95%
#42		4	0	0	4	2	0	0	2	0	0	0	2	50 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#43		5	0	0	5	0	2	0	3	1	1	0	2	66.67%	66 67%	66 67%
#44		3	0	0	3	0	0	0	3	1	1	0	2	66.67%	66 67%	66 67%
#45		197	0	0	197	78	14	3	102	31	17	14	71	42 77%	69 61%	80 68%
#46		8	0	0	8	0	0	0	8	0	0	0	8	100 00%	100.00%	100 00%
#47		20	0	0	20	8	0	2	10	5	2	3	5	33 33%	50 00%	71.43%
#48		462	0	0	462	80	42	6	334	132	90	42	202	54 30%	60 48%	69.18%
#49		48	0	0	48	11	7	0	30	2	1	1	28	70 00%	93 33%	96 55%
#50		77	0	0	77	28	5	0	44	19	16	3	25	36 23%	56 82%	60.98%
#51		263	0	0	263	25	23	3	212	69	56	13	143	63 84%	67.45%	71 86%
#52		13	0	0	13	5	2	0	6	0	0	0	6	54 55%	100.00%	100 00%
#53		0	0	19	19	6	6	0	7	3	3	0	4	30 77%	57 14%	57 14%
#54		29	0	0	29	19	4	0	6	2	1	1	4	16 67%	66 67%	80.00%
#55		0	538	0	538	77	89	25	347	187	124	63	160	44 32%	46 11%	56 34%
#56		51	0	0	51	8	8	1	34	12	9	3	22	56 41%	64 71%	70 97%
#57		69	0	0	69	23	2	4	40	9	7	2	31	50 82%	77 50%	81 58%
#58		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#59		1134	0	0	1134	234	192	15	693	397	292	105	296	36 01%	42 71%	50 34%
#60		0	0	3	3	0	0	0	3	2	0	2	1	100 00%	33 33%	100 00%
#61		14	0	0	14	3	2	0	9	1	1	0	8	66 67%	88 89%	88 89%
#62		9	0	0	9	2	1	0	6	1	1	0	5	62 50%	83 33%	83 33%
#63		5	0	0	5	3	0	0	2	1	1	0	1	20 00%	50 00%	50 00%
#64		0	0	75	75	39	6	1	29	14	7	7	15	24 59%	51 72%	68 18%
#65		4	0	0	4	0	0	0	4	1	1	0	3	75 00%	75 00%	75 00%
#66		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#67		7	0	0	7	3	0	0	4	1	0	1	3	50 00%	75 00%	100 00%
#68		4	0	0	4	0	1	0	3	2	2	0	1	33 33%	33 33%	33 33%
#69		0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0 00%	0 00%
#70		102	0	0	102	19	15	2	66	29	14	15	37	52.86%	56.06%	72 55%
#71		291	0	0	291	31	22	1	237	113	88	25	124	51 03%	52.32%	58 49%
#72		56	0	0	56	7	6	0	43	9	7	2	34	70.83%	79.07%	82 93%
#73		22	0	0	22	4	2	1	15	4	2	2	11	64 71%	73 33%	84 62%
#74		10	0	0	10	2	0	0	8	0	0	0	8	80 00%	100 00%	100 00%
#75		59	0	0	59	20	4	1	34	3	2	1	31	58 49%	91 18%	93 94%
#76		7	0	0	7	5	0	0	2	0	0	0	2	28.57%	100 00%	100 00%
#77		0	0	120	120	45	15	4	56	31	11	20	25	30 86%	44 64%	69 44%
#78		152	0	0	152	27	10	3	112	51	32	19	61	50.83%	54.46%	65 59%
#79		0	0	2	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#80		8	0	0	8	0	2	0	6	3	3	0	3	50 00%	50 00%	50 00%
#81		0	2	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#82		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#83		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#84		16	0	0	16	1	5	0	10	4	3	1	6	60 00%	60 00%	66 67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#85		6	0	0	6	2	1	0	3	0	0	0	3	60.00%	100.00%	100 00%
#86		0	0	13	13	0	4	0	9	0	0	0	9	100.00%	100 00%	100 00%
#87		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#88		0	13	0	13	3	3	0	7	4	0	4	3	50 00%	42.86%	100 00%
#89		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#90		13	0	0	13	8	0	0	5	1	1	0	4	30 77%	80 00%	80 00%
#91		14	0	0	14	1	1	0	12	0	0	0	12	92 31%	100.00%	100 00%
#92		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#93		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#94		0	0	35	35	21	3	0	11	6	6	0	5	15 63%	45 45%	45 45%
#95		54	0	0	54	6	4	1	43	16	12	4	27	60.00%	62 79%	69 23%
#96		0	0	34	34	1	6	1	26	19	13	6	7	33 33%	26 92%	35 00%
#97		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#98		0	31	0	31	1	3	0	27	14	0	14	13	92 86%	48 15%	100 00%
#99		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#100		56	0	0	56	5	1	0	50	10	4	6	40	81 63%	80 00%	90 91%
#101		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#102		0	0	3	3	1	0	0	2	0	0	0	2	66 67%	100 00%	100 00%
#103		9	0	0	9	1	0	0	8	6	3	3	2	33 33%	25 00%	40 00%
#104		0	21	0	21	1	5	0	15	5	0	5	10	90 91%	66 67%	100 00%
#105		0	0	27	27	6	5	0	16	7	1	6	9	56 25%	56 25%	90 00%
#106		135	0	0	135	47	16	2	70	16	13	3	54	47 37%	77 14%	80 60%
#107		1873	0	0	1873	271	274	47	1281	562	392	170	719	52 03%	56 13%	64 72%
#108		5	0	0	5	1	3	0	1	1	1	0	0	0.00%	0 00%	0 00%
#109		62	0	0	62	8	14	2	38	19	13	6	19	47 50%	50 00%	59 38%
#110		13	0	0	13	8	1	0	4	2	2	0	2	16 67%	50 00%	50 00%
#111		345	0	0	345	52	70	2	221	111	94	17	110	42 97%	49 77%	53 92%
#112		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0 00%	0 00%
#113		2	0	0	2	0	0	0	2	1	0	1	1	100 00%	50.00%	100 00%
#114		11	0	0	11	1	5	0	5	1	1	0	4	66.67%	80 00%	80 00%
#115		28	0	0	28	5	2	1	20	7	3	4	13	61 90%	65 00%	81.25%
#116		54	0	0	54	32	14	0	8	3	2	1	5	12.82%	62 50%	71 43%
#117		10	0	0	10	5	2	0	3	2	1	1	1	14.29%	33.33%	50 00%
#118		0	0	40	40	1	10	0	29	12	4	8	17	77.27%	58 62%	80 95%
#119		11	0	0	11	1	3	0	7	1	1	0	6	75 00%	85 71%	85 71%
#120		4	0	0	4	3	0	0	1	0	0	0	1	25 00%	100.00%	100 00%
#121		21	0	0	21	9	1	1	10	6	3	3	4	25 00%	40 00%	57 14%
#122		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#123		13	0	0	13	6	0	0	7	4	2	2	3	27 27%	42 86%	60 00%
#124		2	0	0	2	0	0	0	2	2	0	2	0	0 00%	0 00%	0 00%
#125		5	0	0	5	0	0	0	5	3	2	1	2	50 00%	40 00%	50 00%
#126		4	0	0	4	3	1	0	0	0	0	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#127		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100 00%
#128		2	0	0	2	1	0	0	1	0	0	0	1	50.00%	100 00%	100 00%
#129		3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100 00%
#130		40	0	0	40	1	3	0	36	11	10	1	25	69.44%	69.44%	71 43%
#131		15	0	0	15	1	2	0	12	3	2	1	9	75 00%	75 00%	81 82%
#132		23	0	0	23	5	3	0	15	4	2	2	11	61 11%	73.33%	84 62%
#133		0	0	4	4	3	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#134		25	0	0	25	2	6	0	17	4	0	4	13	86.67%	76 47%	100 00%
#135		64	0	0	64	22	4	0	38	9	8	1	29	49 15%	76.32%	78 38%
#136		25	0	0	25	0	14	0	11	0	0	0	11	100.00%	100 00%	100 00%
#137		3	0	0	3	0	0	1	2	2	2	0	0	0 00%	0 00%	0 00%
#138		34	0	0	34	6	2	3	23	7	5	2	16	59 26%	69 57%	76 19%
#139		15	0	0	15	0	7	0	8	0	0	0	8	100 00%	100 00%	100 00%
#140		0	0	12	12	3	6	0	3	1	0	1	2	40 00%	66.67%	100 00%
#141		107	0	0	107	4	5	2	96	58	33	25	38	50 67%	39 58%	53 52%
#142		10	0	0	10	0	0	0	10	3	1	2	7	87.50%	70 00%	87 50%
#143		6	0	0	6	0	0	0	6	2	1	1	4	80 00%	66 67%	80 00%
#144		47	0	0	47	5	6	0	36	11	7	4	25	67.57%	69.44%	78 13%
#145		0	0	11	11	5	2	0	4	0	0	0	4	44.44%	100 00%	100 00%
#146		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#147		0	0	2	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#148		48	0	0	48	2	5	0	41	8	4	4	33	84.62%	80 49%	89 19%
#149		3	0	0	3	0	0	0	3	3	3	0	0	0 00%	0 00%	0 00%
#150		11	0	0	11	2	1	0	8	6	2	4	2	33 33%	25 00%	50 00%
#151		9	0	0	9	4	0	1	4	2	1	1	2	28 57%	50 00%	66 67%
#152		13	0	0	13	6	3	0	4	2	1	1	2	22 22%	50 00%	66 67%
#153		5	0	0	5	3	0	0	2	0	0	0	2	40 00%	100 00%	100 00%
#154		10	0	0	10	2	0	0	8	1	1	0	7	70 00%	87 50%	87 50%
#155		8	0	0	8	1	1	0	6	0	0	0	6	85 71%	100 00%	100 00%
#156		2	0	0	2	1	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#157		8	0	0	8	2	0	0	6	2	2	0	4	50.00%	66.67%	66 67%
#158		11	0	0	11	1	5	0	5	1	1	0	4	66 67%	80 00%	80 00%
#159		10	0	0	10	0	0	1	9	5	3	2	4	57 14%	44 44%	57 14%
#160		27	0	0	27	0	17	0	10	0	0	0	10	100 00%	100 00%	100 00%
#161		6	0	0	6	0	0	0	6	0	0	0	6	100 00%	100 00%	100 00%
#162		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#163		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#164		6	0	0	6	2	0	0	4	2	2	0	2	33 33%	50 00%	50 00%
#165		9	0	0	9	3	1	0	5	2	1	1	3	42 86%	60 00%	75 00%
#166		3	0	0	3	0	0	0	3	0	0	0	3	100 00%	100 00%	100 00%
#167		8	0	0	8	1	0	1	6	5	1	4	1	33 33%	16 67%	50 00%
#168		5	0	0	5	0	1	0	4	1	1	0	3	75 00%	75 00%	75 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#169		4	0	0	4	0	4	0	0	0	0	0	0	0.00%	0.00%	0 00%
#170		14	0	0	14	3	5	1	5	5	2	3	0	0 00%	0.00%	0 00%
#171		5	0	0	5	0	1	0	4	0	0	0	4	100 00%	100 00%	100 00%
#172		32	0	0	32	6	6	1	19	6	4	2	13	56 52%	68 42%	76 47%
#173		3	0	0	3	0	0	0	3	2	2	0	1	33.33%	33.33%	33.33%
#174		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100.00%	100 00%
#175		11	0	0	11	5	3	0	3	1	1	0	2	25 00%	66 67%	66 67%
#176		0	0	3	3	0	3	0	0	0	0	0	0	0 00%	0.00%	0.00%
#177		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#178		5	0	0	5	4	0	0	1	0	0	0	1	20 00%	100.00%	100 00%
#179		3	0	0	3	2	0	0	1	1	1	0	0	0 00%	0 00%	0.00%
#180		18	0	0	18	7	0	0	11	3	0	3	8	53 33%	72 73%	100 00%
#181		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0.00%	0 00%
#182		3	0	0	3	0	0	0	3	2	1	1	1	50 00%	33.33%	50 00%
#183		0	0	13	13	2	1	1	9	2	1	1	7	70 00%	77.78%	87 50%
#184		32	0	0	32	1	7	1	23	9	3	6	14	77 78%	60 87%	82 35%
#185		2	0	0	2	0	1	0	1	1	1	0	0	0 00%	0 00%	0 00%
#186		41	0	0	41	30	2	0	9	1	1	0	8	20 51%	88.89%	88 89%
#187		61	0	0	61	11	19	1	30	10	3	7	20	58.82%	66 67%	86 96%
#188		55	0	0	55	15	17	4	19	7	3	4	12	40 00%	63 16%	80 00%
#189		0	0	2	2	1	0	0	1	0	0	0	1	50 00%	100 00%	100 00%
#190		15	0	0	15	3	2	0	10	1	1	0	9	69 23%	90 00%	90 00%
#191		44	0	0	44	12	2	0	30	3	1	2	27	67 50%	90.00%	96 43%
#192		21	0	0	21	10	2	0	9	5	3	2	4	23 53%	44 44%	57 14%
#193		0	0	3	3	0	0	0	3	3	2	1	0	0 00%	0 00%	0 00%
#194		0	0	6	6	0	0	0	6	4	1	3	2	66 67%	33 33%	66.67%
#195		4	0	0	4	1	0	0	3	3	3	0	0	0 00%	0 00%	0 00%
#196		0	18	0	18	1	8	0	9	1	0	1	8	88.89%	88.89%	100 00%
#197		0	0	8	8	0	0	0	8	4	3	1	4	57 14%	50 00%	57 14%
#198		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#199		0	0	9	9	0	0	0	9	6	2	4	3	60 00%	33 33%	60 00%
#200		87	0	0	87	16	14	2	55	27	21	6	28	43 08%	50 91%	57 14%
#201		2	0	0	2	1	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#202		0	0	31	31	1	0	0	30	21	6	15	9	56 25%	30 00%	60 00%
#203		5	0	0	5	1	1	0	3	1	1	0	2	50 00%	66 67%	66 67%
#204		15	0	0	15	6	1	2	6	1	1	0	5	41 67%	83 33%	83 33%
#205		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#206		3	0	0	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
LENS Subtotal		9016	0	0	9016	1843	1173	168	5832	2307	1587	720	3525	50 68%	60.44%	68 96%
EDI Subtotal		0	635	0	635	86	113	25	411	217	128	89	194	47 55%	47 20%	60 25%
TAG Subtotal		0	0	521	521	149	84	7	281	141	62	79	140	39 89%	49.82%	69 31%
TOTAL INTERFACES		**9016**	**635**	**521**	**10172**	**2078**	**1370**	**200**	**6524**	**2665**	**1777**	**888**	**3859**	**50.03%**	**59.15%**	**68.47%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		625	0	0	625	90	98	5	432	144	110	34	288	59.02%	66.67%	72 36%
#2		2	0	0	2	0	0	0	2	2	0	2	0	0.00%	0.00%	0 00%
#3		41	0	0	41	7	1	1	32	18	13	5	14	41 18%	43 75%	51 85%
#4		18	0	0	18	2	6	1	9	0	0	0	9	81 82%	100 00%	100 00%
#5		0	356	0	513	99	50	4	360	127	104	23	233	53 44%	64.72%	69 14%
#6		935	0	0	935	187	65	15	668	299	235	64	369	46.65%	55.24%	61 09%
#7		0	1	0	2	1	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#8		8	0	0	8	1	1	0	6	4	1	3	2	50 00%	33.33%	66 67%
#9		0	0	37	37	6	13	2	16	4	3	1	12	57 14%	75.00%	80 00%
#10		29	0	0	29	3	4	1	21	6	3	3	15	71 43%	71 43%	83 33%
#11		0	110	0	111	13	24	0	74	10	7	3	64	76 19%	86 49%	90 14%
#12		0	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#13		0	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#14		0	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#15		17	0	0	87	5	9	0	73	8	7	1	65	84 42%	89.04%	90 28%
#16		0	621	0	621	55	82	3	481	230	190	40	251	50 60%	52 18%	56 92%
#17		1707	0	0	1707	126	195	11	1375	283	227	56	1092	75 57%	79 42%	82 79%
#18		103	0	0	103	12	11	8	72	62	22	40	10	22.73%	13 89%	31 25%
#19		22	0	0	22	0	0	0	22	18	7	11	4	36 36%	18 18%	36 36%
#20		4	0	0	4	1	1	0	2	1	0	1	1	50 00%	50.00%	100 00%
#21		6	0	0	6	0	1	0	5	5	4	1	0	0.00%	0 00%	0 00%
#22		0	106	0	106	70	9	0	27	8	8	0	19	19 59%	70.37%	70 37%
#23		2	0	0	2	0	0	0	2	2	1	1	0	0 00%	0.00%	0 00%
#24		429	0	0	429	58	39	7	325	125	91	34	200	57.31%	61 54%	68 73%
#25		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0 00%	0 00%
#26		0	219	0	219	122	11	11	75	35	27	8	40	21 16%	53 33%	59 70%
#27		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#28		2891	0	0	2891	432	215	34	2210	537	451	86	1673	65.45%	75 70%	78 77%
#29		150	0	0	155	0	17	5	133	35	16	19	98	85 96%	73 68%	85 96%
#30		1365	0	0	1365	262	142	16	945	300	245	55	645	55 99%	68 25%	72 47%
#31		0	0	8	8	4	0	0	4	0	0	0	4	50 00%	100 00%	100 00%
#32		0	186	0	186	120	22	2	42	17	14	3	25	15 72%	59 52%	64 10%
#33		35	0	0	254	1	5	0	248	44	28	16	204	87 55%	82 26%	87 93%
#34		27	0	0	27	3	10	1	13	0	0	0	13	81.25%	100.00%	100 00%
#35		9	0	0	9	3	2	0	4	0	0	0	4	57 14%	100 00%	100 00%
#36		0	382	0	382	200	96	3	83	44	32	12	39	14 39%	46 99%	54 93%
#37		578	0	0	578	104	61	11	402	103	83	20	299	61 52%	74 38%	78 27%
#38		2	0	0	2	0	0	1	1	0	0	0	1	100 00%	100 00%	100 00%
#39		4	0	0	4	1	3	0	0	0	0	0	0	0.00%	0 00%	0 00%
#40		0	1532	0	1532	273	178	13	1068	402	244	158	666	56.30%	62 36%	73 19%
#41		41	0	0	41	6	7	0	28	4	3	1	24	72 73%	85 71%	88 89%
#42		10	0	0	10	1	6	0	3	0	0	0	3	75 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#43		191	0	0	191	13	151	2	25	16	0	16	9	40 91%	36.00%	100 00%
#44		0	0	112	112	23	33	2	54	28	17	11	26	39.39%	48.15%	60 47%
#45		4	0	0	4	3	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#46		0	0	66	66	35	13	0	18	4	2	2	14	27.45%	77.78%	87 50%
#47		0	0	97	97	21	16	0	60	12	6	6	48	64 00%	80 00%	88 89%
#48		0	0	67	67	0	30	1	36	19	16	3	17	51 52%	47 22%	51 52%
#49		0	0	287	287	91	50	1	145	45	25	20	100	46.30%	68 97%	80 00%
#50		4	0	0	4	1	2	0	1	0	0	0	1	50.00%	100 00%	100 00%
#51		42	0	0	52	0	3	4	45	39	31	8	6	16 22%	13.33%	16 22%
#52		6	0	0	6	0	3	0	3	0	0	0	3	100 00%	100.00%	100.00%
#53		0	0	0	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#54		0	0	15	15	2	9	1	3	2	0	2	1	33.33%	33 33%	100 00%
#55		19	0	0	19	12	4	0	3	2	2	0	1	6.67%	33.33%	33 33%
#56		0	0	98	98	4	22	0	72	18	11	7	54	78 26%	75 00%	83 08%
#57		35	0	0	35	5	1	0	29	11	5	6	18	64 29%	62.07%	78 26%
#58		0	593	0	593	221	89	3	280	67	46	21	213	44 38%	76 07%	82 24%
#59		0	46	0	46	0	23	0	23	12	7	5	11	61 11%	47 83%	61 11%
#60		0	36133	0	36133	1686	5220	50	29177	7258	5084	2174	21919	76 40%	75.12%	81 17%
#61		28	0	0	28	2	5	0	21	1	0	1	20	90 91%	95 24%	100 00%
#62		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#63		0	0	31	31	15	10	0	6	6	3	3	0	0 00%	0 00%	0 00%
#64		54	0	0	54	5	0	0	49	30	16	14	19	47 50%	38 78%	54 29%
#65		58	0	0	58	0	0	0	58	26	10	16	32	76 19%	55 17%	76 19%
#66		0	478	0	478	157	75	8	238	129	69	60	109	32.54%	45 80%	61 24%
#67		2	0	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#68		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100 00%	100 00%
#69		0	0	266	307	21	18	9	259	53	32	21	206	79 54%	79.54%	86 55%
#70		6	0	0	6	0	2	0	4	0	0	0	4	100 00%	100 00%	100 00%
#71		32	0	0	32	10	11	0	11	1	0	1	10	50.00%	90 91%	100 00%
#72		13	0	0	13	8	3	0	2	0	0	0	2	20.00%	100 00%	100 00%
#73		5	0	0	5	1	2	0	2	1	0	1	1	50 00%	50.00%	100 00%
#74		34	0	0	34	12	6	1	15	12	7	5	3	13 64%	20.00%	30 00%
#75		248	0	0	250	9	31	3	207	157	90	67	50	33 56%	24.15%	35 71%
#76		12	0	0	12	1	1	1	9	7	4	3	2	28 57%	22 22%	33 33%
#77		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0.00%	0 00%
#78		4	0	0	4	3	0	0	1	0	0	0	1	25 00%	100 00%	100 00%
#79		7	0	0	7	2	4	0	1	0	0	0	1	33 33%	100 00%	100 00%
#80		0	25	0	25	8	1	3	13	5	4	1	8	40 00%	61 54%	66 67%
#81		105	0	0	105	13	13	4	75	30	19	11	45	58.44%	60.00%	70 31%
#82		10	0	0	10	1	5	0	4	3	0	3	1	50 00%	25 00%	100 00%
#83		55	0	0	55	12	5	0	38	4	4	0	34	68 00%	89 47%	89 47%
#84		2765	0	0	2765	84	97	4	2680	84	50	34	2496	94 90%	96 74%	98 04%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#85		11	0	0	11	3	0	0	8	4	1	3	4	50.00%	50.00%	80 00%
#86		114	0	0	114	11	2	0	101	13	11	2	88	80.00%	87.13%	88 89%
#87		4	0	0	4	0	1	0	3	2	2	0	1	33 33%	33 33%	33 33%
#88		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0.00%	0 00%
#89		15	0	0	15	0	4	0	11	1	1	0	10	90 91%	90 91%	90 91%
#90		17	0	0	17	0	5	1	11	2	2	0	9	81 82%	81 82%	81 82%
#91		0	0	2	2	2	0	0	0	0	0	0	0	0.00%	0 00%	0 00%
#92		275	0	0	275	21	73	1	180	13	9	4	167	84 77%	92.78%	94 89%
#93		4	0	0	4	0	2	0	2	0	0	0	2	100 00%	100 00%	100 00%
#94		43	0	0	43	4	3	0	36	6	5	1	30	76 92%	83 33%	85 71%
#95		36	0	0	36	2	3	3	28	11	8	3	17	62.96%	60.71%	68 00%
#96		0	0	64	64	8	11	1	44	26	23	3	18	36 73%	40 91%	43 90%
#97		346	0	0	346	36	40	0	270	68	59	9	202	68 01%	74 81%	77 39%
#98		5	0	0	5	0	2	0	3	3	3	0	0	0 00%	0.00%	0 00%
#99		0	0	1	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#100		0	0	11823	11823	1413	2869	146	7395	1839	1173	666	5556	68 24%	75 13%	82 57%
#101		2043	0	0	2043	258	91	3	1691	209	161	48	1482	77 96%	87 64%	90 20%
#102		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#103		2	0	0	2	0	0	0	2	2	0	2	0	0.00%	0.00%	0 00%
#104		4	0	0	4	0	3	0	1	0	0	0	1	100 00%	100 00%	100.00%
#105		0	0	0	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#106		0	0	13	13	0	2	0	11	4	4	0	7	63 64%	63 64%	63 64%
#107		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100.00%	100 00%
#108		200	0	0	200	34	9	3	154	44	39	5	110	60 11%	71.43%	73 83%
#109		482	0	0	482	48	50	13	371	157	115	42	214	56.76%	57.68%	65.05%
#110		0	0	45	45	3	8	2	32	13	5	8	19	70 37%	59 38%	79 17%
#111		0	0	368	368	81	22	2	263	57	44	13	206	62 24%	78.33%	82 40%
#112		571	0	0	571	45	48	7	471	71	49	22	400	80.97%	84 93%	89 09%
#113		125	0	0	125	35	20	4	66	23	11	12	43	48 31%	65 15%	79 63%
#114		2	0	0	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#115		7	0	0	7	0	0	0	7	3	1	2	4	80 00%	57.14%	80 00%
#116		52	0	0	52	0	0	1	51	20	9	11	31	77.50%	60.78%	77 50%
#117		0	0	930	930	110	13	93	714	325	291	34	389	49 24%	54 48%	57 21%
#118		0	29	0	29	0	3	0	26	16	10	6	10	50.00%	38 46%	50 00%
#119		45	0	0	45	11	6	0	28	7	1	6	21	63 64%	75 00%	95 45%
#120		17	0	0	27	2	3	1	21	3	3	0	18	78 26%	85 71%	85 71%
#121		26	0	0	26	6	11	1	8	3	1	2	5	41 67%	62 50%	83 33%
#122		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#123		0	88	0	88	6	10	0	72	41	17	24	31	57 41%	43.06%	64 58%
#124		42	0	0	42	1	10	0	31	8	4	4	23	82 14%	74 19%	85 19%
#125		0	0	30	30	0	4	0	26	1	0	1	25	100 00%	96 15%	100 00%
#126		116	0	0	116	10	2	0	104	6	3	3	98	88 29%	94 23%	97 03%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#127		3	0	0	3	0	1	0	2	0	0	0	2	100 00%	100 00%	100 00%
#128		0	0	17	17	9	0	1	7	3	3	0	4	25.00%	57.14%	57 14%
#129		223	0	0	223	19	9	0	195	57	48	9	138	67.32%	70.77%	74 19%
#130		9	0	0	9	0	2	0	7	3	0	3	4	100.00%	57.14%	100 00%
#131		9	0	0	14	0	2	0	12	4	4	0	8	66.67%	66.67%	66 67%
#132		0	6	0	6	3	1	0	2	1	0	1	1	25 00%	50 00%	100 00%
#133		30	0	0	82	4	8	0	70	14	11	3	56	78 87%	80.00%	83 58%
#134		4	0	0	4	0	0	0	4	2	0	2	2	100.00%	50 00%	100 00%
#135		0	4	0	4	1	0	0	3	2	1	1	1	33.33%	33.33%	50 00%
#136		19	0	0	19	1	9	0	9	4	3	1	5	55 56%	55 56%	62 50%
#137		0	9	0	9	0	0	0	9	2	2	0	7	77 78%	77 78%	77.78%
#138		0	0	216	216	35	19	1	161	76	54	22	85	48.85%	52 80%	61 15%
#139		231	0	0	231	17	11	2	201	29	28	1	172	79.26%	85.57%	86 00%
#140		108	0	0	108	39	2	1	66	13	12	1	53	50 96%	80.30%	81 54%
#141		0	0	30	30	3	5	0	22	1	1	0	21	84 00%	95.45%	95 45%
#142		7	0	0	7	0	0	1	6	2	1	1	4	80.00%	66 67%	80 00%
#143		12	0	0	12	0	6	0	6	3	3	0	3	50 00%	50 00%	50 00%
#144		12	0	0	12	0	5	0	7	1	1	0	6	85 71%	85 71%	85 71%
#145		0	0	77	77	19	2	2	54	27	20	7	27	40.91%	50.00%	57 45%
#146		106	0	0	106	9	3	0	94	19	14	5	75	76 53%	79 79%	84 27%
#147		0	0	23	23	6	2	0	15	1	1	0	14	66.67%	93 33%	93 33%
#148		10	0	0	10	2	1	0	7	2	2	0	5	55 56%	71 43%	71 43%
#149		65	0	0	65	1	4	0	60	11	6	5	49	87 50%	81.67%	89 09%
#150		120	0	0	120	18	12	1	89	21	10	11	68	70 83%	76 40%	87 18%
#151		6	0	0	6	2	2	0	2	0	0	0	2	50 00%	100 00%	100 00%
#152		0	0	0	52	0	4	0	48	4	4	0	44	91 67%	91 67%	91 67%
#153		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#154		0	0	27	27	4	4	0	19	3	1	2	16	76 19%	84.21%	94 12%
#155		11	0	0	11	2	3	0	6	1	1	0	5	62 50%	83 33%	83 33%
#156		0	56	0	56	1	23	0	32	5	3	2	27	87 10%	84 38%	90 00%
#157		23	0	0	23	0	7	0	16	2	1	1	14	93.33%	87 50%	93 33%
#158		0	0	0	9	0	0	0	9	2	0	2	7	100.00%	77.78%	100 00%
#159		0	2	0	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#160		83	0	0	83	21	13	1	48	11	8	3	37	56.06%	77 08%	82 22%
#161		0	0	15	15	14	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#162		0	0	575	575	99	58	1	417	146	120	26	271	55.31%	64 99%	69 31%
#163		591	0	0	591	63	40	7	481	98	68	30	383	74.51%	79 63%	84 92%
#164		0	0	57	57	5	4	4	44	41	35	6	3	6 98%	6 82%	7 89%
#165		111	0	0	111	9	15	6	81	50	35	15	31	41 33%	38 27%	46 97%
#166		3586	0	0	3586	471	553	40	2522	795	571	224	1727	62 37%	68 48%	75 15%
#167		1441	0	0	1441	148	275	10	1008	314	177	137	694	68 11%	68 85%	79 68%
#168		0	0	214	214	38	39	9	128	38	23	15	90	59 60%	70 31%	79 65%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#169		61	0	0	61	14	10	0	37	12	5	7	25	56.82%	67.57%	83 33%
#170		0	229	0	233	11	49	1	172	79	50	29	93	60.39%	54.07%	65 03%
#171		372	0	0	372	49	21	6	296	87	75	12	209	62 76%	70.61%	73 59%
#172		0	0	948	948	151	104	12	681	292	240	52	389	49 87%	57 12%	61 84%
#173		0	0	883	883	136	118	8	621	250	206	44	371	52 03%	59.74%	64 30%
#174		805	0	0	805	83	130	2	590	106	61	45	484	77 07%	82 03%	88 81%
#175		0	41	0	41	36	3	0	2	1	1	0	1	2 63%	50 00%	50 00%
#176		0	0	1680	1680	322	229	19	1110	516	390	126	594	45 48%	53 51%	60 37%
#177		196	0	0	196	9	36	2	149	30	24	6	119	78 29%	79 87%	83 22%
#178		0	0	2	2	0	2	0	0	0	0	0	0	0.00%	0 00%	0 00%
#179		0	0	954	954	134	112	8	700	306	265	41	394	49.68%	56.29%	59 79%
#180		0	0	2064	2064	330	210	13	1511	641	525	116	870	50.43%	57.58%	62 37%
#181		0	0	6	6	0	1	0	5	3	0	3	2	100 00%	40 00%	100 00%
#182		3	0	0	3	0	2	0	1	0	0	0	1	100 00%	100 00%	100 00%
#183		0	6	0	6	0	0	0	6	6	6	0	0	0.00%	0 00%	0 00%
#184		206	0	0	206	13	58	0	135	57	40	17	78	59 54%	57 78%	66 10%
#185		5	0	0	5	0	2	0	3	0	0	0	3	100 00%	100.00%	100 00%
#186		0	0	10	20	1	3	1	15	3	3	0	12	75 00%	80 00%	80 00%
#187		0	41	0	41	11	2	0	28	23	10	13	5	19 23%	17 86%	33 33%
#188		1516	0	0	1516	135	133	20	1228	190	107	83	1038	81.09%	84.53%	90 66%
#189		0	0	16	16	2	3	0	11	6	4	2	5	45 45%	45.45%	55 56%
#190		14	0	0	14	4	0	0	10	4	4	0	6	42.86%	60 00%	60 00%
#191		760	0	0	760	89	53	1	617	66	40	26	551	81 03%	89 30%	93 23%
#192		4	0	0	4	0	1	0	3	0	0	0	3	100 00%	100.00%	100 00%
#193		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0 00%
#194		10	0	0	10	2	0	0	8	1	1	0	7	70 00%	87 50%	87 50%
#195		0	19	0	19	9	0	0	10	9	6	3	1	6 25%	10 00%	14 29%
#196		15	0	0	32	0	8	1	23	3	3	0	20	86.96%	86 96%	86 96%
#197		0	574	0	574	61	70	1	442	297	115	182	145	45 17%	32.81%	55 77%
#198		1339	0	0	1339	179	79	16	1065	313	164	149	752	68 68%	70.61%	82 10%
#199		0	45	0	45	3	11	0	31	10	4	6	21	75 00%	67 74%	84 00%
#200		61	0	0	61	14	4	4	39	5	1	4	34	69 39%	87 18%	97 14%
LENS Subtotal		29601	0	0	30002	3447	3166	295	23094	5441	3817	1624	17653	70.86%	76 45%	82 24%
EDI Subtotal		0	41937	0	42161	3167	6057	102	32835	8643	6065	2778	23992	72 21%	73 07%	79 82%
TAG Subtotal		0	0	22178	22229	3149	4060	339	14681	4811	3547	1264	9870	59 58%	67 23%	73 56%
TOTAL INTERFACES		**29601**	**41937**	**22178**	**94392**	**9763**	**13283**	**736**	**70610**	**19095**	**13429**	**5666**	**51515**	**68.96%**	**72.96%**	**79.33%**

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#1		16
#2		13
#3		6
#4		2
#5		15
#6		70
#7		8
#8		3
#9		1
#10		36
#11		29
#12		9
#13		37
#14		108
#15		1
#16		1
#17		1
#18		3
#19		1
#20		5
#21		5
#22		355
#23		48
#24		5
#25		17
#26		2
#27		1
#28		5
#29		29
#30		153
#31		190
#32		6
#33		7
#34		2
#35		10

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#36		3
#37		20
#38		6
#39		8
#40		1
#41		3
#42		3
#43		26
#44		33
#45		28
#46		13
#47		13
#48		6
#49		42
#50		5
#51		2
#52		1
#53		21
#54		24
#55		7
#56		2
#57		390
#58		3
#59		581
#60		3
#61		2
#62		44
#63		15
#64		33
#65		21
#66		1
#67		4
#68		10
#69		14
#70		44

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#71		1
#72		4
#73		1
#74		1014
#75		2
#76		9
#77		3
#78		38
#79		16
#80		534
#81		1
#82		334
#83		3
#84		165
#85		42
#86		3192
#87		5
#88		7
#89		20
#90		2
#91		132
#92		11
#93		1
#94		10
#95		2
#96		21
#97		4
#98		1
#99		1776
#100		32
#101		8
#102		17
#103		4
#104		6
#105		1

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#106		3
#107		2
#108		2
#109		3
#110		1
#111		13
#112		174
#113		1
#114		95
#115		2
#116		3
#117		1
#118		10
#119		1
#120		1
#121		9
#122		2
#123		2
#124		8
#125		1
#126		1
#127		1
#128		1
#129		1
#130		13
#131		11
#132		111
#133		4
#134		25
#135		296
#136		5
#137		3
#138		11
#139		11
#140		1

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#141		6
#142		96
#143		5
#144		11
#145		4
#146		5
#147		1
#148		1
#149		4
#150		2
#151		1
#152		26
#153		1
#154		26
#155		3
#156		4
#157		5
#158		2
#159		7
#160		128
#161		4
#162		2
#163		10
#164		1
#165		5
#166		2
#167		1
#168		5
#169		2
#170		3
#171		38
#172		2
#173		1
#174		1
#175		1

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#176		1
#177		10
#178		48
#179		1
#180		1
#181		1
#182		5
#183		3
#184		26
#185		2
#186		7
#187		1
#188		4
#189		7
#190		1
#191		1
#192		27
#193		10
#194		25
#195		23
#196		16
#197		14
#198		10
#199		14
#200		5
#201		1
#202		40
#203		29
#204		1
#205		7
#206		56
#207		2
#208		19
#209		4
#210		3

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#211		28
#212		31
#213		25
#214		6
#215		50
#216		3
#217		39
#218		1
#219		16
#220		58
#221		4
#222		4
#223		1
#224		3
#225		39
#226		1
#227		7
#228		2
#229		118
#230		14
Total		12171

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
1000	9619	11.54%	11.54%	IF CHGING CLASS OF SERVICE ALL PERTINENT USOCS MUST BE POPULATED IN AND OUT	9269	96.36%	14.98%	350	3.64%	1.627%
7020	994	1.19%	12.73%	NUM= TELNO= TN NOT FOUND IN CRIS	992	99.80%	1.60%	2	0.20%	0.009%
7055	2336	2.80%	15.53%	NUM= TELNO= ACCOUNT IS FINAL	2332	99.83%	3.77%	4	0.17%	0.019%
7095	4	0.00%	15.53%	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	1	25.00%	0.00%	3	75.00%	0.014%
7110	3705	4.44%	19.98%	COFFI NOT AVAILABLE	1209	32.63%	1.95%	2496	67.37%	11.601%
7115	11	0.01%	19.99%	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE	4	36.36%	0.01%	7	63.64%	0.033%
7150	4	0.00%	20.00%	UNE - ERROR GENERATING ECCKT	3	75.00%	0.00%	1	25.00%	0.005%
7235	1	0.00%	20.00%	10 DIGIT TN REQUIRED WITH USOC/FID=ZCRN	1	100.00%	0.00%	0	0.00%	0.000%
7245	93	0.11%	20.11%	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING	81	87.10%	0.13%	12	12.90%	0.056%
7250	428	0.51%	20.62%	LSR HOUSENUMBER INCORRECT	428	100.00%	0.69%	0	0.00%	0.000%
7267	2	0.00%	20.62%	UNE - LOCBAN MISSING FOR LINP ORDER	2	100.00%	0.00%	0	0.00%	0.000%
7295	4	0.00%	20.63%	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED	3	75.00%	0.00%	1	25.00%	0.005%
7300	9	0.01%	20.64%	UNE - CANNOT GENERATE CLASS OF SERVICE USOC	7	77.78%	0.01%	2	22.22%	0.009%
7315	103	0.12%	20.76%	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS	98	95.15%	0.16%	5	4.85%	0.023%
7375	15	0.02%	20.78%	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND	13	86.67%	0.02%	2	13.33%	0.009%
7380	132	0.16%	20.94%	UNE - ACTL INVALID	131	99.24%	0.21%	1	0.76%	0.005%
7400	7393	8.87%	29.81%	CLEC DOES NOT OWN THIS ACCOUNT.	7392	99.99%	11.95%	1	0.01%	0.005%
7435	1	0.00%	29.81%	WKG SVC - INPUT ADL, CONVSN ORD OR NOTE ABAND STA	1	100.00%	0.00%	0	0.00%	0.000%
7445	36	0.04%	29.85%	UNE - CALL FORWARD TN REQUIRED	36	100.00%	0.06%	0	0.00%	0.000%
7465	1764	2.12%	31.97%	CANNOT CANCEL ORDER	905	51.30%	1.46%	859	48.70%	3.992%
7495	14	0.02%	31.98%	UNE - DIR LOCATOR PROBLEM	2	14.29%	0.00%	12	85.71%	0.056%
7555	130	0.16%	32.14%	FID MISSING IN FEATURE DETAIL	113	86.92%	0.18%	17	13.08%	0.079%
7570	2	0.00%	32.14%	SEQ1X NOT ALLOWED WITH ZNB	1	50.00%	0.00%	1	50.00%	0.005%
7630	431	0.52%	32.66%	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	153	35.50%	0.25%	278	64.50%	1.292%
7645	1593	1.91%	34.57%	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	813	51.04%	1.31%	780	48.96%	3.625%
7660	3	0.00%	34.57%	USOC FUJ1X NOT FOR RESALE	3	100.00%	0.00%	0	0.00%	0.000%
7690	26	0.03%	34.60%	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE	26	100.00%	0.04%	0	0.00%	0.000%
7705	17	0.02%	34.62%	UNE - ACTL/CLLI CODE MISSING	7	41.18%	0.01%	10	58.82%	0.046%
7710	247	0.30%	34.92%	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	158	63.97%	0.26%	89	36.03%	0.414%
7715	15	0.02%	34.94%	SOCS TIMEOUT/NOT AVAILABLE	12	80.00%	0.02%	3	20.00%	0.014%
7718	1498	1.80%	36.73%	UNABLE TO RETRIEVE PSO TO PROCESS SUP	603	40.25%	0.97%	895	59.75%	4.160%
7725	62	0.07%	36.81%	WAITING PERIOD EQUALS 5 MINUTES	18	29.03%	0.03%	44	70.97%	0.204%
7735	17	0.02%	36.83%	INVALID/MISSING LISTING NAME OR TYPE	17	100.00%	0.03%	0	0.00%	0.000%
7740	9	0.01%	36.84%	LOCAL CALLING PLUS INDICATOR NOT FOUND	7	77.78%	0.01%	2	22.22%	0.009%
7755	8	0.01%	36.85%	UNE - NPANXX NOT FOUND IN CLLI TABLE	7	87.50%	0.01%	1	12.50%	0.005%
7805	130	0.16%	37.01%	SITE COULD NOT BE DETERMINED	61	46.92%	0.10%	69	53.08%	0.321%
7815	58	0.07%	37.08%	FID=RCU INVALID OR MISSING DATA	46	79.31%	0.07%	12	20.69%	0.056%
7860	321	0.38%	37.46%	RSAG - NO EXACT MATCH ON STREET NAME	321	100.00%	0.52%	0	0.00%	0.000%
7890	60	0.07%	37.53%	RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS	59	98.33%	0.10%	1	1.67%	0.005%
7900	18	0.02%	37.55%	RSAG - NO MATCH ON STREET NAME	18	100.00%	0.03%	0	0.00%	0.000%
7905	2777	3.33%	40.88%	RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE OR INVALID ADDRESS FORMAT	2772	99.82%	4.48%	5	0.18%	0.023%
7910	925	1.11%	41.99%	RSAG - NO MATCH ON EXACT STREET NAME	857	92.65%	1.39%	68	7.35%	0.316%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
7930	5	0.01%	42.00%	RSAG-STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	5	100.00%	0.01%	0	0.00%	0 000%
7935	19	0.02%	42.02%	RSAG-SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	19	100 00%	0 03%	0	0 00%	0 000%
7945	56	0 07%	42.09%	RSAG SYSTEM ERROR	21	37.50%	0.03%	35	62.50%	0 163%
8130	2	0.00%	42.09%	CONVERSION SPECIFIED CAN ONLY BE USED ON RETAIL TO UNE SERVICE	2	100 00%	0 00%	0	0.00%	0 000%
8150	449	0.54%	42.63%	ORDER HAS BEEN REQUEUED FOR THE MAXIMUM NUMBER OF OCCURRENCES	274	61 02%	0 44%	175	38.98%	0 813%
8167	59	0 07%	42.70%	INVALID USOC CHARACTER. FORMAT SAE 013 I1 CREXI	59	100 00%	0.10%	0	0.00%	0 000%
8170	236	0.28%	42.98%	USOC MAY ONLY APPEAR ONCE. FORMAT SAE 110 I1 CREX1 /TN	236	100.00%	0.38%	0	0.00%	0 000%
8173	35	0.04%	43.03%	INVALID CLASS OF SERVICE. FORMAT IDNT 131 UEPRL=	35	100.00%	0 06%	0	0.00%	0 000%
8180	118	0.14%	43.17%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFE	118	100.00%	0 19%	0	0.00%	0 000%
8183	14	0.02%	43.18%	AREA CALLING PLAN USOC MISMATCH. FORMAT 320 LINE UPP :0000000 / LINE ASSIGN :00	14	100.00%	0 02%	0	0 00%	0 000%
8185	34	0 04%	43.23%	ESC/ESCWT NOT VALID COMBINATION. FORMAT SAE 424 I1 ESCWT	34	100.00%	0.05%	0	0 00%	0 000%
8187	826	0.99%	44.22%	USOC MAY NOT APPEAR ON REQUEST FORMAT SAE 431 T1 EMP1S /TN	826	100 00%	1 34%	0	0.00%	0 000%
8189	693	0.83%	45.05%	USOC IS NOT VALID ON BST FILE. FORMAT SAE 433 I1 CREX6	693	100.00%	1.12%	0	0 00%	0 000%
8190	950	1.14%	46.19%	INVALID USOC FOR BASIC CLASS OF SERVICE. FORMAT SAE 434 I1 S98CP /TN	950	100.00%	1.54%	0	0.00%	0 000%
8193	3	0.00%	46.19%	USOC NOT VALID WITH CALLER ID. FORMAT SAE 473 I1 NXMCR /TN	3	100 00%	0 00%	0	0 00%	0 000%
8195	290	0.35%	46.54%	CALL FORWARDING USOC MUST NOT APPEAR. FORMAT SAE 540 I1 GCJ /TN	290	100 00%	0.47%	0	0 00%	0 000%
8197	400	0.48%	47.02%	CALL FORWARDING USOC MUST APPEAR. FORMAT SAE 541	400	100.00%	0 65%	0	0 00%	0 000%
8199	56	0.07%	47.08%	GCJRC/GCJ COMBINATION INVALID. FORMAT SAE 560 I1 GCJRC /TN	56	100 00%	0.09%	0	0.00%	0 000%
8204	125	0.15%	47.23%	BCR/NSS/NX8 INVALID USOC COMBINATION. FORMAT SAE 575 R1 NSS /TN	125	100.00%	0.20%	0	0 00%	0 000%
8207	45	0.05%	47.29%	BRD/NSQ/NX9 INVALID USOC COMBINATION. FORMAT SAE 576 I1 NX9 /TN	45	100.00%	0 07%	0	0.00%	0 000%
8209	529	0.63%	47.92%	USOC COMBINATION IS INVALID. FORMAT SAE 587 I1 ESXDC /TN	529	100 00%	0 86%	0	0.00%	0 000%
8240	161	0.19%	48.12%	INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE	161	100.00%	0 26%	0	0 00%	0 000%
8250	73	0 09%	48.20%	USOC= NOT APPLICABLE TO PORT LOOP SERVICE	73	100.00%	0.12%	0	0 00%	0 000%
8415	19	0.02%	48.23%	LSF LP ALREADY EXISTS ON ACCOUNT	19	100.00%	0.03%	0	0 00%	0 000%
8430	4	0.00%	48.23%	LSF DOES NOT EXIST ON ACCOUNT	4	100 00%	0.01%	0	0.00%	0 000%
8700	10	0.01%	48 24%	RSAG-INVALID SEARCH AREA	9	90.00%	0 01%	1	10 00%	0 005%
8820	236	0.28%	48.53%	SOCS ERROR: LUD BILL 004 ACT CODE NOT FOR THIS ORD TYPE	110	46.61%	0 18%	126	53 39%	0 586%
8825	12860	15.42%	63.95%	ORDER ERR:	3458	26.89%	5 59%	9402	73 11%	43 698%
8830	1458	1.75%	65.70%	CLEC ALREADY OWNS THIS ACCOUNT	1457	99.93%	2 36%	1	0 07%	0 005%
8850	51	0.06%	65.76%	CFA NOT FOUND,PLEASE VERIFY CFA	50	98 04%	0 08%	1	1.96%	0 005%
8855	3	0.00%	65.76%	NO ACTL IN LSR	3	100 00%	0.00%	0	0 00%	0 000%
8940	650	0.78%	66.54%	CALL FORWARDING NUMBER MISSING OR INVALID	648	99 69%	1.05%	2	0 31%	0 009%
8945	83	0 10%	66.64%	LINECLSSVC AND TOS DO NOT MATCH	83	100 00%	0 13%	0	0 00%	0 000%
8970	848	1.02%	67.66%	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC	848	100 00%	1 37%	0	0 00%	0 000%
9000	11	0.01%	67.67%	LSO/LOCBAN (NPANXX) MISSING OR INVALID	11	100 00%	0 02%	0	0.00%	0 000%
9015	1	0.00%	67.67%	SUP FAILED TO UPDATE DUE DATE	0	0 00%	0 00%	1	100 00%	0 005%
9110	3	0.00%	67.68%	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TY	3	100 00%	0 00%	0	0 00%	0 000%
9115	3	0.00%	67.68%	TELNO= LPIC REQUIRED PER UNIQUE TELNO ON A, V, P9 LINE ACTIVITY TYPES	3	100 00%	0 00%	0	0 00%	0 000%
9155	34	0.04%	67.72%	UNE - PORTED OUT NUMBER	33	97 06%	0 05%	1	2 94%	0 005%
9160	8	0.01%	67.73%	LOCBAN INVALID FOR PORTED NUMBER ACTIVITY	8	100 00%	0 01%	0	0 00%	0 000%
9245	279	0.33%	68.07%	CORRECT ECCKT IS REQUIRED FOR LNA , LNUM	279	100 00%	0 45%	0	0 00%	0 000%
9428	3	0 00%	68.07%	DLNUM=0001 LTN= INVALID NICK DATA	3	100 00%	0 00%	0	0 00%	0 000%

AGGREGATE ORDER TYPES

ERROR DETAILS (Auto Clarifications (A) & Errors (E))

					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9432	2	0.00%	68.07%	DLNUM=0002 LTN= LTXTY OF CR REQUIRES SEE AS FIRST WORD IN LTEXT	2	100.00%	0.00%	0	0.00%	0 000%
9439	118	0.14%	68.21%	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED	116	98.31%	0 19%	2	1.69%	0 009%
9441	1	0.00%	68.21%	DLNUM=0002 LTN=ALI VALUE INVALID	0	0 00%	0.00%	1	100 00%	0 005%
9442	432	0.52%	68.73%	DLNUM=0002 LTN= ALI MUST BE UNIQUE	430	99.54%	0.70%	2	0.46%	0 009%
9446	2	0.00%	68.73%	LNUM=00001 =TC FR REFERENCE OF CALLS UNAVAILABLE FOR THIS NUMBER	2	100 00%	0.00%	0	0.00%	0 000%
9466	28	0.03%	68.77%	UNABLE TO DETERMINE BLOCK CHOICE	28	100.00%	0.05%	0	0.00%	0 000%
9471	17	0.02%	68.79%	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ	16	94.12%	0 03%	1	5.88%	0 005%
9474	2	0.00%	68.79%	MINIMUM OF TWO DIFFERENT LEATNS/LEANS REQUIRED FOR LSR	2	100.00%	0.00%	0	0 00%	0 000%
9475	313	0.38%	69.17%	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS	313	100.00%	0.51%	0	0.00%	0 000%
9476	37	0.04%	69.21%	IS NOT FOUND ON CSR TO DISCONNECT	37	100.00%	0.06%	0	0 00%	0 000%
9477	95	0.11%	69.32%	LSR LNUM=00002 INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER	95	100.00%	0.15%	0	0 00%	0.000%
9479	80	0.10%	69.42%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY	80	100 00%	0.13%	0	0.00%	0 000%
9481	1651	1.98%	71.40%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT	1633	98.91%	2 64%	18	1 09%	0 084%
9484	23	0.03%	71.43%	TNS= FOR LNUM=00001 ALREADY EXIST ON ATN=	23	100.00%	0 04%	0	0 00%	0.000%
9487	3	0.00%	71.43%	INVALID ACT TYPE FOR FULL MIGRATION	3	100.00%	0 00%	0	0 00%	0.000%
9488	419	0.50%	71.93%	DISPOSITION OF ALL LINES REQUIRED ON ACT V	419	100.00%	0.68%	0	0 00%	0 000%
9495	31	0.04%	71.97%	EATN= MUST EXIST FOR ACT P AND Q	31	100.00%	0.05%	0	0 00%	0 000%
9496	2976	3 57%	75.54%	TNS= ON LNUM=00004 NOT FOUND ON EATN= FOR ACT=	2971	99.83%	4.80%	5	0.17%	0 023%
9498	4	0.00%	75.55%	EAN= ON LNUM= AND LEAN= ARE POPULATED	4	100.00%	0 01%	0	0 00%	0.000%
9503	3	0.00%	75.55%	FA OF D AND C ARE DISALLOWED WHEN TNS IS NOT POPULATED FOR A LEATN	3	100.00%	0 00%	0	0.00%	0 000%
9515	1618	1.94%	77.49%	WKG SVC-INPUT ADL, CONVERSION ORDER OR NOTE ABANDONED STATION	1614	99 75%	2 61%	4	0 25%	0.019%
9516	11	0.01%	77.50%	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN	10	90.91%	0.02%	1	9 09%	0 005%
9517	21	0.03%	77.53%	UNDC INVALID IF PIC ALREADY EXISTS	21	100.00%	0.03%	0	0.00%	0 000%
9523	19	0.02%	77.55%	LOCNUM=000 HNUM=00001 HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS	18	94.74%	0 03%	1	5 26%	0.005%
9526	15	0.02%	77.57%	BLOCK CHOICE DOES NOT EXIST ON ACCOUNT	15	100 00%	0 02%	0	0 00%	0 000%
9529	1292	1.55%	79.12%	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED	1291	99.92%	2.09%	1	0.08%	0 005%
9543	47	0.06%	79.17%	LOCNUM= HNUM= HT= HT CANNOT BE IN MORE THAN ONE HID	47	100 00%	0 08%	0	0 00%	0 000%
9545	1	0.00%	79.18%	LOCNUM= HNUM=00001 HA OF D NOT ALLOWED	1	100.00%	0.00%	0	0 00%	0 000%
9600	1	0.00%	79.18%	TASKMATE ERROR INCORRECT SCREEN FORMAT ON HOST	1	100.00%	0 00%	0	0 00%	0 000%
9602	2443	2.93%	82.11%	USOC=NSS ALREADY EXISTS ON CUSTOMER RECORD	2426	99.30%	3.92%	17	0.70%	0.079%
9605	81	0.10%	82.20%	USOC NOT FOR RESALE FORMAT SAE 959 T1 PGRAX /ZPGR 1 /RMKR (A)	81	100 00%	0 13%	0	0 00%	0 000%
9606	19	0.02%	82.23%	TNS CANNOT BE REASSIGNED FOR 90 DAYS	19	100.00%	0.03%	0	0 00%	0 000%
9613	5	0.01%	82.23%	EXISTING ACCOUNT TYPE NOT AUTHORIZED FOR MIGRATION YET	5	100.00%	0.01%	0	0.00%	0 000%
9616	15	0.02%	82.25%	YPH INVALID	15	100 00%	0.02%	0	0 00%	0 000%
9623	5	0.01%	82.26%	TOUCHTONE IS INVALID WITH AREA PLUS SERVICE	5	100.00%	0 01%	0	0 00%	0 000%
9626	420	0.50%	82.76%	CLASS OF SERVICE LNPRL NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP	420	100 00%	0.68%	0	0 00%	0 000%
9627	2917	3.50%	86.26%	ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER	2914	99.90%	4.71%	3	0.10%	0 014%
9628	162	0.19%	86 45%	REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE	161	99 38%	0 26%	1	0.62%	0 005%
9629	28	0 03%	86.49%	CALL FORWARDING FID (CFND) AND CFND TN REQUIRED BEHIND USOC S98AF	28	100.00%	0 05%	0	0.00%	0 000%
9639	63	0 08%	86.56%	CATEGORY L USOC MUST APPEAR FOR SAME TN	63	100.00%	0 10%	0	0 00%	0 000%
9641	1801	2.16%	88.72%	REQUESTED ACTIVITY ALREADY PENDING DM4V32	1801	100 00%	2 91%	0	0 00%	0 000%
9647	229	0.27%	89.00%	BAN DOES NOT EXIST FOR COMPANY CODE	229	100.00%	0 37%	0	0 00%	0 000%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9654	88	0.11%	89.10%	DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED ENDUS	88	100.00%	0 14%	0	0.00%	0 000%
9656	11	0.01%	89.12%	SLTN NOT FOUND ON CRIS ACCOUNT FOR LNA N, LNUM	11	100 00%	0.02%	0	0 00%	0 000%
9670	16	0.02%	89.13%	TOUCHTONE USOC REQUIRED INWARD OR RECAPPED - FORMAT SAE 004	16	100 00%	0.03%	0	0.00%	0 000%
9671	86	0.10%	89.24%	TOUCHTNE USOC REQUIRED - FORMAT SAE 245	86	100.00%	0.14%	0	0 00%	0 000%
9673	4	0.00%	89.24%	RINGMASTER USOC REQUIRED - FORMAT SAE 387	4	100 00%	0 01%	0	0.00%	0 000%
9674	39	0.05%	89.29%	INVALID TN/PN DATA - FORMAT SAE 389 I1 DRS /TN /PN /RNP B	39	100.00%	0 06%	0	0 00%	0 000%
9675	6	0.01%	89.30%	BBC USOC MUST NOT APPEAR - FORMAT SAE 679 I1 BBC /TN	6	100.00%	0 01%	0	0 00%	0 000%
9679	3	0.00%	89.30%	FIRST CHARACTER OF LINE NUMBER IS NOT VALID FOR BST IN COFFI	3	100.00%	0 00%	0	0 00%	0 000%
9680	16	0.02%	89.32%	INVALID REQTYP OR TOS FOR LIFELINE	16	100 00%	0.03%	0	0 00%	0 000%
9681	12	0.01%	89.33%	LINKUP DISCOUNT CANNOT BE ADDED TO EXISTING SERVICE	12	100 00%	0.02%	0	0 00%	0 000%
9682	4	0.00%	89.34%	LINKUP DISCOUNT IS ONLY AVAILABLE ON LIFELINE ACCOUNTS	4	100 00%	0.01%	0	0 00%	0 000%
9685	7673	9.20%	98.54%	DUE DATE COULD NOT BE CALCULATED	1999	26.05%	3.23%	5674	73 95%	26 371%
9686	3	0.00%	98.54%	RESID NOT VALID IN LFACS	3	100.00%	0.00%	0	0 00%	0 000%
9700	1	0.00%	98.55%	REQUESTED CIRCUIT NUMBER/ECCKT NOT FOUND	1	100 00%	0 00%	0	0.00%	0.000%
9715	25	0.03%	98.58%	TOS IS INVALID FOR REQUESTED SERVICE	25	100.00%	0 04%	0	0 00%	0 000%
9772	1	0.00%	98.58%	UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A	1	100 00%	0.00%	0	0 00%	0 000%
9800	12	0.01%	98.59%	MAIN LISTING REQUIRED FOR NEW ACCOUNT	5	41.67%	0 01%	7	58 33%	0 033%
9860	1175	1.41%	100.00%	UNABLE TO HANDLE REQUEST; ENDUSER ACCOUNT FROZEN	1175	100 00%	1.90%	0	0 00%	0 000%
	83382	100.00%			61866		100.00%	21516		100 000%

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1005	1	0.01%	0.01%	CCNA REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1007	10	0.06%	0.06%	DUPLICATE CC, PON, VER
1012	4	0.02%	0.08%	CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
1015	2634	14.73%	14.81%	PON DUPLICATE ON INITIAL LSR
1023	53	0.30%	15.11%	NO ORIGINAL LSR FOUND FOR THIS SUP
1025	3	0.02%	15.13%	VER MUST BE GREATER THAN PREVIOUS VERSION
1027	22	0.12%	15.25%	PREVIOUS LSR AGED OFF - (K) STATUS
1030	1355	7.58%	22.83%	VER MUST BE GREATER THAN PREVIOUS VERSION
1035	5	0.03%	22.86%	VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
1040	8	0.04%	22.90%	VER MUST BE SPACES OR ZEROES FOR 850
1050	7	0.04%	22.94%	D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
1055	3	0.02%	22.96%	AN REQUIRED FOR THIS REQTYP/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
1060	13	0.07%	23.03%	AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTYP IS B
1065	15	0.08%	23.11%	AN MUST BE 10 OR 13 ALPHANUMERICS
1070	9	0.05%	23.16%	DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
1075	3	0.02%	23.18%	ATN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
1080	13	0.07%	23.25%	DDD/DDD-CC MUST BE A VALID DATE
1085	17	0.10%	23.35%	DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
1110	722	4.04%	27.39%	INVALID REQTYP - ACCOUNT ACTIVITY TYPE COMBINATION
1125	42	0.23%	27.62%	DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
1131	716	4.00%	31.62%	DDD IS LESS THAN CALC DATE ON PRIOR VERSION LSR OR SERVICE ORDER DUE DATE
1135	3	0.02%	31.64%	APPTIME-DDD MUST BE HHMM-HHMM (MILITARY TIME) COVERING A SPAN OF TIME OF ONE HOUR OR GREATER
1145	18	0.10%	31.74%	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
1150	3	0.02%	31.76%	SUP PROHIBITED WHEN 1ST CHARACTER OF REQTYP FIELD CHANGES
1154	7	0.04%	31.80%	LSR/PON IS COMPLETED
1155	1	0.01%	31.80%	DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y
1157	4	0.02%	31.83%	DFDT PROHIBITED FOR THIS REQTYP/LNA COMBINATION
1166	4	0.02%	31.85%	LOCNUM=000 LNUM=00001 CFA REQUIRED FOR THIS SERVICE TYPE
1180	7	0.04%	31.89%	INVALID REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1195	5	0.03%	31.91%	ACTIVITY TYPE VALID ENTRY MUST BE N, C, D, T, R, V, S, B, W, L, Y, P OR Q (STOP EDIT)
1200	10	0.06%	31.97%	SUP REQUIRED WHEN VER IS GREATER THAN 00
1210	1	0.01%	31.98%	SUP PROHIBITED ON 850
1215	55	0.31%	32.28%	ACTL MUST BE 11 ALPHANUMERIC CHARACTERS
1225	10	0.06%	32.34%	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1230	2879	16.10%	48.44%	LSO MUST BE 6 NUMERICS
1240	1	0.01%	48.45%	TOS INVALID

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1250	2	0.01%	48.46%	DATED REQUIRED WHEN AGAUTH IS POPULATED WITH Y
1270	1	0.01%	48.46%	SECNCI MUST BE A MINIMUM OF 5 ALPHANUMERIC CHARACTERS
1285	3	0.02%	48.48%	ACTL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1290	1	0.01%	48.48%	ACTL MUST BE 11 ALPHANUMERICS
1330	1	0.01%	48.49%	BAN1 MUST = E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1335	1	0.01%	48.50%	LSO REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1345	2	0.01%	48.51%	TOS REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1350	2	0.01%	48.52%	TOS MUST BE 3 ALPHANUMERICS INCLUDING HYPHENS
1360	2	0.01%	48.53%	TOS SECOND CHARACTER MUST BE A, B, C, D, H, J, OR - (HYPHEN) (STOP EDIT)
1365	2	0.01%	48.54%	TOS THIRD CHARACTER MUST BE M, F, G, OR - (HYPHEN)
1390	21	0.12%	48.66%	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB
1395	2	0.01%	48.67%	TOS THIRD CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB, BB OR CB
1407	9	0.05%	48.72%	RESID IS REQUIRED WITH ANY LNA'S OF N OR V
1430	5	0.03%	48.75%	CIC REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1453	64	0.36%	49.11%	BAN1 REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1455	23	0.13%	49.23%	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
1457	17	0.10%	49.33%	BAN1 MUST BE ENTRY OF E IF REQTYPE A-LINE SHARE CO BASED
1470	1	0.01%	49.33%	BI2 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED
1490	2	0.01%	49.35%	DRC MUST BE 3 ALPHANUMERICS
1505	3	0.02%	49.36%	INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1510	3	0.02%	49.38%	TEL NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1515	2	0.01%	49.39%	TEL NO-INIT FORMAT MUST BE 10 NUMERICS OR UP TO 15 ALPHANUMERICS
1520	252	1.41%	50.80%	FAX NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1525	3	0.02%	50.82%	FAX NO-INIT MUST BE 10 NUMERICS
1530	2	0.01%	50.83%	IMPCON REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1540	3	0.02%	50.84%	TEL NO IMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS
1550	78	0.44%	51.28%	TEL NO ALTIMPCON REQUIRED WHEN ALTIMPCON IS POPULATED
1575	1	0.01%	51.29%	TEL NO DSGCON FORMAT MUST BE 10 NUMERICS IN THE FIRST TEN POSITIONS
1585	2	0.01%	51.30%	STREET-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1590	2	0.01%	51.31%	CITY-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1595	2	0.01%	51.32%	STATE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1600	2	0.01%	51.33%	ZIP CODE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1605	311	1.74%	53.07%	REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
1620	2	0.01%	53.08%	BCS REQUIRED WITH REQTYP/ACT TYPE/TOS COMBINATION
1630	111	0.62%	53.70%	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
1635	93	0.52%	54.22%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1640	680	3.80%	58.02%	NO ORIGINAL LSR FOUND FOR THIS SUP
1645	2453	13.72%	71.74%	LSR/PON AGED OFF
1650	516	2.89%	74.63%	LSR/PON COMPLETED
1655	30	0.17%	74.80%	LSR ORIGINATING FORMAT (TCIF) NOT SAME AS ORIGINATING FORMAT
1660	45	0.25%	75.05%	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
1662	20	0.11%	75.16%	SUP NOT ALLOWED ON RESTORAL WHEN THE REASON WAS DENIED
1664	91	0.51%	75.67%	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
2000	11	0.06%	75.73%	EU-NAME REQUIRED
2005	3	0.02%	75.75%	EU-STREET-1 REQUIRED
2035	1	0.01%	75.75%	LOCNUM=000 NAME EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2040	12	0.07%	75.82%	LOCNUM=000 SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2045	3	0.02%	75.84%	IWBAN VALID ENTRIES ARE: E, N, OR 13 ALPHANUMERIC BILLING ACCOUNT NUMBER
2055	1	0.01%	75.84%	LOCNUM=000 SASD VALID ENTRY IS E, W, N, S, NE, NW, SE, OR SW AT THIS LOCATION
2060	41	0.23%	76.07%	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYP COMBINATION AT THIS LOCATION
2065	6	0.03%	76.10%	LOCBAN REQUIRED
2070	2	0.01%	76.12%	LOCNUM=000 SATH PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2075	2	0.01%	76.13%	LOCNUM=000 SASS PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2080	39	0.22%	76.34%	LOCNUM=000 SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION
2085	42	0.23%	76.58%	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
2090	9	0.05%	76.63%	LOCNUM=000 ROOM-EU MUST NOT BE POPULATED WITH RM OR ROOM IN ANY POSITION AT THIS LOCATION
2095	2	0.01%	76.64%	LOCNUM=000 BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION
2104	14	0.08%	76.72%	LOCNUM=000 STATE-EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2109	36	0.20%	76.92%	LOCNUM=000 ZIP CODE=EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2110	208	1.16%	78.08%	LOCNUM=000 ZIP CODE-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2115	3	0.02%	78.10%	FBCON-TELNO MUST BE MINIMUM OF 10 NUMERICS
2120	781	4.37%	82.47%	EATN, EAN, ATN OR AN ARE PROHIBITED ON THIS REQTYP/ACT CODE
2130	15	0.08%	82.55%	LOCNUM=000 TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION
2185	1	0.01%	82.56%	EAN MUST BE 10 NUMERICS OR 13 ALPHANUMERICS
2200	9	0.05%	82.61%	EATN MUST BE 10 NUMERICS
2350	9	0.05%	82.66%	ERL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
2355	14	0.08%	82.74%	ERL PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
3005	5	0.03%	82.76%	REFNUM=001 -TELNO= REFNUM MUST BE 4 NUMERICS
3010	18	0.10%	82.87%	REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
3020	22	0.12%	82.99%	REFNUM=0005-TELNO= LNA VALID ENTRIES ARE: A, C, D, R, V, W, Y, L, P9
3035	42	0.23%	83.22%	REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
3045	19	0.11%	83.33%	REFNUM=0001 ECCKT MUST BE CLT, CLF OR CLS FORMAT

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
3047	19	0.11%	83.44%	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3050	41	0.23%	83.67%	LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
3085	5	0.03%	83.69%	REFNUM=0001-TELNO= TC OPT VALID ENTRIES ARE:00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81
3090	17	0.10%	83.79%	REFNUM=0001-TELNO= TC OPT PROHIBITED ON THIS ACT TYPE AND REQTYP
3110	157	0.88%	84.67%	LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
3115	17	0.10%	84.76%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTYP/ACT/LNA COMBINATION
3120	9	0.05%	84.81%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS REQUIRED WITH REQTYP/ACT/LNA COMBINATION
3125	12	0.07%	84.88%	LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
3130	9	0.05%	84.93%	REFNUM=0001-TELNO= TC PER-CC/TC PER-DATE MUST BE CURRENT OR FUTURE DATE
3135	45	0.25%	85.18%	REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED
3140	6	0.03%	85.21%	LOCNUM=000 LNUM=00001 TELNO= ECCKT REQUIRED WHEN EAN OR LEAN IS POPULATED
3155	19	0.11%	85.32%	LOCNUM=000 LNUM=00001 TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R
3160	6	0.03%	85.35%	LOCNUM=000 LNUM=00001 TELNO= FA VALID ENTRY MUST BE N, C OR D
3165	1	0.01%	85.36%	REFNUM=0001-TELNO=TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYPE
3170	30	0.17%	85.53%	REFNUM=0001-TELNO= CFA INVALID FORMAT
3190	29	0.16%	85.69%	LOCNUM=000 LNUM=00001 TELNO= FEATURE MUST BE 3, 5 OR 6 ALPHANUMERICS
3200	19	0.11%	85.80%	LOCNUM=000 LNUM=00001 TELNO= FEATURE PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3205	43	0.24%	86.04%	LOCNUM=000 LNUM=00001 TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
3210	1	0.01%	86.04%	LOCNUM=000 LNUM=00001 TELNO=FEATURE DETAIL PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3380	21	0.12%	86.16%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
3390	1	0.01%	86.16%	LOCNUM=000 LNUM=00002 TELNO= LNA REQUIRED WHEN ACT TYP IS N, C, T, R, V, S, P OR Q
3405	2	0.01%	86.18%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE R IF ACT IS R
3410	108	0.60%	86.78%	LNUM=00001 TELNO= LNA MUST BE X OR G IF OTN IS POPULATED
3415	11	0.06%	86.84%	LOCNUM=000 LNUM=00002 TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B
3420	8	0.04%	86.89%	LOCNUM=000 LNUM=1 TELNO= LNA MUST BE N, C, D, P, OR X IF ACT IS C
3422	5	0.03%	86.91%	LNUM=00001 LNA MUST BE N OR D IF REQTYP IS A DIGITAL, DATA DESIGNED (DS1)
3425	1	0.01%	86.92%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE L OR B IF ACT TYPE IS S
3427	5	0.03%	86.95%	LNUM=00001 TELNO= LNA OF G PROHIBITED ON REQTYP/ACT TYP COMBINATION
3430	3	0.02%	86.96%	FOR REQTYP E,F OR M, IF ACT IS P, Q OR V AT LEAST ONE LNA MUST BE G, P, V, W OR X
3431	1	0.01%	86.97%	ONLY LNA OF N OR D ALLOWED WITH LNA OF G
3433	9	0.05%	87.02%	LOCNUM=000 LNUM=00001 TELNO= LNA PROHIBITED ON THIS REQTYP/ACT TYP/SECNCI COMBINATION
3439	1	0.01%	87.03%	LNUM=00001 TN= LNA MUST BE D ON ACT OF D WHEN REQTYP IS A WITH SECNCI POPULATED
3445	8	0.04%	87.07%	LOCNUM=000 LNUM=00001 TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS
3460	3	0.02%	87.09%	LOCNUM=000 LNUM= TELNO= LNUM REQUIRED WITH THIS REQTYP/LNA TYPE COMBINATION (STOP EDIT)
3465	1	0.01%	87.09%	LOCNUM=000 LNUM=2 TELNO= LNUM MUST BE 5 NUMERICS
3485	3	0.02%	87.11%	LOCNUM=001 LNUM=00001 LOCNUM DOES NOT MATCH AN END USER LOCNUM FOR THIS LSR

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
3545	1	0.01%	87.12%	LNUM=00001 TELNO= OTN REQUIRED WITH THIS REQTYP/LNA COMBINATION
3643	1	0.01%	87.12%	LNUM=00001 SLTN MUST BE 10 NUMERICS WITH TWO HYPHENS
3644	2	0.01%	87.13%	LNUM=00001 SLTN REQUIRED WITH THIS REQTYP/LNA COMBINATION
3705	7	0.04%	87.17%	LNUM=00001 TNS MUST BE A MINIMUM OF 10 OR A MAXIMUM OF 15 ALPHANUMBERIC INCLUDING HYPHEN
3730	37	0.21%	87.38%	LNUM=00004 TELNO= FPI INVALID ON REQTYP/LNA COMBINATION
3735	6	0.03%	87.41%	LNUM=00001 TELNO= PIC REQUIRED ON LNA G, N, P OR V
3745	32	0.18%	87.59%	LNUM=00001 TELNO= PIC VALID ENTRIES ARE NONE, UNDC OR A VALID PIC CODE WHEN LNA IS G, N OR
3750	37	0.21%	87.80%	LNUM=00001 TELNO= PIC INVALID ON REQTYP/LNA COMBINATION
3755	8	0.04%	87.84%	LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
3760	1	0.01%	87.85%	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC, NC OR VALID LPIC CODE WHEN LNA IS C P
3765	24	0.13%	87.98%	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N
3770	37	0.21%	88.19%	LNUM=00001 TELNO= LPIC INVALID ON REQTYP/LNA COMBINATION
3790	6	0.03%	88.22%	LNUM=00001 - TELNO= PTKCON REQUIRED WHEN THE LNA IS G, N OR V
4000	31	0.17%	88.40%	DL DATA ELEMENTS REQUIRED
4005	2	0.01%	88.41%	DL DATA ELEMENTS PROHIBITED
4010	1	0.01%	88.41%	REFNUM=0001-TELNO= LIST REQUIRED WITH THIS REQTYPE AND ACTIVITY TYPE
4015	1	0.01%	88.42%	REFNUM=0001-TELNO= LIST MUST BE VALID ENTRY
4020	22	0.12%	88.54%	DLNUM=0001 LTN= DLNUM MUST BE UNIQUE
4040	177	0.99%	89.53%	REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTYP AND ACTIVITY TYPE
4045	375	2.10%	91.63%	REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS RECTYP AND ACTIVITY TYPE
4050	116	0.65%	92.28%	INVALID YPH ENTRY
4055	48	0.27%	92.55%	YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4060	1	0.01%	92.55%	DLNUM=0001 LTN= VALID RTY REQUIRED
4061	38	0.21%	92.76%	DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTYP J, RTY OF LML, AND LACT OF N
4065	375	2.10%	94.86%	DLNUM=&DLNM LTN=&LTN ASSOCIATED LACT COMBINATION I AND O IS MISSING
4075	9	0.05%	94.91%	MAIN LISTING REQUIRED
4090	2	0.01%	94.92%	DLNUM=0001 LTN= VALID LTY REQUIRED
4110	13	0.07%	94.99%	DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
4120	5	0.03%	95.02%	DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
4160	14	0.08%	95.10%	DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
4170	2	0.01%	95.11%	DLNUM=0003 LTN= DOI MUST BE 1
4180	12	0.07%	95.18%	DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
4265	1	0.01%	95.19%	DLNUM=0001 LTN= TITLE OF LINEAGE INVALID
4280	7	0.04%	95.22%	DLNUM=0001 LTN= TITLE1 DATA INVALID
4310	1	0.01%	95.23%	DLNUM=0001 LTN= LANO PROHIBITED WITHOUT LASN
4385	16	0.09%	95.32%	DLNUM=0001 LTN= INVALID LAST ENTRY

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
4395	1	0.01%	95.32%	DLNUM=0001 LTN= LAST PROHIBITED WITH ADI
4475	3	0.02%	95.34%	DLNUM=0002 LTN= INVALID YPH ENTRY
4478	17	0.10%	95.44%	DLNUM=0001 LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3
4485	74	0.41%	95.85%	DLNUM=0001 LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM
4490	5	0.03%	95.88%	DLNUM=0001 LTN= YPH PROHIBITED WITH THIS RTY
4505	88	0.49%	96.37%	DLNUM=0001 LTN= SIC REQUIRED WHEN ACT IS N, V, OR P
4510	2	0.01%	96.38%	DLNUM=0002 LTN= ONLY ONE SIC ALLOWED PER ACCOUNT
4515	64	0.36%	96.74%	DLNUM=0001 LTN= SIC IS PROHIBITED WITH RESIDENCE
4530	1	0.01%	96.75%	DLNUM=0001 LTN= ADI PROHIBITED WHEN LASN OR LALOC IS POPULATED
4540	1	0.01%	96.75%	DLNUM=0001 LTN= ADI PROHIBITED WITH FOREIGN LISTINGS
4550	12	0.07%	96.82%	DLNUM=0001 LTN= DIRNAME REQUIRED ON FOREIGN OR SECONDARY LISTING
4600	15	0.08%	96.90%	DLNUM=0001 LTN= AMPERSAND REQUIRED WITH DLNM
4837	3	0.02%	96.92%	DACT REQUIRED
5000	3	0.02%	96.94%	HUNTING PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
5005	5	0.03%	96.96%	LOCNUM=000 THE FOLLOWING FIELDS ARE REQUIRED; HNUM, HA, AND HID
5015	20	0.11%	97.08%	HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
5025	1	0.01%	97.08%	LOCNUM=000 HNUM= HA=G HA MUST BE N, E, C, OR D
5030	7	0.04%	97.12%	LOCNUM=000 HNUM=00001 HA OF E PROHIBITED ON ACT TYPE N, T, P OR Q
5070	5	0.03%	97.15%	LOCNUM=000 HNUM=00001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
5095	6	0.03%	97.18%	LOCNUM=000 HNUM=00001 TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T
5098	17	0.10%	97.28%	LOCNUM=000 HNUM=00001 HNTYP REQUIRED FOR THIS ACT TYPE/HA COMBINATION
5105	10	0.06%	97.33%	LOCNUM=000 HNUM=00001 HLA=C HLA VALID ENTRIES ARE N, E OR D
5110	14	0.08%	97.41%	LOCNUM=001 HNUM=00001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
5115	2	0.01%	97.42%	LOCNUM=000 HNUM=00001 HLA=E HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N
5120	18	0.10%	97.52%	LOCNUM=000 HNUM=00001 HLA=D HLA OF D PROHIBITED WHEN HUNT GROUP ACTIVITY IS N OR E
5135	12	0.07%	97.59%	LOCNUM=000 HNUM=00001 HTSEQ=0005 SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E
5175	3	0.02%	97.61%	HNUM=00001 HT=T0001--T0002 HT MUST BE 10 NUMERICS OR 14 NUMERICS WITH A HYPHEN IF HNTYP 1-4
6045	35	0.20%	97.80%	INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)
6050	3	0.02%	97.82%	REQTYP/LOOP TYPE COMBINATION INVALID
6055	3	0.02%	97.84%	LQTY IS REQUIRED FOR REQTYP/ACT COMBINATION
7000	2	0.01%	97.85%	EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V
8005	10	0.06%	97.90%	DNUM=00001 TC OPT PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
8040	6	0.03%	97.94%	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO PRIMARY CANNOT BE THE SAME AS THE NUMBER BEING REFFER
8055	4	0.02%	97.96%	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO SECONDARY PROHIBITED WHEN DNUM TC OPT IS NOT ST
8070	4	0.02%	97.98%	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TCID IS PROHIBITED WHEN DNUM TC OPT DATA IS NOT ST
8090	4	0.02%	98.00%	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC NAME IS PROHIBITED WHEN DNUM TC OPT IS NOT ST

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
8120	6	0.03%	98.04%	LNUM=00001 TC OPT VALID ENTRY IS ST, NO, CA OR TC
8140	100	0.56%	98.60%	LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTYP E, F OR M FOR LNA C, G, N OR V
8180	141	0.79%	99.38%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
8200	2	0.01%	99.40%	LNUM=00001 TC TO SECONDARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED.
8210	6	0.03%	99.43%	LNUM=00001 TC PER PROHIBITED WHEN LNUM TC OPT IS NOT ST OR TC
8215	2	0.01%	99.44%	LNUM=00001 TC PER DATE INVALID. IT MUST BE LATER THAN THE LSR RECEIPT DATE
8255	100	0.56%	100.00%	INVALID ACTIVITY TYPE
	17882	100.00%		

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	ORDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	ORDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	ORDER ERR: TN SAE 038 LINE TN OR TLI IS REQUIRED FOR INWARD CATEGORY D USOCS!
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 1FR /TN
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /TN
8825	ORDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	ORDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQUI
8825	ORDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: FORMAT 374 LINE EUCLC: 0001 RELAY: 0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

AGGREGATE ORDER TYPES

ERROR DETAILS - 1000

Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR PLACED IN E-STAT SUP 1
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOSL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKDT0 CPX 06-08-00..
1000	ACCOUNT , SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL
1000	CORRECT SYSTEM ERROS
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#,
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR

AGGREGATE ORDER TYPES

ERROR DETAILS - 1000

Error Type (by error code)	Error Description
1000	CORRECT SVC ORDER BY REMOVING OCOSL & UEAMC-WHCH SHOULD NOT BE ON LY-- RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORD CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF, ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSL AND DFDT
1000	CORRECT ON ODR NUMBER
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSL (NOT VALID ON LY--ORDER)

	PERCENT ACHIEVED FLOW-THROUGH	PERCENT FLOW THROUGH
CLEC AGGREGATE		
REGION ALL SERVICES	37.25%	86.96%

AGGREGATE ORDER TYPES															
Company Info					LSR PROCESSING							FLOWTHROUGH		
		Mechanized Interface Used			Manual	Rejects	Validated	Errors						
Name	RESH / OCN	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Pecent Flow Through
#1		115	0	115	72	6	37	13	5	8	24	23.76%	64 86%	82 76%
#2		9	0	9	3	2	4	0	0	0	4	57 14%	100 00%	100 00%
#3		442	0	442	249	28	165	79	42	37	86	22 81%	52.12%	67 19%
#4		0	2	2	0	2	0	0	0	0	0	0.00%	0 00%	0 00%
#5		0	36	36	6	3	27	8	7	1	19	59 38%	70 37%	73 08%
#6		515	0	515	326	12	177	63	20	43	114	24 78%	64.41%	85.07%
#7		0	481	481	201	48	232	68	38	30	164	40 69%	70 69%	81 19%
#8		906	0	906	89	66	751	77	33	44	674	84 67%	89 75%	95 33%
#9		57	0	57	51	1	5	4	0	4	1	1.92%	20 00%	100 00%
#10		89	0	89	22	10	57	33	26	7	24	33.33%	42 11%	48 00%
#11		0	52	52	36	6	10	5	3	2	5	11 36%	50 00%	62 50%
#12		75	0	75	36	12	27	11	4	7	16	28.57%	59.26%	80 00%
#13		790	0	790	169	12	609	40	9	31	569	76 17%	93 43%	98 44%
#14		0	83	83	58	9	16	6	3	3	10	14 08%	62 50%	76 92%
#15		2190	0	2190	682	171	1337	296	167	129	1041	55 08%	77.86%	86 18%
#16		78	0	78	34	18	26	6	6	0	20	33 33%	76.92%	76 92%
#17		9	0	9	3	5	1	1	0	1	0	0 00%	0.00%	0 00%
#18		0	458	458	140	40	278	80	32	48	198	53.51%	71.22%	86 09%
#19		168	0	168	58	18	92	11	4	7	81	56.64%	88 04%	95.29%
#20		0	1546	1546	1457	89	0	0	0	0	0	0 00%	0 00%	0 00%
#21		0	67	67	40	3	24	7	1	6	17	29 31%	70 83%	94 44%
#22		1660	0	1660	1379	136	145	45	21	24	100	6.67%	68.97%	82.64%
#23		0	1599	1599	670	115	814	248	107	141	566	42 14%	69.53%	84.10%
#24		61	0	61	12	14	35	18	13	5	17	40.48%	48 57%	56 67%
#25		0	37	37	18	9	10	7	2	5	3	13.04%	30 00%	60 00%
#26		575	0	575	240	45	290	46	31	15	244	47 38%	84 14%	88 73%
#27		226	0	226	137	8	81	46	30	16	35	17 33%	43 21%	53 85%
#28		0	11	11	11	0	0	0	0	0	0	0 00%	0 00%	0.00%
#29		0	13	13	2	0	11	2	2	0	9	69 23%	81 82%	81 82%
EDI Subtotal		7965	0	7965	3562	564	3839	789	411	378	3050	43 43%	79.45%	88 12%
TAG Subtotal		0	4385	4385	2639	324	1422	431	195	236	991	25 91%	69 69%	83 56%
TOTAL INTERFACES		**7965**	**4385**	**12350**	**6201**	**888**	**5261**	**1220**	**606**	**614**	**4041**	**37.25%**	**76.81%**	**86.96%**

REPORT: PERCENT LNP FLOWTHROUGH SERVICE REQUESTS
(FATAL REJECTS BY CLEC)
REPORT PERIOD: 09/01/2001 - 09/30/2001

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#1		53
#2		1
#3		126
#4		9
#5		105
#6		181
#7		692
#8		16
#9		28
#10		12
#11		70
#12		17
#13		0
#14		133
#15		34
#16		61
#17		37
#18		294
#19		27
#20		139
#21		52
#22		20
#23		13
#24		78
#25		9
#26		3
#27		12
Total		2222

Trunk Group Performance - Aggregate

Florida			Average blocking percentage by hour																						
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Oct-00	NF	BellSouth	0 0000	0 0001	0.0000	0.0000	0.0000	0 0001	0 0005	0.0058	0.0023	0 0004	0.0015	0 0013	0 0201	0 0058	0.0017	0 0260	0 0178	0 0120	0 0005	0 0389	0 0692	0 0021	0 0000	0 0000
		CLEC	0 0000	0 0003	0 0000	0.0075	0 0116	0 0124	0 0246	0 0267	0 0227	0.0308	0 0374	0 0431	0 0426	0.0518	0 0462	0 0456	0 1250	0 0964	0 0256	0 1483	0 1996	0 1181	0 0422	0 0024
		Difference	0.0000	-0 0002	0.0000	-0.0075	-0 0116	-0 0122	-0 0241	-0.0208	-0 0204	-0.0305	-0 0359	-0 0418	-0 0225	-0 0460	-0 0445	-0 0196	-0 1072	-0 0844	-0 0251	-0 1093	-0 1304	-0 1160	-0 0422	0 0024
	SF	BellSouth	0.0001	0 0000	0.0000	0.0000	0.0007	0 0001	0 0048	1 0465	0 0611	0 1227	0.1306	0 1554	0 0797	0 0908	0 1474	0 1861	0 1597	0.0782	0 1886	0 1202	0 1576	0 0847	0 0162	0 0023
		CLEC	0 0064	0.0015	0 0009	0 0302	0 0042	0 0146	0 0135	1 0447	0 1032	0 2424	0 4760	0 6243	0 3367	0 2816	0 3334	0 6773	0 4516	0 5186	0 6668	0 5562	0 8152	0 4979	0 0688	0 0267
		Difference	-0.0063	-0 0015	-0 0009	-0 0302	-0 0035	-0 0145	-0 0088	0 0018	-0 0420	-0 1197	-0 3455	-0 4689	-0 2570	-0 1907	-0 1860	-0 4912	-0 2919	-0 4404	-0 4782	-0 4360	-0 6576	-0 4132	0 0526	0 0244
Nov-00	NF	BellSouth	0.0000	0 0048	0.0000	0.0000	0.0004	0.0001	0.0188	0.0076	0 0044	0.0036	0 0136	0.0043	0 0202	0 0347	0 0095	0 0026	0.0093	0 0068	0 0022	0 0487	0 0534	0 0008	0 0006	0 0003
		CLEC	0 0002	0.0015	0.0000	0 0020	0.0158	0 0016	0 0101	0.0169	0.0153	0.0195	0 0295	0 0388	0 0275	0 0194	0 0195	0 0235	0.0572	0 0388	0.0743	0 3211	0 3956	0 3121	0 1101	0 0175
		Difference	-0 0002	0 0033	0.0000	-0 0020	-0.0154	-0 0015	0 0088	-0 0093	-0 0109	-0.0159	-0 0159	-0 0345	-0 0072	0 0153	-0 0100	-0 0209	-0 0478	-0 0320	-0 0721	-0 2724	-0 3422	-0 3113	-0 1095	-0 0172
	SF	BellSouth	0 0001	0 0003	0.0000	0.0001	0 0000	0 0005	0 0024	0 0769	0 0067	0 0198	0 0429	0 0166	0 0103	0 0269	0 0741	0 0531	0 0620	0 0328	0 0173	0 2856	0 0830	0 0093	0 0087	0 1080
		CLEC	0 0043	0 0007	0 0141	0.0030	0 0508	0 0009	0 0168	0 2590	0 0570	0 0561	0 1436	0 0904	0 1293	0 2250	0 1318	0 1112	0 1385	0 2163	0 1705	0 3610	0 2158	0 2098	0 1247	0 1014
		Difference	-0 0042	-0 0005	-0 0141	-0 0029	-0 0508	-0 0004	-0 0144	-0 1821	-0 0503	-0 0363	-0 1006	-0 0739	-0 1190	-0 1982	-0 0578	-0 0581	-0 0765	-0 1835	-0 1533	0 0754	0 1328	-0 2005	-0 1159	0 0067
Dec-00	NF	BellSouth	0.0000	0 0002	0.0002	0.0000	0.0000	0.0001	0.0167	0 0186	0.0108	0 0071	0.0053	0 0143	0.0133	0 0157	0.0124	0 0094	0 0130	0 0096	0 0019	0 0605	0 0592	0 0074	0 0000	0 0000
		CLEC	0 0009	0.0002	0.0014	0.0010	0 0192	0.0060	0 0005	0 0263	0 0750	0 0487	0 0487	0 0470	0 0049	0 0034	0 0086	0 0141	0 0170	0 0102	0 0179	0 0997	0 1077	0 0870	0 0274	0 0085
		Difference	-0 0009	0.0001	-0.0013	-0 0010	-0 0192	-0 0058	0 0163	-0 0076	-0 0643	-0.0417	-0 0434	-0 0327	0.0084	0 0123	0 0038	-0 0047	-0 0040	-0 0006	-0 0160	-0 0393	-0 0485	-0 0796	-0 0274	-0 0085
	SF	BellSouth	0.0025	0.0026	0.0004	0 0006	0.0000	0 0010	0 0281	0 1194	0.0723	0 1712	0 1686	0 1635	0 1162	0 0818	0 0675	0 0712	0 0682	0 0945	0 0688	0 0629	0 0792	0 0423	0 0019	0 0058
		CLEC	0.0004	0 0000	0 0008	0 0008	0.0052	0 0247	0 1208	0 2536	0.1887	0.1567	0 0928	0 0999	0 1097	0 0860	0 0841	0 0693	0 1284	0 2646	0 1315	0 0940	0 0877	0 1025	0 0156	0 0049
		Difference	0 0021	0.0025	-0.0004	0 0000	-0 0052	-0 0238	-0 0927	-0 1341	-0 1164	0 0146	0 0758	0 0636	0 0065	-0 0042	0 0034	-0 0180	-0 0602	-0 1701	-0 0627	-0 0311	-0 0085	-0 0602	-0 0137	0 0009
Jan-01	NF	BellSouth	0.0000	0.0000	0.0005	0 0000	0.0000	0 0000	0 0027	0.0058	0.0012	0.0007	0.0039	0.0037	0.0037	0.0013	0.0012	0 0104	0.0379	0.0110	0.0061	0 1843	0 3420	0.0163	0 0000	0 0000
		CLEC	0 0027	0.0001	0.0004	0.0001	0 0000	0 0009	0 0002	0 0006	0.0025	0 0178	0 0153	0 0084	0 0042	0.0066	0 0132	0 0315	0 0687	0 0247	0 0566	0 4227	0 6889	0 2345	0 0272	0 0015
		Difference	-0 0027	-0.0001	0.0001	-0.0001	0 0000	-0 0009	0 0024	0.0050	-0 0012	-0.0171	-0 0114	-0 0048	-0 0005	-0 0053	-0.0120	-0 0211	-0 0308	-0 0137	-0 0505	-0 2383	-0 3469	-0 2182	-0 0272	-0 0015
	SF	BellSouth	0 0030	0.0000	0.0001	0.0000	0 0000	0.0001	0 0053	0.0129	0 0380	0.0056	0 0193	0.0146	0 0085	0 0253	0 0241	0 0688	0 0727	0 0388	0 0102	0 0301	0 0499	0 0064	0 0039	0 0013
		CLEC	0 0286	0 0010	0 0045	0.0000	0.0261	0 0954	0 0272	0 1394	0.0829	0 0397	0 1624	0 2275	0 0997	0 0409	0 0643	0 1242	0 2107	0 3766	0 1524	0 2638	0 4444	0 3759	0 0241	0 0259
		Difference	-0 0255	-0.0010	-0 0045	0 0000	-0 0261	-0 0954	-0 0219	-0 1266	-0 0449	-0 0341	-0 1431	-0 2130	-0 0913	-0 0156	-0 0402	-0 0554	-0 1380	-0 3378	-0 1422	-0 2337	-0 3945	-0 3695	-0 0202	-0 0246
Feb-01	NF	BellSouth	0 0000	0 0001	0.0000	0.0000	0 0000	0 0000	0.0000	0.0040	0 0003	0.0002	0 0062	0 0130	0 0073	0 0206	0 0154	0 0095	0 0131	0 0078	0.0089	0 0714	0 2478	0 0310	0.0000	0 0010
		CLEC	0.0003	0.0002	0.0002	0.0002	0 0779	0 0292	0 0000	0.0003	0 0259	0 0946	0 1271	0 1021	0.0528	0 0373	0 0836	0 0983	0 0864	0.0218	0 0664	0 4999	0 9690	0 4856	0 0288	0 0018
		Difference	-0 0003	-0.0001	-0.0002	-0 0002	-0 0779	-0.0292	0 0000	0 0038	-0 0256	-0.0945	-0 1209	-0 0891	-0 0454	-0 0167	-0 0681	-0 0888	-0 0733	-0 0141	-0 0576	-0 4285	-0 7213	-0 4546	-0 0288	-0 0008
	SF	BellSouth	0 0001	0.0000	0 0000	0 0000	0 0000	0 0006	0.0089	0 0102	0.0161	0 0214	0 0167	0 0230	0 0131	0 0273	0 0216	0.0378	0 0575	0 0595	0 0034	0 0342	0 0330	0 0250	0 0002	0 0009
		CLEC	0 0006	0 0062	0 0169	0.0032	0 0217	0 0007	0 0195	0.1158	0 1720	0.0820	0 3548	0 4414	0 0604	0 0497	0 1393	0 3564	0 3487	0 4954	0 1330	0 1577	0 3080	0 3467	0 0211	0 0017
		Difference	-0.0005	-0 0062	-0 0169	-0 0032	-0 0217	-0 0001	-0 0106	-0.1055	-0 1559	-0 0606	-0 3381	-0 4184	-0 0473	-0 0224	-0 1177	-0 3186	-0 2911	-0 4359	-0 1296	-0 1235	-0 2750	-0 3217	-0 0210	-0 0008
Mar-01	FL	BellSouth	0 0001	0.0000	0.0004	0.0000	0 0000	0 0001	0 0027	0 0582	0.0131	0.0193	0 0211	0.0294	0 0060	0 0097	0 0122	0 0227	0 0332	0 0260	0 0143	0 0461	0 0735	0 0068	0 0001	0 0047
		CLEC	0 4914	0 0066	0 0053	0 0072	0 0008	0 0070	0.0170	0.1675	0 0418	0.0329	0 0980	0 1293	0.0504	0 0292	0 0502	0 1276	0 2120	0 2847	0 1275	0 1480	0 2645	0 1083	0 0055	0 0256
		Difference	-0 4913	-0 0066	-0 0049	-0 0072	-0 0008	-0 0069	-0 0144	-0 1093	-0 0287	-0 0137	-0 0769	-0 0999	-0 0444	-0 0195	-0 0380	-0 1049	-0 1788	-0 2587	-0 1131	-0 1019	-0 1910	-0 1015	-0 0054	-0 0209
Apr-01	FL	BellSouth	0.0008	0.0001	0 0000	0.0063	0 0000	0.0003	0 0011	0.0082	0 0234	0 0025	0 0326	0.0352	0 0134	0 0286	0 0297	0 0487	0 0449	0 0114	0 0008	0 0034	0 0104	0 0100	0 0002	0 0004
		CLEC	0.0010	0 0028	0.0007	0.0293	0.0002	0 0011	0 0150	0.0501	0 0764	0 0290	0 0283	0.0420	0 0296	0 0284	0.0494	0 0977	0 2310	0 3232	0 0929	0 0422	0 0870	0 1428	0 0381	0 0047
		Difference	-0 0003	-0 0027	-0 0007	-0 0240	-0.0002	-0 0007	-0 0139	-0 0419	-0 0529	-0 0265	0 0043	-0 0068	-0 0163	0 0002	-0 0197	-0 0490	-0 1861	-0 3118	-0 0921	-0 0388	-0 0767	-0 1329	-0 0379	-0 0043
May-01	FL	BellSouth	0 0001	0 0000	0 0094	0 0000	0.0000	0.0040	0 0029	0 1190	0.0675	0 0055	0 0161	0.0720	0 0076	0 1039	0 0984	0 0566	0 0560	0 0174	0 0047	0 0039	0 0060	0.0023	0 0003	0 0002
		CLEC	0.0031	0.0428	0 0027	0.0109	0 0218	0 0075	0 0183	0 1856	0 1221	0.0255	0 0315	0 0603	0.0154	0.0335	0 0518	0 1592	0 2027	0 3416	0 0852	0 0391	0 0845	0 1109	0 0386	0 0024
		Difference	-0 0030	-0.0428	0 0068	-0.0109	-0 0218	-0 0035	-0 0153	-0 0666	-0.0646	-0.0200	-0 0163	0 0116	-0 0078	0 0705	0 0466	-0 1026	-0 1467	-0 3241	-0 0805	-0 0352	-0 0785	-0 1086	-0 0383	0 0021
Jun-01	FL	BellSouth	0.0002	0 0000	0.0000	0 0000	0 0001	0 0004	0.0021	0 0506	0.0686	0 0047	0 0128	0 0172	0 0109	0 0104	0.0071	0 0033	0 0057	0 0117	0 0016	0 0025	0 0132	0 0334	0.0145	0 0005
		CLEC	0 1139	0.0374	0 0890	0 0669	0 0777	0 0678	0.0278	0 0296	0.0405	0 0946	0 0848	0 0846	0.0413	0 0292	0 0667	0 0916	0 0699	0 0725	0 0627	0 1410	0 3694	0 3193	0 1157	0 0525
		Difference	-0 1137	-0 0374	-0 0890	-0 0669	-0 0777	-0 0674	-0 0257	0 0210	0 0281	-0 0899	-0 0720	-0 0674	-0 0303	-0 0188	-0 0596	-0 0883	-0 0643	-0 0608	-0 0611	-0 1385	-0 3562	-0 2859	-0 1012	0 0521
Jul-01	FL	BellSouth	0 0000	0.0000	0 0000	0 0000	0 0001	0.0000	0 0014	0.0377	0 0173	0 0152	0 0045	0 0222	0 0038	0 0213	0 0088	0 0077	0 0051	0 0119	0 0040	0 0022	0 0025	0 0041	0 0086	0 0026
		CLEC	0.0119	0.0049	0 0001	0 0001	0.0038	0 0006	0 0005	0 0009	0 0100	0 0166	0 0534	0 0541	0 0188	0 0526	0 0428	0 0341	0 0256	0 0165	0 0155	0 0174	0 0217	0 0203	0 0140	0 0146
		Difference	-0 0119	-0.0049	-0 0001	-0 0001	-0 0037	-0 0006	0 0009	0 0368	0 0073	-0 0013	-0 0488	-0 0318	-0 0150	-0 0313	-0 0340	-0 0264	-0 0205	-0 0046	0 0115	-0 0152	-0 0193	-0 0163	-0 0054	0 0119
Aug-01	FL	BellSouth	0 0001	0.0000	0 0000	0 0000	0 0000	0 0000	0.0013	0 0865	0 0373	0 0024	0 0048	0 0072	0 0176	0 0090	0 0137	0 0109	0 0275	0 0144	0 0052	0 0053	0 0085	0 0044	0 0004	0 0011
		CLEC	0 0070	0 0000	0 0000	0 0001	0 1356	0 0001	0 0001	0 0009	0 0105	0 0044	0 0233	0 0210	0 0038	0 0100	0 0337	0 0307	0 0327	0 0039	0 0083	-0 0222	0 0240	0 0239	0 0056	0 0003
		Difference	-0 0070	0 0000	0 0000	-0 0001	-0 1356	-0 0001	0 0013	0 0856	0 0268	-0 0020	-0 0184	-0 0139	0 0138	-0 0010	-0 0200	-0 0198	-0 0052	0 0106	0 0031	-0 0169	-0 0155	-0 0195	-0 0053	0 0007
Sep-01	FL	BellSouth	0 0000	0 0002	0.0000	0 0001	0 0006	0.0001	0 0000	0.0001	0 0000	0 0017	0 0032	0 0007	0 0000	0 0001	0 0002	0 0004	0 0004	0 0000	0 0000	0 0007	0 0053	0 0016	0 0002	0 0000
		CLEC	0 0208	0 0305	0 0482	0 1486	0 0902	0 0680	0 0524	0 0267	0 0114	0 0251	0 0218	0 0126	0 0104	0 0095	0 0136	0 1117	0 0158	0 0261	0 0111	0 0198	0 0418	0 0419	0 0221	0 0173
		Difference	-0 0208	-0 0303	-0 0482	-0 1485	-0 0897	-0 0678	-0 0524	-0 0266	-0 0114	-0 0234	-0 0186	-0 0119	-0 0104	-0 0094	0 0134	-0 1113	-0 0154	-0 0261	-0 0111	-0 0191	0 0366	-0 0403	-0 0219	0 0171

		ACHIEVED FLOW-THROUGH %	ADJUSTED FLOW-THROUGH %
CLEC AGGREGATE			
REGION ALL SERVICES		74.30%	82.84%
		FLOW-THROUGH %	
BST AGGREGATE			
REGION			
- RETAIL RESIDENCE		94.40%	
- RETAIL BUSINESS**		TBD	
***NOTE: BellSouth has identified an issue that had an impact on Planned Manual Fallout. This reposting reflects the corrections to individual CLEC percent flow through for this month. The aggregate numbers in this report do not match the 271 Charts or the MSS due to KPMG third party test LSR being included in the aggregate 271 data.**			
****NOTE: Due to the methodology used in calculating Retail Residence, the percentage shown is an approximation.**			
*****NOTE: BellSouth attempted to report business retail flow through as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flow through for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually.**			

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#1		0	115	0	115	12	28	0	75	42	14	28	33	55.93%	44 00%	70 21%
#2		52	0	0	52	2	8	0	42	12	9	3	30	73 17%	71 43%	76 92%
#3		0	3454	0	3454	51	666	0	2737	2486	189	2297	251	51 12%	9.17%	57.05%
#4		976	0	0	976	50	86	16	824	240	117	123	584	77 76%	70 87%	83 31%
#5		12	0	0	12	0	2	0	10	0	0	0	10	100 00%	100.00%	100 00%
#6		0	19	0	19	5	2	0	12	6	6	0	6	35 29%	50.00%	50 00%
#7		0	21	0	21	2	2	0	17	9	4	5	8	57.14%	47 06%	66 67%
#8		30	0	0	30	2	3	7	18	11	10	1	7	36 84%	38 89%	41 18%
#9		915	0	0	915	99	112	0	704	46	36	10	658	82 98%	93 47%	94 81%
#10		164	0	0	164	22	8	2	132	66	57	9	66	45.52%	50 00%	53 66%
#11		1797	0	0	1797	191	182	3	1421	227	191	36	1194	75 76%	84 03%	86 21%
#12		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0 00%	0 00%
#13		0	0	13	13	2	1	0	10	4	3	1	6	54 55%	60 00%	66 67%
#14		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100 00%
#15		0	0	17	17	0	3	0	14	14	5	9	0	0.00%	0 00%	0 00%
#16		2259	0	0	2259	241	285	36	1697	423	290	133	1274	70 58%	75 07%	81 46%
#17		359	0	0	359	17	28	1	313	27	24	3	286	87 46%	91.37%	92 26%
#18		286	0	0	286	33	32	3	218	75	69	6	143	58 37%	65 60%	67 45%
#19		1382	0	0	1382	124	49	5	1204	88	72	16	1116	85 06%	92 69%	93 94%
#20		0	0	6	6	0	2	0	4	3	3	0	1	25.00%	25.00%	25 00%
#21		38	0	0	38	13	7	2	16	11	9	2	5	18.52%	31 25%	35 71%
#22		0	0	2	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0 00%
#23		0	0	1477	1477	208	253	8	1008	428	350	78	580	50 97%	57.54%	62 37%
#24		197	0	0	197	27	15	2	153	19	15	4	134	76 14%	87.58%	89 93%
#25		17	0	0	17	2	3	1	11	2	2	0	9	69 23%	81 82%	81 82%
#26		76	0	0	76	5	15	2	54	31	28	3	23	41 07%	42.59%	45 10%
#27		0	0	900	900	130	133	1	636	256	219	37	380	52 13%	59.75%	63 44%
#28		0	0	18	18	1	1	0	16	16	7	9	0	0.00%	0 00%	0 00%
#29		0	0	23	23	4	4	2	13	6	2	4	7	53.85%	53 85%	77 78%
#30		100	0	0	100	10	10	2	78	31	24	7	47	58.02%	60 26%	66 20%
#31		54	0	0	54	12	4	0	38	3	3	0	35	70 00%	92 11%	92 11%
#32		0	0	1287	1287	279	246	11	751	347	242	105	404	43 68%	53.79%	62 54%
#33		0	212	0	212	163	23	0	26	20	19	1	6	3 19%	23 08%	24 00%
#34		914	0	0	914	70	114	2	728	539	416	123	189	28 00%	25 96%	31 24%
#35		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#36		0	0	780	780	119	155	9	497	223	179	44	274	47 90%	55 13%	60 49%
#37		0	0	554	554	110	104	11	329	138	116	22	191	45 80%	58 05%	62 21%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#38		273	0	0	273	30	14	0	229	28	23	5	201	79.13%	87.77%	89.73%
#39		6	0	0	6	1	0	0	5	1	1	0	4	66.67%	80.00%	80.00%
#40		524	0	0	524	121	25	0	378	24	21	3	354	71.37%	93.65%	94.40%
#41		479	0	0	479	50	48	9	372	109	79	30	263	67.09%	70.70%	76.90%
#42		0	198	0	198	4	16	8	170	90	66	24	80	53.33%	47.06%	54.79%
#43		4	0	0	4	3	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#44		17	0	0	17	1	1	0	15	1	1	0	14	87.50%	93.33%	93.33%
#45		0	0	32	32	10	2	0	20	4	4	0	16	53.33%	80.00%	80.00%
#46		65	0	0	65	8	13	0	44	5	3	2	39	78.00%	88.64%	92.86%
#47		333	0	0	333	18	29	1	285	36	26	10	249	84.98%	87.37%	90.55%
#48		704	0	0	704	84	57	6	557	235	193	42	322	53.76%	57.81%	62.52%
#49		2090	0	0	2090	258	164	7	1661	585	471	114	1076	59.61%	64.78%	69.55%
#50		52	0	0	52	12	4	1	35	9	6	3	26	59.09%	74.29%	81.25%
#51		65	0	0	65	15	12	0	38	9	9	0	29	54.72%	76.32%	76.32%
#52		571	0	0	571	47	6	0	518	12	12	0	506	89.56%	97.68%	97.68%
#53		48	0	0	48	0	0	1	47	47	46	1	0	0.00%	0.00%	0.00%
#54		514	0	0	514	28	25	1	460	28	26	2	432	88.89%	93.91%	94.32%
#55		36	0	0	36	3	1	1	31	4	2	2	27	84.38%	87.10%	93.10%
#56		0	0	29	29	11	5	1	12	9	1	8	3	20.00%	25.00%	75.00%
#57		711	0	0	711	82	115	7	507	95	65	30	412	73.70%	81.26%	86.37%
#58		0	0	11	11	0	2	2	7	7	3	4	0	0.00%	0.00%	0.00%
#59		112	0	0	112	6	10	9	87	81	55	26	6	8.96%	6.90%	9.84%
#60		26	0	0	26	3	2	5	16	13	4	9	3	30.00%	18.75%	42.86%
#61		1083	0	0	1083	144	88	5	846	97	78	19	749	77.14%	88.53%	90.57%
#62		29	0	0	29	3	4	0	22	3	3	0	19	76.00%	86.36%	86.36%
#63		0	0	581	581	90	87	1	403	178	161	17	225	47.27%	55.83%	58.29%
#64		520	0	0	520	48	43	4	425	82	65	17	343	75.22%	80.71%	84.07%
#65		2076	0	0	2076	239	131	9	1697	179	150	29	1518	79.60%	89.45%	91.01%
#66		1548	0	0	1548	30	249	6	1263	290	189	101	973	81.63%	77.04%	83.73%
#67		184	0	0	184	13	15	0	156	8	7	1	148	88.10%	94.87%	95.48%
#68		0	0	2	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#69		105	0	0	105	27	18	0	60	19	11	8	41	51.90%	68.33%	78.85%
#70		0	5	0	5	3	0	0	2	1	1	0	1	20.00%	50.00%	50.00%
#71		3	0	0	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%
#72		2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%
#73		0	4	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%
#74		0	0	33	33	7	12	2	12	4	4	0	8	42.11%	66.67%	66.67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#75		44	0	0	44	4	11	2	27	9	8	1	18	60.00%	66 67%	69 23%
#76		83	0	0	83	9	10	0	64	23	13	10	41	65 08%	64.06%	75 93%
#77		74	0	0	74	12	10	4	48	18	16	2	30	51 72%	62 50%	65 22%
#78		72	0	0	72	1	5	0	66	28	27	1	38	57.58%	57 58%	58 46%
#79		0	0	13	13	2	6	0	5	3	3	0	2	28 57%	40 00%	40 00%
#80		11	0	0	11	3	4	0	4	1	1	0	3	42 86%	75 00%	75.00%
#81		86	0	0	86	12	13	5	56	22	13	9	34	57 63%	60 71%	72 34%
#82		793	0	0	793	109	50	6	628	76	58	18	552	76.77%	87 90%	90 49%
#83		0	0	105	105	11	6	0	88	34	28	6	54	58.06%	61.36%	65 85%
#84		129	0	0	129	18	6	1	104	20	17	3	84	70 59%	80 77%	83 17%
#85		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0.00%	0 00%
#86		0	0	2	2	1	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#87		31	0	0	31	4	1	1	25	12	1	11	13	72.22%	52 00%	92 86%
#88		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#89		27	0	0	27	1	5	1	20	3	3	0	17	80 95%	85 00%	85 00%
#90		11	0	0	11	1	1	0	9	0	0	0	9	90 00%	100 00%	100 00%
#91		294	0	0	294	32	27	0	235	19	15	4	216	82 13%	91 91%	93 51%
#92		14	0	0	14	3	2	2	7	5	3	2	2	25.00%	28 57%	40 00%
#93		0	0	2	2	0	0	0	2	2	2	0	0	0 00%	0.00%	0.00%
#94		38	0	0	38	4	2	0	32	10	5	5	22	70 97%	68.75%	81 48%
#95		195	0	0	195	33	8	5	149	59	41	18	90	54 88%	60.40%	68 70%
#96		0	0	241	241	35	26	1	179	94	67	27	85	45 45%	47.49%	55 92%
#97		235	0	0	235	17	26	7	185	35	24	11	150	78 53%	81.08%	86 21%
#98		90	0	0	90	26	12	1	51	25	19	6	26	36 62%	50.98%	57 78%
#99		93	0	0	93	7	0	0	86	9	9	0	77	82.80%	89.53%	89 53%
#100		9	0	0	9	0	0	0	9	3	2	1	6	75.00%	66.67%	75 00%
#101		0	6	0	6	1	0	0	5	5	1	4	0	0.00%	0 00%	0 00%
#102		3	0	0	3	2	0	0	1	1	0	1	0	0.00%	0.00%	0 00%
#103		228	0	0	228	10	15	0	203	30	24	6	173	83 57%	85 22%	87.82%
#104		26	0	0	26	3	3	0	20	5	3	2	15	71.43%	75.00%	83 33%
#105		14	0	0	14	0	0	0	14	2	2	0	12	85.71%	85 71%	85 71%
#106		611	0	0	611	64	30	2	515	67	50	17	448	79 72%	86 99%	89 96%
#107		0	24	0	24	11	0	2	11	11	10	1	0	0 00%	0 00%	0 00%
#108		332	0	0	332	30	18	0	284	14	12	2	270	86 54%	95 07%	95 74%
#109		0	0	604	604	27	74	0	503	19	14	5	484	92 19%	96 22%	97 19%
#110		468	0	0	468	41	66	2	359	34	29	5	325	82 28%	90 53%	91 81%
#111		172	0	0	172	22	74	1	75	12	8	4	63	67 74%	84.00%	88 73%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#112		97	0	0	97	9	0	0	88	2	2	0	86	88.66%	97.73%	97 73%
#113		4	0	0	4	0	1	0	3	3	3	0	0	0.00%	0 00%	0 00%
#114		1000	0	0	1000	96	88	2	814	50	39	11	764	84.98%	93 86%	95 14%
#115		293	0	0	293	39	8	0	246	25	22	3	221	78 37%	89.84%	90 95%
#116		163	0	0	163	33	8	2	120	22	20	2	98	64 90%	81 67%	83 05%
#117		0	0	28	28	7	2	0	19	3	2	1	16	64 00%	84 21%	88 89%
#118		36	0	0	36	1	3	0	32	3	2	1	29	90 63%	90.63%	93 55%
#119		0	0	777	777	11	63	0	703	25	16	9	678	96.17%	96 44%	97 69%
#120		449	0	0	449	94	85	2	268	66	52	14	202	58.05%	75.37%	79 53%
#121		212	0	0	212	24	13	1	174	19	19	0	155	78.28%	89 08%	89 08%
#122		440	0	0	440	44	24	0	372	13	8	5	359	87 35%	96 51%	97 82%
#123		686	0	0	686	10	115	0	561	72	62	10	489	87.17%	87 17%	88 75%
#124		0	114	0	114	2	9	0	103	56	36	20	47	55.29%	45 63%	56 63%
#125		0	0	39	39	12	0	2	25	9	9	0	16	43 24%	64 00%	64.00%
#126		49	0	0	49	5	3	0	41	16	6	10	25	69 44%	60 98%	80 65%
#127		72	0	0	72	3	2	2	65	24	24	0	41	60.29%	63 08%	63 08%
#128		6	0	0	6	0	2	0	4	1	1	0	3	75.00%	75.00%	75 00%
#129		250	0	0	250	37	29	0	184	47	41	6	137	63.72%	74.46%	76 97%
#130		31	0	0	31	2	2	0	27	4	3	1	23	82.14%	85 19%	88.46%
#131		33	0	0	33	2	2	0	29	6	3	3	23	82.14%	79 31%	88.46%
#132		2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50 00%	50 00%
#133		0	58	0	58	6	7	0	45	18	9	9	27	64 29%	60 00%	75 00%
#134		26	0	0	26	4	4	0	18	9	2	7	9	60 00%	50 00%	81 82%
#135		135	0	0	135	9	1	0	125	4	3	1	121	90 98%	96 80%	97 58%
#136		237	0	0	237	55	9	0	173	9	9	0	164	71 93%	94 80%	94.80%
#137		1561	0	0	1561	97	47	0	1417	107	87	20	1310	87 68%	92 45%	93 77%
#138		0	0	882	882	139	13	78	652	493	437	56	159	21 63%	24 39%	26 68%
#139		880	0	0	880	70	28	1	781	83	77	6	698	82 60%	89 37%	90 06%
#140		1646	0	0	1646	114	95	5	1432	98	72	26	1334	87 76%	93 16%	94 88%
#141		3805	0	0	3805	483	193	37	3092	254	209	45	2838	80 40%	91.79%	93 14%
#142		86	0	0	86	6	4	1	75	12	9	3	63	80.77%	84 00%	87 50%
#143		41	0	0	41	2	9	0	30	4	4	0	26	81.25%	86.67%	86 67%
#144		0	25	0	25	0	6	3	16	16	0	16	0	0.00%	0 00%	0 00%
#145		4	0	0	4	0	2	0	2	2	1	1	0	0 00%	0 00%	0 00%
#146		34	0	0	34	4	4	2	24	12	5	7	12	57 14%	50 00%	70 59%
#147		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#148		33	0	0	33	16	6	0	11	7	6	1	4	15 38%	36 36%	40 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual			Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Errc Excluded Calculatio
#149		213	0	0	213	10	9	0	194	14	14	0	180	88.24%	92 78%	92 78%
#150		196	0	0	196	17	20	0	159	11	8	3	148	85 55%	93.08%	94 87%
#151		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0 00%	0 00%
#152		506	0	0	506	50	41	3	412	42	30	12	370	82 22%	89 81%	92 50%
#153		83	0	0	83	1	1	0	81	6	3	3	75	94 94%	92 59%	96 15%
#154		106	0	0	106	21	11	0	74	20	13	7	54	61.36%	72 97%	80 60%
#155		0	0	397	397	68	30	4	295	72	63	9	223	62.99%	75 59%	77 97%
#156		966	0	0	966	138	74	10	744	131	105	26	613	71 61%	82.39%	85 38%
#157		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#158		0	0	13	13	0	0	0	13	8	3	5	5	62.50%	38 46%	62 50%
#159		230	0	0	230	25	21	0	184	9	5	4	175	85 37%	95.11%	97 22%
#160		424	0	0	424	33	30	8	353	259	188	71	94	29 84%	26.63%	33 33%
#161		55	0	0	55	1	1	0	53	5	5	0	48	88 89%	90 57%	90 57%
#162		0	0	5	5	0	1	0	4	1	1	0	3	75.00%	75 00%	75 00%
#163		38	0	0	38	2	1	1	34	4	4	0	30	83.33%	88 24%	88 24%
#164		23	0	0	23	3	3	0	17	9	8	1	8	42 11%	47 06%	50 00%
#165		1441	0	0	1441	165	109	1	1166	107	89	18	1059	80 65%	90 82%	92 25%
#166		214	0	0	214	41	23	5	145	50	40	10	95	53 98%	65.52%	70 37%
#167		14	0	0	14	2	1	0	11	2	0	2	9	81 82%	81 82%	100 00%
#168		111	0	0	111	19	6	4	82	42	33	9	40	43 48%	48 78%	54 79%
#169		0	0	15	15	0	0	0	15	13	11	2	2	15.38%	13 33%	15 38%
#170		0	0	381	381	20	162	1	198	31	16	15	167	82 27%	84 34%	91 26%
#171		952	0	0	952	39	61	0	852	45	40	5	807	91 08%	94 72%	95 28%
#172		780	0	0	780	80	129	1	570	72	62	10	498	77 81%	87 37%	88 93%
#173		75	0	0	75	20	10	2	43	14	13	1	29	46.77%	67 44%	69 05%
#174		128	0	0	128	16	15	0	97	13	11	2	84	75 68%	86 60%	88 42%
#175		7236	0	0	7236	220	572	10	6434	667	540	127	5767	88.36%	89 63%	91 44%
#176		342	0	0	342	20	27	1	294	47	44	3	247	79.42%	84 01%	84 88%
#177		1272	0	0	1272	84	76	3	1109	110	108	2	999	83.88%	90.08%	90 24%
#178		0	0	117	117	6	15	0	96	0	0	0	96	94 12%	100 00%	100 00%
#179		213	0	0	213	94	26	0	93	6	5	1	87	46 77%	93 55%	94 57%
#180		45	0	0	45	13	3	0	29	16	13	3	13	33 33%	44 83%	50 00%
#181		32	0	0	32	1	4	0	27	3	3	0	24	85 71%	88 89%	88 89%
#182		203	0	0	203	27	2	1	173	13	11	2	160	80 81%	92 49%	93 57%
#183		414	0	0	414	98	61	0	255	31	17	14	224	66 08%	87 84%	92 95%
#184		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#185		147	0	0	147	16	9	0	122	15	15	0	107	77 54%	87 70%	87 70%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#186		0	0	9999	9999	1190	1320	96	7393	5410	4070	1340	1983	27 38%	26.82%	32.76%
#187		8434	0	0	8434	395	820	38	7181	787	589	198	6394	86 66%	89.04%	91 57%
#188		2069	0	0	2069	218	105	6	1740	226	161	65	1514	79 98%	87.01%	90 39%
#189		77	0	0	77	2	20	2	53	39	22	17	14	36 84%	26 42%	38 89%
#190		4	0	0	4	0	0	0	4	4	0	4	0	0 00%	0 00%	0 00%
#191		43	0	0	43	2	7	0	34	14	7	7	20	68 97%	58 82%	74 07%
#192		2403	0	0	2403	87	250	2	2064	195	124	71	1869	89.86%	90.55%	93 78%
#193		1215	0	0	1215	78	75	1	1061	67	52	15	994	88.43%	93.69%	95 03%
#194		96	0	0	96	5	16	0	75	4	4	0	71	88 75%	94 67%	94 67%
#195		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#196		120	0	0	120	52	9	1	58	18	16	2	40	37.04%	68.97%	71 43%
#197		10	0	0	10	3	1	0	6	3	3	0	3	33.33%	50.00%	50 00%
#198		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0 00%	0 00%
#199		0	0	3	3	0	3	0	0	0	0	0	0	0 00%	0.00%	0 00%
#200		65	0	0	65	19	15	0	31	12	12	0	19	38 00%	61.29%	61 29%
#201		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0 00%	0 00%
#202		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#203		4	0	0	4	0	0	0	4	2	2	0	2	50 00%	50 00%	50 00%
#204		0	0	23	23	7	8	0	8	4	2	2	4	30 77%	50 00%	66 67%
#205		195	0	0	195	30	34	1	130	26	23	3	104	66 24%	80 00%	81 89%
#206		74	0	0	74	6	5	0	63	6	5	1	57	83 82%	90.48%	91 94%
#207		10	0	0	10	0	2	3	5	3	3	0	2	40 00%	40 00%	40 00%
#208		0	0	2	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#209		30	0	0	30	0	2	0	28	23	12	11	5	29.41%	17 86%	29 41%
#210		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#211		4	0	0	4	0	0	0	4	1	0	1	3	100.00%	75 00%	100 00%
#212		333	0	0	333	58	34	1	240	115	92	23	125	45 45%	52.08%	57 60%
#213		22	0	0	22	4	9	1	8	7	4	3	1	11 11%	12 50%	20 00%
#214		0	0	2	2	0	1	0	1	1	0	1	0	0 00%	0.00%	0 00%
#215		5	0	0	5	0	0	0	5	3	2	1	2	50 00%	40 00%	50 00%
#216		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#217		135	0	0	135	27	16	2	90	52	41	11	38	35 85%	42 22%	48 10%
#218		47	0	0	47	9	4	0	34	30	25	5	4	10 53%	11 76%	13 79%
#219		96	0	0	96	19	5	0	72	10	6	4	62	71 26%	86.11%	91 18%
#220		7	0	0	7	0	1	0	6	0	0	0	6	100 00%	100 00%	100 00%
#221		4	0	0	4	1	0	0	3	0	0	0	3	75 00%	100 00%	100 00%
#222		0	0	982	982	58	58	15	851	150	97	53	701	81 89%	82 37%	87 84%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#223		422	0	0	422	19	30	0	373	8	7	1	365	93.35%	97.86%	98.12%
#224		65	0	0	65	2	9	3	51	16	12	4	35	71.43%	68.63%	74.47%
#225		13	0	0	13	0	2	0	11	5	3	2	6	66.67%	54.55%	66.67%
#226		692	0	0	692	21	38	3	630	23	20	3	607	93.67%	96.35%	96.81%
#227		0	0	4028	4028	112	68	15	3833	281	225	56	3552	91.33%	92.67%	94.04%
#228		8803	0	0	8803	639	388	5	7771	297	261	36	7474	89.25%	96.18%	96.63%
#229		9	0	0	9	2	3	1	3	2	2	0	1	20.00%	33.33%	33.33%
#230		0	0	3341	3341	4	454	29	2854	1234	865	369	1620	65.09%	56.76%	65.19%
#231		0	61	0	61	26	11	0	24	4	4	0	20	40.00%	83.33%	83.33%
#232		0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#233		30	0	0	30	14	9	0	7	3	2	1	4	20.00%	57.14%	66.67%
#234		24	0	0	24	13	4	1	6	5	5	0	1	5.26%	16.67%	16.67%
#235		779	0	0	779	84	31	7	657	46	37	9	611	83.47%	93.00%	94.29%
#236		45	0	0	45	6	7	0	32	8	8	0	24	63.16%	75.00%	75.00%
#237		735	0	0	735	53	16	1	665	29	27	2	636	88.83%	95.64%	95.93%
#238		389	0	0	389	49	23	1	316	16	10	6	300	83.57%	94.94%	96.77%
#239		831	0	0	831	54	62	0	715	50	40	10	665	87.62%	93.01%	94.33%
#240		242	0	0	242	21	39	9	173	76	53	23	97	56.73%	56.07%	64.67%
#241		238	0	0	238	8	10	1	219	39	28	11	180	83.33%	82.19%	86.54%
#242		914	0	0	914	82	79	8	745	106	95	11	639	78.31%	85.77%	87.06%
#243		177	0	0	177	18	46	2	111	69	53	16	42	37.17%	37.84%	44.21%
#244		49	0	0	49	0	2	2	45	44	28	16	1	3.45%	2.22%	3.45%
#245		0	0	929	929	5	95	1	828	26	23	3	802	96.63%	96.86%	97.21%
#246		82	0	0	82	1	8	1	72	8	6	2	64	90.14%	88.89%	91.43%
#247		338	0	0	338	36	13	1	288	38	26	12	250	80.13%	86.81%	90.58%
#248		65	0	0	65	12	9	0	44	37	26	11	7	15.56%	15.91%	21.21%
#249		24305	0	0	24305	2147	3409	108	18641	9350	6910	2440	9291	50.64%	49.84%	57.35%
#250		373	0	0	373	29	24	0	320	24	21	3	296	85.55%	92.50%	93.38%
#251		0	0	251	251	13	59	1	178	66	51	15	112	63.64%	62.92%	68.71%
#252		392	0	0	392	52	82	1	257	84	71	13	173	58.45%	67.32%	70.90%
#253		0	0	23	23	2	2	0	19	3	2	1	16	80.00%	84.21%	88.89%
#254		69	0	0	69	11	13	0	45	6	6	0	39	69.64%	86.67%	86.67%
#255		0	0	7	7	1	1	0	5	1	1	0	4	66.67%	80.00%	80.00%
#256		26	0	0	26	5	3	0	18	10	7	3	8	40.00%	44.44%	53.33%
#257		38	0	0	38	2	6	0	30	2	2	0	28	87.50%	93.33%	93.33%
#258		24	0	0	24	1	7	2	14	7	6	1	7	50.00%	50.00%	53.85%
#259		283	0	0	283	20	3	0	260	8	7	1	252	90.32%	96.92%	97.30%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#260		30	0	0	30	2	0	0	28	0	0	0	28	93.33%	100.00%	100.00%
#261		124	0	0	124	26	6	3	89	27	22	5	62	56.36%	69.66%	73.81%
#262		3070	0	0	3070	188	358	2	2522	141	123	18	2381	88.45%	94.41%	95.09%
#263		0	520	0	520	347	56	0	117	85	46	39	32	7.53%	27.35%	41.03%
#264		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#265		12	0	0	12	0	6	0	6	5	3	2	1	25.00%	16.67%	25.00%
#266		0	0	14	14	7	3	0	4	1	1	0	3	27.27%	75.00%	75.00%
#267		36	0	0	36	8	2	1	25	6	4	2	19	61.29%	76.00%	82.61%
#268		0	1458	0	1458	74	103	0	1281	172	144	28	1109	83.57%	86.57%	88.51%
#269		2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#270		0	0	61	61	30	7	0	24	14	11	3	10	19.61%	41.67%	47.62%
#271		49	0	0	49	5	4	0	40	15	13	2	25	58.14%	62.50%	65.79%
#272		0	18760	0	18760	621	2248	7	15884	4677	2937	1740	11207	75.90%	70.56%	79.24%
#273		10	0	0	10	2	4	0	4	3	0	3	1	33.33%	25.00%	100.00%
#274		6	0	0	6	0	3	0	3	1	1	0	2	66.67%	66.67%	66.67%
#275		2	0	0	2	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#276		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#277		3	0	0	3	0	0	0	3	1	1	0	2	66.67%	66.67%	66.67%
#278		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#279		4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
#280		0	399	0	399	249	121	2	27	27	7	20	0	0.00%	0.00%	0.00%
#281		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#282		17	0	0	17	4	0	1	12	5	3	2	7	50.00%	58.33%	70.00%
#283		0	607	0	607	398	91	4	114	44	31	13	70	14.03%	61.40%	69.31%
#284		26	0	0	26	2	3	0	21	14	7	7	7	43.75%	33.33%	50.00%
#285		65	0	0	65	0	5	3	57	21	12	9	36	75.00%	63.16%	75.00%
#286		0	14	0	14	11	0	0	3	3	1	2	0	0.00%	0.00%	0.00%
#287		0	0	4	4	0	0	1	3	0	0	0	3	100.00%	100.00%	100.00%
#288		108	0	0	108	23	8	3	74	17	10	7	57	63.33%	77.03%	85.07%
#289		0	6225	0	6225	158	1222	3	4842	747	564	183	4095	85.01%	84.57%	87.89%
#290		204	0	0	204	14	10	0	180	11	9	2	169	88.02%	93.89%	94.94%
#291		52	0	0	52	30	5	1	16	6	3	3	10	23.26%	62.50%	76.92%
#292		0	9087	0	9087	224	1807	5	7051	1573	1289	284	5478	78.36%	77.69%	80.95%
#293		346	0	0	346	23	27	0	296	16	14	2	280	88.33%	94.59%	95.24%
#294		0	0	13	13	0	4	0	9	2	0	2	7	100.00%	77.78%	100.00%
#295		0	0	267	267	100	53	7	107	46	35	11	61	31.12%	57.01%	63.54%
#296		792	0	0	792	163	105	15	509	208	153	55	301	48.78%	59.14%	66.30%

		Mechanized Interface Used							Validated							
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#297		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#298		8	0	0	8	5	1	0	2	2	2	0	0	0.00%	0.00%	0.00%
#299		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#300		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#301		482	0	0	482	30	32	4	416	63	51	12	353	81.34%	84.86%	87.38%
#302		184	0	0	184	18	13	1	152	34	28	6	118	71.95%	77.63%	80.82%
#303		848	0	0	848	69	84	10	685	377	181	196	308	55.20%	44.96%	62.99%
#304		7	0	0	7	1	0	0	6	4	4	0	2	28.57%	33.33%	33.33%
#305		0	9257	0	9257	164	1781	3	7309	1844	1227	617	5465	79.71%	74.77%	81.66%
#306		25	0	0	25	0	5	4	16	14	12	2	2	14.29%	12.50%	14.29%
#307		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#308		279	0	0	279	12	38	0	229	25	23	2	204	85.36%	89.08%	89.87%
#309		35	0	0	35	3	7	1	24	14	7	7	10	50.00%	41.67%	58.82%
#310		0	0	25	25	2	4	0	19	5	1	4	14	82.35%	73.68%	93.33%
#311		35	0	0	35	14	0	0	21	15	11	4	6	19.35%	28.57%	35.29%
#312		0	0	36	36	0	5	1	30	11	8	3	19	70.37%	63.33%	70.37%
#313		26	0	0	26	9	2	2	13	8	6	2	5	25.00%	38.46%	45.45%
#314		491	0	0	491	9	27	0	455	27	20	7	428	93.65%	94.07%	95.54%
#315		36	0	0	36	2	4	0	30	4	4	0	26	81.25%	86.67%	86.67%
#316		5	0	0	5	2	1	0	2	0	0	0	2	50.00%	100.00%	100.00%
#317		0	0	8	8	0	1	0	7	4	4	0	3	42.86%	42.86%	42.86%
#318		18	0	0	18	5	3	1	9	4	1	3	5	45.45%	55.56%	83.33%
#319		10	0	0	10	0	0	0	10	2	2	0	8	80.00%	80.00%	80.00%
#320		916	0	0	916	144	174	6	592	315	227	88	277	42.75%	46.79%	54.96%
#321		2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#322		11	0	0	11	0	1	0	10	0	0	0	10	100.00%	100.00%	100.00%
#323		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#324		3386	0	0	3386	291	224	8	2863	360	319	41	2503	80.40%	87.43%	88.70%
#325		0	0	3412	3412	365	321	55	2671	494	345	149	2177	75.41%	81.51%	86.32%
#326		15101	0	0	15101	346	979	10	13766	292	231	61	13474	95.89%	97.88%	98.31%
#327		0	56	0	56	2	4	0	50	11	6	5	39	82.98%	78.00%	86.67%
#328		170	0	0	170	2	6	0	162	5	4	1	157	96.32%	96.91%	97.52%
#329		494	0	0	494	4	73	2	415	20	17	3	395	94.95%	95.18%	95.87%
#330		0	0	3	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
#331		190	0	0	190	31	23	1	135	31	25	6	104	65.00%	77.04%	80.62%
#332		0	2192	0	2192	1076	260	11	845	235	129	106	610	33.61%	72.19%	82.54%
#333		221	0	0	221	75	20	1	125	53	44	9	72	37.70%	57.60%	62.07%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#334		0	0	33	33	10	10	0	13	2	2	0	11	47 83%	84 62%	84 62%
#335		59	0	0	59	17	12	1	29	13	8	5	16	39 02%	55 17%	66 67%
#336		0	0	9555	9555	122	701	16	8716	400	343	57	8316	94.70%	95.41%	96 04%
#337		3146	0	0	3146	253	211	19	2663	416	339	77	2247	79.15%	84.38%	86 89%
#338		706	0	0	706	64	63	13	566	157	134	23	409	67.38%	72 26%	75 32%
#339		135	0	0	135	19	7	2	107	42	31	11	65	56.52%	60 75%	67 71%
#340		0	417	0	417	210	74	6	127	80	58	22	47	14.92%	37 01%	44 76%
#341		615	0	0	615	88	38	5	484	131	110	21	353	64.07%	72.93%	76 24%
#342		1061	0	0	1061	221	165	14	661	306	242	64	355	43.40%	53 71%	59 46%
#343		45	0	0	45	25	3	0	17	14	11	3	3	7 69%	17 65%	21 43%
#344		1038	0	0	1038	136	39	1	862	57	39	18	805	82 14%	93.39%	95 38%
#345		345	0	0	345	5	28	0	312	17	12	5	295	94 55%	94 55%	96 09%
#346		0	0	1370	1370	11	122	1	1236	50	46	4	1186	95 41%	95.95%	96 27%
#347		105	0	0	105	4	2	0	99	6	6	0	93	90.29%	93 94%	93.94%
#348		374	0	0	374	45	44	5	280	92	75	17	188	61.04%	67 14%	71.48%
#349		41	0	0	41	4	5	0	32	12	12	0	20	55 56%	62.50%	62 50%
#350		15	0	0	15	6	1	0	8	5	4	1	3	23 08%	37 50%	42 86%
#351		129	0	0	129	5	14	1	109	11	10	1	98	86 73%	89 91%	90 74%
#352		1007	0	0	1007	73	57	1	876	97	85	12	779	83.14%	88 93%	90 16%
#353		13	0	0	13	0	1	0	12	1	1	0	11	91.67%	91 67%	91 67%
#354		0	0	1527	1527	104	99	5	1319	211	178	33	1108	79.71%	84 00%	86 16%
#355		83	0	0	83	4	5	0	74	4	4	0	70	89 74%	94.59%	94 59%
#356		0	2447	0	2447	239	195	1	2012	827	678	149	1185	56 37%	58 90%	63 61%
#357		3176	0	0	3176	284	173	17	2702	737	624	113	1965	68 40%	72.72%	75 90%
#358		24	0	0	24	2	9	3	10	8	5	3	2	22.22%	20 00%	28.57%
#359		0	0	1787	1787	17	330	4	1436	32	30	2	1404	96 76%	97 77%	97 91%
#360		49	0	0	49	1	5	0	43	6	6	0	37	84 09%	86 05%	86 05%
#361		4	0	0	4	0	0	0	4	3	3	0	1	25.00%	25.00%	25 00%
#362		579	0	0	579	23	38	1	517	39	30	9	478	90 02%	92 46%	94 09%
#363		100	0	0	100	22	11	0	67	29	25	4	38	44 71%	56 72%	60 32%
#364		0	169	0	169	115	11	3	40	21	18	3	19	12 50%	47 50%	51 35%
#365		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0.00%	0 00%
#366		0	0	13	13	6	0	0	7	1	1	0	6	46.15%	85 71%	85 71%
#367		12	0	0	12	0	2	2	8	4	2	2	4	66 67%	50 00%	66 67%
#368		0	0	485	485	7	76	0	402	7	6	1	395	96 81%	98 26%	98 50%
#369		21	0	0	21	2	1	0	18	4	4	0	14	70 00%	77 78%	77 78%
#370		67	0	0	67	6	10	3	48	12	8	4	36	72 00%	75 00%	81 82%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#371		2418	0	0	2418	486	266	9	1657	689	566	123	968	47.92%	58 42%	63 10%
#372		463	0	0	463	55	24	1	383	61	56	5	322	74.36%	84.07%	85 19%
#373		53	0	0	53	3	2	0	48	9	9	0	39	76 47%	81.25%	81 25%
#374		136	0	0	136	2	24	4	106	39	12	27	67	82 72%	63 21%	84 81%
#375		323	0	0	323	12	24	1	302	48	47	1	254	81 15%	84.11%	84.39%
#376		46	0	0	46	7	0	0	39	8	7	1	31	68.89%	79.49%	81 58%
#377		0	0	58	58	2	8	0	48	3	3	0	45	90.00%	93 75%	93 75%
#378		101	0	0	101	12	3	0	86	7	4	3	79	83.16%	91 86%	95 18%
#379		0	4162	0	4162	135	804	2	3221	527	385	142	2694	83 82%	83 64%	87 50%
#380		170	0	0	170	8	5	0	157	28	27	1	129	78.66%	82.17%	82 69%
#381		0	0	186	186	62	49	6	69	49	41	8	20	16.26%	28 99%	32 79%
#382		9347	0	0	9347	1167	641	106	7433	1874	1653	221	5559	66 34%	74 79%	77 08%
#383		0	272	0	272	165	54	0	53	19	15	4	34	15 89%	64 15%	69 39%
#384		26	0	0	26	4	7	0	15	5	4	1	10	55.56%	66 67%	71 43%
#385		786	0	0	786	146	83	9	548	194	164	30	354	53 31%	64.60%	68 34%
#386		95	0	0	95	4	7	0	84	1	1	0	83	94.32%	98 81%	98 81%
#387		71	0	0	71	6	12	2	51	22	18	4	29	54.72%	56 86%	61 70%
#388		0	94	0	94	56	3	1	34	13	12	1	21	23.60%	61.76%	63 64%
#389		10	0	0	10	1	2	0	7	1	0	1	6	85 71%	85 71%	100 00%
#390		43	0	0	43	6	5	1	31	9	7	2	22	62 86%	70 97%	75 86%
#391		448	0	0	448	29	15	1	403	39	33	6	364	85.45%	90 32%	91 69%
#392		3028	0	0	3028	440	230	7	2351	375	292	83	1976	72.97%	84 05%	87 13%
#393		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#394		40	0	0	40	5	11	0	24	9	8	1	15	53.57%	62.50%	65 22%
#395		94	0	0	94	2	8	0	84	28	23	5	56	69 14%	66 67%	70 89%
#396		27110	0	0	27110	3174	2479	63	21394	2255	1922	333	19139	78 97%	89.46%	90 87%
#397		13	0	0	13	2	0	0	11	4	3	1	7	58 33%	63 64%	70 00%
#398		82	0	0	82	31	10	0	41	26	19	7	15	23 08%	36 59%	44 12%
#399		549	0	0	549	48	62	4	435	51	41	10	384	81 18%	88.28%	90 35%
#400		387	0	0	387	34	22	2	329	71	45	26	258	76 56%	78 42%	85 15%
#401		160	0	0	160	15	14	0	131	2	2	0	129	88 36%	98 47%	98 47%
#402		168	0	0	168	39	10	2	117	47	36	11	70	48 28%	59 83%	66 04%
#403		60	0	0	60	0	3	0	57	1	1	0	56	98 25%	98 25%	98 25%
#404		272	0	0	272	6	26	0	240	15	12	3	225	92 59%	93 75%	94 94%
#405		122	0	0	122	3	7	0	112	6	5	1	106	92 98%	94 64%	95 50%
#406		167	0	0	167	9	11	3	144	27	26	1	117	76.97%	81 25%	81 82%
#407		89	0	0	89	4	11	0	74	5	4	1	69	89 61%	93 24%	94 52%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Erro Excluded Calculatior
#408		0	2	0	2	0	0	0	2	2	1	1	0	0.00%	0 00%	0 00%
#409		523	0	0	523	74	59	20	370	159	126	33	211	51.34%	57 03%	62 61%
#410		0	560	0	560	43	61	2	454	194	147	47	260	57 78%	57 27%	63 88%
#411		664	0	0	664	107	110	8	439	147	126	21	292	55.62%	66 51%	69 86%
#412		0	2	0	2	0	2	0	0	0	0	0	0	0 00%	0.00%	0 00%
#413		2229	0	0	2229	93	177	6	1953	176	159	17	1777	87.58%	90 99%	91 79%
#414		400	0	0	400	46	17	1	336	33	25	8	303	81.02%	90.18%	92 38%
#415		18	0	0	18	1	8	1	8	3	3	0	5	55.56%	62 50%	62 50%
#416		701	0	0	701	38	42	1	620	32	23	9	588	90 60%	94 84%	96 24%
#417		1036	0	0	1036	111	134	8	783	203	181	22	580	66.51%	74.07%	76 22%
#418		0	137	0	137	33	41	2	61	17	11	6	44	50 00%	72 13%	80 00%
#419		0	0	21	21	9	8	0	4	0	0	0	4	30.77%	100 00%	100 00%
#420		42	0	0	42	4	9	0	29	5	5	0	24	72 73%	82 76%	82 76%
#421		123	0	0	123	20	12	2	89	29	29	0	60	55.05%	67 42%	67 42%
#422		0	152	0	152	35	20	3	94	60	51	9	34	28.33%	36 17%	40 00%
#423		1385	0	0	1385	216	166	35	968	534	453	81	434	39 35%	44 83%	48 93%
#424		0	8	0	8	0	1	0	7	2	2	0	5	71.43%	71 43%	71 43%
#425		2075	0	0	2075	216	218	25	1616	852	701	151	764	45.45%	47 28%	52 15%
#426		367	0	0	367	15	26	0	326	31	28	3	295	87.28%	90.49%	91 33%
#427		85	0	0	85	13	12	2	58	26	24	2	32	46 38%	55.17%	57 14%
#428		3281	0	0	3281	268	254	9	2750	221	161	60	2529	85.50%	91.96%	94 01%
#429		226	0	0	226	147	22	7	50	29	21	8	21	11.11%	42 00%	50 00%
#430		207	0	0	207	3	1	4	199	39	36	3	160	80.40%	80.40%	81 63%
#431		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#432		7	0	0	7	1	0	0	6	1	0	1	5	83.33%	83 33%	100 00%
#433		1397	0	0	1397	123	91	8	1175	113	82	31	1062	83 82%	90 38%	92.83%
#434		48	0	0	48	1	6	0	41	13	10	3	28	71.79%	68 29%	73 68%
#435		13	0	0	13	7	0	0	6	6	4	2	0	0.00%	0 00%	0 00%
#436		7	0	0	7	1	0	0	6	1	1	0	5	71 43%	83 33%	83 33%
#437		1221	0	0	1221	132	48	7	1034	214	192	22	820	71 68%	79.30%	81 03%
#438		608	0	0	608	132	114	15	347	199	152	47	148	34 26%	42.65%	49 33%
LENS Subtotal		215175	0	0	215175	20006	19143	1058	174984	32615	25549	7066	142369	75 77%	81 36%	84 78%
EDI Subtotal		0	61313	0	61313	4641	9731	68	46873	13944	8118	5826	32929	72.07%	70 25%	80 22%
TAG Subtotal		0	0	47859	47859	3558	5284	387	38630	10956	8364	2592	27674	69.89%	71 64%	76 79%
TOTAL INTERFACES		**215175**	**61313**	**47859**	**324347**	**28205**	**34158**	**1513**	**260487**	**57515**	**42031**	**15484**	**202972**	**74.30%**	**77.92%**	**82.84%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#1		0	8	0	8	1	0	0	7	0	0	0	7	87.50%	100 00%	100 00%
#2		8	0	0	8	2	4	0	2	1	1	0	1	25 00%	50 00%	50 00%
#3		0	34	0	34	1	4	0	29	12	0	12	17	94 44%	58 62%	100 00%
#4		0	4	0	4	1	0	0	3	2	1	1	1	33.33%	33.33%	50 00%
#5		914	0	0	914	99	112	0	703	46	36	10	657	82.95%	93.46%	94.81%
#6		164	0	0	164	22	8	2	132	66	57	9	66	45.52%	50 00%	53.66%
#7		458	0	0	458	54	66	2	336	55	47	8	281	73 56%	83 63%	85.67%
#8		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#9		29	0	0	29	2	7	0	20	14	11	3	6	31.58%	30.00%	35 29%
#10		358	0	0	358	17	28	1	312	27	24	3	285	87.42%	91 35%	92 23%
#11		267	0	0	267	33	26	3	205	64	59	5	141	60 52%	68 78%	70 50%
#12		1382	0	0	1382	124	49	5	1204	88	72	16	1116	85.06%	92 69%	93 94%
#13		0	0	4	4	0	2	0	2	2	2	0	0	0.00%	0.00%	0.00%
#14		196	0	0	196	27	15	2	152	19	15	4	133	76.00%	87 50%	89 86%
#15		17	0	0	17	2	3	1	11	2	2	0	9	69 23%	81 82%	81 82%
#16		54	0	0	54	12	4	0	38	3	3	0	35	70.00%	92 11%	92.11%
#17		0	8	0	8	0	5	0	3	0	0	0	3	100.00%	100.00%	100 00%
#18		2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50 00%
#19		273	0	0	273	30	14	0	229	28	23	5	201	79 13%	87 77%	89.73%
#20		524	0	0	524	121	25	0	378	24	21	3	354	71 37%	93 65%	94 40%
#21		17	0	0	17	1	1	0	15	1	1	0	14	87.50%	93 33%	93.33%
#22		333	0	0	333	18	29	1	285	36	26	10	249	84 98%	87.37%	90 55%
#23		4	0	0	4	0	3	0	1	1	0	1	0	0.00%	0 00%	0 00%
#24		17	0	0	17	0	11	1	5	3	2	1	2	50 00%	40 00%	50 00%
#25		51	0	0	51	12	4	1	34	9	6	3	25	58.14%	73 53%	80 65%
#26		65	0	0	65	15	12	0	38	9	9	0	29	54 72%	76 32%	76 32%
#27		571	0	0	571	47	6	0	518	12	12	0	506	89.56%	97 68%	97 68%
#28		513	0	0	513	28	25	1	459	28	26	2	431	88 87%	93 90%	94 31%
#29		36	0	0	36	3	1	1	31	4	2	2	27	84 38%	87 10%	93 10%
#30		673	0	0	673	79	102	5	487	88	60	28	399	74 16%	81 93%	86 93%
#31		0	0	14	14	0	3	1	10	8	1	7	2	66.67%	20.00%	66 67%
#32		17	0	0	17	3	4	0	10	9	6	3	1	10.00%	10.00%	14 29%
#33		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0 00%	0 00%
#34		1079	0	0	1079	144	85	5	845	97	78	19	748	77.11%	88 52%	90 56%
#35		29	0	0	29	3	4	0	22	3	3	0	19	76 00%	86 36%	86 36%
#36		6	0	0	6	0	4	0	2	2	2	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#37		2066	0	0	2066	236	130	9	1691	177	148	29	1514	79.77%	89.53%	91 10%
#38		1548	0	0	1548	30	249	6	1263	290	189	101	973	81 63%	77 04%	83 73%
#39		182	0	0	182	13	15	0	154	8	7	1	146	87 95%	94 81%	95 42%
#40		3	0	0	3	0	0	0	3	3	1	2	0	0 00%	0.00%	0 00%
#41		3	0	0	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0.00%
#42		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#43		66	0	0	66	6	6	0	54	18	10	8	36	69.23%	66.67%	78 26%
#44		2	0	0	2	0	0	1	1	1	1	0	0	0 00%	0 00%	0.00%
#45		49	0	0	49	7	5	1	36	12	5	7	24	66 67%	66.67%	82 76%
#46		793	0	0	793	109	50	6	628	76	58	18	552	76 77%	87 90%	90.49%
#47		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0 00%	0 00%
#48		11	0	0	11	1	1	0	9	0	0	0	9	90 00%	100 00%	100 00%
#49		281	0	0	281	31	21	0	229	18	14	4	211	82 42%	92 14%	93 78%
#50		13	0	0	13	3	2	2	6	4	2	2	2	28 57%	33 33%	50 00%
#51		3	0	0	3	0	0	0	3	3	1	2	0	0 00%	0 00%	0 00%
#52		4	0	0	4	1	0	0	3	1	0	1	2	66 67%	66.67%	100.00%
#53		83	0	0	83	26	11	1	45	23	18	5	22	33 33%	48 89%	55 00%
#54		93	0	0	93	7	0	0	86	9	9	0	77	82 80%	89 53%	89 53%
#55		228	0	0	228	10	15	0	203	30	24	6	173	83 57%	85 22%	87.82%
#56		26	0	0	26	3	3	0	20	5	3	2	15	71 43%	75 00%	83 33%
#57		611	0	0	611	64	30	2	515	67	50	17	448	79 72%	86 99%	89 96%
#58		332	0	0	332	30	18	0	284	14	12	2	270	86 54%	95 07%	95.74%
#59		468	0	0	468	41	66	2	359	34	29	5	325	82 28%	90 53%	91 61%
#60		0	0	604	604	27	74	0	503	19	14	5	484	92 19%	96.22%	97 19%
#61		172	0	0	172	22	74	1	75	12	8	4	63	67 74%	84 00%	88 73%
#62		97	0	0	97	9	0	0	88	2	2	0	86	88 66%	97 73%	97.73%
#63		998	0	0	998	96	88	2	812	43	32	11	769	85.73%	94 70%	96 00%
#64		293	0	0	293	39	8	0	246	25	22	3	221	78.37%	89 84%	90 95%
#65		163	0	0	163	33	8	2	120	22	20	2	98	64 90%	81.67%	83 05%
#66		449	0	0	449	94	85	2	268	66	52	14	202	58 05%	75 37%	79 53%
#67		0	0	777	777	11	63	0	703	25	16	9	678	96 17%	96 44%	97 69%
#68		212	0	0	212	24	13	1	174	19	19	0	155	78 28%	89 08%	89 08%
#69		440	0	0	440	44	24	0	372	13	8	5	359	87 35%	96 51%	97 82%
#70		686	0	0	686	10	115	0	561	72	62	10	489	87 17%	87 17%	88 75%
#71		3	0	0	3	1	0	0	2	1	0	1	1	50.00%	50 00%	100 00%
#72		72	0	0	72	3	2	2	65	24	24	0	41	60 29%	63 08%	63 08%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#73		214	0	0	214	26	20	0	168	31	25	6	137	72.87%	81.55%	84.57%
#74		31	0	0	31	2	2	0	27	4	3	1	23	82.14%	85.19%	88.46%
#75		30	0	0	30	1	2	0	27	5	3	2	22	84.62%	81.48%	88.00%
#76		0	7	0	7	2	0	0	5	4	0	4	1	33.33%	20.00%	100.00%
#77		131	0	0	131	8	1	0	122	4	3	1	118	91.47%	96.72%	97.52%
#78		237	0	0	237	55	9	0	173	9	9	0	164	71.93%	94.80%	94.80%
#79		1561	0	0	1561	97	47	0	1417	107	87	20	1310	87.68%	92.45%	93.77%
#80		874	0	0	874	68	28	1	777	83	77	6	694	82.72%	89.32%	90.01%
#81		1639	0	0	1639	113	95	4	1427	96	72	24	1331	87.80%	93.27%	94.87%
#82		3805	0	0	3805	483	193	37	3092	254	209	45	2838	80.40%	91.79%	93.14%
#83		86	0	0	86	6	4	1	75	12	9	3	63	80.77%	84.00%	87.50%
#84		41	0	0	41	2	9	0	30	4	4	0	26	81.25%	86.67%	86.67%
#85		6	0	0	6	0	4	0	2	0	0	0	2	100.00%	100.00%	100.00%
#86		213	0	0	213	10	9	0	194	14	14	0	180	88.24%	92.78%	92.78%
#87		178	0	0	178	16	17	0	145	8	5	3	137	86.71%	94.48%	96.48%
#88		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#89		506	0	0	506	50	41	3	412	42	30	12	370	82.22%	89.81%	92.50%
#90		83	0	0	83	1	1	0	81	6	3	3	75	94.94%	92.59%	96.15%
#91		3	0	0	3	0	2	0	1	0	0	0	1	100.00%	100.00%	100.00%
#92		224	0	0	224	25	21	0	178	7	5	2	171	85.07%	96.07%	97.16%
#93		6	0	0	6	0	2	0	4	4	3	1	0	0.00%	0.00%	0.00%
#94		43	0	0	43	1	1	0	41	1	1	0	40	95.24%	97.56%	97.56%
#95		38	0	0	38	2	1	1	34	4	4	0	30	83.33%	88.24%	88.24%
#96		1441	0	0	1441	165	109	1	1166	107	89	18	1059	80.65%	90.82%	92.25%
#97		41	0	0	41	1	5	0	35	17	11	6	18	60.00%	51.43%	62.07%
#98		948	0	0	948	38	60	0	850	43	38	5	807	91.39%	94.94%	95.50%
#99		0	0	381	381	20	162	1	198	31	16	15	167	82.27%	84.34%	91.26%
#100		777	0	0	777	79	129	1	568	72	62	10	496	77.86%	87.32%	88.89%
#101		31	0	0	31	7	2	0	22	2	1	1	20	71.43%	90.91%	95.24%
#102		128	0	0	128	16	15	0	97	13	11	2	84	75.68%	86.60%	88.42%
#103		7236	0	0	7236	220	572	10	6434	667	540	127	5767	88.36%	89.63%	91.44%
#104		321	0	0	321	15	21	0	285	43	40	3	242	81.48%	84.91%	85.82%
#105		1272	0	0	1272	84	76	3	1109	110	108	2	999	83.88%	90.08%	90.24%
#106		213	0	0	213	94	26	0	93	6	5	1	87	46.77%	93.55%	94.57%
#107		0	0	117	117	6	15	0	96	0	0	0	96	94.12%	100.00%	100.00%
#108		32	0	0	32	1	4	0	27	3	3	0	24	85.71%	88.89%	88.89%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#109		203	0	0	203	27	2	1	173	13	11	2	160	80.81%	92.49%	93.57%
#110		406	0	0	406	94	61	0	251	30	16	14	221	66.77%	88 05%	93 25%
#111		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#112		147	0	0	147	16	9	0	122	15	15	0	107	77.54%	87 70%	87 70%
#113		78	0	0	78	4	68	0	6	1	1	0	5	50 00%	83 33%	83 33%
#114		0	0	17	17	3	6	2	6	6	2	4	0	0.00%	0.00%	0 00%
#115		2049	0	0	2049	218	101	6	1724	220	156	64	1504	80.09%	87.24%	90 60%
#116		2403	0	0	2403	87	250	2	2064	195	124	71	1869	89.86%	90.55%	93 78%
#117		1215	0	0	1215	78	75	1	1061	67	52	15	994	88.43%	93 69%	95.03%
#118		94	0	0	94	5	15	0	74	4	4	0	70	88.61%	94.59%	94 59%
#119		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#120		10	0	0	10	3	1	0	6	3	3	0	3	33 33%	50 00%	50.00%
#121		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0.00%	0.00%
#122		40	0	0	40	8	12	0	20	8	8	0	12	42.86%	60 00%	60 00%
#123		74	0	0	74	6	5	0	63	6	5	1	57	83 82%	90.48%	91 94%
#124		8	0	0	8	0	2	3	3	3	3	0	0	0.00%	0 00%	0 00%
#125		297	0	0	297	50	33	1	213	103	82	21	110	45 45%	51 64%	57 29%
#126		22	0	0	22	4	9	1	8	7	4	3	1	11 11%	12.50%	20 00%
#127		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0.00%	0 00%
#128		10	0	0	10	0	3	0	7	6	5	1	1	16 67%	14.29%	16 67%
#129		96	0	0	96	19	5	0	72	10	6	4	62	71 26%	86.11%	91 18%
#130		4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100 00%	100 00%
#131		21	0	0	21	4	16	0	1	1	1	0	0	0 00%	0 00%	0 00%
#132		0	0	5	5	3	1	0	1	1	0	1	0	0.00%	0 00%	0 00%
#133		692	0	0	692	21	38	3	630	23	20	3	607	93 67%	96 35%	96 81%
#134		8802	0	0	8802	639	388	5	7770	297	261	36	7473	89 25%	96 18%	96 63%
#135		0	0	4027	4027	112	68	15	3832	281	225	56	3551	91 33%	92 67%	94 04%
#136		0	0	3319	3319	4	448	29	2838	1222	854	368	1616	65 32%	56.94%	65 43%
#137		765	0	0	765	82	29	7	647	44	36	8	603	83 63%	93 20%	94.37%
#138		2	0	0	2	1	0	0	1	1	1	0	0	0.00%	0 00%	0 00%
#139		735	0	0	735	53	16	1	665	29	27	2	636	88 83%	95 64%	95 93%
#140		389	0	0	389	49	23	1	316	16	10	6	300	83 57%	94 94%	96 77%
#141		831	0	0	831	54	62	0	715	50	40	10	665	87 62%	93 01%	94 33%
#142		27	0	0	27	0	7	2	18	5	1	4	13	92 86%	72 22%	92 86%
#143		238	0	0	238	8	10	1	219	39	28	11	180	83 33%	82 19%	86 54%
#144		876	0	0	876	78	69	8	721	92	84	8	629	79 52%	87 24%	88 22%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#145		11	0	0	11	0	4	0	7	4	3	1	3	50.00%	42 86%	50 00%
#146		82	0	0	82	1	8	1	72	8	6	2	64	90 14%	88 89%	91 43%
#147		0	0	929	929	5	95	1	828	26	23	3	802	96.63%	96 86%	97 21%
#148		338	0	0	338	36	13	1	288	38	26	12	250	80 13%	86 81%	90.58%
#149		22766	0	0	22766	1917	3128	91	17630	8800	6501	2299	8830	51 19%	50 09%	57 60%
#150		373	0	0	373	29	24	0	320	24	21	3	296	85 55%	92.50%	93 38%
#151		230	0	0	230	15	44	1	170	36	31	5	134	74 44%	78.82%	81 21%
#152		0	0	219	219	10	42	1	166	57	44	13	109	66.87%	65 66%	71 24%
#153		69	0	0	69	11	13	0	45	6	6	0	39	69.64%	86.67%	86 67%
#154		18	0	0	18	1	3	0	14	8	5	3	6	50.00%	42 86%	54 55%
#155		0	0	2	2	0	0	0	2	1	1	0	1	50.00%	50 00%	50 00%
#156		38	0	0	38	2	6	0	30	2	2	0	28	87 50%	93 33%	93 33%
#157		3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100 00%
#158		283	0	0	283	20	3	0	260	8	7	1	252	90 32%	96 92%	97.30%
#159		30	0	0	30	2	0	0	28	0	0	0	28	93.33%	100 00%	100 00%
#160		63	0	0	63	6	1	1	55	13	10	3	42	72 41%	76 36%	80 77%
#161		3064	0	0	3064	187	358	2	2517	140	122	18	2377	88 50%	94 44%	95 12%
#162		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#163		0	1458	0	1458	74	103	0	1281	172	144	28	1109	83 57%	86 57%	88 51%
#164		8	0	0	8	1	2	0	5	4	2	2	1	25.00%	20 00%	33 33%
#165		0	0	10	10	5	1	0	4	1	1	0	3	33 33%	75 00%	75 00%
#166		0	95	0	95	7	3	0	85	1	1	0	84	91.30%	98 82%	98 82%
#167		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#168		4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100 00%	100 00%
#169		41	0	0	41	0	4	0	37	1	0	1	36	100 00%	97.30%	100 00%
#170		204	0	0	204	14	10	0	180	11	9	2	169	88.02%	93.89%	94 94%
#171		0	6225	0	6225	158	1222	3	4842	747	564	183	4095	85.01%	84 57%	87 89%
#172		346	0	0	346	23	27	0	296	16	14	2	280	88 33%	94 59%	95 24%
#173		0	9087	0	9087	224	1807	5	7051	1573	1289	284	5478	78 36%	77.69%	80 95%
#174		304	0	0	304	15	41	5	243	71	43	28	172	74.78%	70.78%	80 00%
#175		0	0	127	127	23	26	4	74	23	16	7	51	56 67%	68 92%	76 12%
#176		2	0	0	2	1	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#177		433	0	0	433	26	24	3	380	44	37	7	336	84 21%	88 42%	90 08%
#178		118	0	0	118	6	10	0	102	13	9	4	89	85 58%	87 25%	90 82%
#179		271	0	0	271	6	20	2	243	100	54	46	143	70 44%	58 85%	72 59%
#180		0	9257	0	9257	164	1781	3	7309	1844	1227	617	5465	79 71%	74 77%	81 66%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#181		268	0	0	268	12	30	0	226	22	21	1	204	86.08%	90.27%	90 67%
#182		34	0	0	34	2	7	1	24	14	7	7	10	52.63%	41 67%	58 82%
#183		18	0	0	18	9	0	0	9	9	9	0	0	0.00%	0.00%	0 00%
#184		6	0	0	6	0	2	0	4	1	0	1	3	100 00%	75 00%	100 00%
#185		491	0	0	491	9	27	0	455	27	20	7	428	93.65%	94 07%	95 54%
#186		36	0	0	36	2	4	0	30	4	4	0	26	81.25%	86.67%	86 67%
#187		8	0	0	8	0	3	0	5	2	1	1	3	75.00%	60 00%	75 00%
#188		10	0	0	10	0	0	0	10	2	2	0	8	80.00%	80.00%	80 00%
#189		159	0	0	159	11	22	0	126	66	46	20	60	51 28%	47 62%	56 60%
#190		11	0	0	11	0	1	0	10	0	0	0	10	100.00%	100.00%	100 00%
#191		3384	0	0	3384	291	224	8	2861	360	319	41	2501	80.39%	87 42%	88 69%
#192		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0.00%
#193		15096	0	0	15096	344	977	10	13765	292	231	61	13473	95 91%	97 88%	98 31%
#194		0	0	3355	3355	353	317	54	2631	465	334	131	2166	75 92%	82.33%	86 64%
#195		170	0	0	170	2	6	0	162	5	4	1	157	96.32%	96.91%	97 52%
#196		0	56	0	56	2	4	0	50	11	6	5	39	82 98%	78 00%	86 67%
#197		494	0	0	494	4	73	2	415	20	17	3	395	94 95%	95.18%	95 87%
#198		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#199		129	0	0	129	11	18	1	99	19	15	4	80	75 47%	80.81%	84 21%
#200		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100.00%	100 00%
#201		0	152	0	152	22	33	1	96	36	15	21	60	61 86%	62 50%	80 00%
#202		3146	0	0	3146	253	211	19	2663	416	339	77	2247	79 15%	84 38%	86 89%
#203		0	0	9555	9555	122	701	16	8716	400	343	57	8316	94 70%	95.41%	96 04%
#204		335	0	0	335	37	27	3	268	53	43	10	215	72.88%	80.22%	83.33%
#205		29	0	0	29	4	2	0	23	7	7	0	16	59 26%	69 57%	69 57%
#206		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#207		125	0	0	125	15	13	2	95	32	23	9	63	62.38%	66 32%	73 26%
#208		32	0	0	32	18	2	0	12	9	6	3	3	11.11%	25 00%	33 33%
#209		1036	0	0	1036	136	39	1	860	57	39	18	803	82.11%	93.37%	95 37%
#210		345	0	0	345	5	28	0	312	17	12	5	295	94 55%	94 55%	96 09%
#211		105	0	0	105	4	2	0	99	6	6	0	93	90 29%	93 94%	93 94%
#212		0	0	1370	1370	11	122	1	1236	50	46	4	1186	95 41%	95 95%	96 27%
#213		230	0	0	230	11	17	2	200	37	35	2	163	77 99%	81 50%	82 32%
#214		23	0	0	23	2	3	0	18	3	3	0	15	75.00%	83 33%	83 33%
#215		129	0	0	129	5	14	1	109	11	10	1	98	86.73%	89 91%	90 74%
#216		1007	0	0	1007	73	57	1	876	97	85	12	779	83 14%	88 93%	90 16%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#217		13	0	0	13	0	1	0	12	1	1	0	11	91.67%	91.67%	91 67%
#218		83	0	0	83	4	5	0	74	4	4	0	70	89.74%	94.59%	94.59%
#219		0	0	1527	1527	104	99	5	1319	211	178	33	1108	79.71%	84.00%	86 16%
#220		3176	0	0	3176	284	173	17	2702	737	624	113	1965	68 40%	72 72%	75 90%
#221		0	2447	0	2447	239	195	1	2012	827	678	149	1185	56 37%	58.90%	63 61%
#222		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100.00%	100 00%
#223		49	0	0	49	1	5	0	43	6	6	0	37	84 09%	86.05%	86 05%
#224		0	0	1787	1787	17	330	4	1436	32	30	2	1404	96 76%	97.77%	97 91%
#225		4	0	0	4	0	0	0	4	3	3	0	1	25 00%	25 00%	25.00%
#226		574	0	0	574	20	38	1	515	39	30	9	476	90 49%	92 43%	94 07%
#227		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0 00%
#228		0	0	6	6	2	0	0	4	0	0	0	4	66 67%	100 00%	100.00%
#229		21	0	0	21	2	1	0	18	4	4	0	14	70.00%	77.78%	77 78%
#230		0	0	485	485	7	76	0	402	7	6	1	395	96 81%	98 26%	98 50%
#231		59	0	0	59	6	8	1	44	9	6	3	35	74 47%	79 55%	85 37%
#232		463	0	0	463	55	24	1	383	61	56	5	322	74 36%	84 07%	85 19%
#233		53	0	0	53	3	2	0	48	9	9	0	39	76 47%	81 25%	81 25%
#234		323	0	0	323	20	10	1	292	19	15	4	273	88 64%	93 49%	94 79%
#235		8	0	0	8	0	0	0	8	2	1	1	6	85 71%	75.00%	85 71%
#236		101	0	0	101	12	3	0	86	7	4	3	79	83 16%	91.86%	95.18%
#237		0	0	58	58	2	8	0	48	3	3	0	45	90 00%	93 75%	93 75%
#238		170	0	0	170	8	5	0	157	28	27	1	129	78 66%	82 17%	82 69%
#239		0	4162	0	4162	135	804	2	3221	527	385	142	2694	83 82%	83.64%	87 50%
#240		287	0	0	287	40	38	4	205	42	35	7	163	68 49%	79.51%	82 32%
#241		26	0	0	26	4	7	0	15	5	4	1	10	55.56%	66 67%	71 43%
#242		95	0	0	95	4	7	0	84	1	1	0	83	94.32%	98 81%	98.81%
#243		10	0	0	10	1	2	0	7	1	0	1	6	85 71%	85 71%	100.00%
#244		448	0	0	448	29	15	1	403	39	33	6	364	85.45%	90 32%	91 69%
#245		3028	0	0	3028	440	230	7	2351	375	292	83	1976	72 97%	84.05%	87 13%
#246		27110	0	0	27110	3174	2479	63	21394	2255	1922	333	19139	78 97%	89.46%	90 87%
#247		50	0	0	50	12	7	0	31	21	16	5	10	26 32%	32 26%	38 46%
#248		548	0	0	548	47	62	4	435	51	41	10	384	81.36%	88 28%	90 35%
#249		387	0	0	387	34	22	2	329	71	45	26	258	76 56%	78 42%	85 15%
#250		160	0	0	160	15	14	0	131	2	2	0	129	88 36%	98 47%	98 47%
#251		60	0	0	60	0	3	0	57	1	1	0	56	98.25%	98 25%	98 25%
#252		272	0	0	272	6	26	0	240	15	12	3	225	92 59%	93 75%	94 94%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#253		122	0	0	122	3	7	0	112	6	5	1	106	92.98%	94.64%	95.50%
#254		167	0	0	167	9	11	3	144	27	26	1	117	76.97%	81.25%	81.82%
#255		89	0	0	89	4	11	0	74	5	4	1	69	89.61%	93.24%	94.52%
#256		30	0	0	30	3	1	1	25	3	2	1	22	81.48%	88.00%	91.67%
#257		2194	0	0	2194	90	169	6	1929	171	158	13	1758	87.64%	91.14%	91.75%
#258		0	2	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#259		400	0	0	400	46	17	1	336	33	25	8	303	81.02%	90.18%	92.38%
#260		18	0	0	18	1	8	1	8	3	3	0	5	55.56%	62.50%	62.50%
#261		693	0	0	693	33	42	1	617	30	22	8	587	91.43%	95.14%	96.39%
#262		1031	0	0	1031	111	134	8	778	199	180	19	579	66.55%	74.42%	76.28%
#263		56	0	0	56	3	7	0	46	10	10	0	36	73.47%	78.26%	78.26%
#264		145	0	0	145	6	9	0	130	27	24	3	103	77.44%	79.23%	81.10%
#265		0	12	0	12	6	1	0	5	3	3	0	2	18.18%	40.00%	40.00%
#266		5	0	0	5	0	3	0	2	2	2	0	0	0.00%	0.00%	0.00%
#267		367	0	0	367	15	26	0	326	31	28	3	295	87.28%	90.49%	91.33%
#268		49	0	0	49	11	7	2	29	11	10	1	18	46.15%	62.07%	64.29%
#269		3261	0	0	3261	265	254	9	2733	216	159	57	2517	85.58%	92.10%	94.06%
#270		42	0	0	42	2	12	6	22	10	8	2	12	54.55%	54.55%	60.00%
#271		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#272		1395	0	0	1395	123	91	8	1173	111	81	30	1062	83.89%	90.54%	92.91%
#273		36	0	0	36	0	5	0	31	9	6	3	22	78.57%	70.97%	78.57%
#274		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#275		1221	0	0	1221	132	48	7	1034	214	192	22	820	71.68%	79.30%	81.03%
LENS Subtotal		166308	0	0	166308	13849	14141	489	137829	20762	16267	4495	117067	79.54%	84.94%	87.80%
EDI Subtotal		0	33014	0	33014	1036	5964	15	25999	5759	4313	1446	20240	79.10%	77.85%	82.43%
TAG Subtotal		0	0	28697	28697	847	2661	134	25055	2871	2155	716	22184	88.08%	88.54%	91.15%
TOTAL INTERFACES		**166308**	**33014**	**28697**	**228019**	**15732**	**22766**	**638**	**188883**	**29392**	**22735**	**6657**	**159491**	**80.57%**	**84.44%**	**87.52%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Ex Exclude Calculati
#1		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#2		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#3		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#4		19	0	0	19	0	6	0	13	11	10	1	2	16 67%	15 38%	16 67%
#5		0	0	2	2	0	0	0	2	1	1	0	1	50 00%	50.00%	50 00%
#6		5	0	0	5	0	1	1	3	2	2	0	1	33.33%	33 33%	33.33%
#7		0	0	10	10	2	0	0	8	3	1	2	5	62 50%	62 50%	83 33%
#8		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#9		76	0	0	76	5	15	2	54	31	28	3	23	41.07%	42.59%	45 10%
#10		0	0	4	4	0	3	0	1	0	0	0	1	100.00%	100 00%	100 00%
#11		0	0	10	10	0	1	0	9	6	4	2	3	42 86%	33 33%	42 86%
#12		0	11	0	11	0	5	0	6	3	3	0	3	50.00%	50.00%	50 00%
#13		0	0	2	2	0	0	0	2	1	1	0	1	50 00%	50.00%	50 00%
#14		0	0	3	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
#15		6	0	0	6	1	0	0	5	1	1	0	4	66.67%	80.00%	80.00%
#16		5	0	0	5	2	0	0	3	2	2	0	1	20 00%	33 33%	33 33%
#17		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100 00%
#18		12	0	0	12	1	6	0	5	1	1	0	4	66 67%	80.00%	80 00%
#19		57	0	0	57	8	14	0	35	14	8	6	21	56.76%	60 00%	72 41%
#20		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#21		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#22		0	0	15	15	11	2	0	2	1	0	1	1	8.33%	50.00%	100 00%
#23		34	0	0	34	3	12	1	18	5	3	2	13	68 42%	72.22%	81 25%
#24		2	0	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#25		24	0	0	24	3	0	5	16	13	4	9	3	30.00%	18.75%	42 86%
#26		4	0	0	4	0	3	0	1	0	0	0	1	100.00%	100 00%	100 00%
#27		0	0	2	2	1	0	0	1	0	0	0	1	50 00%	100 00%	100 00%
#28		28	0	0	28	4	5	0	19	7	4	3	12	60.00%	63 16%	75 00%
#29		10	0	0	10	3	1	0	6	2	2	0	4	44 44%	66.67%	66.67%
#30		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#31		4	0	0	4	1	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#32		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0.00%
#33		2	0	0	2	0	1	0	1	1	1	0	0	0 00%	0 00%	0 00%
#34		17	0	0	17	3	4	0	10	5	3	2	5	45 45%	50 00%	62 50%
#35		6	0	0	6	0	2	1	3	1	1	0	2	66 67%	66 67%	66 67%
#36		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Erro Excluded Calculatio
#37		37	0	0	37	5	8	4	20	10	8	2	10	43.48%	50 00%	55 56%
#38		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50.00%	50 00%
#39		13	0	0	13	1	6	0	6	1	1	0	5	71 43%	83 33%	83 33%
#40		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0.00%	0 00%
#41		5	0	0	5	0	0	0	5	1	1	0	4	80.00%	80.00%	80 00%
#42		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0 00%
#43		9	0	0	9	0	2	0	7	3	2	1	4	66.67%	57.14%	66 67%
#44		7	0	0	7	0	1	0	6	2	1	1	4	80.00%	66.67%	80 00%
#45		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100.00%	100 00%
#46		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0 00%
#47		3	0	0	3	1	0	0	2	1	0	1	1	50.00%	50.00%	100 00%
#48		4	0	0	4	1	0	0	3	0	0	0	3	75.00%	100.00%	100 00%
#49		6	0	0	6	2	0	0	4	0	0	0	4	66.67%	100 00%	100 00%
#50		7	0	0	7	1	0	1	5	2	0	2	3	75 00%	60 00%	100 00%
#51		27	0	0	27	16	2	0	9	7	6	1	2	8 33%	22 22%	25 00%
#52		18	0	0	18	1	3	0	14	3	3	0	11	73 33%	78 57%	78 57%
#53		10	0	0	10	3	1	0	6	3	3	0	3	33.33%	50.00%	50 00%
#54		0	0	1	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#55		35	0	0	35	0	4	1	30	12	7	5	18	72 00%	60.00%	72 00%
#56		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0 00%	0 00%
#57		6	0	0	6	0	0	0	6	2	0	2	4	100 00%	66.67%	100 00%
#58		12	0	0	12	0	0	0	12	4	4	0	8	66 67%	66 67%	66 67%
#59		23	0	0	23	3	3	0	17	9	8	1	8	42.11%	47.06%	50 00%
#60		9	0	0	9	1	1	0	7	3	3	0	4	50 00%	57 14%	57 14%
#61		14	0	0	14	2	1	0	11	2	0	2	9	81 82%	81 82%	100 00%
#62		70	0	0	70	18	1	4	47	25	22	3	22	35.48%	46.81%	50 00%
#63		4	0	0	4	1	1	0	2	2	2	0	0	0 00%	0.00%	0 00%
#64		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100.00%	100 00%
#65		44	0	0	44	13	8	2	21	12	12	0	9	26 47%	42 86%	42 86%
#66		21	0	0	21	5	6	1	9	4	4	0	5	35 71%	55.56%	55 56%
#67		45	0	0	45	13	3	0	29	16	13	3	13	33.33%	44.83%	50 00%
#68		8	0	0	8	4	0	0	4	1	1	0	3	37 50%	75.00%	75 00%
#69		0	0	11	11	10	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#70		62	0	0	62	6	8	0	48	12	11	1	36	67 92%	75 00%	76 60%
#71		20	0	0	20	0	4	0	16	6	5	1	10	66 67%	62 50%	66 67%
#72		32	0	0	32	2	4	1	25	11	11	0	14	51 85%	56 00%	56 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Erro Excluded Calculatio
#73		28	0	0	28	2	0	0	26	6	5	1	20	74.07%	76 92%	80 00%
#74		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100 00%
#75		4	0	0	4	0	2	1	1	1	1	0	0	0.00%	0.00%	0 00%
#76		25	0	0	25	11	3	0	11	4	4	0	7	31 82%	63 64%	63.64%
#77		36	0	0	36	8	1	0	27	12	10	2	15	45 45%	55 56%	60 00%
#78		33	0	0	33	7	1	0	25	22	19	3	3	10.34%	12.00%	13 64%
#79		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#80		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#81		9	0	0	9	2	3	1	3	2	2	0	1	20.00%	33.33%	33.33%
#82		0	0	22	22	0	6	0	16	12	11	1	4	26.67%	25.00%	26 67%
#83		0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0 00%	0 00%
#84		18	0	0	18	7	5	0	6	2	2	0	4	30.77%	66.67%	66 67%
#85		24	0	0	24	13	4	1	6	5	5	0	1	5 26%	16 67%	16 67%
#86		14	0	0	14	2	2	0	10	2	1	1	8	72 73%	80.00%	88 89%
#87		43	0	0	43	5	7	0	31	7	7	0	24	66 67%	77 42%	77 42%
#88		215	0	0	215	21	32	7	155	71	52	19	84	53.50%	54 19%	61 76%
#89		38	0	0	38	4	10	0	24	14	11	3	10	40 00%	41.67%	47 62%
#90		155	0	0	155	18	40	2	95	57	48	9	38	36 54%	40 00%	44 19%
#91		4	0	0	4	0	2	0	2	1	1	0	1	50 00%	50.00%	50 00%
#92		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0 00%
#93		1499	0	0	1499	226	273	17	983	522	393	129	461	42.69%	46 90%	53 98%
#94		0	0	32	32	3	17	0	12	9	7	2	3	23.08%	25 00%	30 00%
#95		117	0	0	117	22	19	0	76	37	33	4	39	41 49%	51.32%	54 17%
#96		0	0	5	5	1	1	0	3	0	0	0	3	75.00%	100.00%	100 00%
#97		8	0	0	8	4	0	0	4	2	2	0	2	25 00%	50.00%	50 00%
#98		11	0	0	11	0	2	2	7	2	1	1	5	83 33%	71 43%	83 33%
#99		61	0	0	61	20	5	2	34	14	12	2	20	38 46%	58.82%	62 50%
#100		6	0	0	6	1	0	0	5	1	1	0	4	66 67%	80 00%	80 00%
#101		0	0	7	7	0	3	0	4	1	1	0	3	75.00%	75 00%	75 00%
#102		34	0	0	34	8	2	0	24	6	4	2	18	60 00%	75 00%	81 82%
#103		0	0	51	51	25	6	0	20	13	10	3	7	16.67%	35 00%	41 18%
#104		41	0	0	41	4	2	0	35	11	11	0	24	61 54%	68 57%	68 57%
#105		6	0	0	6	0	3	0	3	1	1	0	2	66 67%	66 67%	66 67%
#106		2	0	0	2	1	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#107		3	0	0	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
#108		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#109		4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100 00%
#110		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0.00%	0 00%
#111		13	0	0	13	3	0	1	9	5	3	2	4	40 00%	44.44%	57.14%
#112		26	0	0	26	2	3	0	21	14	7	7	7	43 75%	33.33%	50 00%
#113		0	14	0	14	11	0	0	3	3	1	2	0	0.00%	0 00%	0 00%
#114		52	0	0	52	30	5	1	16	6	3	3	10	23 26%	62 50%	76 92%
#115		0	0	136	136	75	25	3	33	23	19	4	10	9.62%	30 30%	34 48%
#116		384	0	0	384	93	23	10	258	129	102	27	129	39 81%	50 00%	55 84%
#117		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#118		6	0	0	6	4	1	0	1	1	1	0	0	0.00%	0.00%	0 00%
#119		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#120		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0.00%	0 00%
#121		49	0	0	49	4	8	1	36	19	14	5	17	48.57%	47.22%	54 84%
#122		58	0	0	58	12	3	0	43	14	12	2	29	54 72%	67.44%	70 73%
#123		577	0	0	577	63	64	8	442	277	127	150	165	46.48%	37.33%	56 51%
#124		7	0	0	7	1	0	0	6	4	4	0	2	28 57%	33 33%	33 33%
#125		4	0	0	4	0	1	0	3	1	1	0	2	66.67%	66.67%	66 67%
#126		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#127		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0 00%	
#128		0	0	11	11	2	4	0	5	1	0	1	4	66 67%	80 00%	
#129		17	0	0	17	5	0	0	12	6	2	4	6	46 15%	50 00%	
#130		15	0	0	15	8	0	0	7	6	5	1	1	7.14%	14 29%	
#131		3	0	0	3	0	1	0	2	0	0	0	2	100 00%	100 00%	
#132		10	0	0	10	5	0	1	4	2	0	2	2	28 57%	50 00%	100 00%
#133		571	0	0	571	116	45	5	405	188	152	36	217	44.74%	53 58%	58 81%
#134		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100 00%
#135		0	0	3	3	0	0	0	3	0	0	0	3	100 00%	100 00%	100 00%
#136		61	0	0	61	20	5	0	36	12	10	2	24	44 44%	66 67%	70 59%
#137		0	504	0	504	238	88	6	172	59	41	18	113	28 83%	65 70%	
#138		78	0	0	78	19	8	0	51	16	13	3	35	52.24%	68 63%	
#139		0	0	33	33	10	10	0	13	2	2	0	11	47 83%	84 62%	
#140		57	0	0	57	16	11	1	29	13	8	5	16	40 00%	55 17%	
#141		367	0	0	367	27	36	8	296	104	91	13	192	61.94%	64 86%	
#142		106	0	0	106	15	5	2	84	35	24	11	49	55.68%	58 33%	
#143		22	0	0	22	5	9	1	7	6	5	1	1	9 09%	14 29%	
#144		861	0	0	861	202	103	10	546	254	201	53	292	42 01%	53 48%	

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Erro Excluded Calculatior
#145		13	0	0	13	7	1	0	5	5	5	0	0	0.00%	0 00%	0 00%
#146		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#147		104	0	0	104	30	10	2	62	37	29	8	25	29 76%	40.32%	46 30%
#148		18	0	0	18	2	2	0	14	9	9	0	5	31.25%	35.71%	35 71%
#149		15	0	0	15	6	1	0	8	5	4	1	3	23 08%	37 50%	42 86%
#150		22	0	0	22	2	8	3	9	8	5	3	1	12 50%	11 11%	16.67%
#151		5	0	0	5	3	0	0	2	0	0	0	2	40 00%	100 00%	100.00%
#152		99	0	0	99	22	11	0	66	28	24	4	38	45 24%	57.58%	61 29%
#153		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#154		0	0	7	7	4	0	0	3	1	1	0	2	28.57%	66 67%	66 67%
#155		8	0	0	8	0	2	2	4	3	2	1	1	33 33%	25 00%	33.33%
#156		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#157		3	0	0	3	1	1	0	1	0	0	0	1	50 00%	100 00%	100 00%
#158		38	0	0	38	7	0	0	31	6	6	0	25	65 79%	80 65%	80 65%
#159		0	0	92	92	15	30	5	42	40	35	5	2	3.85%	4 76%	5 41%
#160		871	0	0	871	262	113	9	487	239	213	26	248	34 30%	50 92%	53 80%
#161		53	0	0	53	6	3	1	43	16	13	3	27	58.70%	62 79%	67 50%
#162		43	0	0	43	6	5	1	31	9	7	2	22	62 86%	70 97%	75 86%
#163		40	0	0	40	5	11	0	24	9	8	1	15	53 57%	62 50%	65 22%
#164		94	0	0	94	2	8	0	84	28	23	5	56	69 14%	66.67%	70 89%
#165		13	0	0	13	2	0	0	11	4	3	1	7	58 33%	63 64%	70 00%
#166		29	0	0	29	18	2	0	9	4	2	2	5	20 00%	55.56%	71 43%
#167		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#168		167	0	0	167	39	10	2	116	46	35	11	70	48 61%	60.34%	66 67%
#169		0	2	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0 00%
#170		474	0	0	474	66	55	13	340	151	121	30	189	50 27%	55 59%	60 97%
#171		0	1	0	1	0	0	0	1	1	0	1	0	0.00%	0 00%	0 00%
#172		58	0	0	58	23	11	1	23	18	14	4	5	11.90%	21.74%	26.32%
#173		35	0	0	35	3	8	0	24	5	1	4	19	82.61%	79 17%	95 00%
#174		8	0	0	8	5	0	0	3	2	1	1	1	14.29%	33.33%	50 00%
#175		5	0	0	5	0	0	0	5	4	1	3	1	50.00%	20 00%	50 00%
#176		0	0	6	6	0	6	0	0	0	0	0	0	0 00%	0 00%	0 00%
#177		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#178		67	0	0	67	17	5	2	43	19	19	0	24	40 00%	55 81%	55 81%
#179		0	140	0	140	29	19	3	89	57	48	9	32	29 36%	35 96%	40 00%
#180		1139	0	0	1139	204	125	21	789	459	387	72	330	35 83%	41 83%	46 03%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#181		44	0	0	44	4	18	2	20	18	18	0	2	8.33%	10.00%	10.00%
#182		35	0	0	35	2	5	0	28	14	13	1	14	48.28%	50.00%	51.85%
#183		20	0	0	20	3	0	0	17	5	2	3	12	70.59%	70.59%	85.71%
#184		184	0	0	184	145	10	1	28	19	13	6	9	5.39%	32.14%	40.91%
#185		6	0	0	6	3	0	0	3	1	1	0	2	33.33%	66.67%	66.67%
#186		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#187		6	0	0	6	1	0	0	5	1	0	1	4	80.00%	80.00%	100.00%
#188		2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#189		12	0	0	12	1	1	0	10	4	4	0	6	54.55%	60.00%	60.00%
#190		13	0	0	13	7	0	0	6	6	4	2	0	0.00%	0.00%	0.00%
#191		6	0	0	6	1	0	0	5	1	1	0	4	66.67%	80.00%	80.00%
#192		11	0	0	11	8	0	0	3	3	3	0	0	0.00%	0.00%	0.00%
LENS Subtotal		10449	0	0	10449	2091	1323	166	6869	3360	2608	752	3509	42.75%	51.08%	57.36%
EDI Subtotal		0	672	0	672	278	112	9	273	125	94	31	148	28.46%	54.21%	61.16%
TAG Subtotal		0	0	469	469	160	115	8	186	117	96	21	69	21.23%	37.10%	41.82%
TOTAL INTERFACES		**10449**	**672**	**469**	**11590**	**2529**	**1550**	**183**	**7328**	**3602**	**2798**	**804**	**3726**	**41.16%**	**50.85%**	**57.11%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#1		52	0	0	52	2	8	0	42	12	9	3	30	73.17%	71.43%	76.92%
#2		0	107	0	107	11	28	0	68	42	14	28	26	50.98%	38.24%	65.00%
#3		967	0	0	967	48	82	16	821	239	116	123	582	78.02%	70.89%	
#4		0	3420	0	3420	50	662	0	2708	2474	189	2285	234	49.47%	8.64%	55.32%
#5		12	0	0	12	0	2	0	10	0	0	0	10	100.00%	100.00%	100.00%
#6		0	19	0	19	5	2	0	12	6	6	0	6	35.29%	50.00%	50.00%
#7		30	0	0	30	2	3	7	18	11	10	1	7	36.84%	38.89%	41.18%
#8		0	17	0	17	1	2	0	14	7	3	4	7	63.64%	50.00%	70.00%
#9		1339	0	0	1339	137	116	1	1085	172	144	28	913	76.47%	84.15%	86.38%
#10		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#11		0	0	13	13	2	1	0	10	4	3	1	6	54.55%	60.00%	66.67%
#12		2230	0	0	2230	239	278	36	1677	409	279	130	1268	71.00%	75.61%	81.97%
#13		0	0	17	17	0	3	0	14	14	5	9	0	0.00%	0.00%	0.00%
#14		33	0	0	33	13	6	1	13	9	7	2	4	16.67%	30.77%	36.36%
#15		0	0	2	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#16		0	0	1467	1467	206	253	8	1000	425	349	76	575	50.88%	57.50%	62.23%
#17		0	0	896	896	130	130	1	635	256	219	37	379	52.06%	59.69%	63.38%
#18		0	0	18	18	0	1	0	17	17	7	10	0	0.00%	0.00%	0.00%
#19		100	0	0	100	10	10	2	78	31	24	7	47	58.02%	60.26%	66.20%
#20		0	0	23	23	4	4	2	13	6	2	4	7	53.85%	53.85%	77.78%
#21		0	0	1277	1277	279	245	11	742	341	238	103	401	43.68%	54.04%	62.75%
#22		0	193	0	193	163	13	0	17	17	16	1	0	0.00%	0.00%	0.00%
#23		914	0	0	914	70	114	2	728	539	416	123	189	28.00%	25.96%	31.24%
#24		0	0	778	778	119	155	9	495	222	178	44	273	47.89%	55.15%	60.53%
#25		0	0	551	551	110	104	11	326	137	115	22	189	45.65%	57.98%	62.17%
#26		474	0	0	474	48	48	9	369	107	77	30	262	67.70%	71.00%	77.29%
#27		4	0	0	4	3	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#28		0	198	0	198	4	16	8	170	90	66	24	80	53.33%	47.06%	54.79%
#29		63	0	0	63	8	12	0	43	5		2	38	77.55%	88.37%	92.68%
#30		0	0	32	32	10	2	0	20	4	4	0	16	53.33%	80.00%	80.00%
#31		688	0	0	688	83	48	6	551	233	192	41	318	53.63%	57.71%	62.35%
#32		2016	0	0	2016	250	139	6	1621	568	461	107	1053	59.69%	64.96%	69.55%
#33		48	0	0	48	0	0	1	47	47	46	1	0	0.00%	0.00%	0.00%
#34		4	0	0	4	0	1	1	2	2	2	0	0	0.00%	0.00%	0.00%
#35		93	0	0	93	3	5	9	76	71	49	22	5	8.77%	6.58%	9.26%
#36		0	0	11	11	0	2	2	7	7	3	4	0	0.00%	0.00%	0.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#37		486	0	0	486	44	34	4	404	73	59	14	331	76.27%	81.93%	84.87%
#38		0	0	579	579	89	87	1	402	178	161	17	224	47.26%	55.72%	58.18%
#39		0	0	2	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#40		98	0	0	98	26	15	0	57	16	10	6	41	53.25%	71.93%	80.39%
#41		0	5	0	5	3	0	0	2	1	1	0	1	20.00%	50.00%	50.00%
#42		0	4	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%
#43		42	0	0	42	4	10	2	26	8	7	1	18	62.07%	69.23%	72.00%
#44		0	0	33	33	7	12	2	12	4	4	0	8	42.11%	66.67%	66.67%
#45		66	0	0	66	12	8	2	44	16	14	2	28	51.85%	63.64%	66.67%
#46		70	0	0	70	1	5	0	64	27	26	1	37	57.81%	57.81%	58.73%
#47		11	0	0	11	3	4	0	4	1	1	0	3	42.86%	75.00%	75.00%
#48		0	0	13	13	2	6	0	5	3	3	0	2	28.57%	40.00%	40.00%
#49		127	0	0	127	18	6	1	102	19	16	3	83	70.94%	81.37%	83.84%
#50		0	0	105	105	11	6	0	88	34	28	6	54	58.06%	61.36%	65.85%
#51		31	0	0	31	4	1	1	25	12	1	11	13	72.22%	52.00%	92.86%
#52		0	0	2	2	1	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
#53		27	0	0	27	1	5	1	20	3	3	0	17	80.95%	85.00%	85.00%
#54		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#55		35	0	0	35	4	2	0	29	7	4	3	22	73.33%	75.86%	84.62%
#56		0	0	2	2	0	0	0	2	2	2	0	0	0.00%	0.00%	0.00%
#57		186	0	0	186	32	8	5	141	57	40	17	84	53.85%	59.57%	67.74%
#58		226	0	0	226	17	24	7	178	32	22	10	146	78.92%	82.02%	86.90%
#59		0	0	240	240	35	26	1	178	93	66	27	85	45.70%	47.75%	56.29%
#60		9	0	0	9	0	0	0	9	3	2	1	6	75.00%	66.67%	75.00%
#61		3	0	0	3	2	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
#62		0	6	0	6	1	0	0	5	5	1	4	0	0.00%	0.00%	0.00%
#63		14	0	0	14	0	0	0	14	2	2	0	12	85.71%	85.71%	85.71%
#64		0	24	0	24	11	0	2	11	11	10	1	0	0.00%	0.00%	0.00%
#65		4	0	0	4	0	1	0	3	3	3	0	0	0.00%	0.00%	0.00%
#66		35	0	0	35	1	2	0	32	3	2	1	29	90.63%	90.63%	93.55%
#67		0	0	28	28	7	2	0	19	3	2	1	16	64.00%	84.21%	88.89%
#68		46	0	0	46	4	3	0	39	15	6	9	24	70.59%	61.54%	80.00%
#69		0	114	0	114	2	9	0	103	56	36	20	47	55.29%	45.63%	56.63%
#70		0	0	39	39	12	0	2	25	9	9	0	16	43.24%	64.00%	64.00%
#71		6	0	0	6	0	2	0	4	1	1	0	3	75.00%	75.00%	75.00%
#72		36	0	0	36	11	9	0	16	16	16		0	0.00%	0.00%	0.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#73		2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%
#74		26	0	0	26	4	4	0	18	9	2	7	9	60.00%	50.00%	81.82%
#75		0	51	0	51	4	7	0	40	14	9	5	26	66.67%	65.00%	74.29%
#76		0	0	882	882	139	13	78	652	493	437	56	159	21.63%	24.39%	26.68%
#77		4	0	0	4	0	2	0	2	2	1	1	0	0.00%	0.00%	0.00%
#78		0	25	0	25	0	6	3	16	16	0	16	0	0.00%	0.00%	0.00%
#79		34	0	0	34	4	4	2	24	12	5	7	12	57.14%	50.00%	70.59%
#80		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#81		96	0	0	96	18	10	0	68	17	10	7	51	64.56%	75.00%	83.61%
#82		928	0	0	928	138	68	9	713	119	98	21	594	71.57%	83.31%	85.84%
#83		0	0	396	396	66	30	4	294	72	63	9	222	62.89%	75.51%	77.89%
#84		0	0	13	13	0	0	0	13	8	3	5	5	62.50%	38.46%	62.50%
#85		418	0	0	418	33	28	8	349	255	185	70	94	30.13%	26.93%	33.69%
#86		0	0	5	5	0	1	0	4	1	1	0	3	75.00%	75.00%	75.00%
#87		205	0	0	205	40	22	5	138	47	37	10	91	54.17%	65.94%	71.09%
#88		0	0	15	15	0	0	0	15	13	11	2	2	15.38%	13.33%	15.38%
#89		8294	0	0	8294	385	744	38	7127	774	577	197	6353	86.85%	89.14%	91.67%
#90		0	0	9971	9971	1177	1314	94	7386	5403	4067	1336	1983	27.44%	26.85%	32.78%
#91		45	0	0	45	0	16	1	28	28	11	17	0	0.00%	0.00%	0.00%
#92		4	0	0	4	0	0	0	4	4	0	4	0	0.00%	0.00%	0.00%
#93		15	0	0	15	0	7	0	8	8	2	6	0	0.00%	0.00%	0.00%
#94		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#95		115	0	0	115	16	7	0	92	52	39	13	40	42.11%	43.48%	50.63%
#96		0	0	3	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%
#97		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#98		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#99		4	0	0	4	0	0	0	4	2	2	0	2	50.00%	50.00%	50.00%
#100		195	0	0	195	30	34	1	130	26	23	3	104	66.24%	80.00%	81.89%
#101		0	0	23	23	7	8	0	8	4	2	2	4	30.77%	50.00%	66.67%
#102		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#103		30	0	0	30	0	2	0	28	23	12	11	5	29.41%	17.86%	29.41%
#104		0	0	2	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#105		4	0	0	4	0	0	0	4	1	0	1	3	100.00%	75.00%	100.00%
#106		0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#107		5	0	0	5	0	0	0	5	3	2	1	2	50.00%	40.00%	50.00%
#108		0	0	2	2	0	1	0	1	1	0	1	0	0.00%	0.00%	0.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#109		135	0	0	135	27	16	2	90	52	41	11	38	35.85%	42.22%	48.10%
#110		4	0	0	4	2	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#111		7	0	0	7	0	1	0	6	0	0	0	6	100.00%	100.00%	100.00%
#112		401	0	0	401	15	14	0	372	7	6	1	365	94.56%	98.12%	98.38%
#113		0	0	977	977	55	57	15	850	149	97	52	701	82.18%	82.47%	87.84%
#114		65	0	0	65	2	9	3	51	16	12	4	35	71.43%	68.63%	74.47%
#115		13	0	0	13	0	2	0	11	5	3	2	6	66.67%	54.55%	66.67%
#116		0	61	0	61	26	11	0	24	4	4	0	20	40.00%	83.33%	83.33%
#117		12	0	0	12	7	4	0	1	1	0	1	0	0.00%	0.00%	0.00%
#118		11	0	0	11	0	2	0	9	8	2	6	1	33.33%	11.11%	33.33%
#119		45	0	0	45	0	0	2	43	43	27	16	0	0.00%	0.00%	0.00%
#120		64	0	0	64	12	8	0	44	37	26	11	7	15.56%	15.91%	21.21%
#121		40	0	0	40	4	8	0	28	28	16	12	0	0.00%	0.00%	0.00%
#122		45	0	0	45	15	19	0	11	11	7	4	0	0.00%	0.00%	0.00%
#123		0	0	23	23	2	2	0	19	3	2	1	16	80.00%	84.21%	88.89%
#124		10	0	0	10	1	4	0	5	5	5	0	0	0.00%	0.00%	0.00%
#125		0	520	0	520	347	56	0	117	85	46	39	32	7.53%	27.35%	41.03%
#126		12	0	0	12	0	6	0	6	5	3	2	1	25.00%	16.67%	25.00%
#127		2	0	0	2	0	0	1	1	0	0	0	1	100.00%	100.00%	100.00%
#128		0	0	7	7	7	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#129		2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#130		10	0	0	10	2	4	0	4	3	0	3	1	33.33%	25.00%	100.00%
#131		0	18665	0	18665	614	2245	7	15799	4676	2936	1740	11123	75.81%	70.40%	79.12%
#132		0	399	0	399	249	121	2	27	27	7	20	0	0.00%	0.00%	0.00%
#133		0	607	0	607	398	91	4	114	44	31	13	70	14.03%	61.40%	69.31%
#134		65	0	0	65	0	5	3	57	21	12	9	36	75.00%	63.16%	75.00%
#135		67	0	0	67	23	4	3	37	16	10	6	21	38.89%	56.76%	67.74%
#136		0	0	4	4	0	0	1	3	0	0	0	3	100.00%	100.00%	100.00%
#137		0	0	13	13	0	4	0	9	2	0	2	7	100.00%	77.78%	100.00%
#138		104	0	0	104	55	41	0	8	8	8	0	0	0.00%	0.00%	0.00%
#139		0	0	4	4	2	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#140		8	0	0	8	0	0	1	7	7	7	0	0	0.00%	0.00%	0.00%
#141		21	0	0	21	0	4	4	13	13	11	2	0	0.00%	0.00%	0.00%
#142		11	0	0	11	0	8	0	3	3	2	1	0	0.00%	0.00%	0.00%
#143		0	0	14	14	0	0	0	14	4	1	3	10	90.91%	71.43%	90.91%
#144		0	0	36	36	0	5	1	30	11	8	3	19	70.37%	63.33%	70.37%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#145		5	0	0	5	1	0	2	2	1	1	0	1	33.33%	50.00%	50.00%
#146		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#147		0	0	8	8	0	1	0	7	4	4	0	3	42.86%	42.86%	42.86%
#148		186	0	0	186	17	107	1	61	61	29	32	0	0.00%	0.00%	0.00%
#149		2	0	0	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#150		5	0	0	5	2	2	0	1	0	0	0	1	33.33%	100.00%	100.00%
#151		0	0	54	54	12	4	1	37	29	11	18	8	25.81%	21.62%	42.11%
#152		0	0	2	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#153		141	0	0	141	56	12	1	72	37	31	6	35	28.69%	48.61%	53.03%
#154		0	1536	0	1536	816	139	4	577	140	73	67	437	32.96%	75.74%	85.69%
#155		2	0	0	2	1	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#156		4	0	0	4	0	0	2	2	0	0	0	2	100.00%	100.00%	100.00%
#157		592	0	0	592	83	28	4	477	125	105	20	352	65.19%	73.79%	77.02%
#158		0	417	0	417	210	74	6	127	80	58	22	47	14.92%	37.01%	44.76%
#159		75	0	0	75	4	49	2	20	20	18	2	0	0.00%	0.00%	0.00%
#160		40	0	0	40	4	17	1	18	18	11	7	0	0.00%	0.00%	0.00%
#161		0	169	0	169	115	11	3	40	21	18	3	19	12.50%	47.50%	51.35%
#162		12	0	0	12	0	2	2	8	4	2	2	4	66.67%	50.00%	66.67%
#163		2417	0	0	2417	486	266	9	1656	689	566	123	967	47.89%	58.39%	63.08%
#164		133	0	0	133	1	23	4	105	39	12	27	66	83.54%	62.86%	84.62%
#165		8189	0	0	8189	865	490	93	6741	1593	1405	188	5148	69.40%	76.37%	78.56%
#166		0	0	94	94	47	19	1	27	9	6	3	18	25.35%	66.67%	75.00%
#167		0	272	0	272	165	54	0	53	19	15	4	34	15.89%	64.15%	69.39%
#168		786	0	0	786	146	83	9	548	194	164	30	354	53.31%	64.60%	68.34%
#169		18	0	0	18	0	9	1	8	6	5	1	2	28.57%	25.00%	28.57%
#170		0	94	0	94	56	3	1	34	13	12	1	21	23.60%	61.76%	63.64%
#171		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#172		3	0	0	3	1	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#173		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#174		19	0	0	19	5	3	6	5	5	3	2	0	0.00%	0.00%	0.00%
#175		606	0	0	606	84	99	7	416	129	112	17	287	59.42%	68.99%	71.93%
#176		0	559	0	559	43	61	2	453	193	147	46	260	57.78%	57.40%	63.88%
#177		0	137	0	137	33	41	2	61	17	11	6	44	50.00%	72.13%	80.00%
#178		41	0	0	41	4	8	0	29	5	5	0	24	72.73%	82.76%	82.76%
#179		0	0	15	15	9	2	0	4	0	0	0	4	30.77%	100.00%	100.00%
#180		101	0	0	101	6	32	14	49	48	42	6	1	2.04%	2.04%	2.33%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#181		2026	0	0	2026	212	197	23	1594	832	681	151	762	46.04%	47.80%	52.81%
#182		0	8	0	8	0	1	0	7	2	2	0	5	71.43%	71.43%	71.43%
#183		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#184		201	0	0	201	0	1	4	196	38	35	3	158	81.87%	80.61%	81.87%
#185		597	0	0	597	124	114	15	344	196	149	47	148	35.15%	43.02%	49.83%
LENS Subtotal		38418	0	0	38418	4039	3665	403	30311	8492	6656	1833	21819	67.10%	71.98%	76.62%
EDI Subtotal		0	27627	0	27627	3327	3655	44	20601	8060	3711	4349	12541	64.05%	60.88%	77.17%
TAG Subtotal		0	0	18693	18693	2550	2508	245	13390	7969	6113	1856	5421	38.49%	40.49%	47.00%
TOTAL INTERFACES		**38418**	**27627**	**18693**	**84738**	**9916**	**9828**	**692**	**64302**	**24521**	**16480**	**8038**	**39781**	**60.11%**	**61.87%**	**70.70%**

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#1		46
#2		528
#3		45
#4		2
#5		12
#6		65
#7		5
#8		2
#9		19
#10		4
#11		56
#12		6
#13		4
#14		1
#15		21
#16		6
#17		48
#18		12
#19		30
#20		14
#21		15
#22		1
#23		3
#24		12
#25		66
#26		3
#27		5
#28		18
#29		43
#30		1

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#31		3
#32		7
#33		33
#34		7
#35		5
#36		6
#37		35
#38		10
#39		34
#40		2
#41		4
#42		5
#43		2
#44		2
#45		9
#46		9
#47		1
#48		2
#49		4
#50		3
#51		1
#52		1
#53		14
#54		5
#55		4
#56		5
#57		3
#58		2
#59		16
#60		4

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#61		4
#62		10
#63		6
#64		12
#65		37
#66		6
#67		8
#68		35
#69		2
#70		9
#71		24
#72		8
#73		66
#74		12
#75		8
#76		17
#77		3
#78		1
#79		22
#80		2
#81		2
#82		18
#83		2
#84		4
#85		29
#86		3
#87		8
#88		1
#89		1
#90		11

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#91		5
#92		2
#93		33
#94		25
#95		62
#96		4
#97		26
#98		3
#99		1
#100		1
#101		5
#102		2
#103		528
#104		55
#105		7
#106		4
#107		9
#108		26
#109		2
#110		1
#111		1
#112		1
#113		5
#114		57
#115		6
#116		11
#117		47
#118		1
#119		5
#120		58

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#121		567
#122		3
#123		12
#124		6
#125		5
#126		6
#127		15
#128		17
#129		6
#130		8
#131		94
#132		3
#133		969
#134		6
#135		10
#136		3
#137		1
#138		3
#139		3
#140		1
#141		3
#142		47
#143		57
#144		6
#145		11
#146		15
#147		4
#148		689
#149		51
#150		45

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#151		14
#152		4
#153		178
#154		13
#155		359
#156		23
#157		5
#158		2
#159		32
#160		269
#161		3
#162		17
#163		4
#164		1
#165		9
#166		6
#167		23
#168		80
#169		246
#170		2
#171		4
#172		3
#173		111
#174		5
#175		1085
#176		12
#177		47
#178		12
#179		5
#180		4

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#181		6
#182		146
#183		2
#184		1
#185		1
#186		1
#187		13
#188		65
#189		121
#190		3
#191		224
#192		14
#193		1
#194		10
#195		2
#196		52
#197		10
#198		33
#199		3
#200		6
#201		5
#202		1
#203		15
#204		130
#205		357
#206		12
#207		16
#208		5
#209		3
#210		5

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#211		67
#212		6
#213		589
#214		8
#215		6
#216		11
#217		2
#218		2
#219		1
#220		13
#221		124
#222		17
#223		6
#224		1
#225		6
#226		43
#227		10
#228		3
#229		3
#230		59
#231		11
#232		9
#233		6
#234		4
#235		22
#236		85
#237		33
Total		10349

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
1000	7741	11.40%	11.40%	IF CHGING CLASS OF SERVICE ALL PERTINENT USOCS MUST BE POPULATED IN AND OUT	7373	95.25%	13.90%	368	4.75%	2.469%
7020	1433	2.11%	13.51%	NUM= TELNO= TN NOT FOUND IN CRIS	1432	99.93%	2.70%	1	0.07%	0.007%
7040	1	0.00%	13.51%	LOGON ABORTED/FAILED	1	100.00%	0.00%	0	0.00%	0.000%
7055	1878	2.76%	16.27%	NUM= TELNO= ACCOUNT IS FINAL	1872	99.68%	3.53%	6	0.32%	0.040%
7095	6	0.01%	16.28%	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	1	16.67%	0.00%	5	83.33%	0.034%
7110	980	1.44%	17.72%	COFFI NOT AVAILABLE	442	45.10%	0.83%	538	54.90%	3.610%
7115	155	0.23%	17.95%	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE	61	39.35%	0.12%	94	60.65%	0.631%
7150	11	0.02%	17.97%	UNE - ERROR GENERATING ECCKT	9	81.82%	0.02%	2	18.18%	0.013%
7225	10	0.01%	17.98%	USOC= IS MISSING	10	100.00%	0.02%	0	0.00%	0.000%
7230	11	0.02%	18.00%	REFERENCE OF CALL OPTION NOT VALID FOR THIS ACCOUNT ACTIVITY TYPE	11	100.00%	0.02%	0	0.00%	0.000%
7235	1	0.00%	18.00%	10 DIGIT TN REQUIRED WITH USOC/FID=ZCRN	1	100.00%	0.00%	0	0.00%	0.000%
7245	49	0.07%	18.07%	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING	39	79.59%	0.07%	10	20.41%	0.067%
7250	442	0.65%	18.72%	LSR HOUSENUMBER INCORRECT	442	100.00%	0.83%	0	0.00%	0.000%
7260	1	0.00%	18.72%	LISTING TYPE INVALID	1	100.00%	0.00%	0	0.00%	0.000%
7267	29	0.04%	18.77%	UNE - LOCBAN MISSING FOR LINP ORDER	28	96.55%	0.05%	1	3.45%	0.007%
7295	25	0.04%	18.80%	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED	17	68.00%	0.03%	8	32.00%	0.054%
7300	20	0.03%	18.83%	UNE - CANNOT GENERATE CLASS OF SERVICE USOC	18	90.00%	0.03%	2	10.00%	0.013%
7315	630	0.93%	19.76%	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS	604	95.87%	1.14%	26	4.13%	0.174%
7375	38	0.06%	19.82%	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND	38	100.00%	0.07%	0	0.00%	0.000%
7380	103	0.15%	19.97%	UNE - ACTL INVALID	102	99.03%	0.19%	1	0.97%	0.007%
7400	5688	8.37%	28.34%	CLEC DOES NOT OWN THIS ACCOUNT.	5687	99.98%	10.72%	1	0.02%	0.007%
7435	8	0.01%	28.35%	WKG SVC - INPUT ADL, CONVSN ORD OR NOTE ABAND STA	8	100.00%	0.02%	0	0.00%	0.000%
7445	58	0.09%	28.44%	UNE - CALL FORWARD TN REQUIRED	55	94.83%	0.10%	3	5.17%	0.020%
7465	1938	2.85%	31.29%	CANNOT CANCEL ORDER	1195	61.66%	2.25%	743	38.34%	4.986%
7495	21	0.03%	31.32%	UNE - DIR LOCATOR PROBLEM	1	4.76%	0.00%	20	95.24%	0.134%
7500	1	0.00%	31.32%	DUE DATE COULD NOT BE DETERMINED	0	0.00%	0.00%	1	100.00%	0.007%
7555	142	0.21%	31.53%	FID MISSING IN FEATURE DETAIL	119	83.80%	0.22%	23	16.20%	0.154%
7570	8	0.01%	31.54%	SEQ1X NOT ALLOWED WITH ZNB	7	87.50%	0.01%	1	12.50%	0.007%
7630	440	0.65%	32.19%	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	163	37.05%	0.31%	277	62.95%	1.859%
7640	3	0.00%	32.20%	DUPLICATE CUSTOMERS EXCEED NINE ON CSR	2	66.67%	0.00%	1	33.33%	0.007%
7645	3280	4.83%	37.02%	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	2376	72.44%	4.48%	904	27.56%	6.066%
7660	3	0.00%	37.03%	USOC FUJ1X NOT FOR RESALE	3	100.00%	0.01%	0	0.00%	0.000%
7690	27	0.04%	37.07%	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE	27	100.00%	0.05%	0	0.00%	0.000%
7710	342	0.50%	37.57%	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	203	59.36%	0.38%	139	40.64%	0.933%
7715	75	0.11%	37.68%	SOCS TIMEOUT/NOT AVAILABLE	30	40.00%	0.06%	45	60.00%	0.302%
7718	1471	2.17%	39.85%	UNABLE TO RETRIEVE PSO TO PROCESS SUP	606	41.20%	1.14%	865	58.80%	5.804%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
7725	159	0.23%	40.08%	WAITING PERIOD EQUALS 5 MINUTES	41	25.79%	0.08%	118	74 21%	0 792%
7735	22	0.03%	40.11%	INVALID/MISSING LISTING NAME OR TYPE	22	100.00%	0 04%	0	0 00%	0 000%
7740	8	0.01%	40.13%	LOCAL CALLING PLUS INDICATOR NOT FOUND	7	87.50%	0.01%	1	12 50%	0 007%
7755	14	0.02%	40.15%	UNE - NPANXX NOT FOUND IN CLLI TABLE	9	64 29%	0.02%	5	35 71%	0 034%
7805	301	0.44%	40.59%	SITE COULD NOT BE DETERMINED	203	67.44%	0 38%	98	32 56%	0 658%
7815	43	0.06%	40.65%	FID=RCU INVALID OR MISSING DATA	34	79 07%	0.06%	9	20 93%	0 060%
7825	1	0.00%	40.66%	RSAG-INCORRECT TELEPHONE NUMBER FORMAT	0	0.00%	0.00%	1	100 00%	0 007%
7850	4	0.01%	40.66%	RSAG - NEED ADDITIONAL ADDRESS OR TN	4	100.00%	0 01%	0	0 00%	0 000%
7860	1183	1.74%	42.40%	RSAG - NO EXACT MATCH ON STREET NAME	1183	100.00%	2.23%	0	0.00%	0 000%
7890	216	0.32%	42.72%	RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS	215	99.54%	0 41%	1	0 46%	0 007%
7900	87	0.13%	42.85%	RSAG - NO MATCH ON STREET NAME	87	100.00%	0 16%	0	0.00%	0 000%
7905	1359	2.00%	44.85%	RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE OR INVALID ADDRESS FORMAT	1357	99.85%	2.56%	2	0 15%	0 013%
7910	70	0.10%	44.95%	RSAG - NO MATCH ON EXACT STREET NAME	48	68 57%	0.09%	22	31 43%	0 148%
7935	24	0.04%	44.99%	RSAG-SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	24	100 00%	0.05%	0	0 00%	0 000%
7945	22	0.03%	45.02%	RSAG SYSTEM ERROR	7	31.82%	0.01%	15	68 18%	0 101%
8150	79	0.12%	45.14%	ORDER HAS BEEN REQUEUED FOR THE MAXIMUM NUMBER OF OCCURRENCES	25	31.65%	0.05%	54	68 35%	0 362%
8167	39	0.06%	45.19%	INVALID USOC CHARACTER. FORMAT SAE 013 I1 CREXI	39	100.00%	0 07%	0	0 00%	0 000%
8170	335	0.49%	45.69%	USOC MAY ONLY APPEAR ONCE FORMAT SAE 110 I1 CREX1 /TN	335	100 00%	0 63%	0	0 00%	0 000%
8173	42	0.06%	45.75%	INVALID CLASS OF SERVICE. FORMAT IDNT 131 UEPRL=	42	100.00%	0 08%	0	0 00%	0 000%
8175	2	0.00%	45.75%	USOC NOT AVAILABLE IN SWITCH. FORMAT SAE 180N I1 ESXDC	2	100 00%	0.00%	0	0.00%	0 000%
8180	120	0.18%	45.93%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFE	120	100.00%	0.23%	0	0 00%	0 000%
8183	6	0.01%	45.94%	AREA CALLING PLAN USOC MISMATCH. FORMAT 320 LINE UPP .0000000 / LINE ASSIGN :00	6	100.00%	0.01%	0	0.00%	0 000%
8185	27	0.04%	45.98%	ESC/ESCWT NOT VALID COMBINATION. FORMAT SAE 424 I1 ESCWT	27	100 00%	0 05%	0	0 00%	0 000%
8187	182	0.27%	46.24%	USOC MAY NOT APPEAR ON REQUEST. FORMAT SAE 431 T1 EMP1S /TN	182	100.00%	0.34%	0	0 00%	0 000%
8189	652	0.96%	47 20%	USOC IS NOT VALID ON BST FILE. FORMAT SAE 433 I1 CREX6	652	100 00%	1 23%	0	0 00%	0 000%
8190	909	1.34%	48.54%	INVALID USOC FOR BASIC CLASS OF SERVICE. FORMAT SAE 434 I1 S98CP /TN	909	100 00%	1.71%	0	0 00%	0 000%
8193	1	0.00%	48.54%	USOC NOT VALID WITH CALLER ID. FORMAT SAE 473 I1 NXMCR /TN	1	100 00%	0.00%	0	0 00%	0 000%
8195	247	0.36%	48.91%	CALL FORWARDING USOC MUST NOT APPEAR. FORMAT SAE 540 I1 GCJ /TN	247	100.00%	0.47%	0	0 00%	0 000%
8197	217	0.32%	49.23%	CALL FORWARDING USOC MUST APPEAR. FORMAT SAE 541	217	100.00%	0.41%	0	0 00%	0 000%
8199	31	0.05%	49.27%	GCJRC/GCJ COMBINATION INVALID FORMAT SAE 560 I1 GCJRC /TN	31	100 00%	0.06%	0	0.00%	0 000%
8204	137	0.20%	49.47%	BCR/NSS/NX8 INVALID USOC COMBINATION. FORMAT SAE 575 R1 NSS /TN	137	100.00%	0 26%	0	0 00%	0 000%
8207	55	0.08%	49.56%	BRD/NSQ/NX9 INVALID USOC COMBINATION. FORMAT SAE 576 I1 NX9 /TN	55	100 00%	0.10%	0	0 00%	0 000%
8209	463	0.68%	50.24%	USOC COMBINATION IS INVALID. FORMAT SAE 587 I1 ESXDC /TN	463	100 00%	0 87%	0	0 00%	0 000%
8240	187	0.28%	50.51%	INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE	186	99 47%	0 35%	1	0 53%	0 007%
8250	153	0.23%	50 74%	USOC= NOT APPLICABLE TO PORT LOOP SERVICE	153	100 00%	0 29%	0	0 00%	0 000%

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
8395	2	0.00%	50.74%	LSF INVALID FOR REQTYP/ACT TYPE COMBINATION	2	100.00%	0.00%	0	0.00%	0 000%
8415	24	0.04%	50.78%	LSF LP ALREADY EXISTS ON ACCOUNT	24	100.00%	0.05%	0	0.00%	0 000%
8430	7	0.01%	50.79%	LSF DOES NOT EXIST ON ACCOUNT	7	100 00%	0.01%	0	0 00%	0 000%
8700	15	0.02%	50.81%	RSAG-INVALID SEARCH AREA	0	0.00%	0.00%	15	100.00%	0 101%
8820	212	0.31%	51.12%	SOCS ERROR: LUD BILL 004 ACT CODE NOT FOR THIS ORD TYPE	84	39.62%	0.16%	128	60.38%	0 859%
8825	13442	19.79%	70.91%	ORDER ERR:	3145	23.40%	5.93%	10297	76.60%	69 093%
8830	536	0.79%	71.70%	CLEC ALREADY OWNS THIS ACCOUNT	533	99.44%	1.01%	3	0.56%	0 020%
8885	1	0.00%	71.70%	LINE ACT IS V AND LINE IS NOT ON CUSTOMER RECORD	1	100.00%	0.00%	0	0.00%	0 000%
8890	2	0.00%	71.70%	UNE - INVALID ACT TYPE/LNA/FEATURE COMBINATION	2	100 00%	0.00%	0	0.00%	0 000%
8940	504	0.74%	72.44%	CALL FORWARDING NUMBER MISSING OR INVALID	500	99 21%	0.94%	4	0.79%	0 027%
8945	35	0.05%	72.50%	LINECLSSVC AND TOS DO NOT MATCH	35	100.00%	0.07%	0	0.00%	0 000%
8970	574	0.84%	73.34%	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC	571	99 48%	1.08%	3	0.52%	0.020%
8995	1	0.00%	73.34%	SEMICOLON DISALLOWED WITH (+) SIGN IN PERSONAL NAME LISTINGS	1	100.00%	0.00%	0	0 00%	0 000%
9000	14	0.02%	73.36%	LSO/LOCBAN (NPANXX) MISSING OR INVALID	14	100.00%	0 03%	0	0 00%	0.000%
9015	7	0.01%	73.37%	SUP FAILED TO UPDATE DUE DATE	7	100 00%	0.01%	0	0 00%	0 000%
9110	1	0.00%	73.37%	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TY	1	100.00%	0.00%	0	0.00%	0 000%
9115	1	0 00%	73.38%	TELNO= LPIC REQUIRED PER UNIQUE TELNO ON A, V, P9 LINE ACTIVITY TYPES	1	100.00%	0.00%	0	0 00%	0.000%
9155	51	0.08%	73.45%	UNE - PORTED OUT NUMBER	51	100 00%	0.10%	0	0 00%	0 000%
9160	141	0.21%	73.66%	LOCBAN INVALID FOR PORTED NUMBER ACTIVITY	141	100 00%	0.27%	0	0 00%	0 000%
9185	2	0.00%	73.66%	UNABLE TO DETERMINE TBE CHOICE	2	100 00%	0.00%	0	0 00%	0 000%
9190	1	0.00%	73.66%	ZIP CODE IS NOT NUMERIC	1	100 00%	0 00%	0	0 00%	0 000%
9245	179	0.26%	73.93%	CORRECT ECCKT IS REQUIRED FOR LNA , LNUM	179	100.00%	0.34%	0	0.00%	0 000%
9263	1	0.00%	73.93%	NC CODE IS A REQUIRED FIELD FOR LOOP REQUESTS	1	100 00%	0.00%	0	0 00%	0 000%
9428	1	0.00%	73.93%	DLNUM=0001 LTN= INVALID NICK DATA	1	100.00%	0.00%	0	0.00%	0 000%
9439	127	0.19%	74.12%	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED	127	100.00%	0 24%	0	0 00%	0 000%
9442	321	0.47%	74.59%	DLNUM=0002 LTN= ALI MUST BE UNIQUE	317	98 75%	0.60%	4	1.25%	0.027%
9466	50	0.07%	74.66%	UNABLE TO DETERMINE BLOCK CHOICE	50	100 00%	0.09%	0	0 00%	0.000%
9471	7	0.01%	74.67%	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ	7	100.00%	0.01%	0	0.00%	0 000%
9473	1	0.00%	74.67%	ONLY FOUR DIFFERENT LEATNS ALLOWED PER LSR	1	100.00%	0 00%	0	0 00%	0 000%
9475	283	0.42%	75.09%	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS	282	99 65%	0 53%	1	0 35%	0 007%
9476	40	0.06%	75.15%	IS NOT FOUND ON CSR TO DISCONNECT	40	100.00%	0.08%	0	0 00%	0 000%
9477	26	0.04%	75.19%	LSR LNUM=00002 INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER	26	100.00%	0.05%	0	0.00%	0 000%
9479	69	0.10%	75.29%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY	69	100 00%	0 13%	0	0 00%	0 000%
9481	1316	1.94%	77.23%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT	1307	99 32%	2.46%	9	0 68%	0 060%
9484	33	0.05%	77 28%	TNS= FOR LNUM=00001 ALREADY EXIST ON ATN=	32	96 97%	0 06%	1	3 03%	0 007%

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9487	3	0.00%	77.28%	INVALID ACT TYPE FOR FULL MIGRATION	3	100.00%	0.01%	0	0.00%	0.000%
9488	377	0.55%	77.83%	DISPOSITION OF ALL LINES REQUIRED ON ACT V	376	99.73%	0.71%	1	0.27%	0.007%
9492	1	0.00%	77.84%	ATN= CANNOT EXIST AS A MAIN ACCOUNT FOR ACT P	1	100.00%	0.00%	0	0.00%	0.000%
9495	9	0.01%	77.85%	EATN= MUST EXIST FOR ACT P AND Q	9	100.00%	0.02%	0	0.00%	0.000%
9496	1853	2.73%	80.58%	TNS= ON LNUM=00004 NOT FOUND ON EATN= FOR ACT=	1853	100.00%	3.49%	0	0.00%	0.000%
9498	10	0.01%	80.59%	EAN= ON LNUM= AND LEAN= ARE POPULATED	10	100.00%	0.02%	0	0.00%	0.000%
9508	1	0.00%	80.59%	DLNUM=0001 LTN= FIRST THREE CHARACTERS OF NSTN NUST BE NUMERIC	1	100.00%	0.00%	0	0.00%	0.000%
9510	1	0.00%	80.59%	ONLY ONE TC PER ALLOWED PER LOCATION	1	100.00%	0.00%	0	0.00%	0.000%
9515	1977	2.91%	83.51%	WKG SVC-INPUT ADL, CONVERSION ORDER OR NOTE ABANDONED STATION	1972	99.75%	3.72%	5	0.25%	0.034%
9516	21	0.03%	83.54%	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN	18	85.71%	0.03%	3	14.29%	0.020%
9517	27	0.04%	83.58%	UNDC INVALID IF PIC ALREADY EXISTS	27	100.00%	0.05%	0	0.00%	0.000%
9519	1	0.00%	83.58%	LOCNUM= HNUM= HT= TN NOT FOUND ON CSR OR LSR	1	100.00%	0.00%	0	0.00%	0.000%
9523	8	0.01%	83.59%	LOCNUM=000 HNUM=00001 HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS	8	100.00%	0.02%	0	0.00%	0.000%
9529	1475	2.17%	85.76%	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED	1475	100.00%	2.78%	0	0.00%	0.000%
9543	63	0.09%	85.85%	LOCNUM= HNUM= HT= HT CANNOT BE IN MORE THAN ONE HID	63	100.00%	0.12%	0	0.00%	0.000%
9545	6	0.01%	85.86%	LOCNUM= HNUM=00001 HA OF D NOT ALLOWED	6	100.00%	0.01%	0	0.00%	0.000%
9600	5	0.01%	85.87%	TASKMATE ERROR INCORRECT SCREEN FORMAT ON HOST	2	40.00%	0.00%	3	60.00%	0.020%
9602	2137	3.15%	89.02%	USOC=NSS ALREADY EXISTS ON CUSTOMER RECORD	2128	99.58%	4.01%	9	0.42%	0.060%
----	---	0.23%	89.25%	USOC NOT FOR RESALE FORMAT SAE 959 T1 PGRAX /ZPGR 1 /RMKR (A)	159	100.00%	0.30%	0	0.00%	0.000%
		0.02%	89.27%	TNS CANNOT BE REASSIGNED FOR 90 DAYS	16	100.00%	0.03%	0	0.00%	0.000%
9616	15	0.02%	89.29%	YPH INVALID	15	100.00%	0.03%	0	0.00%	0.000%
9623	9	0.01%	89.31%	TOUCHTONE IS INVALID WITH AREA PLUS SERVICE	9	100.00%	0.02%	0	0.00%	0.000%
9626	299	0.44%	89.75%	CLASS OF SERVICE LNPRL NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP	299	100.00%	0.56%	0	0.00%	0.000%
9627	2159	3.18%	92.93%	ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER	2155	99.81%	4.06%	4	0.19%	0.027%
9628	134	0.20%	93.12%	REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE	134	100.00%	0.25%	0	0.00%	0.000%
9629	30	0.04%	93.17%	CALL FORWARDING FID (CFND) AND CFND TN REQUIRED BEHIND USOC S98AF	30	100.00%	0.06%	0	0.00%	0.000%
9639	13	0.02%	93.19%	CATEGORY L USOC MUST APPEAR FOR SAME TN	13	100.00%	0.02%	0	0.00%	0.000%
9641	2811	4.14%	97.33%	REQUESTED ACTIVITY ALREADY PENDING DM4V32	2811	100.00%	5.30%	0	0.00%	0.000%
9647	249	0.37%	97.69%	BAN DOES NOT EXIST FOR COMPANY CODE	249	100.00%	0.47%	0	0.00%	0.000%
9654	203	0.30%	97.99%	DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED ENDUS	203	100.00%	0.38%	0	0.00%	0.000%
9656	1	0.00%	97.99%	SLTN NOT FOUND ON CRIS ACCOUNT FOR LNA N, LNUM	1	100.00%	0.00%	0	0.00%	0.000%
9670	19	0.03%	98.02%	TOUCHTONE USOC REQUIRED INWARD OR RECAPPED - FORMAT SAE 004	19	100.00%	0.04%	0	0.00%	0.000%
9671	71	0.10%	98.12%	TOUCHTNE USOC REQUIRED - FORMAT SAE 245	71	100.00%	0.13%	0	0.00%	0.000%
9673	4	0.01%	98.13%	RINGMASTER USOC REQUIRED - FORMAT SAE 387	4	100.00%	0.01%	0	0.00%	0.000%
9674	32	0.05%	98.18%	INVALID TN/PN DATA - FORMAT SAE 389 I1 DRS /TN /PN /RNP B	32	100.00%	0.06%	0	0.00%	0.000%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9675	12	0.02%	98.20%	BBC USOC MUST NOT APPEAR - FORMAT SAE 679 I1 BBC /TN	12	100.00%	0.02%	0	0.00%	0 000%
9679	1	0.00%	98.20%	FIRST CHARACTER OF LINE NUMBER IS NOT VALID FOR BST IN COFFI	1	100.00%	0.00%	0	0.00%	0 000%
9680	46	0.07%	98.26%	INVALID REQTYP OR TOS FOR LIFELINE	46	100 00%	0 09%	0	0.00%	0.000%
9681	18	0.03%	98.29%	LINKUP DISCOUNT CANNOT BE ADDED TO EXISTING SERVICE	18	100.00%	0 03%	0	0 00%	0 000%
9682	14	0.02%	98.31%	LINKUP DISCOUNT IS ONLY AVAILABLE ON LIFELINE ACCOUNTS	14	100.00%	0 03%	0	0 00%	0 000%
9772	4	0.01%	98.32%	UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A	3	75.00%	0 01%	1	25 00%	0 007%
9850	1	0.00%	98.32%	USOC P25 INVALID WITH USOC AQ3 IN KY	1	100.00%	0.00%	0	0.00%	0 000%
9860	1142	1.68%	100.00%	UNABLE TO HANDLE REQUEST; ENDUSER ACCOUNT FROZEN	1142	100.00%	2.15%	0	0.00%	0 000%
	67930	100.00%			53027		100 00%	14903		100 000%

err_num	err_description
1000	IF CHGING CLASS OF SERVICE ALL PERTINENT USOCS MUST BE POPULATED IN AND OUT--
1007	DUPLICATE CC, PON, VER
1012	CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
1015	PON DUPLICATE ON INITIAL LSR
1017	PON VALID VALUES ARE UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1020	PON VALID VALUES ARE ONLY UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1022	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1023	NO ORIGINAL LSR FOUND FOR THIS SUP
1025	VER MUST BE GREATER THAN PREVIOUS VERSION
1027	PREVIOUS LSR AGED OFF - (K) STATUS
1030	VER MUST BE GREATER THAN PREVIOUS VERSION
1032	VER MUST BE SPACES OR 00(ZEROS) FOR 850
1035	VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
1040	VER MUST BE SPACES OR ZEROES FOR 850
1050	D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
1055	AN REQUIRED FOR THIS REQTYP/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
1060	AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTYP IS B
1065	AN MUST BE 10 OR 13 ALPHANUMERICS
1070	DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
1075	ATN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
1080	DDD/DDD-CC MUST BE A VALID DATE
1085	DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
1090	ATN OR AN REQUIRED WHEN EATN IS POPULATED
1095	SERVICE CENTER REQUIRED
1105	D/TSENT REQUIRED
1110	INVALID REQTYP - ACCOUNT ACTIVITY TYPE COMBINATION
1120	DDD REQUIRED
1125	DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
1135	APPTIME-DDD MUST BE HHMM-HHMM (MILITARY TIME) COVERING A SPAN OF TIME OF ONE HOUR OR GREATER
1140	DDDO REQUIRED WHEN ACT IS T AND REQTYP IS A, E, M, OR N
1145	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
1150	SUP PROHIBITED WHEN 1ST CHARACTER OF REQTYP FIELD CHANGES
1153	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
1154	LSR/PON IS COMPLETED
1155	DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y
1157	DFDT PROHIBITED FOR THIS REQTYP/LNA COMBINATION

err_num	err_description
1170	CC REQUIRED
1172	CC MUST BE 4 ALPHANUMERICS
1175	REQTYP REQUIRED (STOP EDIT)
1180	INVALID REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1185	REQTYP VALID ENTRIES MUST BE AB, BB, CB, EB, FB, JB, MB OR NB (STOP EDIT)
1190	ACTIVITY TYPE REQUIRED (STOP EDIT)
1195	ACTIVITY TYPE VALID ENTRY MUST BE N, C, D, T, R, V, S, B, W, L, Y, P OR Q (STOP EDIT)
1200	SUP REQUIRED WHEN VER IS GREATER THAN 00
1215	ACTL MUST BE 11 ALPHANUMERIC CHARACTERS
1220	EXPEDITE VALID ENTRY IS Y OR N
1225	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1230	LSO MUST BE 6 NUMERICS
1255	NC MUST BE 4 ALPHANUMERIC CHARACTERS WITH HYPHEN ALLOWED IN THE 3RD AND 4TH POSITIONS
1270	SECNCI MUST BE A MINIMUM OF 5 ALPHANUMERIC CHARACTERS
1272	RPON VALID VALUES ARE UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS , - '
1285	ACTL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1300	CIC REQUIRED ON THIS REQTYP-ACTTYPE COMBINATION
1330	BAN1 MUST = E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1335	LSO REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1340	LSO MUST BE 6 NUMERICS
1345	TOS REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1360	TOS SECOND CHARACTER MUST BE A, B, C, D, H, J, OR - (HYPHEN) (STOP EDIT)
1390	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB
1391	TOS SECOND CHARACTER MUST BE J, WHEN REQTYP IS NB (STOP EDIT)
1395	TOS THIRD CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB, BB OR CB
1430	CIC REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1445	INITIATOR TELEPHONE NUMBER REQUIRED
1450	INITIATOR TELEPHONE NUMBER MUST BE A MINIMUM OF 10 NUMERICS
1453	BAN1 REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1455	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
1457	BAN1 MUST BE ENTRY OF E IF REQTYPE A-LINE SHARE CO BASED
1470	BI2 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED
1490	DRC MUST BE 3 ALPHANUMERICS
1505	INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1510	TEL NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1520	FAX NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION

err_num	err_description
1525	FAX NO-INIT MUST BE 10 NUMERICS
1530	IMPCON REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1540	TEL NO IMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS
1555	TEL NO ALTIM
1575	TEL NO DSGCON FORMAT MUST BE 10 NUMERICS IN THE FIRST TEN POSITIONS
1605	REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
1630	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
1635	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1640	NO ORIGINAL LSR FOUND FOR THIS SUP
1645	LSR/PON AGED OFF
1650	LSR/PON COMPLETED
1655	LSR ORIGINATING FORMAT (TCIF) NOT SAME AS ORIGINATING FORMAT
1660	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
1662	SUP NOT ALLOWED ON RESTORAL WHEN THE REASON WAS DENIED
1664	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
2000	EU-NAME REQUIRED
2005	EU-STREET-1 REQUIRED
2010	EU-CITY REQUIRED
2015	EU-STATE REQUIRED
2020	LOCNUM= LOCNUM REQUIRED WITH THIS REQTYP.ACT TYPE COMBINATION AT THIS LOCATION
2025	EU-ZIP CODE REQUIRED
2030	LCON-TELNO MUST BE A MINIMUM OF 10 NUMERICS
2035	LOCNUM=000 NAME EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2040	LOCNUM=000 SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2045	IWBAN VALID ENTRIES ARE: E, N, OR 13 ALPHANUMERIC BILLING ACCOUNT NUMBER
2055	LOCNUM=000 SASD VALID ENTRY IS E, W, N, S, NE, NW, SE, OR SW AT THIS LOCATION
2059	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION WHEN LNA EQUALS N
2060	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYP COMBINATION AT THIS LOCATION
2065	LOCBAN REQUIRED
2067	LOCBAN MUST BE 10 OR 13 ALPHANUMERICS
2080	LOCNUM=000 SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION
2085	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
2090	LOCNUM=000 ROOM-EU MUST NOT BE POPULATED WITH RM OR ROOM IN ANY POSITION AT THIS LOCATION
2095	LOCNUM=000 BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION
2099	LOCNUM=000 CITY-EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2100	LOCNUM=000 CITY-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION

err_num	err_description
2105	LOCNUM=000 STATE-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2109	LOCNUM=000 ZIP CODE=EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2110	LOCNUM=000 ZIP CODE-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2115	FBCON-TELNO MUST BE MINIMUM OF 10 NUMERICS
2120	EATN, EAN, ATN OR AN ARE PROHIBITED ON THIS REQTYP/ACT CODE
2125	EAN OR EATN REQUIRED WHEN AN OR ATN IS POPULATED WITH THIS REQTYP/ACT TYPE COMBINATION
2130	LOCNUM=000 TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION
2145	LOCBAN MUST EQUAL EAN OR EATN
2155	ATN MUST BE 10 NUMERICS
2165	EATN MUST BE 10 NUMERICS
2185	EAN MUST BE 10 NUMERICS OR 13 ALPHANUMERICS
2200	EATN MUST BE 10 NUMERICS
2280	LOCNUM= DISCNBR= DNUM REQUIRED WHEN DISC NBR IS POPULATED
2285	LOCNUM= DNUM MUST BE 5 NUMERIC
2295	DNUM MUST BE GREATER THAN PREVIOUS DNUM
2340	ERL WITH THE DATA OF Y PROHIBITED WHEN LEATN IS POPULATED
2350	ERL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
2355	ERL PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
3005	REFNUM=001 -TELNO= REFNUM MUST BE 4 NUMERICS
3010	REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
3015	REFNUM=0001-TELNO= LNA REQUIRED
3021	REFNUM=0001-TELNO= LNA MUST BE V OR W WHEN AN, ATN, EAN OR EATN IS POPULATED
3022	REFNUM=001 -TELNO= LNA MUST BE A OR D WITH THIS REQTYP/ACT TYPE
3025	REFNUM=0002 -TN REQUIRED
3030	REFNUM=0001-TELNO= TN MUST BE 10 NUMERICS
3035	REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
3040	REFNUM=0002-TELNO= OTN PROHIBITED WHEN LNA = A, D, W, Y, L, P9
3045	REFNUM=0001 ECCKT MUST BE CLT, CLF OR CLS FORMAT
3047	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3050	LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
3055	REFNUM=0001-TELNO= FPI MUST BE VALID VALUE FOR REQTYP AND ACTIVITY
3060	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TYPES
3065	TELNO= PIC VALID ENTRIES ARE PIC CODE OF 4 NUMERICS, NONE, DFLT, NA
3067	TELNO= PIC PROHIBITED ON R OR W ACT TYPES
3070	TELNO= LPIC DATA REQUIRED PER UNIQUE TELNO ON A, V, P9 ACTIVITY TYPES
3075	TELNO= VALID LPIC ENTRIES ARE AN LPIC CODE, NA OR NONE
3082	TELNO= LPIC PROHIBITED ON R OR W ACT TYPES

err_num	err_description
3085	REFNUM=0001-TELNO= TC OPT VALID ENTRIES ARE:00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81
3090	REFNUM=0001-TELNO= TC OPT PROHIBITED ON THIS ACT TYPE AND REQTYP
3105	LOCNUM=000 LNUM=22 TELNO= CHAN/PAIR MUST BE UP TO 5 ALPHANUMERICS
3110	LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
3115	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTYP/ACT/LNA COMBINATION
3120	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS REQUIRED WITH REQTYP/ACT/LNA COMBINATION
3125	LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
3130	REFNUM=0001-TELNO= TC PER-CC/TC PER-DATE MUST BE CURRENT OR FUTURE DATE
3135	REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED
3155	LOCNUM=000 LNUM=00001 TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R
3160	LOCNUM=000 LNUM=00001 TELNO= FA VALID ENTRY MUST BE N, C OR D
3165	REFNUM=0001-TELNO=TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYPE
3170	REFNUM=0001-TELNO= CFA INVALID FORMAT
3175	REFNUM=0001-TELNO= FA REQUIRED WHEN THE FEATURE FIELD IS POPULATED
3177	REFNUM=0001-TELNO= FA PROHIBITED WITH REQTYP J
3180	REFNUM=0001-TELNO= FA VALID ENTRIES ARE A, C OR D
3185	REFNUM=0001-TELNO= FEATURE REQUIRED WHEN THE FEATURE ACTIVITY IS POPULATED
3186	REFNUM=0001-TELNO= FEATURE PROHIBITED WITH REQTYP J
3190	LOCNUM=000 LNUM=00001 TELNO= FEATURE MUST BE 3, 5 OR 6 ALPHANUMERICS
3195	TELNO= LNECLSSVC REQUIRED ON ACT TYPE A OR V
3200	LOCNUM=000 LNUM=00001 TELNO= FEATURE PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3205	LOCNUM=000 LNUM=00001 TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
3210	LOCNUM=000 LNUM=00001 TELNO=FEATURE DETAIL PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3245	LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN JR IS Y
3260	LOCNUM=000 LNUM=00001 TELNO= JK CODE REQUIRED WHEN NIDR IS POPULATED WITH Y
3380	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
3385	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE D, G, N, P, V, W OR X IF ACT IS V, P OR Q
3390	LOCNUM=000 LNUM=00002 TELNO= LNA REQUIRED WHEN ACT TYP IS N, C, T, R, V, S, P OR Q
3395	LOCNUM=000 LNUM=00001 TELNO= ASSOCIATED DATA PROHIBITED ON ACT TYPE B, L, W OR Y
3410	LNUM=00001 TELNO= LNA MUST BE X OR G IF OTN IS POPULATED
3415	LOCNUM=000 LNUM=00002 TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B
3420	LOCNUM=000 LNUM=1 TELNO= LNA MUST BE N, C, D, P, OR X IF ACT IS C
3422	LNUM=00001 LNA MUST BE N OR D IF REQTYP IS A DIGITAL, DATA DESIGNED (DS1)
3427	LNUM=00001 TELNO= LNA OF G PROHIBITED ON REQTYP/ACT TYP COMBINATION
3430	FOR REQTYP E,F OR M, IF ACT IS P, Q OR V AT LEAST ONE LNA MUST BE G, P, V, W OR X

err_num	err_description
3439	LNUM=00001 TN= LNA MUST BE D ON ACT OF D WHEN REQTYP IS A WITH SECNCI POPULATED
3445	LOCNUM=000 LNUM=00001 TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS
3460	LOCNUM=000 LNUM= TELNO= LNUM REQUIRED WITH THIS REQTYP/LNA TYPE COMBINATION (STOP EDIT)
3465	LOCNUM=000 LNUM=2 TELNO= LNUM MUST BE 5 NUMERICS
3470	LOCNUM=000 LNUM=00001 TELNO=LNUM MUST BE UNIQUE WITHIN EACH LOCNUM EXCEPT FOR REQTYP E-IS
3485	LOCNUM=001 LNUM=00001 LOCNUM DOES NOT MATCH AN END USER LOCNUM FOR THIS LSR
3545	LNUM=00001 TELNO= OTN REQUIRED WITH THIS REQTYP/LNA COMBINATION
3580	PQTY REQUIRED WITH THIS REQTYP/LNA TYPE COMBINATION
3613	LOCNUM=000 LNUM=00001 TELNO= RTI REQUIRED ON REQTYP B WHEN LNA IS V AND NPT IS A OR C
3705	LNUM=00001 TNS MUST BE A MINIMUM OF 10 OR A MAXIMUM OF 15 ALPHANUMBERIC INCLUDING HYPHEN
3718	LOCNUM=000 LNUM=00010 TELNO= TNS RANGE NOT ALLOWED WHEN LNA IS G OR X
3725	LOCNUM=000 LNUM=00005 TELNO= FPI MUST BE VALID VALUE FOR REQTYP AND ACTIVITY
3730	LNUM=00004 TELNO= FPI INVALID ON REQTYP/LNA COMBINATION
3735	LNUM=00001 TELNO= PIC REQUIRED ON LNA G, N, P OR V
3740	LNUM=00001 TELNO= PIC VALID ENTRY IS NONE UNDC NC OR VALID PIC WHEN LNA IS C, P OR X
3745	LNUM=00001 TELNO= PIC VALID ENTRIES ARE NONE, UNDC OR A VALID PIC CODE WHEN LNA IS G, N OR
3750	LNUM=00001 TELNO= PIC INVALID ON REQTYP/LNA COMBINATION
3755	LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
3760	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC, NC OR VALID LPIC CODE WHEN LNA IS C P
3765	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N
3770	LNUM=00001 TELNO= LPIC INVALID ON REQTYP/LNA COMBINATION
3785	LNUM=00002 TELNO= PTKCON MUST BE T, I OR O
3790	LNUM=00001 - TELNO= PTKCON REQUIRED WHEN THE LNA IS G, N OR V
3930	LNUM=00001 TELNO=
3940	LNUM=00001 TELNO= BLOCK PROHIBITED WHEN BA IS BLANK
3965	LNUM=00001 TELNO=BLOCK INVALID WITH BA ENTRY OF N OR Z
4000	DL DATA ELEMENTS REQUIRED
4005	DL DATA ELEMENTS PROHIBITED
4010	REFNUM=0001-TELNO= LIST REQUIRED WITH THIS REQTYPE AND ACTIVITY TYPE
4015	REFNUM=0001-TELNO= LIST MUST BE VALID ENTRY
4020	DLNUM=0001 LTN= DLNUM MUST BE UNIQUE
4022	DLNUM=001 LTN=DLNUM MUST BE 4 NUMERICS
4026	MAIN LISTING REQUIRED FOR NEW ACCOUNT
4027	REFNUM=0001-TELNO= ASTERISK OR PLUS SIGN INVALID FOR LN
4028	REFNUM=0001-TELNO= COMMA OR SEMICOLON REQUIRED FOR RESIDENCE LISTING
4029	REFNUM=0001-TELNO= COMMA OR SEMICOLON REQUIRED FOR BUSINESS LISTING

err_num	err_description
4030	DLNUM=0001 LTN= LACT REQUIRED
4035	DLNUM=0001 LTN=ALI CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML
4040	REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTYP AND ACTIVITY TYPE
4042	REFNUM=0001-TELNO= ASTERISK OR PLUS SIGN INVALID FOR LA
4045	REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS RECTYP AND ACTIVITY TYPE
4050	INVALID YPH ENTRY
4052	YPH ENTRY MUST BE 999001 WHEN LISTING TYPE IS NL OR NP
4055	YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4060	DLNUM=0001 LTN= VALID RTY REQUIRED
4061	DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTYP J, RTY OF LML, AND LACT OF N
4065	DLNUM=&DLNM LTN=&LTN ASSOCIATED LACT COMBINATION I AND O IS MISSING
4070	REFNUM=0001-TELNO= YPQTY MUST BE 2 NUMERICS OR BLANKS
4075	MAIN LISTING REQUIRED
4090	DLNUM=0001 LTN= VALID LTY REQUIRED
4095	REFNUM=0001-TELNO= DDA-CITY PROHIBITED FOR THIS REQTYP AND ACTIVITY TYPE
4097	DLNUM=0001 LTN= LTY PROHIBITED WITH LACT Z
4100	REFNUM=0001-TELNO= DDA-STATE PROHIBITED WITH THIS REQTYP AND ACTIVITY TYPE
4110	DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
4115	SIC REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4120	DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
4125	SIC MUST BE 4 NUMERICS
4160	DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
4165	DLNUM=0001 LTN= DOI PROHIBITED WITH LACT Z
4180	DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
4185	DLNUM=0002 LTN= DOI DATA INVALID WITH LTY 3
4200	DLNUM=0001 LTN MUST BE 10 NUMERICS
4205	DLNUM=0001 LTN REQUIRED
4220	DLNUM=0001 LTN= LNLN REQUIRED
4225	DLNUM=0001 LTN= LNLN PROHIBITED WITH LACT Z
4230	DLNUM=0001 LTN= LNFN PROHIBITED WITH LACT Z
4240	DLNUM=0001 LTN= LNPL PROHIBITED WITH LACT Z
4280	DLNUM=0001 LTN= TITLE1 DATA INVALID
4295	DLNUM=0001 LTN= NICK PROHIBITED WITH LACT Z
4310	DLNUM=0001 LTN= LANO PROHIBITED WITHOUT LASN
4315	DLNUM=0001 LTN=LANO PROHIBITED WITH LACT Z
4345	DLNUM=0001 LTN= LASN PROHIBITED WITH LACT Z

err_num	err_description
4350	DLNUM=0001 LTN= LATH PROHIBITED WITH LACT Z
4365	DLNUM=0001 LTN= LASS ENTRY INVALID
4385	DLNUM=0001 LTN= INVALID LAST ENTRY
4470	DLNUM=0001 LTN= LTXNUM MUST BE CONSECUTIVE AND UNIQUE WITHIN THE DLNUM
4475	DLNUM=0002 LTN= INVALID YPH ENTRY
4478	DLNUM=0001 LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3
4485	DLNUM=0001 LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM
4490	DLNUM=0001 LTN= YPH PROHIBITED WITH THIS RTY
4505	DLNUM=0001 LTN= SIC REQUIRED WHEN ACT IS N, V, OR P
4585	DLNUM=0001 LTN= DML PROHIBITED WITH LACT Z
4600	DLNUM=0001 LTN= AMPERSAND REQUIRED WITH DLNM
4685	DLNUM=0002 LVL ENTRIES MUST BE SEQUENTIAL AND THE THE SAME LVL VALUE CANNOT APPEAR MORE THAN TWICE
4700	DLNUM=0001 LTN= HS PROHIBITED WITH LACT OF Z
4740	DLNUM=0001 LTN= INS1 REQUIRED WHEN INTEXT OR INADDR IS POPULATED
4765	DLNUM=0001 LTN= SEQADDR1 REQUIRES SO1
4810	DLNUM=0001 LTN= INS1 REQUIRED WHEN INTEXT IS POPULATED
4825	DLNUM=0001 LTN= INS1 REQUIRED WHEN INADDR IS POPULATED
5000	HUNTING PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
5005	LOCNUM=000 THE FOLLOWING FIELDS ARE REQUIRED; HNUM, HA, AND HID
5010	HTQTY MUST BE 2 NUMERICS, 01 THRU 99
5015	HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
5025	LOCNUM=000 HNUM= HA=G HA MUST BE N, E, C, OR D
5035	REFNUM=0001-TELNO= TER MUST BE 4 NUMERICS
5050	LOCNUM=001 DOES NOT MATCH AN END USER LOCNUM ON THIS LSR
5060	LOCNUM=000 HNUM=00001 HNUM MUST BE UNIQUE WITHIN EACH LOCNUM
5065	LOCNUM=000 HNUM=00001 HID ENTRY FOR HNTYP 1 2 3 OR 4 MUST BE N OR UP TO 3 ALPHAS OR 4 NUMERICS
5070	LOCNUM=000 HNUM=00001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
5095	LOCNUM=000 HNUM=00001 TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T
5100	LOCNUM=000 HNUM=00001 HNTYP VALID ENTRIES ARE 1, 2, 3, 4, 5 OR 6
5110	LOCNUM=001 HNUM=00001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
5115	LOCNUM=000 HNUM=00001 HLA=E HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N
5125	LOCNUM=000 HNUM=00001 HTSEQ=0003 SAME HTSEQ NOT ALLOWED FOR MORE THAN ONE HT WHEN HLA IS N OR E
5135	LOCNUM=000 HNUM=00001 HTSEQ=0005 SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E
5175	HNUM=00001 HT=T0001--T0002 HT MUST BE 10 NUMERICS OR 14 NUMERICS WITH A HYPHEN IF HNTYP 1-4
6005	NC CODE INVALID
6010	REFNUM=0001 -ECCKT REQUIRED WHEN ACT FIELD IS C, D, M, T OR R ON REQTYP'S A OR B

err_num	err_description
6030	SECNCI REQUIRED FOR NC
6045	INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)
6048	COMPANY IS NOT QUALIFIED FOR XDSL/UCL
6050	REQTYP/LOOP TYPE COMBINATION INVALID
6055	LQTY IS REQUIRED FOR REQTYP/ACT COMBINATION
6056	REFNUM=0001 -INPT=D ONLY APPLICABLE TO LNP-ROUTED TO LEO IN ERROR
7000	EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V
7005	EAN, EATN, LEATN, AND LEAN ARE MUTUALLY EXCLUSIVE
7020	NUM= TELNO= TN NOT FOUND IN CRIS
7040	LOGON ABORTED/FAILED
7050	BOCRIS NOT AVAILABLE
7055	NUM= TELNO= ACCOUNT IS FINAL
7075	EATN, AN AND ATN ARE REQUIRED FOR REQTYP B
7080	EATN AND AN ARE REQUIRED FOR REQTYP
7095	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG
7100	PIC/LPIC IS REQUIRED ON INWARD ACTIVITY
7110	COFFI NOT AVAILABLE
7115	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE
7145	INTERVAL BETWEEN DATE RECEIVED AND DDD IS INVALID
7150	UNE - ERROR GENERATING ECCKT
7225	USOC= IS MISSING
7230	REFERENCE OF CALL OPTION NOT VALID FOR THIS ACCOUNT ACTIVITY TYPE
7235	10 DIGIT TN REQUIRED WITH USOC/FID=ZCRN
7245	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING
7250	LSR HOUSENUMBER INCORRECT
7255	NUM= TELNO= DEGREE OR PROF AFFILIATION NOT ALLOWED ON RESIDENTIAL SERVICE
7260	LISTING TYPE INVALID
7267	UNE - LOCBAN MISSING FOR LINP ORDER
7270	UNE - MISCELLANEOUS ACCOUNT NUMBER MISSING ON LINP LSR
7295	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED
7300	UNE - CANNOT GENERATE CLASS OF SERVICE USOC
7315	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS
7325	NUM= -TELNO= LISTING INSTRUCTION CODE IS MISSING
7360	LIFELINE SERVICE NOT AVAILABLE
7375	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND
7380	UNE - ACTL INVALID

err_num	err_description
7400	CLEC DOES NOT OWN THIS ACCOUNT.
7405	NUM= TELNO= LISTING PHRASE CODE INVALID
7435	WKG SVC - INPUT ADL. CONVSN ORD OR NOTE ABAND STA
7445	UNE - CALL FORWARD TN REQUIRED
7465	CANNOT CANCEL ORDER
7495	UNE - DIR LOCATOR PROBLEM
7500	DUE DATE COULD NOT BE DETERMINED
7555	FID MISSING IN FEATURE DETAIL
7570	SEQ1X NOT ALLOWED WITH ZNB
7630	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH
7640	DUPLICATE CUSTOMERS EXCEED NINE ON CSR
7645	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND
7660	USOC FUJ1X NOT FOR RESALE
7690	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE
7705	UNE - ACTL/CLLI CODE MISSING
7710	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER
7715	SOCS TIMEOUT/NOT AVAILABLE
7718	UNABLE TO RETRIEVE PSO TO PROCESS SUP
7725	WAITING PERIOD EQUALS 5 MINUTES
7735	INVALID/MISSING LISTING NAME OR TYPE
7740	LOCAL CALLING PLUS INDICATOR NOT FOUND
7755	UNE - NPANXX NOT FOUND IN CLLI TABLE
7785	RSAG SITE TABLE LOOKUP FAILED TO FIND A MATCH
7805	SITE COULD NOT BE DETERMINED
7815	FID=RCU INVALID OR MISSING DATA
7825	RSAG-INCORRECT TELEPHONE NUMBER FORMAT
7850	RSAG - NEED ADDITIONAL ADDRESS OR TN
7860	RSAG - NO EXACT MATCH ON STREET NAME
7865	RSAG - NO MATCH ON HOUSENUMBER OR AHN
7870	RSAG - NO MATCH ON HOUSE NUMBER OR AHN - ONLY UNNUMBERED RANGES
7875	RSAG - NO MATCH ON HOUSE NUMBER OR AHN - ONLY NUMBERED RANGES
7880	RSAG - NO MATCH ON TELEPHONE NUMBER
7890	RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS
7900	RSAG - NO MATCH ON STREET NAME
7905	RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE OR INVALID ADDRESS FORMAT
7910	RSAG - NO MATCH ON EXACT STREET NAME

err_num	err_description
7930	RSAG-STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP
	RSAG-SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP
7945	RSAG SYSTEM ERROR
8025	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO PRIMARY IS REQUIRED WHEN DNUM TC OPT IS TC OR ST
8100	LOCNUM= DNUM=00001 TC PER FORMAT MUST BE CCYYMMDD
8110	LOCNUM= DNUM=00001 TC PER DATE IS INVALID, MUST BE LATER THAN THE LSR RECEIPT DATE
8130	CONVERSION SPECIFIED CAN ONLY BE USED ON RETAIL TO UNE SERVICE
8140	LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTYP E, F OR M FOR LNA C, G, N OR V
8150	ORDER HAS BEEN REQUEUED FOR THE MAXIMUM NUMBER OF OCCURRENCES
8165	LNUM=00001 TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST
8167	INVALID USOC CHARACTER. FORMAT SAE 013 I1 CREXI
8170	USOC MAY ONLY APPEAR ONCE. FORMAT SAE 110 I1 CREX1 /TN
8173	INVALID CLASS OF SERVICE. FORMAT IDNT 131 UEPRL=
8175	USOC NOT AVAILABLE IN SWITCH. FORMAT SAE 180N I1 ESXDC
8177	USOC INVALID FOR THIS SWITCH. FORMAT SAE 183 I1 TTR
8179	NPA NXX NOT VALID. FORMAT SAE 184 I1 NXMCR
8180	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
8183	AREA CALLING PLAN USOC MISMATCH. FORMAT 320 LINE UPP :0000000 / LINE ASSIGN :0000001 USOC QUAN MIS
8185	ESC/ESCWT NOT VALID COMBINATION. FORMAT SAE 424 I1 ESCWT
8187	USOC MAY NOT APPEAR ON REQUEST. FORMAT SAE 431 T1 EMP1S /TN
8189	USOC IS NOT VALID ON BST FILE. FORMAT SAE 433 I1 CREX6
8190	INVALID USOC FOR BASIC CLASS OF SERVICE. FORMAT SAE 434 I1 S98CP /TN
8193	USOC NOT VALID WITH CALLER ID. FORMAT SAE 473 I1 NXMCR /TN
8195	CALL FORWARDING USOC MUST NOT APPEAR. FORMAT SAE 540 I1 GCJ /TN
8197	CALL FORWARDING USOC MUST APPEAR. FORMAT SAE 541
8199	GCJRC/GCJ COMBINATION INVALID. FORMAT SAE 560 I1 GCJRC /TN
8204	BCR/NSS/NX8 INVALID USOC COMBINATION. FORMAT SAE 575 R1 NSS /TN
8207	BRD/NSQ/NX9 INVALID USOC COMBINATION. FORMAT SAE 576 I1 NX9 /TN
8209	USOC COMBINATION IS INVALID. FORMAT SAE 587 I1 ESXDC /TN
8215	LNUM=00001 TC PER DATE INVALID. IT MUST BE LATER THAN THE LSR RECEIPT DATE
8240	INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE
8250	USOC= NOT APPLICABLE TO PORT LOOP SERVICE
8255	INVALID ACTIVITY TYPE
8265	LNUM=12345 TC FR IS PROHIBITED WITH REQTYP/LNA COMBINATION
8395	LSF INVALID FOR REQTYP/ACT TYPE COMBINATION
8410	LSF INVALID IN TN

err_num	err_description
8415	LSF LP ALREADY EXISTS ON ACCOUNT
8425	LSF OF DE INVALID ON ACT TYPE A OR V
8430	LSF DOES NOT EXIST ON ACCOUNT
8700	RSAG-INVALID SEARCH AREA
8820	SOCS ERROR: LUD BILL 004 ACT CODE NOT FOR THIS ORD TYPE
8825	ORDER ERR:
8830	CLEC ALREADY OWNS THIS ACCOUNT
8835	USOC/FID CANNOT BE DELETED FOR WORKING TN
8855	NO ACTL IN LSR
8870	FEATURES NOT ALLOWED ON SWITCH-AS-IS ACTIVITY TYPE
8875	ERROR GENERATING BTN
8885	LINE ACT IS V AND LINE IS NOT ON CUSTOMER RECORD
8890	UNE - INVALID ACT TYPE/LNA/FEATURE COMBINATION
8925	CFN HAS INVALID FORMAT ON COFFI SCREEN
8940	CALL FORWARDING NUMBER MISSING OR INVALID
8945	LINECLSSVC AND TOS DO NOT MATCH
8955	LPIC OF A VALID LPIC CODE OR NONE IS REQUIRED
8970	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC
8980	LINE ACTIVITY INVALID
8995	SEMICOLON DISALLOWED WITH (+) SIGN IN PERSONAL NAME LISTINGS
9000	LSO/LOCBAN (NPANXX) MISSING OR INVALID
9005	LNECLSSVC NOT ALLOWED ON R ACCOUNT ACTIVITY
9015	SUP FAILED TO UPDATE DUE DATE
9030	PIC DATA OF A VALID PIC CODE OR NONE IS REQUIRED
9045	TYPE OF ORDER NOT DETERMINED - CLS SVC AND TOS BLANK OR MISSING
9060	EU-STREET-1 REQUIRED
9110	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TYPES
9115	TELNO= LPIC REQUIRED PER UNIQUE TELNO ON A, V, P9 LINE ACTIVITY TYPES
9145	ACCOUNT IS DENIED
9155	UNE - PORTED OUT NUMBER
9160	LOCBAN INVALID FOR PORTED NUMBER ACTIVITY
9165	INVALID NPA NXX
9185	UNABLE TO DETERMINE TBE CHOICE
9190	ZIP CODE IS NOT NUMERIC
9245	CORRECT ECCKT IS REQUIRED FOR LNA , LNUM
9263	NC CODE IS A REQUIRED FIELD FOR LOOP REQUESTS

err_num	err_description
9428	DLNUM=0001 LTN= INVALID NICK DATA
9432	DLNUM=0002 LTN= LTXTY OF CR REQUIRES SEE AS FIRST WORD IN LTEXT
9433	DLNUM=0001 LTN=HTN ACCOUNT NOT OWNED BY CLEC
9438	DLNUM=0001 LTN= ACCOUNT ACTIVITY OF N CAN ONLY HAVE AN LACT OF N
9439	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED
9442	DLNUM=0002 LTN= ALI MUST BE UNIQUE
9466	UNABLE TO DETERMINE BLOCK CHOICE
9470	LOCATION QUANTITY DOES NOT EQUAL THE NUMBER OF END USER DETAIL RECORDS RECEIVED
9471	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ
9473	ONLY FOUR DIFFERENT LEATNS ALLOWED PER LSR
9474	MINIMUM OF TWO DIFFERENT LEATNS/LEANS REQUIRED FOR LSR
9475	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS
9476	IS NOT FOUND ON CSR TO DISCONNECT
9477	LSR LNUM=00002 INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER
9479	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY
9680	INVALID REQTYP OR TOS FOR LIFELINE
9481	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT
9484	TNS= FOR LNUM=00001 ALREADY EXIST ON ATN=
9487	INVALID ACT TYPE FOR FULL MIGRATION
9488	DISPOSITION OF ALL LINES REQUIRED ON ACT V
9492	ATN= CANNOT EXIST AS A MAIN ACCOUNT FOR ACT P
9495	EATN= MUST EXIST FOR ACT P AND Q
9496	TNS= ON LNUM=00004 NOT FOUND ON EATN= FOR ACT=
9497	LEATN= ON LNUM=00001 AND EATN= ARE NOT COMPATIBLE
9498	EAN= ON LNUM= AND LEAN= ARE POPULATED
9503	FA OF D AND C ARE DISALLOWED WHEN TNS IS NOT POPULATED FOR A LEATN
9508	DLNUM=0001 LTN= FIRST THREE CHARACTERS OF NSTN NUST BE NUMERIC
9510	ONLY ONE TC PER ALLOWED PER LOCATION
9515	WKG SVC-INPUT ADL, CONVERSION ORDER OR NOTE ABANDONED STATION
9516	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN
9517	UNDC INVALID IF PIC ALREADY EXISTS
9518	UNDC INVALID IF LPIC ALREADY EXISTS
9519	LOCNUM= HNUM= HT= TN NOT FOUND ON CSR OR LSR
9523	LOCNUM=000 HNUM=00001 HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS SWITCH TYPE
9526	BLOCK CHOICE DOES NOT EXIST ON ACCOUNT
9529	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED

err_num	err_description
9543	LOCNUM= HNUM= HT= HT CANNOT BE IN MORE THAN ONE HID
9545	LOCNUM= HNUM=00001 HA OF D NOT ALLOWED
9600	TASKMATE ERROR INCORRECT SCREEN FORMAT ON HOST
9602	USOC=NSS ALREADY EXISTS ON CUSTOMER RECORD
9605	USOC NOT FOR RESALE FORMAT SAE 959 T1 PGRAX /ZPGR 1 /RMKR (A)
9606	TNS CANNOT BE REASSIGNED FOR 90 DAYS
9613	EXISTING ACCOUNT TYPE NOT AUTHORIZED FOR MIGRATION YET
9616	YPH INVALID
9618	EQUAL NUMBER OF COMPLETE CHOICE AND COMPLETE CHOICE CREDIT USOCS REQUIRED FORMAT SAE 339
9623	TOUCHTONE IS INVALID WITH AREA PLUS SERVICE
9626	CLASS OF SERVICE LNPRL NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP
9627	ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER
9628	REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE
9629	CALL FORWARDING FID (CFND) AND CFND TN REQUIRED BEHIND USOC S98AF
9631	STAR 98 PACKAGE USOC REQUIRED
9634	THE FID PKG VM-CSP-S98PK IS MISSING OR INCORRECT
9636	S981A NOT AVAILABLE FOR THIS CENTRAL OFFICE
9637	STAR 98 SERVICE IS NOT AVAILABLE FOR THIS CENTRAL OFFICE
9638	USOC VSB MUST NOT APPEAR
9639	CATEGORY L USOC MUST APPEAR FOR SAME TN
9641	REQUESTED ACTIVITY ALREADY PENDING DM4V32
9643	STAR 98 SERVICE NOT VALID ON THIS REQTYP/ACT TYPE COMBINATION
9645	STAR 98 PACKAGE IS NOT VALID
9647	BAN DOES NOT EXIST FOR COMPANY CODE
9650	USOCS 999MC AND S98PK MUST APPEAR
9654	DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED ENDUSER ADDRESS
9656	SLTN NOT FOUND ON CRIS ACCOUNT FOR LNA N, LNUM
9670	TOUCHTONE USOC REQUIRED INWARD OR RECAPPED - FORMAT SAE 004
9671	TOUCHTNE USOC REQUIRED - FORMAT SAE 245
9673	RINGMASTER USOC REQUIRED - FORMAT SAE 387
9674	INVALID TN/PN DATA - FORMAT SAE 389 I1 DRS /TN /PN /RNP B
9675	BBC USOC MUST NOT APPEAR - FORMAT SAE 679 I1 BBC /TN
9679	FIRST CHARACTER OF LINE NUMBER IS NOT VALID FOR BST IN COFFI
9681	LINKUP DISCOUNT CANNOT BE ADDED TO EXISTING SERVICE
9682	LINKUP DISCOUNT IS ONLY AVAILABLE ON LIFELINE ACCOUNTS
9700	REQUESTED CIRCUIT NUMBER/ECCKT NOT FOUND

err_num	err_description
9770	UNE - CABLE ID/CHANNEL PAIR OR CFA IS REQUIRED FOR REQUESTED SERVICE
9772	UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A
9800	MAIN LISTING REQUIRED FOR NEW ACCOUNT
9805	NO DENIAL INDICATOR ON CUSTOMER RECORD
9815	INVALID LINE ACTIVITY FOR DENIED ACCOUNT
9820	INVALID LINE ACTIVITY FOR SUSPENDED ACCOUNT
9850	USOC P25 INVALID WITH USOC AQ3 IN KY
9860	UNABLE TO HANDLE REQUEST; ENDUSER ACCOUNT FROZEN
1040	VER MUST BE SPACES OR ZEROES FOR 850
1090	ATN OR AN REQUIRED WHEN EATN IS POPULATED
1130	DDD MUST BE A VALID DATE
1225	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1391	TOS SECOND CHARACTER MUST BE J, WHEN REQTYP IS NB (STOP EDIT)
1404	RESID REQUIRED
1407	RESID IS REQUIRED WITH ANY LNA'S OF N OR V
1453	BAN1 REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1515	TEL NO-INIT FORMAT MUST BE 10 NUMERICS OR UP TO 15 ALPHANUMERICS
1525	FAX NO-INIT MUST BE 10 NUMERICS
1555	TEL NO ALTIMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS
1585	STREET-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1590	CITY-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1595	STATE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1600	ZIP CODE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1620	BCS REQUIRED WITH REQTYP/ACT TYPE/TOS COMBINATION
2085	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
2160	IWCON REQUIRED WHEN IWO IS POPULATED WITH U OR W
3047	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3120	LOCNUM=000 LNUM=00001 TELNO= ECCKT IS REQUIRED WITH REQTYP/ACT/LNA COMBINATION
3150	LOCNUM=000 LNUM=00001 TELNO= ECCKT REQUIRED WITH LINE ACTIVITY OF C FOR REQTYP E
3160	LOCNUM=000 LNUM=00002 TELNO= FA VALID ENTRY MUST BE N, C OR D
3215	LOCNUM=000 LNUM=00001 TELNO= ISPID FOR THIS REQTYP/LNA TYPE COMBINATION
3245	LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN JR IS Y
3380	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
3390	LOCNUM=000 LNUM=00001 TELNO= LNA REQUIRED WHEN ACT TYP IS N, C, T, R, V, S, P OR Q
3405	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE R IF ACT IS R
3415	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B

err_num	err_description
3422	LNUM=00001 LNA MUST BE N OR D IF REQTYP IS A DIGITAL, DATA DESIGNED (DS1)
3433	LOCNUM=000 LNUM=00001 TELNO= LNA PROHIBITED ON THIS REQTYP/ACT TYP/SECNCI COMBINATION
3445	LOCNUM=000 LNUM=00001 TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS
3450	LOCNUM=000 LNUM=00001 TELNO= LNEX PROHIBITED WITH THIS REQTYP/LNA TYPE COMBINATION
3643	LNUM=00001 SLTN MUST BE 10 NUMERICS WITH TWO HYPHENS
3715	LNUM=00001 TELNO=(AUX. LINE) WHEN TNS CONTAINS 15 A/N THE 11TH CHARACTER MUST BE HYPHEN
3955	LNUM=00001 TELNO= BLOCK VALID VALUES ARE A, B, C, H OR BLANK ON REQTYP E, F, OR M
3963	LNUM=00001 TELNO= BLOCK IS REQUIRED WITH BA ENTRY OF A OR D
4085	REFNUM=0001-TELNO= DDA-ADDRESS 1 PROHIBITED WITH THIS REQTYP AND ACTIVITY TYPE
4090	DLNUM=0001 LTN= VALID LTY REQUIRED
4185	DLNUM=0001 LTN=DOI DATA INVALID WITH LTY 3
4360	DLNUM=0001 LTN= LASS PROHIBITED WITH LACT Z
4375	DLNUM=0001 LTN= LALOC PROHIBITED WITH LACT Z
4390	DLNUM=0001 LTN= LAST PROHIBITED WITH LACT Z
4475	DLNUM=0001 LTN= INVALID YPH ENTRY
4480	DLNUM=0001 LTN= YPH PROHIBITED WITH LACT Z
4500	DLNUM=0001 LTN= SIC PROHIBITED WITH LACT Z
4510	DLNUM=0001 LTN=ONLY ONE SIC ALLOWED PER ACCOUNT
4550	DLNUM=0003 LTN= DIRNAME REQUIRED ON FOREIGN OR SECONDARY LISTING
4590	DLNUM=0001 LTN= DLNM VALID ENTRY IS Y
4685	DLNUM=0002 LVL ENTRIES MUST BE SEQUENTIAL AND THE THE SAME LVL VALUE CANNOT APPEAR MORE THAN TWICE
5050	LOCNUM=001 DOES NOT MATCH AN END USER LOCNUM ON THIS LSR
5070	LOCNUM=000 HNUM=00001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
5080	LOCNUM=000 HNUM=00001 HID MUST BE AN HID NUMBER WHEN HA IS C, D OR E AND HNTYP IS 5 OR 6
5095	LOCNUM=000 HNUM=00001 TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T
5105	LOCNUM=000 HNUM=00001 HLA=C HLA VALID ENTRIES ARE N, E OR D
5110	LOCNUM=001 HNUM=00001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
8165	LNUM=00001 TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1007	24	0.18%	0.18%	DUPLICATE CC, PON, VER
1012	11	0.08%	0.26%	CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
1015	4869	36.76%	37.03%	PON DUPLICATE ON INITIAL LSR
1017	4	0.03%	37.06%	PON VALID VALUES ARE UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1020	1	0.01%	37.06%	PON VALID VALUES ARE ONLY UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1022	1	0.01%	37.07%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1023	208	1.57%	38.64%	NO ORIGINAL LSR FOUND FOR THIS SUP
1025	29	0.22%	38.86%	VER MUST BE GREATER THAN PREVIOUS VERSION
1027	140	1.06%	39.92%	PREVIOUS LSR AGED OFF - (K) STATUS
1030	572	4.32%	44.24%	VER MUST BE GREATER THAN PREVIOUS VERSION
1035	6	0.05%	44.28%	VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
1040	9	0.07%	44.35%	VER MUST BE SPACES OR ZEROES FOR 850
1050	7	0.05%	44.40%	D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
1055	3	0.02%	44.42%	AN REQUIRED FOR THIS REQTYP/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
	4	0.03%	44.45%	AN MUST BE 10 OR 13 ALPHANUMERICS
1070	19	0.14%	44.60%	DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
1075	3	0.02%	44.62%	ATN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
1085	5	0.04%	44.66%	DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
1090	3	0.02%	44.68%	ATN OR AN REQUIRED WHEN EATN IS POPULATED
1095	1	0.01%	44.69%	SERVICE CENTER REQUIRED
1110	176	1.33%	46.02%	INVALID REQTYP - ACCOUNT ACTIVITY TYPE COMBINATION
1125	80	0.60%	46.62%	DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
1140	3	0.02%	46.64%	DDDO REQUIRED WHEN ACT IS T AND REQTYP IS A, E, M, OR N
1145	10	0.08%	46.72%	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
1150	39	0.29%	47.01%	SUP PROHIBITED WHEN 1ST CHARACTER OF REQTYP FIELD CHANGES
1154	69	0.52%	47.53%	LSR/PON IS COMPLETED
1155	8	0.06%	47.60%	DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y
1170	13	0.10%	47.69%	CC REQUIRED
1175	1	0.01%	47.70%	REQTYP REQUIRED (STOP EDIT)
1180	4	0.03%	47.73%	INVALID REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1200	28	0.21%	47.94%	SUP REQUIRED WHEN VER IS GREATER THAN 00
1215	16	0.12%	48.06%	ACTL MUST BE 11 ALPHANUMERIC CHARACTERS

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1225	4	0.03%	48.09%	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1230	1144	8.64%	56.73%	LSO MUST BE 6 NUMERICS
1270	4	0.03%	56.76%	SECNCI MUST BE A MINIMUM OF 5 ALPHANUMERIC CHARACTERS
1330	6	0.05%	56.81%	BAN1 MUST = E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1335	3	0.02%	56.83%	LSO REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1340	1	0.01%	56.84%	LSO MUST BE 6 NUMERICS
1360	1	0.01%	56.84%	TOS SECOND CHARACTER MUST BE A, B, C, D, H, J, OR - (HYPHEN) (STOP EDIT)
1390	1	0.01%	56.85%	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB
1391	1	0.01%	56.86%	TOS SECOND CHARACTER MUST BE J, WHEN REQTYP IS NB (STOP EDIT)
1430	20	0.15%	57.01%	CIC REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1453	20	0.15%	57.16%	BAN1 REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1455	7	0.05%	57.21%	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
1457	2	0.02%	57.23%	BAN1 MUST BE ENTRY OF E IF REQTYPE A-LINE SHARE CO BASED
1470	1	0.01%	57.24%	BI2 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED
1505	14	0.11%	57.34%	INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1510	14	0.11%	57.45%	TEL NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1520	18	0.14%	57.58%	FAX NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1525	1	0.01%	57.59%	FAX NO-INIT MUST BE 10 NUMERICS
1530	1	0.01%	57.60%	IMPCON REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1540	1	0.01%	57.61%	TEL NO IMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS
1605	393	2.97%	60.57%	REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
1630	204	1.54%	62.11%	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
1635	214	1.62%	63.73%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1640	609	4.60%	68.33%	NO ORIGINAL LSR FOUND FOR THIS SUP
1645	1933	14.59%	82.92%	LSR/PON AGED OFF
1650	586	4.42%	87.35%	LSR/PON COMPLETED
1655	31	0.23%	87.58%	LSR ORIGINATING FORMAT (TCIF) NOT SAME AS ORIGINATING FORMAT
1660	117	0.88%	88.46%	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
1662	20	0.15%	88.61%	SUP NOT ALLOWED ON RESTORAL WHEN THE REASON WAS DENIED
1664	109	0.82%	89.44%	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
2000	3	0.02%	89.46%	EU-NAME REQUIRED
2015	2	0.02%	89.48%	EU-STATE REQUIRED

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
2035	7	0.05%	89.53%	LOCNUM=000 NAME EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2040	1	0.01%	89.54%	LOCNUM=000 SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2055	1	0.01%	89.54%	LOCNUM=000 SASD VALID ENTRY IS E, W, N, S, NE, NW, SE, OR SW AT THIS LOCATION
2059	10	0.08%	89.62%	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION WHEN LNA EQUALS N
2060	71	0.54%	90.15%	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYP COMBINATION AT THIS LOCATION
2065	6	0.05%	90.20%	LOCBAN REQUIRED
2080	76	0.57%	90.77%	LOCNUM=000 SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION
2085	20	0.15%	90.92%	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
2090	9	0.07%	90.99%	LOCNUM=000 ROOM-EU MUST NOT BE POPULATED WITH RM OR ROOM IN ANY POSITION AT THIS LOCATION
2095	2	0.02%	91.01%	LOCNUM=000 BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION
2099	2	0.02%	91.02%	LOCNUM=000 CITY-EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2100	4	0.03%	91.05%	LOCNUM=000 CITY-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2105	4	0.03%	91.08%	LOCNUM=000 STATE-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2109	16	0.12%	91.20%	LOCNUM=000 ZIP CODE=EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2110	4	0.03%	91.23%	LOCNUM=000 ZIP CODE-EU REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION AT THIS LOCATION
2115	18	0.14%	91.37%	FBCON-TELNO MUST BE MINIMUM OF 10 NUMERICS
2120	201	1.52%	92.89%	EATN, EAN, ATN OR AN ARE PROHIBITED ON THIS REQTYP/ACT CODE
2130	2	0.02%	92.90%	LOCNUM=000 TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION
2185	1	0.01%	92.91%	EAN MUST BE 10 NUMERICS OR 13 ALPHANUMERICS
2200	7	0.05%	92.96%	EATN MUST BE 10 NUMERICS
2280	5	0.04%	93.00%	LOCNUM= DISCNBR= DNUM REQUIRED WHEN DISC NBR IS POPULATED
2285	5	0.04%	93.04%	LOCNUM= DNUM MUST BE 5 NUMERIC
2295	5	0.04%	93.08%	DNUM MUST BE GREATER THAN PREVIOUS DNUM
2350	25	0.19%	93.27%	ERL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
2355	2	0.02%	93.28%	ERL PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
3010	2	0.02%	93.30%	REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
3035	42	0.32%	93.61%	REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
3040	3	0.02%	93.64%	REFNUM=0002-TELNO= OTN PROHIBITED WHEN LNA = A, D, W, Y, L, P9
3045	12	0.09%	93.73%	REFNUM=0001 ECCKT MUST BE CLT, CLF OR CLS FORMAT
3047	28	0.21%	93.94%	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3050	8	0.06%	94.00%	LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
3085	1	0.01%	94.01%	REFNUM=0001-TELNO= TC OPT VALID ENTRIES ARE:00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
3090	1	0.01%	94.01%	REFNUM=0001-TELNO= TC OPT PROHIBITED ON THIS ACT TYPE AND REQTYP
3110	1	0.01%	94.02%	LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
3115	10	0.08%	94.10%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTYP/ACT/LNA COMBINATION
3120	2	0.02%	94.11%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS REQUIRED WITH REQTYP/ACT/LNA COMBINATION
	36	0.27%	94.38%	LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
	2	0.02%	94.40%	REFNUM=0001-TELNO= TC PER-CC/TC PER-DATE MUST BE CURRENT OR FUTURE DATE
	46	0.35%	94.75%	REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED
	5	0.04%	94.78%	LOCNUM=000 LNUM=00001 TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R
	62	0.47%	95.25%	LOCNUM=000 LNUM=00001 TELNO= FA VALID ENTRY MUST BE N, C OR D
	11	0.08%	95.33%	REFNUM=0001-TELNO=TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYPE
3170	25	0.19%	95.52%	REFNUM=0001-TELNO= CFA INVALID FORMAT
3200	1	0.01%	95.53%	LOCNUM=000 LNUM=00001 TELNO= FEATURE PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3205	7	0.05%	95.58%	LOCNUM=000 LNUM=00001 TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
3245	1	0.01%	95.59%	LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN JR IS Y
3380	1	0.01%	95.60%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
3385	1	0.01%	95.61%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE D, G, N, P, V, W OR X IF ACT IS V, P OR Q
3390	1	0.01%	95.61%	LOCNUM=000 LNUM=00002 TELNO= LNA REQUIRED WHEN ACT TYP IS N, C, T, R, V, S, P OR Q
3395	1	0.01%	95.62%	LOCNUM=000 LNUM=00001 TELNO= ASSOCIATED DATA PROHIBITED ON ACT TYPE B, L, W OR Y
3410	2	0.02%	95.64%	LNUM=00001 TELNO= LNA MUST BE X OR G IF OTN IS POPULATED
3415	1	0.01%	95.64%	LOCNUM=000 LNUM=00002 TELNO= LNA MUST BE N, C, D, R, X, V, G, W, P, L OR B
3420	2	0.02%	95.66%	LOCNUM=000 LNUM=1 TELNO= LNA MUST BE N, C, D, P, OR X IF ACT IS C
3422	2	0.02%	95.67%	LNUM=00001 LNA MUST BE N OR D IF REQTYP IS A DIGITAL, DATA DESIGNED (DS1)
3427	1	0.01%	95.68%	LNUM=00001 TELNO= LNA OF G PROHIBITED ON REQTYP/ACT TYP COMBINATION
3430	3	0.02%	95.70%	FOR REQTYP E,F OR M, IF ACT IS P, Q OR V AT LEAST ONE LNA MUST BE G, P, V, W OR X
3445	3	0.02%	95.73%	LOCNUM=000 LNUM=00001 TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS
3460	20	0.15%	95.88%	LOCNUM=000 LNUM= TELNO= LNUM REQUIRED WITH THIS REQTYP/LNA TYPE COMBINATION (STOP EDIT)
3470	7	0.05%	95.93%	LOCNUM=000 LNUM=00001 TELNO=LNUM MUST BE UNIQUE WITHIN EACH LOCNUM EXCEPT FOR REQTYP E-IS
3485	2	0.02%	95.95%	LOCNUM=001 LNUM=00001 LOCNUM DOES NOT MATCH AN END USER LOCNUM FOR THIS LSR
3545	1	0.01%	95.95%	LNUM=00001 TELNO= OTN REQUIRED WITH THIS REQTYP/LNA COMBINATION
3705	21	0.16%	96.11%	LNUM=00001 TNS MUST BE A MINIMUM OF 10 OR A MAXIMUM OF 15 ALPHANUMBERIC INCLUDING HYPHEN
3725	1	0.01%	96.12%	LOCNUM=000 LNUM=00005 TELNO= FPI MUST BE VALID VALUE FOR REQTYP AND ACTIVITY
3730	1	0.01%	96.13%	LNUM=00004 TELNO= FPI INVALID ON REQTYP/LNA COMBINATION

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
3735	3	0.02%	96.15%	LNUM=00001 TELNO= PIC REQUIRED ON LNA G, N, P OR V
3745	3	0.02%	96.17%	LNUM=00001 TELNO= PIC VALID ENTRIES ARE NONE, UNDC OR A VALID PIC CODE WHEN LNA IS G, N OR
3750	1	0.01%	96.18%	LNUM=00001 TELNO= PIC INVALID ON REQTYP/LNA COMBINATION
3755	3	0.02%	96.20%	LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
3765	3	0.02%	96.22%	LNUM=00001 TELNO= LPIC VALID ENTRIES ARE NONE, UNDC OR A VALID LPIC CODE WHEN LNA IS G, N
3770	1	0.01%	96.23%	LNUM=00001 TELNO= LPIC INVALID ON REQTYP/LNA COMBINATION
3785	1	0.01%	96.24%	LNUM=00002 TELNO= PTKCON MUST BE T, I OR O
3790	5	0.04%	96.28%	LNUM=00001 - TELNO= PTKCON REQUIRED WHEN THE LNA IS G, N OR V
4000	5	0.04%	96.32%	DL DATA ELEMENTS REQUIRED
4010	2	0.02%	96.33%	REFNUM=0001-TELNO= LIST REQUIRED WITH THIS REQTYPE AND ACTIVITY TYPE
4015	3	0.02%	96.35%	REFNUM=0001-TELNO= LIST MUST BE VALID ENTRY
4020	1	0.01%	96.36%	DLNUM=0001 LTN= DLNUM MUST BE UNIQUE
4022	1	0.01%	96.37%	DLNUM=001 LTN=DLNUM MUST BE 4 NUMERICS
4028	1	0.01%	96.38%	REFNUM=0001-TELNO= COMMA OR SEMICOLON REQUIRED FOR RESIDENCE LISTING
4030	4	0.03%	96.41%	DLNUM=0001 LTN= LACT REQUIRED
4035	1	0.01%	96.41%	DLNUM=0001 LTN=ALI CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML
4040	4	0.03%	96.44%	REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTYP AND ACTIVITY TYPE
4045	56	0.42%	96.87%	REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS RECTYP AND ACTIVITY TYPE
4052	1	0.01%	96.87%	YPH ENTRY MUST BE 999001 WHEN LISTING TYPE IS NL OR NP
4055	66	0.50%	97.37%	YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4061	1	0.01%	97.38%	DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTYP J, RTY OF LML, AND LACT OF N
4065	49	0.37%	97.75%	DLNUM=&DLNM LTN=&LTN ASSOCIATED LACT COMBINATION I AND O IS MISSING
4075	1	0.01%	97.76%	MAIN LISTING REQUIRED
4090	19	0.14%	97.90%	DLNUM=0001 LTN= VALID LTY REQUIRED
4110	6	0.05%	97.95%	DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
4120	18	0.14%	98.08%	DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
4160	13	0.10%	98.18%	DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
4180	13	0.10%	98.28%	DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
4185	1	0.01%	98.29%	DLNUM=0002 LTN= DOI DATA INVALID WITH LTY 3
4205	5	0.04%	98.32%	DLNUM=0001 LTN REQUIRED
4280	1	0.01%	98.33%	DLNUM=0001 LTN= TITLE1 DATA INVALID
4310	2	0.02%	98.35%	DLNUM=0001 LTN= LANO PROHIBITED WITHOUT LASN

AGGREGATE ORDER TYPES

ERROR DETAILS (Fatal Errors)

Error Type (by error code)	Count	%	Σ %	Error Description
4385	5	0.04%	98.38%	DLNUM=0001 LTN= INVALID LAST ENTRY
4475	1	0.01%	98.39%	DLNUM=0002 LTN= INVALID YPH ENTRY
4478	8	0.06%	98.45%	DLNUM=0001 LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3
4485	7	0.05%	98.51%	DLNUM=0001 LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM
4505	4	0.03%	98.54%	DLNUM=0001 LTN= SIC REQUIRED WHEN ACT IS N, V, OR P
4600	16	0.12%	98.66%	DLNUM=0001 LTN= AMPERSAND REQUIRED WITH DLNM
4685	2	0.02%	98.67%	DLNUM=0002 LVL ENTRIES MUST BE SEQUENTIAL AND THE THE SAME LVL VALUE CANNOT APPEAR MORE THAN TWICE
5000	18	0.14%	98.81%	HUNTING PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
5005	27	0.20%	99.01%	LOCNUM=000 THE FOLLOWING FIELDS ARE REQUIRED; HNUM, HA, AND HID
5015	27	0.20%	99.21%	HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
5025	1	0.01%	99.22%	LOCNUM=000 HNUM= HA=G HA MUST BE N, E, C, OR D
5035	1	0.01%	99.23%	REFNUM=0001-TELNO= TER MUST BE 4 NUMERICS
5050	7	0.05%	99.28%	LOCNUM=001 DOES NOT MATCH AN END USER LOCNUM ON THIS LSR
5060	9	0.07%	99.35%	LOCNUM=000 HNUM=00001 HNUM MUST BE UNIQUE WITHIN EACH LOCNUM
5070	6	0.05%	99.40%	LOCNUM=000 HNUM=00001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
5095	3	0.02%	99.42%	LOCNUM=000 HNUM=00001 TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T
5110	4	0.03%	99.45%	LOCNUM=001 HNUM=00001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
5115	1	0.01%	99.46%	LOCNUM=000 HNUM=00001 HLA=E HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N
5125	8	0.06%	99.52%	LOCNUM=000 HNUM=00001 HTSEQ=0003 SAME HTSEQ NOT ALLOWED FOR MORE THAN ONE HT WHEN HLA IS N OR E
5135	7	0.05%	99.57%	LOCNUM=000 HNUM=00001 HTSEQ=0005 SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E
5175	1	0.01%	99.58%	HNUM=00001 HT=T0001--T0002 HT MUST BE 10 NUMERICS OR 14 NUMERICS WITH A HYPHEN IF HNTYP 1-4
6010	1	0.01%	99.58%	REFNUM=0001 -ECCKT REQUIRED WHEN ACT FIELD IS C, D, M, T OR R ON REQTYP'S A OR B
6045	10	0.08%	99.66%	INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)
6050	6	0.05%	99.71%	REQTYP/LOOP TYPE COMBINATION INVALID
7000	5	0.04%	99.74%	EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V
7080	2	0.02%	99.76%	EATN AND AN ARE REQUIRED FOR REQTYP
8025	14	0.11%	99.86%	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO PRIMARY IS REQUIRED WHEN DNUM TC OPT IS TC OR ST
8140	2	0.02%	99.88%	LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTYP E, F OR M FOR LNA C, G, N OR V
8165	1	0.01%	99.89%	LNUM=00001 TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST
8180	12	0.09%	99.98%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
8215	1	0.01%	99.98%	LNUM=00001 TC PER DATE INVALID. IT MUST BE LATER THAN THE LSR RECEIPT DATE

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
8255	2	0.02%	100.00%	INVALID ACTIVITY TYPE
	13245	100.00%		

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	)RDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	)RDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	)RDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	)RDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	)RDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	)RDER ERR: TN SAE 038 LINE TN OR TLI IS REQUIRED FOR INWARD CATEGORY D USOCS!
8825	)RDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	)RDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	)RDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	)RDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	)RDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	)RDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	)RDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 1FR /TN
8825	)RDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	)RDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	)RDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	)RDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	)RDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	)RDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	)RDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /TN
8825	)RDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	)RDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	)RDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	)RDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	)RDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	)RDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	)RDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQUI
8825	)RDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN
8825	)RDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /
8825	)RDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	)RDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	)RDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: FORMAT 374 LINE EUCLC: 0001 RELAY: 0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

AGGREGATE ORDER TYPES

ERROR DETAILS - 1000

Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOSL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKDT0 CPX 06-08-00..
1000	ACCOUNT , SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL
1000	CORRECT SYSTEM ERROS
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#,

AGGREGATE ORDER TYPES

ERROR DETAILS - 1000

Error Type (by error code)	Error Description
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR
1000	CORRECT SVC ORDER BY REMOVING OCOSL & UEAMC-WHCH SHOULD NOT BE ON LY-- RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORD CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF, ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSL AND DFDT
1000	CORRECT ON ODR NUMBER
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSL (NOT VALID ON LY--ORDER)

		ACHIEVED FLOW-THROUGH %	ADJUSTED FLOW-THROUGH %
CLEC AGGREGATE			
REGION ALL SERVICES		54.30%	91.83%

AGGREGATE ORDER TYPES															
Company Info					LSR PROCESSING							FLOWTHROUGH		
		Mechanized Interface Used			Manual	Rejects	Validated	Errors							
Name	RESH / OCN	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Achieved Flowthrough	Base Calculation	CLEC Error Excluded Calculation
#1		322	0	322	167	11	144	83	65	18	61	20.82%	42.36%	48.41%
#2		621	0	621	274	57	290	55	31	24	235	43.52%	81.03%	88.35%
#3		0	31	31	17	3	11	10	1	9	1	5.26%	9.09%	50.00%
#4		4	0	4	1	0	3	0	0	0	3	75.00%	100.00%	100.00%
#5		1	0	1	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#6		0	1588	1588	633	124	831	302	149	153	529	40.35%	63.66%	78.02%
#7		677	0	677	548	55	74	32	20	12	42	6.89%	56.76%	67.74%
#8		0	41	41	22	5	14	8	4	4	6	18.75%	42.86%	60.00%
#9		0	1496	1496	1418	78	0	0	0	0	0	0.00%	0.00%	0.00%
#10		174	0	174	97	7	70	28	16	12	42	27.10%	60.00%	72.41%
#11		9	0	9	3	2	4	3	2	1	1	16.67%	25.00%	33.33%
#12		0	85	85	27	8	50	11	9	2	39	52.00%	78.00%	81.25%
#13		2046	0	2046	735	156	1155	241	129	112	914	51.41%	79.13%	87.63%
#14		0	217	217	112	23	82	17	11	6	65	34.57%	79.27%	85.53%
#15		2746	0	2746	308	29	2409	103	44	59	2306	86.76%	95.72%	98.13%
#16		94	0	94	68	4	22	7	0	7	15	18.07%	68.18%	100.00%
#17		0	2	2	0	2	0	0	0	0	0	0.00%	0.00%	0.00%
#18		152	0	152	145	0	7	5	0	5	2	1.36%	28.57%	100.00%
#19		4239	0	4239	519	83	3637	230	66	164	3407	85.35%	93.68%	98.10%
#20		0	83	83	40	5	38	13	3	10	25	36.76%	65.79%	89.29%
#21		7	0	7	3	0	4	4	3	1	0	0.00%	0.00%	0.00%
#22		1013	0	1013	636	45	332	116	41	75	216	24.19%	65.06%	84.05%
#23		0	18	18	7	0	11	8	6	2	3	18.75%	27.27%	33.33%
#24		362	0	362	150	17	195	83	64	19	112	34.36%	57.44%	63.64%
#25		13	0	13	1	2	10	0	0	0	10	90.91%	100.00%	100.00%
#26		370	0	370	189	9	172	76	59	17	96	27.91%	55.81%	61.94%

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#1		7
#2		2
#3		30
#4		2
#5		206
#6		0
#7		36
#8		259
#9		21
#10		14
#11		2
#12		45
#13		86
#14		16
#15		65
#16		17
#17		15
#18		368
#19		13
#20		106
#21		66
#22		3
#23		19
#24		13
#25		139
#26		15
Total		1565

		PERCENT ACHIEVED FLOW-THROUGH	PERCENT FLOW THROUGH
[illegible] AGGREGATE			
REGION ALL SERVICES		69.28%	77.39%
		FLOW-THROUGH %	
BST AGGREGATE			
REGION			
- RETAIL RESIDENCE		93.90%	
- RETAIL BUSINESS*		TBD	

***NOTE: BellSouth is reinstituting the reporting of business retail flow through as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flow through for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually. BellSouth has initiated the development of an accurate report and will reflect this measure as soon as its development is complete**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		4	0	0	4	1	2	0	1	0	0	0	1	50.00%	100 00%	100 00%
#2		435	0	0	435	6	30	2	397	77	66	11	320	81 63%	80.60%	82 90%
#3		108	0	0	108	5	10	0	93	2	2	0	91	92 86%	97.85%	97 85%
#4		17	0	0	17	3	2	0	12	1	1	0	11	73 33%	91 67%	91 67%
#5		1680	0	0	1680	154	61	2	1463	57	42	15	1406	87.77%	96 10%	97 10%
#6		0	0	16	16	4	0	0	12	6	3	3	6	46.15%	50.00%	66 67%
#7		0	0	732	732	94	81	6	551	201	176	25	350	56.45%	63.52%	66 54%
#8		0	0	84	84	4	5	2	73	27	19	8	46	66.67%	63.01%	70 77%
#9		0	0	358	358	61	43	6	248	142	89	53	106	41 41%	42 74%	54 36%
#10		0	0	301	301	55	23	2	221	81	70	11	140	52.83%	63.35%	66 67%
#11		0	0	253	253	27	42	2	182	88	67	21	94	50 00%	51 65%	58 39%
#12		6	0	0	6	0	1	0	5	0	0	0	5	100.00%	100 00%	100 00%
#13		467	0	0	467	43	28	7	389	60	45	15	329	78.90%	84 58%	87 97%
#14		125	0	0	125	10	9	3	103	15	14	1	88	78 57%	85 44%	86 27%
#15		182	0	0	182	31	9	3	139	30	24	6	109	66.46%	78 42%	81 95%
#16		811	0	0	811	102	86	15	608	116	77	39	492	73 32%	80 92%	86 47%
#17		307	0	0	307	51	71	13	172	58	50	8	114	53.02%	66.28%	69 51%
#18		47	0	0	47	13	4	0	30	6	5	1	24	57.14%	80.00%	82 76%
#19		47	0	0	47	1	6	0	40	13	12	1	27	67.50%	67.50%	69 23%
#20		180	0	0	180	21	8	4	147	98	84	14	49	31 82%	33 33%	36 84%
#21		17	0	0	17	0	3	2	12	7	6	1	5	45 45%	41.67%	45 45%
#22		0	0	3	3	0	0	1	2	2	1	1	0	0.00%	0.00%	0 00%
#23		32	0	0	32	7	8	0	17	7	3	4	10	50.00%	58 82%	76 92%
#24		43	0	0	43	2	10	0	31	15	7	8	16	64.00%	51 61%	69 57%
#25		10	0	0	10	0	0	3	7	3	2	1	4	66 67%	57 14%	66 67%
#26		25	0	0	25	0	1	1	23	7	5	2	16	76 19%	69 57%	76 19%
#27		32	0	0	32	0	0	11	21	19	14	5	2	12 50%	9 52%	12 50%
#28		127	0	0	127	2	15	8	102	76	24	52	26	50 00%	25 49%	52 00%
#29		73	0	0	73	3	6	1	63	15	13	2	48	75 00%	76 19%	78.69%
#30		18	0	0	18	0	6	0	12	5	5	0	7	58 33%	58 33%	58 33%
#31		147	0	0	147	42	12	5	88	33	28	5	55	44 00%	62 50%	66 27%
#32		11	0	0	11	1	0	0	10	4	4	0	6	54 55%	60 00%	60 00%
#33		634	0	0	634	61	51	28	494	161	143	18	333	62 01%	67 41%	69 96%
#34		56	0	0	56	4	2	0	50	18	13	5	32	65 31%	64 00%	71 11%
#35		15	0	0	15	4	6	0	5	0	0	0	5	55 56%	100 00%	100 00%
#36		149	0	0	149	11	47	1	90	26	19	7	64	68 09%	71 11%	77 11%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#37		4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100 00%	100 00%
#38		22	0	0	22	7	2	0	13	10	7	3	3	17 65%	23 08%	30 00%
#39		8	0	0	8	0	4	0	4	4	4	0	0	0 00%	0 00%	0 00%
#40		0	228	0	228	99	48	2	79	22	17	5	57	32 95%	72.15%	77 03%
#41		55	0	0	55	5	2	0	48	30	25	5	18	37.50%	37.50%	41 86%
#42		117	0	0	117	29	3	0	85	11	9	2	74	66 07%	87.06%	89 16%
#43		625	0	0	625	60	32	0	533	10	10	0	523	88 20%	98.12%	98 12%
#44		0	17	0	17	4	1	0	12	4	3	1	8	53 33%	66 67%	72.73%
#45		0	43	0	43	19	7	0	17	6	3	3	11	33.33%	64.71%	78 57%
#46		0	4	0	4	0	1	0	3	0	0	0	3	100 00%	100 00%	100.00%
#47		0	20	0	20	8	0	5	7	6	6	0	1	6.67%	14 29%	14 29%
#48		0	203	0	203	155	13	2	33	9	6	3	24	12 97%	72.73%	80 00%
#49		0	146	0	146	81	14	3	48	17	12	5	31	25 00%	64.58%	72 09%
#50		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100.00%	100 00%
#51		51	0	0	51	3	25	1	22	10	9	1	12	50.00%	54 55%	57 14%
#52		393	0	0	393	28	22	0	343	16	10	6	327	89 59%	95.34%	97 03%
#53		693	0	0	693	24	15	3	651	64	63	1	587	87 09%	90.17%	90 31%
#54		410	0	0	410	36	13	4	357	71	68	3	286	73 33%	80 11%	80 79%
#55		387	0	0	387	12	16	2	357	146	143	3	211	57.65%	59 10%	59 60%
#56		188	0	0	188	4	13	1	170	33	27	6	137	81 55%	80 59%	83 54%
#57		117	0	0	117	24	8	1	84	10	6	4	74	71 15%	88 10%	92 50%
#58		2103	0	0	2103	187	85	9	1822	176	133	43	1646	83 72%	90.34%	92.52%
#59		0	0	608	608	7	63	0	538	17	12	5	521	96 48%	96 84%	97 75%
#60		459	0	0	459	101	55	4	299	48	32	16	251	65 36%	83.95%	88 69%
#61		0	55	0	55	2	4	0	49	5	4	1	44	88.00%	89.80%	91 67%
#62		169	0	0	169	1	2	0	166	102	100	2	64	38.79%	38 55%	39 02%
#63		178	0	0	178	11	15	0	152	10	9	1	142	87 65%	93 42%	94 04%
#64		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0.00%	0 00%
#65		1602	0	0	1602	59	134	1	1408	89	79	10	1319	90 53%	93.68%	94 35%
#66		236	0	0	236	38	17	10	171	48	44	4	123	60 00%	71 93%	73 65%
#67		169	0	0	169	12	12	1	144	22	17	5	122	80.79%	84.72%	87 77%
#68		0	1	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#69		56	0	0	56	4	5	4	43	6	5	1	37	80 43%	86 05%	88 10%
#70		2204	0	0	2204	498	208	32	1466	513	428	85	953	50 72%	65.01%	69.01%
#71		7	0	0	7	0	2	0	5	0	0	0	5	100 00%	100 00%	100 00%
#72		10	0	0	10	1	1	0	8	0	0	0	8	88 89%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flo Through
#73		983	0	0	983	117	70	5	791	103	97	6	688	76.27%	86.98%	87 64%
#74		0	0	2	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#75		0	0	1168	1168	170	178	2	818	369	306	63	449	48 54%	54 89%	59 47%
#76		0	0	826	826	97	104	6	619	239	201	38	380	56.05%	61 39%	65 40%
#77		0	0	8	8	0	1	0	7	4	0	4	3	100 00%	42 86%	100 00%
#78		0	0	1432	1432	237	225	11	959	350	276	74	609	54 28%	63.50%	68 81%
#79		0	0	861	861	115	177	17	552	248	200	48	304	49 11%	55 07%	60 32%
#80		0	0	689	689	102	90	13	484	230	176	54	254	47 74%	52.48%	59 07%
#81		0	0	2	2	0	0	0	2	1	0	1	1	100.00%	50 00%	100 00%
#82		151	0	0	151	32	42	1	76	18	6	12	58	60.42%	76 32%	90 63%
#83		14	0	0	14	0	1	0	13	1	1	0	12	92.31%	92.31%	92 31%
#84		34	0	0	34	8	1	0	25	6	6	0	19	57.58%	76 00%	76 00%
#85		15	0	0	15	0	1	0	14	9	9	0	5	35 71%	35.71%	35 71%
#86		20	0	0	20	0	5	0	15	1	1	0	14	93 33%	93 33%	93 33%
#87		5	0	0	5	0	2	0	3	1	1	0	2	66 67%	66.67%	66 67%
#88		3	0	0	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
#89		4	0	0	4	0	0	0	4	1	1	0	3	75 00%	75 00%	75 00%
#90		236	0	0	236	4	6	0	226	25	19	6	201	89 73%	88 94%	91 36%
#91		29424	0	0	29424	3204	2320	91	23809	4437	4173	264	19372	72 42%	81 36%	82 28%
#92		17	0	0	17	4	1	1	11	6	5	1	5	35 71%	45 45%	50 00%
#93		117	0	0	117	5	18	0	94	10	9	1	84	85 71%	89 36%	90 32%
#94		0	537	0	537	294	120	12	111	56	36	20	55	14 29%	49 55%	60 44%
#95		0	150	0	150	68	21	1	60	11	7	4	49	39 52%	81 67%	87 50%
#96		2822	0	0	2822	1873	71	14	864	215	196	19	649	23 88%	75 12%	76 80%
#97		1226	0	0	1226	360	88	19	759	389	334	55	370	34 77%	48 75%	52 56%
#98		67	0	0	67	6	4	0	57	13	12	1	44	70 97%	77 19%	78 57%
#99		110	0	0	110	5	4	0	101	5	5	0	96	90 57%	95 05%	95 05%
#100		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#101		9	0	0	9	0	1	1	7	4	3	1	3	50.00%	42 86%	50.00%
#102		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#103		3386	0	0	3386	396	188	19	2783	650	578	72	2133	68 65%	76 64%	78 68%
#104		725	0	0	725	63	47	3	612	52	47	5	560	83 58%	91 50%	92 26%
#105		7	0	0	7	0	2	0	5	5	0	5	0	0 00%	0 00%	0 00%
#106		0	47	0	47	2	16	1	28	10	5	5	1(	72 00%	64 29%	78 26%
#107		0	0	746	746	77	53	8	608	116	71	45	492	76 88%	80 92%	87 39%
#108		0	0	2347	2347	280	173	49	1845	420	324	96	1425	70 23%	77.24%	81 48%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#109		6529	0	0	6529	259	186	17	6067	805	766	39	5262	83.70%	86.73%	87.29%
#110		14509	0	0	14509	320	1453	13	12723	2594	2549	45	10129	77.93%	79.61%	79.89%
#111		6	0	0	6	1	0	0	5	1	1	0	4	66.67%	80.00%	80.00%
#112		7609	0	0	7609	805	1558	1	5245	170	100	70	5075	84.87%	96.76%	98.07%
#113		1114	0	0	1114	95	48	1	970	48	32	16	922	87.89%	95.05%	96.65%
#114		0	6018	0	6018	268	1474	3	4273	1099	938	161	3174	72.47%	74.28%	77.19%
#115		0	8780	0	8780	358	2098	4	6320	1834	1567	267	4486	69.97%	70.98%	74.11%
#116		195	0	0	195	14	14	0	167	20	19	1	147	81.67%	88.02%	88.55%
#117		322	0	0	322	16	17	3	286	87	83	4	199	66.78%	69.58%	70.57%
#118		109	0	0	109	24	7	4	74	23	15	8	51	56.67%	68.92%	77.27%
#119		17	0	0	17	4	5	0	8	0	0	0	8	66.67%	100.00%	100.00%
#120		525	0	0	525	68	46	4	407	101	82	19	306	67.11%	75.18%	78.87%
#121		74	0	0	74	4	10	3	57	16	14	2	41	69.49%	71.93%	74.55%
#122		3	0	0	3	0	0	1	2	1	1	0	1	50.00%	50.00%	50.00%
#123		464	0	0	464	50	52	1	361	49	42	7	312	77.23%	86.43%	88.14%
#124		74	0	0	74	6	8	0	60	2	2	0	58	87.88%	96.67%	96.67%
#125		0	0	414	414	17	33	0	364	10	10	0	354	92.91%	97.25%	97.25%
#126		29	0	0	29	0	3	3	23	1	0	1	22	100.00%	95.65%	100.00%
#127		0	0	100	100	28	3	0	69	15	12	3	54	57.45%	78.26%	81.82%
#128		8	0	0	8	0	1	3	4	3	3	0	1	25.00%	25.00%	25.00%
#129		16	0	0	16	0	0	0	16	6	6	0	10	62.50%	62.50%	62.50%
#130		22	0	0	22	5	2	0	15	0	0	0	15	75.00%	100.00%	100.00%
#131		50	0	0	50	5	8	2	35	10	7	3	25	67.57%	71.43%	78.13%
#132		0	0	51	51	19	9	0	23	5	4	1	18	43.90%	78.26%	81.82%
#133		0	0	73	73	19	7	0	47	25	20	5	22	36.07%	46.81%	52.38%
#134		116	0	0	116	12	14	1	89	13	8	5	76	79.17%	85.39%	90.48%
#135		59	0	0	59	21	6	1	31	13	13	0	18	34.62%	58.06%	58.06%
#136		61	0	0	61	4	2	0	55	6	5	1	49	84.48%	89.09%	90.74%
#137		153	0	0	153	24	19	3	107	51	34	17	56	49.12%	52.34%	62.22%
#138		83	0	0	83	1	3	7	72	61	33	28	11	24.44%	15.28%	25.00%
#139		51	0	0	51	3	10	2	36	6	4	2	30	81.08%	83.33%	88.24%
#140		270	0	0	270	24	33	2	211	27	22	5	184	80.00%	87.20%	89.32%
#141		1805	0	0	1805	185	225	1	1394	201	144	57	1193	78.38%	85.58%	89.23%
#142		0	2336	0	2336	959	255	15	1107	350	223	127	757	39.04%	68.38%	77.24%
#143		226	0	0	226	60	25	4	137	41	35	6	96	50.26%	70.07%	73.28%
#144		377	0	0	377	42	41	1	293	16	7	9	277	84.97%	94.54%	97.54%

AGGREGATE ORDER TYPES																
company Info						LSR PROCESSING										FLOWTHROUGH
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Mutual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Baw Calculation	Percent Flow Through
#145	481	0	0		481	40	32	1	408	37	36	1	371	83.00%	90.93%	9115%
#146	22	0	0		22	2	1	0	19	5	4	1	14	70 00%	73.66%	77 78%
#147	a	0		0	8	1	1	0	6	0	0	0	6	8571%	10000%	10000%
#148		512	0	0	512	49	30	12	421	61	55	6	360	7759%	85 51%	86.75%
#149	1415	0	0		1415	111	61	3	1240	140	121	19	1100	82.58%	88 71%	90 09%
#150	2	0	0		2	0	1	0	1	0	0	0	1	100 00%	loo 00%	10000%
#152	0	69060		6906		158	498	5	6245	648	520	128	5597	89.20%	89 62%	91 50%
#151	41	0	0		41	2	3	0	36	3	3	0	27	74 05%	75 00%	7500%
#153	3859	0	0		3859	313	206	18	3322	706	674	32	2616	7261%	78.75%	7951%
#154	0	67	0		67	36	24	3	4	2	1	1	2	5.13%	50 00%	6667%
#155	1	0	0		1	0	0	0	1	0	0	0	1	10000%	loo.0o%	100 00%
#156	21	0	0		21	6	1	0	14	3	3	0	11	55.00%	7857%	7857%
w157	8	0	0		8	3	1	0	4	0	0	0	4	57 14%	100.00%	100 00%
#158	3	0	0		3	1	0	0	2	0	0	0	2	66.67%	100 00%	100 00%
#159	1	0	0		1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#160	2	0	0		2	0	2	0	0	0	0	0	0	0.00%	0 00%	0 00%
Y161	85	0	0		85	21	8	1	55	20	17	3	35	4795%	6364%	6731%
#162	334	0	0		334	31	9	2	292	12	7	5	280	88 05%	9589%	9756%
#163	1382	0	0		1382	156	104	2	1120	51	41	10	1069	0444%	95 45%	96 31%
#164	112	0	0		112	30	13	0	69	14	13	1	55	56.12%	7971%	80 88%
#165	128	0	0		128	40	25	2	61	27	16	11	34	37 78%	5574%	68 00%
#166	162	0	0		162	24	16	1	121	39	36	3	82	57 75%	6777%	6949%
#167	14	0	0		14	0	1	0	13	0	0	0	13	100.00%	100.00%	100 00%
#168	28	0	0		28	0	0	0	28	12	11	1	16	59 26%	57.14%	59 26%
#169	9	0	0		9	3	1	0	5	0	0	0	5	62 50%	100 00%	100 00%
#170	7	0	0		7	0	2	1	4	1	0	1	3	100 00%	75 00%	100 00%
Y171	197	0	0		197	18	9	0	170	20	15	5	150	81 97%	88 24%	90 91%
#172		1693	0	0	1693	120	61	1	1491	68	48	20	1423	89 44%	95 44%	96 74%
#173	28	0	0		28	6	5	1	16	2	2	0	14	63.64%	87.50%	87 50%
#174	737	0	0		737	76	16	5	640	83	82	1	557	77 90%	87 03%	87 17%
#175	635	0	0		635	54	109	2	470	32	19	13	438	85 71%	93 19%	95 84%
#176		1686	0	0	1686	164	128	2	1392	87	68	19	1305	84 91%	93 75%	95 05%
#177		339	0	0	339	12	24	1	302	48	47	1	254	81 15%	84 11%	84 39%
#178		502	0	0	502	47	58	4	393	23	20	3	370	84 67%	94 15%	94 87%
1179		0	4021	0	4021	141	958	1	2921	662	559	103	2259	7634%	7734%	80 16%
#180		113	0	0	113	6	16	1	90	28	27	1	62	6526%	68 89%	69 66%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base - Calculation	Percent Flow Through
#181		77	0	0	77	5	4	0	68	6	5	1	62	86 11%	91 18%	92 54%
#182		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#183		26	0	0	26	1	2	0	23	5	5	0	18	75.00%	78 26%	78.26%
#184		1642	0	0	1642	102	89	3	1448	90	76	14	1358	88 41%	93 78%	94 70%
#185		0	0	836	836	5	38	0	793	72	71	1	721	90 46%	90 92%	91 04%
#186		47	0	0	47	1	2	1	43	11	9	2	32	76.19%	74.42%	78 05%
#187		995	0	0	995	60	32	6	897	72	69	3	825	86.48%	91 97%	92 28%
#188		0	0	905	905	113	6	89	697	433	365	68	264	35 58%	37 88%	41 97%
#189		74	0	0	74	10	20	1	43	4	3	1	39	75 00%	90.70%	92 86%
#190		480	0	0	480	50	35	3	392	70	59	11	322	74 71%	82 14%	84 51%
#191		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0 00%	0 00%
#192		173	0	0	173	18	8	0	147	13	8	5	134	83.75%	91 16%	94 37%
#193		1124	0	0	1124	127	159	0	838	27	23	4	811	84 39%	96 78%	97 24%
#194		3543	0	0	3543	428	267	35	2813	179	117	62	2634	82 86%	93 64%	95 75%
#195		0	0	133	133	46	40	1	46	8	4	4	38	43 18%	82 61%	90 48%
#196		0	0	14	14	3	5	0	6	1	0	1	5	62 50%	83 33%	100 00%
#197		0	0	21	21	2	6	1	12	1	1	0	11	78 57%	91 67%	91 67%
#198		0	0	17	17	3	1	1	12	7	2	5	5	50 00%	41 67%	71 43%
#199		0	0	17	17	4	4	0	9	5	3	2	4	36 36%	44.44%	57 14%
#200		0	0	26	26	12	0	0	14	4	3	1	10	40 00%	71 43%	76 92%
#201		122	0	0	122	15	33	3	71	14	8	6	57	71 25%	80.28%	87 69%
#202		25	0	0	25	0	1	0	24	1	0	1	23	100.00%	95.83%	100 00%
#203		31	0	0	31	2	3	0	26	5	1	4	21	87 50%	80.77%	95 45%
#204		28	0	0	28	4	2	0	22	2	1	1	20	80 00%	90 91%	95 24%
#205		48	0	0	48	20	10	0	18	8	6	2	10	27 78%	55.56%	62 50%
#206		42	0	0	42	2	8	1	31	10	6	4	21	72.41%	67 74%	77.78%
#207		0	0	157	157	3	15	0	139	24	20	4	115	83.33%	82.73%	85 19%
#208		8	0	0	8	0	0	0	8	2	2	0	6	75.00%	75 00%	75 00%
#209		854	0	0	854	67	22	5	760	85	75	10	675	82 62%	88 82%	90 00%
#210		141	0	0	141	10	0	0	131	6	6	0	125	88 65%	95.42%	95 42%
#211		6	0	0	6	2	0	0	4	0	0	0	4	66 67%	100 00%	100 00%
#212		6	0	0	6	0	0	0	6	1	1	0	5	83 33%	83 33%	83 33%
#213		0	0	1636	1636	28	166	0	1442	73	58	15	1369	94 09%	94 94%	95 94%
#214		165	0	0	165	10	12	3	140	10	5	5	130	89.66%	92 86%	96 30%
#215		189	0	0	189	11	10	0	168	26	24	2	142	80 23%	84 52%	85 54%
#216		108	0	0	108	23	24	0	61	9	6	3	52	64 20%	85 25%	89 66%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#217		5305	0	0	5305	388	767	17	4133	2080	237	1843	2053	76 66%	49 67%	89 65%
#218		52	0	0	52	7	2	0	43	12	7	5	31	68.89%	72 09%	81 58%
#219		14	0	0	14	3	2	0	9	2	2	0	7	58.33%	77 78%	77 78%
#220		3005	0	0	3005	182	404	4	2415	166	144	22	2249	87.34%	93 13%	93 98%
#221		0	0	145	145	51	33	3	58	41	36	5	17	16 35%	29 31%	32 08%
#222		8185	0	0	8185	1420	540	130	6095	2049	1908	141	4046	54 87%	66 38%	67.95%
#223		4	0	0	4	2	0	0	2	0	0	0	2	50.00%	100 00%	100 00%
#224		10	0	0	10	2	3	1	4	1	0	1	3	60 00%	75.00%	100 00%
#225		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0.00%	0 00%
#226		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#227		0	0	4213	4213	75	88	21	4029	672	625	47	3357	82 75%	83.32%	84 30%
#228		8867	0	0	8867	740	337	3	7787	1052	1020	32	6735	79.28%	86 49%	86 85%
#229		56	0	0	56	3	5	0	48	3	2	1	45	90 00%	93 75%	95 74%
#230		68	0	0	68	16	7	0	45	11	7	4	34	59 65%	75 56%	82 93%
#231		312	0	0	312	10	49	2	251	22	19	3	229	88 76%	91 24%	92 34%
#232		0	0	27	27	20	1	2	4	1	1	0	3	12.50%	75 00%	75 00%
#233		43	0	0	43	7	3	0	33	15	14	1	18	46 15%	54.55%	56 25%
#234		0	0	4	4	1	0	0	3	2	2	0	1	25 00%	33 33%	33 33%
#235		8	0	0	8	1	0	0	7	6	4	2	1	16.67%	14 29%	20.00%
#236		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#237		748	0	0	748	52	53	7	636	374	276	98	262	44.41%	41 19%	48 70%
#238		70	0	0	70	3	2	0	65	1	0	1	64	95 52%	98.46%	100 00%
#239		2	0	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#240		0	0	4	4	0	1	0	3	2	1	1	1	50 00%	33.33%	50 00%
#241		5	0	0	5	1	0	0	4	2	2	0	2	40 00%	50 00%	50 00%
#242		0	0	5	5	0	0	1	4	1	1	0	3	75 00%	75 00%	75 00%
#243		0	0	1	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#244		0	0	25	25	0	2	4	19	13	11	2	6	35 29%	31 58%	35 29%
#245		0	0	2	2	0	0	0	2	1	0	1	1	100 00%	50.00%	100 00%
#246		66	0	0	66	20	3	3	40	7	5	2	33	56 90%	82.50%	86 84%
#247		0	0	3776	3776	11	457	50	3258	1349	1087	262	1909	63 49%	58.59%	63 72%
#248		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#249		12	0	0	12	1	1	0	10	3	2	1	7	70 00%	70 00%	77 78%
#250		87	0	0	87	7	11	1	68	25	18	7	43	63 24%	63 24%	70 49%
#251		0	0	2	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#252		1873	0	0	1873	137	173	10	1553	132	85	47	1421	86 49%	91 50%	94 36%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#253		2175	0	0	2175	214	226	42	1693	338	194	144	1355	76.86%	80 04%	87 48%
#254		312	0	0	312	55	35	2	220	47	32	15	173	66 54%	78 64%	84 39%
#255		338	0	0	338	49	14	2	273	42	38	4	231	72.64%	84 62%	85 87%
#256		0	0	19	19	14	1	1	3	2	0	2	1	6 67%	33 33%	100 00%
#257		0	0	12	12	9	1	0	2	0	0	0	2	18 18%	100.00%	100 00%
#258		0	0	5	5	5	0	0	0	0	0	0	0	0.00%	0.00%	0 00%
#259		144	0	0	144	39	46	0	59	22	14	8	37	41.11%	62 71%	72 55%
#260		24	0	0	24	11	2	0	11	4	2	2	7	35 00%	63 64%	77 78%
#261		6	0	0	6	0	0	1	5	3	2	1	2	50.00%	40.00%	50 00%
#262		124	0	0	124	24	18	0	82	27	19	8	55	56 12%	67 07%	74.32%
#263		3	0	0	3	1	0	0	2	1	1	0	1	33 33%	50.00%	50 00%
#264		15	0	0	15	1	7	0	7	6	4	2	1	16.67%	14 29%	20 00%
#265		19	0	0	19	6	2	1	10	6	3	3	4	30 77%	40 00%	57 14%
#266		105	0	0	105	5	21	0	79	14	12	2	65	79.27%	82 28%	84.42%
#267		393	0	0	393	65	47	2	279	96	66	30	183	58 28%	65 59%	73 49%
#268		44	0	0	44	9	7	4	24	6	4	2	18	58 06%	75.00%	81 82%
#269		11	0	0	11	0	0	3	8	1	1	0	7	87 50%	87 50%	87 50%
#270		302	0	0	302	17	29	0	256	39	35	4	217	80 67%	84.77%	86 11%
#271		0	28842	0	28842	1043	3263	24	24512	9365	7572	1793	15147	63 74%	61 79%	66 67%
#272		20	0	0	20	2	4	1	13	11	8	3	2	16.67%	15 38%	20 00%
#273		4	0	0	4	0	0	0	4	4	2	2	0	0.00%	0.00%	0.00%
#274		0	2164	0	2164	235	136	0	1793	269	210	59	1524	77 40%	85 00%	87.89%
#275		0	9989	0	9989	381	1843	0	7765	2205	1369	836	5560	76 06%	71 60%	80.24%
#276		74	0	0	74	10	7	1	56	11	8	3	45	71 43%	80.36%	84 91%
#277		840	0	0	840	178	142	1	519	30	24	6	489	70 77%	94.22%	95 32%
#278		89	0	0	89	10	11	0	68	29	18	11	39	58 21%	57 35%	68 42%
#279		9	0	0	9	5	1	0	3	2	1	1	1	14 29%	33.33%	50 00%
#280		57	0	0	57	4	10	1	42	9	9	0	33	71.74%	78 57%	78 57%
#281		149	0	0	149	21	25	8	95	26	22	4	69	61 61%	72 63%	75 82%
#282		137	0	0	137	13	11	0	113	45	41	4	68	55 74%	60 18%	62 39%
#283		160	0	0	160	8	16	0	136	30	26	4	106	75 71%	77 94%	80 30%
#284		0	0	23	23	1	0	0	22	5	3	2	17	80 95%	77 27%	85 00%
#285		19	0	0	19	4	0	1	14	1	1	0	13	72 22%	92 86%	92 86%
#286		9	0	0	9	4	1	0	4	4	3	1	0	0 00%	0.00%	0 00%
#287		38	0	0	38	2	3	0	33	1	1	0	32	91 43%	96 97%	96 97%
#288		18	0	0	18	4	0	0	14	2	2	0	12	66 67%	85 71%	85 71%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#289		31	0	0	31	5	1	0	25	1	1	0	24	80 00%	96 00%	96 00%
#290		261	0	0	261	48	18	20	175	141	116	25	34	17 17%	19 43%	22 67%
#291		675	0	0	675	56	47	6	566	213	165	48	353	61 50%	62 37%	68 15%
#292		2184	0	0	2184	248	214	18	1704	618	476	142	1086	60.00%	63.73%	69 53%
#293		80	0	0	80	0	30	3	47	21	7	14	26	78 79%	55.32%	78 79%
#294		1029	0	0	1029	147	150	19	713	351	248	103	362	47.82%	50.77%	59 34%
#295		0	45	0	45	13	8	0	24	16	14	2	8	22 86%	33 33%	36 36%
#296		0	291	0	291	61	42	2	186	98	82	16	88	38 10%	47 31%	51 76%
#297		875	0	0	875	150	98	20	607	219	166	53	388	55 11%	63.92%	70.04%
#298		2104	0	0	2104	334	237	38	1495	653	535	118	842	49 21%	56 32%	61 15%
#299		0	1179	0	1179	138	120	38	883	514	456	58	369	38 32%	41.79%	44 73%
#300		427	0	0	427	57	48	21	301	134	94	40	167	52 52%	55 48%	63 98%
#301		626	0	0	626	85	76	21	444	199	165	34	245	49 49%	55.18%	59 76%
#302		4	0	0	4	1	1	0	2	1	1	0	1	33 33%	50.00%	50 00%
#303		319	0	0	319	32	33	8	246	121	60	61	125	57 60%	50.81%	67 57%
#304		0	0	8899	8899	42	280	14	8563	1025	984	41	7538	88 02%	88.03%	88 45%
#305		3053	0	0	3053	251	154	60	2588	604	525	79	1984	71 88%	76 66%	79.08%
#306		720	0	0	720	23	54	4	639	88	79	9	551	84.38%	86.23%	87 46%
#307		84	0	0	84	8	4	0	72	18	16	2	54	69.23%	75.00%	77 14%
#308		0	0	17	17	2	2	2	11	9	2	7	2	33 33%	18 18%	50 00%
#309		21	0	0	21	3	4	1	13	5	5	0	8	50 00%	61 54%	61 54%
#310		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#311		0	2339	0	2339	263	174	1	1901	1206	1043	163	695	34 73%	36 56%	39 99%
#312		2747	0	0	2747	203	150	26	2368	753	659	94	1615	65 20%	68.20%	71 02%
#313		952	0	0	952	91	78	2	781	80	70	10	701	81.32%	89 76%	90 92%
#314		8	0	0	8	0	0	0	8	0	0	0	8	100 00%	100 00%	100 00%
#315		16	0	0	16	2	3	0	11	0	0	0	11	84 62%	100.00%	100 00%
#316		129	0	0	129	10	8	0	111	5	4	1	106	88.33%	95.50%	96 36%
#317		83	0	0	83	10	2	2	69	22	21	1	47	60 26%	68 12%	69 12%
#318		2419	0	0	2419	261	165	12	1981	130	103	27	1851	83 57%	93 44%	94 73%
#319		407	0	0	407	24	56	5	322	72	56	16	250	75.76%	77.64%	81 70%
#320		19	0	0	19	0	2	0	17	17	9	8	0	0 00%	0 00%	0 00%
#321		372	0	0	372	10	14	1	347	17	13	4	330	93 48%	95 10%	96 21%
#322		358	0	0	358	2	42	1	313	33	30	3	280	89 74%	89 46%	90 32%
#323		272	0	0	272	41	12	0	219	13	9	4	206	80 47%	94 06%	95 81%
#324		832	0	0	832	147	80	7	598	77	60	17	521	71 57%	87 12%	89 67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#325		196	0	0	196	12	14	1	169	9	7	2	160	89.39%	94.67%	95.81%
#326		531	0	0	531	54	7	0	470	27	25	2	443	84.87%	94.26%	94.66%
#327		7	0	0	7	0	1	0	6	4	1	3	2	66.67%	33.33%	66.67%
#328		82	0	0	82	26	13	0	43	13	11	2	30	44.78%	69.77%	73.17%
#329		6	0	0	6	1	1	0	4	1	1	0	3	60.00%	75.00%	75.00%
#330		90	0	0	90	19	12	0	59	5	2	3	54	72.00%	91.53%	96.43%
#331		78	0	0	78	10	6	1	61	7	6	1	54	77.14%	88.52%	90.00%
#332		169	0	0	169	29	5	0	135	10	10	0	125	76.22%	92.59%	92.59%
#333		20	0	0	20	6	4	0	10	4	2	2	6	42.86%	60.00%	75.00%
#334		0	0	39	39	2	16	7	14	4	3	1	10	66.67%	71.43%	76.92%
#335		0	0	21	21	3	4	6	8	5	3	2	3	33.33%	37.50%	50.00%
#336		917	0	0	917	121	181	14	601	107	63	44	494	72.86%	82.20%	88.69%
#337		256	0	0	256	3	48	34	171	138	75	63	33	29.73%	19.30%	30.56%
#338		48	0	0	48	3	16	0	29	9	9	0	20	62.50%	68.97%	68.97%
#339		105	0	0	105	12	10	0	83	14	14	0	69	72.63%	83.13%	83.13%
#340		811	0	0	811	84	52	0	675	62	46	16	613	82.50%	90.81%	93.02%
#341		37	0	0	37	2	2	1	32	19	16	3	13	41.94%	40.63%	44.83%
#342		543	0	0	543	40	23	3	477	106	93	13	371	73.61%	77.78%	79.96%
#343		110	0	0	110	7	21	0	82	2	2	0	80	89.89%	97.56%	97.56%
#344		1084	0	0	1084	79	83	3	919	32	30	2	887	89.06%	96.52%	96.73%
#345		293	0	0	293	32	45	8	208	83	65	18	125	56.31%	60.10%	65.79%
#346		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#347		1321	0	0	1321	155	36	8	1122	292	278	14	830	65.72%	73.98%	74.91%
#348		75	0	0	75	12	7	1	55	31	24	7	24	40.00%	43.64%	50.00%
#349		0	0	3	3	0	1	0	2	1	1	0	1	50.00%	50.00%	50.00%
#350		89	0	0	89	9	2	6	72	27	16	11	45	64.29%	62.50%	73.77%
#351		37	0	0	37	4	1	0	32	3	3	0	29	80.56%	90.63%	90.63%
#352		2	0	0	2	2	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#353		360	0	0	360	32	33	1	294	25	18	7	269	84.33%	91.50%	93.73%
#354		4	0	0	4	0	0	0	4	2	1	1	2	66.67%	50.00%	66.67%
#355		29278	0	0	29278	2203	3983	355	22737	12173	9464	2709	10564	47.52%	46.46%	52.75%
#356		259	0	0	259	17	21	1	220	56	38	18	164	74.89%	74.55%	81.19%
#357		22	0	0	22	1	3	1	17	8	6	2	9	56.25%	52.94%	60.00%
#358		24	0	0	24	1	2	0	21	13	11	2	8	40.00%	38.10%	42.11%
#359		395	0	0	395	26	21	3	345	166	147	19	179	50.85%	51.88%	54.91%
#360		16	0	0	16	2	0	0	14	6	4	2	8	57.14%	57.14%	66.67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#361		0	0	772	772	1	49	0	722	88	86	2	634	87.93%	87.81%	88.06%
#362		68	0	0	68	4	2	2	60	10	9	1	50	79.37%	83.33%	84.75%
#363		1090	0	0	1090	150	91	7	842	51	43	8	791	80.39%	93.94%	94.84%
#364		0	0	1539	1539	135	109	23	1272	331	295	36	941	68.64%	73.98%	76.13%
#365		31	0	0	31	0	9	0	22	3	3	0	19	86.36%	86.36%	86.36%
#366		30	0	0	30	2	2	1	25	7	5	2	18	72.00%	72.00%	78.26%
#367		230	0	0	230	2	9	2	217	79	76	3	138	63.89%	63.59%	64.49%
#368		698	0	0	698	51	49	1	597	52	23	29	545	88.05%	91.29%	95.95%
#369		0	404	0	404	250	28	6	120	84	52	32	36	10.65%	30.00%	40.91%
#370		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#371		745	0	0	745	118	72	11	544	186	145	41	358	57.65%	65.81%	71.17%
#372		0	0	1142	1142	3	54	0	1085	128	124	4	957	88.28%	88.20%	88.53%
#373		129	0	0	129	6	5	7	111	27	27	0	84	71.79%	75.68%	75.68%
#374		390	0	0	390	38	8	2	342	39	32	7	303	81.23%	88.60%	90.45%
#375		0	0	324	324	2	28	0	294	25	21	4	269	92.12%	91.50%	92.76%
#376		12	0	0	12	4	1	0	7	0	0	0	7	63.64%	100.00%	100.00%
#377		29	0	0	29	3	3	1	22	5	4	1	17	70.83%	77.27%	80.95%
#378		329	0	0	329	46	17	0	266	26	15	11	240	79.73%	90.23%	94.12%
#379		296	0	0	296	13	2	1	280	31	30	1	249	85.27%	88.93%	89.25%
#380		446	0	0	446	24	13	0	409	51	51	0	358	82.68%	87.53%	87.53%
#381		147	0	0	147	23	12	0	112	8	5	3	104	78.79%	92.86%	95.41%
#382		187	0	0	187	46	5	0	136	12	7	5	124	70.06%	91.18%	94.66%
#383		0	0	11047	11047	1104	1040	30	8873	7849	5391	2458	1024	13.62%	11.54%	15.96%
#384		0	0	144	144	63	23	2	56	29	16	13	27	25.47%	48.21%	62.79%
#385		9426	0	0	9426	412	459	28	8527	1331	1031	300	7196	83.30%	84.39%	87.47%
#386		700	0	0	700	108	117	10	465	184	140	44	281	53.12%	60.43%	66.75%
#387		14	0	0	14	1	1	0	12	4	4	0	8	61.54%	66.67%	66.67%
#388		87	0	0	87	9	1	3	74	23	21	2	51	62.96%	68.92%	70.83%
#389		10	0	0	10	0	2	0	8	1	1	0	7	87.50%	87.50%	87.50%
#390		15	0	0	15	3	4	1	7	2	2	0	5	50.00%	71.43%	71.43%
#391		12	0	0	12	7	1	0	4	0	0	0	4	36.36%	100.00%	100.00%
#392		0	281	0	281	4	38	12	227	94	61	33	133	67.17%	58.59%	68.56%
#393		1814	0	0	1814	78	132	9	1595	265	239	26	1330	80.75%	83.39%	84.77%
#394		10	0	0	10	0	7	0	3	2	2	0	1	33.33%	33.33%	33.33%
#395		257	0	0	257	39	28	0	190	26	22	4	164	72.89%	86.32%	88.17%
#396		51	0	0	51	17	6	0	28	9	7	2	19	44.19%	67.86%	73.08%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#397		290	0	0	290	12	23	0	255	47	41	6	208	79.69%	81.57%	83.53%
#398		68	0	0	68	7	10	2	49	7	6	1	42	76.36%	85.71%	87.50%
#399		15	0	0	15	1	1	0	13	6	3	3	7	63.64%	53.85%	70.00%
#400		1793	0	0	1793	35	171	3	1584	163	95	68	1421	91.62%	89.71%	93.73%
#401		958	0	0	958	83	26	4	845	102	94	8	743	80.76%	87.93%	88.77%
#402		17	0	0	17	2	8	0	7	1	0	1	6	75.00%	85.71%	100.00%
#403		630	0	0	630	27	49	2	552	46	43	3	506	87.85%	91.67%	92.17%
#404		915	0	0	915	71	112	7	725	473	361	112	252	36.84%	34.76%	41.11%
#405		2	0	0	2	0	0	1	1	1	0	1	0	0.00%	0.00%	0.00%
#406		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#407		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
#408		7	0	0	7	1	2	0	4	1	1	0	3	60.00%	75.00%	75.00%
#409		44	0	0	44	13	5	2	24	7	6	1	17	47.22%	70.83%	73.91%
#410		726	0	0	726	43	38	11	634	104	98	6	530	78.99%	83.60%	84.39%
#411		361	0	0	361	53	27	3	278	54	43	11	224	70.00%	80.58%	83.90%
#412		0	49	0	49	14	13	0	22	4	3	1	18	51.43%	81.82%	85.71%
#413		0	562	0	562	329	83	5	145	46	27	19	99	21.76%	68.28%	78.57%
#414		0	137	0	137	39	42	0	56	15	7	8	41	47.13%	73.21%	85.42%
#415		36	0	0	36	4	8	0	24	11	7	4	13	54.17%	54.17%	65.00%
#416		8	0	0	8	0	1	0	7	3	3	0	4	57.14%	57.14%	57.14%
#417		441	0	0	441	88	59	18	276	134	104	30	142	42.51%	51.45%	57.72%
#418		0	114	0	114	15	23	0	76	34	20	14	42	54.55%	55.26%	67.74%
#419		0	1379	0	1379	85	301	0	993	757	118	639	236	53.76%	23.77%	66.67%
#420		0	12	0	12	0	2	0	10	2	1	1	8	88.89%	80.00%	88.89%
#421		0	11	0	11	3	1	0	7	5	1	4	2	33.33%	28.57%	66.67%
#422		0	65	0	65	3	9	0	53	32	18	14	21	50.00%	39.62%	53.85%
#423		0	66	0	66	9	7	0	50	31	16	15	19	43.18%	38.00%	54.29%
#424		63	0	0	63	5	11	0	47	19	6	13	28	71.79%	59.57%	82.35%
#425		1081	0	0	1081	53	115	11	902	245	101	144	657	81.01%	72.84%	86.68%
#426		12	0	0	12	0	0	1	11	4	2	2	7	77.78%	63.64%	77.78%
#427		6	0	0	6	0	1	0	5	2	0	2	3	100.00%	60.00%	100.00%
#428		12	0	0	12	3	2	0	7	3	2	1	4	44.44%	57.14%	66.67%
#429		52	0	0	52	2	3	2	45	21	7	14	24	72.73%	53.33%	77.42%
#430		26	0	0	26	4	2	0	20	7	2	5	13	68.42%	65.00%	86.67%
#431		9	0	0	9	1	0	0	8	4	1	3	4	66.67%	50.00%	80.00%
#432		28	0	0	28	2	4	1	21	4	3	1	17	77.27%	80.95%	85.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
LENS Subtotal		239417	0	0	239417	23042	21282	1678	193415	44301	35374	8927	149114	71.85%	77.10%	80.83%
EDI Subtotal		0	70602	0	70602	5354	11187	140	53921	18896	14483	4413	35025	63.84%	64.99%	70.78%
TAG Subtotal		0	0	47048	47048	3176	3782	383	39707	14810	11258	3552	24897	63.30%	62.70%	68.86%
TOTAL INTERFACES		**239417**	**70602**	**47048**	**357067**	**31572**	**36251**	**2201**	**287043**	**78007**	**61115**	**16892**	**209036**	**69.28%**	**72.82%**	**77.38%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		3	0	0	3	1	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#2		435	0	0	435	6	30	2	397	77	66	11	320	81.63%	80.60%	82.90%
#3		106	0	0	106	5	9	0	92	2	2	0	90	92.78%	97.83%	97.83%
#4		17	0	0	17	3	2	0	12	1	1	0	11	73.33%	91.67%	91.67%
#5		1677	0	0	1677	153	60	2	1462	57	42	15	1405	87.81%	96.10%	97.10%
#6		0	0	217	217	19	31	2	165	80	64	16	85	50.60%	51.52%	57.05%
#7		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#8		4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%
#9		211	0	0	211	18	42	9	142	47	41	6	95	61.69%	66.90%	69.85%
#10		156	0	0	156	14	6	4	132	93	79	14	39	29.55%	29.55%	33.05%
#11		11	0	0	11	1	0	0	10	4	4	0	6	54.55%	60.00%	60.00%
#12		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#13		345	0	0	345	30	23	9	283	72	61	11	211	69.87%	74.56%	77.57%
#14		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#15		111	0	0	111	4	35	1	71	21	15	6	50	72.46%	70.42%	76.92%
#16		12	0	0	12	1	2	0	9	8	5	3	1	14.29%	11.11%	16.67%
#17		117	0	0	117	29	3	0	85	11	9	2	74	66.07%	87.06%	89.16%
#18		625	0	0	625	60	32	0	533	10	10	0	523	88.20%	98.12%	98.12%
#19		0	9	0	9	0	4	0	5	3	0	3	2	100.00%	40.00%	100.00%
#20		372	0	0	372	19	21	0	332	16	10	6	316	91.59%	95.18%	96.93%
#21		693	0	0	693	24	15	3	651	64	63	1	587	87.09%	90.17%	90.31%
#22		410	0	0	410	36	13	4	357	71	68	3	286	73.33%	80.11%	80.79%
#23		387	0	0	387	12	16	2	357	146	143	3	211	57.65%	59.10%	59.60%
#24		186	0	0	186	4	13	1	168	33	27	6	135	81.33%	80.36%	83.33%
#25		117	0	0	117	24	8	1	84	10	6	4	74	71.15%	88.10%	92.50%
#26		2091	0	0	2091	185	82	9	1815	175	133	42	1640	83.76%	90.36%	92.50%
#27		0	0	608	608	7	63	0	538	17	12	5	521	96.48%	96.84%	97.75%
#28		459	0	0	459	101	55	4	299	48	32	16	251	65.36%	83.95%	88.69%
#29		0	55	0	55	2	4	0	49	5	4	1	44	88.00%	89.80%	91.67%
#30		169	0	0	169	1	2	0	166	102	100	2	64	38.79%	38.55%	39.02%
#31		178	0	0	178	11	15	0	152	10	9	1	142	87.65%	93.42%	94.04%
#32		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#33		1584	0	0	1584	53	131	1	1399	88	78	10	1311	90.92%	93.71%	94.38%
#34		120	0	0	120	8	9	1	102	22	21	1	80	73.39%	78.43%	79.21%
#35		169	0	0	169	12	12	1	144	22	17	5	122	80.79%	84.72%	87.77%
#36		35	0	0	35	2	3	0	30	2	2	0	28	87.50%	93.33%	93.33%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#37		7	0	0	7	0	2	0	5	0	0	0	5	100.00%	100.00%	100.00%
#38		7	0	0	7	0	1	0	6	0	0	0	6	100.00%	100.00%	100.00%
#39		979	0	0	979	114	69	5	791	103	97	6	688	76.53%	86.98%	87.64%
#40		136	0	0	136	30	39	1	66	16	4	12	50	59.52%	75.76%	92.59%
#41		236	0	0	236	4	6	0	226	25	19	6	201	89.73%	88.94%	91.36%
#42		29424	0	0	29424	3204	2320	91	23809	4437	4173	264	19372	72.42%	81.36%	82.28%
#43		17	0	0	17	4	1	1	11	6	5	1	5	35.71%	45.45%	50.00%
#44		117	0	0	117	5	18	0	94	10	9	1	84	85.71%	89.36%	90.32%
#45		0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#46		4	0	0	4	0	3	0	1	0	0	0	1	100.00%	100.00%	100.00%
#47		115	0	0	115	9	15	4	87	33	27	6	54	60.00%	62.07%	66.67%
#48		67	0	0	67	6	4	0	57	13	12	1	44	70.97%	77.19%	78.57%
#49		110	0	0	110	5	4	0	101	5	5	0	96	90.57%	95.05%	95.05%
#50		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#51		3386	0	0	3386	396	188	19	2783	650	578	72	2133	68.65%	76.64%	78.68%
#52		724	0	0	724	63	47	3	611	51	47	4	560	83.58%	91.65%	92.26%
#53		0	0	3	3	0	2	0	1	1	0	1	0	0.00%	0.00%	0.00%
#54		0	0	2320	2320	276	170	47	1827	407	322	85	1420	70.37%	77.72%	81.52%
#55		80	0	0	60	17	36	1	6	2	0	2	4	19.05%	66.67%	100.00%
#56		14477	0	0	14477	315	1441	11	12710	2589	2544	45	10121	77.97%	79.63%	79.91%
#57		7609	0	0	7609	805	1558	1	5245	170	100	70	5075	84.87%	96.76%	98.07%
#58		1114	0	0	1114	95	48	1	970	48	32	16	922	87.89%	95.05%	96.65%
#59		0	6018	0	6018	268	1474	3	4273	1099	938	161	3174	72.47%	74.28%	77.19%
#60		0	8780	0	8780	358	2098	4	6320	1834	1567	267	4486	69.97%	70.98%	74.11%
#61		195	0	0	195	14	14	0	167	20	19	1	147	81.67%	88.02%	88.55%
#62		322	0	0	322	16	17	3	286	87	83	4	199	66.78%	69.58%	70.57%
#63		457	0	0	457	47	51	1	358	48	41	7	310	77.89%	86.59%	88.32%
#64		65	0	0	65	1	7	0	57	2	2	0	55	94.83%	96.49%	96.49%
#65		0	0	414	414	17	33	0	364	10	10	0	354	92.91%	97.25%	97.25%
#66		29	0	0	29	0	3	3	23	1	0	1	22	100.00%	95.65%	100.00%
#67		0	0	62	62	13	2	0	47	8	7	1	39	66.10%	82.98%	84.78%
#68		20	0	0	20	5	2	0	13	0	0	0	13	72.22%	100.00%	100.00%
#69		50	0	0	50	5	8	2	35	10	7	3	25	67.57%	71.43%	78.13%
#70		0	0	5	5	0	2	0	3	1	1	0	2	66.67%	66.67%	66.67%
#71		7	0	0	7	1	3	0	3	0	0	0	3	75.00%	100.00%	100.00%
#72		16	0	0	16	4	3	0	9	1	1	0	8	61.54%	88.89%	88.89%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#73		61	0	0	61	4	2	0	55	6	5	1	49	84.48%	89.09%	90.74%
#74		5	0	0	5	0	0	0	5	3	3	0	2	40.00%	40.00%	40.00%
#75		51	0	0	51	3	10	2	36	6	4	2	30	81.08%	83.33%	88.24%
#76		265	0	0	265	24	32	2	207	26	21	5	181	80.09%	87.44%	89.60%
#77		1805	0	0	1805	185	225	1	1394	201	144	57	1193	78.38%	85.58%	89.23%
#78		0	139	0	139	9	44	3	83	21	15	6	62	72.09%	74.70%	80.52%
#79		8	0	0	8	0	1	0	7	2	2	0	5	71.43%	71.43%	71.43%
#80		377	0	0	377	42	41	1	293	16	7	9	277	84.97%	94.54%	97.54%
#81		481	0	0	481	40	32	1	408	37	36	1	371	83.00%	90.93%	91.15%
#82		22	0	0	22	2	1	0	19	5	4	1	14	70.00%	73.68%	77.78%
#83		508	0	0	508	49	29	12	418	58	53	5	360	77.92%	86.12%	87.17%
#84		1414	0	0	1414	111	61	3	1239	139	120	19	1100	82.64%	88.78%	90.16%
#85		41	0	0	41	2	3	0	36	9	9	0	27	71.05%	75.00%	75.00%
#86		6906	0	0	6906	158	498	5	6245	648	520	128	5597	89.20%	89.62%	91.50%
#87		3859	0	0	3859	313	206	18	3322	706	674	32	2616	72.61%	78.75%	79.51%
#88		25	0	0	25	6	3	1	15	4	3	1	11	55.00%	73.33%	78.57%
#89		334	0	0	334	31	9	2	292	12	7	5	280	88.05%	95.89%	97.56%
#90		1382	0	0	1382	156	104	2	1120	51	41	10	1069	84.44%	95.45%	96.31%
#91		70	0	0	70	25	4	0	41	22	13	9	19	33.33%	46.34%	59.38%
#92		197	0	0	197	18	9	0	170	20	15	5	150	81.97%	88.24%	90.91%
#93		1690	0	0	1690	119	80	1	1490	68	48	20	1422	89.49%	95.44%	96.73%
#94		28	0	0	28	6	5	1	16	2	2	0	14	63.64%	87.50%	87.50%
#95		729	0	0	729	76	14	5	634	80	79	1	554	78.14%	87.38%	87.52%
#96		631	0	0	631	54	108	2	467	32	19	13	435	85.63%	93.15%	95.81%
#97		1686	0	0	1686	164	128	2	1392	87	68	19	1305	84.91%	93.75%	95.05%
#98		339	0	0	339	12	24	1	302	48	47	1	254	81.15%	84.11%	84.39%
#99		502	0	0	502	47	58	4	393	23	20	3	370	84.67%	94.15%	94.87%
#100		0	4021	0	4021	141	958	1	2921	662	559	103	2259	76.34%	77.34%	80.16%
#101		113	0	0	113	6	16	1	90	28	27	1	62	65.26%	68.89%	69.66%
#102		77	0	0	77	5	4	0	68	6	5	1	62	86.11%	91.18%	92.54%
#103		2	0	0	2	0	0	0	2	1	1	0	1	50.00%	50.00%	50.00%
#104		1642	0	0	1642	102	89	3	1448	90	76	14	1358	88.41%	93.78%	94.70%
#105		0	0	836	836	5	38	0	793	72	71	1	721	90.46%	90.92%	91.04%
#106		47	0	0	47	1	2	1	43	11	9	2	32	76.19%	74.42%	78.05%
#107		976	0	0	976	56	27	5	888	71	68	3	817	86.82%	92.00%	92.32%
#108		74	0	0	74	10	20	1	43	4	3	1	39	75.00%	90.70%	92.86%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#109		480	0	0	480	50	35	3	392	70	59	11	322	74.71%	82.14%	84.51%
#110		173	0	0	173	18	8	0	147	13	8	5	134	83.75%	91.16%	94.37%
#111		1124	0	0	1124	127	159	0	838	27	23	4	811	84.39%	96.78%	97.24%
#112		3543	0	0	3543	428	267	35	2813	179	117	62	2634	82.86%	93.64%	95.75%
#113		0	0	2	2	0	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#114		0	0	157	157	3	15	0	139	24	20	4	115	83.33%	82.73%	85.19%
#115		8	0	0	8	0	0	0	8	2	2	0	6	75.00%	75.00%	75.00%
#116		847	0	0	847	65	21	5	756	85	75	10	671	82.74%	88.76%	89.95%
#117		136	0	0	136	10	0	0	126	6	6	0	120	88.24%	95.24%	95.24%
#118		4	0	0	4	0	0	0	4	0	0	0	4	100.00%	100.00%	100.00%
#119		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#120		0	0	1636	1636	28	166	0	1442	73	58	15	1369	94.09%	94.94%	95.94%
#121		165	0	0	165	10	12	3	140	10	5	5	130	89.66%	92.86%	96.30%
#122		186	0	0	186	11	10	0	165	23	22	1	142	81.14%	86.06%	86.59%
#123		81	0	0	81	14	19	0	48	4	2	2	44	73.33%	91.67%	95.65%
#124		5302	0	0	5302	388	767	17	4130	2077	234	1843	2053	76.75%	49.71%	89.77%
#125		52	0	0	52	7	2	0	43	12	7	5	31	68.89%	72.09%	81.58%
#126		3005	0	0	3005	182	404	4	2415	166	144	22	2249	87.34%	93.13%	93.98%
#127		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#128		397	0	0	397	88	34	1	274	57	47	10	217	61.65%	79.20%	82.20%
#129		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#130		0	0	4212	4212	75	88	21	4028	672	625	47	3356	82.74%	83.32%	84.30%
#131		8867	0	0	8867	740	337	3	7787	1052	1020	32	6735	79.28%	86.49%	86.85%
#132		55	0	0	55	3	5	0	47	3	2	1	44	89.80%	93.62%	95.65%
#133		64	0	0	64	16	6	0	42	9	5	4	33	61.11%	78.57%	86.84%
#134		288	0	0	288	9	38	0	241	20	18	2	221	89.11%	91.70%	92.47%
#135		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#136		3	0	0	3	0	0	0	3	3	3	0	0	0.00%	0.00%	0.00%
#137		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#138		19	0	0	19	1	3	0	15	8	1	7	7	77.78%	46.67%	87.50%
#139		70	0	0	70	3	2	0	65	1	0	1	64	95.52%	98.46%	100.00%
#140		16	0	0	16	0	1	0	15	3	1	2	12	92.31%	80.00%	92.31%
#141		0	0	3744	3744	11	446	48	3239	1336	1074	262	1903	63.69%	58.75%	63.92%
#142		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#143		52	0	0	52	3	7	0	42	12	9	3	30	71.43%	71.43%	76.92%
#144		43	0	0	43	2	18	0	23	7	2	5	16	80.00%	69.57%	88.89%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#145		253	0	0	253	41	22	2	188	38	24	14	150	69.77%	79.79%	86 21%
#146		413	0	0	413	36	53	4	320	38	21	17	282	83.19%	88 13%	93 07%
#147		338	0	0	338	49	14	2	273	42	38	4	231	72.64%	84.62%	85 87%
#148		105	0	0	105	5	21	0	79	14	11	2	66	80.49%	83.54%	85.71%
#149		1	0	0	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#150		5	0	0	5	0	0	0	5	4	2	2	1	33.33%	20.00%	33 33%
#151		302	0	0	302	17	29	0	256	39	35	4	217	80 67%	84.77%	86 11%
#152		0	178	0	178	14	15	0	149	11	10	1	138	85.19%	92.62%	93 24%
#153		4	0	0	4	1	0	1	2	2	2	0	0	0.00%	0.00%	0 00%
#154		0	2164	0	2164	235	136	0	1793	269	210	59	1524	77 40%	85.00%	87.89%
#155		0	9989	0	9989	381	1843	0	7765	2205	1369	836	5560	76.06%	71 60%	80.24%
#156		74	0	0	74	10	7	1	56	11	8	3	45	71 43%	80.36%	84 91%
#157		840	0	0	840	178	142	1	519	30	24	6	489	70 77%	94 22%	95 32%
#158		49	0	0	49	3	6	1	39	8	8	0	31	73 81%	79 49%	79 49%
#159		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100 00%
#160		137	0	0	137	13	11	0	113	45	41	4	68	55.74%	60 18%	62 39%
#161		137	0	0	137	7	13	0	117	18	16	2	99	81 15%	84 62%	86 09%
#162		34	0	0	34	2	0	0	32	1	1	0	31	91 18%	96 88%	96 88%
#163		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100 00%	100 00%
#164		31	0	0	31	5	1	0	25	1	1	0	24	80 00%	96 00%	96 00%
#165		188	0	0	188	7	10	18	153	129	111	18	24	16 90%	15 69%	17 78%
#166		22	0	0	22	2	8	0	12	7	1	6	5	62 50%	41 67%	83 33%
#167		183	0	0	183	7	16	1	159	81	48	33	78	58 65%	49 06%	61 90%
#168		0	4	0	4	2	0	0	2	1	1	0	1	25 00%	50 00%	50 00%
#169		10	0	0	10	1	2	0	7	2	1	1	5	71.43%	71 43%	83 33%
#170		240	0	0	240	42	15	3	180	28	23	5	152	70.05%	84 44%	86 86%
#171		2	0	0	2	0	0	1	1	1	1	0	0	0 00%	0.00%	0 00%
#172		71	0	0	71	9	7	5	50	20	16	4	30	54 55%	60 00%	65 22%
#173		96	0	0	96	4	9	2	81	29	16	13	52	72 22%	64 20%	76 47%
#174		0	0	8899	8899	42	280	14	8563	1025	984	41	7538	88.02%	88 03%	88 45%
#175		3053	0	0	3053	251	154	60	2588	604	525	79	1984	71 88%	76 66%	79 08%
#176		716	0	0	716	22	54	4	636	87	78	9	549	84.59%	86 32%	87 56%
#177		83	0	0	83	8	4	0	71	17	15	2	54	70.13%	76 06%	78 26%
#178		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#179		13	0	0	13	0	4	0	9	1	1	0	8	88 89%	88.89%	88 89%
#180		0	2339	0	2339	263	174	1	1901	1206	1043	163	695	34 73%	36 56%	39 99%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#181		2747	0	0	2747	203	150	26	2368	753	659	94	1615	65.20%	68 20%	71 02%
#182		946	0	0	946	88	78	2	778	80	70	10	698	81.54%	89.72%	90 89%
#183		129	0	0	129	10	8	0	111	5	4	1	106	88.33%	95.50%	96 36%
#184		83	0	0	83	10	2	2	69	22	21	1	47	60.26%	68.12%	69 12%
#185		2416	0	0	2416	261	165	12	1978	128	102	26	1850	83.60%	93 53%	94 77%
#186		392	0	0	392	23	51	5	313	68	53	15	245	76 32%	78.27%	82 21%
#187		366	0	0	366	9	14	1	342	13	12	1	329	94 00%	96 20%	96 48%
#188		358	0	0	358	2	42	1	313	33	30	3	280	89 74%	89 46%	90 32%
#189		272	0	0	272	41	12	0	219	13	9	4	206	80 47%	94.06%	95 81%
#190		825	0	0	825	146	79	6	594	74	58	16	520	71 82%	87.54%	89 97%
#191		196	0	0	196	12	14	1	169	9	7	2	160	89 39%	94 67%	95 81%
#192		7	0	0	7	0	1	0	6	4	1	3	2	66 67%	33 33%	66 67%
#193		530	0	0	530	54	7	0	469	27	25	2	442	84 84%	94 24%	94 65%
#194		82	0	0	82	26	13	0	43	13	11	2	30	44 78%	69.77%	73 17%
#195		4	0	0	4	1	0	0	3	1	1	0	2	50.00%	66.67%	66 67%
#196		66	0	0	66	7	9	0	50	2	1	1	48	85 71%	96.00%	97 96%
#197		75	0	0	75	10	6	1	58	7	6	1	51	76 12%	87 93%	89 47%
#198		169	0	0	169	29	5	0	135	10	10	0	125	76.22%	92 59%	92 59%
#199		20	0	0	20	6	4	0	10	4	2	2	6	42.86%	60 00%	75 00%
#200		0	0	24	24	1	15	1	7	3	2	1	4	57 14%	57 14%	66 67%
#201		0	0	4	4	0	2	1	1	0	0	0	1	100 00%	100 00%	100.00%
#202		22	0	0	22	0	10	0	12	5	1	4	7	87.50%	58.33%	87 50%
#203		856	0	0	856	111	168	11	566	88	56	32	478	74 11%	84.45%	89 51%
#204		48	0	0	48	3	16	0	29	9	9	0	20	62 50%	68 97%	68 97%
#205		105	0	0	105	12	10	0	83	14	14	0	69	72 63%	83 13%	83 13%
#206		811	0	0	811	84	52	0	675	62	46	16	613	82 50%	90 81%	93 02%
#207		466	0	0	466	37	14	2	413	77	65	12	336	76 71%	81.36%	83 79%
#208		110	0	0	110	7	21	0	82	2	2	0	80	89 89%	97 56%	97 56%
#209		1084	0	0	1084	79	83	3	919	32	30	2	887	89 06%	96.52%	96 73%
#210		47	0	0	47	0	9	3	35	17	14	3	18	56 25%	51 43%	56 25%
#211		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#212		1321	0	0	1321	155	36	8	1122	292	278	14	830	65 72%	73 98%	74 91%
#213		14	0	0	14	2	1	0	11	6	6	0	5	38 46%	45 45%	45 45%
#214		0	0	3	3	0	1	0	2	1	1	0	1	50 00%	50 00%	50 00%
#215		37	0	0	37	4	1	0	32	3	3	0	29	80 56%	90 63%	90 63%
#216		359	0	0	359	32	33	1	293	25	18	7	268	84 28%	91 47%	93 71%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#217		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0 00%	0 00%
#218		27603	0	0	27603	1978	3705	301	21619	11605	9006	2599	10014	47.69%	46.32%	52 65%
#219		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100 00%	100 00%
#220		122	0	0	122	0	8	0	114	32	30	2	82	73.21%	71 93%	73.21%
#221		10	0	0	10	0	0	0	10	5	3	2	5	62.50%	50 00%	62 50%
#222		0	0	772	772	1	49	0	722	88	86	2	634	87 93%	87.81%	88 06%
#223		68	0	0	68	4	2	2	60	10	9	1	50	79 37%	83.33%	84 75%
#224		1086	0	0	1086	147	91	7	841	51	43	8	790	80 61%	93.94%	94 84%
#225		0	0	1539	1539	135	109	23	1272	331	295	36	941	68 64%	73 98%	76 13%
#226		31	0	0	31	0	9	0	22	3	3	0	19	86 36%	86.36%	86 36%
#227		30	0	0	30	2	2	1	25	7	5	2	18	72 00%	72 00%	78 26%
#228		230	0	0	230	2	9	2	217	79	76	3	138	63.89%	63.59%	64 49%
#229		697	0	0	697	50	49	1	597	52	23	29	545	88 19%	91 29%	95.95%
#230		0	0	1142	1142	3	54	0	1085	128	124	4	957	88 28%	88.20%	88 53%
#231		129	0	0	129	6	5	7	111	27	27	0	84	71 79%	75 68%	75 68%
#232		390	0	0	390	38	8	2	342	39	32	7	303	81.23%	88 60%	90 45%
#233		0	0	324	324	2	28	0	294	25	21	4	269	92 12%	91 50%	92 76%
#234		8	0	0	8	2	0	0	6	0	0	0	6	75 00%	100.00%	100 00%
#235		28	0	0	28	2	3	1	22	5	4	1	17	73.91%	77.27%	80 95%
#236		329	0	0	329	46	17	0	266	26	15	11	240	79 73%	90 23%	94.12%
#237		296	0	0	296	13	2	1	280	31	30	1	249	85 27%	88.93%	89 25%
#238		446	0	0	446	24	13	0	409	51	51	0	358	82.68%	87.53%	87 53%
#239		147	0	0	147	23	12	0	112	8	5	3	104	78.79%	92.86%	95 41%
#240		187	0	0	187	46	5	0	136	12	7	5	124	70.06%	91.18%	94 66%
#241		0	0	4	4	2	1	0	1	1	0	1	0	0 00%	0.00%	0 00%
#242		0	0	57	57	21	10	0	26	11	7	4	15	34.88%	57.69%	68 18%
#243		50	0	0	50	2	37	1	10	2	2	0	8	66 67%	80.00%	80 00%
#244		388	0	0	388	28	69	8	283	108	78	30	175	62.28%	61.84%	69 17%
#245		14	0	0	14	1	1	0	12	4	4	0	8	61 54%	66 67%	66 67%
#246		54	0	0	54	6	1	0	47	11	10	1	36	69 23%	76.60%	78.26%
#247		10	0	0	10	0	2	0	8	1	1	0	7	87 50%	87 50%	87 50%
#248		10	0	0	10	2	2	1	5	2	2	0	3	42 86%	60 00%	60 00%
#249		10	0	0	10	7	1	0	2	0	0	0	2	22 22%	100.00%	100 00%
#250		1794	0	0	1794	77	132	9	1576	260	235	25	1316	80 84%	83 50%	84 85%
#251		10	0	0	10	0	7	0	3	2	2	0	1	33 33%	33 33%	33 33%
#252		235	0	0	235	32	15	0	188	25	21	4	163	75 46%	86 70%	88 59%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#253		9	0	0	9	1	0	0	8	4	4	0	4	44 44%	50.00%	50 00%
#254		290	0	0	290	12	23	0	255	47	41	6	208	79 69%	81 57%	83 53%
#255		32	0	0	32	2	4	2	24	2	2	0	22	84.62%	91 67%	91 67%
#256		1793	0	0	1793	35	171	3	1584	163	95	68	1421	91.62%	89 71%	93 73%
#257		933	0	0	933	82	25	4	822	98	90	8	724	80.80%	88 08%	88 94%
#258		17	0	0	17	2	8	0	7	1	0	1	6	75 00%	85.71%	100 00%
#259		630	0	0	630	27	49	2	552	46	43	3	506	87.85%	91 67%	92 17%
#260		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#261		2	0	0	2	0	0	1	1	1	0	1	0	0.00%	0.00%	0 00%
#262		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0.00%	0 00%
#263		718	0	0	718	41	38	11	628	104	98	6	524	79.03%	83 44%	84 24%
#264		209	0	0	209	12	12	3	182	24	22	2	158	82 29%	86.81%	87 78%
#265		5	0	0	5	0	1	0	4	1	1	0	3	75 00%	75.00%	75 00%
#266		0	8	0	8	1	1	0	6	0	0	0	6	85.71%	100.00%	100.00%
#267		0	38	0	38	1	2	0	35	17	1	16	18	90 00%	51 43%	94 74%
#268		0	2	0	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#269		0	1	0	1	0	0	0	1	1	0	1	0	0.00%	0 00%	0 00%
#270		0	5	0	5	1	0	0	4	1	0	1	3	75 00%	75.00%	100 00%
#271		1	0	0	1	0	0	0	1	1	0	1	0	0.00%	0.00%	0 00%
#272		5	0	0	5	0	4	0	1	0	0	0	1	100 00%	100.00%	100 00%
LENS Subtotal		183318	0	0	183318	14918	16816	910	150674	32061	25631	6430	118613	74.52%	78 72%	82 23%
EDI Subtotal		0	33751	0	33751	1668	6753	12	25318	7344	5725	1619	17974	70 86%	70.99%	75 84%
TAG Subtotal		0	0	26988	26988	662	1606	157	24563	4317	3787	530	20246	81 98%	82.42%	84 24%
TOTAL INTERFACES		**183318**	**33751**	**26988**	**244057**	**17248**	**25175**	**1079**	**200555**	**43722**	**35143**	**8579**	**156833**	**74.96%**	**78.20%**	**81.69%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#2		3	0	0	3	1	1	0	1	0	0	0	1	50.00%	100.00%	100.00%
#3		0	0	1	1	0	0	0	1	1	1	0	0	0.00%	0.00%	0.00%
#4		0	0	36	36	8	11	0	17	8	3	5	9	45.00%	52.94%	75.00%
#5		10	0	0	10	2	1	0	7	2	1	1	5	62.50%	71.43%	83.33%
#6		9	0	0	9	0	1	0	8	2	2	0	6	75.00%	75.00%	75.00%
#7		4	0	0	4	1	0	0	3	1	0	1	2	66.67%	66.67%	100.00%
#8		42	0	0	42	0	3	2	37	15	10	5	22	68.75%	59.46%	68.75%
#9		66	0	0	66	24	19	1	22	8	7	1	14	31.11%	63.64%	66.67%
#10		6	0	0	6	2	0	0	4	1	1	0	3	50.00%	75.00%	75.00%
#11		24	0	0	24	7	2	0	15	5	5	0	10	45.45%	66.67%	66.67%
#12		32	0	0	32	7	8	0	17	7	3	4	10	50.00%	58.82%	76.92%
#13		43	0	0	43	2	10	0	31	15	7	8	16	64.00%	51.61%	69.57%
#14		16	0	0	16	0	0	1	15	5	4	1	10	71.43%	66.67%	71.43%
#15		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#16		3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100.00%
#17		68	0	0	68	3	6	1	58	13	13	0	45	73.77%	77.59%	77.59%
#18		15	0	0	15	0	3	0	12	5	5	0	7	58.33%	58.33%	58.33%
#19		147	0	0	147	42	12	5	88	33	28	5	55	44.00%	62.50%	66.27%
#20		289	0	0	289	31	28	19	211	89	82	7	122	51.91%	57.82%	59.80%
#21		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#22		26	0	0	26	5	8	0	13	5	4	1	8	47.06%	61.54%	66.67%
#23		4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%
#24		10	0	0	10	6	0	0	4	2	2	0	2	20.00%	50.00%	50.00%
#25		8	0	0	8	0	4	0	4	4	4	0	0	0.00%	0.00%	0.00%
#26		55	0	0	55	5	2	0	48	30	25	5	18	37.50%	37.50%	41.86%
#27		0	8	0	8	0	2	0	6	3	3	0	3	50.00%	50.00%	50.00%
#28		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#29		51	0	0	51	3	25	1	22	10	9	1	12	50.00%	54.55%	57.14%
#30		21	0	0	21	9	1	0	11	0	0	0	11	55.00%	100.00%	100.00%
#31		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#32		12	0	0	12	2	3	0	7	1	0	1	6	75.00%	85.71%	100.00%
#33		18	0	0	18	6	3	0	9	1	1	0	8	53.33%	88.89%	88.89%
#34		116	0	0	116	30	8	9	69	26	23	3	43	44.79%	62.32%	65.15%
#35		0	1	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#36		4	0	0	4	0	2	0	2	0	0	0	2	100.00%	100.00%	100.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#37		3	0	0	3	1	0	0	2	0	0	0	2	66.67%	100.00%	100 00%
#38		4	0	0	4	3	1	0	0	0	0	0	0	0.00%	0.00%	0 00%
#39		0	0	17	17	0	2	0	15	9	9	0	6	40.00%	40 00%	40 00%
#40		0	0	6	6	0	0	0	6	5	5	0	1	16 67%	16.67%	16.67%
#41		0	0	10	10	0	0	0	10	8	7	1	2	22 22%	20.00%	22 22%
#42		0	0	3	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
#43		0	0	3	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
#44		15	0	0	15	2	3	0	10	2	2	0	8	66.67%	80 00%	80 00%
#45		3	0	0	3	0	0	0	3	1	1	0	2	66 67%	66.67%	66 67%
#46		4	0	0	4	0	0	0	4	1	1	0	3	75 00%	75 00%	75 00%
#47		0	149	0	149	68	21	1	59	11	7	4	48	39 02%	81.36%	87 27%
#48		27	0	0	27	5	13	0	9	3	3	0	6	42 86%	66 67%	66 67%
#49		1068	0	0	1068	327	71	15	655	356	307	49	299	32 05%	45 65%	49 34%
#50		9	0	0	9	0	1	1	7	4	3	1	3	50 00%	42 86%	50.00%
#51		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#52		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#53		6	0	0	6	1	0	0	5	1	1	0	4	66 67%	80 00%	80 00%
#54		7	0	0	7	0	0	1	6	1	1	0	5	83 33%	83 33%	83.33%
#55		15	0	0	15	3	5	0	7	0	0	0	7	70 00%	100.00%	100 00%
#56		10	0	0	10	0	2	0	8	0	0	0	8	100 00%	100 00%	100 00%
#57		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#58		7	0	0	7	3	1	0	3	1	1	0	2	33 33%	66.67%	66 67%
#59		9	0	0	9	5	1	0	3	0	0	0	3	37 50%	100.00%	100 00%
#60		0	0	36	36	15	1	0	20	5	3	2	15	45.45%	75 00%	83 33%
#61		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100.00%	100 00%
#62		0	0	68	68	19	5	0	44	24	19	5	20	34 48%	45.45%	51 28%
#63		11	0	0	11	2	6	0	3	0	0	0	3	60 00%	100.00%	100 00%
#64		43	0	0	43	17	3	1	22	12	12	0	10	25.64%	45 45%	45 45%
#65		146	0	0	146	24	19	3	100	47	31	16	53	49 07%	53 00%	63 10%
#66		4	0	0	4	0	2	0	2	0	0	0	2	100 00%	100 00%	100 00%
#67		5	0	0	5	0	1	0	4	1	1	0	3	75 00%	75.00%	75 00%
#68		0	757	0	757	292	94	6	365	166	104	62	199	33 45%	54 52%	65 68%
#69		82	0	0	82	14	9	1	58	23	21	2	35	50 00%	60.34%	62 50%
#70		4	0	0	4	0	1	0	3	3	2	1	0	0 00%	0 00%	0 00%
#71		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#72		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#73		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#74		21	0	0	21	6	1	0	14	3	3	0	11	55.00%	78.57%	78 57%
#75		8	0	0	8	3	1	0	4	0	0	0	4	57 14%	100 00%	100 00%
#76		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100 00%	100 00%
#77		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#78		60	0	0	60	15	5	0	40	16	14	2	24	45.28%	60.00%	63 16%
#79		33	0	0	33	15	3	2	13	3	3	0	10	35.71%	76.92%	76 92%
#80		6	0	0	6	0	2	0	4	0	0	0	4	100 00%	100 00%	100 00%
#81		12	0	0	12	0	0	0	12	0	0	0	12	100 00%	100 00%	100 00%
#82		28	0	0	28	0	0	0	28	12	11	1	16	59 26%	57.14%	59 26%
#83		3	0	0	3	1	1	0	1	0	0	0	1	50.00%	100.00%	100 00%
#84		8	0	0	8	0	2	0	6	3	3	0	3	50.00%	50 00%	50 00%
#85		4	0	0	4	0	1	0	3	0	0	0	3	100 00%	100 00%	100 00%
#86		24	0	0	24	1	2	0	21	4	4	0	17	77 27%	80 95%	80 95%
#87		19	0	0	19	4	5	1	9	1	1	0	8	61 54%	88 89%	88 89%
#88		0	0	19	19	2	17	0	0	0	0	0	0	0 00%	0 00%	0 00%
#89		0	0	8	8	2	1	0	5	4	1	3	1	25.00%	20 00%	50 00%
#90		0	0	15	15	4	3	0	8	4	2	2	4	40 00%	50 00%	66 67%
#91		0	0	3	3	0	0	0	3	3	2	1	0	0 00%	0 00%	0 00%
#92		2	0	0	2	1	1	0	0	0	0	0	0	0 00%	0 00%	0.00%
#93		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#94		48	0	0	48	20	10	0	18	8	6	2	10	27.78%	55.56%	62 50%
#95		6	0	0	6	0	3	0	3	1	1	0	2	66.67%	66 67%	66 67%
#96		7	0	0	7	2	1	0	4	0	0	0	4	66.67%	100 00%	100 00%
#97		5	0	0	5	0	0	0	5	0	0	0	5	100.00%	100 00%	100 00%
#98		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0.00%	0 00%
#99		5	0	0	5	0	0	0	5	0	0	0	5	100 00%	100 00%	100 00%
#100		3	0	0	3	0	0	0	3	3	2	1	0	0 00%	0.00%	0 00%
#101		27	0	0	27	9	5	0	13	5	4	1	8	38.10%	61 54%	66 67%
#102		3	0	0	3	0	0	0	3	3	3	0	0	0 00%	0 00%	0 00%
#103		14	0	0	14	3	2	0	9	2	2	0	7	58.33%	77 78%	77 78%
#104		0	0	86	86	28	20	3	35	31	28	3	4	6 67%	11 43%	12 50%
#105		1301	0	0	1301	560	114	33	594	207	176	31	387	34 46%	65 15%	68 74%
#106		4	0	0	4	2	0	0	2	0	0	0	2	50 00%	100 00%	100 00%
#107		9	0	0	9	2	3	1	3	1	0	1	2	50 00%	66 67%	100 00%
#108		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#109		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#110		0	0	1	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#111		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#112		4	0	0	4	0	1	0	3	2	2	0	1	33 33%	33.33%	33 33%
#113		0	0	5	5	2	1	0	2	0	0	0	2	50 00%	100.00%	100 00%
#114		43	0	0	43	7	3	0	33	15	14	1	18	46.15%	54 55%	56 25%
#115		0	0	3	3	1	0	0	2	1	1	0	1	33.33%	50.00%	50 00%
#116		5	0	0	5	1	0	0	4	3	1	2	1	33.33%	25.00%	50 00%
#117		2	0	0	2	0	1	0	1	1	0	1	0	0 00%	0.00%	0 00%
#118		5	0	0	5	1	0	0	4	2	2	0	2	40.00%	50 00%	50 00%
#119		50	0	0	50	20	2	3	25	4	4	0	21	46 67%	84 00%	84.00%
#120		0	0	32	32	0	11	2	19	13	13	0	6	31 58%	31 58%	31 58%
#121		12	0	0	12	1	1	0	10	3	2	1	7	70.00%	70 00%	77 78%
#122		35	0	0	35	4	4	1	26	13	9	4	13	50 00%	50.00%	59 09%
#123		24	0	0	24	2	11	0	11	1	1	0	10	76 92%	90.91%	90 91%
#124		34	0	0	34	10	3	0	21	8	8	0	13	41 94%	61 90%	61 90%
#125		0	0	3	3	0	1	1	1	1	0	1	0	0 00%	0 00%	0 00%
#126		0	0	5	5	5	0	0	0	0	0	0	0	0.00%	0.00%	0 00%
#127		2	0	0	2	0	1	0	1	1	1	0	0	0 00%	0 00%	0.00%
#128		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#129		11	0	0	11	5	1	0	5	4	3	1	1	11 11%	20 00%	25.00%
#130		6	0	0	6	2	0	0	4	0	0	0	4	66 67%	100 00%	100 00%
#131		23	0	0	23	2	4	4	13	2	2	0	11	73.33%	84 62%	84 62%
#132		11	0	0	11	0	0	3	8	1	1	0	7	87 50%	87 50%	87 50%
#133		4	0	0	4	1	0	0	3	3	2	1	0	0 00%	0.00%	0 00%
#134		5	0	0	5	3	1	0	1	1	0	1	0	0.00%	0.00%	0 00%
#135		8	0	0	8	1	4	0	3	1	1	0	2	50.00%	66 67%	66 67%
#136		13	0	0	13	2	2	2	7	3	1	2	4	57 14%	57.14%	80 00%
#137		23	0	0	23	1	3	0	19	12	10	2	7	38 89%	36 84%	41 18%
#138		9	0	0	9	4	1	0	4	4	3	1	0	0 00%	0 00%	0 00%
#139		4	0	0	4	0	3	0	1	0	0	0	1	100 00%	100 00%	100 00%
#140		16	0	0	16	4	0	0	12	2	2	0	10	62.50%	83 33%	83 33%
#141		73	0	0	73	41	8	2	22	12	5	7	10	17.86%	45 45%	66 67%
#142		8	0	0	8	1	4	0	3	1	1	0	2	50 00%	66 67%	66 67%
#143		51	0	0	51	10	7	1	33	16	8	8	17	48 57%	51 52%	68 00%
#144		735	0	0	735	130	82	17	506	252	199	53	254	43 57%	50 20%	56 07%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#145		0	41	0	41	11	8	0	22	15	13	2	7	22.58%	31.82%	35 00%
#146		562	0	0	562	102	61	10	389	181	138	43	208	46.43%	53.47%	60 12%
#147		56	0	0	56	9	19	1	27	7	5	2	20	58.82%	74.07%	80 00%
#148		312	0	0	312	43	34	12	223	91	71	20	132	53 66%	59 19%	65 02%
#149		115	0	0	115	25	5	4	81	40	33	7	41	41 41%	50.62%	55 41%
#150		4	0	0	4	1	1	0	2	1	1	0	1	33 33%	50.00%	50 00%
#151		223	0	0	223	28	24	6	165	92	44	48	73	50.34%	44.24%	62.39%
#152		4	0	0	4	1	0	0	3	1	1	0	2	50 00%	66 67%	66 67%
#153		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#154		0	0	13	13	1	1	1	10	9	2	7	1	25 00%	10.00%	33 33%
#155		8	0	0	8	3	0	1	4	4	4	0	0	0.00%	0 00%	0 00%
#156		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#157		6	0	0	6	3	0	0	3	0	0	0	3	50 00%	100 00%	100 00%
#158		8	0	0	8	0	0	0	8	0	0	0	8	100 00%	100 00%	100 00%
#159		16	0	0	16	2	3	0	11	0	0	0	11	84.62%	100 00%	100 00%
#160		3	0	0	3	0	0	0	3	2	1	1	1	50 00%	33 33%	50 00%
#161		2	0	0	2	1	0	0	1	0	0	0	1	50 00%	100.00%	100 00%
#162		7	0	0	7	1	1	1	4	3	2	1	1	25.00%	25.00%	33.33%
#163		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#164		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100 00%	100 00%
#165		24	0	0	24	12	3	0	9	3	1	2	6	31 58%	66.67%	85 71%
#166		3	0	0	3	0	0	0	3	0	0	0	3	100.00%	100 00%	100 00%
#167		0	0	15	15	1	1	6	7	1	1	0	6	75.00%	85 71%	85 71%
#168		40	0	0	40	9	7	2	22	9	5	4	13	48 15%	59.09%	72 22%
#169		37	0	0	37	2	2	1	32	19	16	3	13	41 94%	40.63%	44 83%
#170		77	0	0	77	3	9	1	64	29	28	1	35	53.03%	54.69%	55 56%
#171		246	0	0	246	32	36	5	173	66	51	15	107	56.32%	61 85%	67 72%
#172		61	0	0	61	10	6	1	44	25	18	7	19	40.43%	43.18%	51 35%
#173		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#174		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100.00%	100 00%
#175		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#176		1666	0	0	1666	224	278	54	1110	568	458	110	542	44 28%	48 83%	54 20%
#177		10	0	0	10	1	2	0	7	5	0	5	2	66 67%	28 57%	100 00%
#178		2	0	0	2	0	0	1	1	0	0	0	1	100 00%	100 00%	100 00%
#179		261	0	0	261	26	9	3	223	130	114	16	93	39 91%	41 70%	44 93%
#180		6	0	0	6	2	0	0	4	1	1	0	3	50 00%	75 00%	75 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#181		4	0	0	4	3	0	0	1	0	0	0	1	25.00%	100.00%	100.00%
#182		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#183		4	0	0	4	2	1	0	1	0	0	0	1	33.33%	100.00%	100.00%
#184		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#185		0	0	13	13	6	3	1	3	1	0	1	2	25.00%	66.67%	100.00%
#186		0	0	83	83	41	13	1	28	18	9	9	10	16.67%	35.71%	52.63%
#187		50	0	0	50	4	8	0	38	5	4	1	33	80.49%	86.84%	89.19%
#188		217	0	0	217	30	21	2	164	70	57	13	94	51.93%	57.32%	62.25%
#189		33	0	0	33	3	0	3	27	12	11	1	15	51.72%	55.56%	57.69%
#190		5	0	0	5	1	2	0	2	0	0	0	2	66.67%	100.00%	100.00%
#191		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#192		20	0	0	20	1	0	0	19	5	4	1	14	73.68%	73.68%	77.78%
#193		22	0	0	22	7	13	0	2	1	1	0	1	11.11%	50.00%	50.00%
#194		42	0	0	42	16	6	0	20	5	3	2	15	44.12%	75.00%	83.33%
#195		36	0	0	36	5	6	0	25	5	4	1	20	68.97%	80.00%	83.33%
#196		13	0	0	13	1	0	0	12	6	3	3	6	60.00%	50.00%	66.67%
#197		25	0	0	25	1	1	0	23	4	4	0	19	79.17%	82.61%	82.61%
#198		7	0	0	7	1	2	0	4	1	1	0	3	60.00%	75.00%	75.00%
#199		44	0	0	44	13	5	2	24	7	6	1	17	47.22%	70.83%	73.91%
#200		8	0	0	8	2	0	0	6	0	0	0	6	75.00%	100.00%	100.00%
#201		140	0	0	140	41	10	0	89	27	21	6	62	50.00%	69.66%	74.70%
#202		36	0	0	36	4	8	0	24	11	7	4	13	54.17%	54.17%	65.00%
#203		3	0	0	3	0	0	0	3	2	2	0	1	33.33%	33.33%	33.33%
LENS Subtotal		9971	0	0	9971	2180	1188	241	6362	2816	2260	556	3546	44.40%	55.74%	61.07%
EDI Subtotal		0	956	0	956	372	125	7	452	195	127	68	257	33.99%	56.86%	66.93%
TAG Subtotal		0	0	484	484	135	91	15	243	147	107	40	96	28.40%	39.51%	47.29%
TOTAL INTERFACES		**9971**	**956**	**484**	**11411**	**2687**	**1404**	**263**	**7057**	**3158**	**2494**	**664**	**3899**	**42.94%**	**55.25%**	**60.99%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100 00%
#2		0	0	16	16	4	0	0	12	6	3	3	6	46.15%	50 00%	66 67%
#3		0	0	732	732	94	81	6	551	201	176	25	350	56 45%	63 52%	66 54%
#4		0	0	84	84	4	5	2	73	27	19	8	46	66.67%	63 01%	70 77%
#5		0	0	357	357	61	43	6	247	141	88	53	106	41.57%	42 91%	54 64%
#6		0	0	301	301	55	23	2	221	81	70	11	140	52 83%	63 35%	66 67%
#7		6	0	0	6	0	1	0	5	0	0	0	5	100 00%	100 00%	100 00%
#8		457	0	0	457	41	27	7	382	58	44	14	324	79 22%	84 82%	88 04%
#9		116	0	0	116	10	8	3	95	13	12	1	82	78.65%	86 32%	87 23%
#10		177	0	0	177	30	8	3	136	29	24	5	107	66 46%	78 68%	81 68%
#11		765	0	0	765	102	81	13	569	101	67	34	468	73.47%	82 25%	87 48%
#12		30	0	0	30	9	10	3	8	3	2	1	5	31.25%	62 50%	71 43%
#13		41	0	0	41	11	4	0	26	5	4	1	21	58.33%	80 77%	84 00%
#14		47	0	0	47	1	6	0	40	13	12	1	27	67.50%	67 50%	69 23%
#15		17	0	0	17	0	3	2	12	7	6	1	5	45 45%	41 67%	45 45%
#16		0	0	3	3	0	0	1	2	2	1	1	0	0.00%	0.00%	0 00%
#17		10	0	0	10	0	0	3	7	3	2	1	4	66 67%	57 14%	66 67%
#18		9	0	0	9	0	1	0	8	2	1	1	6	85 71%	75 00%	85 71%
#19		31	0	0	31	0	0	11	20	19	14	5	1	6 67%	5 00%	6 67%
#20		124	0	0	124	1	15	8	100	76	24	52	24	48.98%	24 00%	50 00%
#21		5	0	0	5	0	0	0	5	2	0	2	3	100 00%	60 00%	100 00%
#22		3	0	0	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#23		53	0	0	53	3	1	0	49	18	13	5	31	65 96%	63 27%	70 45%
#24		13	0	0	13	4	4	0	5	0	0	0	5	55 56%	100.00%	100 00%
#25		12	0	0	12	2	4	0	6	0	0	0	6	75.00%	100.00%	100 00%
#26		0	228	0	228	99	48	2	79	22	17	5	57	32.95%	72 15%	77 03%
#27		0	17	0	17	4	1	0	12	4	3	1	8	53 33%	66 67%	72 73%
#28		0	26	0	26	19	1	0	6	0	0	0	6	24.00%	100.00%	100 00%
#29		0	4	0	4	0	1	0	3	0	0	0	3	100.00%	100 00%	100 00%
#30		0	20	0	20	8	0	5	7	6	6	0	1	6.67%	14 29%	14 29%
#31		0	203	0	203	155	13	2	33	9	6	3	24	12 97%	72 73%	80 00%
#32		0	146	0	146	81	14	3	48	17	12	5	31	25 00%	64 58%	72 09%
#33		21	0	0	21	2	2	4	13	4	3	1	9	64 29%	69 23%	75 00%
#34		2200	0	0	2200	498	206	32	1464	513	428	85	951	50 67%	64 96%	68 96%
#35		0	0	2	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#36		0	0	1151	1151	170	176	2	803	360	297	63	443	48 68%	55 17%	59 86%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#37		0	0	820	820	97	104	6	613	234	196	38	379	56 40%	61.83%	65 91%
#38		0	0	8	8	0	1	0	7	4	0	4	3	100 00%	42 86%	100 00%
#39		0	0	1422	1422	237	225	11	949	342	269	73	607	54 54%	63 96%	69 29%
#40		0	0	858	858	115	177	17	549	248	200	48	301	48 86%	54 83%	60 08%
#41		0	0	686	686	102	90	13	481	229	175	54	252	47 64%	52.39%	59 02%
#42		0	0	2	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#43		14	0	0	14	0	1	0	13	1	1	0	12	92.31%	92 31%	92 31%
#44		34	0	0	34	8	1	0	25	6	6	0	19	57.58%	76 00%	76 00%
#45		15	0	0	15	0	1	0	14	9	9	0	5	35.71%	35.71%	35 71%
#46		20	0	0	20	0	5	0	15	1	1	0	14	93.33%	93 33%	93 33%
#47		5	0	0	5	0	2	0	3	1	1	0	2	66 67%	66 67%	66 67%
#48		0	537	0	537	294	120	12	111	56	36	20	55	14 29%	49 55%	60 44%
#49		2791	0	0	2791	1868	55	14	854	212	193	19	642	23 75%	75.18%	76 89%
#50		43	0	0	43	24	2	0	17	0	0	0	17	41.46%	100.00%	100 00%
#51		7	0	0	7	0	2	0	5	5	0	5	0	0.00%	0.00%	0 00%
#52		0	47	0	47	2	16	1	28	10	5	5	18	72 00%	64.29%	78 26%
#53		0	0	743	743	77	51	8	607	115	71	44	492	76 88%	81 05%	87 39%
#54		0	0	27	27	4	3	2	18	13	2	11	5	45.45%	27 78%	71 43%
#55		6469	0	0	6469	242	150	16	6061	803	766	37	5258	83 91%	86.75%	87 28%
#56		32	0	0	32	5	12	2	13	5	5	0	8	44 44%	61 54%	61 54%
#57		102	0	0	102	24	7	3	68	22	14	8	46	54.76%	67 65%	76 67%
#58		2	0	0	2	1	0	0	1	0	0	0	1	50 00%	100.00%	100 00%
#59		515	0	0	515	68	44	4	399	101	82	19	298	66 52%	74.69%	78 42%
#60		73	0	0	73	3	10	3	57	16	14	2	41	70.69%	71.93%	74 55%
#61		3	0	0	3	0	0	1	2	1	1	0	1	50 00%	50 00%	50 00%
#62		0	0	2	2	0	0	0	2	2	2	0	0	0.00%	0.00%	0 00%
#63		8	0	0	8	0	1	3	4	3	3	0	1	25.00%	25 00%	25 00%
#64		16	0	0	16	0	0	0	16	6	6	0	10	62 50%	62 50%	62 50%
#65		0	0	51	51	19	9	0	23	5	4	1	18	43 90%	78 26%	81 82%
#66		98	0	0	98	9	5	1	83	13	8	5	70	80 46%	84.34%	89 74%
#67		2	0	0	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#68		79	0	0	79	1	1	7	70	61	33	28	9	20 93%	12 86%	21 43%
#69		0	1440	0	1440	658	117	6	659	163	104	59	496	39.43%	75 27%	82 67%
#70		136	0	0	136	46	15	3	72	16	12	4	56	49 12%	77 78%	82 35%
#71		8	0	0	8	1	1	0	6	0	0	0	6	85 71%	100 00%	100 00%
#72		0	67	0	67	36	24	3	4	2	1	1	2	5 13%	50 00%	66 67%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#73		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#74		112	0	0	112	30	13	0	69	14	13	1	55	56.12%	79.71%	80.88%
#75		25	0	0	25	0	18	0	7	2	0	2	5	100.00%	71.43%	100.00%
#76		156	0	0	156	24	14	1	117	39	36	3	78	56.52%	66.67%	68.42%
#77		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#78		9	0	0	9	3	1	0	5	0	0	0	5	62.50%	100.00%	100.00%
#79		7	0	0	7	0	2	1	4	1	0	1	3	100.00%	75.00%	100.00%
#80		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#81		0	0	905	905	113	6	89	697	433	365	68	264	35.58%	37.88%	41.97%
#82		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#83		0	0	114	114	44	23	1	46	8	4	4	38	44.19%	82.61%	90.48%
#84		0	0	14	14	3	5	0	6	1	0	1	5	62.50%	83.33%	100.00%
#85		0	0	21	21	2	6	1	12	1	1	0	11	78.57%	91.67%	91.67%
#86		0	0	9	9	1	0	1	7	3	1	2	4	66.67%	57.14%	80.00%
#87		0	0	23	23	12	0	0	11	1	1	0	10	43.48%	90.91%	90.91%
#88		120	0	0	120	14	32	3	71	14	8	6	57	72.15%	80.28%	87.69%
#89		25	0	0	25	0	1	0	24	1	0	1	23	100.00%	95.83%	100.00%
#90		31	0	0	31	2	3	0	26	5	1	4	21	87.50%	80.77%	95.45%
#91		26	0	0	26	2	2	0	22	2	1	1	20	86.96%	90.91%	95.24%
#92		36	0	0	36	2	5	1	28	9	5	4	19	73.08%	67.86%	79.17%
#93		0	0	58	58	23	13	0	22	10	8	2	12	27.91%	54.55%	60.00%
#94		6487	0	0	6487	772	392	96	5227	1785	1685	100	3442	58.35%	65.85%	67.13%
#95		24	0	0	24	1	11	2	10	2	1	1	8	80.00%	80.00%	88.89%
#96		0	0	22	22	18	0	2	2	1	1	0	1	5.00%	50.00%	50.00%
#97		729	0	0	729	51	50	7	621	366	275	91	255	43.89%	41.06%	48.11%
#98		0	0	4	4	0	1	0	3	2	1	1	1	50.00%	33.33%	50.00%
#99		0	0	5	5	0	0	1	4	1	1	0	3	75.00%	75.00%	75.00%
#100		0	0	1	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#101		0	0	25	25	0	2	4	19	13	11	2	6	35.29%	31.58%	35.29%
#102		0	0	2	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%
#103		0	0	2	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%
#104		1460	0	0	1460	101	120	6	1233	94	64	30	1139	87.35%	92.38%	94.68%
#105		2108	0	0	2108	210	197	42	1659	330	191	139	1329	76.82%	80.11%	87.43%
#106		25	0	0	25	4	10	0	11	1	0	1	10	71.43%	90.91%	100.00%
#107		0	0	16	16	14	0	0	2	1	0	1	1	6.67%	50.00%	100.00%
#108		0	0	12	12	9	1	0	2	0	0	0	2	18.18%	100.00%	100.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#109		142	0	0	142	39	45	0	58	21	13	8	37	41 57%	63.79%	74 00%
#110		24	0	0	24	11	2	0	11	4	2	2	7	35 00%	63 64%	77 78%
#111		6	0	0	6	0	0	1	5	3	2	1	2	50 00%	40.00%	50 00%
#112		122	0	0	122	24	18	0	80	27	19	8	53	55.21%	66.25%	73 61%
#113		3	0	0	3	1	0	0	2	1	1	0	1	33.33%	50.00%	50 00%
#114		15	0	0	15	1	7	0	7	6	4	2	1	16.67%	14.29%	20 00%
#115		8	0	0	8	1	1	1	5	2	0	2	3	75 00%	60.00%	100 00%
#116		386	0	0	386	63	47	2	274	95	65	30	179	58.31%	65.33%	73 36%
#117		16	0	0	16	7	3	0	6	0	0	0	6	46.15%	100.00%	100.00%
#118		0	28664	0	28664	1029	3248	24	24363	9354	7562	1792	15009	63.60%	61.61%	66 50%
#119		16	0	0	16	1	4	0	11	9	6	3	2	22 22%	18 18%	25 00%
#120		4	0	0	4	0	0	0	4	4	2	2	0	0 00%	0.00%	0.00%
#121		85	0	0	85	9	11	0	65	26	16	10	39	60.94%	60 00%	70 91%
#122		4	0	0	4	2	0	0	2	1	1	0	1	25.00%	50 00%	50 00%
#123		134	0	0	134	19	23	6	86	23	21	2	63	61.17%	73 26%	75 00%
#124		0	0	23	23	1	0	0	22	5	3	2	17	80.95%	77 27%	85 00%
#125		19	0	0	19	4	0	1	14	1	1	0	13	72 22%	92 86%	92 86%
#126		667	0	0	667	55	43	6	563	212	164	48	351	61 58%	62.34%	68 16%
#127		2111	0	0	2111	236	199	17	1659	595	467	128	1064	60 22%	64 14%	69 50%
#128		80	0	0	80	0	30	3	47	21	7	14	26	78 79%	55 32%	78 79%
#129		111	0	0	111	10	52	1	48	18	1	17	30	73.17%	62.50%	96 77%
#130		0	291	0	291	61	42	2	186	98	82	16	88	38.10%	47.31%	51 76%
#131		73	0	0	73	6	22	7	38	10	5	5	28	71 79%	73 68%	84 85%
#132		2038	0	0	2038	324	216	37	1461	644	529	115	817	48 92%	55 92%	60 70%
#133		0	1179	0	1179	138	120	38	883	514	456	58	369	38 32%	41 79%	44 73%
#134		44	0	0	44	5	7	4	28	23	7	16	5	29 41%	17.86%	41 67%
#135		509	0	0	509	60	71	16	362	158	131	27	204	51 65%	56 35%	60 90%
#136		0	0	3	3	0	1	1	1	0	0	0	1	100 00%	100 00%	100 00%
#137		15	0	0	15	1	5	0	9	4	3	1	5	55.56%	55 56%	62 50%
#138		19	0	0	19	0	2	0	17	17	9	8	0	0 00%	0.00%	0 00%
#139		4	0	0	4	0	0	0	4	4	1	3	0	0 00%	0.00%	0 00%
#140		0	0	17	17	3	2	5	7	5	3	2	2	25 00%	28 57%	40 00%
#141		21	0	0	21	1	6	1	13	10	2	8	3	50 00%	23 08%	60 00%
#142		234	0	0	234	3	38	34	159	133	74	59	26	25 24%	16 35%	26 00%
#143		89	0	0	89	9	2	6	72	27	16	11	45	64 29%	62 50%	73 77%
#144		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#145		9	0	0	9	1	0	0	8	0	0	0	8	88 89%	100.00%	100 00%
#146		247	0	0	247	16	18	1	212	51	38	13	161	74.88%	75 94%	80 90%
#147		20	0	0	20	1	3	0	16	8	6	2	8	53.33%	50 00%	57 14%
#148		24	0	0	24	1	2	0	21	13	11	2	8	40 00%	38.10%	42 11%
#149		12	0	0	12	0	4	0	8	4	3	1	4	57 14%	50.00%	57 14%
#150		0	404	0	404	250	28	6	120	84	52	32	36	10 65%	30 00%	40 91%
#151		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100.00%
#152		745	0	0	745	118	72	11	544	186	145	41	358	57 65%	65.81%	71 17%
#153		0	0	11030	11030	1096	1036	29	8869	7847	5391	2456	1022	13 61%	11 52%	15 94%
#154		0	0	4	4	1	0	1	2	0	0	0	2	66.67%	100 00%	100.00%
#155		9326	0	0	9326	406	414	27	8479	1324	1025	299	7155	83 33%	84 38%	87 47%
#156		95	0	0	95	50	27	0	18	6	5	1	12	17 91%	66 67%	70 59%
#157		0	281	0	281	4	38	12	227	94	61	33	133	67 17%	58 59%	68 56%
#158		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100 00%	100 00%
#159		915	0	0	915	71	112	7	725	473	361	112	252	36 84%	34 76%	41.11%
#160		12	0	0	12	0	5	0	7	3	0	3	4	100.00%	57 14%	100 00%
#161		0	49	0	49	14	13	0	22	4	3	1	18	51 43%	81 82%	85 71%
#162		0	562	0	562	329	83	5	145	46	27	19	99	21.76%	68 28%	78.57%
#163		0	137	0	137	39	42	0	56	15	7	8	41	47.13%	73 21%	85 42%
#164		441	0	0	441	88	59	18	276	134	104	30	142	42.51%	51 45%	57 72%
#165		0	106	0	106	14	22	0	70	34	20	14	36	51 43%	51 43%	64 29%
#166		0	1341	0	1341	84	299	0	958	740	117	623	218	52 03%	22 76%	65 07%
#167		0	10	0	10	0	2	0	8	1	1	0	7	87 50%	87 50%	87.50%
#168		0	10	0	10	3	1	0	6	4	1	3	2	33.33%	33 33%	66 67%
#169		0	65	0	65	3	9	0	53	32	18	14	21	50 00%	39 62%	53 85%
#170		0	61	0	61	8	7	0	46	30	16	14	16	40 00%	34.78%	50 00%
#171		63	0	0	63	5	11	0	47	19	6	13	28	71 79%	59 57%	82 35%
#172		1076	0	0	1076	53	111	11	901	245	101	144	656	80 99%	72.81%	86 66%
#173		12	0	0	12	0	0	1	11	4	2	2	7	77.78%	63.64%	77 78%
#174		6	0	0	6	0	1	0	5	2	0	2	3	100.00%	60 00%	100 00%
#175		12	0	0	12	3	2	0	7	3	2	1	4	44 44%	57 14%	66 67%
#176		51	0	0	51	2	3	2	44	20	7	13	24	72 73%	54.55%	77 42%
#177		26	0	0	26	4	2	0	20	7	2	5	13	68 42%	65 00%	86 67%
#178		9	0	0	9	1	0	0	8	4	1	3	4	66 67%	50 00%	80 00%
#179		28	0	0	28	2	4	1	21	4	3	1	17	77 27%	80 95%	85 00%
LENS Subtotal		46128	0	0	46128	5944	3278	527	36379	9424	7483	1941	26955	66 75%	74 09%	78 27%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
EDI Subtotal		0	35895	0	35895	3314	4309	121	28151	11357	8631	2726	16794	58.44%	59.66%	66.05%
TAG Subtotal		0	0	19576	19576	2379	2085	211	14901	10346	7364	2982	4555	31.86%	30.57%	38.22%
TOTAL INTERFACES		**46128**	**35895**	**19576**	**101599**	**11637**	**9672**	**859**	**79431**	**31127**	**23478**	**7649**	**48304**	**57.91%**	**60.81%**	**67.29%**

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#1		3
#2		1
#3		27
#4		5
#5		50
#6		9
#7		35
#8		40
#9		18
#10		15
#11		1
#12		2
#13		8
#14		8
#15		1
#16		3
#17		53
#18		7
#19		12
#20		5
#21		5
#22		24
#23		5
#24		50
#25		37
#26		3
#27		4
		11
		3
#30		5

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#31		2
#32		12
#33		3
#34		5
#35		2
#36		2
#37		7
#38		72
#39		52
#40		2
#41		54
#42		3
#43		7
#44		65
#45		23
#46		35
#47		38
#48		59
#49		35
#50		33
#51		1
#52		18
#53		1
#54		1
#55		4
#56		824
#57		2
#58		8
#59		76
#60		63

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#61		5
#62		141
#63		5
#64		16
#65		142
#66		171
#67		88
#68		1
#69		3
#70		212
#71		402
#72		3
#73		1
#74		61
#75		4
#76		8
#77		7
#78		30
#79		2
#80		3
#81		5
#82		6
#83		4
#84		4
#85		42
#86		2
#87		6
#88		29
#89		188
#90		15

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#91		7
#92		1
#93		16
#94		7
#95		17
#96		1
#97		143
#98		52
#99		20
#100		1
#101		1
#102		4
#103		34
#104		2
#105		9
#106		3
#107		4
#108		9
#109		4
#110		7
#111		6
#112		21
#113		17
#114		11
#115		127
#116		11
#117		29
#118		24
#119		53
#120		2

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#121		11
#122		3
#123		1
#124		10
#125		18
#126		7
#127		4
#128		5
#129		7
#130		4
#131		20
#132		44
#133		4
#134		62
#135		3
#136		1
#137		115
#138		28
#139		359
#140		4
#141		124
#142		2
#143		7
#144		1
#145		7
#146		4
#147		23
#148		2
#149		2
#150		2

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#151		510
#152		8
#153		35
#154		110
#155		19
#156		4
#157		4
#158		3
#159		12
#160		3
#161		17
#162		14
#163		8
#164		1683
#165		47
#166		224
#167		1
#168		12
#169		2
#170		2
#171		8
#172		7
#173		3
#174		2
#175		1
#176		1
#177		7
#178		13
#179		131
#180		2

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#181		74
#182		59
#183		117
#184		71
#185		210
#186		17
#187		443
#188		10
#189		7
#190		107
#191		7
#192		3
#193		36
#194		2
#195		1
#196		21
#197		3
#198		59
#199		1
#200		7
#201		2
#202		5
#203		1
#204		6
#205		3
#206		65
#207		33
#208		2
#209		5
#210		12

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#211		1
#212		2
#213		7
#214		13
#215		33
#216		2
#217		40
#218		4
#219		9
#220		1423
#221		8
#222		15
#223		2
#224		19
#225		37
#226		25
#227		1
#228		6
#229		7
#230		49
#231		31
#232		35
#233		9
#234		22
#235		19
#236		77
#237		8
#238		2
#239		703
#240		51

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#241		1
#242		3
#243		87
#244		18
#245		10
#246		4
#247		9
#248		6
#249		22
#250		31
#251		10
#252		36
#253		9
#254		19
#255		2
#256		18
#257		7
#258		27
#259		40
#260		387
#261		3
#262		4
#263		9
#264		5
#265		5
Total		12806

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
1000	8000	9.16%	9.16%	IF CHGING CLASS OF SERVICE ALL PERTINENT USOCS MUST BE POPULATED IN AND OUT	7506	100.00%	9.16%	494	6.18%	2.35%
7020	1357	1.55%	10.72%	NUM= TELNO= TN NOT FOUND IN CRIS	1294	100.00%	1.55%	63	4.64%	0.30%
7040	4	0.00%	10.72%	LOGON ABORTED/FAILED	2	100.00%	0.00%	2	50.00%	0.01%
7055	2058	2.36%	13.08%	NUM= TELNO= ACCOUNT IS FINAL	1783	100.00%	2.36%	275	13.36%	1.31%
7095	1	0.00%	13.08%	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	0	100.00%	0.00%	1	100.00%	0.00%
7110	1053	1.21%	14.28%	COFFI NOT AVAILABLE	428	100.00%	1.21%	625	59.35%	2.97%
7115	66	0.08%	14.36%	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE	22	100.00%	0.08%	44	66.67%	0.21%
7150	6	0.01%	14.37%	UNE - ERROR GENERATING ECCKT	5	100.00%	0.01%	1	16.67%	0.00%
7225	26	0.03%	14.40%	USOC= IS MISSING	26	100.00%	0.03%	0	0.00%	0.00%
7230	3	0.00%	14.40%	REFERENCE OF CALL OPTION NOT VALID FOR THIS ACCOUNT ACTIVITY TYPE	3	100.00%	0.00%	0	0.00%	0.00%
7245	63	0.07%	14.47%	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING	50	100.00%	0.07%	13	20.63%	0.06%
7250	601	0.69%	15.16%	LSR HOUSENUMBER INCORRECT	581	100.00%	0.69%	20	3.33%	0.10%
7267	8	0.01%	15.17%	UNE - LOCBAN MISSING FOR LINP ORDER	8	100.00%	0.01%	0	0.00%	0.00%
7295	11	0.01%	15.18%	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED	9	100.00%	0.01%	2	18.18%	0.01%
7300	21	0.02%	15.21%	UNE - CANNOT GENERATE CLASS OF SERVICE USOC	19	100.00%	0.02%	2	9.52%	0.01%
7315	1883	2.16%	17.36%	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS	1876	100.00%	2.16%	7	0.37%	0.03%
7375	33	0.04%	17.40%	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND	33	100.00%	0.04%	0	0.00%	0.00%
7380	130	0.15%	17.55%	UNE - ACTL INVALID	126	100.00%	0.15%	4	3.08%	0.02%
7400	7212	8.26%	25.81%	CLEC DOES NOT OWN THIS ACCOUNT.	6274	100.00%	8.26%	938	13.01%	4.46%
7435	3	0.00%	25.81%	WKG SVC - INPUT ADL, CONVSN ORD OR NOTE ABAND STA	3	100.00%	0.00%	0	0.00%	0.00%
7445	62	0.07%	25.88%	UNE - CALL FORWARD TN REQUIRED	61	100.00%	0.07%	1	1.61%	0.00%
7465	1716	1.97%	27.85%	CANNOT CANCEL ORDER	968	100.00%	1.97%	748	43.59%	3.56%
7495	76	0.09%	27.93%	UNE - DIR LOCATOR PROBLEM	4	100.00%	0.09%	72	94.74%	0.34%
7500	4	0.00%	27.94%	DUE DATE COULD NOT BE DETERMINED	2	100.00%	0.00%	2	50.00%	0.01%
7555	165	0.19%	28.13%	FID MISSING IN FEATURE DETAIL	145	100.00%	0.19%	20	12.12%	0.10%
7630	430	0.49%	28.62%	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	155	100.00%	0.49%	275	63.95%	1.31%
7640	5	0.01%	28.63%	DUPLICATE CUSTOMERS EXCEED NINE ON CSR	1	100.00%	0.01%	4	80.00%	0.02%
7645	1819	2.08%	30.71%	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	1026	100.00%	2.08%	793	43.60%	3.77%
7660	1	0.00%	30.71%	USOC FUJ1X NOT FOR RESALE	1	100.00%	0.00%	0	0.00%	0.00%
7690	22	0.03%	30.74%	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE	22	100.00%	0.03%	0	0.00%	0.00%
7710	290	0.33%	31.07%	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	172	100.00%	0.33%	118	40.69%	0.56%
7715	72	0.08%	31.15%	SOCS TIMEOUT/NOT AVAILABLE	35	100.00%	0.08%	37	51.39%	0.18%
7718	1371	1.57%	32.72%	UNABLE TO RETRIEVE PSO TO PROCESS SUP	557	100.00%	1.57%	814	59.37%	3.87%
7725	136	0.16%	32.88%	WAITING PERIOD EQUALS 5 MINUTES	43	100.00%	0.16%	93	68.38%	0.44%
7735	10	0.01%	32.89%	INVALID/MISSING LISTING NAME OR TYPE	10	100.00%	0.01%	0	0.00%	0.00%
7740	13	0.01%	32.90%	LOCAL CALLING PLUS INDICATOR NOT FOUND	12	100.00%	0.01%	1	7.69%	0.00%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
7755	43	0.05%	32.95%	UNE - NPANXX NOT FOUND IN CLLI TABLE	38	100.00%	0.05%	5	11.63%	0 02%
7805	459	0.53%	33.48%	SITE COULD NOT BE DETERMINED	304	100 00%	0.53%	155	33 77%	0 74%
7815	43	0.05%	33.53%	FID=RCU INVALID OR MISSING DATA	26	100 00%	0.05%	17	39.53%	0 08%
7850	5	0.01%	33.53%	RSAG - NEED ADDITIONAL ADDRESS OR TN	5	100.00%	0 01%	0	0.00%	0 00%
7860	963	1.10%	34.64%	RSAG - NO EXACT MATCH ON STREET NAME	949	100.00%	1.10%	14	1.45%	0 07%
7890	191	0.22%	34.85%	RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS	189	100.00%	0.22%	2	1 05%	0 01%
7900	35	0.04%	34.89%	RSAG - NO MATCH ON STREET NAME	35	100.00%	0 04%	0	0 00%	0 00%
7905	1361	1.56%	36.45%	RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE OR INVALID ADDRESS FORMAT	1277	100.00%	1.56%	84	6 17%	0 40%
7910	54	0.06%	36.51%	RSAG - NO MATCH ON EXACT STREET NAME	37	100.00%	0 06%	17	31.48%	0 08%
7935	16	0.02%	36.53%	RSAG-SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	16	100.00%	0.02%	0	0.00%	0 00%
7945	32	0.04%	36.57%	RSAG SYSTEM ERROR	18	100 00%	0 04%	14	43 75%	0 07%
8130	1	0.00%	36.57%	CONVERSION SPECIFIED CAN ONLY BE USED ON RETAIL TO UNE SERVICE	1	100 00%	0 00%	0	0 00%	0 00%
8150	250	0.29%	36 86%	ORDER HAS BEEN REQUEUED FOR THE MAXIMUM NUMBER OF OCCURRENCES	35	100 00%	0.29%	215	86.00%	1 02%
8167	35	0.04%	36.90%	INVALID USOC CHARACTER. FORMAT SAE 013 I1 CREXI	35	100 00%	0 04%	0	0 00%	0 00%
8170	381	0.44%	37.33%	USOC MAY ONLY APPEAR ONCE. FORMAT SAE 110 I1 CREX1 /TN	381	100.00%	0.44%	0	0 00%	0 00%
8173	54	0.06%	37.39%	INVALID CLASS OF SERVICE. FORMAT IDNT 131 UEPRL=	54	100.00%	0.06%	0	0 00%	0 00%
8180	97	0.11%	37.51%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFE	97	100.00%	0.11%	0	0 00%	0 00%
8183	8	0.01%	37.52%	AREA CALLING PLAN USOC MISMATCH. FORMAT 320 LINE UPP :0000000 / LINE ASSIGN :00	8	100.00%	0.01%	0	0 00%	0 00%
8185	32	0.04%	37.55%	ESC/ESCWT NOT VALID COMBINATION. FORMAT SAE 424 I1 ESCWT	32	100.00%	0 04%	0	0.00%	0 00%
8187	155	0.18%	37.73%	USOC MAY NOT APPEAR ON REQUEST. FORMAT SAE 431 T1 EMP1S /TN	155	100.00%	0 18%	0	0 00%	0 00%
8189	761	0.87%	38.60%	USOC IS NOT VALID ON BST FILE. FORMAT SAE 433 I1 CREX6	761	100.00%	0.87%	0	0.00%	0 00%
8190	958	1.10%	39.70%	INVALID USOC FOR BASIC CLASS OF SERVICE. FORMAT SAE 434 I1 S98CP /TN	958	100.00%	1.10%	0	0.00%	0 00%
8193	5	0.01%	39.70%	USOC NOT VALID WITH CALLER ID. FORMAT SAE 473 I1 NXMCR /TN	5	100.00%	0.01%	0	0 00%	0 00%
8195	219	0.25%	39.95%	CALL FORWARDING USOC MUST NOT APPEAR. FORMAT SAE 540 I1 GCJ /TN	219	100.00%	0.25%	0	0 00%	0.00%
8197	248	0.28%	40.24%	CALL FORWARDING USOC MUST APPEAR. FORMAT SAE 541	248	100.00%	0 28%	0	0 00%	0 00%
8199	28	0.03%	40.27%	GCJRC/GCJ COMBINATION INVALID. FORMAT SAE 560 I1 GCJRC /TN	28	100 00%	0 03%	0	0 00%	0 00%
8204	98	0.11%	40.38%	BCR/NSS/NX8 INVALID USOC COMBINATION. FORMAT SAE 575 R1 NSS /TN	98	100.00%	0 11%	0	0.00%	0 00%
8207	34	0.04%	40.42%	BRD/NSQ/NX9 INVALID USOC COMBINATION. FORMAT SAE 576 I1 NX9 /TN	34	100 00%	0 04%	0	0 00%	0 00%
8209	250	0.29%	40.71%	USOC COMBINATION IS INVALID FORMAT SAE 587 I1 ESXDC /TN	250	100.00%	0 29%	0	0 00%	0 00%
8240	124	0.14%	40.85%	INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE	124	100 00%	0 14%	0	0 00%	0 00%
8250	45	0.05%	40.90%	USOC= NOT APPLICABLE TO PORT LOOP SERVICE	45	100 00%	0 05%	0	0 00%	0 00%
8415	21	0.02%	40.93%	LSF LP ALREADY EXISTS ON ACCOUNT	21	100 00%	0 02%	0	0 00%	0 00%
8430	2	0.00%	40.93%	LSF DOES NOT EXIST ON ACCOUNT	1	100.00%	0.00%	1	50.00%	0 00%
8700	1	0.00%	40.93%	RSAG-INVALID SEARCH AREA	1	100 00%	0 00%	0	0 00%	0 00%
8820	215	0.25%	41.18%	SOCS ERROR: LUD BILL 004 ACT CODE NOT FOR THIS ORD TYPE	11[illegible]	100 00%	0 25%	103	47 91%	0 49%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
8825	15435	17.68%	58.85%	ORDER ERR:	3489	100.00%	17.68%	11946	77 40%	56.86%
8830	5265	6.03%	64.88%	CLEC ALREADY OWNS THIS ACCOUNT	4765	100.00%	6.03%	500	9 50%	2 38%
8850	13	0.01%	64.90%	CFA NOT FOUND,PLEASE VERIFY CFA	13	100.00%	0.01%	0	0.00%	0 00%
8855	4	0.00%	64.90%	NO ACTL IN LSR	4	100 00%	0.00%	0	0.00%	0 00%
8885	1	0.00%	64.90%	LINE ACT IS V AND LINE IS NOT ON CUSTOMER RECORD	1	100.00%	0.00%	0	0.00%	0 00%
8890	1	0.00%	64.90%	UNE - INVALID ACT TYPE/LNA/FEATURE COMBINATION	1	100.00%	0.00%	0	0 00%	0 00%
8940	512	0.59%	65.49%	CALL FORWARDING NUMBER MISSING OR INVALID	484	100.00%	0.59%	28	5.47%	0 13%
8945	44	0.05%	65.54%	LINECLSSVC AND TOS DO NOT MATCH	44	100.00%	0.05%	0	0 00%	0.00%
8970	687	0.79%	66.33%	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC	642	100.00%	0.79%	45	6.55%	0.21%
8995	8	0.01%	66.33%	SEMICOLON DISALLOWED WITH (+) SIGN IN PERSONAL NAME LISTINGS	8	100.00%	0.01%	0	0.00%	0 00%
9000	25	0.03%	66.36%	LSO/LOCBAN (NPANXX) MISSING OR INVALID	23	100.00%	0.03%	2	8 00%	0 01%
9015	4	0.00%	66.37%	SUP FAILED TO UPDATE DUE DATE	4	100 00%	0 00%	0	0 00%	0 00%
9030	2	0.00%	66.37%	PIC DATA OF A VALID PIC CODE OR NONE IS REQUIRED	2	100.00%	0.00%	0	0.00%	0 00%
9040	1	0.00%	66.37%	DDD/DDD-CC REQUIRED	1	100.00%	0.00%	0	0 00%	0 00%
9060	1	0.00%	66.37%	EU-STREET-1 REQUIRED	1	100.00%	0.00%	0	0 00%	0 00%
9110	4	0.00%	66.38%	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TY	4	100.00%	0.00%	0	0 00%	0 00%
9115	4	0.00%	66.38%	TELNO= LPIC REQUIRED PER UNIQUE TELNO ON A, V, P9 LINE ACTIVITY TYPES	4	100 00%	0.00%	0	0 00%	0 00%
9155	72	0.08%	66.46%	UNE - PORTED OUT NUMBER	68	100 00%	0 08%	4	5 56%	0 02%
9160	103	0.12%	66.58%	LOCBAN INVALID FOR PORTED NUMBER ACTIVITY	103	100.00%	0 12%	0	0 00%	0 00%
9190	1	0.00%	66.58%	ZIP CODE IS NOT NUMERIC	1	100.00%	0.00%	0	0 00%	0 00%
9245	122	0.14%	66.72%	CORRECT ECCKT IS REQUIRED FOR LNA , LNUM	118	100 00%	0 14%	4	3.28%	0 02%
9432	1	0.00%	66.72%	DLNUM=0002 LTN= LTXTY OF CR REQUIRES SEE AS FIRST WORD IN LTEXT	1	100 00%	0 00%	0	0.00%	0 00%
9433	1	0.00%	66.73%	DLNUM=0001 LTN=HTN ACCOUNT NOT OWNED BY CLEC	0	100 00%	0 00%	1	100 00%	0 00%
9439	98	0.11%	66.84%	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED	96	100 00%	0.11%	2	2 04%	0 01%
9442	356	0.41%	67.25%	DLNUM=0002 LTN= ALI MUST BE UNIQUE	352	100.00%	0.41%	4	1 12%	0 02%
9466	23	0.03%	67.27%	UNABLE TO DETERMINE BLOCK CHOICE	23	100.00%	0.03%	0	0 00%	0 00%
9471	9	0.01%	67.28%	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ	8	100.00%	0 01%	1	11.11%	0 00%
9475	328	0.38%	67.66%	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS	316	100.00%	0.38%	12	3.66%	0 06%
9476	77	0.09%	67.75%	IS NOT FOUND ON CSR TO DISCONNECT	73	100.00%	0 09%	4	5.19%	0 02%
9477	43	0.05%	67.80%	LSR LNUM=00002 INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER	33	100.00%	0 05%	10	23.26%	0 05%
9479	82	0.09%	67.89%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY	80	100 00%	0 09%	2	2 44%	0 01%
9481	1351	1.55%	69.44%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT	1263	100 00%	1 55%	88	6.51%	0 42%
9484	30	0.03%	69.47%	TNS= FOR LNUM=00001 ALREADY EXIST ON ATN=	27	100 00%	0 03%	3	10 00%	0 01%
9487	3	0.00%	69.47%	INVALID ACT TYPE FOR FULL MIGRATION	3	100 00%	0 00%	0	0.00%	0 00%
9488	665	0.76%	70.24%	DISPOSITION OF ALL LINES REQUIRED ON ACT V	657	100.00%	0 76%	8	1 20%	0 04%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9495	32	0.04%	70.27%	EATN= MUST EXIST FOR ACT P AND Q	31	100.00%	0.04%	1	3 13%	0 00%
9496	2319	2.66%	72.93%	TNS= ON LNUM=00004 NOT FOUND ON EATN= FOR ACT=	2206	100 00%	2.66%	113	4.87%	0 54%
9497	3	0.00%	72.93%	LEATN= ON LNUM=00001 AND EATN= ARE NOT COMPATIBLE	2	100.00%	0.00%	1	33.33%	0 00%
9498	4	0.00%	72.94%	EAN= ON LNUM= AND LEAN= ARE POPULATED	4	100 00%	0.00%	0	0 00%	0 00%
9503	1	0.00%	72.94%	FA OF D AND C ARE DISALLOWED WHEN TNS IS NOT POPULATED FOR A LEATN	1	100 00%	0.00%	0	0.00%	0 00%
9515	1842	2.11%	75.05%	WKG SVC-INPUT ADL, CONVERSION ORDER OR NOTE ABANDONED STATION	1758	100.00%	2.11%	84	4.56%	0 40%
9516	34	0.04%	75.09%	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN	31	100.00%	0.04%	3	8.82%	0 01%
9517	25	0.03%	75.11%	UNDC INVALID IF PIC ALREADY EXISTS	25	100 00%	0 03%	0	0.00%	0.00%
9523	14	0.02%	75.13%	LOCNUM=000 HNUM=00001 HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS	14	100.00%	0.02%	0	0.00%	0 00%
9526	7	0.01%	75.14%	BLOCK CHOICE DOES NOT EXIST ON ACCOUNT	7	100 00%	0.01%	0	0.00%	0 00%
9529	2046	2.34%	77.48%	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED	1961	100 00%	2 34%	85	4 15%	0 40%
9530	1	0.00%	77.48%	APPOINTMENT TIME CANNOT BE PRIOR TO 800A OR LATER THAN 500P	1	100.00%	0.00%	0	0 00%	0 00%
9543	35	0.04%	77.52%	LOCNUM= HNUM= HT= HT CANNOT BE IN MORE THAN ONE HID	34	100.00%	0.04%	1	2.86%	0 00%
9545	12	0.01%	77.54%	LOCNUM= HNUM=00001 HA OF D NOT ALLOWED	11	100.00%	0.01%	1	8 33%	0 00%
9600	2	0.00%	77.54%	TASKMATE ERROR INCORRECT SCREEN FORMAT ON HOST	0	100.00%	0.00%	2	100 00%	0 01%
9602	2504	2.87%	80.41%	USOC=NSS ALREADY EXISTS ON CUSTOMER RECORD	2338	100.00%	2.87%	166	6.63%	0 79%
9605	94	0.11%	80.51%	USOC NOT FOR RESALE FORMAT SAE 959 T1 PGRAX /ZPGR 1 /RMKR (A)	94	100.00%	0 11%	0	0.00%	0 00%
9606	11	0.01%	80.53%	TNS CANNOT BE REASSIGNED FOR 90 DAYS	11	100.00%	0 01%	0	0.00%	0 00%
9616	16	0.02%	80.54%	YPH INVALID	16	100.00%	0.02%	0	0 00%	0 00%
9623	10	0.01%	80.56%	TOUCHTONE IS INVALID WITH AREA PLUS SERVICE	9	100 00%	0.01%	1	10.00%	0 00%
9626	443	0.51%	81.06%	CLASS OF SERVICE LNPRL NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP	419	100 00%	0 51%	24	5.42%	0 11%
9627	9664	11.07%	92.13%	ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER	8766	100.00%	11.07%	898	9.29%	4 27%
9628	152	0.17%	92.30%	REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE	142	100.00%	0 17%	10	6.58%	0 05%
9629	22	0.03%	92.33%	CALL FORWARDING FID (CFND) AND CFND TN REQUIRED BEHIND USOC S98AF	22	100 00%	0.03%	0	0.00%	0 00%
9637	1	0.00%	92.33%	STAR 98 SERVICE IS NOT AVAILABLE FOR THIS CENTRAL OFFICE	1	100.00%	0.00%	0	0 00%	0 00%
9639	24	0.03%	92.36%	CATEGORY L USOC MUST APPEAR FOR SAME TN	24	100.00%	0 03%	0	0 00%	0 00%
9641	2557	2.93%	95.29%	REQUESTED ACTIVITY ALREADY PENDING DM4V32	2446	100 00%	2.93%	111	4.34%	0 53%
9643	1	0.00%	95.29%	STAR 98 SERVICE NOT VALID ON THIS REQTYP/ACT TYPE COMBINATION	0	100.00%	0.00%	1	100 00%	0 00%
9647	281	0.32%	95.61%	BAN DOES NOT EXIST FOR COMPANY CODE	278	100 00%	0 32%	3	1.07%	0 01%
9654	160	0.18%	95.79%	DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED ENDUS	160	100.00%	0 18%	0	0 00%	0 00%
9656	1	0.00%	95.79%	SLTN NOT FOUND ON CRIS ACCOUNT FOR LNA N, LNUM	1	100 00%	0.00%	0	0 00%	0 00%
9670	21	0.02%	95.82%	TOUCHTONE USOC REQUIRED INWARD OR RECAPPED - FORMAT SAE 004	21	100.00%	0 02%	0	0 00%	0 00%
9671	83	0.10%	95.91%	TOUCHTNE USOC REQUIRED - FORMAT SAE 245	83	100.00%	0 10%	0	0 00%	0 00%
9673	6	0.01%	95.92%	RINGMASTER USOC REQUIRED - FORMAT SAE 387	6	100 00%	0.01%	0	0 00%	0 00%
9674	32	0 04%	95 96%	INVALID TN/PN DATA - FORMAT SAE 389 I1 DRS /TN /PN /RNP B	32	100 00%	0.04%	0	0 00%	0 00%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9675	44	0.05%	96.01%	BBC USOC MUST NOT APPEAR - FORMAT SAE 679 I1 BBC /TN	44	100.00%	0.05%	0	0.00%	0 00%
9679	2	0.00%	96.01%	FIRST CHARACTER OF LINE NUMBER IS NOT VALID FOR BST IN COFFI	2	100.00%	0 00%	0	0.00%	0 00%
9680	102	0.12%	96.13%	INVALID REQTYP OR TOS FOR LIFELINE	102	100 00%	0.12%	0	0.00%	0.00%
9681	39	0.04%	96.17%	LINKUP DISCOUNT CANNOT BE ADDED TO EXISTING SERVICE	37	100.00%	0.04%	2	5.13%	0 01%
9682	17	0.02%	96.19%	LINKUP DISCOUNT IS ONLY AVAILABLE ON LIFELINE ACCOUNTS	13	100 00%	0.02%	4	23 53%	0.02%
9687	1	0.00%	96.19%	ACT=N/LNA=N IS INVALID WHEN THE REQUESTING CLEC ALREADY HAS A LINESHARE ON	1	100.00%	0 00%	0	0 00%	0.00%
9688	1	0.00%	96.19%	ACT=C/LNA=N IS INVALID FOR INITIAL LINESHARE	1	100.00%	0.00%	0	0 00%	0 00%
9715	850	0.97%	97.17%	TOS IS INVALID FOR REQUESTED SERVICE	164	100.00%	0.97%	686	80.71%	3 27%
9770	1	0.00%	97.17%	UNE - CABLE ID/CHANNEL PAIR OR CFA IS REQUIRED FOR REQUESTED SERVICE	1	100.00%	0.00%	0	0.00%	0 00%
9772	5	0.01%	97.17%	UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A	3	100.00%	0.01%	2	40.00%	0 01%
9800	7	0.01%	97.18%	MAIN LISTING REQUIRED FOR NEW ACCOUNT	7	100.00%	0.01%	0	0.00%	0.00%
9805	1	0.00%	97.18%	NO DENIAL INDICATOR ON CUSTOMER RECORD	1	100.00%	0.00%	0	0.00%	0 00%
9860	2461	2.82%	100.00%	UNABLE TO HANDLE REQUEST; ENDUSER ACCOUNT FROZEN	2410	100 00%	2.82%	51	2.07%	0 24%
	87322	100.00%			66312		100.00%	21010		100 00%

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1005	1	0.01%	0.01%	CCNA REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1007	41	0.23%	0.23%	DUPLICATE CC, PON, VER
1012	15	0.08%	0.32%	CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
1015	6326	34.97%	35.29%	PON DUPLICATE ON INITIAL LSR
1017	1	0.01%	35.29%	PON VALID VALUES ARE UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1023	195	1.08%	36.37%	NO ORIGINAL LSR FOUND FOR THIS SUP
1025	27	0.15%	36.52%	VER MUST BE GREATER THAN PREVIOUS VERSION
1027	134	0.74%	37.26%	PREVIOUS LSR AGED OFF - (K) STATUS
1030	908	5.02%	42.28%	VER MUST BE GREATER THAN PREVIOUS VERSION
1035	6	0.03%	42.31%	VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
1040	9	0.05%	42.36%	VER MUST BE SPACES OR ZEROES FOR 850
1050	26	0.14%	42.51%	D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
1055	4	0.02%	42.53%	AN REQUIRED FOR THIS REQTYP/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
1060	3	0.02%	42.55%	AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTYP IS B
1065	7	0.04%	42.58%	AN MUST BE 10 OR 13 ALPHANUMERICS
1070	42	0.23%	42.82%	DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
1075	4	0.02%	42.84%	ATN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
1080	3	0.02%	42.85%	DDD/DDD-CC MUST BE A VALID DATE
1085	3	0.02%	42.87%	DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
1090	2	0.01%	42.88%	ATN OR AN REQUIRED WHEN EATN IS POPULATED
1110	73	0.40%	43.29%	INVALID REQTYP - ACCOUNT ACTIVITY TYPE COMBINATION
1120	2	0.01%	43.30%	DDD REQUIRED
1125	40	0.22%	43.52%	DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
1131	50	0.28%	43.79%	DDD IS LESS THAN CALC DATE ON PRIOR VERSION LSR OR SERVICE ORDER DUE DATE
1140	1	0.01%	43.80%	DDDO REQUIRED WHEN ACT IS T AND REQTYP IS A, E, M, OR N
1145	6	0.03%	43.83%	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
1150	78	0.43%	44.26%	SUP PROHIBITED WHEN 1ST CHARACTER OF REQTYP FIELD CHANGES
1154	64	0.35%	44.62%	LSR/PON IS COMPLETED
1155	1	0.01%	44.62%	DFDT MUST BE POPULATED WITH A SINGLE (HHMM) TIME WHEN CHC IS Y
1170	2	0.01%	44.63%	CC REQUIRED
1180	7	0.04%	44.67%	INVALID REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1200	9	0.05%	44.72%	SUP REQUIRED WHEN VER IS GREATER THAN 00

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1215	24	0.13%	44.86%	ACTL MUST BE 11 ALPHANUMERIC CHARACTERS
1225	7	0.04%	44.89%	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1230	2974	16.44%	61.34%	LSO MUST BE 6 NUMERICS
1240	1	0.01%	61.34%	TOS INVALID
1285	2	0.01%	61.35%	ACTL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1330	3	0.02%	61.37%	BAN1 MUST = E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1335	2	0.01%	61.38%	LSO REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1345	5	0.03%	61.41%	TOS REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1350	3	0.02%	61.42%	BAN2 MUST BE ENTRY OF E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1390	2	0.01%	61.44%	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB
1404	1	0.01%	61.44%	RESID REQUIRED
1407	1	0.01%	61.45%	RESID IS REQUIRED WITH ANY LNA'S OF N OR V
1430	14	0.08%	61.52%	CIC REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1435	2	0.01%	61.53%	CIC MUST BE 4 NUMERICS
1453	7	0.04%	61.57%	BAN1 REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1455	14	0.08%	61.65%	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
1457	17	0.09%	61.74%	BAN1 MUST BE ENTRY OF E IF REQTYPE A-LINE SHARE CO BASED
1470	1	0.01%	61.75%	BI2 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED
1505	3	0.02%	61.77%	INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1510	3	0.02%	61.78%	TEL NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1520	10	0.06%	61.84%	FAX NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1525	1	0.01%	61.84%	FAX NO-INIT MUST BE 10 NUMERICS
1530	1	0.01%	61.85%	IMPCON REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1540	2	0.01%	61.86%	TEL NO IMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS
1580	1	0.01%	61.87%	FAX NO-DSGCON MUST BE 10 NUMERICS
1590	1	0.01%	61.87%	CITY-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1605	451	2.49%	64.37%	REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
1630	111	0.61%	64.98%	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
1635	260	1.44%	66.42%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1640	765	4.23%	70.65%	NO ORIGINAL LSR FOUND FOR THIS SUP
1645	2759	15.25%	85.90%	LSR/PON AGED OFF
1650	787	4.35%	90.25%	LSR/PON COMPLETED

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1655	18	0.10%	90.35%	LSR ORIGINATING FORMAT (TCIF) NOT SAME AS ORIGINATING FORMAT
1660	72	0.40%	90.75%	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
1662	24	0.13%	90.88%	SUP NOT ALLOWED ON RESTORAL WHEN THE REASON WAS DENIED
1664	98	0.54%	91.42%	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
2040	4	0.02%	91.44%	LOCNUM=000 SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2060	44	0.24%	91.69%	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYP COMBINATION AT THIS LOCATION
2065	9	0.05%	91.74%	LOCBAN REQUIRED
2067	1	0.01%	91.74%	LOCBAN MUST BE 10 OR 13 ALPHANUMERICS
2080	49	0.27%	92.01%	LOCNUM=000 SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION
2085	36	0.20%	92.21%	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
2090	9	0.05%	92.26%	LOCNUM=000 ROOM-EU MUST NOT BE POPULATED WITH RM OR ROOM IN ANY POSITION AT THIS LOCATION
2095	3	0.02%	92.28%	LOCNUM=000 BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION
2109	30	0.17%	92.44%	LOCNUM=000 ZIP CODE=EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2115	9	0.05%	92.49%	FBCON-TELNO MUST BE MINIMUM OF 10 NUMERICS
2120	318	1.76%	94.25%	EATN, EAN, ATN OR AN ARE PROHIBITED ON THIS REQTYP/ACT CODE
2130	6	0.03%	94.28%	LOCNUM=000 TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION
2145	1	0.01%	94.29%	LOCBAN MUST EQUAL EAN OR EATN
2155	1	0.01%	94.29%	ATN MUST BE 10 NUMERICS
2200	2	0.01%	94.31%	EATN MUST BE 10 NUMERICS
2350	35	0.19%	94.50%	ERL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
2355	2	0.01%	94.51%	ERL PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
3035	52	0.29%	94.80%	REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
3040	5	0.03%	94.83%	REFNUM=0002-TELNO= OTN PROHIBITED WHEN LNA = A, D, W, Y, L, P9
3045	56	0.31%	95.14%	REFNUM=0001 ECCKT MUST BE CLT, CLF OR CLS FORMAT
3047	90	0.50%	95.63%	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3050	8	0.04%	95.68%	LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
3057	1	0.01%	95.68%	FPI PROHIBITED ON REQTYP/ACTIVITY TYPE COMBINATION
3060	3	0.02%	95.70%	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TYPES
3065	7	0.04%	95.74%	TELNO= PIC VALID ENTRIES ARE PIC CODE OF 4 NUMERICS, NONE, DFLT, NA
3075	3	0.02%	95.75%	TELNO= VALID LPIC ENTRIES ARE AN LPIC CODE, NA OR NONE
3110	1	0.01%	95.76%	LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
3115	13	0.07%	95.83%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTYP/ACT/LNA COMBINATION

AGGREGATE ORDER TYPES

ERROR DETAILS (Fatal Errors)

Error Type (by error code)	Count	%	Σ %	Error Description
3125	10	0.06%	95.89%	LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
3135	15	0.08%	95.97%	REFNUM=0001-TELNO TC PER-CC/TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED
3140	1	0.01%	95.98%	LOCNUM=000 LNUM=00001 TELNO= ECCKT REQUIRED WHEN EAN OR LEAN IS POPULATED
3155	5	0.03%	96.00%	LOCNUM=000 LNUM=00001 TELNO= FA PROHIBITED IF THE LNA IS D, W, P, L, B OR R
3160	41	0.23%	96.23%	LOCNUM=000 LNUM=00001 TELNO= FA VALID ENTRY MUST BE N, C OR D
3165	15	0.08%	96.31%	REFNUM=0001-TELNO=TBE PROHIBITED ON THIS ACTIVITY FOR THIS REQTYPE
3170	29	0.16%	96.47%	REFNUM=0001-TELNO= CFA INVALID FORMAT
3200	3	0.02%	96.49%	LOCNUM=000 LNUM=00001 TELNO= FEATURE PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3205	4	0.02%	96.51%	LOCNUM=000 LNUM=00001 TELNO= FEATURE DETAIL REQUIRED WHEN FA IS C
3210	1	0.01%	96.52%	LOCNUM=000 LNUM=00001 TELNO=FEATURE DETAIL PROHIBITED WITH LINE ACTIVITY OF W, P, L OR B
3220	2	0.01%	96.53%	LOCNUM=000 LNUM=00001 TELNO= IWJK MUST BE 5 ALPHANUMERICS
3240	4	0.02%	96.55%	LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN IWJK IS POPULATED
3245	4	0.02%	96.57%	LOCNUM=000 LNUM=00001 TELNO= IWJQ REQUIRED WHEN JR IS Y
3275	2	0.01%	96.58%	LOCNUM=000 LNUM=00001 TELNO= JK NUM REQUIRED WHEN JK CODE IS POPULATED
3285	2	0.01%	96.59%	LOCNUM=000 LNUM=00001 TELNO= JK POS REQUIRED WHEN JK CODE IS POPULATED
3380	1	0.01%	96.60%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N IF ACT IS N
3400	1	0.01%	96.61%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE N OR C IF ACT IS T
3405	4	0.02%	96.63%	LOCNUM=000 LNUM=00001 TELNO= LNA MUST BE R IF ACT IS R
3410	21	0.12%	96.74%	LNUM=00001 TELNO= LNA MUST BE X OR G IF OTN IS POPULATED
3420	2	0.01%	96.75%	LOCNUM=000 LNUM=1 TELNO= LNA MUST BE N, C, D, P, OR X IF ACT IS C
3422	5	0.03%	96.78%	LNUM=00001 LNA MUST BE N OR D IF REQTYP IS A DIGITAL, DATA DESIGNED (DS1)
3427	2	0.01%	96.79%	LNUM=00001 TELNO= LNA OF G PROHIBITED ON REQTYP/ACT TYP COMBINATION
3433	1	0.01%	96.80%	LOCNUM=000 LNUM=00001 TELNO= LNA PROHIBITED ON THIS REQTYP/ACT TYP/SECNCI COMBINATION
3445	8	0.04%	96.84%	LOCNUM=000 LNUM=00001 TELNO= LNECLSSVC MUST BE 3 OR 5 ALPHANUMERICS
3705	17	0.09%	96.94%	LNUM=00001 TNS MUST BE A MINIMUM OF 10 OR A MAXIMUM OF 15 ALPHANUMBERIC INCLUDING HYPHEN
3735	22	0.12%	97.06%	LNUM=00001 TELNO= PIC REQUIRED ON LNA G, N, P OR V
3745	1	0.01%	97.06%	LNUM=00001 TELNO= PIC VALID ENTRIES ARE NONE, UNDC OR A VALID PIC CODE WHEN LNA IS G, N OR
3755	23	0.13%	97.19%	LNUM=00001 TELNO= LPIC REQUIRED ON LNA G, N, P OR V
4000	1	0.01%	97.20%	DL DATA ELEMENTS REQUIRED
4015	5	0.03%	97.22%	REFNUM=0001-TELNO= LIST MUST BE VALID ENTRY
4030	2	0.01%	97.24%	DLNUM=0001 LTN= LACT REQUIRED
4035	1	0.01%	97.24%	DLNUM=0001 LTN=ALI CODE PROHIBITED WHEN THE RTY 2ND AND 3RD CHARACTERS ARE ML

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
4040	1	0.01%	97.25%	REFNUM=0001-TELNO= LISTED ADDRESS REQUIRED WITH THIS REQTYP AND ACTIVITY TYPE
4045	104	0.57%	97.82%	REFNUM=0001-TELNO=0 LISTED ADDRESS PROHIBITED WITH THIS RECTYP AND ACTIVITY TYPE
4052	1	0.01%	97.83%	YPH ENTRY MUST BE 999001 WHEN LISTING TYPE IS NL OR NP
4055	69	0.38%	98.21%	YPH REQUIRED WHEN FIRST CHARACTER OF TOS IS 1 OR 3
4061	1	0.01%	98.21%	DLNUM=0001 LTN= LASN,ADI,OR LALOC REQUIRED FOR REQTYP J, RTY OF LML, AND LACT OF N
4065	97	0.54%	98.75%	DLNUM=&DLNM LTN=&LTN ASSOCIATED LACT COMBINATION I AND O IS MISSING
4090	21	0.12%	98.87%	DLNUM=0001 LTN= VALID LTY REQUIRED
4095	2	0.01%	98.88%	REFNUM=0001-TELNO= DDA-CITY PROHIBITED FOR THIS REQTYP AND ACTIVITY TYPE
4110	7	0.04%	98.92%	DLNUM=0001 LTN=4 VALID STYC CI, SH, SI, OR SL REQUIRED
4120	14	0.08%	98.99%	DLNUM=0001 LTN= TOA B, R, RP OR BP REQUIRED
4160	15	0.08%	99.08%	DLNUM=0001 LTN= DOI REQUIRED VALUE MUST BE 0 - 6
4180	10	0.06%	99.13%	DLNUM=0001 LTN= DOI VALUE MUST BE ZERO
4185	4	0.02%	99.15%	DLNUM=0002 LTN= DOI DATA INVALID WITH LTY 3
4190	2	0.01%	99.17%	DLNUM=0002 LTN= DOI VALUE INVALID FOR STYLE CODE
4205	1	0.01%	99.17%	DLNUM=0001 LTN REQUIRED
4220	3	0.02%	99.19%	DLNUM=0001 LTN= LNLN REQUIRED
4310	1	0.01%	99.19%	DLNUM=0001 LTN= LANO PROHIBITED WITHOUT LASN
4385	2	0.01%	99.20%	DLNUM=0001 LTN= INVALID LAST ENTRY
4478	8	0.04%	99.25%	DLNUM=0001 LTN= YPH ENTRY MUST BE 999001 WHEN LTY IS 2 OR 3
4485	4	0.02%	99.27%	DLNUM=0001 LTN= YPH REQUIRED WHEN THE TOS IS 1 OR 3 AND RTY IS ML, AM OR CM
4495	1	0.01%	99.28%	DLNUM=0001 LTN= SIC ENTRY MUST BE 4 OR 5 NUMERICS
4505	4	0.02%	99.30%	DLNUM=0001 LTN= SIC REQUIRED WHEN ACT IS N, V, OR P
4530	1	0.01%	99.30%	DLNUM=0001 LTN= ADI PROHIBITED WHEN LASN OR LALOC IS POPULATED
4600	1	0.01%	99.31%	DLNUM=0001 LTN= AMPERSAND REQUIRED WITH DLNM
4685	2	0.01%	99.32%	DLNUM=0002 LVL ENTRIES MUST BE SEQUENTIAL AND THE THE SAME LVL VALUE CANNOT APPEAR MORE THAN TWICE
5015	1	0.01%	99.33%	HTQTY MUST EQUAL TOTAL NUMBER OF HNUM ON THIS REQUEST
5065	1	0.01%	99.33%	LOCNUM=000 HNUM=00001 HID ENTRY FOR HNTYP 1 2 3 OR 4 MUST BE N OR UP TO 3 ALPHAS OR 4 NUMERICS
5070	7	0.04%	99.37%	LOCNUM=000 HNUM=00001 HID MUST BE N WHEN HA IS N AND HNTYP IS 1, 2, 3 OR 4
5095	1	0.01%	99.38%	LOCNUM=000 HNUM=00001 TLI PROHIBITED WHEN HNTYP IS 1, 2, 3 OR 4 AND NOTYP IS T
5110	1	0.01%	99.38%	LOCNUM=001 HNUM=00001 HLA=N HLA OF N PROHIBITED WHEN HUNT GROUP ACTIVITY IS E
5115	1	0.01%	99.39%	LOCNUM=000 HNUM=00001 HLA=E HLA OF E PROHIBITED WHEN HUNT GROUP ACTIVITY IS N
5135	11	0.06%	99.45%	LOCNUM=000 HNUM=00001 HTSEQ=0005 SAME HT NOT ALLOWED IN MORE THAN ONE HTSEQ WHEN HLA IS N OR E

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
6005	4	0.02%	99.47%	NC CODE INVALID
6045	9	0.05%	99.52%	INVALID NC/NCI/SECNCI COMBINATION (STOP EDIT)
6050	7	0.04%	99.56%	REQTYP/LOOP TYPE COMBINATION INVALID
6055	9	0.05%	99.61%	LQTY IS REQUIRED FOR REQTYP/ACT COMBINATION
7000	1	0.01%	99.61%	EAN OR EATN OR LEATN ON LINES OR LEAN ON LINES IS REQUIRED WHEN ACT IS P, Q OR V
8040	2	0.01%	99.62%	LOCNUM= DISCNBR=&DISCNM DNUM=&DNUM TC TO PRIMARY CANNOT BE THE SAME AS THE NUMBER BEING REFFER
8140	21	0.12%	99.74%	LNUM=00001 TC OPT PROHIBITED IF TC FR IS NOT POPULATED ON REQTYP E, F OR M FOR LNA C, G, N OR V
8165	2	0.01%	99.75%	LNUM=00001 TC TO PRIMARY IS REQUIRED WHEN LNUM TC OPT IS TC OR ST
8175	1	0.01%	99.76%	USOC NOT AVAILABLE IN SWITCH. FORMAT SAE 180N I1 ESXDC
8180	22	0.12%	99.88%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFERRED
8210	1	0.01%	99.88%	LNUM=00001 TC PER PROHIBITED WHEN LNUM TC OPT IS NOT ST OR TC
8255	21	0.12%	100.00%	INVALID ACTIVITY TYPE
	18089	100.00%		

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	ORDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	ORDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	ORDER ERR: TN SAE 038 LINE TN OR TLI IS REQUIRED FOR INWARD CATEGORY D USOCS!
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 1FR /TN
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /TN
8825	ORDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	ORDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQUI
8825	ORDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: FORMAT 374 LINE EUCLC: 0001 RELAY: 0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

AGGREGATE ORDER TYPES

ERROR DETAILS - 1000

Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR PLACED IN E-STAT SUP 1
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOSL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKDT0 CPX 06-08-00..
1000	ACCOUNT , SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL
1000	CORRECT SYSTEM ERROS
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#,

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	**Error Description**
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR
1000	CORRECT SVC ORDER BY REMOVING OCOSL & UEAMC-WHCH SHOULD NOT BE ON LY-- RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORD CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF, ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSL AND DFDT
1000	CORRECT ON ODR NUMBER
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSL (NOT VALID ON LY--ORDER)

		PERCENT ACHIEVED FLOW-THROUGH	PERCENT FLOW THROUGH
[illegible]			
REGION ALL SERVICES		77.50%	87.42%
		FLOW-THROUGH %	
BST AGGREGATE			
REGION			
- RETAIL RESIDENCE		93.60%	
- RETAIL BUSINESS*		TBD	

***NOTE: BellSouth is reinstituting the reporting of business retail flow through as directed by the Georgia Public Service Commission. BellSouth currently has no way to measure flow through for the Regional Operating System (ROS) interface used by business retail. BellSouth retail reports capture all business service requests submitted from all sources, including manually. BellSouth has initiated the development of an accurate report and will reflect this measure as soon as its development is complete**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#2		6	0	0	6	0	1	0	5	2	1	1	3	75.00%	60.00%	75.00%
#3		7	0	0	7	0	1	0	6	3	1	2	3	75.00%	50.00%	75.00%
#4		7	0	0	7	0	0	0	7	1	1	0	6	85.71%	85.71%	85.71%
#5		10	0	0	10	1	0	1	8	4	3	1	4	50.00%	50.00%	57.14%
#6		36	0	0	36	2	7	1	26	2	2	0	24	85.71%	92.31%	92.31%
#7		41	0	0	41	3	9	3	26	11	5	6	15	65.22%	57.69%	75.00%
#8		97	0	0	97	11	15	3	68	22	11	11	46	67.65%	67.65%	80.70%
#9		1696	0	0	1696	306	135	19	1236	260	100	160	976	70.62%	78.96%	90.71%
#10		0	4	0	4	0	0	0	4	2	2	0	2	50.00%	50.00%	50.00%
#11		0	6	0	6	0	0	0	6	3	1	2	3	75.00%	50.00%	75.00%
#12		0	14	0	14	0	3	0	11	2	2	0	9	81.82%	81.82%	81.82%
#13		0	56	0	56	10	12	0	34	18	14	4	16	40.00%	47.06%	53.33%
#14		0	71	0	71	7	22	0	42	12	4	8	30	73.17%	71.43%	88.24%
#15		0	76	0	76	3	2	0	71	37	22	15	34	57.63%	47.89%	60.71%
#16		0	729	0	729	48	152	1	528	312	86	226	216	61.71%	40.91%	71.52%
#17		12	0	0	12	3	1	0	8	7	4	3	1	12.50%	12.50%	20.00%
#18		500	0	0	500	83	56	3	358	148	113	35	210	51.72%	58.66%	65.02%
#19		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#20		23	0	0	23	11	0	0	12	4	3	1	8	36.36%	66.67%	72.73%
#21		0	69	0	69	28	8	3	30	13	6	7	17	33.33%	56.67%	73.91%
#22		0	159	0	159	46	45	3	65	18	6	12	47	47.47%	72.31%	88.68%
#23		0	656	0	656	420	76	8	152	48	32	16	104	18.71%	68.42%	76.47%
#24		339	0	0	339	57	29	3	250	39	26	13	211	71.77%	84.40%	89.03%
#25		1152	0	0	1152	91	122	1	938	44	36	8	894	87.56%	95.31%	96.13%
#26		32	0	0	32	3	4	1	24	7	5	2	17	68.00%	70.83%	77.27%
#27		2	0	0	2	0	0	0	2	1	0	1	1	100.00%	50.00%	100.00%
#28		0	0	3	3	0	3	0	0	0	0	0	0	0.00%	0.00%	0.00%
#29		1145	0	0	1145	95	143	1	906	68	42	26	838	85.95%	92.49%	95.23%
#30		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#31		24	0	0	24	5	3	0	16	2	1	1	14	70.00%	87.50%	93.33%
#32		1082	0	0	1082	90	263	9	720	146	87	59	574	76.43%	79.72%	86.84%
#33		501	0	0	501	27	27	0	447	25	14	11	422	91.14%	94.41%	96.79%
#34		12	0	0	12	2	0	1	9	5	2	3	4	50.00%	44.44%	66.67%
#35		1226	0	0	1226	93	43	5	1085	49	34	15	1036	89.08%	95.48%	96.82%
#36		1902	0	0	1902	55	154	5	1688	203	98	105	1485	90.66%	87.97%	93.81%
#37		42	0	0	42	9	2	1	30	15	9	6	15	45.45%	50.00%	62.50%
#38		92	0	0	92	19	6	3	64	13	6	7	51	67.11%	79.69%	89.47%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#39		401	0	0	401	4	21	0	376	10	10	0	366	96.32%	97.34%	97.34%
#40		38	0	0	38	1	7	5	25	16	11	5	9	42.86%	36.00%	45.00%
#41		328	0	0	328	34	23	2	269	29	22	7	240	81.08%	89.22%	91.60%
#42		14	0	0	14	0	2	0	12	3	2	1	9	81.82%	75.00%	81.82%
#43		6	0	0	6	4	0	0	2	0	0	0	2	33.33%	100.00%	100.00%
#44		2297	0	0	2297	112	225	16	1944	234	175	59	1710	85.63%	87.96%	90.72%
#45		0	2	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#46		0	292	0	292	9	74	6	203	89	63	26	114	61.29%	56.16%	64.41%
#47		13	0	0	13	2	3	0	8	2	0	2	6	75.00%	75.00%	100.00%
#48		12	0	0	12	1	5	1	5	1	1	0	4	66.67%	80.00%	80.00%
#49		18	0	0	18	0	5	0	13	2	0	2	11	100.00%	84.62%	100.00%
#50		82	0	0	82	5	2	1	74	22	17	5	52	70.27%	70.27%	75.36%
#51		28	0	0	28	4	5	0	19	1	1	0	18	78.26%	94.74%	94.74%
#52		491	0	0	491	133	77	5	276	88	57	31	188	49.74%	68.12%	76.73%
#53		7334	0	0	7334	491	337	26	6480	820	619	201	5660	83.60%	87.35%	90.14%
#54		0	0	704	704	264	112	11	317	67	33	34	250	45.70%	78.86%	88.34%
#55		0	0	15024	15024	2896	2194	176	9758	3117	2206	911	6641	56.55%	68.06%	75.06%
#56		220	0	0	220	44	5	0	171	22	18	4	149	70.62%	87.13%	89.22%
#57		328	0	0	328	47	39	1	241	14	8	6	227	80.50%	94.19%	96.60%
#58		514	0	0	514	42	19	3	450	18	15	3	432	88.34%	96.00%	96.64%
#59		385	0	0	385	28	6	0	351	7	5	2	344	91.25%	98.01%	98.57%
#60		261	0	0	261	36	9	1	215	21	9	12	194	81.17%	90.23%	95.57%
#61		29	0	0	29	0	5	1	23	4	2	2	19	90.48%	82.61%	90.48%
#62		0	0	307	307	2	41	0	264	3	2	1	261	98.49%	98.86%	99.24%
#63		541	0	0	541	66	18	3	454	51	36	15	403	79.80%	88.77%	91.80%
#64		191	0	0	191	8	23	1	159	11	5	6	148	91.93%	93.08%	96.73%
#65		0	0	1545	1545	11	54	3	1477	16	13	3	1461	98.38%	98.92%	99.12%
#66		15	0	0	15	2	0	0	13	2	2	0	11	73.33%	84.62%	84.62%
#67		741	0	0	741	98	91	16	536	148	96	52	388	66.67%	72.39%	80.17%
#68		0	640	0	640	179	101	4	356	189	60	129	167	41.13%	46.91%	73.57%
#69		8	0	0	8	1	1	0	6	0	0	0	6	85.71%	100.00%	100.00%
#70		386	0	0	386	17	7	1	361	37	29	8	324	87.57%	89.75%	91.78%
#71		61	0	0	61	7	1	0	53	15	11	4	38	67.86%	71.70%	77.55%
#72		4	0	0	4	2	1	0	1	1	1	0	0	0.00%	0.00%	0.00%
#73		0	0	1756	1756	206	151	9	1390	259	195	64	1131	73.83%	81.37%	85.29%
#74		17	0	0	17	3	1	0	13	1	1	0	12	75.00%	92.31%	92.31%
#75		75	0	0	75	2	5	4	64	5	1	4	59	95.16%	92.19%	98.33%
#76		0	0	889	889	6	102	0	781	14	9	5	767	98.08%	98.21%	98.84%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#77		28	0	0	28	5	2	0	21	5	3	2	16	66 67%	76 19%	84 21%
#78		16	0	0	16	4	1	0	11	3	2	1	8	57 14%	72 73%	80 00%
#79		32	0	0	32	4	7	0	21	14	5	9	7	43.75%	33 33%	58 33%
#80		288	0	0	288	27	48	2	211	77	64	13	134	59 56%	63 51%	67 68%
#81		355	0	0	355	31	31	1	292	72	66	6	220	69 40%	75 34%	76 92%
#82		55	0	0	55	12	19	2	22	11	7	4	11	36 67%	50 00%	61 11%
#83		31624	0	0	31624	2555	6381	311	22377	7351	4808	2543	15026	67 11%	67 15%	75 76%
#84		344	0	0	344	36	27	2	279	9	6	3	270	86 54%	96 77%	97 83%
#85		6	0	0	6	2	3	0	1	0	0	0	1	33 33%	100 00%	100 00%
#86		8	0	0	8	0	0	0	8	3	1	2	5	83 33%	62 50%	83 33%
#87		43	0	0	43	12	3	0	28	4	3	1	24	61 54%	85 71%	88 89%
#88		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#89		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#90		69	0	0	69	7	4	3	55	22	17	5	33	57 89%	60 00%	66 00%
#91		130	0	0	130	21	10	3	96	53	32	21	43	44 79%	44 79%	57 33%
#92		1683	0	0	1683	244	39	6	1394	272	244	28	1122	69 69%	80 49%	82 14%
#93		37	0	0	37	3	26	0	8	2	0	2	6	66 67%	75 00%	100 00%
#94		357	0	0	357	52	42	5	258	97	70	27	161	56 89%	62 40%	69 70%
#95		1885	0	0	1885	227	276	2	1380	50	40	10	1330	83 28%	96 38%	97 08%
#96		683	0	0	683	48	40	4	591	68	53	15	523	83 81%	88 49%	90 80%
#97		55	0	0	55	10	11	1	33	18	11	7	15	41 67%	45 45%	57 69%
#98		975	0	0	975	104	53	0	818	46	36	10	772	84 65%	94 38%	95 54%
#99		128	0	0	128	23	10	1	94	11	9	2	83	72 17%	88 30%	90 22%
#100		17	0	0	17	1	3	0	13	7	2	5	6	66 67%	46 15%	75 00%
#101		0	1	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#102		8	0	0	8	0	3	0	5	0	0	0	5	100 00%	100 00%	100 00%
#103		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#104		371	0	0	371	27	100	18	226	131	65	66	95	50 80%	42 04%	59 38%
#105		634	0	0	634	79	67	5	483	80	49	31	403	75 89%	83 44%	89 16%
#106		0	0	97	97	26	35	4	32	12	8	4	20	37 04%	62 50%	71 43%
#107		0	0	141	141	3	52	15	71	59	32	27	12	25 53%	16 90%	27 27%
#108		7	0	0	7	3	0	0	4	1	1	0	3	42 86%	75 00%	75 00%
#109		203	0	0	203	45	11	1	146	12	10	2	134	70 90%	91 78%	93 06%
#110		45	0	0	45	4	5	0	36	3	1	2	33	86 84%	91 67%	97 06%
#111		115	0	0	115	16	5	0	94	2	2	0	92	83 64%	97 87%	97 87%
#112		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#113		7	0	0	7	1	2	0	4	0	0	0	4	80 00%	100 00%	100 00%
#114		623	0	0	623	82	8	0	533	22	21	1	511	83 22%	95 87%	96 05%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#115		223	0	0	223	30	9	1	183	14	10	4	169	80 86%	92 35%	94 41%
#116		835	0	0	835	124	133	2	576	58	44	14	518	75 51%	89 93%	92 17%
#117		308	0	0	308	48	20	1	239	20	16	4	219	77 39%	91 63%	93 19%
#118		495	0	0	495	8	24	0	463	31	27	4	432	92 51%	93 30%	94 12%
#119		10	0	0	10	1	2	0	7	0	0	0	7	87 50%	100 00%	100 00%
#120		496	0	0	495	51	30	2	412	69	43	26	343	78 49%	83 25%	88 86%
#121		10	0	0	10	4	0	0	6	3	2	1	3	33 33%	50 00%	60 00%
#122		2551	0	0	2551	292	187	7	2065	153	123	30	1912	82 17%	92 59%	93 96%
#123		92	0	0	92	6	6	3	77	34	27	7	43	56 58%	55 84%	61 43%
#124		148	0	0	148	13	6	0	129	4	3	1	125	88 65%	96 90%	97 66%
#125		13	0	0	13	10	0	0	3	3	1	2	0	0 00%	0 00%	0 00%
#126		15	0	0	15	7	0	0	8	5	3	2	3	23 08%	37 50%	50 00%
#127		1194	0	0	1194	227	126	2	839	72	60	12	767	72 77%	91 42%	92 74%
#128		2868	0	0	2868	202	193	22	2451	404	341	63	2047	79 03%	83 52%	85 72%
#129		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#130		0	2720	0	2720	227	318	0	2175	1480	1215	265	695	32 52%	31 95%	36 39%
#131		25	0	0	25	4	6	1	14	3	2	1	11	64 71%	78 57%	84 62%
#132		0	0	7	7	2	0	0	5	5	3	2	0	0 00%	0 00%	0 00%
#133		70	0	0	70	10	6	0	54	10	7	3	44	72 13%	81 48%	86 27%
#134		792	0	0	792	33	46	0	713	29	18	11	684	93 06%	95 93%	97 44%
#135		3726	0	0	3726	269	253	26	3178	349	256	93	2829	84 35%	89 02%	91 70%
#136		0	0	11192	11192	69	584	8	10531	308	252	56	10223	96 96%	97 08%	97 59%
#137		212	0	0	212	32	29	2	149	48	35	13	101	60 12%	67 79%	74 26%
#138		5	0	0	5	2	0	0	3	2	1	1	1	25 00%	33 33%	50 00%
#139		462	0	0	462	98	51	17	296	84	54	30	212	58 24%	71 62%	79 70%
#140		1257	0	0	1257	137	173	21	926	329	253	76	597	60 49%	64 47%	70 24%
#141		0	982	0	982	91	163	7	721	290	225	65	431	57 70%	59 78%	65 70%
#142		520	0	0	520	83	42	6	389	106	78	28	283	63 74%	72 75%	78 39%
#143		2526	0	0	2526	352	201	47	1926	842	692	150	1084	50 94%	56 28%	61 04%
#144		0	50	0	50	6	8	0	36	23	18	5	13	35 14%	36 11%	41 94%
#145		0	375	0	375	64	55	1	255	157	125	32	98	34 15%	38 43%	43 95%
#146		34	0	0	34	1	6	0	27	12	8	4	15	62 50%	55 56%	65 22%
#147		1997	0	0	1997	268	562	16	1151	527	351	176	624	50 20%	54 21%	64 00%
#148		2947	0	0	2947	308	469	31	2139	549	367	182	1590	70 20%	74 33%	81 25%
#149		4070	0	0	4070	468	571	40	2991	792	601	191	2199	67 29%	73 52%	78 54%
#150		259	0	0	259	67	9	6	177	132	126	6	45	18 91%	25 42%	26 32%
#151		21	0	0	21	0	0	0	21	1	1	0	20	95 24%	95 24%	95 24%
#152		39	0	0	39	11	1	0	27	1	1	0	26	68 42%	96 30%	96 30%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#153		12	0	0	12	3	1	0	8	1	0	1	7	70.00%	87 50%	100 00%
#154		22	0	0	22	0	1	1	20	7	6	1	13	68 42%	65 00%	68 42%
#155		0	0	38	38	5	2	0	31	5	3	2	26	76 47%	83 87%	89 66%
#156		210	0	0	210	19	19	1	171	19	12	7	152	83 06%	88 89%	92 68%
#157		156	0	0	156	29	24	1	102	39	37	2	63	48 84%	61 76%	63 00%
#158		33	0	0	33	8	4	2	19	7	2	5	12	54 55%	63 16%	85 71%
#159		166	0	0	166	19	25	7	115	43	35	8	72	57 14%	62 61%	67 29%
#160		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#161		100	0	0	100	5	4	2	89	23	13	10	66	78 57%	74 16%	83 54%
#162		14	0	0	14	3	3	0	8	6	2	4	2	28 57%	25 00%	50 00%
#163		146	0	0	146	31	21	1	93	29	21	8	64	55 17%	68 82%	75 29%
#164		699	0	0	699	67	63	3	566	41	22	19	525	85 50%	92 76%	95 98%
#165		84	0	0	84	9	9	0	66	7	6	1	59	79 73%	89 39%	90 77%
#166		0	924	0	924	24	66	0	834	56	43	13	778	92 07%	93 29%	94 76%
#167		0	5077	0	5077	94	1453	0	3530	874	452	422	2656	82 95%	75 24%	85 46%
#168		4	0	0	4	2	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#169		27	0	0	27	1	12	0	14	2	1	1	12	85 71%	85 71%	92 31%
#170		0	40094	0	40094	1596	4907	41	33550	7341	5074	2267	26209	79 71%	78 12%	83 78%
#171		218	0	0	218	20	26	0	172	14	11	3	158	83 60%	91 86%	93 49%
#172		3	0	0	3	1	0	0	2	2	2	0	0	0 00%	0 00%	0 00%
#173		13	0	0	13	3	2	0	8	5	3	2	3	33 33%	37 50%	50 00%
#174		88	0	0	88	12	9	0	67	23	18	5	44	59 46%	65 67%	70 97%
#175		67	0	0	67	3	5	0	59	1	1	0	58	93 55%	98 31%	98 31%
#176		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#177		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#178		9	0	0	9	0	0	0	9	3	2	1	6	75 00%	66 67%	75 00%
#179		10	0	0	10	1	2	0	7	2	2	0	5	62 50%	71 43%	71 43%
#180		12	0	0	12	0	2	0	10	4	3	1	6	66 67%	60 00%	66 67%
#181		16	0	0	16	0	1	0	15	5	3	2	10	76 92%	66 67%	76 92%
#182		20	0	0	20	6	5	1	8	3	1	2	5	41 67%	62 50%	83 33%
#183		53	0	0	53	9	17	0	27	9	6	3	18	54 55%	66 67%	75.00%
#184		151	0	0	151	19	23	2	107	28	18	10	79	68 10%	73 83%	81 44%
#185		161	0	0	161	35	28	3	95	21	16	5	74	59 20%	77 89%	82 22%
#186		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#187		0	0	3	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#188		0	0	5	5	4	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#189		0	0	7	7	6	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#190		413	0	0	413	61	21	0	331	12	10	2	319	81 79%	96 37%	96 96%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#191		390	0	0	390	60	42	6	282	63	35	28	219	69 75%	77 66%	86 22%
#192		1794	0	0	1794	140	215	3	1436	127	79	48	1309	85 67%	91 16%	94 31%
#193		2495	0	0	2495	267	275	43	1910	280	171	109	1630	78 82%	85 34%	90 51%
#194		0	17	0	17	1	1	0	15	11	3	8	4	50 00%	26 67%	57 14%
#195		111	0	0	111	16	15	0	80	31	18	13	49	59 04%	61 25%	73 13%
#196		16	0	0	16	2	1	0	13	10	9	1	3	21 43%	23 08%	25 00%
#197		7	0	0	7	0	2	0	5	1	1	0	4	80 00%	80 00%	80 00%
#198		0	0	3452	3452	14	565	32	2841	872	529	343	1969	78 38%	69 31%	78 82%
#199		0	0	13	13	0	3	3	7	4	4	0	3	42 86%	42 86%	42 86%
#200		0	0	12	12	11	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#201		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#202		3	0	0	3	0	0	0	3	3	0	3	0	0 00%	0 00%	0 00%
#203		39	0	0	39	3	6	0	30	4	2	2	26	83 87%	86 67%	92 86%
#204		0	0	18	18	1	10	1	6	3	1	2	3	60 00%	50 00%	75 00%
#205		0	0	26	26	0	10	0	16	9	5	4	7	58 33%	43 75%	58 33%
#206		0	0	32	32	7	1	0	24	4	3	1	20	66 67%	83 33%	86 96%
#207		0	0	49	49	7	7	2	33	11	8	3	22	59 46%	66 67%	73 33%
#208		0	0	160	160	32	49	1	78	38	12	26	40	47 62%	51 28%	76 92%
#209		0	0	175	175	61	30	3	81	31	19	12	50	38 46%	61 73%	72 46%
#210		7	0	0	7	4	0	0	3	2	2	0	1	14 29%	33 33%	33 33%
#211		9	0	0	9	1	5	0	3	1	0	1	2	66 67%	66 67%	100 00%
#212		0	0	10	10	6	0	0	4	1	1	0	3	30 00%	75 00%	75 00%
#213		0	0	17	17	12	2	1	2	0	0	0	2	14 29%	100 00%	100 00%
#214		0	0	39	39	3	10	3	23	9	9	0	14	53 85%	60 87%	60 87%
#215		0	0	22	22	4	5	0	13	8	5	3	5	35 71%	38 46%	50 00%
#216		0	0	23	23	10	3	0	10	8	4	4	2	12 50%	20 00%	33 33%
#217		21	0	0	21	2	3	0	16	0	0	0	16	88 89%	100 00%	100 00%
#218		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#219		880	0	0	880	100	111	18	651	183	119	64	468	68 12%	71 89%	79 73%
#220		5	0	0	5	0	0	0	5	0	0	0	5	100 00%	100 00%	100 00%
#221		113	0	0	113	2	9	0	102	58	47	11	44	47 31%	43 14%	48 35%
#222		0	0	12	12	7	5	0	0	0	0	0	0	0 00%	0 00%	0 00%
#223		23	0	0	23	2	2	0	19	5	4	1	14	70 00%	73 68%	77 78%
#224		209	0	0	209	19	5	3	182	91	28	63	91	65 94%	50 00%	76 47%
#225		0	0	9	9	0	0	0	9	1	1	0	8	88 89%	88 89%	88 89%
#226		0	0	49	49	22	5	1	21	7	3	4	14	35 90%	66 67%	82 35%
#227		266	0	0	266	23	52	2	189	8	5	3	181	86 60%	95 77%	97 31%
#228		100	0	0	100	22	8	0	70	27	20	7	43	50 59%	61 43%	68 25%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#229		68	0	0	68	4	7	0	57	6	4	2	51	86 44%	89 47%	92 73%
#230		10985	0	0	10985	791	493	4	9697	288	227	61	9409	90 24%	97 03%	97 64%
#231		0	0	4185	4185	108	79	14	3984	491	419	72	3493	86 89%	87 68%	89 29%
#232		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#233		4	0	0	4	1	1	0	2	0	0	0	2	66 67%	100 00%	100 00%
#234		4	0	0	4	0	1	0	3	0	0	0	3	100 00%	100 00%	100 00%
#235		18	0	0	18	1	10	0	7	1	1	0	6	75.00%	85 71%	85 71%
#236		6234	0	0	6234	1102	649	59	4424	1128	909	219	3296	62 11%	74 50%	78 38%
#237		0	0	40	40	21	11	0	8	6	3	3	2	7 69%	25 00%	40 00%
#238		3279	0	0	3279	256	400	4	2619	108	73	35	2511	88 42%	95 88%	97 17%
#239		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#240		3	0	0	3	1	1	0	1	0	0	0	1	50 00%	100 00%	100 00%
#241		49	0	0	49	12	0	0	37	2	2	0	35	71 43%	94 59%	94 59%
#242		29	0	0	29	0	0	0	29	2	1	1	27	96 43%	93 10%	96 43%
#243		1578	0	0	1578	132	159	9	1278	163	99	64	1115	82 84%	87 25%	91 85%
#244		105	0	0	105	10	17	0	78	18	12	6	60	73 17%	76 92%	83 33%
#245		244	0	0	244	29	11	0	204	16	14	2	188	81 39%	92 16%	93 07%
#246		110	0	0	110	13	8	5	84	8	6	2	76	80 00%	90 48%	92 68%
#247		0	0	2303	2303	80	190	0	2033	90	68	22	1943	92 92%	95 57%	96 62%
#248		4	0	0	4	0	2	0	2	0	0	0	2	100 00%	100 00%	100 00%
#249		221	0	0	221	87	1	0	133	9	6	3	124	57 14%	93 23%	95 38%
#250		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#251		99	0	0	99	10	3	0	86	4	4	0	82	85 42%	95 35%	95 35%
#252		975	0	0	975	86	30	2	857	82	77	5	775	82 62%	90 43%	90 96%
#253		13	0	0	13	0	0	0	13	0	0	0	13	100 00%	100 00%	100 00%
#254		0	0	136	136	2	17	1	116	7	4	3	109	94 78%	93 97%	96 46%
#255		6	0	0	6	2	0	0	4	0	0	0	4	66 67%	100 00%	100 00%
#256		18	0	0	18	4	5	0	9	3	0	3	6	60 00%	66 67%	100 00%
#257		20	0	0	20	1	2	0	17	9	3	6	8	66 67%	47 06%	72 73%
#258		51	0	0	51	18	9	0	24	7	5	2	17	42 50%	70 83%	77 27%
#259		62	0	0	62	7	17	0	38	7	6	1	31	70 45%	81 58%	83 78%
#260		113	0	0	113	11	12	0	90	3	1	2	87	87 88%	96 67%	98 86%
#261		0	0	12	12	0	2	0	10	2	1	1	8	88 89%	80 00%	88 89%
#262		0	0	17	17	4	7	0	6	1	1	0	5	50 00%	83 33%	83 33%
#263		0	0	24	24	12	0	0	12	6	2	4	6	30 00%	50 00%	75 00%
#264		0	0	38	38	9	7	1	21	10	6	4	11	42 31%	52 38%	64 71%
#265		0	0	39	39	5	5	0	29	8	4	4	21	70 00%	72 41%	84 00%
#266		0	0	75	75	14	16	4	41	12	6	6	29	59 18%	70 73%	82 86%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#267		3964	0	0	3964	429	249	25	3261	151	97	54	3110	85 53%	95 37%	96 98%
#268		49	0	0	49	14	12	2	21	12	11	1	9	26 47%	42 86%	45 00%
#269		1282	0	0	1282	153	152	1	976	61	49	12	915	81 92%	93 75%	94 92%
#270		165	0	0	165	32	7	0	126	11	9	2	115	73 72%	91 27%	92 74%
#271		0	2	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#272		564	0	0	564	64	46	2	452	45	36	9	407	80 28%	90 04%	91 87%
#273		136	0	0	136	19	27	2	88	6	3	3	82	78 85%	93 18%	96 47%
#274		0	0	1972	1972	178	159	89	1546	503	399	104	1043	64 38%	67 46%	72 33%
#275		2278	0	0	2278	133	831	2	1312	54	44	10	1258	87 67%	95 88%	96 62%
#276		60	0	0	60	7	6	2	45	4	1	3	41	83 67%	91 11%	97 62%
#277		0	0	985	985	10	88	1	886	7	6	1	879	98 21%	99 21%	99 32%
#278		1727	0	0	1727	151	87	2	1487	89	74	15	1398	86 14%	94 01%	94 97%
#279		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#280		97	0	0	97	3	7	0	87	10	10	0	77	85 56%	88 51%	88 51%
#281		108	0	0	108	16	2	0	90	6	4	2	84	80 77%	93 33%	95 45%
#282		128	0	0	128	7	11	0	110	27	27	0	83	70 94%	75 45%	75 45%
#283		0	3493	0	3493	131	655	3	2704	489	378	111	2215	81 31%	81 92%	85 42%
#284		497	0	0	497	37	15	1	444	24	19	5	420	88 24%	94 59%	95 67%
#285		404	0	0	404	35	21	1	347	22	20	2	325	85 53%	93 66%	94 20%
#286		2084	0	0	2084	221	167	6	1690	89	60	29	1601	85 07%	94 73%	96 39%
#287		800	0	0	800	102	112	1	585	25	19	6	560	82 23%	95 73%	96 72%
#288		917	0	0	917	103	26	0	788	24	19	5	764	86 23%	96 95%	97 57%
#289		39	0	0	39	2	2	1	34	5	5	0	29	80 56%	85 29%	85 29%
#290		1852	0	0	1852	180	80	5	1587	79	54	25	1508	86 57%	95 02%	96 54%
#291		232	0	0	232	11	11	0	210	8	7	1	202	91 82%	96 19%	96 65%
#292		7	0	0	7	0	2	0	5	4	0	4	1	100 00%	20 00%	100 00%
#293		21	0	0	21	1	0	0	20	1	1	0	19	90 48%	95 00%	95 00%
#294		143	0	0	143	3	27	0	113	15	13	2	98	85 96%	86 73%	88 29%
#295		20	0	0	20	0	4	0	16	2	2	0	14	87 50%	87 50%	87 50%
#296		315	0	0	315	79	16	3	217	72	65	7	145	50 17%	66 82%	69 05%
#297		105	0	0	105	11	15	1	78	23	16	7	55	63 95%	70 51%	73 33%
#298		146	0	0	146	35	31	0	80	25	14	11	55	52 88%	68 75%	79 71%
#299		1297	0	0	1297	167	106	3	1021	50	41	9	971	82 36%	95 10%	95 95%
#300		411	0	0	411	39	17	5	350	18	15	3	332	86 01%	94 86%	95 68%
#301		138	0	0	138	46	7	4	81	17	14	3	64	51 61%	79 01%	82 05%
#302		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#303		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#304		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#305		4	0	0	4	3	0	0	1	0	0	0	1	25 00%	100 00%	100.00%
#306		12	0	0	12	2	1	3	6	2	2	0	4	50 00%	66 67%	66 67%
#307		0	144	0	144	58	51	0	35	32	6	26	3	4 48%	8 57%	33 33%
#308		4235	0	0	4235	391	237	11	3596	374	325	49	3222	81 82%	89 60%	90 84%
#309		8959	0	0	8959	426	539	10	7984	771	571	200	7213	87 86%	90 34%	92 66%
#310		20	0	0	20	0	2	0	18	0	0	0	18	100 00%	100 00%	100 00%
#311		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#312		1374	0	0	1374	112	87	3	1172	92	58	34	1080	86 40%	92 15%	94 90%
#313		865	0	0	865	77	56	1	731	55	46	9	676	84 61%	92 48%	93 63%
#314		13	0	0	13	0	6	0	7	2	1	1	5	83 33%	71 43%	83 33%
#315		13	0	0	13	0	3	0	10	0	0	0	10	100 00%	100 00%	100 00%
#316		450	0	0	450	55	27	1	367	24	19	5	343	82 25%	93 46%	94 75%
#317		334	0	0	334	14	32	1	287	15	9	6	272	92 20%	94 77%	96 80%
#318		315	0	0	315	88	55	4	168	51	29	22	117	50 00%	69 64%	80 14%
#319		0	2404	0	2404	859	342	23	1180	412	257	155	768	40 76%	65 08%	74 93%
#320		2983	0	0	2983	213	175	17	2578	248	186	62	2330	85 38%	90 38%	92 61%
#321		420	0	0	420	47	38	4	331	69	53	16	262	72 38%	79 15%	83 17%
#322		14	0	0	14	2	0	0	12	0	0	0	12	85 71%	100 00%	100 00%
#323		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#324		86	0	0	86	4	8	1	73	41	30	11	32	48 48%	43 84%	51 61%
#325		200	0	0	200	28	23	12	137	89	48	41	48	38 71%	35 04%	50 00%
#326		84	0	0	84	7	5	0	72	12	9	3	60	78 95%	83 33%	86 96%
#327		451	0	0	451	50	22	2	377	89	79	10	288	69 06%	76 39%	78 47%
#328		506	0	0	506	43	29	1	433	28	22	6	405	86 17%	93 53%	94 85%
#329		0	0	31	31	5	4	0	22	7	4	3	15	62 50%	68 18%	78 95%
#330		0	0	72	72	14	10	0	48	12	7	5	36	63 16%	75 00%	83 72%
#331		31	0	0	31	4	1	0	26	3	3	0	23	76 67%	88 46%	88 46%
#332		31	0	0	31	3	1	0	27	1	1	0	26	86 67%	96 30%	96 30%
#333		12	0	0	12	0	0	0	12	5	3	2	7	70 00%	58 33%	70 00%
#334		0	0	3	3	0	2	0	1	1	1	0	0	0 00%	0 00%	0 00%
#335		0	0	63	63	25	3	0	35	4	3	1	31	52 54%	88 57%	91 18%
#336		91	0	0	91	0	33	3	55	0	0	0	55	100 00%	100 00%	100 00%
#337		0	0	482	482	24	38	0	420	13	6	7	407	93 14%	96 90%	98 55%
#338		64	0	0	64	13	4	0	47	5	4	1	42	71 19%	89 36%	91 30%
#339		3	0	0	3	0	0	0	3	2	1	1	1	50 00%	33 33%	50 00%
#340		639	0	0	639	52	91	1	495	55	48	7	440	81 48%	88 89%	90 16%
#341		6	0	0	6	0	0	1	5	2	0	2	3	100 00%	60 00%	100 00%
#342		67	0	0	67	8	18	0	41	14	12	2	27	57 45%	65 85%	69 23%

AGGREGATE ORDER TYPES																	
Company Info						LSR PROCESSING										FLOWTHROUGH	
						LESOG											
		Mechanized Interface Used				Manual	Rejects		Validated	Errors							
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#343		504	0	0	504	83	52	4	365	84	63	21	281	65 81%	76 99%	81 69%
#344		10	0	0	10	3	2	0	5	1	1	0	4	50 00%	80 00%	80 00%
#345		189	0	0	189	38	26	3	122	29	25	4	93	59 62%	76 23%	78 81%
#346		129	0	0	129	8	20	1	100	11	11	0	89	82 41%	89 00%	89 00%
#347		366	0	0	366	20	72	0	274	18	15	3	256	87 97%	93 43%	94 46%
#348		0	5968	0	5968	167	1383	0	4418	739	552	187	3679	83 65%	83 27%	86 95%
#349		0	8139	0	8139	297	1974	4	5864	1309	1022	287	4555	77 55%	77 68%	81 67%
#350		7	0	0	7	1	1	0	5	0	0	0	5	83 33%	100 00%	100 00%
#351		1220	0	0	1220	91	75	0	1054	36	26	10	1018	89 69%	96 58%	97 51%
#352		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#353		1868	0	0	1868	171	289	9	1399	183	110	73	1216	81 23%	86 92%	91 70%
#354		11	0	0	11	4	2	0	5	0	0	0	5	55 56%	100 00%	100 00%
#355		3454	0	0	3454	123	107	14	3210	106	53	53	3104	94 63%	96 70%	98 32%
#356		11287	0	0	11287	319	1298	14	9656	356	274	82	9300	94 01%	96 31%	97 14%
#357		0	0	220	220	50	12	2	156	15	9	6	141	70 50%	90 38%	94 00%
#358		0	0	515	515	86	39	6	384	67	45	22	317	70 76%	82 55%	87 57%
#359		4	0	0	4	0	1	0	3	1	1	0	2	66 67%	66 67%	66 67%
#360		0	32	0	32	1	7	0	24	3	0	3	21	95 45%	87 50%	100 00%
#361		9	0	0	9	0	3	0	6	4	3	1	2	40 00%	33 33%	40 00%
#362		599	0	0	599	19	54	0	526	20	16	4	506	93 53%	96 20%	96 93%
#363		4762	0	0	4762	428	533	8	3793	360	285	75	3433	82 80%	90 51%	92 33%
#364		3	0	0	3	2	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#365		7	0	0	7	0	1	0	6	2	1	1	4	80 00%	66 67%	80 00%
#366		114	0	0	114	9	4	0	101	8	6	2	93	86 11%	92 08%	93 94%
#367		61	0	0	61	3	4	0	54	4	3	1	50	89 29%	92 59%	94 34%
#368		1159	0	0	1159	135	100	27	897	326	241	85	571	60 30%	63 66%	70 32%
#369		4218	0	0	4218	1746	196	22	2254	474	408	66	1780	45 25%	78 97%	81 35%
#370		0	48	0	48	18	14	1	15	1	1	0	14	42 42%	93 33%	93 33%
#371		0	473	0	473	241	91	15	126	67	49	18	59	16 91%	46 83%	54 63%
#372		103	0	0	103	11	14	0	78	9	7	2	69	79 31%	88 46%	90 79%
#373		20	0	0	20	1	3	0	16	2	1	1	14	87 50%	87 50%	93 33%
#374		32244	0	0	32244	3864	2508	68	25804	1773	1543	230	24031	81 63%	93 13%	93 97%
#375		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#376		5	0	0	5	0	2	0	3	1	1	0	2	66 67%	66 67%	66 67%
#377		8	0	0	8	2	0	0	6	0	0	0	6	75 00%	100 00%	100 00%
#378		19	0	0	19	0	8	1	10	0	0	0	10	100 00%	100 00%	100 00%
#379		27	0	0	27	1	6	0	20	1	1	0	19	90 48%	95 00%	95 00%
#380		30	0	0	30	3	0	0	27	3	2	1	24	82 76%	88 89%	92 31%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#381		11	0	0	11	1	0	0	10	2	1	1	8	80 00%	80.00%	88 89%
#382		29	0	0	29	4	6	5	14	8	1	7	6	54 55%	42 86%	85 71%
#383		240	0	0	240	54	36	1	149	8	6	2	141	70 15%	94 63%	95 92%
#384		4	0	0	4	0	2	1	1	1	0	1	0	0 00%	0 00%	0.00%
#385		4	0	0	4	1	1	0	2	1	0	1	1	50 00%	50 00%	100 00%
#386		0	0	3	3	0	1	0	2	1	0	1	1	100 00%	50 00%	100 00%
#387		0	0	3	3	0	2	0	1	0	0	0	1	100 00%	100 00%	100 00%
#388		0	0	17	17	2	6	0	9	3	1	2	6	66 67%	66 67%	85 71%
#389		0	0	974	974	160	155	13	646	295	216	79	351	48 28%	54 33%	61 90%
#390		0	0	1007	1007	122	152	4	729	288	243	45	441	54 71%	60 49%	64 47%
#391		0	0	1157	1157	171	205	7	774	346	260	86	428	49 83%	55 30%	62 21%
#392		0	0	1849	1849	294	236	14	1305	579	469	110	726	48 76%	55 63%	60 75%
#393		0	0	1882	1882	387	287	18	1190	491	372	119	699	47 94%	58 74%	65 27%
#394		1066	0	0	1066	162	73	3	828	39	32	7	789	80 26%	95 29%	96 10%
#395		15	0	0	15	1	1	0	13	0	0	0	13	92.86%	100 00%	100 00%
#396		11	0	0	11	4	0	0	7	1	1	0	6	54 55%	85 71%	85 71%
#397		58	0	0	58	1	7	0	50	4	2	2	46	93 88%	92 00%	95 83%
#398		2611	0	0	2611	492	330	16	1773	502	404	98	1271	58 65%	71 69%	75 88%
#399		0	2	0	2	1	0	0	1	0	0	0	1	50 00%	100 00%	100 00%
#400		251	0	0	251	28	24	1	198	23	18	5	175	79 19%	88 38%	90 67%
#401		276	0	0	276	58	17	3	198	34	29	5	164	65 34%	82 83%	84 97%
#402		1820	0	0	1820	133	97	1	1589	80	69	11	1509	88.19%	94 97%	95 63%
#403		0	0	1	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#404		168	0	0	168	9	3	0	156	6	4	2	150	92 02%	96 15%	97 40%
#405		120	0	0	120	3	6	0	111	4	4	0	107	93 86%	96 40%	96 40%
#406		0	88	0	88	0	6	0	82	16	9	7	66	88 00%	80 49%	88 00%
#407		391	0	0	391	68	28	2	293	32	21	11	261	74 57%	89 08%	92 55%
#408		0	0	1140	1140	45	146	0	949	26	18	8	923	93 61%	97 26%	98 09%
#409		2356	0	0	2356	259	152	14	1931	163	134	29	1768	81 81%	91 56%	92 95%
#410		165	0	0	165	23	11	3	128	27	19	8	101	70 63%	78 91%	84 17%
#411		161	0	0	161	6	6	0	149	11	10	1	138	89 61%	92 62%	93 24%
#412		406	0	0	406	20	20	0	366	32	24	8	334	88 36%	91 26%	93 30%
#413		384	0	0	384	40	23	7	314	18	14	4	296	84 57%	94 27%	95 48%
#414		540	0	0	540	41	13	0	486	13	11	2	473	90 10%	97 33%	97 73%
#415		333	0	0	333	51	31	3	248	14	11	3	234	79 05%	94 35%	95 51%
#416		3	0	0	3	0	0	1	2	0	0	0	2	100 00%	100 00%	100 00%
#417		64	0	0	64	12	4	0	48	16	15	1	32	54 24%	66 67%	68 09%
#418		0	2	0	2	0	0	0	2	2	2	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#419		0	28	0	28	6	0	2	20	12	11	1	8	32 00%	40 00%	42 11%
#420		0	28	0	28	20	0	1	7	6	3	3	1	4 17%	14 29%	25 00%
#421		0	63	0	63	48	1	0	14	4	2	2	10	16 67%	71 43%	83 33%
#422		0	164	0	164	94	22	1	47	15	10	5	32	23 53%	68 09%	76.19%
#423		0	213	0	213	160	19	3	31	16	10	6	15	8 11%	48 39%	60 00%
#424		496	0	0	496	74	29	0	393	21	15	6	372	80 69%	94 66%	96 12%
#425		141	0	0	141	35	5	0	101	14	14	0	87	63 97%	86 14%	86 14%
#426		83	0	0	83	17	12	4	50	25	8	17	25	50 00%	50 00%	75 76%
#427		0	323	0	323	143	46	6	128	47	36	11	81	31 15%	63 28%	69 23%
#428		5	0	0	5	0	2	0	3	2	2	0	1	33 33%	33 33%	33 33%
#429		25	0	0	25	4	3	0	18	4	2	2	14	70 00%	77 78%	87 50%
#430		155	0	0	155	28	24	1	102	10	6	4	92	73 02%	90 20%	93 88%
#431		84	0	0	84	27	1	2	54	23	12	11	31	44 29%	57 41%	72 09%
#432		631	0	0	631	74	74	10	473	119	103	16	354	66 67%	74 84%	77 46%
#433		10	0	0	10	0	1	0	9	0	0	0	9	100 00%	100 00%	100 00%
#434		16	0	0	16	4	3	0	9	2	2	0	7	53 85%	77 78%	77 78%
#435		22	0	0	22	0	0	0	22	8	3	5	14	82 35%	63 64%	82 35%
#436		30	0	0	30	7	4	0	19	6	5	1	13	52 00%	68 42%	72 22%
#437		50	0	0	50	6	6	2	36	9	8	1	27	65 85%	75 00%	77 14%
#438		53	0	0	53	0	1	2	50	43	32	11	7	17 95%	14 00%	17 95%
#439		92	0	0	92	7	6	2	77	10	9	1	67	80 72%	87 01%	88 16%
#440		129	0	0	129	2	6	0	121	23	14	9	98	85 96%	80 99%	87 50%
#441		213	0	0	213	40	33	4	136	19	15	4	117	68 02%	86 03%	88 64%
#442		15	0	0	15	0	0	1	14	5	1	4	9	90 00%	64 29%	90 00%
#443		6	0	0	6	1	0	1	4	3	2	1	1	25 00%	25 00%	33 33%
#444		56	0	0	56	5	5	0	46	9	4	5	37	80 43%	80 43%	90 24%
#445		71	0	0	71	11	5	1	54	10	5	5	44	73 33%	81 48%	89 80%
#446		98	0	0	98	9	15	4	70	25	18	7	45	62 50%	64 29%	71 43%
#447		16	0	0	16	3	0	0	13	2	2	0	11	68 75%	84 62%	84 62%
#448		139	0	0	139	6	6	5	122	26	17	9	96	80 67%	78 69%	84 96%
#449		213	0	0	213	27	18	5	163	30	23	7	133	72 68%	81 60%	85 26%
#450		648	0	0	648	61	46	4	537	102	72	30	435	76 58%	81 01%	85 80%
#451		927	0	0	927	115	76	13	723	111	76	35	612	76 21%	84 65%	88 95%
#452		983	0	0	983	126	79	4	774	95	74	21	679	77 25%	87 73%	90 17%
#453		0	0	47	47	8	3	0	36	13	10	3	23	56 10%	63 89%	69 70%
#454		0	0	92	92	15	6	0	71	22	14	8	49	62 82%	69 01%	77 78%
#455		0	0	228	228	28	31	1	168	73	63	10	95	51 08%	56 55%	60 13%
#456		0	0	229	229	25	27	2	175	47	34	13	128	68 45%	73 14%	79 01%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects		Validated	Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#457		0	0	353	353	63	25	1	264	79	67	12	185	58 73%	70 08%	73 41%
#458		0	0	661	661	87	62	8	504	182	161	21	322	56 49%	63 89%	66 67%
#459		1929	0	0	1929	164	53	5	1707	122	100	22	1585	85 72%	92 85%	94 07%
#460		16	0	0	16	3	1	0	12	1	1	0	11	73 33%	91 67%	91 67%
#461		12	0	0	12	1	2	0	9	1	1	0	8	80 00%	88 89%	88 89%
#462		3	0	0	3	0	1	0	2	0	0	0	2	100 00%	100 00%	100 00%
#463		605	0	0	605	18	33	2	552	39	30	9	513	91 44%	92 93%	94 48%
LENS Subtotal		251759	0	0	251759	25797	25697	1398	198867	27716	20095	7621	171157	78 93%	86 14%	89 57%
EDI Subtotal		0	74628	0	74628	5097	12080	133	57318	14147	9801	4346	43316	74 34%	75 32%	81 50%
TAG Subtotal		0	0	56696	56696	5753	6075	459	44409	8580	6284	2296	35829	74 85%	80 68%	85 08%
TOTAL INTERFACES		**251759**	**74628**	**56696**	**383083**	**36647**	**43852**	**1990**	**300594**	**50443**	**36180**	**14263**	**250302**	**77.50%**	**83.27%**	**87.42%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	IBST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		10	0	0	10	1	4	0	5	0	0	0	5	83.33%	100.00%	100.00%
#2		2	0	0	2	0	1	0	1	0	0	0	1	100.00%	100.00%	100.00%
#3		0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#4		0	1	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#5		0	2	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#6		0	4	0	4	1	0	0	3	1	0	1	2	66.67%	66.67%	100.00%
#7		0	18	0	18	0	2	0	16	5	0	5	11	100.00%	68.75%	100.00%
#8		6	0	0	6	3	1	0	2	1	1	0	1	20.00%	50.00%	50.00%
#9		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#10		174	0	0	174	8	15	1	150	20	13	7	130	86.09%	86.67%	90.91%
#11		1152	0	0	1152	91	122	1	938	44	36	8	894	87.56%	95.31%	96.13%
#12		0	0	1	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#13		1144	0	0	1144	95	143	1	905	67	42	25	838	85.95%	92.60%	95.23%
#14		2	0	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#15		24	0	0	24	5	3	0	16	2	1	1	14	70.00%	87.50%	93.33%
#16		9	0	0	9	0	2	0	7	1	0	1	6	100.00%	85.71%	100.00%
#17		500	0	0	500	27	27	0	446	25	14	11	421	91.13%	94.39%	96.78%
#18		12	0	0	12	2	0	1	9	5	2	3	4	50.00%	44.44%	66.67%
#19		1208	0	0	1208	93	41	4	1070	47	33	14	1023	89.03%	95.61%	96.88%
#20		1902	0	0	1902	55	154	5	1688	203	98	105	1485	90.66%	87.97%	93.81%
#21		21	0	0	21	0	4	0	17	1	0	1	16	100.00%	94.12%	100.00%
#22		401	0	0	401	4	21	0	376	10	10	0	366	96.32%	97.34%	97.34%
#23		16	0	0	16	1	1	1	13	8	5	3	5	45.45%	38.46%	50.00%
#24		321	0	0	321	34	22	2	263	26	20	6	237	81.44%	90.11%	92.22%
#25		14	0	0	14	0	2	0	12	3	2	1	9	81.82%	75.00%	81.82%
#26		2277	0	0	2277	111	223	15	1928	227	168	59	1701	85.91%	88.23%	91.01%
#27		0	2	0	2	0	2	0	0	0	0	0	0	0.00%	0.00%	0.00%
#28		3	0	0	3	0	0	0	3	0	0	0	3	100.00%	100.00%	100.00%
#29		12	0	0	12	1	5	1	5	1	1	0	4	66.67%	80.00%	80.00%
#30		18	0	0	18	0	5	0	13	2	0	2	11	100.00%	84.62%	100.00%
#31		50	0	0	50	4	2	0	44	13	9	4	31	70.45%	70.45%	77.50%
#32		28	0	0	28	4	5	0	19	1	1	0	18	78.26%	94.74%	94.74%
#33		69	0	0	69	7	39	1	22	7	1	6	15	65.22%	68.18%	93.75%
#34		232	0	0	232	17	44	5	166	42	27	15	124	73.81%	74.70%	82.12%
#35		0	0	24	24	4	13	2	5	4	1	3	1	16.67%	20.00%	50.00%
#36		0	0	535	535	167	81	8	279	47	22	25	232	55.11%	83.15%	91.34%
#37		220	0	0	220	44	5	0	171	22	18	4	149	70.62%	87.13%	89.22%
#38		327	0	0	327	47	39	1	240	13	7	6	227	80.78%	94.58%	97.01%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#39		514	0	0	514	42	19	3	450	18	15	3	432	88 34%	96 00%	96 64%
#40		385	0	0	385	28	6	0	351	7	5	2	344	91 25%	98 01%	
#41		261	0	0	261	36	9	1	215	21	9	12	194	81 17%	90 23%	95 57%
#42		29	0	0	29	0	5	1	23	4	2	2	19	90 48%	82 61%	90 48%
#43		0	0	307	307	2	41	0	264	3	2	1	261	98 49%	98 86%	99 24%
#44		541	0	0	541	66	18	3	454	51	36	15	403	79 80%	88 77%	91 80%
#45		191	0	0	191	8	23	1	159	11	5	6	148	91 93%	93 08%	96 73%
#46		0	0	1545	1545	11	64	3	1477	16	13	3	1461	98 38%	98 92%	99 12%
#47		15	0	0	15	2	0	0	13	2	2	0	11	73 33%	84 62%	84 62%
#48		6	0	0	6	1	1	0	4	0	0	0	4	80 00%	100 00%	100 00%
#49		386	0	0	386	17	7	1	361	37	29	8	324	87 57%	89 75%	91 78%
#50		56	0	0	56	7	0	0	49	11	9	2	38	70 37%	77 55%	80 85%
#51		4	0	0	4	2	1	0	1	1	1	0	0	0 00%	0 00%	0 00%
#52		0	0	1756	1756	206	151	9	1390	259	195	64	1131	73 83%	81 37%	85 29%
#53		17	0	0	17	3	1	0	13	1	1	0	12	75 00%	92 31%	92 31%
#54		75	0	0	75	2	5	4	64	5	1	4	59	95 16%	92 19%	98 33%
#55		0	0	889	889	6	102	0	781	14	9	5	767	98 08%	98 21%	98 84%
#56		13	0	0	13	0	2	0	11	0	0	0	11	100 00%	100 00%	100 00%
#57		14	0	0	14	2	8	0	4	0	0	0	4	66 67%	100 00%	100 00%
#58		136	0	0	136	9	9	1	117	22	20	2	95	76 61%	81 20%	82 61%
#59		6	0	0	6	0	5	0	1	0	0	0	1	100 00%	100 00%	100 00%
#60		30227	0	0	30227	2395	6150	278	21404	6928	4518	2410	14476	67 68%	67 63%	76 21%
#61		342	0	0	342	36	27	2	277	8	5	3	269	86 77%	97 11%	98 18%
#62		43	0	0	43	12	3	0	28	4	3	1	24	61 54%	85 71%	88 89%
#63		25	0	0	25	0	3	1	21	11	5	6	10	66 67%	47 62%	66 67%
#64		1683	0	0	1683	244	39	6	1394	272	244	28	1122	69 69%	80 49%	82 14%
#65		34	0	0	34	2	25	0	7	2	0	2	5	71 43%	71 43%	100 00%
#66		64	0	0	64	1	6	1	56	5	4	1	51	91 07%	91 07%	92 73%
#67		1885	0	0	1885	227	276	2	1380	50	40	10	1330	83 28%	96 38%	97 08%
#68		610	0	0	610	38	34	4	534	58	45	13	476	85 15%	89 14%	91 36%
#69		975	0	0	975	104	53	0	818	46	36	10	772	84 65%	94 38%	95 54%
#70		128	0	0	128	23	10	1	94	11	9	2	83	72 17%	88 30%	90 22%
#71		17	0	0	17	1	3	0	13	7	2	5	6	66 67%	46 15%	75 00%
#72		0	1	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#73		565	0	0	565	66	59	5	435	73	45	28	362	76 53%	83 22%	88 94%
#74		11	0	0	11	0	6	0	5	0	0	0	5	100 00%	100 00%	100 00%
#75		0	0	96	96	25	35	4	32	12	8	4	20	37 74%	62 50%	71 43%
#76		4	0	0	4	0	0	0	4	1	1	0	3	75 00%	75 00%	75 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#77		202	0	0	202	44	11	1	146	12	10	2	134	71 28%	91 78%	93 06%
#78		45	0	0	45	4	5	0	36	3	1	2	33	86 84%	91 67%	97 06%
#79		104	0	0	104	9	5	0	90	2	2	0	88	88 89%	97 78%	97 78%
#80		623	0	0	623	82	8	0	533	22	21	1	511	83 22%	95 87%	96 05%
#81		7	0	0	7	1	2	0	4	0	0	0	4	80 00%	100 00%	100 00%
#82		223	0	0	223	30	9	1	183	14	10	4	169	80 86%	92 35%	94 41%
#83		828	0	0	828	123	132	2	571	58	44	14	513	75 44%	89 84%	92 10%
#84		308	0	0	308	48	20	1	239	20	16	4	219	77.39%	91 63%	93 19%
#85		495	0	0	495	8	24	0	463	31	27	4	432	92 51%	93 30%	94 12%
#86		10	0	0	10	1	2	0	7	0	0	0	7	87 50%	100 00%	100 00%
#87		493	0	0	493	51	30	2	410	67	42	25	343	78 67%	83 66%	89 09%
#88		2544	0	0	2544	287	187	7	2063	153	123	30	1910	82 33%	92 58%	93 95%
#89		92	0	0	92	6	6	3	77	34	27	7	43	56 58%	55 84%	61 43%
#90		147	0	0	147	13	6	0	128	4	3	1	124	88 57%	96 88%	97 64%
#91		4	0	0	4	2	0	0	2	2	1	1	0	0 00%	0 00%	0 00%
#92		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#93		1186	0	0	1186	225	126	2	833	68	57	11	765	73 07%	91 84%	93 07%
#94		2868	0	0	2868	202	193	22	2451	404	341	63	2047	79 03%	83 52%	85 72%
#95		0	2720	0	2720	227	318	0	2175	1480	1215	265	695	32 52%	31 95%	36 39%
#96		16	0	0	16	0	6	1	9	0	0	0	9	100 00%	100 00%	100 00%
#97		0	0	2	2	2	0	0	0	0	0	0	0	0 00%	0.00%	0 00%
#98		68	0	0	68	10	6	0	52	8	6	2	44	73.33%	84 62%	88 00%
#99		791	0	0	791	33	46	0	712	29	18	11	683	93 05%	95 93%	97 43%
#100		3725	0	0	3725	269	253	26	3177	349	256	93	2828	84 34%	89 01%	91 70%
#101		0	0	11192	11192	69	584	8	10531	308	252	56	10223	96 96%	97 08%	97 59%
#102		73	0	0	73	4	11	1	57	12	6	6	45	81 82%	78 95%	88 24%
#103		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#104		71	0	0	71	18	13	0	40	10	8	2	30	53 57%	75 00%	78 95%
#105		158	0	0	158	9	10	2	137	17	13	4	120	84 51%	87 59%	90 23%
#106		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#107		0	7	0	7	2	1	0	4	0	0	0	4	66 67%	100 00%	100 00%
#108		3	0	0	3	0	1	0	2	2	0	2	0	0 00%	0 00%	0 00%
#109		11	0	0	11	2	3	0	6	2	1	1	4	57 14%	66 67%	80 00%
#110		280	0	0	280	16	48	1	215	68	41	27	147	72 06%	68 37%	78 19%
#111		167	0	0	167	8	4	5	150	115	111	4	35	22 73%	23 33%	23 97%
#112		21	0	0	21	0	0	0	21	1	1	0	20	95 24%	95 24%	95 24%
#113		36	0	0	36	11	0	0	25	1	1	0	24	66 67%	96 00%	96 00%
#114		2	0	0	2	1	0	0	1	0	0	0	1	50 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#115		201	0	0	201	18	19	1	163	18	11	7	145	83 33%	88 96%	92 95%
#116		156	0	0	156	29	24	1	102	39	37	2	63	48 84%	61 76%	63 00%
#117		5	0	0	5	1	1	0	3	0	0	0	3	75 00%	100 00%	100 00%
#118		7	0	0	7	1	0	1	5	1	1	0	4	66 67%	80 00%	80 00%
#119		60	0	0	60	3	4	0	53	8	5	3	45	84 91%	84 91%	90 00%
#120		699	0	0	699	67	63	3	566	41	22	19	525	85 50%	92 76%	95 98%
#121		84	0	0	84	9	9	0	66	7	6	1	59	79 73%	89 39%	90 77%
#122		0	924	0	924	24	66	0	834	56	43	13	778	92 07%	93 29%	94 76%
#123		0	5077	0	5077	94	1453	0	3530	874	452	422	2656	82 95%	75 24%	85 46%
#124		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#125		0	328	0	328	40	14	0	274	4	3	1	270	86 26%	98 54%	98 90%
#126		218	0	0	218	20	26	0	172	14	11	3	158	83 60%	91 86%	93 49%
#127		2	0	0	2	1	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#128		67	0	0	67	3	5	0	59	1	1	0	58	93 55%	98 31%	98 31%
#129		3	0	0	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
#130		413	0	0	413	61	21	0	331	12	10	2	319	81 79%	96 37%	96 96%
#131		377	0	0	377	21	70	1	285	23	15	8	262	87 92%	91 93%	94 58%
#132		63	0	0	63	9	19	2	33	8	6	2	25	62 50%	75 76%	80 65%
#133		354	0	0	354	47	33	6	268	62	34	28	206	71 78%	76 87%	85 83%
#134		79	0	0	79	9	13	0	57	19	9	10	38	67 86%	66 67%	80 85%
#135		6	0	0	6	0	2	0	4	1	1	0	3	75 00%	75 00%	75 00%
#136		0	0	3423	3423	14	555	31	2823	869	526	343	1954	78 35%	69 22%	78 79%
#137		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#138		10	0	0	10	0	2	0	8	0	0	0	8	100 00%	100 00%	100 00%
#139		0	0	3	3	0	0	0	3	1	1	0	2	66 67%	66 67%	66 67%
#140		0	0	27	27	0	2	0	25	2	1	1	23	95 83%	92 00%	95 83%
#141		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#142		0	0	3	3	2	0	0	1	0	0	0	1	33 33%	100 00%	100 00%
#143		21	0	0	21	2	3	0	16	0	0	0	16	88 89%	100 00%	100 00%
#144		18	0	0	18	2	5	0	11	3	0	3	8	80 00%	72 73%	100 00%
#145		5	0	0	5	0	0	0	5	0	0	0	5	100 00%	100 00%	100 00%
#146		18	0	0	18	1	2	0	15	13	9	4	2	16 67%	13 33%	18 18%
#147		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#148		8	0	0	8	0	0	0	8	2	1	1	6	85 71%	75 00%	85 71%
#149		0	0	2	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#150		252	0	0	252	18	50	0	184	8	5	3	176	88 44%	95 65%	97 24%
#151		76	0	0	76	18	8	0	50	11	7	4	39	60 94%	78 00%	84 78%
#152		67	0	0	67	4	7	0	56	6	4	2	50	86 21%	89 29%	92 59%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#153		10985	0	0	10985	791	493	4	9697	288	227	61	9409	90 24%	97 03%	97 64%
#154		0	0	4184	4184	108	79	14	3983	491	419	72	3492	86 89%	87 67%	89 29%
#155		450	0	0	450	64	75	3	308	60	51	9	248	68 32%	80 52%	82 94%
#156		0	0	2	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#157		3277	0	0	3277	254	400	4	2619	108	73	35	2511	88 48%	95 88%	97 17%
#158		29	0	0	29	0	0	0	29	2	1	1	27	96 43%	93 10%	96 43%
#159		1578	0	0	1578	132	159	9	1278	163	99	64	1115	82 84%	87 25%	91 85%
#160		83	0	0	83	2	16	0	65	15	10	5	50	80 65%	76 92%	83 33%
#161		228	0	0	228	25	8	0	195	14	12	2	181	83 03%	92 82%	93 78%
#162		108	0	0	108	13	7	5	83	8	6	2	75	79 79%	90 36%	92 59%
#163		0	0	2303	2303	80	190	0	2033	90	68	22	1943	92 92%	95 57%	96 62%
#164		3	0	0	3	0	2	0	1	0	0	0	1	100 00%	100 00%	100 00%
#165		87	0	0	87	3	1	0	83	4	2	2	79	94 05%	95 18%	97 53%
#166		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#167		98	0	0	98	10	3	0	85	4	4	0	81	85 26%	95 29%	95 29%
#168		963	0	0	963	81	30	2	850	82	77	5	768	82 94%	90 35%	90 89%
#169		13	0	0	13	0	0	0	13	0	0	0	13	100 00%	100 00%	100 00%
#170		0	0	136	136	2	17	1	116	7	4	3	109	94 78%	93 97%	96 46%
#171		4	0	0	4	1	2	0	1	0	0	0	1	50 00%	100 00%	100 00%
#172		3962	0	0	3962	429	249	25	3259	151	97	54	3108	85 53%	95 37%	96 97%
#173		48	0	0	48	13	12	2	21	12	11	1	9	27 27%	42 86%	45 00%
#174		1282	0	0	1282	153	152	1	976	61	49	12	916	81 92%	93 75%	94 92%
#175		165	0	0	165	32	7	0	126	11	9	2	115	73 72%	91 27%	92 74%
#176		560	0	0	560	63	46	2	449	43	35	8	406	80 56%	90 42%	92 06%
#177		130	0	0	130	15	26	2	87	6	3	3	81	81 82%	93 10%	96 43%
#178		2261	0	0	2261	128	827	2	1304	52	42	10	1252	88 05%	96 01%	96 75%
#179		60	0	0	60	7	6	2	45	4	1	3	41	83 67%	91 11%	97 62%
#180		0	0	985	985	10	88	1	886	7	6	1	879	98 21%	99 21%	99 32%
#181		1727	0	0	1727	151	87	2	1487	89	74	15	1398	86 14%	94 01%	94 97%
#182		108	0	0	108	16	2	0	90	6	4	2	84	80 77%	93 33%	95 45%
#183		128	0	0	128	7	11	0	110	27	27	0	83	70 94%	75 45%	75 45%
#184		0	3493	0	3493	131	655	3	2704	489	378	111	2215	81 31%	81 92%	85 42%
#185		497	0	0	497	37	15	1	444	24	19	5	420	88 24%	94 59%	95 67%
#186		404	0	0	404	35	21	1	347	22	20	2	325	85 53%	93 66%	94 20%
#187		2084	0	0	2084	221	167	6	1690	89	60	29	1601	85 07%	94 73%	96 39%
#188		792	0	0	792	101	112	1	578	25	19	6	553	82 17%	95 67%	96 68%
#189		917	0	0	917	103	26	0	788	24	19	5	764	86 23%	96 95%	97 57%
#190		39	0	0	39	2	2	1	34	5	5	0	29	80 56%	85 29%	85 29%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#191		1851	0	0	1851	179	80	5	1587	79	54	25	1508	86 62%	95 02%	96 54%
#192		232	0	0	232	11	11	0	210	8	7	1	202	91 82%	96 19%	96 65%
#193		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#194		57	0	0	57	10	2	0	45	18	14	4	27	52 94%	60 00%	65 85%
#195		1297	0	0	1297	167	106	3	1021	50	41	9	971	82 36%	95 10%	95 95%
#196		411	0	0	411	39	17	5	350	18	15	3	332	86 01%	94 86%	95 68%
#197		27	0	0	27	8	0	1	18	3	2	1	15	60 00%	83 33%	88 24%
#198		4235	0	0	4235	391	237	11	3596	374	325	49	3222	81 82%	89 60%	90 84%
#199		8959	0	0	8959	426	539	10	7984	771	571	200	7213	87 86%	90 34%	92 66%
#200		20	0	0	20	0	2	0	18	0	0	0	18	100 00%	100 00%	100 00%
#201		1370	0	0	1370	111	87	3	1169	91	58	33	1078	86.45%	92 22%	94 89%
#202		860	0	0	860	77	56	1	726	53	45	8	673	84 65%	92 70%	93 73%
#203		13	0	0	13	0	3	0	10	0	0	0	10	100 00%	100 00%	100 00%
#204		450	0	0	450	55	27	1	367	24	19	5	343	82 25%	93 46%	94 75%
#205		334	0	0	334	14	32	1	287	15	9	6	272	92 20%	94 77%	96 80%
#206		7	0	0	7	1	1	0	5	0	0	0	5	83 33%	100 00%	100 00%
#207		0	192	0	192	10	43	1	138	46	22	24	92	74 19%	66 67%	80 70%
#208		2983	0	0	2983	213	175	17	2578	248	186	62	2330	85 38%	90 38%	92 61%
#209		412	0	0	412	46	35	4	327	68	53	15	259	72 35%	79 20%	83 01%
#210		14	0	0	14	2	0	0	12	0	0	0	12	85 71%	100 00%	100 00%
#211		4	0	0	4	0	1	0	3	1	1	0	2	66 67%	66 67%	66 67%
#212		84	0	0	84	7	5	0	72	12	9	3	60	78 95%	83 33%	86 96%
#213		32	0	0	32	2	0	0	30	3	1	2	27	90 00%	90 00%	96 43%
#214		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#215		31	0	0	31	4	1	0	26	3	3	0	23	76 67%	88 46%	88 46%
#216		30	0	0	30	3	1	0	26	1	1	0	25	86 21%	96 15%	96 15%
#217		0	0	34	34	13	2	0	19	1	1	0	18	56 25%	94 74%	94 74%
#218		27	0	0	27	0	9	2	16	0	0	0	16	100 00%	100 00%	100 00%
#219		0	0	482	482	24	38	0	420	13	6	7	407	93 14%	96 90%	98 55%
#220		57	0	0	57	7	4	0	46	5	4	1	41	78 85%	89 13%	91 11%
#221		3	0	0	3	0	0	0	3	2	1	1	1	50 00%	33 33%	50 00%
#222		636	0	0	636	51	91	1	493	54	48	6	439	81 60%	89 05%	90 14%
#223		129	0	0	129	8	20	1	100	11	11	0	89	82 41%	89 00%	89 00%
#224		366	0	0	366	20	72	0	274	18	15	3	256	87 97%	93 43%	94 46%
#225		0	5968	0	5968	167	1383	0	4418	739	552	187	3679	83 65%	83 27%	86 95%
#226		0	8139	0	8139	297	1974	4	5864	1309	1022	287	4555	77 55%	77 68%	81 67%
#227		7	0	0	7	1	1	0	5	0	0	0	5	83 33%	100 00%	100 00%
#228		1220	0	0	1220	91	75	0	1054	36	26	10	1018	89 69%	96 58%	97 51%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#229		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#230		1868	0	0	1868	171	289	9	1399	183	110	73	1216	81 23%	86 92%	91 70%
#231		97	0	0	97	16	21	11	49	25	3	22	24	55 81%	48 98%	88 89%
#232		11273	0	0	11273	319	1287	12	9655	356	274	82	9299	94 01%	96 31%	97 14%
#233		0	0	515	515	86	39	6	384	67	45	22	317	70 76%	82 55%	87 57%
#234		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#235		599	0	0	599	19	54	0	526	20	16	4	506	93 53%	96 20%	96 93%
#236		4762	0	0	4762	428	533	8	3793	360	285	75	3433	82 80%	90 51%	92 33%
#237		114	0	0	114	9	4	0	101	8	6	2	93	86 11%	92 08%	93 94%
#238		61	0	0	61	3	4	0	54	4	3	1	50	89 29%	92 59%	94 34%
#239		6	0	0	6	0	4	0	2	0	0	0	2	100 00%	100 00%	100 00%
#240		110	0	0	110	9	13	1	87	28	22	6	59	65 56%	67 82%	72 84%
#241		0	3	0	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#242		103	0	0	103	11	14	0	78	9	7	2	69	79 31%	88 46%	90 79%
#243		20	0	0	20	1	3	0	16	2	1	1	14	87 50%	87 50%	93 33%
#244		32243	0	0	32243	3864	2508	68	25803	1773	1543	230	24030	81 63%	93 13%	93 97%
#245		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#246		6	0	0	6	0	3	0	3	0	0	0	3	100 00%	100 00%	100 00%
#247		11	0	0	11	1	0	0	10	2	1	1	8	80 00%	80 00%	88 89%
#248		234	0	0	234	54	34	1	145	8	6	2	137	69 54%	94 48%	95 80%
#249		1061	0	0	1061	159	73	3	826	38	31	7	788	80 57%	95 40%	96 21%
#250		11	0	0	11	0	1	0	10	0	0	0	10	100 00%	100 00%	100 00%
#251		11	0	0	11	4	0	0	7	1	1	0	6	54 55%	85 71%	85 71%
#252		56	0	0	56	1	6	0	49	3	2	1	46	93 88%	93 88%	95 83%
#253		251	0	0	251	28	24	1	198	23	18	5	175	79 19%	88 38%	90 67%
#254		157	0	0	157	23	13	0	121	11	8	3	110	78 01%	90 91%	93 22%
#255		1814	0	0	1814	133	96	1	1584	79	68	11	1505	88 22%	95 01%	95 68%
#256		0	0	1	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#257		168	0	0	168	9	3	0	156	6	4	2	150	92 02%	96 15%	97 40%
#258		120	0	0	120	3	6	0	111	4	4	0	107	93 86%	96 40%	96 40%
#259		0	88	0	88	0	6	0	82	16	9	7	66	88 00%	80 49%	88 00%
#260		390	0	0	390	67	28	2	293	32	21	11	261	74 79%	89 08%	92 55%
#261		0	0	1140	1140	45	146	0	949	26	18	8	923	93 61%	97 26%	98 09%
#262		2319	0	0	2319	243	150	13	1913	163	134	29	1750	82 28%	91 48%	92 89%
#263		165	0	0	165	23	11	3	128	27	19	8	101	70 63%	78 91%	84 17%
#264		160	0	0	160	6	6	0	148	11	10	1	137	89 54%	92 57%	93 20%
#265		406	0	0	406	20	20	0	366	32	24	8	334	88 36%	91 26%	93 30%
#266		384	0	0	384	40	23	7	314	18	14	4	296	84 57%	94 27%	95 48%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppa (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#267		540	0	0	540	41	13	0	486	13	11	2	473	90 10%	97 33%	97 73%
#268		311	0	0	311	44	29	3	235	14	11	3	221	80 07%	94 04%	95 26%
#269		0	3	0	3	0	0	0	3	2	0	2	1	100 00%	33 33%	100 00%
#270		496	0	0	496	74	29	0	393	21	15	6	372	80 69%	94 66%	96 12%
#271		141	0	0	141	35	5	0	101	14	14	0	87	63 97%	86 14%	86 14%
#272		4	0	0	4	0	2	0	2	1	1	0	1	50 00%	50 00%	50 00%
#273		101	0	0	101	16	11	1	73	5	4	1	68	77 27%	93 15%	94 44%
#274		365	0	0	365	46	45	2	272	47	36	11	225	73 29%	82 72%	86 21%
#275		10	0	0	10	0	1	0	9	0	0	0	9	100 00%	100 00%	100 00%
#276		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#277		63	0	0	63	1	11	3	48	19	13	6	29	67 44%	60 42%	69 05%
#278		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#279		3	0	0	3	2	0	0	1	0	0	0	1	33 33%	100 00%	100 00%
#280		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#281		743	0	0	743	42	56	3	642	70	58	12	572	85 12%	89 10%	90 79%
#282		0	0	196	196	17	21	2	156	41	31	10	115	70 55%	73 72%	78 77%
#283		1929	0	0	1929	164	53	5	1707	122	100	22	1585	85 72%	92 85%	94 07%
#284		16	0	0	16	3	1	0	12	1	1	0	11	73 33%	91 67%	91 67%
#285		12	0	0	12	1	2	0	9	1	1	0	8	80 00%	88 89%	88 89%
#286		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#287		605	0	0	605	18	33	2	552	39	30	9	513	91 44%	92 93%	94 48%
LENS Subtotal		191855	0	0	191855	16874	19482	746	154753	17226	12492	4734	137531	82 41%	88 88%	91 68%
EDI Subtotal		0	26971	0	26971	993	5920	8	20050	5022	3696	1326	15041	76 22%	74 95%	80 26%
TAG Subtotal		0	0	29784	29784	893	2241	89	26561	2279	1629	650	24282	90 59%	91 42%	93 71%
TOTAL INTERFACES		**191855**	**26971**	**29784**	**248610**	**18760**	**27643**	**843**	**201364**	**24527**	**17817**	**6710**	**176854**	**82.87%**	**87.83%**	**90.86%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		6	0	0	6	0	0	0	6	6	3	3	0	0 00%	0 00%	0 00%
#2		3	0	0	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#3		22	0	0	22	10	0	0	12	4	3	1	8	38 10%	66 67%	72 73%
#4		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#5		155	0	0	155	48	9	2	96	19	13	6	77	55 80%	80 21%	85 56%
#6		32	0	0	32	3	4	1	24	7	5	2	17	68 00%	70 83%	77 27%
#7		2	0	0	2	0	0	0	2	1	0	1	1	100 00%	50 00%	100 00%
#8		1	0	0	1	0	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#9		2	0	0	2	0	1	0	1	1	1	0	0	0 00%	0 00%	0 00%
#10		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#11		18	0	0	18	0	2	1	15	2	1	1	13	92 86%	86 67%	92 86%
#12		23	0	0	23	5	1	1	16	8	6	2	8	42 11%	50 00%	57 14%
#13		71	0	0	71	19	2	3	47	12	6	6	35	58 33%	74 47%	85 37%
#14		22	0	0	22	0	6	4	12	8	6	2	4	40 00%	33 33%	40 00%
#15		7	0	0	7	0	1	0	6	3	2	1	3	60 00%	50 00%	60 00%
#16		6	0	0	6	4	0	0	2	0	0	0	2	33 33%	100 00%	100 00%
#17		20	0	0	20	1	2	1	16	7	7	0	9	52 94%	56 25%	56 25%
#18		10	0	0	10	2	3	0	5	2	0	2	3	60 00%	60 00%	100 00%
#19		32	0	0	32	1	0	1	30	9	8	1	21	70 00%	70 00%	72 41%
#20		0	0	5	5	3	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#21		0	0	111	111	63	11	2	35	19	10	9	16	17 98%	45 71%	61 54%
#22		52	0	0	52	0	12	0	40	10	5	5	30	85 71%	75 00%	85 71%
#23		185	0	0	185	76	12	0	97	44	29	15	53	33 54%	54 64%	64 63%
#24		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#25		0	5	0	5	0	2	0	3	0	0	0	3	100 00%	100 00%	100 00%
#26		8	0	0	8	0	6	0	2	1	0	1	1	100 00%	50 00%	100 00%
#27		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#28		5	0	0	5	0	1	0	4	4	2	2	0	0 00%	0 00%	0 00%
#29		15	0	0	15	5	0	0	10	5	3	2	5	38 46%	50 00%	62 50%
#30		8	0	0	8	0	0	1	7	0	0	0	7	100 00%	100 00%	100 00%
#31		197	0	0	197	21	13	0	163	50	46	4	113	62 78%	69 33%	71 07%
#32		11	0	0	11	6	2	0	3	0	0	0	3	33 33%	100 00%	100 00%
#33		1387	0	0	1387	159	227	32	969	423	290	133	546	54 82%	56 35%	65 23%
#34		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#35		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#36		8	0	0	8	0	0	0	8	3	1	2	5	83 33%	62 50%	83 33%
#37		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#38		105	0	0	105	21	7	2	75	42	27	15	33	40 74%	44 00%	55 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#39		3	0	0	3	1	1	0	1	0	0	0	1	50.00%	100.00%	100.00%
#40		293	0	0	293	51	36	4	202	92	66	26	110	48.46%	54.46%	62.50%
#41		71	0	0	71	10	6	0	55	8	7	1	47	73.44%	85.45%	87.04%
#42		55	0	0	55	10	11	1	33	18	11	7	15	41.67%	45.45%	57.69%
#43		0	0	1	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#44		63	0	0	63	13	7	0	43	5	4	1	38	69.09%	88.37%	90.48%
#45		1	0	0	1	0	1	0	0	0	0	0	0	0.00%	0.00%	0.00%
#46		3	0	0	3	3	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#47		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#48		11	0	0	11	7	0	0	4	0	0	0	4	36.36%	100.00%	100.00%
#49		2	0	0	2	0	0	0	2	0	0	0	2	100.00%	100.00%	100.00%
#50		7	0	0	7	1	1	0	5	0	0	0	5	83.33%	100.00%	100.00%
#51		7	0	0	7	5	0	0	2	0	0	0	2	28.57%	100.00%	100.00%
#52		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#53		9	0	0	9	8	0	0	1	1	0	1	0	0.00%	0.00%	0.00%
#54		14	0	0	14	7	0	0	7	5	3	2	2	16.67%	28.57%	40.00%
#55		8	0	0	8	2	0	0	6	4	3	1	2	28.57%	33.33%	40.00%
#56		0	0	5	5	0	0	0	5	5	3	2	0	0.00%	0.00%	0.00%
#57		9	0	0	9	4	0	0	5	3	2	1	2	25.00%	40.00%	50.00%
#58		2	0	0	2	0	0	0	2	2	1	1	0	0.00%	0.00%	0.00%
#59		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#60		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100.00%	100.00%
#61		139	0	0	139	28	18	1	92	36	29	7	56	49.56%	60.87%	65.88%
#62		4	0	0	4	2	0	0	2	1	0	1	1	33.33%	50.00%	100.00%
#63		369	0	0	369	74	37	10	248	69	44	25	179	60.27%	72.18%	80.27%
#64		87	0	0	87	21	11	2	53	19	14	5	34	49.28%	64.15%	70.83%
#65		0	40	0	40	4	7	0	29	20	18	2	9	29.03%	31.03%	33.33%
#66		339	0	0	339	74	22	4	239	86	65	21	153	52.40%	64.02%	70.18%
#67		43	0	0	43	3	15	0	25	8	7	1	17	62.96%	68.00%	70.83%
#68		29	0	0	29	2	6	0	21	11	6	5	10	55.56%	47.62%	62.50%
#69		49	0	0	49	5	11	1	32	12	8	4	20	60.61%	62.50%	71.43%
#70		1	0	0	1	1	0	0	0	0	0	0	0	0.00%	0.00%	0.00%
#71		1244	0	0	1244	220	166	9	849	427	308	119	422	44.42%	49.71%	57.81%
#72		92	0	0	92	59	5	1	27	17	15	2	10	11.90%	37.04%	40.00%
#73		3	0	0	3	0	1	0	2	0	0	0	2	100.00%	100.00%	100.00%
#74		10	0	0	10	2	1	0	7	1	0	1	6	75.00%	85.71%	100.00%
#75		9	0	0	9	1	0	0	8	1	1	0	7	77.78%	87.50%	87.50%
#76		14	0	0	14	5	2	0	7	0	0	0	7	58.33%	100.00%	100.00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#77		17	0	0	17	7	0	1	9	5	1	4	4	33 33%	44 44%	80 00%
#78		40	0	0	40	2	0	2	36	15	8	7	21	67 74%	58 33%	72 41%
#79		12	0	0	12	1	2	1	8	3	3	0	5	55 56%	62 50%	62 50%
#80		9	0	0	9	3	1	0	5	5	2	3	0	0 00%	0 00%	0 00%
#81		3	0	0	3	1	0	0	2	2	2	0	0	0 00%	0 00%	0 00%
#82		8	0	0	8	2	2	0	4	2	2	0	2	33 33%	50 00%	50 00%
#83		0	0	7	7	6	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#84		3	0	0	3	0	2	0	1	0	0	0	1	100 00%	100 00%	100 00%
#85		4	0	0	4	0	4	0	0	0	0	0	0	0 00%	0 00%	0 00%
#86		7	0	0	7	1	2	0	4	0	0	0	4	80 00%	100 00%	100 00%
#87		8	0	0	8	4	1	0	3	2	0	2	1	20 00%	33 33%	100 00%
#88		68	0	0	68	0	0	2	66	17	15	2	49	76 56%	74 24%	76 56%
#89		11	0	0	11	5	0	0	6	0	0	0	6	54 55%	100 00%	100 00%
#90		32	0	0	32	7	2	0	23	12	9	3	11	40 74%	47 83%	55 00%
#91		16	0	0	16	2	1	0	13	10	9	1	3	21 43%	23 08%	25 00%
#92		0	0	29	29	0	10	1	18	3	3	0	15	83 33%	83 33%	83 33%
#93		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#94		0	0	75	75	45	6	0	24	13	9	4	11	16 92%	45 83%	55 00%
#95		0	0	23	23	0	10	0	13	8	4	4	5	55 56%	38 46%	55 56%
#96		2	0	0	2	0	0	0	2	2	0	2	0	0 00%	0 00%	0 00%
#97		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#98		29	0	0	29	3	4	0	22	4	2	2	18	78 26%	81 82%	90 00%
#99		0	0	7	7	4	0	0	3	1	1	0	2	28 57%	66 67%	66 67%
#100		0	0	10	10	6	2	0	2	0	0	0	2	25 00%	100 00%	100 00%
#101		7	0	0	7	4	0	0	3	2	2	0	1	14 29%	33 33%	33 33%
#102		7	0	0	7	1	4	0	2	1	0	1	1	50 00%	50 00%	100 00%
#103		0	0	22	22	4	5	0	13	8	5	3	5	35 71%	38 46%	50 00%
#104		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#105		4	0	0	4	0	2	0	2	0	0	0	2	100 00%	100 00%	100 00%
#106		0	0	12	12	7	5	0	0	0	0	0	0	0 00%	0 00%	0 00%
#107		95	0	0	95	1	7	0	87	45	38	7	42	51 85%	48 28%	52 50%
#108		0	0	32	32	6	5	1	20	7	3	4	13	59 09%	65 00%	81 25%
#109		0	0	7	7	0	0	0	7	1	1	0	6	85 71%	85 71%	85 71%
#110		49	0	0	49	5	4	0	40	11	11	0	29	64 44%	72 50%	72 50%
#111		15	0	0	15	2	2	0	11	3	3	0	8	61 54%	72 73%	72 73%
#112		24	0	0	24	4	0	0	20	16	13	3	4	19 05%	20 00%	23 53%
#113		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#114		0	0	1	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#115		18	0	0	18	1	10	0	7	1	1	0	6	75 00%	85 71%	85 71%
#116		4	0	0	4	1	1	0	2	0	0	0	2	66 67%	100 00%	100 00%
#117		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#118		4	0	0	4	0	1	0	3	0	0	0	3	100 00%	100 00%	100 00%
#119		0	0	11	11	6	1	0	4	3	0	3	1	14 29%	25 00%	100 00%
#120		1280	0	0	1280	426	139	13	702	194	117	77	508	48 33%	72 36%	81 28%
#121		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#122		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#123		49	0	0	49	12	0	0	37	2	2	0	35	71 43%	94 59%	94.59%
#124		3	0	0	3	1	1	0	1	0	0	0	1	50 00%	100 00%	100 00%
#125		22	0	0	22	8	1	0	13	3	2	1	10	50 00%	76 92%	83 33%
#126		16	0	0	16	4	3	0	9	2	2	0	7	53 85%	77 78%	77 78%
#127		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#128		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#129		133	0	0	133	83	0	0	50	5	4	1	45	34 09%	90 00%	91 84%
#130		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#131		12	0	0	12	5	0	0	7	0	0	0	7	58 33%	100 00%	100 00%
#132		0	0	13	13	5	7	0	1	0	0	0	1	16 67%	100 00%	100 00%
#133		0	0	2	2	0	0	0	2	2	1	1	0	0 00%	0 00%	0 00%
#134		0	0	38	38	9	7	1	21	10	6	4	11	42 31%	52 38%	64 71%
#135		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#136		5	0	0	5	0	1	0	4	2	0	2	2	100 00%	50 00%	100 00%
#137		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#138		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#139		45	0	0	45	17	5	0	23	7	5	2	16	42 11%	69 57%	76 19%
#140		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#141		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#142		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#143		0	2	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#144		4	0	0	4	1	0	0	3	2	1	1	1	33 33%	33 33%	50 00%
#145		6	0	0	6	4	1	0	1	0	0	0	1	20 00%	100 00%	100 00%
#146		17	0	0	17	5	4	0	8	2	2	0	6	46 15%	75 00%	75 00%
#147		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#148		97	0	0	97	3	7	0	87	10	10	0	77	85 56%	88 51%	88 51%
#149		8	0	0	8	1	0	0	7	0	0	0	7	87 50%	100 00%	100 00%
#150		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#151		142	0	0	142	3	27	0	112	15	13	2	97	85 84%	86 61%	88 18%
#152		14	0	0	14	4	2	0	8	0	0	0	8	66 67%	100 00%	100 00%

AGGREGATE ORDER TYPES																	
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG											
		Mechanized Interface Used				Manual	Rejects	Validated		Errors							
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppa (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#153		13	0	0	13	0	0	0	13	2	2	0	11	84 62%	84 62%	84 62%
#154		22	0	0	22	9	8	0	5	0	0	0	5	35 71%	100.00%	100 00%
#155		31	0	0	31	0	5	1	25	5	2	3	20	90 91%	80 00%	90 91%
#156		111	0	0	111	38	7	3	63	14	12	2	49	49 49%	77 78%	80 33%
#157		3	0	0	3	1	0	0	2	0	0	0	2	66 67%	100 00%	100 00%
#158		12	0	0	12	2	1	3	6	2	2	0	4	50 00%	66 67%	66 67%
#159		2	0	0	2	2	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#160		4	0	0	4	3	0	0	1	0	0	0	1	25 00%	100 00%	100 00%
#161		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#162		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#163		4	0	0	4	1	0	0	3	1	0	1	2	66 67%	66 67%	100 00%
#164		5	0	0	5	0	0	0	5	2	1	1	3	75 00%	60 00%	75 00%
#165		0	639	0	639	215	158	8	258	99	64	35	159	36 30%	61 63%	71 30%
#166		158	0	0	158	47	28	2	81	28	15	13	53	46 09%	65 43%	77 94%
#167		8	0	0	8	1	3	0	4	1	0	1	3	75 00%	75 00%	100 00%
#168		191	0	0	191	28	22	11	130	86	47	39	44	36 97%	33 85%	48 35%
#169		3	0	0	3	2	0	0	1	1	0	1	0	0 00%	0 00%	0 00%
#170		0	0	71	71	14	10	0	47	11	6	5	36	64 29%	76 60%	85 71%
#171		10	0	0	10	2	6	0	2	0	0	0	2	50 00%	100 00%	100 00%
#172		413	0	0	413	48	19	2	344	86	78	8	258	67 19%	75 00%	76 79%
#173		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#174		0	0	3	3	0	2	0	1	1	1	0	0	0 00%	0.00%	0 00%
#175		0	0	24	24	12	0	0	12	2	1	1	10	43 48%	83 33%	90 91%
#176		64	0	0	64	0	24	1	39	0	0	0	39	100 00%	100 00%	100 00%
#177		7	0	0	7	6	0	0	1	0	0	0	1	14 29%	100 00%	100 00%
#178		3	0	0	3	1	0	0	2	1	0	1	1	50 00%	50 00%	100 00%
#179		25	0	0	25	3	5	0	17	3	2	1	14	73 68%	82 35%	87 50%
#180		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#181		10	0	0	10	3	2	0	5	1	1	0	4	50 00%	80 00%	80 00%
#182		11	0	0	11	4	2	0	5	0	0	0	5	55 56%	100 00%	100 00%
#183		2	0	0	2	0	1	0	1	1	1	0	0	0 00%	0 00%	0 00%
#184		3	0	0	3	2	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#185		7	0	0	7	0	1	0	6	2	1	1	4	80 00%	66 67%	80 00%
#186		0	1	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#187		0	45	0	45	18	11	1	15	1	1	0	14	42 42%	93 33%	93 33%
#188		112	0	0	112	26	49	1	36	3	2	1	33	54 10%	91 67%	94 29%
#189		1034	0	0	1034	124	80	26	804	296	217	79	508	59 84%	63 18%	70 07%
#190		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#191		6	0	0	6	0	2	0	4	0	0	0	4	100 00%	100 00%	100 00%
#192		0	0	18	18	0	1	0	17	9	8	1	8	50 00%	47 06%	50 00%
#193		0	0	8	8	1	0	0	7	3	3	0	4	50 00%	57 14%	57 14%
#194		0	0	19	19	3	0	0	16	13	9	4	3	20 00%	18.75%	25 00%
#195		0	0	8	8	0	1	0	7	4	3	1	3	50 00%	42 86%	50 00%
#196		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#197		5	0	0	5	3	0	0	2	1	1	0	1	20 00%	50 00%	50 00%
#198		4	0	0	4	1	0	0	3	0	0	0	3	75 00%	100 00%	100 00%
#199		0	2	0	2	1	0	0	1	0	0	0	1	50 00%	100 00%	100 00%
#200		11	0	0	11	1	7	0	3	0	0	0	3	75 00%	100 00%	100 00%
#201		119	0	0	119	35	4	3	77	23	21	2	54	49 09%	70 13%	72 00%
#202		6	0	0	6	0	1	0	5	1	1	0	4	80 00%	80 00%	80 00%
#203		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#204		37	0	0	37	16	2	1	18	0	0	0	18	52 94%	100 00%	100 00%
#205		1	0	0	1	0	0	0	1	0	0	0	1	100 00%	100 00%	100 00%
#206		22	0	0	22	7	2	0	13	0	0	0	13	65 00%	100 00%	100 00%
#207		0	4	0	4	0	0	0	4	0	0	0	4	100 00%	100 00%	100 00%
#208		3	0	0	3	0	0	1	2	0	0	0	2	100 00%	100 00%	100 00%
#209		64	0	0	64	12	4	0	48	16	15	1	32	54 24%	66 67%	68 09%
#210		83	0	0	83	17	12	4	50	25	8	17	25	50 00%	50 00%	75 76%
#211		1	0	0	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#212		52	0	0	52	12	11	0	29	5	2	3	24	63 16%	82 76%	92 31%
#213		264	0	0	264	27	29	8	200	72	67	5	128	57 66%	64 00%	65 64%
#214		11	0	0	11	5	0	0	6	2	1	1	4	40 00%	66 67%	80 00%
#215		16	0	0	16	4	3	0	9	2	2	0	7	53 85%	77 78%	77 78%
#216		50	0	0	50	6	6	2	36	9	8	1	27	65 85%	75 00%	77 14%
#217		22	0	0	22	0	0	0	22	8	3	5	14	82 35%	63 64%	82 35%
#218		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#219		88	0	0	88	7	6	1	74	9	8	1	65	81 25%	87 84%	89 04%
#220		30	0	0	30	7	4	0	19	6	5	1	13	52 00%	68 42%	72 22%
#221		212	0	0	212	40	33	4	135	18	14	4	117	68 42%	86 67%	89 31%
#222		2	0	0	2	0	1	0	1	1	1	0	0	0 00%	0 00%	0 00%
#223		4	0	0	4	0	2	0	2	1	1	0	1	50 00%	50 00%	50 00%
#224		33	0	0	33	8	3	1	21	6	5	1	15	53 57%	71 43%	75 00%
#225		0	0	2	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#226		0	0	2	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#227		0	0	33	33	8	6	0	19	6	3	3	13	54 17%	68 42%	81 25%
#228		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING								FLOWTHROUGH		
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#229		42	0	0	42	6	6	1	29	11	6	5	18	60.00%	62.07%	75.00%
#230		5	0	0	5	0	0	0	5	3	3	0	2	40.00%	40.00%	40.00%
#231		20	0	0	20	2	2	0	16	5	3	2	11	68.75%	68.75%	78.57%
#232		64	0	0	64	9	5	2	48	13	6	7	35	70.00%	72.92%	85.37%
#233		197	0	0	197	72	8	0	117	24	16	8	93	51.38%	79.49%	85.32%
LENS Subtotal		11540	0	0	11540	2294	1337	179	7730	2699	1920	779	5032	54.45%	65.12%	72.42%
EDI Subtotal		0	738	0	738	239	179	9	311	121	83	38	192	37.11%	61.09%	69.60%
TAG Subtotal		0	0	601	601	203	91	5	302	133	83	50	169	37.14%	55.96%	67.06%
TOTAL INTERFACES		**11540**	**738**	**601**	**12879**	**2736**	**1607**	**193**	**8343**	**2953**	**2086**	**867**	**5393**	**52.81%**	**64.64%**	**72.14%**

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#1		0	67	0	67	6	22	0	39	11	4	7	28	73 68%	71 79%	87 50%
#2		0	711	0	711	48	150	1	512	307	86	221	205	60 47%	40 04%	70 45%
#3		0	13	0	13	0	3	0	10	2	2	0	8	80 00%	80 00%	80 00%
#4		0	4	0	4	0	0	0	4	2	2	0	2	50 00%	50 00%	50 00%
#5		0	6	0	6	0	0	0	6	3	1	2	3	75 00%	50 00%	75 00%
#6		0	75	0	75	3	2	0	70	37	22	15	33	56 90%	47 14%	60 00%
#7		0	54	0	54	10	12	0	32	18	14	4	14	36 84%	43 75%	50 00%
#8		108	0	0	108	11	11	0	86	1	1	0	85	87 63%	98 84%	98 84%
#9		49	0	0	49	9	13	0	27	9	6	3	18	54 55%	66 67%	75 00%
#10		188	0	0	188	38	26	3	121	29	25	4	92	59 35%	76 03%	78 63%
#11		190	0	0	190	23	16	5	146	25	20	5	121	73 78%	82 88%	85 82%
#12		33	0	0	33	0	6	0	27	12	8	4	15	65 22%	55 56%	65 22%
#13		9	0	0	9	2	4	1	2	0	0	0	2	50 00%	100 00%	100 00%
#14		5	0	0	5	0	0	1	4	2	0	2	2	100 00%	50 00%	100 00%
#15		69	0	0	69	7	4	3	55	22	17	5	33	57 89%	60 00%	66 00%
#16		22	0	0	22	6	1	7	8	5	2	3	3	27 27%	37 50%	60 00%
#17		2600	0	0	2600	491	323	16	1770	502	404	98	1268	58 62%	71 64%	75 84%
#18		0	69	0	69	28	8	3	30	13	6	7	17	33 33%	56 67%	73 91%
#19		0	656	0	656	420	76	8	152	48	32	16	104	18 71%	68 42%	76 47%
#20		0	159	0	159	46	45	3	65	18	6	12	47	47 47%	72 31%	88 68%
#21		36	0	0	36	2	7	1	26	2	2	0	24	85 71%	92 31%	92 31%
#22		0	0	14995	14995	2889	2180	174	9752	3112	2205	907	6640	56 59%	68 09%	75 07%
#23		9	0	0	9	0	3	0	6	4	3	1	2	40 00%	33 33%	40 00%
#24		154	0	0	154	34	26	3	91	21	16	5	70	58 33%	76 92%	81 40%
#25		0	292	0	292	9	74	6	203	89	63	26	114	61 29%	56 16%	64 41%
#26		0	0	1863	1863	384	287	18	1174	478	363	115	696	48 23%	59 28%	65 72%
#27		0	0	1972	1972	178	159	89	1546	503	399	104	1043	64 38%	67 46%	72 33%
#28		5	0	0	5	0	2	0	3	1	1	0	2	66 67%	66 67%	66 67%
#29		497	0	0	497	83	53	3	358	148	113	35	210	51 72%	58 66%	65 02%
#30		0	635	0	635	179	99	4	353	189	60	129	164	40 69%	46 46%	73 21%
#31		4504	0	0	4504	612	435	43	3414	874	741	133	2540	65 25%	74 40%	77 42%
#32		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#33		12	0	0	12	0	2	0	10	4	3	1	6	66 67%	60 00%	66 67%
#34		9	0	0	9	0	4	0	5	1	0	1	4	100 00%	80 00%	100 00%
#35		2	0	0	2	1	0	0	1	0	0	0	1	50 00%	100 00%	100 00%
#36		27	0	0	27	1	6	0	20	1	1	0	19	90 48%	95 00%	95 00%
#37		5	0	0	5	0	2	0	3	1	0	1	2	100 00%	66 67%	100 00%
#38		6	0	0	6	1	0	1	4	3	2	1	1	25 00%	25 00%	33 33%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING										FLOWTHROUGH
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#39		479	0	0	479	80	47	4	348	81	61	20	267	65 44%	76.72%	81 40%
#40		159	0	0	159	14	1	3	141	80	17	63	61	66 30%	43 26%	78 21%
#41		4	0	0	4	1	1	0	2	1	0	1	1	50 00%	50 00%	100 00%
#42		0	0	1831	1831	294	235	14	1288	570	461	109	718	48 74%	55 75%	60 90%
#43		2	0	0	2	0	0	0	2	2	1	1	0	0 00%	0 00%	0 00%
#44		0	0	1149	1149	171	204	7	767	342	257	85	425	49 82%	55 41%	62 32%
#45		134	0	0	134	6	6	5	117	23	14	9	94	82 46%	80 34%	87 04%
#46		15	0	0	15	2	7	0	6	2	2	0	4	50 00%	66 67%	66 67%
#47		1071	0	0	1071	90	260	9	712	144	86	58	568	76 34%	79 78%	86 85%
#48		25	0	0	25	8	9	0	8	1	1	0	7	43 75%	87 50%	87 50%
#49		0	0	999	999	121	152	4	722	285	240	45	437	54 76%	60 53%	64 55%
#50		0	982	0	982	91	163	7	721	290	225	65	431	57 70%	59 78%	65 70%
#51		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#52		17	0	0	17	1	8	0	8	0	0	0	8	88 89%	100 00%	100 00%
#53		0	3	0	3	0	0	0	3	3	0	3	0	0 00%	0 00%	0 00%
#54		0	375	0	375	64	55	1	255	157	125	32	98	34 15%	38 43%	43 95%
#55		3	0	0	3	0	0	0	3	2	0	2	1	100 00%	33 33%	100 00%
#56		2	0	0	2	0	0	0	2	1	1	0	1	50 00%	50 00%	50 00%
#57		23	0	0	23	4	3	5	11	8	1	7	3	37 50%	27 27%	75 00%
#58		10	0	0	10	1	5	0	4	0	0	0	4	80 00%	100 00%	100 00%
#59		23	0	0	23	0	10	0	13	3	0	3	10	100 00%	76 92%	100 00%
#60		2	0	0	2	0	1	0	1	0	0	0	1	100 00%	100 00%	100 00%
#61		0	0	973	973	160	155	13	645	294	215	79	351	48 35%	54 42%	62 01%
#62		9	0	0	9	0	0	0	9	3	2	1	6	75 00%	66 67%	75 00%
#63		0	0	661	661	87	62	8	504	182	161	21	322	56 49%	63 89%	66 67%
#64		39	0	0	39	3	8	3	25	11	5	6	14	63 64%	56 00%	73 68%
#65		14	0	0	14	5	2	2	5	0	0	0	5	50 00%	100 00%	100 00%
#66		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#67		53	0	0	53	0	1	2	50	43	32	11	7	17 95%	14 00%	17 95%
#68		604	0	0	604	55	38	3	508	91	66	25	417	77 51%	82 09%	86 34%
#69		0	39766	0	39766	1556	4893	41	33276	7337	5071	2266	25939	79 65%	77 95%	83 65%
#70		67	0	0	67	8	18	0	41	14	12	2	27	57 45%	65 85%	69 23%
#71		2915	0	0	2915	306	462	31	2116	536	361	175	1580	70 32%	74 67%	81 40%
#72		26	0	0	26	1	12	0	13	2	1	1	11	84 62%	84 62%	91 67%
#73		0	0	226	226	28	31	1	166	73	63	10	93	50 54%	56 02%	59 62%
#74		0	0	351	351	63	25	1	262	78	66	12	184	58 79%	70 23%	73 60%
#75		0	0	220	220	50	12	2	156	15	9	6	141	70 50%	90 38%	94 00%
#76		4	0	0	4	0	2	1	1	1	0	1	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#77		148	0	0	148	19	21	2	106	28	18	10	78	67 83%	73 58%	81 25%
#78		19	0	0	19	0	8	1	10	0	0	0	10	100 00%	100 00%	100 00%
#79		496	0	0	496	41	23	1	431	28	22	6	403	86 48%	93 50%	94 82%
#80		1	0	0	1	0	0	0	1	0	0	0	1	100.00%	100 00%	100 00%
#81		21	0	0	21	1	0	0	20	1	1	0	19	90 48%	95 00%	95 00%
#82		7213	0	0	7213	484	286	25	6418	803	613	190	5615	83 66%	87 49%	90 16%
#83		38	0	0	38	6	12	2	18	11	7	4	7	35 00%	38 89%	50 00%
#84		19	0	0	19	4	1	0	14	7	3	4	7	50 00%	50 00%	70 00%
#85		473	0	0	473	32	348	6	87	32	2	30	55	61 80%	63 22%	96 49%
#86		0	17	0	17	1	1	0	15	11	3	8	4	50 00%	26 67%	57 14%
#87		3357	0	0	3357	107	86	3	3161	81	50	31	3080	95 15%	97 44%	98 40%
#88		2	0	0	2	0	0	0	2	2	1	1	0	0 00%	0 00%	0 00%
#89		1170	0	0	1170	116	162	19	873	310	239	71	563	61 33%	64 49%	70 20%
#90		0	0	160	160	32	49	1	78	38	12	26	40	47 62%	51 28%	76 92%
#91		0	0	141	141	3	52	15	71	59	32	27	12	25 53%	16 90%	27 27%
#92		0	0	62	62	9	9	4	40	12	6	6	28	65 12%	70 00%	82 35%
#93		0	0	92	92	15	6	0	71	22	14	8	49	62 82%	69 01%	77 78%
#94		0	0	58	58	34	20	1	3	1	1	0	2	5 41%	66 67%	66 67%
#95		0	0	73	73	16	22	3	32	16	9	7	16	39 02%	50 00%	64 00%
#96		0	0	49	49	7	7	2	33	11	8	3	22	59 46%	66 67%	73 33%
#97		0	0	47	47	8	3	0	36	13	10	3	23	56 10%	63 89%	69 70%
#98		0	0	39	39	3	10	3	23	9	9	0	14	53 85%	60 87%	60 87%
#99		0	0	38	38	5	2	0	31	5	3	2	26	76 47%	83 87%	89 66%
#100		733	0	0	733	98	85	16	534	147	96	51	387	66 61%	72 47%	80 12%
#101		0	0	38	38	5	5	0	28	7	3	4	21	72 41%	75 00%	87 50%
#102		14	0	0	14	0	11	2	1	0	0	0	1	100 00%	100 00%	100 00%
#103		858	0	0	858	98	104	18	638	180	119	61	458	67 85%	71 79%	79 38%
#104		0	0	32	32	7	1	0	24	4	3	1	20	66 67%	83 33%	86 96%
#105		6	0	0	6	0	0	1	5	2	0	2	3	100 00%	60 00%	100 00%
#106		8	0	0	8	2	0	0	6	0	0	0	6	75 00%	100 00%	100 00%
#107		0	0	22	22	12	0	0	10	4	1	3	6	31 58%	60 00%	85 71%
#108		0	0	31	31	5	4	0	22	7	4	3	15	62 50%	68 18%	78 95%
#109		0	0	18	18	1	10	1	6	3	1	2	3	60 00%	50 00%	75 00%
#110		0	0	23	23	10	3	0	10	8	4	4	2	12 50%	20 00%	33 33%
#111		0	0	27	27	15	8	0	4	3	3	0	1	5 26%	25 00%	25 00%
#112		147	0	0	147	13	22	7	105	43	35	8	62	56 36%	59 05%	63 92%
#113		18	0	0	18	4	5	0	9	3	0	3	6	60 00%	66 67%	100 00%
#114		32	0	0	32	4	7	0	21	14	5	9	7	43 75%	33 33%	58 33%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#115		10	0	0	10	1	2	0	7	2	2	0	5	62 50%	71 43%	71 43%
#116		43	0	0	43	12	15	1	15	1	0	1	14	53 85%	93 33%	100 00%
#117		2	0	0	2	0	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#118		0	0	17	17	16	0	0	1	0	0	0	1	5 88%	100 00%	100 00%
#119		1686	0	0	1686	305	131	19	1231	260	100	160	971	70 57%	78 88%	90 66%
#120		19	0	0	19	1	1	0	17	9	3	6	8	66 67%	47 06%	72 73%
#121		2	0	0	2	0	0	0	2	0	0	0	2	100 00%	100 00%	100 00%
#122		16	0	0	16	0	1	0	15	5	3	2	10	76 92%	66 67%	76 92%
#123		4100	0	0	4100	1720	143	21	2216	471	406	65	1745	45 08%	78 75%	81 13%
#124		266	0	0	266	25	40	1	200	77	64	13	123	58 02%	61 50%	65 78%
#125		74	0	0	74	40	21	0	13	2	1	1	11	21 15%	84 62%	91 67%
#126		0	144	0	144	58	51	0	35	32	6	26	3	4 48%	8 57%	33 33%
#127		97	0	0	97	11	15	3	68	22	11	11	46	67 65%	67 65%	80 70%
#128		134	0	0	134	30	19	0	85	26	18	8	59	55 14%	69 41%	76 62%
#129		0	1573	0	1573	634	141	14	784	267	171	96	517	39 11%	65 94%	75 15%
#130		1	0	0	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#131		0	0	17	17	4	7	0	6	1	1	0	5	50 00%	83 33%	83 33%
#132		25	0	0	25	4	3	0	18	4	2	2	14	70 00%	77 78%	87 50%
#133		4	0	0	4	2	1	0	1	1	0	1	0	0 00%	0 00%	0 00%
#134		0	0	17	17	2	6	0	9	3	1	2	6	66 67%	66 67%	85 71%
#135		5	0	0	5	2	0	0	3	0	0	0	3	60 00%	100 00%	100 00%
#136		12	0	0	12	0	0	0	12	5	3	2	7	70 00%	58 33%	70.00%
#137		0	0	13	13	0	3	3	7	4	4	0	3	42 86%	42 86%	42 86%
#138		7	0	0	7	0	2	0	5	4	0	4	1	100 00%	20 00%	100 00%
#139		67	0	0	67	11	3	1	52	9	4	5	43	74 14%	82 69%	91 49%
#140		15	0	0	15	0	0	1	14	5	1	4	9	90 00%	64 29%	90 00%
#141		13	0	0	13	0	6	0	7	2	1	1	5	83 33%	71 43%	83 33%
#142		150	0	0	150	40	26	2	82	23	14	9	59	52 21%	71 95%	80 82%
#143		0	0	12	12	11	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#144		861	0	0	861	106	70	11	674	98	70	28	576	76 60%	85 46%	89 16%
#145		2481	0	0	2481	349	185	47	1900	834	685	149	1066	50 76%	56 11%	60 88%
#146		0	32	0	32	1	7	0	24	3	0	3	21	95 45%	87 50%	100 00%
#147		30	0	0	30	3	0	0	27	3	2	1	24	82 76%	88 89%	92 31%
#148		0	472	0	472	240	91	15	126	67	49	18	59	16 95%	46 83%	54 63%
#149		1	0	0	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#150		73	0	0	73	22	1	2	48	21	11	10	27	45 00%	56 25%	71 05%
#151		124	0	0	124	26	23	0	75	25	14	11	50	55 56%	66 67%	78 13%
#152		6	0	0	6	0	1	0	5	2	1	1	3	75 00%	60 00%	75 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Supps (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#153		16	0	0	16	4	1	0	11	3	2	1	8	57 14%	72 73%	80 00%
#154		7	0	0	7	0	0	0	7	1	1	0	6	85 71%	85 71%	85 71%
#155		10	0	0	10	4	0	0	6	3	2	1	3	33 33%	50 00%	60 00%
#156		88	0	0	88	12	9	0	67	23	18	5	44	59 46%	65 67%	70 97%
#157		0	0	3	3	0	1	0	2	1	0	1	1	100 00%	50 00%	100 00%
#158		0	0	3	3	0	2	0	1	0	0	0	1	100 00%	100 00%	100 00%
#159		0	0	5	5	4	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#160		0	0	12	12	0	2	0	10	2	1	1	8	88 89%	80 00%	88 89%
#161		0	0	3	3	0	3	0	0	0	0	0	0	0 00%	0 00%	0 00%
#162		0	0	7	7	6	0	1	0	0	0	0	0	0 00%	0 00%	0 00%
#163		0	0	2	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#164		0	0	5	5	0	1	0	4	1	1	0	3	75 00%	75 00%	75 00%
#165		6	0	0	6	0	1	0	5	2	0	2	3	100 00%	60 00%	100 00%
#166		359	0	0	359	27	93	18	221	131	65	66	90	49 45%	40 72%	58 06%
#167		8	0	0	8	0	3	0	5	0	0	0	5	100 00%	100 00%	100 00%
#168		60	0	0	60	7	17	0	36	7	6	1	29	69 05%	80 56%	82 86%
#169		0	28	0	28	6	0	2	20	12	11	1	8	32 00%	40 00%	42 11%
#170		0	56	0	56	48	1	0	7	2	2	0	5	9 09%	71 43%	71 43%
#171		0	2	0	2	0	0	0	2	2	2	0	0	0 00%	0 00%	0 00%
#172		0	28	0	28	20	0	1	7	6	3	3	1	4 17%	14 29%	25 00%
#173		0	213	0	213	160	19	3	31	16	10	6	15	8 11%	48 39%	60 00%
#174		0	164	0	164	94	22	1	47	15	10	5	32	23 53%	68 09%	76 19%
#175		0	323	0	323	143	46	6	128	47	36	11	81	31 15%	63 28%	69 23%
#176		2364	0	0	2364	258	256	39	1811	255	150	105	1556	79 23%	85 92%	91 21%
#177		7	0	0	7	0	1	0	6	3	1	2	3	75.00%	50 00%	75 00%
#178		15	0	0	15	2	0	0	13	2	2	0	11	73 33%	84 62%	84 62%
#179		6	0	0	6	0	3	0	3	0	0	0	3	100 00%	100 00%	100 00%
#180		4010	0	0	4010	461	557	39	2953	778	592	186	2175	67 38%	73 65%	78 60%
#181		10	0	0	10	1	4	1	4	0	0	0	4	80 00%	100 00%	100 00%
#182		2	0	0	2	0	0	0	2	2	1	1	0	0 00%	0 00%	0 00%
#183		7	0	0	7	0	4	0	3	0	0	0	3	100 00%	100 00%	100 00%
#184		1417	0	0	1417	119	145	2	1151	104	64	40	1047	85 12%	90 96%	94 24%
#185		54	0	0	54	5	4	0	45	8	3	5	37	82 22%	82 22%	92 50%
#186		5	0	0	5	2	2	0	1	0	0	0	1	33 33%	100 00%	100 00%
#187		22	0	0	22	0	1	1	20	7	6	1	13	68 42%	65 00%	68 42%
#188		0	0	1	1	0	0	0	1	1	1	0	0	0 00%	0 00%	0 00%
#189		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%
#190		0	0	1	1	0	1	0	0	0	0	0	0	0 00%	0 00%	0 00%

AGGREGATE ORDER TYPES																
Company Info						LSR PROCESSING									FLOWTHROUGH	
						LESOG										
		Mechanized Interface Used				Manual	Rejects	Validated		Errors						
Name	RESH / OCN	LENS	EDI	TAG	Total Mech LSR's	Total Manual Fallout	Auto Clarification	Pending Suppe (Z Status)	LSR's	Total System Fallout	BST Caused Fallout	CLEC Caused Fallout	Issued SO's	Percent Achieved Flowthrough	Base Calculation	Percent Flow Through
#191		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#192		0	0	1	1	1	0	0	0	0	0	0	0	0 00%	0 00%	0 00%
#193		301	0	0	301	75	14	3	209	72	65	7	137	49 46%	65 55%	67 82%
#194		83	0	0	83	2	8	1	72	40	30	10	32	50 00%	44 44%	51 61%
#195		22	0	0	22	1	9	0	12	0	0	0	12	92 31%	100 00%	100 00%
#196		2	0	0	2	0	2	0	0	0	0	0	0	0 00%	0 00%	0 00%
#197		127	0	0	127	2	5	0	120	23	14	9	97	85 84%	80 83%	87 39%
#198		4	0	0	4	0	0	1	3	1	1	0	2	66 67%	66 67%	66 67%
#199		10	0	0	10	1	0	1	8	4	3	1	4	50 00%	50 00%	57 14%
LENS Subtotal		48364	0	0	48364	6629	4878	473	36384	7791	5683	2108	28594	70 22%	78 95%	83 80%
EDI Subtotal		0	46919	0	46919	3865	5981	116	36957	9004	6022	2982	28083	73 87%	75 64%	82 28%
TAG Subtotal		0	0	26311	26311	4657	3743	365	17546	6168	4572	1596	11378	55 21%	64 85%	71 34%
TOTAL INTERFACES		**48364**	**46919**	**26311**	**121594**	**15151**	**14602**	**954**	**90887**	**22963**	**16277**	**6686**	**68055**	**68.50%**	**74.88%**	**80.82%**

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#1		12
#2		194
#3		7
#4		2
#5		15
#6		17
#7		1
#8		29
#9		4
#10		43
#11		10
#12		7
#13		20
#14		21
#15		8
#16		46
#17		1
#18		9
#19		269
#20		3
#21		2
#22		2
#23		60
#24		45
#25		1
#26		492
#27		77
#28		5
#29		9
#30		3
#31		13
#32		8
#33		8

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#34		103
#35		88
#36		14
#37		1
#38		1
#39		49
#40		29
#41		11
#42		2
#43		8
#44		1517
#45		8
#46		1
#47		35
#48		18
#49		8
#50		21
#51		5
#52		15
#53		2
#54		2
#55		1
#56		23
#57		26
#58		3
#59		5
#60		13
#61		1
#62		17
#63		1
#64		1
#65		4
#66		13

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#67		6
#68		16
#69		121
#70		1
#71		13
#72		483
#73		1
#74		12
#75		222
#76		13
#77		117
#78		83
#79		55
#80		6
#81		24
#82		8
#83		1
#84		1
#85		8
#86		6
#87		1
#88		4
#89		23
#90		1
#91		14
#92		530
#93		1
#94		6709
#95		6
#96		2
#97		1
#98		18
#99		4

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#100		13
#101		1
#102		3
#103		6
#104		29
#105		67
#106		9
#107		5
#108		241
#109		3
#110		6
#111		55
#112		1
#113		72
#114		15
#115		13
#116		3
#117		5
#118		2
#119		4
#120		15
#121		6
#122		1
#123		78
#124		11
#125		271
#126		21
#127		1
#128		36
#129		5
#130		3
#131		96
#132		2

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#133		13
#134		12
#135		12
#136		1
#137		12
#138		14
#139		6
#140		3
#141		1
#142		1
#143		10
#144		59
#145		43
#146		42
#147		10
#148		1
#149		136
#150		3
#151		7
#152		9
#153		16
#154		3
#155		2
#156		59
#157		2
#158		7
#159		22
#160		4
#161		1
#162		19
#163		4
#164		2
#165		32

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#166		44
#167		161
#168		4
#169		25
#170		13
#171		10
#172		4
#173		564
#174		55
#175		8
#176		17
#177		2
#178		2
#179		2
#180		7
#181		4
#182		26
#183		16
#184		20
#185		8
#186		1
#187		229
#188		467
#189		17
#190		46
#191		47
#192		81
#193		18
#194		1
#195		79
#196		83
#197		39
#198		2

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#199		2
#200		516
#201		1
#202		1
#203		7
#204		8
#205		76
#206		27
#207		56
#208		51
#209		21
#210		6
#211		96
#212		3
#213		2
#214		15
#215		54
#216		21
#217		6
#218		1
#219		7
#220		1
#221		5
#222		2
#223		6
#224		5
#225		5
#226		21
#227		68
#228		6
#229		2
#230		12
#231		13

AGGREGATE ORDER TYPES		
Company Info		
Name	RESH / OCN	FATAL REJECTS
#232		1
#233		2
#234		5
#235		3
#236		34
#237		7
#238		32
#239		32
#240		29
#241		19
#242		1
#243		5
Total		17062

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
1000	13685	11.64%	11.64%	IF CHGING CLASS OF SERVICE ALL PERTINENT USOCS MUST BE POPULATED IN AND OUT-	13234	96.70%	11.26%	451	3.30%	1.365%
7020	1747	1.49%	13.13%	NUM= TELNO= TN NOT FOUND IN CRIS	1747	100.00%	1.49%	0	0.00%	0.000%
7040	1	0.00%	13.13%	LOGON ABORTED/FAILED	0	0.00%	0.00%	1	100.00%	0.003%
7055	3636	3.09%	16.22%	NUM= TELNO= ACCOUNT IS FINAL	3631	99.86%	3.09%	5	0.14%	0.015%
7085	21	0.02%	16.24%	INCORRECT RATE ZONE DATA RECEIVED FROM RSAG	2	9.52%	0.00%	19	90.48%	0.057%
7110	1649	1.40%	17.64%	COFFI NOT AVAILABLE	647	39.24%	0.55%	1002	60.76%	3.032%
7115	18	0.02%	17.66%	DSAP TELEPHONE NUMBER NOT ACTIVE/FOUND IN SITE	10	55.56%	0.01%	8	44.44%	0.024%
7150	3	0.00%	17.66%	UNE - ERROR GENERATING ECCKT	3	100.00%	0.00%	0	0.00%	0.000%
7225	6	0.01%	17.66%	USOC= IS MISSING	6	100.00%	0.01%	0	0.00%	0.000%
7230	3	0.00%	17.67%	REFERENCE OF CALL OPTION NOT VALID FOR THIS ACCOUNT ACTIVITY TYPE	3	100.00%	0.00%	0	0.00%	0.000%
7245	401	0.34%	18.01%	NUM= ZCRT FID, DATA, OR DELIMITER IS MISSING	210	52.37%	0.18%	191	47.63%	0.578%
7250	495	0.42%	18.43%	LSR HOUSENUMBER INCORRECT	493	99.60%	0.42%	2	0.40%	0.006%
7267	10	0.01%	18.44%	UNE - LOCBAN MISSING FOR LINP ORDER	10	100.00%	0.01%	0	0.00%	0.000%
7295	8	0.01%	18.44%	LINE CLASS OF SERVICE MISSING. NUM AND TN REQUIRED	3	37.50%	0.00%	5	62.50%	0.015%
7300	28	0.02%	18.47%	UNE - CANNOT GENERATE CLASS OF SERVICE USOC	24	85.71%	0.02%	4	14.29%	0.012%
7315	458	0.39%	18.86%	CANNOT GENERATE BILLING NAME AND ADDRESS FIDS	408	89.08%	0.35%	50	10.92%	0.151%
7375	43	0.04%	18.89%	UNE - BOCABS SCREEN ERROR BOE001 ACCOUNT NUMBER NOT FOUND	41	95.35%	0.03%	2	4.65%	0.006%
7380	188	0.16%	19.05%	UNE - ACTL INVALID	188	100.00%	0.16%	0	0.00%	0.000%
7400	7819	6.65%	25.71%	CLEC DOES NOT OWN THIS ACCOUNT.	7809	99.87%	6.64%	10	0.13%	0.030%
7435	16	0.01%	25.72%	WKG SVC - INPUT ADL, CONVSN ORD OR NOTE ABAND STA	16	100.00%	0.01%	0	0.00%	0.000%
7445	66	0.06%	25.78%	UNE - CALL FORWARD TN REQUIRED	65	98.48%	0.06%	1	1.52%	0.003%
7465	2160	1.84%	27.61%	CANNOT CANCEL ORDER	1234	57.13%	1.05%	926	42.87%	2.802%
7495	284	0.24%	27.85%	UNE - DIR LOCATOR PROBLEM	5	1.76%	0.00%	279	98.24%	0.844%
7500	20	0.02%	27.87%	DUE DATE COULD NOT BE DETERMINED	8	40.00%	0.01%	12	60.00%	0.036%
7555	440	0.37%	28.25%	FID MISSING IN FEATURE DETAIL	165	37.50%	0.14%	275	62.50%	0.832%
7570	2	0.00%	28.25%	SEQ1X NOT ALLOWED WITH ZNB	0	0.00%	0.00%	2	100.00%	0.006%
7630	545	0.46%	28.71%	MEMORY CALL SERVICE NOT AVAILABLE IN SWITCH	178	32.66%	0.15%	367	67.34%	1.111%
7640	5	0.00%	28.72%	DUPLICATE CUSTOMERS EXCEED NINE ON CSR	1	20.00%	0.00%	4	80.00%	0.012%
7645	1905	1.62%	30.34%	MATCH IN CSR SA AND LSR HOUSENUM NOT FOUND	1027	53.91%	0.87%	878	46.09%	2.657%
7680	6	0.01%	30.34%	USOC FUJ1X NOT FOR RESALE	5	83.33%	0.00%	1	16.67%	0.003%
7690	15	0.01%	30.35%	UNE - ACTL AND ENDUSER LSO MUST BE THE SAME FOR LOOP/LINP SERVICE	15	100.00%	0.01%	0	0.00%	0.000%
7705	35	0.03%	30.38%	UNE - ACTL/CLLI CODE MISSING	16	45.71%	0.01%	19	54.29%	0.057%
7710	285	0.24%	30.63%	CANNOT CANCEL OR CHANGE DUE DATE ON NON-EXISTENT ORDER	177	62.11%	0.15%	108	37.89%	0.327%
7715	23	0.02%	30.65%	ISOCS TIMEOUT/NOT AVAILABLE	16	69.57%	0.01%	7	30.43%	0.021%
7718	1654	1.41%	32.05%	UNABLE TO RETRIEVE PSO TO PROCESS SUP	662	40.02%	0.56%	992	59.98%	3.002%
7725	123	0.10%	32.16%	WAITING PERIOD EQUALS 5 MINUTES	31	25.20%	0.03%	92	74.80%	0.278%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION					
					CLEC Caused			BST Caused		
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
7735	8	0.01%	32.16%	INVALID/MISSING LISTING NAME OR TYPE	8	100.00%	0.01%	0	0 00%	0 000%
7740	10	0.01%	32.17%	LOCAL CALLING PLUS INDICATOR NOT FOUND	6	60.00%	0.01%	4	40 00%	0 012%
7755	6	0.01%	32.18%	UNE - NPANXX NOT FOUND IN CLLI TABLE	5	83 33%	0.00%	1	16 67%	0.003%
7805	174	0.15%	32.33%	SITE COULD NOT BE DETERMINED	90	51 72%	0.08%	84	48 28%	0.254%
7815	53	0.05%	32.37%	FID=RCU INVALID OR MISSING DATA	36	67.92%	0.03%	17	32 08%	0 051%
7825	1	0.00%	32.37%	RSAG-INCORRECT TELEPHONE NUMBER FORMAT	1	100 00%	0 00%	0	0 00%	0 000%
7850	3	0.00%	32.37%	RSAG - NEED ADDITIONAL ADDRESS OR TN	3	100 00%	0.00%	0	0 00%	0 000%
7860	641	0.55%	32.92%	RSAG - NO EXACT MATCH ON STREET NAME	640	99 84%	0.54%	1	0 16%	0.003%
7890	150	0.13%	33.05%	RSAG - NO EXACT MATCH ON SUPPLEMENTAL ADDRESS	149	99.33%	0.13%	1	0 67%	0.003%
7900	20	0.02%	33 06%	RSAG - NO MATCH ON STREET NAME	20	100 00%	0.02%	0	0 00%	0.000%
7905	1487	1.26%	34.33%	RSAG - INCORRECT COMMUNITY, INCORRECT ZIP CODE OR INVALID ADDRESS FORMAT	1484	99.80%	1 26%	3	0.20%	0.009%
7910	66	0.06%	34.39%	RSAG - NO MATCH ON EXACT STREET NAME	48	72.73%	0.04%	18	27 27%	0.054%
7935	22	0.02%	34.40%	RSAG-SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND/OR ZIP	22	100.00%	0 02%	0	0 00%	0 000%
7945	30	0.03%	34.43%	RSAG SYSTEM ERROR	11	36.67%	0 01%	19	63.33%	0 057%
8130	1	0.00%	34.43%	CONVERSION SPECIFIED CAN ONLY BE USED ON RETAIL TO UNE SERVICE	1	100 00%	0 00%	0	0 00%	0 000%
8150	699	0.59%	35.03%	ORDER HAS BEEN REQUEUED FOR THE MAXIMUM NUMBER OF OCCURRENCES	423	60 52%	0.36%	276	39 48%	0 835%
8167	69	0.06%	35.08%	INVALID USOC CHARACTER. FORMAT SAE 013 I1 CREXI	69	100 00%	0.06%	0	0 00%	0.000%
8170	367	0.31%	35.40%	USOC MAY ONLY APPEAR ONCE. FORMAT SAE 110 I1 CREX1 /TN	366	99.73%	0 31%	1	0 27%	0.003%
8173	56	0.05%	35.44%	INVALID CLASS OF SERVICE. FORMAT IDNT 131 UEPRL=	56	100.00%	0.05%	0	0 00%	0 000%
8175	1	0.00%	35.44%	USOC NOT AVAILABLE IN SWITCH FORMAT SAE 180N I1 ESXDC	0	0.00%	0 00%	1	100 00%	0 003%
8180	120	0.10%	35.55%	LNUM=00001 TC TO PRIMARY NUMBER MUST BE DIFFERENT FROM NUMBER BEING REFER	120	100 00%	0 10%	0	0 00%	0 000%
8183	31	0.03%	35.57%	AREA CALLING PLAN USOC MISMATCH. FORMAT 320 LINE UPP :0000000 / LINE ASSIGN .000	31	100.00%	0 03%	0	0.00%	0 000%
8185	40	0.03%	35.61%	ESC/ESCWT NOT VALID COMBINATION. FORMAT SAE 424 I1 ESCWT	40	100.00%	0.03%	0	0 00%	0 000%
8187	772	0.66%	36.26%	USOC MAY NOT APPEAR ON REQUEST FORMAT SAE 431 T1 EMP1S /TN	770	99.74%	0 66%	2	0.26%	0.006%
8189	1003	0.85%	37.12%	USOC IS NOT VALID ON BST FILE. FORMAT SAE 433 I1 CREX6	999	99 60%	0 85%	4	0.40%	0 012%
8190	1326	1.13%	38.24%	INVALID USOC FOR BASIC CLASS OF SERVICE. FORMAT SAE 434 I1 S98CP /TN	1280	96.53%	1 09%	46	3 47%	0.139%
8193	3	0.00%	38.25%	USOC NOT VALID WITH CALLER ID. FORMAT SAE 473 I1 NXMCR /TN	3	100.00%	0 00%	0	0 00%	0 000%
8195	408	0.35%	38.59%	CALL FORWARDING USOC MUST NOT APPEAR. FORMAT SAE 540 I1 GCJ /TN	408	100.00%	0.35%	0	0 00%	0 000%
8197	406	0.35%	38.94%	CALL FORWARDING USOC MUST APPEAR FORMAT SAE 541	406	100.00%	0.35%	0	0 00%	0 000%
8199	57	0.05%	38.99%	GCJRC/GCJ COMBINATION INVALID FORMAT SAE 560 I1 GCJRC /TN	57	100.00%	0 05%	0	0 00%	0 000%
8204	197	0.17%	39.16%	BCR/NSS/NX8 INVALID USOC COMBINATION. FORMAT SAE 575 R1 NSS /TN	197	100 00%	0.17%	0	0 00%	0 000%
8207	84	0.07%	39.23%	BRD/NSQ/NX9 INVALID USOC COMBINATION. FORMAT SAE 576 I1 NX9 /TN	84	100 00%	0.07%	0	0 00%	0 000%
8209	590	0.50%	39.73%	USOC COMBINATION IS INVALID FORMAT SAE 587 I1 ESXDC /TN	590	100 00%	0 50%	0	0 00%	0 000%
8240	231	0.20%	39.93%	INVALID LINE CLASS OF SVC FOR REQUESTED SERVICE	231	100 00%	0 20%	0	0.00%	0 000%
8250	156	0.13%	40.06%	USOC= NOT APPLICABLE TO PORT LOOP SERVICE	156	100 00%	0.13%	0	0 00%	0 000%
8410	1	0.00%	40.06%	LSF INVALID IN TN	1	100.00%	0 00%	0	0 00%	0 000%

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
8415	30	0.03%	40.08%	LSF LP ALREADY EXISTS ON ACCOUNT	30	100.00%	0.03%	0	0.00%	0.000%
8430	2	0.00%	40.09%	LSF DOES NOT EXIST ON ACCOUNT	2	100 00%	0.00%	0	0 00%	0 000%
8700	20	0.02%	40.10%	RSAG-INVALID SEARCH AREA	12	60.00%	0.01%	8	40.00%	0 024%
8820	11135	9.47%	49.58%	SOCS ERROR: LUD BILL 004 ACT CODE NOT FOR THIS ORD TYPE	3559	31 96%	3 03%	7576	68 04%	22 926%
8825	23627	20.10%	69.67%	ORDER ERR:	5021	21.25%	4.27%	18606	78.75%	56.303%
8830	5587	4.75%	74.43%	CLEC ALREADY OWNS THIS ACCOUNT	5585	99.96%	4.75%	2	0.04%	0.006%
8850	40	0.03%	74.46%	CFA NOT FOUND,PLEASE VERIFY CFA	40	100.00%	0.03%	0	0 00%	0 000%
8855	4	0.00%	74.46%	NO ACTL IN LSR	3	75.00%	0 00%	1	25.00%	0.003%
8870	2	0.00%	74.47%	FEATURES NOT ALLOWED ON SWITCH-AS-IS ACTIVITY TYPE	2	100 00%	0 00%	0	0 00%	0 000%
8885	2	0.00%	74.47%	LINE ACT IS V AND LINE IS NOT ON CUSTOMER RECORD	2	100.00%	0.00%	0	0 00%	0 000%
8890	3	0.00%	74.47%	UNE - INVALID ACT TYPE/LNA/FEATURE COMBINATION	3	100 00%	0.00%	0	0 00%	0.000%
8940	733	0.62%	75.09%	CALL FORWARDING NUMBER MISSING OR INVALID	728	99.32%	0 62%	5	0 68%	0 015%
8945	89	0.08%	75.17%	LINECLSSVC AND TOS DO NOT MATCH	89	100.00%	0 08%	0	0 00%	0 000%
8970	939	0.80%	75.97%	FID RCU WITH TWC FOUND ON SAME LINE AS 3-WAY CALLING USOC	933	99 36%	0 79%	6	0 64%	0 018%
8995	3	0.00%	75.97%	SEMICOLON DISALLOWED WITH (+) SIGN IN PERSONAL NAME LISTINGS	3	100.00%	0.00%	0	0 00%	0 000%
9000	18	0.02%	75.99%	LSO/LOCBAN (NPANXX) MISSING OR INVALID	18	100.00%	0.02%	0	0 00%	0 000%
9015	13	0.01%	76.00%	SUP FAILED TO UPDATE DUE DATE	10	76.92%	0 01%	3	23 08%	0 009%
9040	4	0.00%	76.00%	DDD/DDD-CC REQUIRED	3	75.00%	0 00%	1	25.00%	0.003%
9045	1	0.00%	76.00%	TYPE OF ORDER NOT DETERMINED - CLS SVC AND TOS BLANK OR MISSING	0	0 00%	0.00%	1	100.00%	0 003%
9060	1	0.00%	76.00%	EU-STREET-1 REQUIRED	1	100.00%	0.00%	0	0.00%	0.000%
9155	48	0.04%	76.04%	UNE - PORTED OUT NUMBER	48	100 00%	0 04%	0	0.00%	0.000%
9160	113	0.10%	76.14%	LOCBAN INVALID FOR PORTED NUMBER ACTIVITY	113	100 00%	0 10%	0	0 00%	0 000%
9245	369	0.31%	76.45%	CORRECT ECCKT IS REQUIRED FOR LNA , LNUM	369	100.00%	0 31%	0	0 00%	0 000%
9263	2	0.00%	76.45%	NC CODE IS A REQUIRED FIELD FOR LOOP REQUESTS	2	100 00%	0 00%	0	0 00%	0 000%
9428	4	0.00%	76.46%	DLNUM=0001 LTN= INVALID NICK DATA	4	100.00%	0.00%	0	0 00%	0 000%
9432	1	0.00%	76.46%	DLNUM=0002 LTN= LTXTY OF CR REQUIRES SEE AS FIRST WORD IN LTEXT	1	100 00%	0 00%	0	0 00%	0 000%
9433	2	0.00%	76.46%	DLNUM=0001 LTN=HTN ACCOUNT NOT OWNED BY CLEC	2	100 00%	0 00%	0	0.00%	0 000%
9438	5	0.00%	76.46%	DLNUM=0001 LTN= ACCOUNT ACTIVITY OF N CAN ONLY HAVE AN LACT OF N	4	80 00%	0 00%	1	20.00%	0.003%
9439	118	0.10%	76.57%	LTN= DISPOSITION OF LISTINGS ON MIGRATED LINES REQUIRED	118	100.00%	0 10%	0	0 00%	0 000%
9441	1	0.00%	76.57%	DLNUM=0014 LTN= ALI VALUE INVALID	1	100 00%	0 00%	0	0 00%	0.000%
9442	349	0.30%	76.86%	DLNUM=0002 LTN= ALI MUST BE UNIQUE	342	97 99%	0 29%	7	2 01%	0 021%
9446	1	0.00%	76 86%	LNUM=00001 =TC FR REFERENCE OF CALLS UNAVAILABLE FOR THIS NUMBER	1	100.00%	0 00%	0	0 00%	0 000%
9466	26	0.02%	76.89%	UNABLE TO DETERMINE BLOCK CHOICE	26	100 00%	0 02%	0	0 00%	0 000%
9471	12	0.01%	76.90%	TOTAL QUANTITY OF VCA AND SCO SHOULD EQUAL IWJQ	11	91 67%	0.01%	1	8 33%	0 003%
9474	1	0.00%	76.90%	MINIMUM OF TWO DIFFERENT LEATNS/LEANS REQUIRED FOR LSR	1	100 00%	0 00%	0	0 00%	0 000%
9475	352	0.30%	77.20%	ACT= ALLOWED ONLY ON SAME LOCNUM SERVICE ADDRESS	351	99 72%	0 30%	1	0 28%	0 003%

AGGREGATE ORDER TYPES											
ERROR DETAILS (Auto Clarifications (A) & Errors (E))					CAUSATION						
					CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9476	68	0.06%	77.25%	IS NOT FOUND ON CSR TO DISCONNECT	68	100 00%	0 06%	0	0.00%	0.000%
9477	74	0.06%	77.32%	LSR LNUM=00002 INVALID LNA, NO RECORDED CHANGE FOR TELEPHONE NUMBER	74	100.00%	0.06%	0	0 00%	0 000%
9479	89	0.08%	77.39%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO MODIFY	88	98.88%	0.07%	1	1 12%	0 003%
9481	1884	1.60%	79.00%	LNUM=00001 FEATURE DOES NOT EXIST ON ACCOUNT TO DISCONNECT	1879	99.73%	1 60%	5	0 27%	0.015%
9484	29	0.02%	79.02%	TNS= FOR LNUM=00001 ALREADY EXIST ON ATN=	28	96 55%	0.02%	1	3.45%	0.003%
9487	1	0.00%	79.02%	INVALID ACT TYPE FOR FULL MIGRATION	1	100 00%	0.00%	0	0.00%	0 000%
9488	421	0.36%	79.38%	DISPOSITION OF ALL LINES REQUIRED ON ACT V	421	100.00%	0.36%	0	0 00%	0 000%
9495	17	0.01%	79.39%	EATN= MUST EXIST FOR ACT P AND Q	17	100 00%	0 01%	0	0 00%	0 000%
9496	3437	2.92%	82.32%	TNS= ON LNUM=00004 NOT FOUND ON EATN= FOR ACT=	3433	99 88%	2 92%	4	0.12%	0 012%
9497	7	0.01%	82.32%	LEATN= ON LNUM=00001 AND EATN= ARE NOT COMPATIBLE	7	100.00%	0.01%	0	0 00%	0 000%
9498	3	0.00%	82.33%	EAN= ON LNUM= AND LEAN= ARE POPULATED	3	100 00%	0.00%	0	0 00%	0 000%
9510	1	0.00%	82.33%	ONLY ONE TC PER ALLOWED PER LOCATION	0	0.00%	0.00%	1	100 00%	0 003%
9515	2167	1.84%	84.17%	WKG SVC-INPUT ADL, CONVERSION ORDER OR NOTE ABANDONED STATION	2155	99 45%	1.83%	12	0.55%	0.036%
9516	26	0.02%	84.19%	WSOP OF V AND ADL NOT ALLOWED ON SAME ATN	24	92 31%	0.02%	2	7.69%	0 006%
9517	35	0.03%	84.22%	UNDC INVALID IF PIC ALREADY EXISTS	35	100.00%	0 03%	0	0 00%	0.000%
9518	1	0.00%	84.22%	UNDC INVALID IF LPIC ALREADY EXISTS	1	100.00%	0.00%	0	0.00%	0.000%
9523	21	0.02%	84.24%	LOCNUM=000 HNUM=00001 HT= MIXED NPA(S) ARE NOT ALLOWED FOR HUNTING IN THIS S	21	100 00%	0.02%	0	0 00%	0 000%
9526	4	0.00%	84.24%	BLOCK CHOICE DOES NOT EXIST ON ACCOUNT	4	100.00%	0.00%	0	0 00%	0 000%
9529	1786	1.52%	85.76%	CANNOT RESTORE A LINE WHICH IS NOT SUSPENDED/DENIED	1752	98.10%	1.49%	34	1.90%	0 103%
9543	59	0.05%	85.81%	LOCNUM= HNUM= HT= HT CANNOT BE IN MORE THAN ONE HID	59	100.00%	0.05%	0	0 00%	0.000%
9544	1	0.00%	85.81%	DLNUM=0001 LTN= WPP PROHIBITED WITH LTY OF 2 OR 3	1	100.00%	0.00%	0	0.00%	0.000%
9545	2	0.00%	85.82%	LOCNUM= HNUM=00001 HA OF D NOT ALLOWED	2	100 00%	0 00%	0	0.00%	0 000%
9602	3217	2.74%	88.55%	USOC=NSS ALREADY EXISTS ON CUSTOMER RECORD	2680	83.31%	2 28%	537	16.69%	1.625%
9605	93	0.08%	88.63%	USOC NOT FOR RESALE FORMAT SAE 959 T1 PGRAX /ZPGR 1 /RMKR (A)	93	100 00%	0 08%	0	0 00%	0.000%
9606	12	0.01%	88.64%	TNS CANNOT BE REASSIGNED FOR 90 DAYS	12	100.00%	0.01%	0	0 00%	0 000%
9613	6	0.01%	88.65%	EXISTING ACCOUNT TYPE NOT AUTHORIZED FOR MIGRATION YET	6	100.00%	0 01%	0	0 00%	0 000%
9616	22	0.02%	88.67%	YPH INVALID	22	100.00%	0.02%	0	0.00%	0.000%
9623	9	0.01%	88.67%	TOUCHTONE IS INVALID WITH AREA PLUS SERVICE	9	100.00%	0 01%	0	0 00%	0 000%
9626	596	0.51%	89.18%	CLASS OF SERVICE LNPRL NOT ELIGIBLE FOR CONVERSION TO PORT/LOOP	596	100.00%	0 51%	0	0 00%	0 000%
9627	5704	4.85%	94 03%	ALL CUSTOMER RECORDS ARE FINAL FOR THIS NUMBER	5701	99 95%	4.85%	3	0 05%	0.009%
9628	192	0.16%	94.20%	REQUEST DOES NOT QUALIFY FOR STAR 98 SERVICE	192	100 00%	0.16%	0	0 00%	0 000%
9629	31	0.03%	94.22%	CALL FORWARDING FID (CFND) AND CFND TN REQUIRED BEHIND USOC S98AF	30	96.77%	0.03%	1	3 23%	0 003%
9639	59	0.05%	94 27%	CATEGORY L USOC MUST APPEAR FOR SAME TN	59	100.00%	0 05%	0	0 00%	0 000%
9641	2466	2.10%	96.37%	REQUESTED ACTIVITY ALREADY PENDING DM4V32	2461	99.80%	2 09%	5	0 20%	0 015%
9647	521	0.44%	96.81%	BAN DOES NOT EXIST FOR COMPANY CODE	521	100 00%	0 44%	0	0 00%	0 000%
9654	171	0.15%	96 96%	DIRECTORY DELIVERY ADDRESS IS REQUIRED FOR INDEFINITE OR UNNUMBERED ENDUS	171	100.00%	0 15%	0	0 00%	0 000%

AGGREGATE ORDER TYPES										
ERROR DETAILS (Auto Clarifications (A) & Errors (E))				CALCULATION						
				CLEC Caused			BST Caused			
Error Type (by error code)	Count	%	Σ %	Error Description	Count	% of Agg	% of CLEC	Count	% of Agg	% of BST Caused
9656	2	0.00%	96.96%	SLTN NOT FOUND ON CRIS ACCOUNT FOR LNA N, LNUM	2	100.00%	0.00%	0	0.00%	0.000%
9657	1	0.00%	96.96%	ECCKT/UNE1 MISMATCH	1	100.00%	0.00%	0	0 00%	0 000%
9670	41	0.03%	97.00%	TOUCHTONE USOC REQUIRED INWARD OR RECAPPED - FORMAT SAE 004	41	100 00%	0.03%	0	0.00%	0 000%
9671	93	0.08%	97.08%	TOUCHTNE USOC REQUIRED - FORMAT SAE 245	91	97.85%	0.08%	2	2 15%	0.006%
9673	12	0.01%	97.09%	RINGMASTER USOC REQUIRED - FORMAT SAE 387	12	100.00%	0.01%	0	0 00%	0 000%
9674	42	0.04%	97.12%	INVALID TN/PN DATA - FORMAT SAE 389 I1 DRS /TN /PN /RNP B	42	100.00%	0 04%	0	0.00%	0 000%
9675	62	0.05%	97.17%	BBC USOC MUST NOT APPEAR - FORMAT SAE 679 I1 BBC /TN	62	100.00%	0 05%	0	0.00%	0.000%
9679	1	0.00%	97.17%	FIRST CHARACTER OF LINE NUMBER IS NOT VALID FOR BST IN COFFI	1	100.00%	0.00%	0	0.00%	0 000%
9680	33	0.03%	97.20%	INVALID REQTYP OR TOS FOR LIFELINE	32	96 97%	0 03%	1	3 03%	0 003%
9681	35	0.03%	97.23%	LINKUP DISCOUNT CANNOT BE ADDED TO EXISTING SERVICE	35	100 00%	0 03%	0	0.00%	0 000%
9682	13	0.01%	97.24%	LINKUP DISCOUNT IS ONLY AVAILABLE ON LIFELINE ACCOUNTS	13	100 00%	0 01%	0	0.00%	0 000%
9685	4	0.00%	97.25%	DUE DATE COULD NOT BE CALCULATED	1	25.00%	0.00%	3	75.00%	0 009%
9686	947	0.81%	98.05%	RESID NOT VALID IN LFACS	947	100.00%	0.81%	0	0.00%	0.000%
9688	1	0.00%	98.05%	ACT=C/LNA=N IS INVALID FOR INITIAL LINESHARE	1	100.00%	0 00%	0	0.00%	0.000%
9691	5	0.00%	98.06%	ACT=C, LNA=N IS INVALID ON A SINGLE LINE ACCOUNT	5	100.00%	0 00%	0	0 00%	0 000%
9700	4	0.00%	98.06%	REQUESTED CIRCUIT NUMBER/ECCKT NOT FOUND	4	100.00%	0 00%	0	0 00%	0 000%
9715	333	0.28%	98.34%	ADSL OR LINE SHARE ALREADY EXIST ON ACCOUNT	314	94.29%	0 27%	19	5 71%	0 057%
9772	5	0.00%	98.35%	UNE - ECCKT PROHIBITED WITH LINE ACTIVITY OF A	5	100.00%	0.00%	0	0.00%	0 000%
9800	13	0.01%	98.36%	MAIN LISTING REQUIRED FOR NEW ACCOUNT	8	61 54%	0 01%	5	38 46%	0 015%
9850	1	0.00%	98.36%	USOC P25 INVALID WITH USOC AQ3 IN KY	1	100.00%	0.00%	0	0 00%	0.000%
9860	1927	1.64%	100.00%	UNABLE TO HANDLE REQUEST; ENDUSER ACCOUNT FROZEN	1927	100 00%	1.64%	0	0 00%	0 000%
	117556	97.09%			117556		100.00%	33046		100 000%

ERROR DETAILS (Fatal Errors)

Error Type (by error code)	Count	%	Σ %	Error Description
1007	32	0.13%	0.13%	DUPLICATE CC, PON, VER
1012	13	0.05%	0.18%	CANNOT SUPP A PREVIOUSLY CANCELED LSR/PON
1015	4989	20.40%	20.58%	PON DUPLICATE ON INITIAL LSR
1017	1	0.00%	20.59%	PON VALID VALUES ARE UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1020	1	0.00%	20.59%	PON VALID VALUES ARE ONLY UPPER CASE ALPHA A THRU Z, NUMERIC 0 THRU 9, AND SYMBOLS . , - '
1022	8	0.03%	20.62%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1023	110	0.45%	21.07%	NO ORIGINAL LSR FOUND FOR THIS SUP
1025	50	0.20%	21.28%	VER MUST BE GREATER THAN PREVIOUS VERSION
1027	190		22.06%	PREVIOUS LSR AGED OFF - (K) STATUS
1030	869	3.55%	25.61%	VER MUST BE GREATER THAN PREVIOUS VERSION
1035	5	0.02%	25.63%	VER MUST BE TWO NUMERICS - 01 OR GREATER FOR 860
1040	14	0.06%		
1050	17	0.07%	25.76%	D/SENT - D/SENT CENTURY MUST BE CURRENT OR FUTURE DATE
1055	20	0.08%	25.84%	AN REQUIRED FOR THIS REQTYP/ACT TYPE COMBINATION WHEN ATN IS NOT POPULATED
1060	1	0.00%	25.84%	AN PROHIBITED WHEN ATN IS POPULATED UNLESS REQTYP IS B
1065	9	0.04%	25.88%	AN MUST BE 10 OR 13 ALPHANUMERICS
1070	14	0.06%	25.94%	DDD/DDD-CC MUST BE CURRENT OR FUTURE DATE
1074	1	0.00%	25.94%	ATN REQUIRED FOR ACT TYPE C WHEN NO LNA OF N IS PRESENT
1075	20	0.08%	26.02%	ATN REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION WHEN AN IS NOT POPULATED
1080	1	0.00%	26.03%	DDD/DDD-CC MUST BE A VALID DATE
1085	29	0.12%	26.14%	DDDO-CC/DDDO MUST BE CURRENT OR FUTURE DATE
1090	5	0.02%	26.17%	ATN OR AN REQUIRED WHEN EATN IS POPULATED
1100	5	0.02%	26.19%	SERVICE CENTER MUST BE LCSC
1110	736	3.01%	29.20%	INVALID REQTYP - ACCOUNT ACTIVITY TYPE COMBINATION
1125	43	0.18%	29.37%	DDD MUST BE GREATER THAN OR EQUAL TO D/TSENT
1131	580	2.37%	31.74%	DDD IS LESS THAN CALC DATE ON PRIOR VERSION LSR OR SERVICE ORDER DUE DATE
1135	26	0.11%	31.85%	APPTIME-DDD MUST BE HHMM-HHMM (MILITARY TIME) COVERING A SPAN OF TIME OF ONE HOUR OR GREATER
1140	1	0.00%	31.85%	DDDO REQUIRED WHEN ACT IS T AND REQTYP IS A, E, M, OR N
1145	11	0.04%	31.90%	INTERVAL BETWEEN DDD AND DDDO MUST BE 30 CALENDAR DAYS OR LESS
1150	23	0.09%	31.99%	SUP PROHIBITED WHEN 1ST CHARACTER OF REQTYP FIELD CHANGES
1154	32	0.13%	32.12%	LSR/PON IS COMPLETED
1157	6	0.02%	32.15%	DFDT PROHIBITED FOR THIS REQTYP/LNA COMBINATION
1166	7	0.03%	32.18%	CHC IS PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION

AGGREGATE ORDER TYPES

ERROR DETAILS (Fatal Errors)

Error Type (by error code)	Count	%	Σ %	Error Description
1175	2	0.01%	32.18%	REQTYP REQUIRED (STOP EDIT)
1180	1	0.00%	32.19%	INVALID REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1200	15	0.06%	32.25%	SUP REQUIRED WHEN VER IS GREATER THAN 00
1215	57	0.23%	32.48%	ACTL MUST BE 11 ALPHANUMERIC CHARACTERS
1225	33	0.13%	32.62%	CC REQUIRED ON THIS REQTYP/ACT TYPE COMBINATION (STOP EDIT)
1230	2976	12.17%	44.79%	LSO MUST BE 6 NUMERICS
1235	2	0.01%	44.79%	TOS REQUIRED
1270	7	0.03%	44.82%	SECNCI MUST BE A MINIMUM OF 5 ALPHANUMERIC CHARACTERS
1285	1	0.00%	44.83%	ACTL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1330	5	0.02%	44.85%	BAN1 MUST = E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1335	31	0.13%	44.97%	LSO REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1350	1	0.00%	44.98%	BAN2 MUST BE ENTRY OF E, N OR VALID BILLING ACCOUNT NUMBER FORMAT
1360	1	0.00%	44.98%	TOS SECOND CHARACTER MUST BE A, B, C, D, H, J, OR - (HYPHEN) (STOP EDIT)
1390	1	0.00%	44.99%	TOS SECOND CHARACTER MUST BE - (HYPHEN) IF REQTYP IS JB
1407	6	0.02%	45.01%	RESID IS REQUIRED WITH ANY LNA'S OF N OR V
1430	15	0.06%	45.07%	CIC REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1453	66	0.27%	45.34%	BAN1 REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1455	18	0.07%	45.42%	BAN1 VALID ENTRY MUST BE VALID BILLING ACCOUNT NUMBER OR E WITH TRAILING BLANKS
1457	23	0.09%	45.51%	BAN1 MUST BE ENTRY OF E IF REQTYPE A-LINE SHARE CO BASED
1470	2	0.01%	45.52%	BI2 REQUIRED WHEN BAN1 AND BAN2 ARE POPULATED
1490	4	0.02%	45.53%	DRC MUST BE 3 ALPHANUMERICS
1505	5	0.02%	45.56%	INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1510	5	0.02%	45.58%	TEL NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1515	1	0.00%	45.58%	TEL NO-INIT FORMAT MUST BE 10 NUMERICS OR UP TO 15 ALPHANUMERICS
1520	6	0.02%	45.60%	FAX NO-INIT REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1525	1	0.00%	45.61%	FAX NO-INIT MUST BE 10 NUMERICS
1530	17	0.07%	45.68%	IMPCON REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION
1540	10	0.04%	45.72%	TEL NO IMPCON FORMAT MUST BE 10 NUMERICS IN THE FIRST 10 POSITIONS
1570	4	0.02%	45.74%	TEL NO DSGCON REQUIRED WHEN DSGCON IS POPULATED
1585	1	0.00%	45.74%	STREET-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1590	1	0.00%	45.74%	CITY-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1595	1	0.00%	45.75%	STATE-DSGCON REQUIRED WHEN DSGCON IS POPULATED
1600	3	0.01%	45.76%	ZIP CODE-DSGCON REQUIRED WHEN DSGCON IS POPULATED

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
1605	551	2.25%	48.01%	REMARKS VIRGULES (/) AND ASTERISKS NOT ALLOWED IN THIS FIELD
1620	1	0.00%	48.02%	BCS REQUIRED WITH REQTYP/ACT TYPE/TOS COMBINATION
1630	97	0.40%	48.41%	CANNOT SUP A PREVIOUSLY CANCELED LSR/PON
1635	168	0.69%	49.10%	LSR ORIGINATING SOURCE NOT SAME AS PRIOR VERSION
1640	1673	6.84%	55.94%	NO ORIGINAL LSR FOUND FOR THIS SUP
1645	6421	26.26%	82.20%	LSR/PON AGED OFF
1650	784	3.21%	85.40%	LSR/PON COMPLETED
1655	17	0.07%	85.47%	LSR ORIGINATING FORMAT (TCIF) NOT SAME AS ORIGINATING FORMAT
1660	72	0.29%	85.77%	SUP NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
1662	35	0.14%	85.91%	SUP NOT ALLOWED ON RESTORAL WHEN THE REASON WAS DENIED
1664	148	0.61%	86.51%	SUP 03 NOT ALLOWED ON THIS ACCOUNT ACTIVITY TYPE
2005	8	0.03%	86.55%	EU-STREET-1 REQUIRED
2015	1	0.00%	86.55%	EU-STATE REQUIRED
2040	7	0.03%	86.58%	LOCNUM=000 SANO PROHIBITED WHEN SASN IS NOT POPULATED AT THIS LOCATION
2045	1	0.00%	86.58%	IWBAN VALID ENTRIES ARE: E, N, OR 13 ALPHANUMERIC BILLING ACCOUNT NUMBER
2060	35	0.14%	86.73%	LOCNUM=000 SASN REQUIRED WITH THIS REQTYP/ACT TYP COMBINATION AT THIS LOCATION
2065	17	0.07%	86.80%	LOCBAN REQUIRED
2067	2	0.01%	86.80%	LOCBAN MUST BE 10 OR 13 ALPHANUMERICS
		0.13%	86.94%	LOCNUM=000 SADLO REQUIRED WHEN SANO IS NOT POPULATED AT THIS LOCATION
			87.14%	LOCNUM=000 FLOOR-EU MUST NOT BE POPULATED WITH FLR IN ANY POSITION AT THIS LOCATION
			87.17%	LOCNUM=000 ROOM-EU MUST NOT BE POPULATED WITH RM OR ROOM IN ANY POSITION AT THIS LOCATION
2095	2	0.01%	87.18%	LOCNUM=000 BLDG-EU MUST NOT BE POPULATED WITH BLDG IN ANY POSITION AT THIS LOCATION
2104	5	0.02%	87.20%	LOCNUM=000 STATE-EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2109	53	0.22%	87.41%	LOCNUM=000 ZIP CODE=EU REQUIRED WHEN SASN IS POPULATED AT THIS LOCATION
2115	29	0.12%	87.53%	FBCON-TELNO MUST BE MINIMUM OF 10 NUMERICS
2120	565	2.31%	89.84%	EATN, EAN, ATN OR AN ARE PROHIBITED ON THIS REQTYP/ACT CODE
2125	1	0.00%	89.85%	EAN OR EATN REQUIRED WHEN AN OR ATN IS POPULATED WITH THIS REQTYP/ACT TYPE COMBINATION
2130	12	0.05%	89.90%	LOCNUM=000 TEL NO-LCON MUST BE 10 NUMERICS AT THIS LOCATION
2145	1	0.00%	89.90%	LOCBAN MUST EQUAL EAN OR EATN
2185	40	0.16%	90.06%	EAN MUST BE 10 NUMERICS OR 13 ALPHANUMERICS
2200	51	0.21%	90.27%	EATN MUST BE 10 NUMERICS
2220	7	0.03%	90.30%	SBILLNM-FB MUST BE UP TO 25 ALPHANUMERICS WITH EMBEDDED BLANKS
2350	36	0.15%	90.45%	ERL REQUIRED WITH THIS REQTYP/ACT TYPE COMBINATION

AGGREGATE ORDER TYPES				
ERROR DETAILS (Fatal Errors)				
Error Type (by error code)	Count	%	Σ %	Error Description
2355	354	1.45%	91.90%	ERL PROHIBITED WITH THIS REQTYP/ACT TYPE COMBINATION
3010	21	0.09%	91.98%	REFNUM=0001-TELNO= LINE ACTIVITY MUST BE Y OR L WHEN ACCOUNT ACTIVITY = SS OR RS
3020	56	0.23%	92.21%	REFNUM=0001-TELNO= LNA VALID ENTRIES ARE: A, C, D, R, V, W, Y, L, P9
3021	18	0.07%	92.28%	REFNUM=0001-TELNO= LNA MUST BE V OR W WHEN AN, ATN, EAN OR EATN IS POPULATED
3025	1	0.00%	92.29%	REFNUM=0002 -TN REQUIRED
3035	115	0.47%	92.76%	REFNUM=0001-TELNO= OTN MUST BE 10 NUMERICS
3045	21	0.09%	92.84%	REFNUM=0001 ECCKT MUST BE CLT, CLF OR CLS FORMAT
3047	17	0.07%	92.91%	LNUM=00001 CFA LOC A OR LOC Z CLLI DOES NOT MATCH ACTL
3050	52	0.21%	93.13%	LOCNUM=000 LNUM=00001 CFA FORMAT IS INVALID
3060	1	0.00%	93.13%	TELNO= PIC REQUIRED PER UNIQUE TELEPHONE NUMBER ON A, V, P9 LINE ACTIVITY TYPES
3070	1	0.00%	93.13%	TELNO= LPIC DATA REQUIRED PER UNIQUE TELNO ON A, V, P9 ACTIVITY TYPES
3090	4	0.02%	93.15%	REFNUM=0001-TELNO= TC OPT PROHIBITED ON THIS ACT TYPE AND REQTYP
3100	2	0.01%	93.16%	LOCNUM=000 LNUM=00001 TELNO= CHAN/PAIR REQUIRED WHEN CABLE ID IS POPULATED
3110	3	0.01%	93.17%	LOCNUM=001 LNUM=00001 TELNO= CKR FORMAT INVALID
3115	13	0.05%	93.22%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS PROHIBITED WITH REQTYP/ACT/LNA COMBINATION
3120	5	0.02%	93.25%	LOCNUM=000 LNUM=00002 TELNO= ECCKT IS REQUIRED WITH REQTYP/ACT/LNA COMBINATION
3125	52	0.21%	93.46%	LOCNUM=000 LNUM=00001 TELNO= ECCKT FORMAT INVALID
3130	5	0.02%	93.48%	REFNUM=0001-TELNO= TC PER-CC/TC PER-DATE MUST BE CURRENT OR FUTURE DATE

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: CS IDNT 011 LIN USOC FOLLOWING CS IS INCORRECT! OCS 1FR
8825	ORDER ERR: LN LIST 010 LIN RECAPPED LN, NLST OR NP MAY NOT APPEAR! ILN (LNR) CROS
8825	ORDER ERR: DSA IDNT 010 LI DSA PRESENT - NEED CATEGORY L USOC OR SMV USOC!
8825	ORDER ERR: TN SAE 038 LINE TN OR TLI IS REQUIRED FOR INWARD CATEGORY D USOCS!
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! IG2 CKL
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 1FR /TN
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB /TN
8825	ORDER ERR: RCU SAE 009 LIN RCU CODESET INVALID! I1 14R /TN
8825	ORDER ERR: CFND SAE 016 LI SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1 1FB
8825	ORDER ERR: PIC SAE 012 LIN PIC MUST APPEAR ON I AND T ACTION CODED CATEGORY D USOC!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: FORMAT SAE 389 I1 DRS /TN
8825	ORDER ERR: ZLLU SAE 009 LI ZLLU MUST APPEAR!
8825	ORDER ERR: NLST LIST 013 L SEE SOER DOCUMENTATION! INLST(NON-LIST) INTERPRINT EQUI
8825	ORDER ERR: LN LIST 010 LIN SEE SOER DOCUMENTATION! ILN

AGGREGATE ORDER TYPES

ERROR DETAILS - 8825

Error Type (by error code)	Error Description
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: SS BILL 007 LIN SS DATA FORMAT INCORRECT! ISS
8825	ORDER ERR: SIC LIST 012 LI SIC CODE NOT ON BRIS SIC TABLE! ISIC 3047
8825	ORDER ERR: RESH BILL 023 L USOC BSX++ MAY NOT APPEAR!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: FORMAT 374 LINE EUCLC: 0001 RELAY: 0000=
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1
8825	ORDER ERR: LOC LIST 019 LI INVALID LAST CHARACTER FOR LEVELS 1-3! ILOC LOT 4 DES (
8825	ORDER ERR: SA LIST 023 LIN STREET NAME FOR SA NOT VALID FOR NPA NXX!
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: NP LIST 010 LIN SEE SOER DOCUMENTATION! INP (NON-PUB)
8825	ORDER ERR: PR SAE 010 LINE ZERO MUST NOT APPEAR AS FIRST CHARACTER! I1 UEAC2 /C
8825	ORDER ERR: LCON SAE 007 LI LCON FORMAT INCORRECT! CKL
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: ROUT LIST 007 L ROUT INVALID ON THIS ORDER!
8825	ORDER ERR: TYA BILL 008 LI TYA REQUIRED WITH SIC CODE OF 98XX
8825	ORDER ERR: PKG SAE 010 LIN PKG NOT VALID ON THIS USOC! T1
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1
8825	ORDER ERR: TCP TFC 007 LIN INVALID TCP DATE! TCP 06-13-00
8825	ORDER ERR: PDN IDNT 008 LI PDN MISSING OR DATA INCORRECT!
8825	ORDER ERR: DSA IDNT 009 LI DSA MUST APPEAR IN IDNT!
8825	ORDER ERR: RNP SAE 006 LIN SEE SOER DOCUMENTATION! I1

AGGREGATE ORDER TYPES	
ERROR DETAILS - 8825	
Error Type (by error code)	**Error Description**
8825	ORDER ERR: ADL SAE 010 LIN ADL MUST APPEAR! I1 1FR /TN
8825	ORDER ERR: PCA SAE 013 LIN SEE SOER DOCUMENTATION! T1
8825	ORDER ERR: LA LIST 013 LIN SEE SOER DOCUMENTATION! ILA

AGGREGATE ORDER TYPES

ERROR DETAILS - 1000

Error Type (by error code)	Error Description
1000	CLEARED ERR BY ISSUING ORDER MANUALLY
1000	CLEARED SYSTEM ERRORS OSCOL AND UEAMC
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER#
1000	CORRECTED SYSTEM GENERATED ERRORS FOR ORDER#
1000	CLEANED UP SYSTEM ERRORS
1000	CANCEL PER CLEC.
1000	PUT IN E STATUS TO DROP OFF-ORD CANCELLED BY CLEC
1000	CLEARED ALL SYSTEM ERRORS IN DUE DATE CHANGE BY SYSTEM TO 070700
1000	ORDERDD 06-27-00 WORKED TO CHG LISTING
1000	PLACED IN E-STAT SUP 1 ON VER 1 THANKS
1000	ERR PLACED IN E-STAT SUP 1
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CAN PER CLEC
1000	ERROR TO DROP, PON CANCELLED PER SUP 01
1000	EU NAME IS INCOMPLETE, PLS VERIFY AND RESUBMIT;
1000	CLEAN UP SYSTEM ERROR AND ADD SHELVES TO LOC FLR INFO
1000	CORRECTED SYSTEM ERRORS FOR ORDER#
1000	CORRECTED ERRORS ON ORDER BY REMOVING OCOSL & UEAMC WHICH SHOULD NOT BE ON LY-- REQUEST
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER, ORDER #
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON C51RKDT0 CPX 06-08-00..
1000	ACCOUNT , SERVICE ORDER, DD 06-30-00
1000	ERROR TO DROP, UNABLE TO FORCE FOC ON
1000	CANCELLED ORDER PER SUP 1 LESOG
1000	CORRECT MAN CODE ON ROUTING ERROR MADE BY SYSTEM
1000	RECVD SUP 1 TO CANCEL
1000	CORRECT SYSTEM ERROS
1000	ERR PLACED IN E-STAT SUP 1 ON VER 1
1000	UPDATE TO CHANGE DUE DATE TO 6-27

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	**Error Description**
1000	ERR PLACED IN E-STAT ORDER COMPLETED
1000	CLEARED ERR FOR ORDER # , PON#,
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM ERRORS
1000	CLEARED ERROR FOR SYSTEM GENERATED ORDER #
1000	CLEARED ERROR
1000	CORRECT SVC ORDER BY REMOVING OCOSL & UEAMC-WHCH SHOULD NOT BE ON LY-- RQST
1000	CORRECT ERRORS
1000	CORRECTED SYSTEM GENERATED ORDERS, ORDER#
1000	CORRECTED SYSTEM GENERATED ORDER #
1000	SENT S STATUS REFERAL FORM 06-20-00.
1000	ISS ORD C509GNJ6 DD 0703 ERR STAT 2 COR FOC-
1000	DD 2000-07-05
1000	ORDER CANCELLED
1000	CLAIMED IN ERROR
1000	ORDER PLACED IN ERROR BUCKET. RECORD ORD CPX B4 FOC WAS SENT.
1000	DD 06-14-00
1000	DD 07-06-00
1000	ORDER NY32B0F8 DOES NOT HAVE PON ON IT..
1000	DD 2000-07-05
1000	CORRECT SYSTEM ERRORS
1000	CLEAR UP SYSTEM ERRORS
1000	ERR TO DROP OFF, ORD
1000	ERR CLEARED-ORDER ISS TO PROVIDE 1 LOOP
1000	CORRECT SYSTEM ERRORS
1000	CORRECT SYSTEM PROBLEMS
1000	CLEARED UP SYSTEM ERRORS
1000	CLEARED ERRORS FROM ORDER TO FLOW THRU
1000	CLEAR SYSTEM ERRORS OCOSL AND DFDT
1000	CORRECT ON ODR NUMBER

AGGREGATE ORDER TYPES	
ERROR DETAILS - 1000	
Error Type (by error code)	**Error Description**
1000	ORDER BY PLACING DFDT INFO IN PROPER PLACE AND REMOVING OCOSL (NOT VALID ON LY--ORDER)