BELLSOUTH

BellSouth Telecommunications, Inc.
Suite 400
150 South Monroe Street
Tallahassee, FL 32301-1556

marshall criser@bellsouth com

Marshall M. Criser III
Vice President
Regulatory & External Affairs

850 224 7798
Fax 850 224 5073

December 18, 2001

Mrs. Blanca S. Bayo
Director, Division of the Commission Clerk and Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, Florida 32399

C11659-TP

Re: Approval of the negotiated Interconnection, Unbundling, Resale, and Collocation agreement between BellSouth Telecommunications, Inc. ("BellSouth") and Southeastern Services, Inc. pursuant to Sections 251, 252 and 271 of the Telecommunications Act of 1996

Dear Mrs. Bayo:

Pursuant to section 252(e) of the Telecommunications Act of 1996, BellSouth and Southeastern Services, Inc. are submitting to the Florida Public Service Commission their negotiated Interconnection, Unbundling, Resale, and Collocation agreement for the interconnection, resale and collocation of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth telecommunications services to Southeastern Services, Inc.. The agreement was negotiated pursuant to sections 251, 252 and 271 of the Act.

Pursuant to section 252(e) of the Act, the Commission is charged with approving or rejecting the negotiated Interconnection, Unbundling, Resale, and Collocation agreement between BellSouth and Southeastern Services, Inc. within 90 days of its submission. The Commission may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity. Both parties represent that neither of these reasons exists as to the agreement they have negotiated and that the Commission should approve their agreement, and as such this agreement will be deemed effective by operation of law on March 18, 2002 .

Very truly yours,

Marshall M. Criser III

Regulatory Vice President (LLA)

DOCUMENT NUMBER-DATE
15791 DEC 18 01
FPSC-COMMISSION

By and Between

BellSouth Telecommunications, Inc.

And

Southeastern Services, Inc.

TABLE OF CONTENTS

General Terms and Conditions

Definitions
1. CLEC Certification
2. Term of the Agreement
3. Operational Support Systems
4. Parity
5. White Pages Listings
6. Bona Fide Request/New Business Request Process for Further Unbundling
7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
8. Liability and Indemnification
9. Intellectual Property Rights and Indemnification
10. Proprietary and Confidential Information
11. Resolution of Disputes
12. Taxes
13. Force Majeure
14. Adoption of Agreements
15. Modification of Agreement
16. Non-waiver of Legal Rights
17. Severability
18. Waivers
19. Governing Law
20. Arm's Length Negotiations
21. Notices
22. Rule of Construction
23. Headings of No Force or Effect
24. Multiple Counterparts
25. Implementation of Agreement
26. Filing of Agreement
27. Compliance with Applicable Law
28. Necessary Approvals
29. Good Faith Performance
30. Nonexclusive Dealings
31. Rate True-Up
32. Survival
33. Establishment of Service
34. Entire Agreement

TABLE OF CONTENTS (cont'd)

Attachment 1 - Resale

Attachment 2 - Network Elements and Other Services

Attachment 3 - Network Interconnection

Attachment 4 - Physical Collocation

Attachment 5 - Access to Numbers and Number Portability

Attachment 6 – Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

Attachment 7 - Billing and Billing Accuracy Certification

Attachment 8 - Rights-of-Way, Conduits and Pole Attachments

Attachment 9 - Performance Measurements

Attachment 10- Agreement Implementation Template

Attachment 11- BellSouth Disaster Recovery Plan

Attachment 12 – Bona Fide Request/New Business Request Process

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and Southeastern Services, Inc., a Florida corporation, and shall be deemed effective as of the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or Southeastern Services, Inc. or both as a "Party" or "Parties."

W I T N E S S E T H

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Southeastern Services, Inc. is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Southeastern Services, Inc. wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Southeastern Services, Inc. agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine-state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

1.1 Southeastern Services, Inc. agrees to provide BellSouth in writing the certificate number or docket number, for the docket pending certification, for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate commission for approval.

1.2 Additionally, Southeastern Services, Inc. will notify BellSouth in writing when it becomes certified or has a docket pending certification to operate in any other state in the BellSouth region. Upon notification, BellSouth will file this Agreement with the appropriate commission for approval.

2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.

2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.3 below.

2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the

Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, shall be effective as of the date of execution of this agreement.

2.3.1 Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Southeastern Services, Inc. pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.

2.3.2 Notwithstanding Section 2.3 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.2 above, and (2) Southeastern Services, Inc. either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.

3. Operational Support Systems

3.1 Southeastern Services, Inc. shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachment 1 and/or in Attachments 2, 3 and 5, as applicable.

4. Parity

4.1 When Southeastern Services, Inc. purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Southeastern Services, Inc. shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Southeastern Services, Inc. shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The

interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's end users and service quality as perceived by Southeastern Services, Inc..

5. White Pages Listings

5.1 BellSouth shall provide Southeastern Services, Inc. and their customers access to white pages directory listings under the following terms:

5.2 Listings. Southeastern Services, Inc. shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Southeastern Services, Inc. residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Southeastern Services, Inc. and BellSouth subscribers.

5.2.1 Rates. So long as Southeastern Services, Inc. provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Southeastern Services, Inc. one (1) primary White Pages listing per Southeastern Services, Inc. subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.

5.3 Procedures for Submitting Southeastern Services, Inc. Subscriber Information are found in The BellSouth Business Rules for Local Ordering.

5.3.1 Notwithstanding any provision(s) to the contrary, Southeastern Services, Inc. shall provide to BellSouth, and BellSouth shall accept, Southeastern Services, Inc.'s Subscriber Listing Information (SLI) relating to Southeastern Services, Inc.'s customers in the geographic area(s) covered by this Interconnection Agreement. Southeastern Services, Inc. authorizes BellSouth to release all such Southeastern Services, Inc. SLI provided to BellSouth by Southeastern Services, Inc. to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such Southeastern Services, Inc. SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.

5.3.2 No compensation shall be paid to Southeastern Services, Inc. for BellSouth's receipt of Southeastern Services, Inc. SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its

systems to enable the release of Southeastern Services, Inc.'s SLI, or costs on an ongoing basis to administer the release of Southeastern Services, Inc. SLI, Southeastern Services, Inc. shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.

5.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Southeastern Services, Inc. under this Agreement. Southeastern Services, Inc. shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Southeastern Services, Inc. listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Southeastern Services, Inc. any complaints received by BellSouth relating to the accuracy or quality of Southeastern Services, Inc. listings.

5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

5.4 Unlisted/Non-Published Subscribers. Southeastern Services, Inc. will be required to provide to BellSouth the names, addresses and telephone numbers of all Southeastern Services, Inc. customers that wish to be omitted from directories.

5.5 Inclusion of Southeastern Services, Inc. Customers in Directory Assistance Database. BellSouth will include and maintain Southeastern Services, Inc. subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Southeastern Services, Inc. shall provide such Directory Assistance listings at no recurring charge. BellSouth and Southeastern Services, Inc. will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.

5.6 Listing Information Confidentiality. BellSouth will accord Southeastern Services, Inc.'s directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Southeastern Services, Inc.'s customer proprietary confidential directory information to those BellSouth employees or agents who are involved in the preparation of listings or directories.

5.7 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.

5.8 Directories. BellSouth or its agent shall make available White Pages directories to Southeastern Services, Inc. subscribers at no charge or as specified in a separate BAPCO agreement.

6. Bona Fide Request/New Business Request Process for Further Unbundling

6.1 BellSouth shall, upon request of Southeastern Services, Inc., provide to Southeastern Services, Inc. access to its network elements at any technically feasible point for the provision of Southeastern Services, Inc.'s telecommunications service where such access is necessary and failure to provide access would impair the ability of Southeastern Services, Inc. to provide services that it seeks to offer. Any request by Southeastern Services, Inc. for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request (BFR/NBR), and shall be submitted to BellSouth pursuant to the BFR/NBR process as described in Attachment 12 to this Agreement.

6.2 Southeastern Services, Inc. shall submit any BFR/NBR in writing to Southeastern Services, Inc.'s Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include Southeastern Services, Inc.'s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

7.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Southeastern Services, Inc., BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Southeastern Services, Inc. end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Southeastern Services, Inc. end users for the same length of time it maintains such information for its own end users.

7.2 Subpoenas Directed to Southeastern Services, Inc.. Where BellSouth is providing to Southeastern Services, Inc. telecommunications services for resale or providing to Southeastern Services, Inc. the local switching function, then Southeastern Services, Inc. agrees that in those cases where Southeastern Services, Inc. receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Southeastern Services, Inc. end users, and where Southeastern Services, Inc. does not have the requested information, Southeastern Services, Inc. will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.

7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

8. Liability and Indemnification

8.1 Southeastern Services, Inc. Liability. In the event that Southeastern Services, Inc. consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Southeastern Services, Inc. under this Agreement.

8.2 Liability for Acts or Omissions of Third Parties. BellSouth shall not be liable to Southeastern Services, Inc. for any act or omission of another telecommunications company providing services to Southeastern Services, Inc..

8.3 Limitation of Liability

8.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury or liability or expense, including reasonable attorney's fees relating to or arising out of any negligent act or omission in its performance of this Agreement whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.

8.3.2 Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third Party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) Consequential Damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

8.3.3 Neither BellSouth nor Southeastern Services, Inc. shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.

8.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice,

make recommendations, or supply other analyses related to the Services, or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

8.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.

8.4 Indemnification for Certain Claims. The Party providing services hereunder, its affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving company's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving company's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing company's services, actions, duties, or obligations arising out of this Agreement.

8.5 Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

9. Intellectual Property Rights and Indemnification

9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Southeastern Services, Inc. is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, Southeastern Services, Inc. may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.

9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright,

trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

9.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 preceding.

9.4 Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:

9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

9.4.2 obtain a license sufficient to allow such use to continue.

9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.

9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

9.6 Exclusive Remedy. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

10. Proprietary and Confidential Information

10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Southeastern Services, Inc., each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

10.2 Use and Protection of Information. Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

10.3 Exceptions. Recipient will not have an obligation to protect any portion of the Information which:

10.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.

10.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the Federal Communications Commission or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.

10.5 Recipient agrees not to publish or use the Information for any advertising, sales promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.

10.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, or application which is now or may hereafter be owned by the Discloser.

10.7 Survival of Confidentiality Obligations. The Parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10.8 Assignments

10.9 Any assignment by either Party to any non-affiliated entity of right, obligation or duty, or of any other interest hereunder, in whole or in part without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of Southeastern Services, Inc., the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

11. Resolution of Disputes

11.1 Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

12. Taxes

12.1 Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services

furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

12.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

12.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.

12.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.

12.3 Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.

12.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.

12.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

12.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

12.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

12.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

12.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

12.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

12.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.

12.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.

12.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

12.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

12.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

12.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

12.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

12.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

12.5 Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

13. Force Majeure

13.1 In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

14. Adoption of Agreements

14.1 BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to Southeastern Services, Inc. any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such Agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were

negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement which was adopted.

15. Modification of Agreement

15.1 If Southeastern Services, Inc. changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Southeastern Services, Inc. to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.

15.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.

15.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Southeastern Services, Inc. or BellSouth to perform any material terms of this Agreement, Southeastern Services, Inc. or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

15.4 Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

16. Non-waiver of Legal Rights

16.1 Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

17. Severability

17.1 If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties

shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

18. Waivers

18.1 A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

19. Governing Law

19.1 This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

20. Arm's Length Negotiations

20.1 This Agreement was executed after arm's length negotiations between the undersigned Parties and reflects the conclusion of the undersigned that this Agreement is in the best interests of all Parties.

21. Notices

21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

Account Team
600 North 19th Street
Birmingham, Alabama 35203

and

General Attorney - COU
Suite 4300
675 W. Peachtree St.
Atlanta, GA 30375

Southeastern Services, Inc.

Mark Woods
P.O. Box 365
Macclenny, FL 32065

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

21.2 Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

21.3 Notwithstanding the foregoing, BellSouth may provide Southeastern Services, Inc. notice via Internet posting of price changes, changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will also post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

22. Rule of Construction

22.1 No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

23. Headings of No Force or Effect

23.1 The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

24. Multiple Counterparts

24.1 This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

25. Implementation of Agreement

25.1 If Southeastern Services, Inc. is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation

arrangement requests, pre-sales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

26. Filing of Agreement

26.1 Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Southeastern Services, Inc. shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by Southeastern Services, Inc.. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Southeastern Services, Inc. is duly certified as a local exchange carrier in such state, except as otherwise required by a state Commission.

27. **Compliance with Applicable Law**

27.1 Each Party shall comply at its own expense with Applicable Law.

28. Necessary Approvals

28.1 Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

29. Good Faith Performance

29.1 Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

30. Nonexclusive Dealings

30.1 This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Southeastern Services, Inc. as a requesting carrier under the Act).

31. Rate True-Up

31.1 This section applies to Local Interconnection and/or Unbundled Network Elements and Other Services rates that are interim or expressly subject to true-up under this Agreement.

31.2 The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

31.3 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 11 of the General Terms and Conditions and Attachment 1 of this Agreement.

31.4 The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 11 of the General Terms and Conditions and Attachment 1 of this Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

31.5 An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Southeastern Services, Inc. specifically or upon all carriers generally, such as a generic cost proceeding.

32. Survival

32.1 The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

33. Establishment of Service

If BellSouth is informed that an unauthorized change in local service to Southeastern Services, Inc. has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess Southeastern Services, Inc. as the CLEC initiating the alleged unauthorized change, the appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff. In accordance with FCC Slamming Liability Rules, the relevant governmental agency will determine if an unauthorized change has occurred. Resolution of all relevant issues shall be handled directly with the authorized CLEC and Southeastern Services, Inc..

34. Entire Agreement

34.1 This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

34.2 **This Agreement may include attachments with provisions for the following services:**

Network Elements and Other Services
Local Interconnection
Resale
Collocation

34.3 **The following services are included as options for purchase by Southeastern Services, Inc.. Southeastern Services, Inc. may elect to purchase said services by written request to its Account Manager if applicable:**

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: G R Follenb

Name: G. R. Follensbee

Title: Senior Director

Date: 11/01/01

Southeastern Services, Inc.

By: Mark Woods

Name: MARK WOODS

Title: President

Date: 10/24/01

Attachment 1

Resale

Table of Contents

1. Discount Rates 3

2. Definition of Terms 3

3. General Provisions 4

4. BellSouth's Provision of Services to Southeastern Services, Inc. 9

5. Maintenance of Services 10

6. Establishment of Service 10

7. Payment And Billing Arrangements 12

8. Discontinuance of Service 15

9. Line Information Database (LIDB) 16

10. RAO Hosting 16

11. Optional Daily Usage File (ODUF) 17

12. Enhanced Optional Daily Usage File (EODUF) 17

Resale Restrictions — Exhibit A

Line Information Database (LIDB) Storage Agreemt — Exhibit B

Optional Daily Usage File (ODUF) — Exhibit C

Enhanced Option Daily Usage File (EODUF) — Exhibit D

Resale Discounts and Rates — Exhibit E

RESALE

1. Discount Rates

1.1 The discount rates applied to Southeastern Services, Inc. purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

1.2 The telecommunications services available for purchase by Southeastern Services, Inc. for the purposes of resale to Southeastern Services, Inc.'s End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.

2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.

2.4 END USER means the ultimate user of the Telecommunications Service.

2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.

2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.

2.7 RESALE means an activity wherein a certificated CLEC, such as Southeastern Services, Inc., subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Southeastern Services, Inc. for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customer who are not telecommunications carriers.

3.1.1 When Southeastern Services, Inc. provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.

3.1.2 In Tennessee, if Southeastern Services, Inc. provides its own operator services and directory services, the discount shall be 21.56%. Southeastern Services, Inc. must provide written notification to BellSouth within 30 days prior to porviding its own operator services and directory services to qualify for the higher discount rate of 21.56%.

3.2 Southeastern Services, Inc. may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:

3.2.1 Southeastern Services, Inc. must resell services to other End Users.

3.2.2 Southeastern Services, Inc. must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant this Agreement.

3.2.3 Southeastern Services, Inc. cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.

3.3 Southeastern Services, Inc. will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Southeastern Services, Inc. for said services.

3.4 Southeastern Services, Inc. will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of Southeastern Services,

Inc.. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Southeastern Services, Inc.. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

3.5.1 When a subscriber of Southeastern Services, Inc. or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in BellSouth Product and Services Interval Guide.

3.5.2 BellSouth and Southeastern Services, Inc. will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or Southeastern Services, Inc. to the other Party until such time that the order for service has been completed.

3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.

3.7 For the purpose of the resale of BellSouth's telecommunications services by Southeastern Services, Inc., BellSouth will provide Southeastern Services, Inc. with on line access to telephone numbers on a first come first served basis. Southeastern Services, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Southeastern Services, Inc. shall return numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

3.8 Further, upon Southeastern Services, Inc.'s request, and for the purpose of the resale of BellSouth's telecommunications services by Southeastern Services, Inc., BellSouth will reserve up to 100 telephone numbers per CLLIC, for Southeastern Services, Inc.'s sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations.

3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.

3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.

3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.

3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Southeastern Services, Inc.'s End Users, pursuant to Section 7 of the General Terms and Conditions.

3.13 If Southeastern Services, Inc. or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Southeastern Services, Inc. has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.

3.14 Facilities and/or equipment utilized by BellSouth to provide service to Southeastern Services, Inc. remain the property of BellSouth.

3.15 White page directory listings for Southeastern Services, Inc. End Users will be provided in accordance with Section 5 of the General Terms and Conditions.

3.16 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. In addition, Southeastern Services, Inc. shall provide to BellSouth access to customer record information including electronic access where available. Otherwise, upon request by BellSouth Southeastern Services, Inc. shall provide paper copies of customer record information within a reasonable period of time. Customer Record Information is equivalent to but not limited to the type of customer specific information contained in CRIS and RSAG. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that Southeastern Services, Inc. and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.

3.17 Operational Support Systems (OSS)

3.17.1 BellSouth has developed and made available the following mechanized systems by which Southeastern Services, Inc. may submit LSRs electronically: Local Exchange Navigation System (LENS), Electronic Data Interchange (EDI) and Telecommunications Access Gateway (TAG). All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from CLECs who utilize the interfaces.

3.17.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

3.17.3 Denial/Restoral OSS Charge. In the event Southeastern Services, Inc. provides a list of customers to be denied and restored, rather than an LSR , each location on the list will require a separate PON and therefore will be billed as one LSR per location.

3.17.4 Cancellation OSS Charge. Southeastern Services, Inc. will incur an OSS charge for an accepted LSR that is later canceled.

3.17.5 Threshold Billing Plan. Southeastern Services, Inc. will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentage of 90% in the year 2001. The threshold plan will be discontinued in 2002.

3.17.5.1 BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLEC's future manual LSRs for the following quarter will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

3.18 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:

- Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
- Call Forward Busy Line ("CF/B")
- Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

3.19 BellSouth shall provide branding for, or shall unbrand, voice mail services for Southeastern Services, Inc. per the Bona Fide Request/New Business Request process as set forth in Section 6 of the General Terms and Conditions.

3.20 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.

3.21 In the event Southeastern Services, Inc. acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Southeastern Services, Inc. that Special Assembly at the wholesale discount at Southeastern Services, Inc.'s option. Southeastern Services, Inc. shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.

3.22 BellSouth shall provide 911/E911 for Southeastern Services, Inc. customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Southeastern Services, Inc. customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Southeastern Services, Inc. customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

3.23 BellSouth shall bill, and Southeastern Services, Inc. shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.

3.24 Pursuant to 47 CFR Section 51.617, BellSouth will bill to Southeastern Services, Inc., and Southeastern Services, Inc. shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

3.25 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to Southeastern Services, Inc. that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules may be referenced at the following site:

http://www.interconnection.bellsouth.com

3.26 Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

4. BellSouth's Provision of Services to Southeastern Services, Inc.

4.1 Resale of BellSouth services shall be as follows:

4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.

4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.

4.1.3 BellSouth reserves the right to periodically audit services purchased by Southeastern Services, Inc. to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Southeastern Services, Inc. shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Southeastern Services, Inc. for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.

4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.

4.3 Southeastern Services, Inc. may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.

4.4 If Southeastern Services, Inc. cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

5. Maintenance of Services

5.1 Southeastern Services. Inc. will adopt and adhere to the standards contained in the applicable BellSouth Operational Understanding regarding maintenance of service. The BellSouth Operational Understanding can be accessed via the internet @ http: www interconnection bellsouth.com.

5.2 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.

5.3 Southeastern Services, Inc. or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.

5.4 Southeastern Services, Inc. accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.

5.5 Southeastern Services, Inc. will contact the appropriate repair centers in accordance with procedures established by BellSouth.

5.6 For all repair requests, Southeastern Services, Inc. shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.

5.7 BellSouth will bill Southeastern Services, Inc. for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.

5.8 BellSouth reserves the right to contact Southeastern Services, Inc.'s End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

6.1 After receiving certification as a local exchange company from the appropriate regulatory agency, Southeastern Services, Inc. will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Southeastern Services, Inc.'s resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, as described in Section 6.2 below, BellSouth will begin taking orders for the resale of service.

6.1.2 Service orders will be in a standard format designated by BellSouth.

6.1.3 Southeastern Services, Inc. shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that Southeastern Services, Inc. will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for Southeastern Services, Inc.'s End User customer. Southeastern Services, Inc. must, however, be able to demonstrate End User authorization upon request.

6.1.4 BellSouth will accept a request directly from the End User for conversion of the End User's service from Southeastern Services, Inc. to BellSouth or will accept a request from another CLEC for conversion of the End User's service from Southeastern Services, Inc. to such other CLEC. Upon completion of the conversion BellSouth will notify Southeastern Services, Inc. that such conversion has been completed.

6.2 Deposit Policy. When purchasing services from BellSouth, Southeastern Services, Inc. will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit.

6.2.1 Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in sole discretion, some other form of security.

6.2.2 Such security deposit shall be required prior to the inauguration of service.

6.2.3 Security deposits collected under this Section shall not exceed two months' estimated billing.

6.2.4 The fact that a security deposit has been made in no way relieves Southeastern Services, Inc. from complying with BellSouth's regulations as to advance payments. Any such security deposit shall in no way release Southeastern Services, Inc. from its obligation to make complete and timely payments of its bills.

6.2.5 If in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCCI) security interest in Southeastern Services, Inc.'s "accounts receivables and proceeds.""

6.2.6 In the event Southeastern Services, Inc. fails to remit to BellSouth any deposit requested pursuant to this Section, service to Southeastern Services, Inc. may be terminated in accordance with the terms of Section 8.2 of this Attachment, and any security deposits will be applied to Southeastern Services, Inc.'s account(s).

6.2.7 In the event service to Southeastern Services, Inc. is terminated due to Southeastern Services, Inc.'s default on its account, any security deposits held will be applied to Southeastern Services, Inc.'s account.

6.2.8 Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

7. Payment And Billing Arrangements

7.1 Prior to submitting orders to BellSouth for local service, a master account must be established for Southeastern Services, Inc.. Southeastern Services, Inc. is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.

7.2 BellSouth shall bill Southeastern Services, Inc. on a current basis all applicable charges and credits.

7.3 Payment of all charges will be the responsibility of Southeastern Services, Inc.. Southeastern Services, Inc. shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Southeastern Services, Inc. from Southeastern Services, Inc.'s End User. BellSouth will not become involved in billing disputes that may arise between Southeastern Services, Inc. and its End User. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an End User's account.

7.4 BellSouth will render bills each month on established bill days for each of Southeastern Services, Inc.'s accounts.

7.5 BellSouth will bill Southeastern Services, Inc. in advance for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Southeastern Services, Inc., and Southeastern Services, Inc. will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees.

7.6 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

7.6.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday

which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 7.8 following, shall apply.

7.6.2 If Southeastern Services, Inc. requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to Southeastern Services, Inc..

7.6.3 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, to rejection of additional orders, from Southeastern Services, Inc. and to disconnection of services for nonpayment of charges, shall be forwarded to the individual and/or address provided by Southeastern Services, Inc. in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Southeastern Services, Inc. as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notices from Southeastern Services, Inc. to BellSouth's billing organization, a final notice of disconnection of services purchased by Southeastern Services, Inc. under this Agreement shall be sent via certified mail to the individuals listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

7.6.4 Billing Disputes

7.6.4.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.

7.6.4.2 For purposes of this Section, a billing dispute means a dispute of a specific amount of money actually billed by BellSouth. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. Once the billing dispute is resolved, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party,

pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.

7.6.4.3 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges a state where it has authority pursuant to its tariffs.

7.7 Upon proof of tax exempt certification from Southeastern Services, Inc., the total amount billed to Southeastern Services, Inc. will not include any taxes due from the End User to reflect the tax exempt certification and local tax laws. Southeastern Services, Inc. will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to Southeastern Services, Inc.'s End User.

7.8 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff or Section B2 of the Private Line Service Tariff, as applicable. Southeastern Services, Inc. will be charged a fee for all returned checks as set forth in Section to A2 of the General Subscriber Services Tariff or in applicable state law.

7.9 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth.

7.10 BellSouth will not perform billing and collection services for Southeastern Services, Inc. as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.

7.11 In general, BellSouth will not become involved in disputes between Southeastern Services, Inc. and Southeastern Services, Inc.'s End User customers relating to resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, Southeastern Services, Inc. shall contact the designated

Service Center for resolution. BellSouth will assist in the resolution of the dispute and will work with Southeastern Services, Inc. to resolve the matter in as timely a manner as possible. Southeastern Services, Inc. may be required to submit documentation to substantiate the claim.

8. Discontinuance of Service

8.1 The procedures for discontinuing service to an End User are as follows:

8.1.1 BellSouth will deny service to Southeastern Services, Inc.'s End User on behalf of, and at the request of, Southeastern Services, Inc.. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Southeastern Services, Inc..

8.1.2 At the request of Southeastern Services, Inc., BellSouth will disconnect a Southeastern Services, Inc. End User customer.

8.1.3 All requests by Southeastern Services, Inc. for denial or disconnection of an End User for nonpayment must be in writing.

8.1.4 Southeastern Services, Inc. will be made solely responsible for notifying the End User of the proposed disconnection of the service.

8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Southeastern Services, Inc. when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Southeastern Services, Inc. and/or the End User against any claim, loss or damage arising from providing this information to Southeastern Services, Inc.. It is the responsibility of Southeastern Services, Inc. to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an End User or an End User's CLEC at the same address served by the denied facility.

8.2 The procedures for discontinuing service to Southeastern Services, Inc. are as follows:

8.2.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by Southeastern Services, Inc. of the rules and regulations of BellSouth's Tariffs.

8.2.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 7.6.4, is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Southeastern Services, Inc., that additional applications for service such as access to the Operational Support Systems for pre-ordering, ordering and provisioning of services will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, provide written notice to the person designated by Southeastern Services, Inc. to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Southeastern Services, Inc., if payment is not received by the thirtieth day following the date of the notice.

8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Southeastern Services, Inc.'s noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Southeastern Services, Inc. without further notice.

8.2.5 Upon discontinuance of service on a Southeastern Services, Inc.'s account, service to Southeastern Services, Inc.'s End Users will be denied. BellSouth will also reestablish service at the request of the End User or Southeastern Services, Inc. upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Southeastern Services, Inc. is solely responsible for notifying the End User of the proposed disconnection of the service.

8.2.6 If within fifteen days after an End User's service has been denied no contact has been made in reference to restoring service, the End User's service will be disconnected.

9. Line Information Database (LIDB)

9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.

9.2 BellSouth will provide LIDB Storage upon written request to Southeastern Services, Inc.'s Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

11. Optional Daily Usage File (ODUF)

11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.

11.2 BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.

12.2 BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 5)

	Type of Service	AL		FL		GA		KY		LA		MS		NC		SC		TN	
		Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
3	Promotions - ≤ 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7	MemoryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Non-RecurCharges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11	End User Line Chg-Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13	Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No

Applicable Notes:

1. **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
2. Where available for resale, **promotions** will be made available only to End Users who would have qualified for the promotion had it been provided by BellSouth directly
3. In Tennessee, long-term **promotions** (offered for more than ninety (90) days) may be obtained at one of the following rates:
   (a) the stated tariff rate, less the wholesale discount;
   (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)
4. **Lifeline/Link Up** services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services as set forth in Sections A3 and A4 of the BellSouth General Subscriber Services Tariff.
5. Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

A. Billing number - a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.

C. Special billing number - a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.

D. Calling Card number - a billing number plus PIN number assigned by BellSouth.

E. PIN number - a four digit security code assigned by BellSouth which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Southeastern Services, Inc..

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by Southeastern Services, Inc..

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Southeastern Services, Inc. and pursuant to which BellSouth, its LIDB customers and Southeastern Services, Inc. shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Southeastern Services, Inc.'s provision of billing number

information to BellSouth for inclusion in BellSouth's LIDB. Southeastern Services, Inc. understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Southeastern Services, Inc., pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection/Resale Agreement upon notice to Southeastern Services, Inc.'s account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum is hereby made a part of this LIDB Storage Agreement as if fi incorporated herein.

B. BellSouth will provide ponses to on-line, call-by- queries to billing number information for the foll ing purposes:

1. Billed Number Scr ening

   BellSouth is authorized to use the billing number information to determine whether Southeastern Services, Inc. has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

   BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

   BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Southeastern Services, Inc. of fraud alerts so that Southeastern Services, Inc. may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Southeastern Services, Inc. pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to Southeastern Services, Inc. for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate Southeastern Services, Inc.'s data from BellSouth's data, the following shall apply:

(1) Southeastern Services, Inc. will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Southeastern Services, Inc.'s End User accounts which are resident in LIDB pursuant to this Agreement. Southeastern Services, Inc. authorizes BellSouth to place such charges on Southeastern Services, Inc.'s bill from BellSouth and shall pay all such charges, including, but are not limited to, collect and third number calls.

(2) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.

(3) Southeastern Services, Inc. shall have the responsibility to render a billing statement to its End Users for these charges, but Southeastern Services, Inc. shall pay BellSouth for the charges billed regardless of whether Southeastern Services, Inc. collects from Southeastern Services, Inc.'s End Users.

(4) BellSouth shall have no obligation to become involved in any disputes between Southeastern Services, Inc. and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Southeastern Services, Inc.. It shall be the responsibility of Southeastern Services, Inc. and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

1. BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. Southeastern Services, Inc. will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.

2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name

of Southeastern Services, Inc.. BellSouth will not issue line-based calling cards in the name of Southeastern Services, Inc.'s individual End Users. In the event that Southeastern Services, Inc. wants to include calling card numbers assigned by Southeastern Services, Inc. in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

A. Southeastern Services, Inc. will not be charged a fee for storage services provided by BellSouth to Southeastern Services, Inc., as described in this LIDB Resale Storage Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Southeastern Services, Inc. in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

Optional Daily Usage File

1. Upon written request from Southeastern Services, Inc., BellSouth will provide the Optional Daily Usage File (ODUF) service to Southeastern Services, Inc. pursuant to the terms and conditions set forth in this section.

2. Southeastern Services, Inc. shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.

3. The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Southeastern Services, Inc. customer.

   Charges for delivery of the Optional Daily Usage File will appear on Southeastern Services, Inc.'s monthly bills. The charges are as set forth in Exhibit E to this Attachment.

4. The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

5. Messages that error in Southeastern Services, Inc.'s billing system will be the responsibility of Southeastern Services, Inc.. If, however, Southeastern Services, Inc. should encounter significant volumes of errored messages that prevent processing by Southeastern Services, Inc. within its systems, BellSouth will work with Southeastern Services, Inc. to determine the source of the errors and the appropriate resolution.

6. The following specifications shall apply to the Optional Daily Usage Feed.

6.1 Usage To Be Transmitted

6.1.1 The following messages recorded by BellSouth will be transmitted to Southeastern Services, Inc.:

- Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
- Measured billable Local
- Directory Assistance messages
- IntraLATA Toll

- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service

6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Southeastern Services, Inc..

6.1.4 In the event that Southeastern Services, Inc. detects a duplicate on Optional Daily Usage File they receive from BellSouth, Southeastern Services, Inc. will drop the duplicate message (Southeastern Services, Inc. will not return the duplicate to BellSouth).

6.2 Physical File Characteristics

6.2.1 The Optional Daily Usage File will be distributed to Southeastern Services, Inc. via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

6.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Southeastern Services, Inc. for the purpose of data transmission. Where a dedicated line is required, Southeastern Services, Inc. will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southeastern Services, Inc. will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the

BellSouth data center by BellSouth and the associated charges assessed to Southeastern Services, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Southeastern Services, Inc. end for the purpose of data transmission will be the responsibility of Southeastern Services, Inc..

6.3 Packing Specifications

6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southeastern Services, Inc. which BellSouth RAO is sending the message. BellSouth and Southeastern Services, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southeastern Services, Inc. and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 Southeastern Services, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Southeastern Services, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Southeastern Services, Inc. by BellSouth.

6.5 Control Data

Southeastern Services, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Southeastern Services, Inc. received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Southeastern Services, Inc. for reasons stated in the above section.

6.6 Testing

6.6.1 Upon request from Southeastern Services, Inc., BellSouth shall send test files to Southeastern Services, Inc. for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results,

BellSouth shall request that Southeastern Services, Inc. set up a production (LIVE) file. The live test may consist of Southeastern Services, Inc.'s employees making test calls for the types of services Southeastern Services, Inc. requests on the Optional Daily Usage File. These test calls are logged by Southeastern Services, Inc., and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

1. Upon written request from Southeastern Services, Inc., BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Southeastern Services, Inc. pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.

2. Southeastern Services, Inc. shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.

3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on Southeastern Services, Inc.'s monthly bills. The charges are as set forth in Exhibit E to this Attachment.

5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

6. Messages that error in the billing system of Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. If, however, Southeastern Services, Inc. should encounter significant volumes of errored messages that prevent processing by Southeastern Services, Inc. within its systems, BellSouth will work with Southeastern Services, Inc. to determine the source of the errors and the appropriate resolution.

7. The following specifications shall apply to the Optional Daily Usage Feed.

7.1 Usage To Be Transmitted

7.1.1 The following messages recorded by BellSouth will be transmitted to Southeastern Services, Inc.:

Customer usage data for flat rated local call originating from Southeastern Services, Inc.'s End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

Conversation Time

Method of Recording

From RAO

Rate Class

Message Type

Billing Indicators

Bill to Number

7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Southeastern Services, Inc..

7.1.3 In the event that Southeastern Services, Inc. detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Southeastern Services, Inc. will drop the duplicate message (Southeastern Services, Inc. will not return the duplicate to BellSouth).

7.2 Physical File Characteristics

7.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Southeastern Services, Inc. over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Southeastern Services, Inc.'s Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Southeastern Services, Inc. for the purpose of data transmission. Where a dedicated line is required, Southeastern Services, Inc. will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southeastern Services, Inc. will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to

Southeastern Services, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Southeastern Services, Inc.'s end for the purpose of data transmission will be the responsibility of Southeastern Services, Inc..

7.3 Packing Specifications

7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southeastern Services, Inc. which BellSouth RAO is sending the message. BellSouth and Southeastern Services, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southeastern Services, Inc. and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

BELLSOUTH/SOUTHEASTERN SERV., INC.
RESALE DISCOUNTS AND RATES

		ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
RESIDENCE		16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS		16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14 8%	16%
CSAs*						9.05%			8.98%	
* Unless noted in this row, the discount for Business will be the applicable discount rate for CSAs.										
ELEMENT	USOC									
Electronic LSR	SOMEC	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50	$3 50
Manual LSR	SOMAN	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99
ENHANCED OPTION DAILY USAGE FILE (EODUF)										
EODUF: Message Processing, per message		$0.004	0.22245100	$0.0034555	$0.004	$0.004	$0.004	$0.004	$0 004	$0.004
OPTIONAL DAILY USAGE FILE (ODUF)										
ODUF: Recording, per message		$0.0002	0.00000680	$0.0001275	$0.0008611	$0.00019	$0.0001179	$0.0003	$0.0002862	$0.0000044
ODUF: Message Processing, per message		$0.0033	0.00661400	$0.0082548	$0.0032357	$0.0024	$0.0032089	$0.0032	$0.0032344	$0.0027366
ODUF: Message Processing, per Magnetic Tape provisioned		$55.19	48.77000000	$28.85	$55.68	$47.30	$54.62	$54.61	$54.72	$52.75
ODUF: Data Transmission (CONNECT:DIRECT), per msg		$0.00004	0.00010772	$0.0000434	$0.0000365	$0.00003	$0.0000354	$0.0004	$0.0000357	$0.0000339

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1. INTRODUCTION 3

2. UNBUNDLED LOOPS 4

3. HIGH FREQUENCY SPECTRUM NETWORK ELEMENT 24

4. LOCAL SWITCHING 28

5. UNBUNDLED NETWORK ELEMENT COMBINATIONS 35

6. TRANSPORT, CHANNELIZATION AND DARK FIBER 42

7. BELLSOUTH SWITCHED ACCESS ("SWA") 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE 47

8. LINE INFORMATION DATABASE (LIDB) 48

9. SIGNALING 50

10. OPERATOR SERVICE AND DIRECTORY ASSISTANCE 57

11. AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 62

12. CALLING NAME (CNAM) DATABASE SERVICE 63

13. SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS 64

14. BASIC 911 AND E911 65

15. OPERATIONAL SUPPORT SYSTEMS (OSS) 66

LIDB Storage Agreement ..... Exhibit A

Rates ..... Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1. **Introduction**

1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to Southeastern Services, Inc. in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to Southeastern Services, Inc.. The price for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require Southeastern Services, Inc. to purchase other Network Elements or services.

1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment Southeastern Services, Inc. used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."

1.3 BellSouth shall, upon request of Southeastern Services, Inc., and to the extent technically feasible, provide to Southeastern Services, Inc. access to its Network Elements for the provision of Southeastern Services, Inc.'s telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

1.4 Southeastern Services, Inc. may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner Southeastern Services, Inc. chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by Southeastern Services, Inc. to the designated Southeastern Services, Inc. collocation space.

1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.

1.6 **Rates**

1.6.1 The prices that Southeastern Services, Inc. shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If Southeastern Services, Inc. purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

1.6.2 Cancellation Charges. If Southeastern Services, Inc. cancels an order for Network Elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.

1.6.3 Expedite Charges. For expedited requests by Southeastern Services, Inc., expedited charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply.

1.6.4 Order cancellation and expedite charges will apply in accordance with the terms and conditions specified in Attachment 6.

1.6.5 If Southeastern Services, Inc. modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Southeastern Services, Inc. in accordance with FCC No. 1 Tariff, Section 5.

1.6.6 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2. Unbundled Loops

2.1 General

2.1.1 The local loop Network Element ("Loop") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.

2.1.2 The provisioning of a Loop to Southeastern Services, Inc.'s collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components, that are not considered a part of the Loop, and thus, have a separate charge.

2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available, and cannot be made available through BellSouth's Unbundled Loop Modification process, then Southeastern Services, Inc. can use the Special Construction process to request that BellSouth place facilities in order to meet Southeastern Services, Inc.'s loop requirements. Standard Loop intervals shall not apply to the Special Construction process.

2.1.4 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

2.1.5 The Loop shall be provided to Southeastern Services, Inc. in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.

2.1.6 Southeastern Services, Inc. may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such services are consistent with industry standards and BellSouth's TR73600.

2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where Southeastern Services, Inc. has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting Loop will be maintained as an unbundled copper Loop (UCL), and Southeastern Services, Inc. shall pay the recurring and non-recurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by Southeastern Services, Inc. using the Unbundled Loop Modification (ULM) process), BellSouth will only support that the Loop has copper continuity and balanced tip-and-ring.

2.1.8 **Loop Testing/Trouble Reporting**

2.1.8.1 Southeastern Services, Inc. is responsible for testing and isolating troubles on the Loops. Southeastern Services, Inc. must test and isolate trouble to the BellSouth portion of a designed unbundled loop (e.g., UVL-SL2, UCL-D, etc.) before reporting repair to the UNE Center. At the time of the trouble report, Southeastern Services, Inc. will be required to provide the results of the Southeastern Services, Inc. test which indicate a problem on the BellSouth provided loop.

2.1.8.2 Once Southeastern Services, Inc. has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.

2.1.8.3 If Southeastern Services, Inc. reports a trouble on a non-designed loop (e.g., UVL-SL1, UCL-ND, etc.) and no trouble actually exists, BellSouth will charge

Southeastern Services, Inc. for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.

2.1.9 **Order Coordination and Order Coordination-Time Specific**

2.1.9.1 "Order Coordination" (OC) allows BellSouth and Southeastern Services, Inc. to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Southeastern Services, Inc.'s facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 "Order Coordination – Time Specific" (OC-TS) allows Southeastern Services, Inc. to order a specific time for OC to take place. BellSouth will make every effort to accommodate Southeastern Services, Inc.'s specific conversion time request. However, BellSouth reserves the right to negotiate with Southeastern Services, Inc. a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. Southeastern Services, Inc. may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Southeastern Services, Inc. specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the E Access Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
SL-2	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, Southeastern Services, Inc. must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1

2.2.1.2 2-wire Analog Voice Grade Loop – SL2

2.2.1.3 4-wire Analog Voice Grade Loop

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and

configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Southeastern Services, Inc. will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by Southeastern Services, Inc.. Southeastern Services, Inc. may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.

2.2.4 Unbundled Voice Loop – SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a Design Layout Record provided to Southeastern Services, Inc.. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Southeastern Services, Inc. to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 **Unbundled Digital Loops**

2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a Design Layout Record (DLR). The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs:

2.3.2.1 2-wire Unbundled ISDN Digital Loop

2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)

2.3.2.3 2-wire Unbundled ADSL Compatible Loop

2.3.2.4 2-wire Unbundled HDSL Compatible Loop

2.3.2.5 4-wire Unbundled HDSL Compatible Loop

2.3.2.6 4-wire Unbundled DS1 Digital Loop

2.3.2.7 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below

2.3.2.8 DS3 Loop

2.3.2.9 STS-1 Loop

2.3.2.10 OC3 Loop

2.3.2.11 OC12 Loop

2.3.2.12 OC48 Loop

2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR. Southeastern Services, Inc. will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.

2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.

2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.

2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12,000 long and may have up to 2,500 feet of bridged tap (inclusive of loop length). may be a 2-wire or 4-wire circuit and will come standard with a test point, Order Coordination, and a DLR.

2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, Order Coordination, and a DLR.

2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, Order Coordination, and a DLR.

2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path, which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.

2.3.10 OC3 Loop/OC12 Loop/OC48 Loop. OC3/OC-12/OC-48 Loops are optical two-point transmission paths that are dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 - 155.52 Mbps; OC12 - 622.08 Mbps; and OC-48 - 2488 Mbps.

2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 **Unbundled Copper Loops (UCL)**

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions - Short and Long.

2.4.2.2 A short UCL-D (18,000 feet or less) is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 ohms of resistance.

2.4.2.3 The long UCL-D (beyond 18,000 feet) is provisioned as a dry copper twisted pair longer than 18,000 feet and may have up to 12,000 feet of bridged tap and up to 2800 ohms of resistance.

2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point and comes standard with a DLR. OC is required on UCLs where a reuse of existing facilities has been requested by Southeastern Services, Inc..

2.4.2.5 These loops are not intended to support any particular services and may be utilized by Southeastern Services, Inc. to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.

2.4.2.6 BellSouth will make available the following UCL-Ds:

2.4.2.6.1 2-Wire UCL-D/short

2.4.2.6.2 2-Wire UCL-D/long

2.4.2.6.3 4-Wire UCL-D/short

2.4.2.6.4 4-Wire UCL-D/long

2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines

("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, Southeastern Services, Inc. can request Loop Make Up for which additional charges would apply.

2.4.3.3 At an additional charge, BellSouth also will make available Loop Testing so that Southeastern Services, Inc. may request further testing on the UCL-ND.

2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by Southeastern Services, Inc. to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.

2.4.3.5 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.

2.4.3.6 Southeastern Services, Inc. may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 **Unbundled Loop Modifications (Line Conditioning)**

2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.

2.5.2 BellSouth shall condition Loops, as requested by Southeastern Services, Inc., whether or not BellSouth offers advanced services to the End User on that Loop.

2.5.3 In some instances, Southeastern Services, Inc. will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that Southeastern Services, Inc. can use the loop for a

variety of services by attaching appropriate terminal equipment at the ends. Southeastern Services, Inc. will determine the type of service that will be provided over the loop. BellSouth's Unbundled Loop Modifications (ULM) process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.

2.5.4 In those cases where Southeastern Services, Inc. has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.) the resulting modified Loop will be ordered and maintained as a UCL.

2.5.5 The Unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18,000 feet; 2) removal of devices on 2-wire or 4-wire Loops longer than 18,000 feet; and 3) removal of bridged-taps on loops of any length.

2.5.6 Southeastern Services, Inc. shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Southeastern Services, Inc. desires BellSouth to condition.

2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**

2.6.1 Where Southeastern Services, Inc. has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the end user and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Southeastern Services, Inc.. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to Southeastern Services, Inc. (e.g. hairpinning).

2.6.2 BellSouth will select one of the following arrangements:

1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. Southeastern Services, Inc. will then have the option of paying the one-time SC rates to place the loop.

2.7 **Network Interface Device (NID)**

2.7.1 The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.1.1 BellSouth shall permit Southeastern Services, Inc. to connect Southeastern Services, Inc.'s Loop facilities the end-user's customer-premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.2 **Access to NID**

2.7.2.1 Southeastern Services, Inc. may access the end user's customer-premises wiring by any of the following means and Southeastern Services, Inc. shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.2.1.1 1) BellSouth shall allow Southeastern Services, Inc. to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

2.7.2.1.2 2) Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.2.1.3 3) Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

2.7.2.1.4 4) Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.2.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility

of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Southeastern Services, Inc.'s responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

2.7.2.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.

2.7.2.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

2.7.2.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Southeastern Services, Inc. to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

2.7.3 Technical Requirements

2.7.3.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

2.7.3.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to Southeastern Services, Inc.'s NID.

2.7.3.3 Existing BellSouth NIDS will be provided in "as is" condition. Southeastern Services, Inc. may request BellSouth do additional work to the NID on a time and material basis. When Southeastern Services, Inc. deploys its own local loops with respect to multiple-line termination devices, Southeastern Services, Inc. shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit , BellSouth shall offer access to its Unbundled Sub Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a

remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2 Wire or 4 Wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation, at the end user's premises and may have load coils.

2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.

2.8.2.4 If Southeastern Services, Inc. requests a UCSL and it is not available, Southeastern Services, Inc. may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.5 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property which is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation, at the end user's premises.

2.8.2.6 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for Southeastern Services, Inc.'s use on this cross-connect panel. Southeastern Services, Inc. will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

2.8.2.7 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, Southeastern Services, Inc. shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Southeastern Services, Inc.'s cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

2.8.2.8 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by Southeastern Services, Inc. is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Southeastern Services, Inc.'s request, then BellSouth will perform the site set-up as described in Section 2.8.2.9. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in Section 2.8.2.9) to accommodate Southeastern Services, Inc.'s request for Unbundled Sub-Loops, Southeastern Services, Inc. may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. Southeastern Services, Inc. will have the option to proceed under the SC process to modify the BellSouth facil s.

2.8.2.9 The site set-up must be completed efore Southeastern Services, Inc. order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in e field, BellSouth will perform the necessary work to splice Southeastern Services, Inc.'s cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.

2.8.2.10 Once the site set-up is complete, Southeastern Services, Inc. will request sub-loop pairs through submission of a Local Service Request (LSR) form to the Local Carrier Service Center (LCSC). Order Coordination is required with USL pair provisioning when Southeastern Services, Inc. requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by Southeastern Services, Inc. for sub-loop pairs, expedite charges will apply for intervals less than 5 days.

2.8.2.11 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 **Unbundled Network Terminating Wire (UNTW)**

2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop which, in multi-subscriber configurations, represents the point at which the network branches out to serve individual subscribers.

2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where BellSouth owns wiring all the way to the end-users premises. BellSouth will not provide element in those locations where the property owner provides its own wir the end-user's premises, where a third

party owns the wiring to the end-user's premises or where the property owner will not allow BellSouth to place its facilities to the end user.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premises, upon request of the other Party ("Requesting Party"), the Party owning the network terminating wire will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.

2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

2.8.3.3.3 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

2.8.3.3.4 Access Terminal installation intervals will be established on an individual case basis.

2.8.3.3.5 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.

2.8.3.3.6 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the

Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

2.8.3.3.7 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

2.8.3.3.8 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a non-recurring charge equal to the actual cost of provisioning the Access Terminal.

2.8.3.3.9 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:

2.8.3.3.9.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.

2.8.3.3.9.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end-user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.

2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).

2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).

2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2W or 4W communications pathway from the BellSouth central office to the BellSouth cross-

box. This element will allow for the connection of Southeastern Services, Inc.'s loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

2.8.4.5.1 Southeastern Services, Inc. will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a panel inside the BellSouth cross-box to the requested level of feeder element. In those cases when there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, BellSouth will utilize its Special Construction process to determine the costs to provide the sub-loop feeder element to Southeastern Services, Inc.. Southeastern Services, Inc. will then have the option of paying the special construction charges or canceling the order.

2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a Design Layout Record (DLR) for this element.

2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.

2.8.5 **Unbundled Loop Concentration (ULC)**

2.8.5.1 BellSouth will provide to Southeastern Services, Inc. Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

2.8.5.2 ULC will be offered in two system options. System A will allow up to 96 BellSouth loops to be concentrated onto two or more DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and will connect to Southeastern Services, Inc. at Southeastern Services, Inc.'s collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to Southeastern Services, Inc.'s collocation space. ULC service is offered with concentration (2 DS1s for 96 channels) or without concentration (4 DS1s for 96 channels) and with or without protection. A Loop Interface element will be required for each loop that is terminated onto the ULC system.

2.8.6 **Unbundled Sub-Loop Concentration (USLC)**

2.8.6.1 Where facilities permit, Southeastern Services, Inc. may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.

2.8.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of Southeastern Services, Inc.'s sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of Southeastern Services, Inc.'s sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to Southeastern Services, Inc.'s demarcation point associated with Southeastern Services, Inc.'s collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.

2.8.6.3 Southeastern Services, Inc. is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and shall allow Southeastern Services, Inc.'s sub-loops to be placed on the USLC and transported to Southeastern Services, Inc.'s collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Southeastern Services, Inc. to utilize Dark Fiber Loops.

2.8.7.2 A Dark Fiber Loop is a point to point arrangement from an end user's premises connected via a cross connect to the demarcation point associated with Southeastern Services, Inc.'s collocation space in the end user's serving wire center.

2.8.7.3 Dark Fiber Loop rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

2.8.7.4 Requirements

2.8.7.4.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by

all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

2.8.7.4.2 If the requested Dark Fiber Loop has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Southeastern Services, Inc.'s request subject to time and materials charges.

2.8.7.4.3 Southeastern Services, Inc. is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

2.8.7.4.4 BellSouth shall use its commercially reasonable efforts to provide to Southeastern Services, Inc. information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry ("SI") from Southeastern Services, Inc..

2.8.7.4.5 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to Southeastern Services, Inc. within twenty (20) business days after Southeastern Services, Inc. submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Southeastern Services, Inc. to connect or splice Southeastern Services, Inc. provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.8.7.4.6 Southeastern Services, Inc. may splice at the end points and test Dark Fiber Loop obtained from BellSouth using Southeastern Services, Inc. or Southeastern Services, Inc. designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber Loop. For fiber in underground conduit, BellSouth shall provide a minimum of 25 feet of excess cable to allow the uncoiled fiber to reach from the manhole to a splicing van.

2.9 Loop Makeup (LMU)

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to Southeastern Services, Inc. (LMU) information so that Southeastern Services, Inc. can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Southeastern Services, Inc. intends to install and the services Southeastern Services, Inc. wishes to provide. This section addresses LMU as a *preordering* transaction, distinct from Southeastern Services, Inc. ordering any other service(s). Loop Makeup *Service Inquiries (LMUSI) for preordering loop makeup* are

likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.

2.9.1.2 BellSouth will provide Southeastern Services, Inc. LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.

2.9.1.3 BellSouth's LMU information is provided to Southeastern Services, Inc. as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

2.9.1.4 Southeastern Services, Inc. may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop. The determination shall be made solely by Southeastern Services, Inc. and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Southeastern Services, Inc.'s ability to provide advanced data services over the ordered loop type. Further, if Southeastern Services, Inc. orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Southeastern Services, Inc. is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 Southeastern Services, Inc. may obtain LMU information by submitting a LMU Service Inquiry (LMUSI) mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if Southeastern Services, Inc. needs further loop information in order to determine loop service capability, Southeastern Services, Inc. may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG)/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not

subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

2.9.3.1 For a Mechanized LMUSI, Southeastern Services, Inc. may reserve up to ten Loop facilities. For a Manual LMUSI, Southeastern Services, Inc. may reserve up to three Loop facilities.

2.9.3.2 Southeastern Services, Inc. may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to Southeastern Services, Inc.. During and prior to Southeastern Services, Inc. placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Southeastern Services, Inc. does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.

2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Southeastern Services, Inc. will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, Southeastern Services, Inc. does not reserve facilities upon an initial LMUSI, Southeastern Services, Inc.'s placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.

2.9.4.2 Where Southeastern Services, Inc. has reserved multiple Loop facilities on a single reservation, Southeastern Services, Inc. may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Southeastern Services, Inc., subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Southeastern Services, Inc.. If the ordered Loop type is not available, Southeastern Services, Inc. may utilize the Unbundled Loop Modification process or the Special Construction process, as applicable, to obtain the Loop type ordered.

3. High Frequency Spectrum Network Element

3.1 General

3.1.1 BellSouth shall provide Southeastern Services, Inc. access to the high frequency portion of the local loop as an unbundled network element only where BellSouth is

the voice service provider to the end user ("High Frequency Spectrum") at the rates set forth in this Attachment.

3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Southeastern Services, Inc. the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, *American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems*. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Southeastern Services, Inc. shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

3.1.3 Access to the High Frequency Spectrum requires an unconditioned, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. BellSouth will provide Loop conditioning to Southeastern Services, Inc. in accordance with the Unbundled Loop Modification process set forth in Section 2.5 of this Attachment. BellSouth is not required to condition a Loop for access to the High Frequency spectrum if conditioning of that Loop significantly degrades BellSouth's voice service. If Southeastern Services, Inc. requests that BellSouth condition a Loop longer than 18,000 ft. and such conditioning significantly degrades the voice services on the Loop, Southeastern Services, Inc. shall pay for the Loop to be restored to its original state.

3.2 **Provisioning of High Frequency Spectrum and Splitter Space**

3.2.1 BellSouth will provide Southeastern Services, Inc. with access to the High Frequency Spectrum as follows:

3.2.1.1 To order High Frequency Spectrum on a particular Loop, Southeastern Services, Inc. must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end-user of such Loop. Southeastern Services, Inc. may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within forty-two (42) calendar days of Southeastern Services, Inc.'s submission of such order to the BellSouth Complex Resale Support Group; provided, however, that in the event BellSouth did not have reasonable notice that a particular central office was to have a splitter installed therein, the forty-two (42) day interval shall not apply. Collocation itself or an application for collocation will serve as reasonable notice.

3.2.1.2 Once a splitter is installed on behalf of Southeastern Services, Inc. in a central office in which Southeastern Services, Inc. is located, Southeastern Services, Inc. shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and Southeastern Services, Inc. shall pay the electronic or manual ordering charges as applicable when Southeastern Services, Inc. orders High Frequency Spectrum for end-user service.

3.2.1.3 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Southeastern Services, Inc. access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to Southeastern Services, Inc.'s xDSL equipment in Southeastern Services, Inc.'s collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide Southeastern Services, Inc. with a carrier notification letter, informing Southeastern Services, Inc. of change. Southeastern Services, Inc. shall purchase ports on the splitter in increments of 24 ports.

3.2.1.4 BellSouth will install the splitter in (i) a common area close to Southeastern Services, Inc.'s collocation area, if possible; or (ii) in a BellSouth relay rack as close to Southeastern Services, Inc.'s DS0 termination point as possible. Southeastern Services, Inc. shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for Southeastern Services, Inc. on the toll main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified Southeastern Services, Inc. DS0 at such time that a Southeastern Services, Inc. end user's service is established.

3.2.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and Southeastern Services, Inc. desires to continue providing xDSL service on such Loop, Southeastern Services, Inc. shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially practicable, BellSouth shall give Southeastern Services, Inc. notice in a reasonable time prior to disconnect, which notice shall give Southeastern Services, Inc. an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and Southeastern Services, Inc. purchases the full stand-alone Loop, Southeastern Services, Inc. may elect the type of loop it will purchase. Southeastern Services, Inc. will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event Southeastern Services, Inc. purchases a voice grade Loop, Southeastern Services, Inc. acknowledges that such Loop may not remain xDSL compatible.

3.2.1.6 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

3.2.2 **Ordering**

3.2.2.1 BellSouth will provide Southeastern Services, Inc. the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.

3.2.2.2 BellSouth will return a manual Firm Order Confirmation ("FOC") in no more than two (2) business days after receipt of a valid, error free manual LSR. When Southeastern Services, Inc. submits an electronic LSR for High Frequency Spectrum, BellSouth will return a FOC in four (4) hours ninety-five percent (95%) of the time, or, for orders that do not flow-through, in two (2) business days. BellSouth will provide Southeastern Services, Inc. with access to the High Frequency Spectrum at the following target intervals:

3.2.2.2.1 For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

3.2.2.2.2 BellSouth will provide to Southeastern Services, Inc. BellSouth's Loop Qualification System that BellSouth uses to qualify loops for its own ADSL offering.

3.2.2.2.3 BellSouth will provide Southeastern Services, Inc. access to Preordering Loop Makeup (LMU), in accordance with the terms of this Agreement. BellSouth shall bill and Southeastern Services, Inc. shall pay the rates for such services, as described in Exhibit B.

3.2.2.2.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for Southeastern Services, Inc.'s data.

3.2.3 **Maintenance and Repair**

3.2.3.1 Southeastern Services, Inc. shall have access for repair and maintenance purposes, to any loop for which it has access to the High Frequency Spectrum. Southeastern Services, Inc. may access the loop at the point where the combined voice and data signal exits the central office splitter.

3.2.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer's premises and the Termination Point. Southeastern Services, Inc. will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

3.2.3.3 Southeastern Services, Inc. shall inform its end users to direct data problems to Southeastern Services, Inc., unless both voice and data services are impaired, in which event the end users should call BellSouth.

3.2.3.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.

3.2.3.5 In the event Southeastern Services, Inc.'s deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Southeastern Services, Inc. and allow twenty-four (24) hours to cure the trouble. If Southeastern Services, Inc. fails to resolve the trouble, BellSouth may discontinue Southeastern Services, Inc.'s access to the High Frequency Spectrum on such loop.

3.2.4 **Line Splitting.**

3.2.4.1 BellSouth will work cooperatively with CLECs to develop rates, methods and procedures to operationalize a process whereby two CLECs, one being a provider of voice services (a "Voice CLEC") and the other being a provider of data services (a "Data CLEC") may provide services over the same loop. The loop and port over which the services are provided cannot be a loop and port combination (i.e., UNE-P), but must be individual, stand alone network elements. The Voice CLEC or the Data CLEC shall be responsible for connecting the loop and port to a CLEC-owned splitter. BellSouth shall not own or maintain the splitter used for this purpose. When such rates, methods and procedures have been developed and operationalized, then at the request of Southeastern Services, Inc., the Parties shall amend this Agreement to incorporate the same.

4. Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to Southeastern Services, Inc. for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Southeastern Services, Inc. for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 **Local Circuit Switching Capability, including Tandem Switching Capability**

4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side

cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch. which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Southeastern Services, Inc. when Southeastern Services, Inc. serves an end-user with four (4) or more voice-grade (DS-0) equivalents or lines served by BellSouth in one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

4.2.3 In the event that Southeastern Services, Inc. orders local circuit switching for an end user with four (4) or more 2-wire voice-grade loops from a BellSouth central office in an MSA listed above, BellSouth shall charge Southeastern Services, Inc. the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities.

4.2.4 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.

4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Southeastern Services, Inc.'s end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

4.2.6 Provided that Southeastern Services, Inc. purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its PIC, then the Parties will consider as local any calls originated by an Southeastern Services, Inc. local end user, or originated by a BellSouth local end user and terminated to an Southeastern Services, Inc. local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a party other than BellSouth). For

such calls, BellSouth will charge Southeastern Services, Inc. the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Southeastern Services, Inc. shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.7 BellSouth shall assess Southeastern Services, Inc. retroactive charges for UNE transport and switching associated with using the BellSouth LPIC if Southeastern Services, Inc. has been able to previously select BellSouth as the end user LPIC prior to the option allowing the selection of a BellSouth provided LATA-wide local calling area being offered.

4.2.8 Where Southeastern Services, Inc. purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from an Southeastern Services, Inc. end user and terminate within the basic local calling area or within the extended local calling areas and that are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs. For such local calls, BellSouth will charge Southeastern Services, Inc. the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Southeastern Services, Inc. shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Southeastern Services, Inc. the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges, as appropriate.

4.2.10 Reverse billed toll calls, such as intraLATA 800 calls, calling card calls and third party billed calls, where BellSouth is the carrier shall also be considered as local calls and Southeastern Services, Inc. shall not bill BellSouth originating or terminating switched access for such calls.

4.2.11 **Unbundled Port Features**

4.2.11.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.

4.2.11.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.2.11.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

4.2.11.4 BellSouth will provide to Southeastern Services, Inc. selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by Southeastern Services, Inc. will be made pursuant to the BFR/NBR Process as set forth in General Terms and Conditions.

4.2.12 **Provision for Local Switching**

4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to Southeastern Services, Inc. all AIN triggers in connection with its SMS/SCE offering.

4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Southeastern Services, Inc..

4.2.13 **Local Switching Interfaces.**

4.2.13.1 Southeastern Services, Inc. shall order ports and associated interfaces compatible with the services it wishes to provide, as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:

4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

4.2.13.1.2 Coin phone signaling;

4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;

4.2.13.1.4 Two-wire analog interface to PBX;

4.2.13.1.5 Four-wire analog interface to PBX;

4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and

4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 Technical Requirements

4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:

4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Southeastern Services, Inc. and BellSouth;

4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;

4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and

4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Southeastern Services, Inc..

4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

4.3.2.4 Tandem Switching shall process originating toll-free traffic received from Southeastern Services, Inc.'s local switch.

4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.

4.3.3 Upon Southeastern Services, Inc.'s purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Southeastern Services, Inc.'s traffic overflowing from direct end office high usage trunk groups.

4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**

4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Southeastern Services, Inc.. AIN Selective Carrier Routing will provide Southeastern Services, Inc. with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

4.4.2 Southeastern Services, Inc. shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.

4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.

4.4.4 Where AIN Selective Carrier Routing is utilized by Southeastern Services, Inc., the routing of Southeastern Services, Inc.'s end user calls shall be pursuant to information provided by Southeastern Services, Inc. and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed' basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.

4.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Southeastern Services, Inc. shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring

charge shall be as set forth in Exhibit B of this Attachment. For each Southeastern Services, Inc. end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B of this Attachment. Southeastern Services, Inc. shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B of this Attachment.

4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to Southeastern Services, Inc.'s fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Southeastern Services, Inc., BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

4.4.7 The non-recurring End Office Establishment Charge will be billed to Southeastern Services, Inc. following BellSouth's normal monthly billing cycle for this type of order.

4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to Southeastern Services, Inc. following BellSouth's normal monthly billing cycle for this type of order.

4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to Southeastern Services, Inc. following the normal billing cycle for per query charges.

4.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed per contracted rates.

4.5 **Packet Switching Capability**

4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.

4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:

4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

4.5.2.2 There are no spare copper loops capable of supporting the xDSL services Southeastern Services, Inc. seeks to offer;

4.5.2.3 BellSouth has not permitted Southeastern Services, Inc. to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has Southeastern Services, Inc. obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and

4.5.2.4 BellSouth has deployed packet switching capability for its own use.

4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

4.6 **Interoffice Transmission Facilities**

4.6.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Southeastern Services, Inc. for the provision of a telecommunications service.

5. Unbundled Network Element Combinations

5.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs); 2) Other Non-Switched Combinations; 3) UNE Loop/Special Access Combinations; and 4) UNE Loop/Port Combinations.

5.2 For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

5.3 **Enhanced Extended Links (EELs)**

5.3.1 Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 5.3.2 below.

5.3.2 Subject to Section 5.3.3 below, BellSouth will provide access to the EEL in the combinations set forth in Section 5.3.4 following. Southeastern Services, Inc. shall provide to BellSouth a letter certifying that Southeastern Services, Inc. is providing a significant amount of local exchange service (as described in Sections 5.3.5.2, 5.3.5.3, 5.3.5.4, or 5.3.5.5) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Southeastern Services, Inc.'s POP serving wire center. The circuit must be connected to Southeastern Services, Inc.'s switch for the purpose of provisioning telephone exchange service to Southeastern Services, Inc.'s end-user customers. The EEL will be connected to Southeastern Services, Inc.'s facilities in Southeastern Services, Inc.'s collocation space at the POP SWC, or Southeastern Services, Inc. may purchase BellSouth's access facilities between Southeastern Services, Inc.'s POP and Southeastern Services, Inc.'s collocation space at the POP SWC.

5.3.3 BellSouth shall provide EEL combinations to Southeastern Services, Inc. in Georgia and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Southeastern Services, Inc. those EEL combinations described in Section 5.3.4 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available new EEL combinations to Southeastern Services, Inc. in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs. Except as stated above, EELs will be provided to Southeastern Services, Inc. only to the extent such network elements are Currently Combined.

5.3.4 **EEL Combinations**

5.3.4.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

5.3.4.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

5.3.4.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop

5.3.4.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop

5.3.4.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop

5.3.4.6 DS1 Interoffice Channel + DS1 Local Loop

5.3.4.7 DS3 Interoffice Channel + DS3 Local Loop

5.3.4.8 STS-1 Interoffice Channel + STS-1 Local Loop

5.3.4.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.3.4.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

5.3.4.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop

5.3.4.12 4wire VG Interoffice Channel + 4-wire VG Local Loop

5.3.4.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop

5.3.4.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

5.3.5 **Special Access Service Conversions**

5.3.5.1 Southeastern Services, Inc. may not convert special access services to combinations of loop and transport network elements, whether or not Southeastern Services, Inc. self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Southeastern Services, Inc. uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Southeastern Services, Inc. requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Southeastern Services, Inc. shall provide to BellSouth a letter certifying that Southeastern Services, Inc. is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option Southeastern Services, Inc. seeks to qualify for conversion of special access circuits. Southeastern Services, Inc. shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

5.3.5.2 Southeastern Services, Inc. certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Southeastern Services, Inc.'s collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, Southeastern Services, Inc. is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Southeastern Services, Inc. can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

5.3.5.3 Southeastern Services, Inc. certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes

multiplexing, each of the individual DS1 circuits must meet these criteria. The loop-transport combination must terminate at Southeastern Services, Inc.'s collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

5.3.5.4 Southeastern Services, Inc. certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet these criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Southeastern Services, Inc. does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

5.3.5.5 In addition, there may be extraordinary circumstances where Southeastern Services, Inc. is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 5.3.5. In such case, Southeastern Services, Inc. may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Southeastern Services, Inc.'s request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.

5.3.5.6 BellSouth may at its sole discretion audit Southeastern Services, Inc. records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Southeastern Services, Inc. shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Southeastern Services, Inc. shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Southeastern Services, Inc. is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Southeastern Services, Inc..

5.3.5.7 Southeastern Services, Inc. may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

5.3.6 **Rates**

5.3.6.1 Georgia and Tennessee

5.3.6.1.1 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 5.3.4, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.

5.3.6.1.2 For combinations of loop and transport network elements not set forth in Section 5.3.4, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.

5.3.6.1.3 To the extent that Southeastern Services, Inc. seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Southeastern Services, Inc., at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.

5.3.6.2 All Other States

5.3.6.2.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 5.3.4 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit B of this Attachment.

5.3.7 **Multiplexing**

5.3.7.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

5.4 **Other Non-Switched Combinations**

5.4.1 In the states of Georgia and Tennessee, BellSouth shall make available to Southeastern Services, Inc., in accordance with Section 5.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Southeastern Services, Inc., in accordance

with Section 5.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.

5.4.2 Rates

5.4.2.1 Georgia and Tennessee

5.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit B of this Attachment.

5.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination.

5.4.2.1.3 To the extent that Southeastern Services, Inc. seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Southeastern Services, Inc., at its option, can request that such rates be determined pursuant to the BFR/NBR process set forth in this Agreement.

5.4.2.2 All Other States

5.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit B of this Attachment.

5.5 **UNE Loop/Special Access Combinations**

5.5.1 BellSouth shall make available to Southeastern Services, Inc. a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent Southeastern Services, Inc. will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 5.3.5.

5.5.2 Rates

5.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit B and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.

5.6 **UNE Port/Loop Combinations**

5.6.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

5.6.2 BellSouth shall make available Currently Combined and not Currently Combined UNE port/loop combinations.

5.6.2.1 Except as set forth in section 5.6.3 below, the rates at which BellSouth shall provide Currently Combined UNE port/loop combinations and not Currently Combined UNE port/loop combinations in the states of Georgia and Tennessee shall be the cost-based rates in Exhibit C.

5.6.2.2 The rates at which BellSouth shall provide not Currently Combined UNE port/loop combinations in Alabama, Florida, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina shall be the market rates in Exhibit C.

5.6.3 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

5.6.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to Southeastern Services, Inc. if Southeastern Services, Inc.'s customer has 4 or more DS0 equivalent lines.

5.6.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit C.

5.6.4 Combination Offerings

5.6.4.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.4 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.4.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6 Transport, Channelization and Dark Fiber

6.6 **Transport**

6.6.3 Interoffice transmission facility network elements include:

6.6.3.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Southeastern Services, Inc..

6.6.3.2 Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;

6.6.3.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring,

such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

6.6.4 BellSouth shall:

6.6.4.1 Provide Southeastern Services, Inc. exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

6.6.4.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;

6.6.4.3 Permit, to the extent technically feasible, Southeastern Services, Inc. to connect such interoffice facilities to equipment designated by Southeastern Services, Inc., including but not limited to, Southeastern Services, Inc.'s collocated facilities; and

6.6.4.4 Permit, to the extent technically feasible, Southeastern Services, Inc. to obtain the functionality provided by BellSouth's digital cross-connect systems.

6.6.5 Technical Requirements of Common (Shared) Transport

6.6.5.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the applicable industry standards.

6.6.5.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.

6.6.5.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

6.6.5.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.7 **Dedicated Transport**

6.7.3 Dedicated Transport is composed of the following Unbundled Network Elements:

6.7.3.1 Unbundled Local Channel, defined as the dedicated transmission path between Southeastern Services, Inc.'s Point of Presence("POP") and Southeastern

Services, Inc.'s collocation space in the BellSouth Serving Wire Center for Southeastern Services, Inc.'s POP, and

6.7.3.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.

6.7.3.3 BellSouth shall offer Dedicated Transport in each of the following ways:

6.7.3.3.1 As capacity on a shared UNE facility.

6.7.3.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Southeastern Services, Inc..

6.7.3.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as, line terminating equipment, amplifiers, and regenerators.

6.7.4 Technical Requirements

6.7.4.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Southeastern Services, Inc. designated traffic.

6.7.4.2 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the applicable industry standards.

6.7.4.3 For DS3 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards.

6.7.4.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.7.4.4.1 DS0 Equivalent;

6.7.4.4.2 DS1;

6.7.4.4.3 DS3; and

6.7.4.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.7.4.5 BellSouth shall design Dedicated Transport according to its network infrastructure. Southeastern Services, Inc. shall specify the termination points for Dedicated Transport.

6.7.4.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.7.4.7 BellSouth Technical References:

6.7.4.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.7.4.7.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.7.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 **Unbundled Channelization (Multiplexing)**

6.8.3 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Southeastern Services, Inc. may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.

6.8.4 BellSouth shall make available the following channelization systems:

6.8.4.1 DS3 Channelization System: channelizes a DS3 signal into 28 DS1s/STS-1s.

6.8.4.2 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.

6.8.5 BellSouth shall make available the following

6.8.5.1 Central Office Channel Interfaces (COCI):

6.8.5.2 DS1 COCI, which can be activated on a DS3 Channelization System.

6.8.5.3 Voice Grade and Digital Data COCI, which can be activated on a DS1 Channelization System.

6.8.5.4 Data COCI, which can be activated on a DS1 Channelization System.

6.8.5.5 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.

6.8.6 Technical Requirements

6.8.6.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, Southeastern Services, Inc.'s channelization equipment must adhere strictly to form and protocol standards. Southeastern Services, Inc. must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.8.6.2 DS0 to DS1 Channelization

6.8.6.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

6.8.6.3 DS1 to DS3 Channelization

6.8.6.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

6.8.6.4 DS1 to STS Channelization

6.8.6.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) – Payload Mappings.

6.9 **Dark Fiber Transport**

6.9.3 Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics that connects two points within BellSouth's network. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Southeastern Services, Inc. to utilize Dark Fiber Transport.

6.9.4 Dark Fiber Transport rates are differentiated between Local Channel, Interoffice Channel and Local Loop.

6.9.5 Requirements

6.9.5.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use

pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.

6.9.5.2 If the requested Dark Fiber Transport has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Southeastern Services, Inc.'s request subject to time and materials charges.

6.9.5.3 Southeastern Services, Inc. is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.

6.9.5.4 BellSouth shall use its best efforts to provide to Southeastern Services, Inc. information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from Southeastern Services, Inc.. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.9.5.5 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to Southeastern Services, Inc. within twenty (20) business days after Southeastern Services, Inc. submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Southeastern Services, Inc. to connect or splice Southeastern Services, Inc. provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

6.9.5.6 Southeastern Services, Inc. may splice at the end points and test Dark Fiber Transport obtained from BellSouth using Southeastern Services, Inc. or Southeastern Services, Inc. designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber Transport. For fiber in underground conduit, BellSouth shall provide a minimum of 25 feet of excess cable to allow the uncoiled fiber to reach from the manhole to a splicing van.

7 BellSouth Switched Access ("SWA") 8XX Toll Free Dialing Ten Digit Screening Service

7.6 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database ("8XX SCP Database") is a Signaling control Point ("SCP") that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point ("SSP") or tandem. The

BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service ("8XX TFD Service") utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Southeastern Services, Inc.'s option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Southeastern Services, Inc..

7.7 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8 Line Information Database (LIDB)

8.6 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Southeastern Services, Inc. must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

8.7 Technical Requirements

8.7.3 BellSouth will offer to Southeastern Services, Inc. any additional capabilities that are developed for LIDB during the life of this Agreement.

8.7.4 BellSouth shall process Southeastern Services, Inc.'s Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Southeastern Services, Inc. what additional functions (if any) are performed by LIDB in the BellSouth network.

8.7.5 Within two (2) weeks after a request by Southeastern Services, Inc., BellSouth shall provide Southeastern Services, Inc. with a list of the customer data items, which Southeastern Services, Inc. would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

8.7.6 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.

8.7.7 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

8.7.8 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

8.7.9 All additions, updates and deletions of Southeastern Services, Inc. data to the LIDB shall be solely at the direction of Southeastern Services, Inc.. Such direction from Southeastern Services, Inc. will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

8.7.10 BellSouth shall provide priority updates to LIDB for Southeastern Services, Inc. data upon Southeastern Services, Inc.'s request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

8.7.11 BellSouth shall provide LIDB systems such that no more than 0.01% of Southeastern Services, Inc. customer records will be missing from LIDB, as measured by Southeastern Services, Inc. audits. BellSouth will audit Southeastern Services, Inc. records in LIDB against DBAS to identify record mismatches and provide this data to a designated Southeastern Services, Inc. contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Southeastern Services, Inc. within one business day of audit. Once reconciled records are received back from Southeastern Services, Inc., BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Southeastern Services, Inc. to negotiate a time frame for the updates, not to exceed three business days.

8.7.12 BellSouth shall perform backup and recovery of all of Southeastern Services, Inc.'s data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.

8.7.13 BellSouth shall provide Southeastern Services, Inc. with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Southeastern Services, Inc. and BellSouth.

8.7.14 BellSouth shall prevent any access to or use of Southeastern Services, Inc. data in LIDB by BellSouth personnel that are outside of established administrative and

fraud control personnel, or by any other Party that is not authorized by Southeastern Services, Inc. in writing.

8.7.15 BellSouth shall provide Southeastern Services, Inc. performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Southeastern Services, Inc. at least at parity with BellSouth Customer Data. BellSouth shall obtain from Southeastern Services, Inc. the screening information associated with LIDB Data Screening of Southeastern Services, Inc. data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Southeastern Services, Inc. under the BFR/NBR process as set forth in Attachment 12.

8.7.16 BellSouth shall accept queries to LIDB associated with Southeastern Services, Inc. customer records, and shall return responses in accordance with industry standards.

8.7.17 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

8.7.18 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

8.8 Interface Requirements

8.8.3 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

8.8.4 The interface to LIDB shall be in accordance with the technical references contained within.

8.8.5 The CCS interface to LIDB shall be the standard interface described herein.

8.8.6 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

9 Signaling

9.6 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.7 **Signaling Link Transport**

9.7.3 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between Southeastern Services, Inc.-designated Signaling Points of Interconnection that provide appropriate physical diversity.

9.7.4 Technical Requirements

9.7.5 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

9.7.5.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

9.7.5.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

9.7.6 Signaling Link Transport shall consist of two or more signaling link layers as follows:

9.7.6.1 An A-link layer shall consist of two links.

9.7.6.2 A B-link layer shall consist of four links.

9.7.6.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

9.7.6.4 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and

9.7.6.5 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

9.7.7 Interface Requirements

9.7.7.1 There shall be a DS1 (1.544 Mbps) interface at Southeastern Services, Inc.'s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

9.8 **Signaling Transfer Points (STPs)**

9.8.3 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and

between switching elements, database elements and signaling transfer point switches.

9.8.4 Technical Requirements

9.8.4.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.

9.8.4.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

9.8.4.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Southeastern Services, Inc. local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Southeastern Services, Inc. local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

9.8.4.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia ANSI Interconnection Requirements. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Southeastern Services, Inc. or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Southeastern Services, Inc. database, then Southeastern Services, Inc. agrees to provide BellSouth with the Destination Point Code for Southeastern Services, Inc. database.

9.8.4.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's

network, MTP Routing Verification Test (MRVT); and SCCP Routing Verification Test (SRVT).

9.8.4.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Southeastern Services, Inc. or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.9 **SS7 Advanced Intelligent Network (AIN) Access**

9.9.3 When technically feasible and upon request by Southeastern Services, Inc., SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Southeastern Services, Inc.'s SS7 network to exchange TCAP queries and responses with a Southeastern Services, Inc. SCP.

9.9.4 SS7 AIN Access shall provide Southeastern Services, Inc. SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Southeastern Services, Inc. SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Southeastern Services, Inc. SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

9.9.5 Interface Requirements

9.9.5.1 BellSouth shall provide the following STP options to connect Southeastern Services, Inc. or Southeastern Services, Inc.-designated local switching systems to the BellSouth SS7 network:

9.9.5.1.1 An A-link interface from Southeastern Services, Inc. local switching systems; and,

9.9.5.1.2 A B-link interface from Southeastern Services, Inc. local STPs.

9.9.5.2 Each type of interface shall be provided by one or more layers of signaling links.

9.9.5.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

9.9.5.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

9.9.5.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

9.9.6 Message Screening

9.9.6.1 BellSouth shall set message screening parameters so as to accept valid messages from Southeastern Services, Inc. local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Southeastern Services, Inc. switching system has a valid signaling relationship.

9.9.6.2 BellSouth shall set message screening parameters so as to pass valid messages from Southeastern Services, Inc. local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Southeastern Services, Inc. switching system has a valid signaling relationship.

9.9.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Southeastern Services, Inc. from any signaling point or network interconnected through BellSouth's SS7 network where the Southeastern Services, Inc. SCP has a valid signaling relationship.

9.10 **Service Control Points/Databases**

9.10.3 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

9.10.4 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

9.10.5 Technical Requirements for SCPs/Databases

9.10.5.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

9.10.5.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

9.10.5.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.11 **Local Number Portability Database**

9.11.3 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.12 **SS7 Network Interconnection**

9.12.3 SS7 Network Interconnection is the interconnection of Southeastern Services, Inc. local signaling transfer point switches or Southeastern Services, Inc. local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Southeastern Services, Inc. local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

9.12.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Southeastern Services, Inc. or other third-party switching systems with A-link access to the BellSouth SS7 network.

9.12.5 If traffic is routed based on dialed or translated digits between a Southeastern Services, Inc. local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Southeastern Services, Inc. local signaling transfer point switches and BellSouth or other third-party local switch.

9.12.6 SS7 Network Interconnection shall provide:

9.12.6.1 Signaling Data Link functions, as specified in ANSI T1.111.2;

9.12.6.2 Signaling Link functions, as specified in ANSI T1.111.3; and

9.12.6.3 Signaling Network Management functions, as specified in ANSI T1.111.4.

9.12.7 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. This includes Global Title Translation (GTT) and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Southeastern Services, Inc. local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Southeastern Services, Inc. local STPs, and shall not include SCCP Subsystem Management of the destination.

9.12.8 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part, as specified in ANSI T1.113.

9.12.9 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.

9.12.10 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.

9.12.11 Interface Requirements

9.12.11.1 The following SS7 Network Interconnection interface options are available to connect Southeastern Services, Inc. or Southeastern Services, Inc.-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:

9.12.11.1.1 A-link interface from Southeastern Services, Inc. local or tandem switching systems; and

9.12.11.1.2 B-link interface from Southeastern Services, Inc. STPs.

9.12.11.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

9.12.11.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

9.12.11.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

9.12.11.5 BellSouth shall set message screening parameters to accept messages from Southeastern Services, Inc. local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Southeastern Services, Inc. switching system has a valid signaling relationship.

10 Operator Service and Directory Assistance

10.6 Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.

10.7 Upon request for BellSouth Operator Services, BellSouth shall:

10.7.3 Process 0+ and 0- dialed local calls.

10.7.4 Process 0+ and 0- intraLATA toll calls.

10.7.5 Process calls that are billed to Southeastern Services, Inc. end user's calling card that can be validated by BellSouth.

10.7.6 Process person-to-person calls.

10.7.7 Process collect calls.

10.7.8 Provide the capability for callers to bill to a third party and shall also process such calls.

10.7.9 Process station-to-station calls.

10.7.10 Process Busy Line Verify and Emergency Line Interrupt requests.

10.7.11 Process emergency call trace originated by Public Safety Answering Points.

10.7.12 Process operator-assisted directory assistance calls.

10.7.13 Adhere to equal access requirements, providing Southeastern Services, Inc. local end users the same IXC access as provided to BellSouth end users.

10.7.14 Exercise at least the same level of fraud control in providing Operator Service to Southeastern Services, Inc. that BellSouth provides for its own operator service.

10.7.15 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.

10.7.16 Direct customer account and other similar inquiries to the customer service center designated by Southeastern Services, Inc..

10.7.17 Provide call records to Southeastern Services, Inc. in accordance with ODUF standards specified in Attachment 7.

10.7.18 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

10.8 **Directory Assistance Service**

10.8.3 Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.

10.8.4 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Southeastern Services, Inc.'s end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

10.8.5 Directory Assistance Service Updates

10.8.5.1 BellSouth shall update end user listings changes daily. These changes include:

10.8.5.1.1 New end user connections

10.8.5.1.2 End user disconnections

10.8.5.1.3 End user address changes

10.8.5.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.9 **Branding for Operator Call Processing and Directory Assistance**

10.9.3 BellSouth's branding feature provides a definable announcement to Southeastern Services, Inc. end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows Southeastern Services, Inc. to have its calls custom branded with Southeastern Services, Inc.'s name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for the branding features are set forth in this Attachment.

10.9.4 BellSouth offers three (3) service levels of branding to Southeastern Services, Inc. when ordering BellSouth's Directory Assistance and Operator Call Processing.

10.9.4.1 Service Level 1 - BellSouth Branding

10.9.4.2 Service Level 2 - Unbranding

10.9.4.3 Service Level 3 - Custom Branding

10.9.5 Where Southeastern Services, Inc. resells BellSouth's services or purchases unbundled local switching from BellSouth, and utilizes a directory assistance provider and operator services provider other than BellSouth, BellSouth will route Southeastern Services, Inc.'s end user calls to that provider through Selective Carrier Routing.

10.9.6 **For Resellers and Use with an Unbundled Port**

10.9.6.1 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for Southeastern Services, Inc. to have its OS/DA calls routed to BellSouth's OS/DA platform for BellSouth provided Custom Branded or Unbranded OS/DA or to its own or an alternate OS/DA platform for Self-Branded OS/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.

10.9.6.2 Custom Branding for Directory Assistance is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

10.9.6.3 Where available, Southeastern Services, Inc. specific and unique line class codes are programmed in each BellSouth end office switch where Southeastern Services, Inc. intends to serve end users with customized OS/DA branding. The line class codes specifically identify Southeastern Services, Inc.'s end users so OS/DA calls can be routed over the appropriate trunk group to the requested OS/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Southeastern Services, Inc. intends to provide Southeastern Services, Inc. -branded OS/DA to its end users in these multiple rate areas.

10.9.6.4 BellSouth Branding is the Default Service Level.

10.9.6.5 SCR-LCC supporting Custom Branding and Self Branding require Southeastern Services, Inc. to order dedicated trunking from each BellSouth end office identified by Southeastern Services, Inc., either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the Southeastern Services, Inc. Operator Service Provider for Self Branding. Separate trunk groups are

required for Operator Services and for Directory Assistance. Rates for trunks are set forth in applicable BellSouth tariffs.

10.9.6.6 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Southeastern Services, Inc. to the BellSouth TOPS. These calls are routed to "No Announcement."

10.9.6.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OS/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OS/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

10.9.6.8 In addition to the branding methods described in this Section, Unbranding and Custom Branding are also available for Directory Assistance, Operator Call Processing or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, Southeastern Services, Inc. shall not be required to purchase dedicated trunking.

10.9.6.9 For BellSouth to provide Unbranding or Custom Branding via OLNS software for Operator Call Processing or for Directory Assistance, Southeastern Services, Inc. must have its Operating Company Number ("OCN(s)") and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, Southeastern Services, Inc. must submit a manual order form which requires, among other things, Southeastern Services, Inc.'s OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. Southeastern Services, Inc. shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Southeastern Services, Inc.'s purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Southeastern Services, Inc. end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

10.9.6.10 Rates for Unbranding and Custom Branding via OLNS software for Directory Assistance and for Operator Call Processing are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill Southeastern Services, Inc. applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, Southeastern Services, Inc. shall continue

to pay BellSouth applicable labor and other charges for the use of BellSouth's Directory Assistance and Operator Call Processing platforms as set forth in this Attachment. Further, where Southeastern Services, Inc. is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.9.7 **For Facilities Based Carriers**

10.9.7.1 All Service Levels require Southeastern Services, Inc. to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

10.9.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which Southeastern Services, Inc. requires service.

10.9.7.3 Directory Assistance customized branding uses:

10.9.7.3.1 the recording of Southeastern Services, Inc.;

10.9.7.3.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

10.9.7.4 Operator Call Processing customized branding uses:

10.9.7.4.1 the recording of Southeastern Services, Inc.;

10.9.7.4.2 the front-end loading of the DRAM in the TOPS Switch;

10.9.7.4.3 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

10.10 **Directory Assistance Database Service (DADS)**

10.10.3 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to Southeastern Services, Inc. end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). Southeastern Services, Inc. agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, Southeastern

Services, Inc. agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.

10.10.4 BellSouth shall initially provide Southeastern Services, Inc. with a Base File of subscriber listings which reflect all listing change activity occurring since Southeastern Services, Inc.'s most recent update via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30- 45 days after receiving an order from Southeastern Services, Inc. to prepare the Base File.

10.10.5 BellSouth will provide updates at least weekly reflecting all listing change activity occurring since Southeastern Services, Inc.'s previous update. Delivery of updates will commence immediately after Southeastern Services, Inc. receives the Base File. Updates will be provided via magnetic tape unless BellSouth and Southeastern Services, Inc. mutually develop CONNECT: Direct ™ electronic connectivity. Southeastern Services, Inc. will pay all costs associated with CONNECT: Direct ™ connectivity, which will vary depending upon volume and mileage.

10.10.6 Southeastern Services, Inc. authorizes the inclusion of Southeastern Services, Inc. Directory Assistance listings in the BellSouth Directory Assistance products, including but not limited to DADS. Any other use is not authorized.

10.11 **Direct Access to Directory Assistance Service**

10.11.3 Direct Access to Directory Assistance Service (DADAS) will provide Southeastern Services, Inc.'s directory assistance operators with the ability to search all available BellSouth subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Southeastern Services, Inc. to utilize its own switch, operator workstations and optional audio subsystems.

10.11.4 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11 Automatic Location Identification/Data Management System (ALI/DMS)

11.6 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point ("PSAP") to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

11.7 Technical Requirements

11.7.3 BellSouth shall provide Southeastern Services, Inc. a data link to the ALI/DMS database or permit Southeastern Services, Inc. to provide its own data link to the

ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Southeastern Services, Inc. after Southeastern Services, Inc. inputs end user information into the ALI/DMS database. Alternately, Southeastern Services, Inc. may request that BellSouth enter Southeastern Services, Inc.'s end user information into the database, and validate end user information.

11.7.4 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Southeastern Services, Inc. requests otherwise and shall be updated if Southeastern Services, Inc. requests, provided Southeastern Services, Inc. supplies BellSouth with the updates.

11.7.5 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.

11.7.6 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

11.8 Interface Requirements

11.8.3 The interface between the E911 Switch or Tandem and the ALI/DMS database for Southeastern Services, Inc. end users shall meet industry standards.

12 Calling Name (CNAM) Database Service

12.6 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Southeastern Services, Inc. the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

12.7 Southeastern Services, Inc. shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing, no less than 60 days prior to Southeastern Services, Inc.'s access to BellSouth's CNAM Database Services and shall be addressed to Southeastern Services, Inc.'s Account Manager.

12.8 BellSouth's provis of CNAM Database Services to neastern Services, Inc. requires interconn n from Southeastern ervices, BellSouth CNAM Service Control Po s (SCPs). Such interconnection ll be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.

12.9 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Southeastern Services, Inc. shall provide its own CNAM SSP. Southeastern Services, Inc.'s CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

12.10 If Southeastern Services, Inc. elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Southeastern Services, Inc. desires to query.

12.11 If Southeastern Services, Inc. queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.

12.12 The mechanism to be used by Southeastern Services, Inc. for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by Southeastern Services, Inc. in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Southeastern Services, Inc. to provide accurate information to BellSouth on a current basis.

12.13 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

12.14 Southeastern Services, Inc. CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

13.6 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Southeastern Services, Inc. the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.

13.7 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Southeastern Services, Inc.. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.

13.8 BellSouth SCP shall partition and protect Southeastern Services, Inc. service logic and data from unauthorized access.

13.9 When Southeastern Services, Inc. selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Southeastern Services, Inc. to use BellSouth's SCE/SMS AIN Access to create and administer applications.

13.9.3 Southeastern Services, Inc. access will be provided via remote data connection (e.g., dial-in, ISDN).

13.9.4 BellSouth shall allow Southeastern Services, Inc. to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Basic 911 and E911

14.6 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.

14.7 Basic 911 Service Provisioning. BellSouth will provide to Southeastern Services, Inc. a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Southeastern Services, Inc. will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Southeastern Services, Inc. will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Southeastern Services, Inc. will be required to begin using E911 procedures.

14.8 E911 Service Provisioning. Southeastern Services, Inc. shall install a minimum of two dedicated trunks originating from the Southeastern Services, Inc. serving wire

center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Southeastern Services, Inc. will be required to provide BellSouth daily updates to the E911 database. Southeastern Services, Inc. will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Southeastern Services, Inc. will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Southeastern Services, Inc. shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

14.9 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Southeastern Services, Inc. beyond applicable charges for BellSouth trunking arrangements.

14.10 Basic 911 and E911 functions provided to Southeastern Services, Inc. shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

14.11 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Southeastern Services, Inc. to follow in providing 911/E911 services.

15 Operational Support Systems (OSS)

15.6 BellSouth has developed and made available the following electronic interfaces by which Southeastern Services, Inc. may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interchange
TAG	Telecommunications Access Gateway

15.7 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Rate Exhibit B of this Attachment 2.

15.8 Denial/Restoral OSS Charge

15.8.3 In the event Southeastern Services, Inc. provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

15.9 Cancellation OSS Charge

15.9.3 Southeastern Services, Inc. will incur an OSS charge for an accepted LSR that is later canceled.

15.9.4 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

15.9.5 Network Elements and Other Services Manual Additive

15.9.5.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

A. Billing number - a number that Southeastern Services, Inc. creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number that identifies a telephone line administered by Southeastern Services, Inc..

C. Special billing number - a ten-digit number that identifies a billing account established by Southeastern Services, Inc..

D. Calling Card number - a billing number plus PIN number.

E. PIN number - a four-digit security code assigned by Southeastern Services, Inc. that is added to a billing number to compose a fourteen-digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Southeastern Services, Inc..

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Southeastern Services, Inc..

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Southeastern Services, Inc. and pursuant to which BellSouth, its LIDB customers and Southeastern Services, Inc. shall have access to such information. In addition, this Agreement sets forth the terms and conditions for Southeastern Services, Inc.'s provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. Southeastern Services, Inc. understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Southeastern Services, Inc., pursuant to this

Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to Southeastern Services, Inc.'s account team to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection/Resale Agreement shall govern this LIDB Storage Agreement.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

   BellSouth is authorized to use the billing number information to determine whether Southeastern Services, Inc. has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

   BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

   BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Southeastern Services, Inc. of fraud alerts so that Southeastern Services, Inc. may take action it deems appropriate.

II. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by Southeastern Services, Inc. pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Southeastern Services, Inc. for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate

Southeastern Services, Inc.'s data from BellSouth's data, the following terms and conditions shall apply:

1. Southeastern Services, Inc. will accept responsibility for telecommunications services billed by BellSouth for its B&C Customers for Southeastern Services, Inc.'s End User accounts which are resident in LIDB pursuant to this Agreement. Southeastern Services, Inc. authorizes BellSouth to place such charges on Southeastern Services, Inc.'s bill from BellSouth and shall pay all such charges including, but not limited to, collect and third number calls.

2. Charges for such services shall appear on a separate BellSouth bill page identified with the name of the B&C Customers for which BellSouth is billing the charge.

3. Southeastern Services, Inc. shall have the responsibility to render a billing statement to its End Users for these charges, but Southeastern Services, Inc. shall pay BellSouth for the charges billed regardless of whether Southeastern Services, Inc. collects from Southeastern Services, Inc.'s End Users.

4. BellSouth shall have no obligation to become involved in any disputes between Southeastern Services, Inc. and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to Southeastern Services, Inc.. It shall be the responsibility of Southeastern Services, Inc. and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. Southeastern Services, Inc. will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.

2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Southeastern Services, Inc.. BellSouth will not issue line-based calling cards in the name of Southeastern Services, Inc.'s individual End Users. In the event that Southeastern Services, Inc. wants to include calling card numbers assigned by Southeastern Services, Inc. in the BellSouth LIDB, a separate agreement is required.

V. Fees for Service and Taxes

A. Southeastern Services, Inc. will not be charged a fee for storage services provided by BellSouth to Southeastern Services, Inc., as described in this LIDB Facilities Based Storage Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Southeastern Services, Inc. in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring									
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED EXCHANGE ACCESS LOOP																	
		2-WIRE ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15 24	59 00	43 14	15 21	3 22			27 37	12 97	17 77	17 77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	24 75	59 00	43 14	15 21	3 22			27 37	12 97	17 77	17 77
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44 85	59 00	43 14	15 21	3 22			23 97	12 97	17 77	17 77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSA, UEPSB	UEALS	15 24	59 00	43 14	15 21	3 22			27 37	12 97	17 77	17 77
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSA, UEPSB	UEALS	24 75	59 00	43 14	15 21	3 22			27 37	12 97	17 77	17 77
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSA, UEPSB	UEALS	44 85	59 00	43 14	15 21	3 22			23 97	12 97	17 77	17 77
		Engineering Information Document (EI)			UEANL			28 75	28 75								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		51 29	51 29								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45 99	45 99								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17 95	145 46	108 4	40 31	26 01			27 37	12 97	17 77	17 77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	29 18	145 46	108 4	40 31	26 01			27 37	12 97	17 77	17 77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52 84	145 46	108 4	40 31	26 01			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 99									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17 95	145 46	108 4	40 31	26 01			27 37	12 97	17 77	17 77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	29 18	145 46	108 4	40 31	26 01			27 37	12 97	17 77	17 77
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	52 84	145 46	108 4	40 31	26 01			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 99									
		4-WIRE ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24 01	293 7	241 76	108 96	57 01			27 37	12 97	17 77	17 77
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39	293 7	241 76	108 96	57 01			27 37	12 97	17 77	17 77
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70 87	293 7	241 76	108 96	57 01			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 99									
		2-WIRE ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23 23	331 85	265 87	108 95	57 01			27 37	12 97	17 77	17 77
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37 74	331 85	265 87	108 95	57 01			27 37	12 97	17 77	17 77
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	66 38	331 85	265 87	108 95	57 01			27 37	12 97	17 77	17 77
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 99									
		2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	16 64	104 17	78 1	108 95	57 01			18 94	8 42	17 77	17 77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	19 45	104 17	78 1	108 95	57 01			18 94	8 42	17 77	17 77
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	30 82	104 17	78 1	108 95	57 01			18 94	8 42	17 77	17 77
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	12 09	514 21	464 58	106 65	56 98			27 37	12 97	17 77	17 77
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	19 64	514 21	464 58	106 65	56 98			27 37	12 97	17 77	17 77
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	35 59	514 21	464 58	106 65	56 98			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 99									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	12 09	204 88	129 08	100 52	15 82			27 37	12 97	17 77	17 77
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	19 64	204 88	129 08	100 52	15 82			27 37	12 97	17 77	17 77
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	35 59	204 88	129 08	100 52	15 82			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 99									
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9 41	514 21	464 58	106 65	56 98			27 37	12 97	17 77	17 77

		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	15 29	514 21	464 58	106 65	56 98			27 37	12 97	17 77	17 77
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	27 7	514 21	464 58	106 65	56 98			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9 41	222 2	146 4	100 52	15 82			27 37	12 97	17 77	17 77
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	15 29	222 2	146 4	100 52	15 82			27 37	12 97	17 77	17 77
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	27 7	222 2	146 4	100 52	15 82			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99									
		4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	11 52	541 13	491 5	106 65	56 98			27 37	12 97	17 77	17 77
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18 71	541 13	491 5	106 65	56 98			27 37	12 97	17 77	17 77
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	33 9	541 13	491 5	106 65	56 98			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	11 52	279 39	203 59	109 99	20 7			27 37	12 97	17 77	17 77
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	18 71	279 39	203 59	109 99	20 7			27 37	12 97	17 77	17 77
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	33 9	279 39	203 59	109 99	20 7			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99									
		4-WIRE DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51 74	610 13	380 26	134 77	55 97			27 37	12 97	17 77	17 77
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84 06	610 13	380 26	134 77	55 97			27 37	12 97	17 77	17 77
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152 29	610 13	380 26	134 77	55 97			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		49 19									
		4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	27 33	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	44 4	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	80 45	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27 33	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	44 4	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	80 45	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 99									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27 33	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44 4	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	80 45	498 05	343 7	129 62	64 25			27 37	12 97	17 77	17 77
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 99									
		2-WIRE Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11 9	283 37	163 68	120 15	22 37			18 94	8 42		
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 74	283 37	163 68	120 15	22 37			18 94	8 42		
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	21 83	283 37	163 68	120 15	22 37			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29								
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11 9	104 17	78 1					18 94	8 42		
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13 74	104 17	78 1					18 94	8 42		
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	21 83	104 17	78 1					18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29								
		2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35 43	270 28	150 59	120 15	22 37			18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	40 91	270 28	150 59	120 15	22 37			18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65 02	270 28	150 59	120 15	22 37			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	35 43	104 17	78 1					18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	40 91	104 17	78 1					18 94	8 42		
		2 Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	65 02	104 17	78 1					18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51 29								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			27 37	12 97		
		2 Wire Unbundled Copper Loop - Non-Designed Zone 2	1	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06			27 37	12 97		

		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 66	7 06			27 37	12 97	
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		51 29	51 29							
		Engineering Information Document			UEQ			28 75	28 75							
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92							
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33							
	4-WIRE COPPER LOOP															
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	18 66	331 78	212 09	130 69	27 6			27 37	8 42	
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19 22	331 78	212 09	130 69	27 6			18 94	8 42	
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30 55	331 78	212 09	130 69	27 6			18 94	8 42	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46							
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	18 66	104 17	78 1					18 94	8 42	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19 22	104 17	78 1					18 94	8 42	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30 55	104 17	78 1					18 94	8 42	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46							
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	47 56	318 7	199	130 69	27 6			18 94	8 42	
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	54 92	318 7	199	130 69	27 6			18 94	8 42	
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87 3	318 7	199	130 69	27 6			18 94	8 42	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46							
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	I	1	UCL	UCL4Q	47 56	104 17	78 1					18 94	8 42	
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2	I	2	UCL	UCL4Q	54 92	104 17	78 1					18 94	8 42	
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3	I	3	UCL	UCL4Q	87 3	104 17	78 1					18 94	8 42	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46							
LOOP MODIFICATION																
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	I		UAL, UHL, UCL, UEQ, ULS	ULM2L		67 39	67 39							
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	I		UCL, ULS	ULM2Q		337 5	337 5							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	I		UHL, UCL	ULM4L		67 39	67 39							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	I		UCL	ULM4Q		337 5	337 5							
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, UEF, ULS	ULM9T		78 1	78 1							
SUB-LOOPS																
	Sub-Loop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		421 08	421 08					18 94	8 42	
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		67 1	67 1					18 94	8 42	
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		394 74	394 74					18 94	8 42	
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		164 67	164 67					18 94	8 42	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	9 12	207 01	171 32					18 94	8 42	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBNH	8 32	219 35	72 99	123 72	28 77			18 94	8 42	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99							
		Sub-Loop 2-Wire Inbuilding Network Cable (INC)	I		UEANL	USBR2	1 61	137 03	41 59	115 85	19 17			18 94	8 42	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99							
		Sub-Loop 4-Wire Inbuilding Network Cable (INC)	I		UEANL	USBR4	2 96	176 48	55 11	122 17	19 57			18 94	8 42	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45 99							
		2 Wire Copper Unbundled Sub-Loop Distribution - Statewide		sw	UEF	UCS2X	6 64	176 10	55 6	106 66	24 53			18 94	8 42	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 99	45 99							
		4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		sw	UEF	UC84X	8 89	219 35	72 99	123 72	28 77			18 94	8 42	
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 99	45 99							
	Sub-Loop Feeder															
		USL Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set up			UEA, UDN,UCL,UDL,UDC	USBFW		421 08								
		USL Feeder - DS0 Set-up per Cross Box location per 25 pair set up			UEA, UDN,UCL,UDL,UDC	USBFX		67 1	67 1							
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519 95	11 32							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFA	8 58	206 44	170 05	119 95	27 04			18 94	8 42	
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 99								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFB	8 58	206 44	170 05	119 95	27 04			18 94	8 42	
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 99								

		Unbundled Sub-Loop Feeder Loop 2 Wire Reverse Battery Voice Grade Loop Statewide	sw	UEA	USUFC	8 58	206 44	170 05	119 95	27 04			18 94	8 42			
		Order Coordination For Specified Conversion Time, per LSR		UEA	OCOSL		45 99										
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade Statewide	sw	UEA	USBFD	19 91	243 41	81 32	134 77	33 93			18 94	8 42			
		Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 99										
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade Statewide	sw	UEA	USBFE	19 91	243 41	81 32	134 77	33 93			18 94	8 42			
		Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 99										
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Statewide	sw	UDN	USBFF	17 73	208 5	62 31	119 68	29 58			19 99	19 99	19 99	19 99	
		Order Coordination For Specified Conversion Time, Per LSR		UDN	OCOSL		45 99										
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	sw	UDC	USBFS	17 73	208 5	62 31	119 68	29 58			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire DS1 - Statewide	sw	USL	USBFQ	79 3	203 69	128 76	124 09	34 8			19 99	19 99	19 99	19 99	
		Order Coordination For Specified Conversion Time, Per LSR		USL	OCOSL		45 99										
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide	sw	UCL	USBFH	7 22	195 38	63 15	119 68	29 58			18 94	8 42			
		Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		45 99										
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide	sw	UCL	USBFJ	13 72	243 41	81 32	134 77	33 93			18 94	8 42			
		Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		45 99										
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	sw	UDL	USBFN	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide	sw	UDL	USBFQ	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99	
		Order Coordination For Specified Time Conversion, per LSR		UDL	OCOSL		45 99										
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide	sw	UDL	USBFP	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99	
		Order Coordination For Specified Conversion Time, per LSR		UDL	OCOSL		45 99										
	Unbundled Sub-Loop Modification																
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		355 71	12 26					18 94	8 42			
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		355 71	12 26					18 94	8 42			
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		UEF	ULM4T		660 65	14 3					18 94	8 42			
	Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	1 37	2 48	2 48	1 74	1 74			18 94	8 42			
	Network Interface Device (NID)																
		Network Interface Device (NID) - 1-2 lines		UENTW	UND12		86 46	56 75					18 94	8 42			
		Network Interface Device (NID) - 1-6 lines		UENTW	UND16		127 93	99 21					18 94	8 42			
		Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		11 73	11 73					18 94	8 42			
		Network Interface Device Cross Connect - 4W		UENTW	UNDC4		11 73	11 73					18 94	8 42			
UNBUNDLED LOOP CONCENTRATION																	
		Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	441 42	660 81	660 81					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	478 93	660 81	660 81									
		Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	99 28	271 17	271 17					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 04	128 67	92 14	33 57	9 4			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2	21 07	20 96	10 78	10 71			18 94	8 42			
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	11 89	21 07	20 96	10 78	10 71			18 94	8 42			
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			18 94	8 42			
		Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	34 67	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99	
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																	
UNE OTHER, PROVISIONING ONLY - NO RATE																	
		NID - Dispatch and Service Order for NID Installation		UENTW	UNDBX												
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
		Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ, UENTW	UNECN												
		Unbundled Contact Name, Provisioning Only - no rate		DAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0										
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0	0										
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0	0										
		Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0										
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED L																	
	NOTE 4 month lea																
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	10 16											
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	374 52	903 03	627 87	238 97	167 16			31 31	31 31	3 93	3 93	
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	10 16											

		High Capacity Unbundled Local Loop - STS 1 - Facility Termination per month			ULDLSX	ULDLS1	387 67	903 03	527 87	238 87	167 16			31 31	31 31	3 93	3 93
LOOP MAKE-UP																	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	I		UMK	UMKLW		131 22	131 22								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	I		UMK	UMKLP		136 93	136 93								
		Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)	I		UMK	PSUMK		0 9809855	0 9809855								
LINE SHARING																	
		Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	152 7	221 09	0	254 79	0		0				
		Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	38 18	221 09	0	254 79	0		0				
		Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSDC	12 73	221 09	0	254 79	0		0				
		Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	39 09	20 94	22 15	9 46			27 37	12 97	17 77	17 77
		Line Sharing - per Subsequent Activity per Line Reassignment	I		ULS	ULSDS		34 9	18 18					27 37	12 97		
		Line Sharing-CLEC/ILEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)	I		ULS	ULSDG		57 7		11 39							
UNBUNDLED TRANSPORT																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU					0 00001										
		Common Transport - Facilities Termination Per MOU					0 00045										
	NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per			U1TVX	1L5XX	0 0101										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24 15	81 07	54 82	33 47	13 79			31 31	31 31	3 93	3 93
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat. - Per Mile per month			U1TVX	1L5XX	0 0101										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	24 15	81 07	54 82	33 47	13 79			31 31	31 31	3 93	3 93
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0101										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21 41	81 07	54 82	33 47	13 79			31 31	31 31	3 93	3 93
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0101										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17 28	81 07	54 82	33 47	13 79			31 31	31 31	3 93	3 93
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0101										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 28	81 07	54 82	33 47	13 79			31 31	31 31	3 93	3 93
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 2067										
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	98 76	178 53	163 81	32 7	28 68			31 31	31 31	3 93	3 93
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4 67										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	804 02	557 49	325 51	120 39	116 91			31 31	31 31	3 93	3 93
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4 67										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TF5	801 67	557 49	325 51	120 39	116 91			31 31	31 31	3 93	3 93
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	16 98	386 19	66 33	73 28	6 39			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	16 98	386 19	66 33	73 28	6 39			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	17 08	387 19	67 2	74 22	7 33			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41 82	354 94	307 43	44 38	30 52			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61 05	354 94	307 43	44 38	30 52			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47 29	354 94	307 43	44 38	30 52			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7 91										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	476 04	903 03	527 87	238 87	167 16			31 31	31 31	3 93	3 93
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7 91										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDF5	466 84	903 03	527 87	238 87	167 16			31 31	31 31	3 93	3 93
MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	122 5	182 08	125 14	21 07	19 58			31 31	31 31	3 93	3 93
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4 64kbs)			UDL	1D1DD	1 36	13 15	9 43								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	2 92	13 15	9 43								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 64	13 15	9 43								
		DS3 to DS1 Channel System per month			UXTD3	MQ3	201 37	350 28	187 94	66 51	63 65			31 31	31 31	3 93	3 93
		STS1 to DS1 Channel System per month			UXTS1	MQ3	201 37							31 31	31 31	3 93	3 93

		DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	15 39	13 15	9 43								
DARK FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	68 84										
		NRC Dark Fiber - Local Channel		UDF	UDFC4		1278 17	276 73	634 11	395 32			31 31	31 31	3 93	3 93
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L6DF	26 53										
		NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1278 17	276 73	634 11	395 32			31 31	31 31	3 93	3 93
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	68 84										
		NRC Dark Fiber - Local Loop		UDF	UDFL4		1278 17	276 73	634 11	395 32			31 31	31 31	3 93	3 93
TRANSPORT OTHER																
	Optional Features & Functions:															
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 85	23 81	1 99	0 77			29 23	3 93		
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 85	23 81	1 99	0 77			29 23	3 93		
9XX ACCESS TEN DIGIT SCREENING																
		9XX Access Ten Digit Screening, Per Call		OHD		0 0006										
		9XX Access Ten Digit Screening, Reservation Charge Per 9XX Number Reserved		OHD	NBR1X		7 13	0 97					27 37	27 37	17 75	17 75
		9XX Access Ten Digit Screening, Per 9XX No. Established W/O POTS		OHD			15 88	1 97	10 04	0 97			27 37	27 37	17 75	17 75
		9XX Access Ten Digit Screening, Per 9XX No. Established With POTS		OHD	NBFTX		15 88	1 97	10 04	0 97			27 37	27 37	17 75	17 75
		9XX Access Ten Digit Screening, Customized Area of Service Per 9XX Number		OHD	NBFCX		6 99	2 86					27 37	27 37	17 75	17 75
		9XX Access Ten Digit Screening, Multiple InterLATA C/R Routing Per C/R Requested Per 9XX No.		OHD	NBFMX		6 99	3 81					27 37	27 37	17 75	17 75
		9XX Access Ten Digit Screening, Change Charge Per Request		OHD	NBFAX		9 1	0 97					27 37	27 37	17 75	17 75
		9XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	NBFDX		6 99						27 37	27 37	17 75	17 75
LINE INFORMATION DATA BASE ACCESS (LIDB)																
		LIDB Common Transport Per Query		OQT		0 00004										
		LIDB Validation Per Query		OQU		0 0142										
		LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		64 39						27 37	27 37	17 75	17 75
SIGNALING (CCS7)																
		CCS7 Signaling Termination, Per STP Port		1D9	PTBSX	149 72							25 93	25 93	16 31	16 31
		CCS7 Signaling Usage, Per TCAP Message		1D9		0 0001										
		CCS7 Signaling Connection, Per link (A link)		1D9	TPP++	18 79	171 99	171 99	135 7	135 7			25 93	25 93	16 31	16 31
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		1D9	TPP++	18 79	171 99	171 99	135 7	135 7			25 93	25 93	16 31	16 31
		CCS7 Signaling Usage, Per ISUP Message		1D9		0 00004										
		CCS7 Signaling Usage Surrogate, per link per LATA		1D9	STU56	378 12							25 93	25 93	16 31	16 31
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1D9	CCAPO		40	40					25 93	25 93	16 31	16 31
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Sto Affected		1D9	CCAPD		8	8					25 93	25 93	16 31	16 31
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
		CNAM for DB Owners, Per Query		OQV		0 019										
		CNAM for Non DB Owners, Per Query		OQV		0 01										
		CNAM (Non-Datdbs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595					27 37	27 37	17 75	17 75
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
		Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB				1 2										
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB				1 24										
		Oper. Call Processing - Fully Automated, per Call - Using BST LIDB				0 2										
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2										
INWARD OPERATOR SERVICES																
		Inward Operator Services - Verification, Per Minute				1 15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING																
		Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call				0 275										

DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
UNBRANDING															
DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1				35 52	503 57	442 84	46 28	32 18			61 99	61 99	29 27	29 27
	Directory Transport - DS1 Level Interoffice Per Mile				0 6923										
	Directory Transport - DS1 Level Interoffice Per Facility Termination				79 69	198 15	148 18	25 44	20 42			27 37	27 37	12 97	12 97
	Switched Common Transport Per DA Access Service Per Call				0 0003										
	Switched Common Transport Per DA Access Service Per Call Per Mile				0 00003										
	Access Tandem Switching Per DA Access Service Per Call				0 0023										
	Directory Transport - DA Interconnection Per DA Service Call				0 00269										
	Directory Transport - Installation NRC, Per Trunk or Signaling Connection					260 69	5 95	173 46	5 95			61 99	61 99	29 27	29 27
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				0 04										
	Directory Assistance Data Base Service, per month			DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE															
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690								
SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		230 6	230 6					40 71	9 58		
VIRTUAL COLLOCATION															
	Virtual Collocation - 2-wire Cross Connects (loop)		uaxn/,uax,,udn,udc, ual,uhl,ucl,uag	UEAC2	0 28	30 76	29 4	12 75	11 38			19 99	19 99	19 99	19 99
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPS9	VE1I S	0 28	30 76	29 4	12 75	11 38			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 28	30 76	29 4	12 75	11 38			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)		uax,uhl,ucl,ual	UEAC4	0 56	66 71	50 43	12 82	11 39			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 56	66 71	50 43	12 82	11 39			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	12 1	55 46	39 18	16 83	13 27			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	21 75	66 71	50 43	21 86	16 31			19 99	19 99	19 99	19 99
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7 5	155	14								
AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment	I	SRC	SRCEC		202197 82		17181 39				27 37	27 37	27 37	27 37
	End Office Establishment	I	SRC	SRCEO		339 75	339 75	3 39	3 39			27 37	27 37	27 37	27 37
	Query NRC, per query	I	SRC		0 0031412										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		197 49	197 49	114 22	114 22			27 37	27 37	17 76	17 76
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		64 05	64 05	27 04	27 04			27 37	27 37	17 76	17 76
	AIN SMS Access Service - Port Connection - ISDN Access			CAMIP		64 05	64 05	27 04	27 04			27 37	27 37	17 76	17 76
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		141 84	141 84	70 05	70 05			27 37	27 37	17 76	17 76
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		142 13	142 13	35 26	35 26			27 37	27 37	17 76	17 76
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0026										
	AIN SMS Access Service - Session, Per Minute				0 0892										
	AIN SMS Access Service - Company Performed Session, Per Minute				2 08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		192 69	192 69	114 22	114 22			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8363	8363					27 37	27 37	17 76	17 76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			BAPTT		49 64	49 64	27 04	27 04			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		49 64	49 64	27 04	27 04			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		49 64	49 64	27 04	27 04			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		117 98	117 98	37 9	37 9			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		117 98	117 98	37 9	37 9			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		117 98	117 98	37 9	37 9			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Query Charge, Per Query				0 024										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 008										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 63										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	18	44 56	44 56	31 84	31 84			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 1	47 74	47 74	15 9	15 9			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 9	44 56	44 56	31 84	31 84			27 37	27 37	17 76	17 76
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service			BAPES	0 003	47 74	47 74					27 37	27 37	17 76	17 76
ODUF/EODUF/ADUF/CMDS															
ACCESS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message				0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 001										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message				0 004										

OPTIONAL DAILY USAGE FILE (ODUF)																
	ODUF - Recording, per message					0 0002										
	ODUF - Message Processing, per message					0 0033										
	ODUF - Message Processing, per Magnetic Tape provisioned					55 19										
	ODUF - Data Transmission (CONNECT DIRECT), per message					0 00004										
ENHANCED EXTENDED LINK (EELs)																
NOTE - New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL, Miami, FL, Ft Lauderdale, FLt; Nashville, TN; New Orleans, LA.																
NOTE - Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC - Use all rates below except Switch As Is Charge																
NOTE - In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)																
NOTE - In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge.)																
2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17 95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29 16										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52 84										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per			UNC1X	U1TF1	68 75										
	DS1 Channelization System Per Month			UNC1X	MQ1	122 5										
	Voice Grade COCI - DS1 To DS0 Interface - Per Month			UNCVX	1D1VG	0 84										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17 95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29 16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52 84										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 84										
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70 67										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	68 75										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122 5										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 84										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70 67										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 84										
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27 33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44 4										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80 45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	68 75							31 31	31 31	3 93	3 93
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122 5										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 36										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27 33							31 31	31 31	3 93	3 93
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44 4							31 31	31 31	3 93	3 93
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80 45							31 31	31 31	3 93	3 93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 36										
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge			UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27 33										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44 4										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80 45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2067										

		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	68 75										
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	122 5										
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kps)		UNCDX	1D1DD	1 36	0	0								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 33										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	44 4										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	80 45										
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kps)		UNCDX	1D1DD	1 36										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	51 74										
		4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	84 05										
		4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	152 29										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2087										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	68 76										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51 74										
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84 05										
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152 29										
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	4 67										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	804 02										
		DS3 to DS1 Channel System combination per month		UNC3X	MQ3	201 37										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 39										
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51 74										
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84 05										
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152 29										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 39										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 95										
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	29 16										
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	52 64										
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0101										
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	24 15							31 31	31 31	3 93	3 93
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 01										
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	39										
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	70 67										
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0101										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	21 41										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	10 16										
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	374 52										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	4 67										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	804 02										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	10 16										
		High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	397 67										
		Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	4 67										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	891 57										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	23 23										
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	37 74										
		First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	66 38										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 2087										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	68 75										
		Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	122 5										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	2 92										

		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	23 23										
		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	37 74										
		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	68 38										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination per month		UNCNX	UC1CA	2 92										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51 74										
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84 06										
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152 29										
		Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	4 87										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	801 57										
		STS1 to DS1 Channel System combination per month		UNCSX	MQ3	201 37										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1DI	15 39										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	51 74										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	84 06										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	152 29										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1DI	15 39										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 33										
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	44 4										
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	80 45										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0101										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility		UNCDX	U1TD6	17 28										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 33										
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	44 4										
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	80 45										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0101										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		UNCDX	U1TD6	17 28										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Node (Synchronet)															
		Node per month		UNCDX	UNCNT	15 77										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order. CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge.															
	NOTE (1) Concluded. CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge.															
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/ts/ml/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															

	Exchange Ports - 2 Wire Analog Line Port- Res		UEPSR	UEPRL	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2 Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAR	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2 Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Subsequent Activity		UEPSR	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSR	UEPVF	5 55	0	0					27 37	12 97	17 77	1 44
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID - Bus		UEPSB	UEPBC	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAW	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Subsequent Activity		UEPSB	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSB	UEPVF	5 55	0	0					27 37	12 97	17 77	1 44
EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 2	236 61	37 48	119 79				19 99	19 99	19 99	19 99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	68 67	404 04	191 38	145 19	4 92			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		UEPTX UEPSX	U1PMA	11 19	145 54	105 97	95 57	21 47			19 99	19 99	19 99	19 99
	All Features Offered		UEPTX UEPSX	UEPVF	5 55	0	0								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	99 37	407 62	200 11	158 35	40 11			54 75	54 75	11 53	11 53
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSP	UEPRD	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	0 48
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		UEPSP	UEPA2	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD DOD Terminals Port		UEPSP	UEPXC	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Cassette Port		UEPSP	UEPXE	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1 44
	Subsequent Activity		UEPSP	USASC	0	0	0								
FEATURES															
	All Available Vertical Features		UEPSP UEPSE	UEPVF	5 55	0	0					27 37	12 97	17 77	1 44
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				2 34	21 93	21 93	5 21	5 21			25 93	12 97	16 33	0 48
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU				0 0016										
	End Office Trunk Port - Shared, Per MOU				0 0002										
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU				0 00063										
Common Transport															
	Common Transport - Per Mile, Per MOU				0 00001										
	Common Transport - Facilities Termination Per MOU				0 00045										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations															
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos															
For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															

	2-Wire VG Loop/Port Combo - Zone 1	1			16 55										
	2-Wire VG Loop/Port Combo - Zone 2	2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3	3			44 44										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) Zone 1	1	UEPRX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	2 2								40 71	9 58	
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	2 2								40 71	9 58	
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	2 2								40 71	9 58	
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res		UEPRX	UEPAR	2 2								40 71	9 58	
	2-Wire voice unbundles res. low usage line port with Caller ID BLMV		UEPRX	UEPAP	2 2								40 71	9 58	
FEATURES															
	All Features Offered		UEPRX	UEPVF	5 65	0	0						40 71	9 58	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		2 8	0 41						40 71	9 58	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		2 8	0 41						40 71	9 58	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1 44							8 25		
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 55										
	2-Wire VG Loop/Port Combo - Zone 2	2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3	3			44 44										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	42 24										
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	2 2								40 71	9 58	
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	2 2								40 71	9 58	
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	2 2								40 71	9 58	
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus		UEPBX	UEPAW	2 2								40 71	9 58	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBX	UPEB1	2 2								40 71	9 58	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPBX	UEPVF	5 65	0	0						40 71	9 58	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		2 8	0 41						40 71	9 58	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		2 8	0 41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1 44							8 25		
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2									40 71	9 58	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 55										
	2-Wire VG Loop/Port Combo - Zone 2	2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3	3			44 44										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL 1) Zone 2	2	UEPRG	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	42 24										

2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2 2							40 71	9 58		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 5										
FEATURES															
	All Features Offered		UEPRG	UEPVF	5 55	0	0					40 71	9 58		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is		UEPRG	USAC2		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1 44						8 25			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 84	14 84					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			18 55										
	2-Wire VG Loop/Port Combo - Zone 2	2			25 51										
	2-Wire VG Loop/Port Combo - Zone 3	3			44 44										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	2 2							40 71	9 58		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	2 2							40 71	9 58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPI	2 2							40 71	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port		UEPPX	UEPA2	2 2							40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	2 2							27 37	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	2 2							40 71	9 58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2 2							40 71	9 58		
	2-Wire Voice Unbundled PBX LD 000 Terminals Port		UEPPX	UEPXC	2 2							40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2 2							40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard 900 Capable Port		UEPPX	UEPXE	2 2							40 71	9 58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2 2							40 71	9 58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	2 2							40 71	9 58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	2 2							40 71	9 58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	2 2							40 71	9 58		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 16										
FEATURES															
	All Features Offered		UEPPX	UEPVF	5 55	0	0					40 71	9 58		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is		UEPPX	USAC2		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		2 8	0 41					40 71	9 58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					1 44						8 25			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 84	14 84					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
	2 Wire VG Coin Port/Loop Combo - Zone 1				16 88										
	2-Wire VG Coin Port/Loop Combo - Zone 2				25 84										
	2-Wire VG Coin Port/Loop Combo - Zone 3				44 77										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	42 24										

2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)		UEPCO	UEPRE	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	2 53							40 71	9 58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	2 53							40 71	9 58		
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	2 53							40 71	9 58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	2 53							40 71	9 58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	2 53							40 71	9 58		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	2 53							40 71	9 58		
ADDITIONAL UNE COIN PORT/LOOP (NC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	UPECU	1 58	0	0									
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPCO	UEPVF	5 55	0	0					27 37	12 97	17 77	1 44	
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as Is		UEPCO	USAC2		2 8	0 41					40 71	9 58			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		2 8	0 41					40 71	9 58			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0					40 71	9 58			
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			29 59											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			36 58											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			45 06											
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UEC01	20 42							19 99	19 99	19 99	19 99	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UEC01	27 41							19 99	19 99	19 99	19 99	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UEC01	36 89							19 99	19 99	19 99	19 99	
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9 17							19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch as Is		UEPPX	USAC1		14 61	3 73					19 99	19 99	19 99	19 99	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		14 61	3 73					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53 56	53 56					19 99	19 99	19 99	19 99	
Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99	
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99	
	DID Numbers, Non-Consecutive DID Numbers, Per Number		UEPPX	ND5	0	0	0				19 99					
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0	0	0				19 99					
	Reserve DID Numbers		UEPPX	NDV	0	0	0				19 99					
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		36 62											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		44 49											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		55 39											
UNE Loop Rates																
	2 Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	27 2							19 99	19 99	19 99	19 99	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	35 07							19 99	19 99	19 99	19 99	

	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45 97							19 99	19 99	19 99	19 99
UNE Port Rate																		
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9 42							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0	77 01	54 04					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																		
LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0 35	0	0									
B-CHANNEL USER PROFILE ACCESS:																		
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0	0	0									
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0	0	0									
	CSD			UEPPB	UEPPR	U1UCC	0	0	0									
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																		
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0	0	0									
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0	0	0									
	CSD			UEPPB	UEPPR	U1UCF	0	0	0									
USER TERMINAL PROFILE																		
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0	0	0									
VERTICAL FEATURES																		
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	5 65	0	0									
INTEROFFICE CHANNEL MILEAGE																		
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	17 81	107 11	48 27					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0339	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																		
UNE Port/Loop Combination Rates																		
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			198 29											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			274											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			428 41											
UNE Loop Rates																		
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	101 92							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	177 63							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	329 04							19 99	19 99	19 99	19 99
UNE Port Rate																		
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	98 37							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switches-In			UEPPP		USACP	0	238 13	157 11					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																		
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP		PA7IF		0 9891						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PA71Q		23 02	23 02					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nbs Above Std Allowance			UEPPP		PA7ZT		46 05	46 05					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75											
INTERFACE (Provisioning Only)																		
	Voice/Data			UEPPP		PA71V	0	0	0									
	Digital Data			UEPPP		PA71D	0	0	0									
	Inward Data			UEPPP		PA71E	0	0	0									
New or Additional "B" Channel																		
	New or Additional - Voice/Data B Channel			UEPPP		PA78V	0	29 06						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel			UEPPP		PA78F	0	29 06						19 99	19 99	19 99	19 99

	New or Additional Inward Data B Channel		UEPPP	PR7BD	0	29 06						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0	29 06						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0	29 06						19 99	19 99	19 99	19 99
CALL TYPES															
	Inward		UEPPP	PR7C1	0	0	0								
	Outward		UEPPP	PR7C0	0	0	0								
	Two-way		UEPPP	PR7CC	0	0	0								
Interoffice Channel Mileage															
	Fixed Each Including First Mile		UEPPP	1LN1A	80 382	198 15	148 18	25 44				19 99	19 99	19 99	19 99
	Each Airline Fractional Additional Mile		UEPPP	1LN1B	0 992										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		170 58							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		246 3							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		397 71							19 99	19 99	19 99	19 99
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	101 92							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC					23 41			19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	329 04							19 99	19 99	19 99	19 99
UNE Port Rate															
	4-Wire [illegible] Trunk Port		UEPDC	UDD1T	66 67							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		258 99	134 03					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		258 99	134 04					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		258 99	134 03					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		28 85	28 85					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		28 85	28 85					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		28 85	28 85					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		28 85	28 85					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		28 85	28 85					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS - Superframe Format		UEPDC	CCOSF		0	600					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
	AMI - Superframe Format		UEPDC	MCOSF		0	0								
	AMI - Extended Superframe Format		UEPDC	MCOFO		0	0								
Telephone Number/Trunk Group Establishment Charges															
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTQX	0										
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTQY	0						19 99				
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTQZ	0						19 99				
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0	0					19 99				
	DID Numbers, Non- consecutive DID Numbers - Per Number		UEPDC	ND5	0						19 99				
	Reserve Non-Consecutive DID Nos.		UEPDC	ND6	0	0	0				19 99				
	Reserve DID Numbers		UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	70 99	198 15	148 18	25 44	20 42			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 992	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 992	0	0								
	Interoffice Channel Mileage - Fixed rate 26+ miles (Facilities Termination)		UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 26+ miles		UEPDC	1LNOC	0 992	0	0								
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0	0	0							
	Central Office Terminating Point		UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	101 92	0	0								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	177 63	0	0								

	4-Wire DS1 Loop - UNE Zone 3		3	UEPMQ	USLDC	329 04	0	0								
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity - 1 per DS1			UEPMQ	VUM24	115 89	0	0								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMQ	VUM48	231 78	0	0								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMQ	VUM96	463 56	0	0								
	144 DSO Channel Capacity - 1 per 6 DS1s			UEPMQ	VUM14	695 34	0	0								
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMQ	VUM19	880	0	0								
	240 DSO Channel Capacity - 1 per 10 DS1s			UEPMQ	VUM20	1158 9	0	0								
	288 DSO Channel Capacity - 1 per 12 DS1s			UEPMQ	VUM28	1390 68	0	0								
	384 DSO Channel Capacity - 1 per 16 DS1s			UEPMQ	VUM38	1854 24	0	0								
	480 DSO Channel Capacity - 1 per 20 DS1s			UEPMQ	VUM40	2317 8	0	0								
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMQ	VUM67	2781 36	0	0								
	672 DSO Channel Capacity - 1 per 28 DS1s			UEPMQ	VUM67	3244 92	0	0								
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMQ	USAC4	0	300 95	18 72					19 99	19 99	19 99	19 99
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	Now (Not Currently Combined) In Georgia & Tennessee Only															
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMQ	VUMD4	0	718 11	468 04	148 75	17 65			19 99	19 99	19 99	19 99
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMQ	CCOSF	0	0	600					19 99	19 99	19 99	19 99
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMQ	CCOEF	0	0	600					19 99	19 99	19 99	19 99
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMQ	MCOSF	0	0	0								
	Extended Superframe Format			UEPMQ	MCOPO	0	0	0								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 58	0	0	0	0		19 99				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 58	0	0	0	0		19 99				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 58	0	0	0	0		19 99				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	9 2	0	0	0	0		19 99				
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only)			UEPPX	UEPA4	1 58	0	0				19 99				
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only)			UEPPX	UEPA9	1 58	0	0				19 99				
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 64	25 39	13 41	4 19	4 16			19 99	19 99	19 99	19 99
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 64	78 13	18 42	59 24	11 58			19 99	19 99	19 99	19 99
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0										
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0				19 99				
	Non-Consecutive DID Numbers - per number			UEPPX	NDS	0	0	0				19 99				
	Reserve Non-Consecutive DID Numbers			UEPPX	NDS	0	0	0								
	Reserve DID Numbers			UEPPX	NDV	0	0	0								
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 16	0	0								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	5 55	0	0				19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami); GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true up the billing difference															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26 35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56 24										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42 24										
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPPX	UEPRL	14	90	90					40 71	9 58		

	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90					40 71	9 58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90					40 71	9 58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90					40 71	9 58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPRX	UEPVF	0	0	0								
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				28 35										
	2-Wire VG Loop/Port Combo - Zone 2	2				37 31										
	2-Wire VG Loop/Port Combo - Zone 3	3				66 24										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	42 24										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					40 71	9 58		
	2-Wire voice unbundled port with Caller + E494 ID - bus			UEPBX	UEPBC	14	90	90					40 71	9 58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					40 71			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				28 35										
	2-Wire VG Loop/Port Combo - Zone 2	2				37 31										
	2-Wire VG Loop/Port Combo - Zone 3	3				66 24										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRO	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRO	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRO	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRO	UEPRD	14	90	90					40 71	9 58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRO	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				28 35										
	2-Wire VG Loop/Port Combo - Zone 2	2				37 31										
	2-Wire VG Loop/Port Combo - Zone 3	3				66 24										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPPX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPPX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPPX	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																

	Line Side Unbundled Combination 2 Way PBX Trunk Port - Bus		UEPPX	UEPPC	14	90	90					40 71	9 58		
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14	90	90					40 71	9 58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPI	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port		UEPPX	UEPA2	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14	90	90					40 71	9 58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14	90	90					40 71			
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 16										
FEATURES															
NONRECURRING CHARGES - CURRENTLY COMBINED															
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		0	0								
	2-Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
LINE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1				28 35										
	2-Wire VG Coin Port/Loop Combo - Zone 2				37 31										
	2-Wire VG Coin Port/Loop Combo - Zone 3				58 24										
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	42 24										
2-Wire Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	14	90	90					40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)		UEPCO	UEPRE	14	90	90					40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)		UEPCO	UEPRA	14	90	90					40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	14	90	90					40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	14	90	90					40 71	9 58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	14	90	90					40 71	9 58		
	2-Wire Coin Outward with Operator Screening and Blocking, 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	14	90	90					40 71	9 58		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCN	14	90	90					40 71	9 58		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
NONRECURRING CHARGES - CURRENTLY COMBINED															
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Dsc 1st	Incremental Charge - Manual Svc Order vs. Electronic Dsc Add'l
							Nonrecurring			Nonrecurring							
							Rec	First	Add'l	First	Add'l					Disconnect	
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged LINE Zones To view Geographically Deaveraged LINE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/deaggrnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	11 74	44 68	20 57	23 1	5 92		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	18 28	44 68	20 57	23 1	5 92		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	30 75	44 68	20 57	23 1	5 92		10 73			1 65	
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	11 74	44 68	20 57	23 1	5 92		10 73				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	18 28	44 68	20 57	23 1	5 92		10 73				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	30 75	44 68	20 57	23 1	5 92		10 73			1 65	
		Engineering Information Document (EI)			UEANL			28 77	28 77								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		8 12	8 12								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		20 75	20 75								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	13 43	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18 6	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	35 18	122 38	74 35	57 28	10 83		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		20 75									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13 43	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	18 6	122 38	74 35	57 28	10 83		10 73			1 65	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	35 18	122 38	74 35	57 28	10 83		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		20 75									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21 23	151 34	103 82	60 47	14 02		10 73			1 65	
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	29 41	151 34	103 82	60 47	14 02		10 73			1 65	
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	56 63	151 34	103 82	60 47	14 02		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		20 75									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UIL2X	20 44	133 15	85 12	58 1	9 65		10 73			1 65	
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	28 31	133 15	85 12	58 1	9 65		10 73			1 65	
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	53 56	133 15	85 12	58 1	9 65		10 73			1 65	
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		20 75									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	20 44	133 15	85 12	58 1	9 65		10 73			1 65	
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	28 31	133 15	85 12	58 1	9 65		10 73			1 65	
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	53 56	133 15	85 12	58 1	9 65		10 73			1 65	
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11 52	134 8	93 82	67 66	14 09		10 73			1 65	
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	15 96	134 8	93 82	67 66	14 09		10 73			1 65	
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	30 19	134 8	93 82	67 66	14 09		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		20 75									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11 52	112 55	64 12	54 67	8 22		10 73			1 65	
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	15 96	112 55	64 12	54 67	8 22		10 73			1 65	
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	30 19	112 55	64 12	54 67	8 22		10 73			1 65	

		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		20 76									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9 12	143 43	102 25	67 66	14 09		10 73			1 65	
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	12 63	143 43	102 25	67 66	14 09		10 73			1 65	
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	23 9	143 43	102 25	67 66	14 09		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 76									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9 12	121 17	72 75	54 67	8 22		10 73			1 66	
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	12 63	121 17	72 75	54 67	8 22		10 73			1 65	
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	23 9	121 17	72 75	54 67	8 22		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 76									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	14 24	174 28	125 3	89 56	11 37		10 73			1 65	
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	19 72	174 28	125 3	89 56	11 37		10 73			1 65	
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	37 31	174 28	125 3	89 56	11 37		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 76									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	14 24	152 02	104 11	66 57	10 12		10 73			1 65	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	19 72	152 02	104 11	66 57	10 12		10 73			1 65	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	37 31	152 02	104 11	66 57	10 12		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		20 76									
4-WIRE DS1 DIGITAL LOOP																	
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	69 22	282 15	183 51	47 4	10 22		10 73			1 65	
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	86 89	282 15	183 51	47 4	10 22		10 73			1 65	
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	181 39	282 15	183 51	47 4	10 22		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		20 76									
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	24 48	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33 91	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	64 14	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	24 48	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33 91	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	64 14	145 66	98 14	60 47	14 02		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		20 76									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	24 48	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33 91	145 66	98 14	60 47	14 02		10 73			1 65	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	64 14	145 66	98 14	60 47	14 02		10 73			1 65	
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		20 76									
2-WIRE Unbundled COPPER LOOP																	
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11 62	133 88	92 7	67 66	14 09		10 73			1 65	
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	15 96	133 88	92 7	67 66	14 09		10 73			1 65	
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	30 19	133 88	92 7	67 66	14 09		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11 62	111 62	63 19	54 67	8 22		10 73			1 65	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	15 96	111 62	63 19	54 67	8 22		10 73			1 65	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	30 19	111 62	63 19	54 67	8 22		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								

		2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	33 57	133 88	92 7	67 88	14 09		10 73			1 65	
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	46 5	133 88	92 7	67 88	14 09		10 73			1 65	
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	87 96	133 88	92 7	67 88	14 09		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	33 57	111 82	83 19	54 67	8 22		10 73			1 65	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	46 5	111 82	83 19	54 67	8 22		10 73			1 65	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	87 96	111 82	83 19	54 67	8 22		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06		10 73			1 65	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06		10 73			1 65	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06		10 73			1 65	
		Order Coordination for 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		8 12	8 12								
		Engineering Information Document			UEQ			28 77	28 77								
		Loop Testing - Basic 1st Half Hour			UEQ	UFET1		76 92	76 92								
		Loop Testing - Basic Additional Half Hour			UEQ	UFETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16 19	160 36	119 69	69 56	15 99		10 73			1 65	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	22 41	160 36	119 69	69 56	15 99		10 73			1 65	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	42 39	160 36	119 69	69 56	15 99		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16 19	138 1	90 19	58 57	10 12		10 73			1 65	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	22 41	138 1	90 19	58 57	10 12		10 73			1 65	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	42 39	138 1	90 19	58 57	10 12		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	57 86	160 36	119 69	69 56	15 99		10 73			1 65	
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	80 18	160 36	119 69	69 56	15 99		10 73			1 65	
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	151 97	160 36	119 69	69 56	15 99		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	57 86	138 1	90 19	58 57	10 12		10 73			1 65	
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	80 18	138 1	90 19	58 57	10 12		10 73			1 65	
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	151 97	138 1	90 19	58 57	10 12		10 73			1 65	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8 12	8 12								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L	0	0	0	0	0						
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2O		309 32	309 32								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		0	0								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4O		309 32	309 32								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		9 48	9 48								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		467 08	467 08				10 73			1 65	
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		11 27	11 27				10 73			1 65	
		Sub-L [illegible]ding Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		152 58	152 58				10 73			1 65	
		Sub- [illegible]cking Equipment Room - Per 25 Pair Panel Set Up	I		UEANL	USBSD		43 54	43 54				10 73			1 65	
		Sub- [illegible] Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6 9	54 26	19 84	37 03	4 1		10 73			1 65	
		Sub- [illegible]er 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9 56	54 26	19 84	37 03	4 1		10 73			1 65	
		Sub- [illegible] 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16 06	54 26	19 84	37 03	4 1		10 73			1 65	
		Onet [illegible]undled Sub-Loops, per sub-loop pair			UEANL	USBMC		8 12	8 12								
		Sub-L [illegible] 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 35	82 06	27 42	37 98	5 06		10 73			1 65	

		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEA/L	USBIN	10 18	62 05	27 42	37 98	5 05		10 73			1 65
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA/L	USBIN	19 26	62 05	27 42	37 98	5 05		10 73			1 65
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEA/L	USBMC		8 12	8 12							
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEA/L	USBR2	3 33	48 74	12 11	37 03	4 1		10 73			1 65
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEA/L	USBMC		8 12	8 12							
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEA/L	USBR4	6 32	60 41	15 78	37 98	5 05		10 73			1 66
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEA/L	USBMC		8 12	8 12							
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 66	54 26	19 64	37 03	4 1		10 73			1 65
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	7 63	54 26	19 64	37 03	4 1		10 73			1 65
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	14 82	54 26	19 64	37 03	4 1		10 73			1 66
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		23 24	23 24							
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	4 72	62 05	27 42	37 98	5 05		10 73			1 65
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	6 53	62 05	27 42	37 98	5 05		10 73			1 65
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	12 39	62 05	27 42	37 98	5 05		10 73			1 66
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8 12	8 12							
	Sub-Loop Feeder															
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		497 08								
		USL Feeder - DS0 Set up per Cross Box location - per 24 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		11 27	11 27							
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		522 41	11 32							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	7 6	83 62	46 2	45 57	10 19		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFA	10 63	83 62	46 2	45 57	10 19		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFA	19 92	83 62	46 2	45 57	10 19		10 73			1 65
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		20 75								
		Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	7 6	83 62	46 2	45 57	10 19		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	10 63	83 62	46 2	45 57	10 19		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	19 92	83 62	46 2	45 57	10 19		10 73			1 65
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		20 75								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	7 6	83 62	46 2	45 57	10 19		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	10 63	83 62	46 2	45 57	10 19		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	19 92	83 62	46 2	45 57	10 19		10 73			1 65
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		20 75								
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFD	18 05	99 4	58 12	48 55	11 33		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFD	22 23	99 4	58 12	48 55	11 33		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	42 08	99 4	58 12	48 55	11 33		10 73			1 65
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		20 75								
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	18 05	99 4	58 12	48 55	11 33		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	22 23	99 4	58 12	48 55	11 33		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	42 08	99 4	58 12	48 55	11 33		10 73			1 66
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		20 75								
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	18 18	99 91	60 12	46 95	9 74		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	22 41	99 91	60 12	46 95	9 74		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	42 39	99 91	60 12	46 95	9 74		10 73			1 65
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		20 75								
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)		1	UDC	USBFS	18 18	99 91	60 12	46 95	9 74		10 73			1 65
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)		2	UDC	USBFS	22 41	99 91	60 12	46 95	9 74		10 73			1 65
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)		3	UDC	USBFS	42 39	99 91	60 12	46 95	9 74		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFQ	43 64	120 61	70 34	66 07	10 2		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFQ	60 46	120 61	70 34	66 07	10 2		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFQ	114 39	120 61	70 34	66 07	10 2		10 73			1 66
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		20 75								
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	8 85	79 87	38 08	45 64	8 43		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	9 22	79 87	38 08	45 64	8 43		10 73			1 65
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	17 44	79 87	38 08	45 64	8 43		10 73			1 65
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		20 75								
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	12 76	89 85	51 67	46 59	9 38		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	17 67	89 85	51 67	46 59	9 38		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	33 43	89 85	51 67	46 59	9 38		10 73			1 65
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		20 75								
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	17 52	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	24 28	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	45 92	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	17 52	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	24 28	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	45 92	90 72	52 43	48 55	11 33		10 73			1 65
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		20 75								
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	17 52	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	24 28	90 72	52 43	48 55	11 33		10 73			1 65
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	45 92	90 72	52 43	48 55	11 33		10 73			1 65

		Order Coordination For Specified Conversion Time, per LSR		UDL	OCOSI		20 75						10 73			1 65
	Unbundled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		9 11	9 11					10 73			1 65
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		9 11	9 11					10 73			1 65
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR untaped		UEF	ULMHT		14 05	14 05					10 73			1 65
	Unbundled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 3682	21 85	21 85					10 73			1 65
	Network Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines		UENTW	UND12		63 72	40 94					10 73			1 65
		Network Interface Device (NID) - 1-8 lines		UENTW	UND18		105 99	83 17					10 73			1 65
		Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		7 12	7 12					10 73			1 65
		Network Interface Device Cross Connect - 4W		UENTW	UNDC4		7 12	7 12					10 73			1 65
UNBUNDLED LOOP CONCENTRATION																
		Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	461 96	324 01	324 01					10 73			1 65
		Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	64 91	135	135					10 73			1 65
		Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	600 74	324 01	324 01					10 73			1 66
		Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	82 83	135	135					10 73			1 66
		Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 18	64 65	46 45	10 87	4 35			10 73			1 65
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 22	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 22	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 08	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	12 22	14 98	14 88	9 11	6 07			10 73			19 99
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 29	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	36 63	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - Digital 1/0 2 Kbps Data Loop Interface		UDL	ULCC7	10 8	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	10 8	14 98	14 88	9 11	6 07			10 73			1 65
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC8	10 8	14 98	14 88	9 11	6 07			10 73			1 65
UNBUNDLED SUB-LOO			O)													
LINE OTHER, PROVISIONING ONLY - NO RATE																
		NID - Dispatch and Service Order for NID Installation		UENTW	UNDBX											
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE											
		Unbundled Contract Name, Provisioning Only - No Rate		UEA,UEF,UEQ, UENTW	UNECN											
		Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0	0									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,UAL,UCL,UDL	USBFR	0	0									
		Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE: 4 month minimum billing period															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L6ND	10 06										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	397 1	501 59	309 24	125 43	87 3			10 73			1 65
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L6ND	10 06										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	420 99	501 59	309 24	125 43	87 3			10 73			1 65
LOOP MAKE-UP																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		43 1	43 1								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		45 72	45 72								
		Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 8757	0 8757								
LINE SHARING																
		Line Sharing Splitter, per System 96 Line Capacity		ULS	ULSDA	100	160	0	160	0			0			
		Line Sharing Splitter, per System 24 Line Capacity		ULS	ULSDB	25	160	0	150	0			0			
		Line Sharing Splitter, Per System, 8 Line Capacity		ULS	ULSDC	8 33	160	0	160	0			0			

		Line Sharing - per Line Activation	1		ULS	ULSDC	0 61	40	22				10 73			1 65	
		Line Sharing - per Subsequent Activity per Line Rearrangement	1		ULS	ULSDS		30	15				10 73				
UNBUNDLED TRANSPORT																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU					0 0000039										
		Common Transport - Facilities Termination Per MOU					0 0004579										
	NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0084										
		Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	28 02	42 69	28 66	16 51	6 34		10 73			1 65	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bel. - Per Mile per month			U1TVX	1L5XX	0 0084										
		Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bel. - Facility Termination per month			U1TVX	U1TR2	28 02	42 69	28 66	16 51	6 34		10 73			1 65	
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0084										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	23 2	42 69	28 66	16 51	6 34		10 73			1 65	
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0084										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD6	18 95	42 69	28 66	16 51	6 34		10 73			1 65	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0084										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	18 95	42 69	28 66	16 51	6 34		10 73			1 65	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 171										
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	90 97	95 16	80 76	16 74	14 65		10 73			1 65	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3 57										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1191	302 43	197 7	64 94	63 61		10 73			1 65	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	3 57										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TF8	1085	302 43	197 7	64 94	63 61		10 73			1 65	
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3--one month, DS3 and above--four months																
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1	1		ULCVX	ULDV2	21 04	239 67	42 34	33 93	3 61		10 73			1 65	
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2	2		ULCVX	ULDV2	29 18	239 67	42 34	33 93	3 61		10 73			1 65	
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3	3		UNCVX	ULDV2	66 14	239 67	42 34	33 93	3 61		10 73			1 65	
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bel. Per month - Zone 1	1		ULCVX	ULDR2	21 04	239 67	42 34	33 93	3 61		10 73			1 65	
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bel. Per Month - Zone 2	2		ULCVX	ULDR2	29 18	239 67	42 34	33 93	3 61		10 73			1 65	
		Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bel. Per Month - Zone 3	3		ULCVX	ULDR2	66 14	239 67	42 34	33 93	3 61		10 73			1 65	
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1	1		UNCVX	ULDV4	21 91	240 3	42 87	34 47	4 15		10 73			1 65	
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2	2		UNCVX	ULDV4	30 36	240 3	42 87	34 47	4 15		10 73			1 65	
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3	3		UNCVX	ULDV4	67 4	240 3	42 87	34 47	4 15		10 73			1 65	
		Local Channel - Dedicated - DS1 per month - Zone 1	1		ULDD1	ULDF1	34 49	186 33	186 48	21 9	15 28		10 73			1 65	
		Local Channel - Dedicated - DS1 per month - Zone 2	2		ULDD1	ULDF1	47 78	186 33	186 48	21 9	15 28		10 73			1 65	
		Local Channel - Dedicated - DS1 per month - Zone 3	3		ULDD1	ULDF1	80 38	186 33	186 48	21 9	15 28		10 73			1 65	
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7 83										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	664 83	601 59	309 24	125 43	87 3		10 73			1 65	
		Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7 83										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDF8	663 73	601 59	309 24	125 43	87 3		10 73			1 65	
MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	151 74	91 44	64 57	10	9 46		10 73			1 65	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-Wire)			UDL	1D1DO	2 16	9 06	6 38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	3 76	9 06	6 38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 42	9 06	6 38								
		DS3 to DS1 Channel System per month			UXTD3	MQ3	219 7	179 66	106 66	36 37	35 22		10 73			1 65	
		STS1 to DS1 Channel System per month			UXTS1	MQ3	219 7	179 66	106 66	36 37	35 22		10 73			1 65	
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	14 24	9 06	6 38								
DARK FIBER																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	54 11										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		677 34	174 79	277 72	179 41		10 73			1 65	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	25 14										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		677 34	174 79	277 72	179 41		10 73			1 65	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	54 11										

		NRC Dark Fiber - Local Loop			UDF	UDFL4		877.34	174.79	277.72	179.41		10.73		1.65
TRANSPORT OTHER															
	Optional Features & Functions:														
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184.92	23.82	2.07	0.8		10.73		1.65
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184.92	23.82	2.07	0.8		10.73		1.65
8XX ACCESS TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call			OHD		0.0008185								
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		3.74	0.64				10.73		1.65
		8XX Access Ten Digit Screening, Per 8XX No. Established With POINT			OHD			7.92	1.06	5.2	0.64		10.73		1.65
		8XX Access Ten Digit Screening, Per 8XX No. Established With POINT			OHD	N8FTX		7.92	1.06	5.2	0.64		10.73		1.65
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		3.74	1.87				10.73		1.65
		8XX Access Ten Digit Screening, Multiple InterLATA Call Routing Per CSR Requested Per 8XX No.			OHD	N8FMX		4.37	2.5				10.73		1.66
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.37	0.64				10.73		1.66
		8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		3.74					10.73		1.66
		8XX Access Ten Digit Screening, w/ 8XX No. Gateway, per query			OHD		0.0008185								
		8XX Access Ten Digit Screening, w/ POTS No. Gateway, per query			OHD		0.0008185								
LINE INFORMATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.0000195								
		LIDB Validation Per Query			OQU		0.0130254								
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49.71	49.71	49.71	49.71		10.73		1.65
SIGNALING (CCS7)															
		CCS7 Signaling Termination, Per STP Port			1D9	PTSSX		129.77					10.73		1.65
		CCS7 Signaling Usage, Per TCAP Message			1D9		0.0000592								
		CCS7 Signaling Connection, Per link (A link)			1D9	TPP++		18.38	39.29	39.29	18.51	18.51	10.73		1.65
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			1D9	TPP++		18.38	39.29	39.29	18.51	18.51	10.73		1.65
		CCS7 Signaling Usage, Per ISUP Message			1D9		0.0000148								
		CCS7 Signaling Usage Surcharge, per link per LATA			1D9	STUS6	670.89						10.73		1.65
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			1D9	CCAPO		41.5	41.5				10.73		1.65
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			1D9	CCAPD		0	0				10.73		1.66
E911 SERVICE															
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.04	239.87	42.34	33.93	3.81		10.73		1.65
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					29.15	239.87	42.34	33.93	3.81		10.73		1.65
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					55.14	239.87	42.34	33.93	3.81		10.73		1.65
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0084								
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					28.02	42.09	28.66	16.51	6.34		10.73		1.65
		Local Channel - Dedicated - DS1 - Zone 1					34.49	186.33	186.48	21.9	15.28		10.73		1.65
		Local Channel - Dedicated - DS1 - Zone 2					47.79	186.33	186.48	21.9	15.28		10.73		1.65
		Local Channel - Dedicated - DS1 - Zone 3					80.38	186.33	186.48	21.9	15.28		10.73		1.65
		Interoffice Transport - Dedicated - DS1 Per Mile					0.171								
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					80.87	86.19	88.78	18.74	14.85		10.73		1.65
CALLING NAME (CNAM) SERVICE															
		CNAM for DB Owners, Per Query			OQV		0.0010181								
		CNAM for Non DB Owners, Per Query			OQV		0.0010181								
		CNAM For DB Owners - Service Establishment			OQV			22.85	22.85	17.14	17.14		10.73		1.65
		CNAM For Non DB Owners - Service Establishment			OQV			22.85	22.85	17.14	17.14		10.73		1.66
		CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV			1438	1081	317.7	233.6		10.73		1.66
		CNAM For Non Db Owners - Service Provisioning With Point Code Establishment			OQV			492.73	356.07	322.83	233.6		10.73		1.65
		CNAM (Non-Bellsouth Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595	595				10.73		1.65
LNP QUERY SERVICE															
		LNP Charge Per query					0.000842								
		LNP Service Establishment Manual						12.46	12.46	9.35	9.35		10.73		1.65
		LNP Service Provisioning with Point Code Establishment						591.01	301.93	218.42	160.8		10.73		1.66
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE														
OPERATOR CALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB					1.2								
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB					1.24								
		Oper. [illegible] Fully Automated, per Call - Using BST LIDB					0.2								
		Oper. [illegible] Fully Automated, per Call - Using Foreign LIDB					0.2								
INWARD OPERATOR S:															
		In[illegible] Verification, Per Call					1								
		Inward [illegible] - Verification and Emergency Interrupt - Per Call					1.95								

BRANDING - OPERATOR CALL PROCESSING																
		Recording of Custom Branded OA Announcement			CBAOS		7000	7000				10 73			1 65	
		Loading of Custom Branded OA Announcement per shell/NAV			CBAOL		500	500				10 73				
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call				0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
	UNBRANDING															
	DIRECTORY TRANSPORT															
		Directory Transport - Local Channel DS1				43 64	242 45	226 44				10 73			1 65	
		Directory Transport - DS1 Level Interoffice Per Mile				0 6013										
		Directory Transport - DS1 Level Interoffice Per Facility Termination				99 79	45 91	44 18				10 73			1 65	
		Switched Common Transport Per OA Access Service Per Call				0 0003										
		Switched Common Transport Per OA Access Service Per Call Per Mile				0 00001										
		Access Tandem Switching Per OA Access Service Per Call				0 00055										
		Directory Transport - Installation NRC, Per Trunk or Shared/Dedicated Connection					206 09	4 71				10 73			1 65	
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing				0 04										
		Directory Assistance Data Base Service, per month			DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																
		Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
		Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		600	600								
SELECTIVE ROUTING																
		Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		84 33	84 33	11 46	11 46		10 73			1 65	
VIRTUAL COLLOCATION																
		Virtual Collocation - 2-wire Cross Connects (loop)		usard,use,udn,udc, usl,uht,uct,usq	UEAC2	0 0297	33 86	31 95				10 73			1 65	
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSS	VE1LS	0 0297	33 86	31 95				10 73			1 65	
		Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 0502	11 57	11 57				10 73			1 65	
		Virtual Collocation - 4-wire Cross Connects (loop)		use,uht,uct,usll	UEAC4	0 0594	33 86	32				10 73			1 65	
		Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 0502	11 57	11 57				10 73			1 66	
		Virtual Collocation - DS1 Cross Connects		USL,ULC,CLO	CNC1X	1 37	53 3	40 2								
AIN SELECTIVE CARRIER ROUTING																
		Regional Service Establishment		SRC	SRCEC		191575		6974			10 73			1 65	
		End Office Establishment		SRC	SRCEO		168 89	168 89	0 63	0 63		10 73			1 65	
		Query NRC, per query		SRC		0 0030998										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		39 27	39 27	33 04	33 04		10 73			1 65	
		AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		7 79	7 79	7 38	7 38		10 73			1 65	
		AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		7 79	7 79	7 38	7 38		10 73			1 65	
		AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		34 85	34 85	21 97	21 97		10 73			1 65	
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		73 76	73 76	9 51	9 51		10 73			1.65	
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0029										
		AIN SMS Access Service - Session, Per Minute				0 7985										
		AIN SMS Access Service - Company Performed Session, Per Minute				0 4155										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		39 27	39 27	33 04	33 04		10 73			1 65	
		AIN Toolkit Service - Training Session, Per Customer			BAPVX		8406	8406				10 73			1 65	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			BAPTT		7 79	7 79	7 38	7 38		10 73			1 65	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		7 79	7 79	7 38	7 38		10 73			1 65	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		7 79	7 79	7 38	7 38		10 73			1 65	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP			BAPTO		34 32	34 32	11 66	11 66		10 73			1 65	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		34 32	34 32	11 66	11 66		10 73			1 65	
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		34 32	34 32	11 66	11 66		10 73			1 65	
		AIN Toolkit Service - Query Charge, Per Query				0 0509436										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 0062787										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				0 06										
		AIN Toolkit Service - Monthly report Per AIN Toolkit Service Subscription			BAPMS	8	7 79	7 79	4 47	4 47		10 73			1 65	

		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	3 85	8 62	8 62				10 73			1 65	
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	4 28	7 79	7 79	4 47	4 47		10 73			1 65	
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service			BAPES	0 13	8 62	8 62				10 73			1 65	
ODUF/EODUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
		ADUF - Message Processing, per message				0 013928										
		ADUF - Data Transmission (CONNECT:DIRECT), per message				0 00012927										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF - Message Processing, per message				0 222451										
	OPTIONAL DAILY USAGE FILE (ODUF)															
		ODUF - Recording, per message				0 0000068										
		ODUF - Message Processing, per message				0 006614										
		ODUF - Message Processing, per Magnetic Tape provisioned				48 77										
		ODUF - Data Transmission (CONNECT:DIRECT), per message				0 00010772										
ENHANCED EXTENDED LINK (EELs)																
	NOTE: New EELs available in State of Georgia, density zone 1 of following BMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;															
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.															
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)															
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 2-Wire VG Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	13 43	115 02	54 58	43 28	5 68		10 73			1 65	
		First 2-Wire VG Grade Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	18 6	115 02	54 58	43 28	5 68		10 73			1 65	
		First 2-Wire VG Grade Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	35 18	115 02	54 58	43 28	5 68		10 73			1 65	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 171										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per		UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65	
		DS1 Channelization System Per Month		UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	1 42	0 05	4 36								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	13 43	115 02	54 58	43 28	5 68		10 73			1 65	
		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	18 6	115 02	54 58	43 28	5 68		10 73			1 65	
		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	35 18	115 02	54 58	43 28	5 68		10 73			1 65	
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1 42	0 05	4 36								
		Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21 23	115 02	54 58	43 28	5 68		10 73			1 65	
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 41	115 02	54 58	43 28	5 68		10 73			1 65	
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55 63	115 02	54 58	43 28	5 68		10 73			1 65	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 171										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65	
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1 42	0 05	4 36								
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21 23	115 02	54 58	43 28	5 68		10 73			1 65	
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 41	115 02	54 58	43 28	5 68		10 73			1 65	
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55 63	115 02	54 58	43 28	5 68		10 73			1 65	
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1 42	0 05	4 36								
		Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65	
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10 73			1 65	
		First 4-wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73			1 65	
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64 14	115 02	54 58	43 28	5 68		10 73			1 65	
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 171										
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65	
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21						
		OCU-DP COCI (data) - DS1 to DS0 Channel System per month (2 4-64Kb)		UNCDX	1D1DD	2 16	0 05	4 36								
		Additional 4-Wire 56Kbps Digital Grade Loop In same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10 73			1 65	

		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73			1 65
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	64 14	115 02	54 58	43 28	5 68		10 73			1 65
		OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64Kbs)			UNCDX	1D1DD	2 16	9 06	6 36							
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5 68		10 73			1 65
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10 73			1 65
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	64 14	115 02	54 58	43 28	5 68		10 73			1 66
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 171									
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21					
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbs)			UNCDX	1D1DD	2 16	9 06	4 36							
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5 68		10 73			1 65
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10 73			1 65
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	64 14	115 02	54 58	43 28	5 68		10 73			1 65
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbs)			UNCDX	1D1DD	2 16	9 06	4 36							
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 66	46 38	13 03		10 73			1 65
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 66	46 38	13 03		10 73			1 65
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	161 38	196 32	109 66	46 38	13 03		10 73			1 65
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 171									
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 66	46 38	13 03		10 73			1 65
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 66	46 38	13 03		10 73			1 65
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	161 38	196 32	109 66	46 38	13 03		10 73			1 65
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3 57									
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1101	288 5	124 61	34 8	16 96		10 73			1 65
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	218 7	104 13	50 99	10 96	3 84					
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 24	9 06	4 36							
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 66	46 38	13 03		10 73			1 65
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 66	46 38	13 03		10 73			1 65
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	161 38	196 32	109 66	46 38	13 03		10 73			1 65
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 24	9 06	4 36							
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	13 43	115 02	54 58	43 28	5 68		10 73			1 65
		2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	18 6	115 02	54 58	43 28	5 68		10 73			1 65
		2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	35 18	115 02	54 58	43 28	5 68		10 73			1 65
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0084									
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	26 02	85 38	47 42	40 82	16 25		10 73			1 65
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	21 23	115 02	54 58	43 28	5 68		10 73			1 65
		4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	29 41	115 02	54 58	43 28	5 68		10 73			1 65
		4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	55 63	115 02	54 58	43 28	5 68		10 73			1 65
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0084									
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	23 2	85 38	47 42	40 82	16 25		10 73			1 66
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8 1	8 1	8 1	8 1		10 73			1 65
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10 06									
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	387 1	220 38	139 5	60 49	23 69					

	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3 57									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1101	288 5	124 61	34 8	16 96		10 73			1 65
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10 06									
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	426 68	220 36	139 5	60 49	23 69					
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L6XX	3 57									
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	1085	288 5	124 61	34 8	16 96		10 73			1 65
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	20 44	115 02	54 58	43 28	5 68		10 73			1 65
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	28 31	115 02	54 58	43 28	5 68		10 73			1 65
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	53 58	115 02	54 58	43 28	5 68		10 73			1 65
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L6XX	0 171									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90 87	157 3	110 42	41 12	16 18		10 73			1 65
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	151 74	51 63	13 29	1 35	1 21					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 76	0 05	4 38							
	Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	20 44	115 02	54 58	43 28	5 68		10 73			1 65
	Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	28 31	115 02	54 58	43 28	5 68		10 73			1 65
	Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	53 58	115 02	54 58	43 28	5 68		10 73			1 65
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month			UNCNX	UC1CA	3 76	0 05	4 38							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
4-WIRE DS1 DIGITAL EXTE[illegible]OOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Lo[illegible]nteroffice Transport Combination - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65
	First DS1 L[illegible] Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65
	First DS1 L[illegible] STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191 38	196 32	109 65	46 38	13 03		10 73			1 65
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	3 57									
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	1085	288 5	124 61	34 8	16 96		10 73			1 65
	STS1 to DS1 Channel System combination per month			UN[illegible]	MQ3	218 7									
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 24	0 05	4 38							
	Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	69 22	196 32	109 65	46 38	13 03		10 73			1 65
	Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	95 89	196 32	109 65	46 38	13 03		10 73			1 65
	Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	191 38	196 32	109 65	46 38	13 03		10 73			1 65
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14 24	0 05	4 38							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	24 48	115 02	54 58	43 28	5 68		10 73			1 65
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33 91	115 02	54 58	43 28	5 68		10 73	1 65		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	64 14	115 02	54 58	43 28	5 68		10 73			1 65
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0098									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility			UNCDX	U1TD6	19 31	86 39	47 42	40 82	16 25		10 73			1 65
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	24 48	115 02	54 58	43 28	5 68		10 73			1 65
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33 91	115 02	54 58	43 28	5 68		10 73			1 65
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	64 14	115 02	54 58	43 28	5 68		10 73			1 65
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0098									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility			UNCDX	U1TD6	19 31	149 56	88	71 35	31 91		10 73			1 66
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not														
	Node (SynchroNet)														
	Node per month			UNCDX	UNCNT	16 35									
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		0 1	0 1	0 1	0 1		10 73			1 65

		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		6 1	6 1	6 1	6 1		10 73			1 65	
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		6 1	6 1	6 1	6 1		10 73			1 65	
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		6 1	6 1	6 1	6 1		10 73			1 65	
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE: (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOME C		3 6									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (NES)															
		Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res		UEPSR	UEPAF	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES															
		All Available Vertical Features		UEPSR	UEPVF	2 17	0	0				10 73			1 65	
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	1 34	3 37	3 27	1 69	1 62		10 73			1 65	
		Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES															
		All Available Vertical Features		UEPSB	UEPVF	2 17	0	0				10 73			1 65	
	EXCHANGE PORT RATES (DID & PBX)															
		Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 91	70 69	14 26	37 81	3 84		10 73			1 65	
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	52 73	136 24	70 1	44	2 8		10 73			1 65	
		Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	9 48	42 22	45 69	24 91	10 75		10 73			1 65	
		All Features Offered		UEPTX UEPSX	UEPVF	2 17	0	0								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2 wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
		Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0								
		Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	79 35	157 42	85 8	44 89	18 43		10 73			1 65	
		2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	1 34	35 22	16 39	11 14	0 648		10 73			1 65	
		2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	1 34	35 22	16 39	11 14	0 648		10 73			1 65	

		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 34	35 22	16 39	11 14	0 848		10 73			1 65
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 34	35 22	16 39	11 14	0 848		10 73			1 65
		Subsequent Activity			UEPSP	USASC	0	0	0							
	FEATURES															
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2 17	0	0				10 73			1 66
	EXCHANGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1 34	3 37	3 27	1 69	1 62		10 73			1 65
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
	End Office Switching (Port Usage)															
		End Office Switching Function, Per MOU					0 0007341									
		End Office Trunk Port - Shared, Per MOU					0 0001671									
	Tandem Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0 0001243									
		Tandem Trunk Port - Shared, Per MOU					0 0002252									
	Common Transport															
		Common Transport - Per Mile, Per MOU					0 0000034									
		Common Transport - Facilities Termination Per MOU					0 0004189									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations															
	For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13 01									
		2-Wire VG Loop/Port Combo - Zone 2		2			17 15									
		2-Wire VG Loop/Port Combo - Zone 3		3			30 46									
	UNE Loop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 89									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 03									
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	28 33									
	2-Wire Voice Grade Line Port Rates (Res)															
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 12						10 73			1 65
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 12						10 73			1 65
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 12						10 73			1 65
		2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	1 12						10 73			1 65
		2-Wire voice unbundles res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 12						10 73			1 65
	FEATURES															
		All Features Offered			UEPRX	UEPVF	2 17	0	0				10 73			1 66
	LOCAL NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRX	LNPCX	0 35									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as is			UEPRX	USAC2		0 092	0 092				10 73			
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		0 092	0 092				10 73			
	ADDITIONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			13 01									
		2-Wire VG Loop/Port Combo - Zone 2		2			17 15									
		2-Wire VG Loop/Port Combo - Zone 3		3			30 46									
	UNE Loop Rates															
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 89									
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 03									

	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	29 33									
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 12						10 73			1 65
	2-Wire voice unbundled port with Caller + E491 ID - bus			UEPBX	UEPBC	1 12						10 73			1 65
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 12						10 73			1 65
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 12						10 73			1 65
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35									
FEATURES															
	All Features Offered			UEPBX	UEPVF	2 17	0	0				10 73			1 65
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0 092	0 092				10 73			1 65
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0 092	0 092							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2							10 73			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
LINE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13 01									
	2-Wire VG Loop/Port Combo - Zone 2		2			17 15									
	2-Wire VG Loop/Port Combo - Zone 3		3			30 45									
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRQ	UEPLX	11 89									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRQ	UEPLX	16 03									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRQ	UEPLX	29 33									
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRQ	UEPRD	1 12						10 73			1 65
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRQ	LNPCP	3 5									
FEATURES															
	All Features Offered			UEPRQ	UEPVF	2 17	0	0				10 73			1 65
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is			UEPRQ	USAC2		7 62	1 72				10 73			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRQ	USACC		7 62	1 72				10 73			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRQ	USAS2	0	0	0							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10 73			1 65
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
LINE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			13 01									
	2-Wire VG Loop/Port Combo - Zone 2		2			17 15									
	2-Wire VG Loop/Port Combo - Zone 3		3			30 45									
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11 89									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 03									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	29 33									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 12						10 73			1 65
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 12						10 73			1 65
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	1 12						10 73			1 65
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 12						10 73			1 65
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 12						10 73			1 65
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 12						10 73			1 65
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 12						10 73			1 65
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 12						10 73			1 65

BellSouth/Southeastern Services
Unbundled Network Elements
FLORIDA

	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	1 12						10 73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	1 12						10 73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	1 12						10 73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	1 12						10 73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	1 12						10 73			1 65		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
	All Features Offered		UEPPX	UEPVF	2 17	0	0				10 73			1 65		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is		UEPPX	USAC2		7 62	1 72				10 73			1 65		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		7 62	1 72				10 73			1 65		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0	0	0				10 73			1 65		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7 09	7 09									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
LINE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1				13 01											
	2-Wire VG Coin Port/Loop Combo - Zone 2				17 16											
	2-Wire VG Coin Port/Loop Combo - Zone 3				30 45											
LINE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	14 03											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	29 33											
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)		UEPCO	UEP2F	1 12						10 73			1 65		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)		UEPCO	UEPFA	1 12						10 73			1 65		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)		UEPCO	UEPCO	1 12						10 73			1 65		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPNK	1 12											
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)		UEPCO	UEPOF	1 12						10 73			1 65		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)		UEPCO	UEPCO	1 12						10 73			1 65		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	1 12						10 73			1 65		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	1 12											
ADDITIONAL LINE COIN PORT/LOOP (NC)																
	LINE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	UFECU	1 86	0	0									
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPCO	UEPVF	2 17	0	0				10 73			1 65		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Conversion - Switch-as-Is		UEPCO	USAC2		0 092	0 092				10 73			1 65		
	2-Wire Voice Grade Loop/ Line Port Combination - Conversion - Switch with change		UEPCO	USACC		0 092	0 092				10 73			1 65		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0				10 73					
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
LINE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - LINE Zone 1	1			22 22											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - LINE Zone 2	2			27 39											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - LINE Zone 3	3			43 79											
LINE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - LINE Zone 1	1	UEPPX	UECD1	13 43						10 73			1 65		
	2-Wire Analog Voice Grade Loop - (SL2) - LINE Zone 2	2	UEPPX	UECD1	18 8						10 73			1 65		
	2-Wire Analog Voice Grade Loop - (SL2) - LINE Zone 3	3	UEPPX	UECD1	35 18						10 73			1 65		
LINE Port Rate																
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	8 79						10 73			1 65		

NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch as is		UEPPX	USAC1		7 09	1 69				10 73			1 65	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		7 09	1 69				10 73			1 65	
ADDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		29 06	29 06				10 73			1 65	
Telephone Number/Trunk Group Establishment Charges															
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0				10 73			1 65	
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPPX	ND2	0	0	0				10 73			1 65	
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0				10 73			1 65	
	DID Numbers, Non-consecutive DID Numbers , Per Number		UEPPX	ND5	0	0	0				10 73			1 65	
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0	0	0				10 73			1 65	
	Reserve DID Numbers		UEPPX	NDV	0	0	0				10 73			1 65	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 16										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		30 29										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		38 51										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		56 45										
UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	13 43						10 73			1 65	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	29 44						10 73			1 65	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	49 38						10 73			1 65	
UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	7 07						10 73			1 65	
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0	27 81	15 33				10 73			1 65	
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCA	0	0	0								
	CVS (EWSD)		UEPPB UEPPR	U1UCB	0	0	0								
	CSD		UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS,SC,NB, & TN)															
USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)		UEPPB UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	2 17	0	0								
INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	19 78	42 89	28 66	16 51	6 34		10 73			1 65	
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GN M	0 0084	0	0				10 73			1 65	
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		148 57										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		175 24										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		260 73										
UNE Loop Rates															

	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	69 22						10 73			1 65		
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	95 89						10 73			1 65		
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	181 38						10 73			1 65		
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	79 35						10 73			1 65		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-Is		UEPPP	USACP	0	61 25	55 34				10 73			1 65		
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsq Activ- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0 4879					10 73			1 65		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		11 46	11 46				10 73			1 65		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		22 92	22 92				10 73			1 65		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPP	LNPCN	1 75											
INTERFACE (Provisioning Only)																
	Voice/Data		UEPPP	PR71V	0	0	0									
	Digital Data		UEPPP	PR71D	0	0	0									
	Inward Data		UEPPP	PR71E	0	0	0									
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0	13 96					10 73			1 65		
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0	13 96					10 73			1 65		
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0	13 96					10 73			1 65		
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0	13 96					10 73			19 99		
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0	13 96					10 73			1 65		
CALL TYPES																
	Inward		UEPPP	PR7C1	0	0	0									
	Outward		UEPPP	PR7C0	0	0	0									
	Two-way		UEPPP	PR7CC	0	0	0									
Interoffice Channel Mileage																
	Fixed Each Including First Mile		UEPPP	1LN1A	91 04	95 16	88 78	16 74	14 85		10 73			1 65		
	Each Airline Fractional Additional Mile		UEPPP	1LN1B	0 171											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		121 95						10 73			1 65		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		149 62						10 73			1 65		
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		234 11						10 73			1 65		
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	69 22						10 73			1 65		
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC					10 22		10 73			1 65		
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	181 38						10 73			1 65		
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	52 73						10 73			1 65		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is		UEPDC	USAC4		71 29	42 11				10 73			1 65		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		71 29	42 11				10 73			1 65		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAW B		71 29	42 11				10 73			1 65		
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		14 14	14 14				10 73			1 65		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		14 14	14 14				10 73			1 65		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		14 14	14 14				10 73			1 65		
	4-Wire DS1 Lo[illegible] DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Tru[illegible]		UEPDC	UDTTD		14 14	14 14				10 73			1 65		
	4-Wire DS1 [illegible] Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w/o[illegible]		UEPDC	UDTTE		14 14	14 14				10 73			1 65		
BIPOLAR 8 ZERO SUBSTI[illegible]																
	B8ZS -Superframe Format		UEPDC	CCOSF		0	665				10 73			1 65		

		B4ZS - Extended Superframe Format			UEPDC	CCOEF		0	665				10 73			1 65	
	Alternate Mark Inversion																
		AMI -Superframe Format			UEPDC	MCOSF		0	0								
		AMI - Extended SuperFrame Format			UEPDC	MCOP O		0	0								
	Telephone Number/Trunk Group Establisment Charges																
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0						10 73				
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						10 73				
		Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						10 73				
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0	0	0				10 73				
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						10 73				
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	NDS	0						10 73				
		Reserve Non-Consecutive DID Nos.			UEPDC	NDS	0	0	0				10 73				
		Reserve DID Numbers			UEPDC	NDV	0	0	0				10 73				
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DSITS Trunk Port																
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	90 07	95 10	88 78	16 74	14 85		10 73			1 65	
		Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 171	0	0								
		Interoffice Channel Mileage - Fixed rate 8-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
		Interoffice Channel Mileage - Additional rate per mile - 8-25 miles			UEPDC	1LNOB	0 171	0	0								
		Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 171	0	0								
		Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 16	0	0	0							
		Central Office Termination/mo Point			UEPDC	CTO	0										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
	Each System can have up to 24 combinations of rates depending on type and number of ports used																
	UNE DS1 Loop																
		4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	89 22	0	0								
		4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	95 89	0	0								
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	181 39	0	0								
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
		24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	121 31	0	0								
		48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	242 62	0	0								
		96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	485 24	0	0								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	727 86	0	0								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	970 48	0	0								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1213 1	0	0								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1456 72	0	0								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1940 96	0	0								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2426.2	0	0								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2911 44	0	0								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3396 68	0	0								
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.																
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0	72 81	3 82				10 73			1 65	
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																
	New (Not Currently Combined) in Georgia & Tennessee Only																
		NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	728 11	468 21	145 32	17 24		10 73			1 65	
	Bipolar 8 Zero Substitution																
		Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	665				10 73			1 65	
		Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	665				10 73			1 66	
	Alternate Mark Inversion (AMI)																
		Superframe Format			UEPMG	MCOSF	0	0	0								
		Extended Superframe Format			UEPMG	MCOPO	0	0	0								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
	Exchange Ports																
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 34	0	0	0	0		10 73			1 65	
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 34	0	0	0	0		10 73			1 65	
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 34	0	0	0	0		10 73			1 66	
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 81	0	0	0	0		10 73			1 65	

Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1POW M	0 66	25 4	13 41	3 96	3 93		10 73			1 65	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1POW U	0 66	78 16	18 42	68 03	10 95		10 73			1 65	
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0						10 73				
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0	0	0				10 73				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0				10 73				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				10 73				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0				10 73				
	Reserve DID Numbers			UEPPX	NDV	0	0	0				10 73				
Local Number Portability																
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available			UEPPX	UEPVF	2 17	0	0				10 73			1 65	
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules																
These scenarios include																
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee																
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines																
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)																
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true up the billing difference																
The Market Rate for unbundled ports includes all available features in all states																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)																
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section																
Additional NRCs may apply also and are categorized accordingly																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 03										
	2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11 89										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 03										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	29 33										
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90				10 73			1 65	
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90				10 73			1 65	
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90				10 73			1 65	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	14	90	90				10 73			1 65	
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90				10 73			1 65	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPRX	UEPVF	0	0	0								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			25 89										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 03										
	2-Wire VG Loop/Port Combo - Zone 3		3			43 33										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11 89										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 03										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	29 33										
2-Wire Voice Grade Line Port (Bus)																

	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90				10 73			1 65		
	2 Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90				10 73			1 65		
	2 Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90				10 73			1 65		
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35											
	FEATURES																
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5									
	ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
	LINE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				25 89											
	2-Wire VG Loop/Port Combo - Zone 2	2				30 03											
	2-Wire VG Loop/Port Combo - Zone 3	3				43 33											
	LINE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRG	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRG	UEPLX	16 03											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRG	UEPLX	28 33											
	2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90				10 73			1 65		
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15											
	FEATURES																
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5									
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5									
	ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring						0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10 73			1 65		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	LINE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				25 89											
	2-Wire VG Loop/Port Combo - Zone 2	2				30 03											
	2-Wire VG Loop/Port Combo - Zone 3	3				43 33											
	LINE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPPX	UEPLX	11 89											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPPX	UEPLX	16 03											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPPX	UEPLX	28 33											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90				10 73			1 65		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90				10 73			1 65		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90				10 73					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90				10 73			1 65		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90				10 73			1 65		

		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPX$	14	90	90				10 73			1 65		
	LOCAL NUMBER PORTABILITY																	
		Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
	FEATURES																	
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 5	41 5									
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5									
	ADDITIONAL NRCs																	
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0									
		2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring						0	0									
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7 09	7 09				10 73			1 65		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
	UNE Port/Loop Combination Rates																	
		2-Wire VG Coin Port/Loop Combo – Zone 1					25 89											
		2-Wire VG Coin Port/Loop Combo – Zone 2					30 03											
		2-Wire VG Coin Port/Loop Combo – Zone 3					43 33											
	UNE Loop Rates																	
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	11 89											
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 03											
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	29 33											
	2-Wire Voice Grade Line Port Rates (Coin)																	
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	14	90	90				10 73			1 65		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	14	90	90				10 73			1 65		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	14	90	90				10 73			1 65		
		2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	14	90	90				10 73			1 65		
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	14	90	90				10 73			1 65		
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14	90	90				10 73			1 65		
	LOCAL NUMBER PORTABILITY																	
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 5	41 5									
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5									
	ADDITIONAL NRCs																	
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0									

BellSouth/Southeastern Services
Unbundled Network Elements
GEORGIA

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	RCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring				Bre Order Submitted Elec per LSR	Bre Order Submitted Manually per LSR	Incremental Charge - Manual Bre Order vs. Electronic 1st	Incremental Charge - Manual Bre Order vs. Electronic Add'l	Incremental Charge Manual Bre Order vs. Electronic-Disc 1st	Incremental Charge Manual Bre Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	Nonrecurring					
												Disconnect					
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14 21	42 54	31 33					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	18 41	42 54	31 33					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	28 08	42 54	31 33					18 94	8 42		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	14 21	42 54	31 33					18 94	8 42	1 65	
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	18 41	42 54	31 33					18 94	8 42		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	28 08	42 54	31 33					18 94	8 42		
		Engineering Information Document (EI)			UEANL			28 72	28 72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		38 46	38 46								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		34 22	34 22								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 84	104 17	78 1					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	19 45	104 17	78 1					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30 92	104 17	78 1					18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35 74									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16 84	104 17	78 1					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19 45	104 17	78 1					18 94	8 42		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30 92	104 17	78 1					18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35 74									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22 26	208 95	170 67					18 94	8 42		
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26 7	208 95	170 67					18 94	8 42		
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40 86	208 95	170 67					18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35 74									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UIL2X	21 89	233 38	180 35					18 94	8 42		
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	25 27	233 38	180 35					18 94	8 42		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	40 17	233 38	180 35					18 94	8 42		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35 74									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	1	UDC	UDC2X	21 89	44 69	31 55	26 85	7 06			18 94	8 42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	1	2	UDC	UDC2X	25 27	44 69	31 55	26 85	7 06			18 94	8 42		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	1	3	UDC	UDC2X	40 17	44 69	31 55	26 85	7 06			18 94	8 42		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11 23	44 69	31 55	25 85	7 06			18 94	8 42		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12 97	44 69	31 55	25 85	7 06			18 94	8 42		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20 62	44 69	31 55	25 85	7 06			18 94	8 42		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2W	11 23	44 69	31 55	25 85	7 06			18 94	8 42		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2W	12 97	44 69	31 55	25 85	7 06			18 94	8 42		

	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2W	20 82	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35 74									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14 46	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9 09	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14 46	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10 39	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12	44 69	31 55	25 65	7 06			18 94	8 42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35 74									
4-WIRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55 63	429 98	268 19					18 94	8 42		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84 13	429 98	268 19					18 94	8 42		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101 93	429 98	268 19					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35 74									
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25 76	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47 27	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25 76	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47 27	348 55	241 2					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35 74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25 76	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29 74	348 55	241 2					18 94	8 42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47 27	348 55	241 2					18 94	8 42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35 74									
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22 07	44 69	31 55	25 65	7 06			18 94	8 42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	22 07	44 69	31 55	25 65	7 06			18 94	8 42		

		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
		2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35 56	44 69	31 55	25 65	7 06			18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	41 07	44 69	31 55	25 65	7 06			18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	66 28	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL2W	35 56	44 69	31 55	25 65	7 06			18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL2W	41 07	44 69	31 55	25 65	7 06			18 94	8 42		
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL2W	66 28	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
		2-Wire Unbundled Copper Loop Non-Designed - SW	1	sw	UEQ	UEQ2X	12 8	44 69	22 4	25 65	7 06			18 94	8 42		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		16 11	16 11								
		Engineering Information Document			UEQ			28 72	28 72								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	22 07	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	1	UCL	UCL4W	12 02	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	1	2	UCL	UCL4W	13 88	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL4W	22 07	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	35 56	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	41 07	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	66 28	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1	1	1	UCL	UCL4Q	35 56	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2	1	2	UCL	UCL4Q	41 07	44 69	31 55	25 65	7 06			18 94	8 42		
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3	1	3	UCL	UCL4Q	66 28	44 69	31 55	25 65	7 06			18 94	8 42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 11	16 11								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L	0	0	0	0	0						
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G	0	0	0	0	0						
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L	0	0	0	0	0						
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G	0	0	0	0	0						
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT	0	0	0	0	0						
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set Up	1		UEANL	USBSA		421 08	421 08					18 94	8 42		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		67 1	67 1					18 94	8 42		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		394 74	394 74					18 94	8 42		
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set Up	1		UEANL	USBSD		154 57	154 57					18 94	8 42		
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	9 12	207 01	171 32					18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
		Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN4	8 32	219 35	72 99	123 72	28 77			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	1 81	137 03	41 59	115 85	19 17			18 94	8 42		

		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2 96	176 46	55 11	122 17	19 57			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 22	34 22								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 54	175 16	55 5	106 86	24 53			18 94	8 42		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	5 54	175 16	55 5	106 86	24 53			18 94	8 42		
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	5 54	175 16	55 5	106 86	24 53			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 22	34 22								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	8 89	219 35	72 99	123 72	28 77			18 94	8 42		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	8 89	219 35	72 99	123 72	28 77			18 94	8 42		
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	8 89	219 35	72 99	123 72	28 77			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 22	34 22								
	Sub-Loop Feeder																
		USL Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		$421 08									
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA UDN,UCL,UDL,UDC	USBFX		67 1	67 1								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521 67	11 3								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFA	8 58	206 44	170 05					18 94	8 42		
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34 22									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFB	8 58	206 44	170 05					18 94	8 42		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34 22									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		sw	UEA	USBFC	8 58	206 44	170 05					18 94	8 42		
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34 22									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		sw	UEA	USBFD	$19 91	$243 41	$81 32	$134 77	$33 93			18 94	8 42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 22									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide		sw	UEA	USBFE	19 91	$243 41	$81 32	$134 77	$33 93			18 94	8 42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 22									
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide		sw	UDN	USBFF	$17 73	$208 50	$62 31	$119 88	$29 58			18 94	8 42		
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34 22									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		sw	UDC	USBFS	17 73	208 5	62 31	119 68	29 58			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		sw	USL	USBFQ	79 3	203 99	128 76	124 09	34 9			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34 22									
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide		sw	UCL	USBFH	7 22	185 38	93 15	119 88	29 58			18 94	8 42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 22									
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		sw	UCL	USBFJ	13 72	243 41	81 32	134 77	33 93			18 94	8 42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 22									
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		sw	UDL	USBFN	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		sw	UDL	USBFO	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 22									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		sw	UDL	USBFP	24 5	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34 22									
	Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1 37	$2 48	$2 48	$1 74	$1 74			18 94	8 42		
	Network Interface Device (NID)																
		Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		86 37	56 89					18 94	8 42		
		Network Interface Device (NID) - 1-6 lines	1		UENTW	UND16		127 93	98 21					18 94	8 42		
		Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC2		6 15	6 15					18 94	8 42		
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6 15	6 15								
UNBUNDLED LOOP CONCENTRATION																	
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441 42	650 81	650 81					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478 93	650 81	650 81					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89 26	271 17	271 17					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	126 57	92 14	33 57	9 4			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11 69	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 09	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34 87	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	10 51	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10 51	21 07	20 99	10 78	10 71			19 99	19 99	19 99	19 99

UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)															
LINE OTHER, PROVISIONING ONLY - NO RATE															
NID - Dispatch and Service Order for NID Installation		UENTW	UNDBX												
UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
Unbundled Contract Name, Provisioning Only - No Rate		UEANE,UEF,UEO,UENTW	UNECN												
Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0										
Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0	0										
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0	0										
Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0	0										
Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
NOTE: 4 month minimum billing period															
High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	8 9											
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	390 34	639 5	426 4	122 31	119 14				37 55	37 55	18 03	18 03
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	8 9											
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	421 59	639 5	426 4	122 31	119 14				37 55	37 55	18 03	18 03
LOOP MAKE-UP															
Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		35	35									
Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		45	45									
Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 075	0 075									
LINE SHARING															
Line Sharing Splitter, per System 96 Line Capacity		ULS	ULSDA	131	0	0	0	0	0						
Line Sharing Splitter, per System 24 Line Capacity		ULS	ULSDB	32	0	0	0	0	0						
Line Sharing Splitter, Per System, 8 Line Capacity		ULS	ULSDC	11	0	0	0	0	0						
Line Sharing - per Line Activation		ULS	ULSOC	0 81	10 51	7 7	7	4 2				18 94	8 42		
Line Sharing - per Subsequent Activity per Line Rearrangement		ULS	ULSDS		34 23	13 23						18 94	8 42		
Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)		ULS	ULSDQ		0	0	0	0							
UNBUNDLED TRANSPORT															
COMMON TRANSPORT (Shared)															
Common Transport - Per Mile, Per MOU					0 000008										
Common Transport - Facilities Termination Per MOU					0 0004152										
NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period, below DS3 = one month, DS3 and above four months															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per		U1TVX	1L5XX	0 0222											
Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	17 07	79 81	36 08						18 94	18 94		
Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bal - Per Mile per month		U1TVX	1L5XX	0 0222											
Interoffice Channel - Dedicated Transport- 2-Wire VG Rev Bal - Facility Termination per month		U1TVX	U1TR2	17 07	79 81	36 08	0	0				18 94	18 94		
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0 0222											
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD6	16 45	79 81	36 08						18 94	18 94		
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0 0222											
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	16 45	79 81	36 08	0	0				18 94	18 94		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0 4523											
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month		U1TD1	U1TF1	79 47	147 07	111 75						18 94	18 94		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	2 72											
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	788	511 1	330 77	122 31	119 14				37 55	37 55	18 03	18 03
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	2 72											
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	783 63	511 1	449 91	122 31	119 14				61 19	61 19	3 17	3 17

	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month		ULCVX	ULDV2	13 91	382 95	62 4					18 94	8 42		
		Local Channel - Dedicated - 2-Wire Voice Grade Flex Rat per month		ULCVX	ULDR2	13 91	382 95	62 4					18 94	18 94		
		Local Channel - Dedicated - 4-Wire Voice Grade per month		UNCVX	ULDV4	14 99	368 44	64 05					18 94	8 42		
		Local Channel - Dedicated - DS1 per month		ULDD1	ULDF1	38 36	356 15	312 89	122 31	119 14			44 22	44 22	18 03	18 03
		Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	6 92										
		Local Channel - Dedicated - DS3 - Facility Termination		ULDD3	ULDF3	515 91	639 5	420 31	122 31	119 14			37 55	37 55	18 03	18 03
		Local Channel - Dedicated - STS-1 - Per Mile per month		ULDS1	1L5NC	6 92										
		Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	517 56	639 5	420 31	122 31	119 14			18 94	18 94		
MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	126 22	198 22	123 59	31 03	19 76			14 76	6 55	10 7	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kb)		UDI	1D1DO	1 94	12 02	8 66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month		UDN	UC1CA	3 37	12 02	8 66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	1 17	12 02	8 66								
		DS3 to DS1 Channel System per month		UXTD3	MQ3	182 04	265 91	188 78	72 5	59 96			14 75	6 55	10 5	
		STS1 to DS1 Channel System per month		UXTS1	MQ9	182 04	265 91	188 78	72 5	59 96			18 94	18 94		
		DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	11 02	12 02	8 66								
DARK FIBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	44 22										
		NRC Dark Fiber - Local Channel		UDF	UDFC1		1355 29	273 69								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	44 22										
		NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1355 29	273 69	0	0			18 94	18 94		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	44 22										
		NRC Dark Fiber - Local Loop		UDF	UDFL1		1355 29	273 69	0	0			18 94	18 94		
TRANSPORT OTHER																
	Optional Features & Functions:															
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 62	23 78	2 03	0 78			29 33	3 93		
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 62	23 78	2 03	0 78			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING																
		8XX Access Ten Digit Screening, Per Call		OHD		0 0004868										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		8 57	0 76					18 94	18 94		
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS		OHD			12 81	1 45					18 94	18 94		
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS		OHD	N8FTX		12 81	1 45					18 94	18 94		
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		4 46	2 23					18 94	18 94		
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.		OHD	N8FMX		5 22	2 99					18 94	18 94		
		8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		7 33	0 76					18 94	18 94		
		8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		4 72	4 46					18 94	18 94		
LINE INFORMATION DATA BASE ACCESS (LIDB)																
		LIDB Common Transport Per Query		OQT		0 0000336										
		LIDB Validation Per Query		OQU		0 0106974										
		LIDB Originating Point Code Establishment or Change		OQT, OQU	N8PBX		50 3						18 94	18 94		
SIGNALING (CCS7)																
		CCS7 Signaling Termination, Per STP Port		1D8	PTSSX	133 99							18 94	18 94		
		CCS7 Signaling Usage, Per TCAP Message		1D8		0 000097										
		CCS7 Signaling Connection, Per link (A link)		1D8	TPP++	17 05	131 98	131 98					18 94	18 94		
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		1D8	TPP++	17 05	131 98	131 98					18 94	18 94		
		CCS7 Signaling Usage, Per ISUP Message		1D8		0 0000354										
		CCS7 Signaling Usage, Surrogate, per link per LATA		1D8	STU56	340 87							18 94	18 94		
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1D8	CCAPO		40	40					18 94	18 94		
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1D8	CCAPD		8	8					18 94	18 94		
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
		CNAM for DB Owners, Per Query		OQV		0 016										
		CNAM for Non DB Owners, Per Query		OQV		0 01										
		CNAM (Non-Delabs Owner), NRC, applies when using the Character Based User Interface (CNUI)		OQV	CDDCH		595	595					18 94	18 94		

LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
		Oper Call Processing - Oper Provided, Per Min. - Using BST LIDB				1 2										
		Oper Call Processing - Oper Provided, Per Min. - Using Foreign LIDB				1 24										
		Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 2										
		Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2										
INWARD OPERATOR SERVICES																
		Inward Operator Svcs - Verification, Per Minute				1 15										
		Inward Operator Service - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING																
		Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call				0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
	UNBRANDING															
	DIRECTORY TRANSPORT															
		Directory Transport - Local Channel DS1				38 36	356 15	312 99					44 22	44 22		
		Directory Transport - DS1 Level Interoffice Per Mile				0 4523										
		Directory Transport - DS1 Level Interoffice Per Facility Termination				78 47	147 07	111 75					18 94	18 94		
		Switched Common Transport Per OA Access Service Per Call				0 0002906										
		Switched Common Transport Per OA Access Service Per Call Per Mile				0 0000186										
		Access Tandem Switching Per OA Access Service Per Call				0 0019152										
		Directory Transport - OA Interconnection Per OA Service Call				0 00269										
		Directory Transport - Installation NRC, Per Trunk or Signaling Connection					204 23	4 42					44 22	44 22		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing				0 04										
		Directory Assistance Data Base Service, per month			DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																
		Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
		Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690								
SELECTIVE ROUTING																
		Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		180 62	180 62					33 67	7 66		
VIRTUAL COLLOCATION																
		Virtual Collocation - 2-wire Cross Connects (loop)		usard,use,udn,udc, uat,uht,uc1,ueq	UEAC2	0 0263	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	1	UEPSR, UEPSB	VE1LS	0 0263	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 0263	24 56	23 56	9 2	8 3			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-wire Cross Connects (loop)		use,uht,uc1,ud1	UEAC4	0 0586	24 76	23 7	9 03	8 1			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 0586	24 76	23 7	9 03	8 1			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	2 88	41 72	30 36	10 43	8 36			2 2	2 2		
		Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	5 76	51 03	39 67	13 71	11 65			2 2	2 2		
		Virtual Collocation - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7 5	166	14								
AIN SELECTIVE CARRIER ROUTING																
		Regional Service Establishment		SRC	SRCEC		391788						19 99	19 99	19 99	19 99
		End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
		Line/Port NRC, per end user		SRC	SRCLP		2 08	2 08					19 99	19 99	19 99	19 99
		Query NRC, per query		SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		90 25	90 25					18 94	18 94		
		AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		29 66	29 66					18 94	18 94		
		AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		29 66	29 66					18 94	18 94		
		AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		84 43	84 43					18 94	18 94		
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		35 44	35 44					18 94	18 94		
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0023										
		AIN SMS Access Service - Session, Per Minute				0 0795604										
		AIN SMS Access Service - Company Performed Session, Per Minute				2 08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																

		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		86 74	86 74					18 94	18 94		
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8348	8348					18 94	18 94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		19 13	19 13					18 94	18 94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		114 8	114 8					18 94	18 94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		19 13	19 13					18 94	18 94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		70 06	70 06					18 94	18 94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		70 06	70 06					18 94	18 94		
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		70 06	70 06					18 94	18 94		
		AIN Toolkit Service - Query Charge, Per Query					0 0209223										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0053137										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 46										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15 98	22 64	22 64					18 94	18 94		
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 0681109	22 64	22 64					18 94	18 94		
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	16 87	22 64	22 64					18 94	18 94		
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service				BAPES	0 0028704	22 64	22 64					18 94	18 94		
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF - Message Processing, per message					0 0136327										
		ADUF - Data Transmission (CONNECT DIRECT), per message					0 0000434										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)																
		EODUF - Message Processing, per message					0 0034555										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF - Recording, per message					0 0001275										
		ODUF - Message Processing, per message					0 0082548										
		ODUF - Message Processing, per Magnetic Tape provisioned					28 85										
		ODUF - Data Transmission (CONNECT DIRECT), per message					0 0000434										
ENHANCED EXTENDED LINK (EELs)																	
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;																
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge																
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)																
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)																
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 1								
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0						
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 4523										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85
		DS1 Channelization System Per Month			UNC1X	MQ1											
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 17	12 02	8 66								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 84	104 14	78 1	0	0			18 94	8 42		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0			18 94	8 42		
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0			18 94	8 42		
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66								
		Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57								
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 7	206 95	170 57	0	0						
		First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57	0	0						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 16			33 63	27 49	19 88	11 85
		Channelization System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0						
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66								
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 26	206 95	170 57	0	0			18 94	8 42		
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25 7	206 95	170 57	0	0			18 94	8 42		
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40 86	206 95	170 57	0	0			18 94	8 42		

	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 17	12 02	8 66									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																	
	First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2									
	First 4-wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2	0	0							
	First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2	0	0							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 18			33 63	27 49	19 88	11 85	
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64Kb)			UNCDX	1D1DD	1 86	12 02	8 66									
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25 75	384 56	241 2	0	0			18 94	8 42			
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29 74	384 56	241 2	0	0			18 94	8 42			
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47 27	384 56	241 2	0	0			18 94	8 42			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64Kb)			UNCDX	1D1DD	1 86	12 02	8 66									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																	
	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 2									
	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 2	0	0							
	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 2	0	0							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 18			33 63	27 49	19 88	11 85	
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	0	0	0	0	0							
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kb)			UNCDX	1D1DD	1 86	12 02	8 66									
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25 75	348 55	241 2	0	0			18 94	8 42			
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29 74	348 55	241 2	0	0			18 94	8 42			
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47 27	348 55	241 2	0	0			18 94	8 42			
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kb)			UNCDX	1D1DD	1 86	12 02	8 66									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	55 53	443 2	138 69									
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	64 13	443 2	138 69	0	0							
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101 93	443 2	138 69	0	0							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 4523											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78 47	194 63	141 51	132 25	46 18			33 63	27 49	19 88	11 85	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12 97	11 27	12 61	12 61			15 72	15 72			
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																	
	First DS1Loop In DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55 53	443 2	138 69									
	First DS1Loop In DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64 13	443 2	138 69	0	0							
	First DS1Loop In DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101 93	443 2	138 69	0	0							
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2 72											
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	788	198 45	153 15	95 4	35 09			33 63	27 49	19 88	11 85	
	DS3 to DS1 Channel System combination per month			UNC3X	MQ9	137 73	103 24	87 41	0	18 12							
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 02	12 02	8 66									
	Additional DS1Loop In DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55 53	443 2	138 69	0	0			18 94	8 42			
	Additional DS1Loop In DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64 13	443 2	138 69	0	0			18 94	8 42			
	Additional DS1Loop In DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101 93	443 2	138 69	0	0			18 94	8 42			
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11 02	12 02	8 66									
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72			
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	18 84	104 14	78 1	0	0			18 94	8 42			
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19 45	104 14	78 1	0	0			18 94	8 42			
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30 92	104 14	78 1	0	0			18 94	8 42			
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0222											

		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	17 07	79 61	36 08					18 94	18 94		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 26	206 95	170 57	0	0			18 94	8 42		
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	25 7	206 95	170 57	0	0			18 94	8 42		
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	40 86	206 95	170 57	0	0			18 94	8 42		
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L6XX	0 0222										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	17 07	79 61	36 08					18 94	18 94		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L6ND	8 9										
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	390 34	639 5	426 4	122 31	119 14						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L6XX	2 72										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	788	198 45	153 15	95 4	35 99			37 55	37 55	18 03	18 03
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L6ND	8 9										
		High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	421 59	639 5	426 4	122 31	119 14						
		Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L6XX	2 72										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TF9	783 93	198 45	449 91	95 4	35 99			37 55	37 55	18 03	18 03
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	21 89	233 38	180 38								
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	25 27	233 38	180 38								
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	40 17	233 38	180 38								
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L6XX	0 4523										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	78 47	194 63	141 51	132 25	48 16			33 63	27 49	19 88	11 85
		Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	0	0	0	0	0						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 37	12 02	8 66								
		Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	21 89	233 38	180 38					18 94	8 42		
		Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	25 27	233 38	180 38					18 94	8 42		
		Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	40 17	233 38	180 38					18 94	8 42		
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3 37	12 02	8 66								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72	0	0
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	55 53	443 2	138 69	0	0						
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	64 13	443 2	138 69	0	0						
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	101 93	443 2	138 69	0	0						
		Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L6XX	2 72										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TF9	783 93	198 45	449 91	95 4	35 99			33 63	27 49	19 88	11 85
		STS1 to DS1 Channel System combination per month		UNCSX	MQ3	182 04	103 24	97 41	0	18 12						
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 02	12 02	8 66								
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	55 53	443 2	138 69	0	0			18 94	8 42		
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	64 13	443 2	138 69	0	0			18 94	8 42		
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	101 93	443 2	138 69	0	0			18 94	8 42		
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 02	12 02	8 66								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72	0	0
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 75	384 56	241 2								
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	29 74	384 56	241 2								
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	47 27	384 56	241 2								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L6XX	0 0222										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility		UNCDX	U1TD6	16 45	147 07	111 75					33 63	27 49	19 88	11 85
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		12 97	11 27	12 61	12 61			45 46	15 72		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 75	348 55	241 2								
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	29 74	348 55	241 2								
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	47 27	348 55	241 2								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L6XX	0 0222										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		UNCDX	U1TD6	16 45	147 07	111 75					33 63	27 49	19 88	11 85

		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		12 97	11 27	11 27	12 61			45 46	15 72		
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Node (SynchroNet)															
		Node per month		UNCDX	UNCNT	13 98										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
		56/64 Kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		12 97	11 27	12 61	12 61			18 94	18 94		
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
		Local Channel - Dedicated - 2-Wire Voice Grade per month		UNCXV	ULDV2	13 91	272 07	60 43					18 94	18 94		
		Local Channel - Dedicated - 4-Wire Voice Grade per month		UNCXV	ULDV4	14 99	272 07	60 43					18 94	18 94		
		Local Channel - Dedicated - DS1 Per Month		UNC1X	ULDF1	38 39	164 99	113 76								
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE: (1) Continued: The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE: (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE: (2) Manual Service Order charge: disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOME C		3 5									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 85	17 16	17 16					18 94	8 42		
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	1 85	17 16	17 16					18 94	8 42		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	1 85	17 16	17 16					18 94	8 42		
		Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	1 85		17 16					18 94	8 42		
		Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES															
		All Available Vertical Features		UEPSR	UEPVF	0	0	0					18 94	8 42		
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	1 85	17 16	17 16					18 94	8 42		
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E494 ID - Bus		UEPSB	UEPBC	1 85	17 16	17 16					18 94	8 42		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	1 85	17 16	17 16					18 94	8 42		
		Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	1 85	17 16	17 16					18 94	8 42		
		Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES															
		All Available Vertical Features		UEPSB	UEPVF	0	0	0					18 94	8 42		
	EXCHANGE PORT RATES (DID & PBX)															
		Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	11 35	61 91	61 91					19 99	19 99	19 99	19 99
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	120 8	108 38	60 88					19 99	19 99	19 99	19 99
		Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	UIPMA	13 47	47 37	47 37					39 88	39 88		
		All Features Offered		UEPTX UEPSX	UEPVF	0	0	0								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2 wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
		Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	UIUMA	0	0	0								
		Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	163 16	196 9	196 9					37 88	37 88		

		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRO	1 85	17 16	17 16					18 94	8 42		
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 85	17 16	17 16					18 94	8 42		
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 85	17 16	17 16					18 94	8 42		
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	1 85	17 16	17 16					18 94	8 42		
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 85	17 16	17 16					18 94	8 42		
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 85	17 16	17 16					18 94	8 42		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 85	17 16	17 16					18 94	8 42		
		Subsequent Activity			UEPSP	USASC	0	0	0								
	FEATURES																
		All Available Vertical Features			UEPSP	UEPSE UEPVF	0	0	0					18 94	8 42		
	EXCHANGE PORT RATES (COIN)																
		Exchange Ports - Coin Port					2 05	17 16	17 16					18 94	8 42		
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																	
	End Office Switching (Port Usage)																
		End Office Switching Function, Per MOU					0 0016333										
		End Office Trunk Port - Shared, Per MOU					0 0001564										
	Tandem Switching (Port Usage) (Local or Access Tandem)																
		Tandem Switching Function Per MOU					0 0006757										
		Tandem Trunk Port - Shared, Per MOU					0 0002126										
	Common Transport																
		Common Transport - Per Mile, Per MOU					0 000008										
		Common Transport - Facilities Termination Per MOU					0 0004152										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
	For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
		2-Wire VG Loop/Port Combo - Zone 1		1			12 59										
		2-Wire VG Loop/Port Combo - Zone 2		2			14 29										
		2-Wire VG Loop/Port Combo - Zone 3		3			21 62										
	UNE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10 8										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12 47										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19 83										
	2-Wire Voice Grade Line Port Rates (Res)																
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 79	22 14	15 25	8 45	3 91			37 06	7 88		
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	FEATURES																
		All Features Offered			UEPRX	UEPVF	0	0	0					33 67	7 88		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										

NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as Is			UEPBX	USAC2		2 01	0 3108					33 67	7 88	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 01	0 3108					33 67	7 88	
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2	0	0	0							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1				12 59									
	2-Wire VG Loop/Port Combo - Zone 2	2				14 26									
	2-Wire VG Loop/Port Combo - Zone 3	3				21 62									
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	10 8									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	12 47									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	19 83									
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 79	22 14	15 25	8 45	3 91			33 67	7 88	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 79	22 14	15 25	8 45	3 91			33 67	7 88	11 17	3 91
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35									
FEATURES															
	All Features Offered			UEPBX	UEPVF	0	0	0					33 67	7 88	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as Is			UEPBX	USAC2		2 01	0 3108					33 67	7 88	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 01	0 3108							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								33 67	7 88	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1				12 59									
	2-Wire VG Loop/Port Combo - Zone 2	2				14 26									
	2-Wire VG Loop/Port Combo - Zone 3	3				21 62									
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	10 8									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	12 47									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	19 83									
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPND	1 79	22 14	15 25	8 45	3 91			33 67	7 88	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 5									
FEATURES															
	All Features Offered			UEPRG	UEPVF	0	0	0					33 67	7 88	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As Is			UEPRG	USAC2		2 01	0 3108					33 67	7 88	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2 01	0 3108					33 67	7 88	
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2 Wire VG Loop/Port Combo - Zone 1	1				12 59									
	2-Wire VG Loop/Port Combo - Zone 2	2				14 26									
	2 Wire VG Loop/Port Combo - Zone 3	3				21 62									

UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 79	22 14	15 25	8 45	3 91			37 06	7 88		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 79	22 14	15 25	8 45	3 91			33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 16										
FEATURES																
	All Features Offered			UEPPX	UEPVF	0	0	0					33 67	7 88		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2 01	0 3108					33 67	7 88		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2 01	0 3108					33 67	7 88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1					12 69										
	2-Wire VG Coin Port/Loop Combo - Zone 2					14 36										
	2-Wire VG Coin Port/Loop Combo - Zone 3					21 72										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	19 83										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPG6	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPNJ	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 89	22 14	15 25	8 45	3 91			33 67	7 88		
ADDITIONAL UNE COIN PORT/LOOP (NC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 59	0	0								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPCO	UEPVF	0	0	0					18 94	8 42		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPCO	USAC2		2 01	0 3108					33 67	7 88		

	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2 01	0 31					33 67	7 88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0					33 67	7 88		
2-WIRE VOICE GRADE LOOP- SUB ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1				28 19										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2				30 8										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				42 27										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1		UEPPX	UECD1	16 84	104 78	78 1					19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2		UEPPX	UECD1	19 45	104 78	78 1					19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3		UEPPX	UECD1	30 92	104 78	104 1					19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11 35	61 91	61 91					19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		93 38	93 38					19 99	19 99	19 99	19 99
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		93 38	93 38					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0	0	0					19 99	19 99	19 99	19 99
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND6	0	0	0				19 99				
	Reserve Non-Consecutive DID numbers			UEPPX	ND8	0	0	0				19 99				
	Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1		UEPPB UEPPA		35 38										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2		UEPPB UEPPB		38 74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3		UEPPA		53 84										
UNE Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPA		USL2X	21 89	252 32	188 77					19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPA		USL2X	25 27	252 32	188 77					19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPA		USL2X	40 17	252 32	188 77					19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPA		UEPPB	13 47	47 37						19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPA		USACB	0	93 38	93 38					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activy - Non Feature/Add Trunk		UEPPB UEPPA		USASB		165 95						19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPB UEPPA		LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)		UEPPB UEPPA		U1UCA	0	0	0								
	CVS (EWSD)		UEPPB UEPPA		U1UCB	0	0	0								
	CSD		UEPPB UEPPA		U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
USER TERMINAL PROFILE																

	User Terminal Profile (EWSD only)		UEPPB	UEPPR	UILMA	0	0	0									
VERTICAL FEATURES																	
	All Vertical Features - One per Channel B User Profile		UEPPB	UEPPR	UEPVF	0	0	0									
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB	UEPPR	MIGNC	18 47	79 81	36 08					19 99	19 99	19 99	19 99	
	Interoffice Channel mileage each, additional mile		UEPPB	UEPPR	MIGNM	0 0222	0	0				0					
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP			218 69											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP			227 29											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP			266 09											
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP		USL4P	55 53	448 92	276 6					19 99	19 99	19 99	19 99	
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP		USL4P	64 13	448 92	276 6					19 99	19 99	19 99	19 99	
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP		USL4P	101 93	448 92	276 6					19 99	19 99	19 99	19 99	
UNE Port Rate																	
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP		UEPPP	183 16	186 8	186 8					19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switches-In		UEPPP		USACP	0	299 96	299 96					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																	
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsqt Activy - Inward/two way tel nos within Std Allowance		UEPPP		PR7TF		0 9666						19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP		PR7TQ		22 75	22 75					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP		PR7ZT		45 49	45 49					19 99	19 99	19 99	19 99	
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPPP		LNPCN	1 75											
INTERFACE (Provisioning Only)																	
	Voice/Data		UEPPP		PR71V	0	0	0									
	Digital Data		UEPPP		PR71D	0	0	0									
	Inward Data		UEPPP		PR71E	0	0	0									
New or Additional "B" Channel																	
	New or Additional - Voice/Data B Channel		UEPPP		PR7BV	0	28 71						19 99	19 99	19 99	19 99	
	New or Additional - Digital Data B Channel		UEPPP		PR7BF	0	28 71						19 99	19 99	19 99	19 99	
	New or Additional Inward Data B Channel		UEPPP		PR7BO	0	28 71						19 99	19 99	19 99	19 99	
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP		PR7BS	0	28 71						19 99	19 99	19 99	19 99	
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP		PR7BU	0	28 71						19 99	19 99	19 99	19 99	
CALL TYPES																	
	Inward		UEPPP		PR7C1	0	0	0									
	Outward		UEPPP		PR7C0	0	0	0									
	Two-way		UEPPP		PR7CC	0	0	0									
Interoffice Channel Mileage																	
	Fixed Each Including First Mile		UEPPP		1LN1A	78 9223	147 07	111 75	0				19 99	19 99	19 99	19 99	
	Each Airline Fractional Additional Mile		UEPPP		1LN1B	0 4523											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC			176 33							19 99	19 99	19 99	19 99	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC			184 93							19 99	19 99	19 99	19 99	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC			222 73							19 99	19 99	19 99	19 99	
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC		USLDC	55 53	448 92	276					19 99	19 99	19 99	19 99	
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC		USLDC	64 13	448 92	276 6					19 99	19 99	19 99	19 99	
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC		USLDC	101 93	448 92	276 6					19 99	19 99	19 99	19 99	
UNE Port Rate																	
	4-Wire DDITS Digital Trunk Port		UEPDC		UDD1T	120 8	89 44	52 49					19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																	

	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		269 96	269 96					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		269 96	269 96					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAW B		269 96	269 96					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order		UEPDC	USAS4		147 47	147 47								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		28 71	28 71					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		28 71	28 71					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		28 71	28 71					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		28 71	28 71					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		28 71	28 71					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format		UEPDC	CCOSF		0	600					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
	AMI -Superframe Format		UEPDC	MCOSF		0	0								
	AMI - Extended SuperFrame Format		UEPDC	MCOP Q		0	0								
Telephone Number/Trunk Group Establishment Charges															
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0										
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0						19 99				
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0						19 99				
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPDC	ND2	0	0	0				19 99				
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0						19 99				
	DID Numbers, Non-consecutive DID Numbers , Per Number		UEPDC	ND5	0						19 99				
	Reserve Non-Consecutive DID Nos.		UEPDC	ND6	0	0	0				19 99				
	Reserve DID Numbers		UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNQ1	78 47	147 07	111 75	0	0			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNQA	0 4523	0	0								
	Interoffice Channel Mileage - Fixed rate 8-25 miles (Facilities Termination)		UEPDC	1LNQ2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 8-25 miles		UEPDC	1LNQB	0 4523	0	0								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNQ3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNQC	0 4523	0	0								
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0	0	0							
	Central Office Termination/no Port		UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	55 53	0	0								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	64 13	0	0								
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	101 93	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	102 64	0	0								
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	205 28	0	0								
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	410 56	0	0								
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	615 84	0	0								
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	821 12	0	0								
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1026 4	0	0								
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1231 68	0	0								
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1642 24	0	0								
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2052 8	0	0								
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2463 36	0	0								
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	2873 92	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	328 35	18 52					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															

New (Not Currently Combined) in Georgia & Tennessee Only																
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	738 61	462 53	144 06	17 09			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution																
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	600					19 99	19 99	19 99	19 99
	Clear Channel Capability Format Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)																
	Superframe Format			UEPMG	MCOSF	0	0	0								
	Extended Superframe Format			UEPMG	MCOPC	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 79	0	0	0	0		19 99				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 79	0	0	0	0		19 99				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 79	0	0	0	0		19 99				
	2 Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11 35	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1POWM	0 62	25 09	13 25	3 99	3 97			19 99	19 99	19 99	19 99
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1POWU	0 62	77 21	18 2	56 49	11 04			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0										
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0	0	0				19 99				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0				19 99				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				19 99				
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0								
	Reserve DID Numbers			UEPPX	NDV	0	0	0								
Local Number Portability																
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available			UEPPX	UEPVF	0	0	0				19 99				

UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES

Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules
These scenarios include
1. Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee
2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true up the billing difference
The Market Rate for unbundled ports includes all available features in all states
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section
Additional NRCs may apply also and are categorized accordingly

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24 8										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33 83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19 83										
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90					33 67	7 88		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90					33 67	7 88		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90					33 67	7 88		
	2 Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES																

	All Features Offered			UEPRX	UEPVF	0	0	0								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				24 8										
	2-Wire VG Loop/Port Combo - Zone 2	2				26 47										
	2-Wire VG Loop/Port Combo - Zone 3	3				33 83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	19 83										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					33 67	7 88		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90					33 67	7 88		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPBX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				24 8										
	2-Wire VG Loop/Port Combo - Zone 2	2				26 47										
	2-Wire VG Loop/Port Combo - Zone 3	3				33 83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRG	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRG	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRG	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				24 8										
	2-Wire VG Loop/Port Combo - Zone 2	2				26 47										
	2-Wire VG Loop/Port Combo - Zone 3	3				33 83										
UNE Loop Rates																
	2 Wire Voice Grade Loop (SL1) - Zone 1	1		UEPPX	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPPX	UEPLX	12 47										

	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2 Way PBX Trunk Port Bus			UEPPX	UEPPC	14	90	90					33 67	7 88		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					33 67	7 88		
	Line Side Unbundled Incoming PBX Trunk Port Bus			UEPPX	UEPPI	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled PBX LD DOD Terminals Port			UEPPX	UEPXC	14	90	90					33 67	7 88		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard DID Capable Port			UEPPX	UEPXE	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					33 67	7 88		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1					24 8										
	2-Wire VG Coin Port/Loop Combo - Zone 2					26 47										
	2-Wire VG Coin Port/Loop Combo - Zone 3					33 83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10 8										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12 47										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	19 83										
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPQC	14	90	90					33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)			UEPCO	UEP2Q	14	90	90					33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPQA	14	90	90					33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPQB	14	90	90					33 67	7 88		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+ and Local (GA)			UEPCO	UEPCH	14	90	90					33 67	7 88		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	14	90	90					33 67	7 88		
	2-Wire Coin Outward with Operator Screening and Blocking, 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14	90	90					33 67	7 88		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	QCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
								Nonrecurring				Nonrecurring					
												Disconnect					
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.54	70.44	44.05	46.93	10.4		19.99				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	19.73	70.44	44.05	46.93	10.4		19.99				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	28.27	70.44	44.05	46.93	10.4		19.99				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	13.54	70.44	44.05	46.93	10.4		19.99				
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting Zone 2		2	UEPSR, UEPSB	UEALS	19.73	70.44	44.05	46.93	10.4		19.99				
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting Zone 3		3	UEPSR, UEPSB	UEALS	28.27	70.44	44.05	46.93	10.4		19.99				
		Engineering Information Document (EI)			UEANL			28.76	28.76								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.31	16.31								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		36.18	36.18								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.27	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	32.32	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	55.78	236.75	177.1				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.27	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	32.32	236.75	177.1				19.99				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	55.78	236.75	177.1				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	20.92	457.14	348.83				19.99				
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.14	457.14	348.83				19.99				
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	67.57	457.14	348.83				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UIL2X	23.66	541.26	431.61				19.99				
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	44.29	541.26	431.61				19.99				
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	76.42	541.26	431.61				19.99				
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		36.18									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	25.73	233.47	158.51	105.49	20.48		19.99				
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	34.83	233.47	158.51	105.49	20.48		19.99				
		2 Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	46.68	233.47	158.51	105.49	20.48		19.99				
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8.79	713.5	609.44				19.99				
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	16.46	713.5	609.44				19.99				
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	28.4	713.5	609.44				19.99				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36.18									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8.79	205.25	129.42	100.89	15.88		19.99				
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	16.46	205.25	129.42	100.89	15.88		19.99				
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	28.4	205.25	129.42	100.89	15.88		19.99				

		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36 18									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	6 29	713 5	609 44				19 99				
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11 76	713 5	609 44				19 99				
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	20 33	713 5	609 44				19 99				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	6 29	222 58	146 75	100 89	15 88		19 99				
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11 76	222 58	146 75	100 89	15 88		19 99				
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	20 33	222 58	146 75	100 89	15 88		19 99				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	7 68	748 93	646 17				19 99				
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	14 38	748 93	646 17				19 99				
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	24 82	748 93	646 17				19 99				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	7 68	279 79	203 99	109 64	20 64		19 99				
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14 38	279 79	203 99	109 64	20 64		19 99				
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	24 82	279 79	203 99	109 64	20 64		19 99				
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36 18									
	4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	50 26	849 8	523 27				19 99				
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	94 06	849 8	523 27				19 99				
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	182 34	849 8	523 27				19 99				
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		36 18									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	35 92	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40 32	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37 9	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL56	35 92	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		2	UDL	UDL56	40 32	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		3	UDL	UDL56	37 9	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	OCOSL		36 18									
		Order Coordination for Specified Conversion Time (per LSR)		1	UDL	UDL64	35 92	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		2	UDL	UDL64	40 32	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		3	UDL	UDL64	37 9	250 99	176 03	116 85	27 85		19 99				
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	OCOSL		36 18									
		Order Coordination for Specified Conversion Time (per LSR)															
	2-WIRE Unbundled COPPER LOOP																
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	14 94	283 77	164 04	120 8	22 45		19 99				
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	16 15	283 77	164 04	120 8	22 45		19 99				
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15 73	283 77	164 04	120 8	22 45		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	14 94	203 39	127 56	100 89	15 88		19 99				
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	16 15	203 39	127 56	100 89	15 88		19 99				
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15 73	203 39	127 56	100 89	15 88		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								

		2-Wire Unbundled Copper Loop/Long - Includes manual srvc Inquiry and facility reservation - Zone 1		1	UCL	UCL2L	36 19	270 38	150 66	120 6	22 45		19 99				
		2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL2L	49 31	270 38	150 66	120 6	22 45		19 99				
		2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80 78	270 38	150 66	120 6	22 45		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	36 19	190	114 17	100 89	15 88		19 99				
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	49 31	190	114 17	100 89	15 88		19 99				
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	80 78	190	114 17	100 89	15 88		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06		19 99				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06		19 99				
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06		19 99				
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		16 31	16 31								
		Engineering Information Document			UEQ			28 76	28 76								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76 92	76 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	25 28	332 2	212 46	130 27	27 51		19 99				
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	23	332 2	212 46	130 27	27 51		19 99				
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19 08	332 2	212 46	130 27	27 51		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	25 28	251 82	175 99	109 64	20 64		19 99				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	23	251 82	175 99	109 64	20 64		19 99				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19 08	251 82	175 99	109 64	20 64		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4L	61 02	318 81	199 07	130 27	27 51		19 99				
		4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4L	55 74	318 81	199 07	130 27	27 51		19 99				
		4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4L	88 97	318 81	199 07	130 27	27 51		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4Q	61 02	238 42	182 6	109 64	20 64		19 99				
		4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4Q	55 74	238 42	182 6	109 64	20 64		19 99				
		4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4Q	88 97	238 42	182 6	109 64	20 64		19 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L			65 2	65 2							
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2Q			341 64	341 64							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L			65 2	65 2							
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4Q			341 64	341 64							
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT			65 24	65 24							
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA			600 03	600 03							
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB			45 28	45 28							
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set Up	1		UEANL	USBSC			379 89	379 89							
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set Up	1		UEANL	USBSD			111 55	111 55							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	9 03		131 64	61 93	90 83	13 44					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	12 25		131 64	61 93	90 83	13 44					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	16 71		131 64	61 93	90 83	13 44					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			36 18	36 18							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	10 18		158 12	88 41	99 1	18 08					

	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 2		2	UEA/L	USBN4	9 44	158 12	88 41	99 1	18 06		19 99			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEA/L	USBN4	13 30	158 12	88 41	99 1	18 06		19 99			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEA/L	USBMC		36 18	36 18							
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEA/L	USBR2	3 23	106 06	36 35	90 83	13 44		19 99			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEA/L	USBMC		36 18	36 18							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEA/L	USBR4	6 29	119 64	48 84	99 1	18 06		19 99			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEA/L	USBMC		36 18	36 18							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	8 01	131 64	61 93	90 83	13 44		19 99			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	9 18	131 64	61 93	90 83	13 44		19 99			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	11 02	131 64	61 93	90 83	13 44		19 99			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36 18	36 18							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	10 66	158 12	88 41	99 1	18 06		19 99			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	9 71	158 12	88 41	99 1	18 06		19 99			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	9 46	158 12	88 41	99 1	18 06		19 99			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36 18	36 18							
Sub-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		600 93								
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 28	45 28							
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		627 98	11 32							
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	10 36	184 97	111 91	108 76	26 76		19 99			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFA	13 62	184 97	111 91	108 76	26 76		19 99			
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFA	18 89	184 97	111 91	108 76	26 76		19 99			
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		36 18								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop Start, Voice Grade - Zone 1		1	UEA	USBFB	10 36	184 97	111 91	108 76	26 76		19 99			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop Start, Voice Grade - Zone 2		2	UEA	USBFB	13 62	184 97	111 91	108 76	26 76		19 99			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	18 89	184 97	111 91	108 76	26 76		19 99			
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		36 18								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	10 36	184 97	111 91	108 76	26 76		19 99			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	13 62	184 97	111 91	108 76	26 76		19 99			
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	18 89	184 97	111 91	108 76	26 76		19 99			
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		36 18								
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFD	30 89	213 58	138 6	122 84	33 84		19 99			
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFD	36 12	213 58	138 6	122 84	33 84		19 99			
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	22 9	213 58	138 6	122 84	33 84		19 99			
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36 18								
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	30 89	213 58	138 6	122 84	33 84		19 99			
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	36 12	213 58	138 6	122 84	33 84		19 99			
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	22 6	213 58	138 6	122 84	33 84		19 99			
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36 18								
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17 75	211 3	136 34	111 02	26 01		19 99			
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23 67	211 3	136 34	111 02	26 01		19 99			
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 3		3	UDN	USBFF	29 8	211 3	136 34	111 02	26 01		19 99			
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		36 18								
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17 75	211 3	136 34	111 02	26 01		19 99			
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23 67	211 3	136 34	111 02	26 01		19 99			
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	29 8	211 3	136 34	111 02	26 01		19 99			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFQ	78 1	202 14	127 18	122 84	33 84		19 99			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFQ	104 83	202 14	127 18	122 84	33 84		19 99			
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFQ	182 36	202 14	127 18	122 84	33 84		19 99			
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		36 18								
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9 29	167 62	92 66	106 42	21 41		19 99			
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	7 3	167 62	92 66	106 42	21 41		19 99			
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	6 03	167 62	92 66	106 42	21 41		19 99			
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		36 18								
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	16 55	202 06	127 09	115 43	26 43		19 99			
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	15 36	202 06	127 09	115 43	26 43		19 99			
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	12 63	202 06	127 09	115 43	26 43		19 99			
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		36 18								
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	27 36	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	33 41	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	24 47	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFQ	27 36	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFQ	33 41	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFQ	24 47	202 14	127 18	122 84	33 84		19 99			
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		36 18								
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	27 36	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	33 41	202 14	127 18	122 84	33 84		19 99			
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24 47	202 14	127 18	122 84	33 84		19 99			

		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSI		36 18								
	Unbundled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2 W PR			UEF	ULM2X		355 83	12 27				19 99			
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4 W PR			UEF	ULM4X		355 83	12 27				19 99			
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		560 74	14 3				19 99			
	Unbundled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 64	62 83	62 83				19 99			
	Network Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89 66	57 24				19 99			
		Network Interface Device (NID) - 1-8 lines			UENTW	UND18		129 24	99 52				19 99			
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 78	11 78				19 99			
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11 78	11 78				19 99			
UNBUNDLED LOOP CONCENTRATION																
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	522 17	651 04	651 04				19 99			
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	63 59	271 27	271 27				19 99			
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	567 21	651 04	651 04				19 99			
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	107 18	271 27	271 27				19 99			
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6 04	126 61	92 17	33 46	9 37		19 99			
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	9 59	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	9 59	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 4	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	14 26	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	8 51	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	41 58	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	12 6	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	12 6	21 08	20 96	10 75	10 68		19 99			
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	12 6	21 08	20 96	10 75	10 68		19 99			
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
LINE OTHER, PROVISIONING ONLY - NO RATE																
		NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX										
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE										
		Unbundled Contract Name, Provisioning Only - No Rate			UEA,UEF,UEQ, UENTW	UNECN										
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0								
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0	0								
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0								
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0								
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0								
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L6ND	11 53									
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	379 72	903 34	528 05	238 2	186 62		19 99			
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L6ND	11 53									
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	394 78	903 34	528 05	238 2	186 62		19 99			
LOOP MAKE-UP																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		47 98	47 98							
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		50 88	50 88							
		Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6748	0 6748							
LINE SHARING																
		Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	203 33	377 71	0	357 29	0		0			
		Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	50 83	377 71	0	357 29	0		0			
		Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSDB	16 94	377 71	0	357 29	0		0			

		Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	37 02	21 2	20 1	9 87		19 99				
		Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		32 78	16 38				19 99				
		Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)	I		ULS	ULSDG		67 72		11 43							
UNBUNDLED TRANSPORT																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU					0 0000049										
		Common Transport - Facilities Termination Per MOU					0 000428										
	NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per			U1TVX	1L5XX	0 0118										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	29 51	81 07	54 84	33 36	13 75		19 99				
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0118										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month			U1TVX	U1TR2	29 51	81 07	54 84	33 36	13 75		19 99				
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0118										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	29 22	81 1	54 84	33 36	13 75		19 99				
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0118										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	21 29	81 11	54 84	33 36	13 75		19 99				
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0118										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	21 29	81 11	54 84	33 36	13 75		19 99				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 2407										
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	97 38	178 59	163 87	32 59	28 79		19 99				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6 1										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1191 53	667 69	325 62	120	116 54		19 99				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - STS-1																
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6 1										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	1186 53	667 69	325 62	120	116 54		19 99				
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	18 81	388 33	66 35	73 04	6 37		19 99				
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	18 81	388 33	66 35	73 04	6 37		19 99				
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	20 12	387 2	67 22	73 99	7 31		19 99				
		Local Channel - Dedicated - DS1 per month - Zone 1	1		ULDD1	ULDF1	44 63	355 08	307 53	44 24	30 42		19 99				
		Local Channel - Dedicated - DS1 per month - Zone 2	2		ULDD1	ULDF1	40 74	355 08	307 53	44 24	30 42		19 99				
		Local Channel - Dedicated - DS1 per month - Zone 3	3		ULDD1	ULDF1	42 95	355 08	307 53	44 24	30 42		19 99				
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8 98										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	683 67	903 34	528 05	238 2	166 62		19 99				
		Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1	1L5NC	8 98										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	680 34	903 34	528 05	238 2	166 62		19 99				
MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	139 65	182 14	125 19	21	19 52		19 99				
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64Kbs)			UDL	1D1DD	1 63	13 16	9 43								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	3 5	13 16	9 43								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 7676	13 16	9 43								
		DS3 to DS1 Channel System per month			UXTD3	MQ3	194 82	356 4	188	66 3	63 44		19 99				
		STS1 to DS1 Channel System per month			UXTS1	MQ3	194 82						19 99				
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	14 53	13 16	9 43								
DARK FIBER																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	48										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1278 61	275 82	632 07	394 05		19 99				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	31 51										
		NRC Dark Fiber - Interoffice Channel			UDF	UDFI4		1278 61	275 82	632 07	394 05		19 99				
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	48										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1278 61	275 82	632 07	394 05		19 99				
TRANSPORT OTHER																	

	Optional Features & Functions:															
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 91	23 82	1 99	0 78		19 99				
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 91	23 82	1 99	0 78		19 99				
8XX ACCESS TEN DIGIT SCREENING																
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		10 05	1 19				19 99				
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS		OHD			30 59	3 22				19 99				
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS		OHD	N8FTX		30 59	3 22				19 99				
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		9 97	3 49				19 99				
		8XX Access Ten Digit Screening, Multiple Inter/Intra LATA CSR Routing Per CSR Requested Per 8XX No		OHD	N8FMX		8 16	4 97				19 99				
		8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		11 24	1 19				19 99				
		8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		9 97					19 99				
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query		OHD		0 001										
		8XX Access Ten Digit Screening w/8XX No. Delivery for 8XX Numbers, with Optional Complex Features, per query		OHD		0 0011										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query		OHD		0 001										
		8XX Access Ten Digit Screening w/ POTS No. Delivery, with Optional Complex Features, per query		OHD		0 0011										
LINE INFORMATION DATA BASE ACCESS (LIDB)																
		LIDB Common Transport Per Query		OQT		0 00008										
		LIDB Validation Per Query		OQU		0 00838										
		LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		107 6					19 99				
SIGNALING (CCS7)																
		CCS7 Signaling Termination, Per STP Port		1DB	PTSSX	174 08						19 99				
		CCS7 Signaling Usage, Per TCAP Message		1DB		0 000102042										
		CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	16 31	354 95	354 95	174 08	174 08		19 99				
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	16 31	354 95	354 95	174 08	174 08		19 99				
		CCS7 Signaling Usage, Per ISUP Message		1DB		0 000037883										
		CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU59	329 86						19 99				
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40				19 99				
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1DB	CCAPD		0	0				19 99				
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
		CNAM for DB Owners, Per Query		OQV		0 016										
		CNAM for Non DB Owners, Per Query		OQV		0 01										
		CNAM (Non-Delaba Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595				19 99				
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
		Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB				1 2										
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB				1 24										
		Oper. Call Processing - Fully Automated, per Call - Using BST LIDB				0 2										
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2										
INWARD OPERATOR SERVICES																
		Inward Operator Services - Verification, Per Call				1										
		Inward Operator Services - Verification and Emergency Interrupt - Per Call				1 95										
BRANDING - OPERATOR CALL PROCESSING																
		Recording of Custom Branded OA Announcement			CBAOS		7000	7000				19 99				
		Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500				19 99	19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call				0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
	UNBRANDING															
	DIRECTORY TRANSPORT															
		Directory Transport - Local Channel DS1				36 32	637 46	646 94				19 99				
		Directory Transport - DS1 Level Interoffice Per Mile				0 45										

		Directory Transport - DS1 Level Interoffice Per Facility Termination				55 05	298 18	231 18				19 99				
		Switched Common Transport Per DA Access Service Per Call				0 000176										
		Switched Common Transport Per DA Access Service Per Call Per Mile				0 000004										
		Access Tandem Switching Per DA Access Service Per Call				0 000783										
		Directory Transport - Installation NRC, Per Trunk or Signaling Connection					501 99	13 32				19 99				
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing				0 04										
		Directory Assistance Data Base Service, per month			DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																
		Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
		Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		890	890								
SELECTIVE ROUTING																
		Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		229 85	229 85					19 99	19 99		
VIRTUAL COLLOCATION																
		Virtual Collocation - 2-wire Cross Connects (bpo)		usarf,usa,udn,udc, upl,vfd,ucl,usq	UEAC2	0 31	54 21	51 07				19 99				
		Virtual Collocation-2 Wire Cross Connects (Local) for Line Splitting	1	UEPSR, UEPSB	VE1LS	0 31	54 21	51 07				19 99				
		Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 31	54 21	51 07				19 99				
		Virtual Collocation - 4-wire Cross Connects (loop)		usa,vfd,ucl,udl	UEAC4	0 62	54 23	50 96				19 99				
		Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 62	54 23	50 96				19 99				
		Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	15 64	41 56	29 82					19 99	19 99	19 99	19 99
		Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	28 11	50 53	36 78					19 99	19 99	19 99	19 99
		Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	1 6	44 07	31 86	12 76	11 53						
AIN SELECTIVE CARRIER ROUTING																
		Regional Service Establishment		SRC	SRCEC		391788					19 99				
		End Office Establishment		SRC	SRCEO		320 53	320 53				19 99				
		Line/Port NRC, per end user		SRC	SRCLP		2 08	2 08				19 99				
		Query NRC, per query		SRC		0 000448										
AIN - BELLSOUTH AIN 0400 ACCESS SERVICE																
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
ODUF/EDOUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
		ADUF Message Processing, per message				0 004										
		ADUF Data Transmission (CONNECT DIRECT), per message				0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF Message Processing, per message				0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
		ODUF Recording, per message				0 0006611										
		ODUF Message Processing, per message				0 0032357										
		ODUF Message Processing, per Magnetic Tape provisioned				55 68										
		ODUF Data Transmission (CONNECT DIRECT), per message				0 0000366										
ENHANCED EXTENDED LINK (EELs)																
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs. Orlando, FL, Miami, FL, Ft Lauderdale, FL; Nashville, TN, New Orleans, LA															
	NOTE Charlotte-Gastonia-Rock Hill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge															
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)															
	NOTE In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 2-Wire VG Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 27										
		First 2-Wire VG Grade Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	32 32										
		First 2-Wire VG Grade Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	55 78										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 2407										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per		UNC1X	U1TF1	97 38										
		DS1 Channelization System Per Month		UNC1X	MQ1	139 65										
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	0 7676										
		Each Additional 2-Wire VG Loop(SL 2) In the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 27										
		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	32 32										
		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	55 78										
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 7676										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															

		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination Zone 1		1	UNCVX	UEAL4	20 92									
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination Zone 2		2	UNCVX	UEAL4	39 14									
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination Zone 3		3	UNCVX	UEAL4	67 57									
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407									
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	97 38									
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65									
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7878									
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	20 92									
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39 14									
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	67 57									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35 92									
		First 4-wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination Zone 2		2	UNCDX	UDL56	40 32									
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37 9									
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407									
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	97 38						19 99			
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 63									
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35 92						19 99			
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 32						19 99			
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37 9						19 99			
		OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 63									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35 92									
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 32									
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 9									
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L6XX	0 2407									
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97 38									
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65									
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 63	0	0							
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35 92									
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 32									
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 9									
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 63									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	50 28									
		4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	84 08									
		4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	162 34									
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L6XX	0 2407									
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97 38									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1Loop In DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50 28									
		First DS1Loop In DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84 08									
		First DS1Loop In DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162 34									
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L6XX	6 1									
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1191 53									
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	194 82									

	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 53											
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 26											
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	94 06											
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	162 34											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 53											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 19	11 19	13 91	13 91		19 99					
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	17 27											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	32 32											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	55 78											
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0119											
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	29 61						19 99					
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 19	11 19	13 91	13 91		19 99					
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	20 92											
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	39 14											
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	67 57											
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0119											
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	29 22											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 19	11 19	13 91	13 91		19 99					
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	11 53											
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	379 72											
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	5 1											
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	1191 53											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 19	11 19	13 91	13 91		19 99					
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	11 53											
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	394 76											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	5 1											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	1166 53											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 19	11 19	13 91	13 91		19 99					
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	23 66											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	44 28											
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	76 42											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 2407											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	97 59											
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MO1	139 66											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 6											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	23 66											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	44 28											
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	76 42											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3 6											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99					
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)																
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 26											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	94 06											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	162 34											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	5 1											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	1166 53											
	STS1 to DS1 Channel System combination per month		UNCSX	MO3	194 82											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 53											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 26											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	94 06											
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	162 34											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 53											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 19	11 19	13 91	13 91		19 99					
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)																
	4-wire 56 Kbps Loop/4-wire 56 Kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	35 92											

197 of 538

		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 32									
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37 9									
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0118									
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility			UNCDX	U1TD6	21 29									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11 19	11 19	13 91	13 91		19 99				
		4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35 92									
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 32									
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37 9									
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0118									
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility			UNCDX	U1TD6	21 29									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11 19	11 19	13 91	13 91		19 99				
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		11 19	11 19	13 91	13 91		19 99				
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		11 19	11 19	13 91	13 91		19 99				
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19 99				
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11 19	11 19	13 91	13 91		19 99				
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11 19	11 19	13 91	13 91		19 99				
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3--one month, DS3 and above--four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE: (1) Continued: The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE: (1) Concluded: CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE: (2) Manual Service Order charge: disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)				SOME C		3 5								
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (INS)															
		Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPPL	2 61	24 98	24 98				19 99				
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2 61	24 98	24 98				19 99				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 61	24 98	24 98				19 99				
		Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res			UEPSR	UEPRM	2 61	24 98	24 98				19 99				
		Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID			UEPSR	UEPAP	2 61	24 98	24 98				19 99				
		Subsequent Activity			UEPSR	USASC	0	0	0								
	FEATURES																
		All Available Vertical Features			UEPSR	UEPVF	3 39	0	0				19 99				
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2 61	37 55	37 55				19 99				
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E464 ID - Bus			UEPSB	UEPBC	2 61	37 55	37 55				19 99				
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	2 61	37 55	37 55				19 99				
		Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus			UEPSB	UEPBM	2 61	37 78	37 78				19 99				
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2 61	37 55	37 55				19 99				
		Subsequent Activity			UEPSB	USASC	0	0	0								
	FEATURES																

198 of 538

	All Available Vertical Features			UEPS8	UEPVF	3 39	0	0				19 99				
EXCHANGE PORT RATES (DID & PBX)																
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10 97	238 99	37 49	119 4	7 5		19 99				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	93 28	404 18	191 44	144 71	4 9		19 99				
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	UIPMA	15 02	145 59	106 01	86 93	21 56		19 99				
	All Features Offered			UEPTX UEPSX	UEPVF	3 39	0	0								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
NOTE: Access to B Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
	Exchange Ports - [illegible] Port – Channel Facilities			UEPTX UEPSX	UILIMA	0	0	0								
	Exchange Ports - [illegible]-1 Port			UEPEX	UEPEX	113 21	407 77	203 16	157 84	39 98		19 99				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPS6	UEPPD	2 91	36 47	36 47				19 99				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2 91	36 47	36 47				19 99				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2 91	36 47	36 47				19 99				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPI	2 91	36 47	36 47				19 99				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2 91	36 47	36 47				19 99				
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard DDD Capable Port			UEPSP	UEPXE	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPSP	UEPXH	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Calling Port Without LUD			UEPSP	UEPXJ	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2 91	36 47	36 47				19 99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2 91	36 47	36 47				19 99				
	Subsequent Activity			UEPSP	USASC	0	0	0								
FEATURES																
	All Available Vertical Features			UEPSP UEPS6	UEPVF	3 39	0	0				19 99				
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					3 04	40 71	40 71				19 99				
Local Switching Features offered with Port																
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	278 49	181 27	118 42				19 99				
UNBUNDLED LOCAL SWITCHING PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 002642										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 001099										
Common Transport																
	Comm[illegible] -MOU					0 0000049										
	Comm[illegible] mination Per MOU					0 000128										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (NES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22 34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30 88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13 54										

	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 73										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	28 27										
2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	2 81							19 99	19 99		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	2 81						19 99				
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	2 81						19 99				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res		UEPRX	UEPRM	2 81						19 99				
	2-Wire voice unbundles res. low usage line port with Caller ID (LUM)		UEPRX	UEPAP	2 81						19 99				
FEATURES															
	All Features Offered		UEPRX	UEPVF	3 39	0	0				19 99				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is		UEPRX	USAC2		10	10				19 99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		10	10				19 99				
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
LINE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 15										
	2-Wire VG Loop/Port Combo - Zone 2	2			22 34										
	2-Wire VG Loop/Port Combo - Zone 3	3			30 88										
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	13 54										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 73										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	28 27										
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	2 81						19 99				
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	2 81						19 99				
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	2 81						19 99				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus		UEPBX	UEPBM	2 81						19 99				
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBX	UPEB1	2 81						19 99				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPBX	UEPVF	3 39	0	0				19 99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is		UEPBX	USAC2		10	10				19 99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		10	10								
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2							19 99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
LINE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 15										
	2-Wire VG Loop/Port Combo - Zone 2	2			22 34										
	2-Wire VG Loop/Port Combo - Zone 3	3			30 88										
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	13 54										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	19 73										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	28 27										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2 81							19 99	19 99		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 5										

FEATURES																
	All Features Offered			UEPRQ	UEPVF	3.39	0	0				19.99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As Is			UEPRQ	USAC2		10	10				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRQ	USACC		10	10				19.99				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRQ	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16.15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	28.27										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.61						19.99				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.61						19.99				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2.61						19.99				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.61						19.99				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.61						19.99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.61						19.99				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.61						19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.61						19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.61						19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	2.61							19.99	19.99		
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	2.61							19.99	19.99		
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	2.61							19.99	19.99		
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	2.61							19.99	19.99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.61						19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.61						19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.61						19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.61							19.99	19.99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	UNPCP	3.16										
FEATURES																
	All Features Offered			UEPPX	UEPVF	3.39	0	0				19.99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As Is			UEPPX	USAC2		10	10				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		10	10				19.99				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					16.15										
	2-Wire VG Coin Port/Loop Combo – Zone 2					22.64										
	2-Wire VG Coin Port/Loop Combo – Zone 3					31.09										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	28.27										

2-Wire Voice Grade Line Ports (COSs)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.91						19.99	19.99				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.91						19.99					
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 800/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.91						19.99					
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	2.91						19.99					
	2-Wire Coin 2-Way with Operator Screening & Blocking: 800/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.91						19.99					
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA			UEPCO	UEPRN	2.91						19.99					
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2.91						19.99					
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 800/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.91						19.99					
	2-Wire Coin Outward Operator Screening & Blocking: 800/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.91						19.99					
	2-Wire 2-Way Smartline with 800/976 (all states except LA)			UEPCO	UEPCK	2.91						19.99					
	2-Wire Coin Outward Smartline with 800/976 (all states except LA)			UEPCO	UEPCR	2.91						19.99					
ADDITIONAL LINE COIN PORT/LOOP (RC)																	
	LINE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	UFECU	2.87	0	0									
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	UNPCX	0.35											
FEATURES																	
	All Features Offered			UEPCO	UEPVF	3.39	0	0				19.99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switches-In			UEPCO	USAC2		10	10				19.99					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		10	10				19.99					
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0				19.99					
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																	
LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1				28.72											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2				34.8											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				46.9											
LINE Loop Rates																	
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	17.76							19.99					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	23.98							19.99					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	34.89							19.99					
LINE Port Rate																	
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	10.84							19.99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		14.62	3.73					19.99					
ADDITIONAL NRCs																	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53.58	53.58					19.99					
Telephone Number/Trunk Group Establishment Charges																	
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0					19.99					
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0					19.99					
	DID Numbers, Non-consecutive DID Numbers - Per Number		UEPPX	ND5	0	0	0					19.99					
	Reserve Non-Consecutive DID numbers		UEPPX	ND8	0	0	0					19.99					
	Reserve DID Numbers		UEPPX	NDV	0	0	0					19.99					
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPPX	LNPCP	3.16												
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
LINE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		35.4												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		44.09												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		55.35												
LINE Loop Rates																	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	22.41							19.99					
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	31.1							19.99					

	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	42.36						19.99				
UNE Port Rate																	
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	12.99						19.99				
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0	77.04	54.04				19.99				
ADDITIONAL NRCs																	
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0	0								
B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0	0	0								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0	0	0								
	CSD			UEPPB	UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS,SC,NS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0	0	0								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0	0	0								
	CSD			UEPPB	UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.39	0	0								
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	26.98	142.31	56.21				19.99				
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GN M	0.0301	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			219.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			248.39										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP			289.47										
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	106.04						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	135.15						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	186.15						19.99				
UNE Port Rate																	
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP		UEPPP	113.21						19.99				
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switched to			UEPPP		USACP	0	238.22	157.17				19.99				
ADDITIONAL NRCs																	
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsqt Actvy - Inward/two way tel nos within Std Allowance			UEPPP		PR7TF		0.9804					19.99				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP		PR7TQ		23.02	23.02				19.99				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR7ZT		46.05	46.05				19.99				
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTERFACE (Provisioning Only)																	
	Voice/Data			UEPPP		PR71V	0	0	0								
	Digital Data			UEPPP		PR71D	0	0	0								
	Inward Data			UEPPP		PR71E	0	0	0								
New or Additional "B" Channel																	

	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0	29.06					19.99					
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0	29.06					19.99					
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0	29.06					19.99					
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0	29.06					19.99					
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0	29.06					19.99					
CALL TYPES																	
	Inward			UEPPP	PR7C1	0	0	0									
	Outward			UEPPP	PR7C0	0	0	0									
	Two-way			UEPPP	PR7CC	0	0	0									
Interoffice Channel Mileage																	
	Fixed Each Including First Mile			UEPPP	1LN1A	55.6	299.18	231.23	0			19.99					
	Each Airline-Fractional Additional Mile			UEPPP	1LH1B	0.46											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		189.32						19.99					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		218.43						19.99					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		249.54						19.99					
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	106.04						19.99					
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC						23.33	19.99					
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	188.15						19.99					
UNE Port Rate																	
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	83.28						19.99					
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC1		201.15	134.08				19.99					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		201.15	134.08				19.99					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAW B		201.15	134.08				19.99					
ADDITIONAL NRCs																	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.99	28.99				19.99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.99	28.99				19.99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.99	28.99				19.99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.99	28.99				19.99					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.99	28.99				19.99					
BIPOLAR 8 ZERO SUBSTITUTION																	
	B8ZS -Superframe Format			UEPDC	CCOSF		0	730				19.99					
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	730				19.99					
Alternate Mark Inversion																	
	AMI -Superframe Format			UEPDC	MCOSF		0	0									
	AMI - Extended SuperFrame Format			UEPDC	UECOF O		0	0									
Telephone Number/Trunk Group Establishment Charges																	
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0											
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19.99					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19.99					
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19.99					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	NDX	0						19.99					
	Reserve Non-Consecutive DID Nos.			UEPDC	NDB	0	0	0				19.99					
	Reserve DID Numbers			UEPDC	NDV	0	0	0				19.99					
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	55.06	299.18	231.23	0	0		19.99					
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.46	0	0									
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0									
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.46	0	0									
	Interoffice Channel Mileage - Fixed rate 26+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 26+ miles			UEPDC	1LNOC	0.46	0	0									
	Local Number Portability, per DSO Activated			UEPDC	LNPCP	3.19	0	0	0								
	Central Office Termination Point			UEPDC	CTG	0											

4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT														
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations														
Each System can have up to 24 combinations of rates depending on type and number of ports used														
UNE DS1 Loop														
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMQ	USLDC	106 04	0	0							
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMQ	USLDC	135 15	0	0							
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMQ	USLDC	186 15	0	0							
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)														
	24 DS0 Channel Capacity - 1 per DS1		UEPMQ	VUM24	136 99	0	0							
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMQ	VUM48	273 98	0	0							
	96 DS0 Channel Capacity - 1per 4 DS1s		UEPMQ	VUM96	547 96	0	0							
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMQ	VUM14	821 94	0	0							
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMQ	VUM19	1095 92	0	0							
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMQ	VUM20	1369 9	0	0							
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMQ	VUM28	1643 88	0	0							
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMQ	VUM38	2191 84	0	0							
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMQ	VUM40	2739 8	0	0							
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMQ	VUM57	3287 76	0	0							
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMQ	VUM67	3835 72	0	0							
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System														
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.														
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.														
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMQ	USAC4	0	301 05	16 72				19 99			
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and														
Now (Not Currently Combined) In Georgia & Tennessee Only														
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - Now GA & TN Only		UEPMQ	VUMD4	0	716 36	468 2	149 3	17 71		19 99			
Bipolar 8 Zero Substitution														
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMQ	CCOSF	0	0	730				19 99			
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMQ	CCOEF	0	0	730				19 99			
Alternate Mark Inversion (AMI)														
	Superframe Format		UEPMQ	MCOSF	0	0	0							
	Extended Superframe Format		UEPMQ	MCOPC	0	0	0							
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port														
Exchange Ports														
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 66	0	0	0	0		19 99			
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 66	0	0	0	0		19 99			
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 66	0	0	0	0		19 99			
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	10 97	0	0	0	0		19 99			
Feature Activations - Unbundled Loop Concentration														
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1POWM	0 77	25 4	13 41	4 17	4 15		19 99			
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1POWU	0 77	78 15	19 68	59 05	11 54		19 99			
Telephone Number/ Group Establishment Charges for DID Service														
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0									
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99			
	Non-Consecutive DID Numbers - per number		UEPPX	ND6	0	0	0				19 99			
	Reserve Non-Consecutive DID Numbers		UEPPX	ND8	0	0	0							
	Reserve DID Numbers		UEPPX	NDV	0	0	0							
Local Number Portability														
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0							
FEATURES - Vertical and Optional														
Local Switching Features Offered with Line Side Ports Only														
	All Features Available		UEPPX	UEPVF	3 39	0	0				19 99			
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES														
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules														
These scenarios include:														
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee														
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 6 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines														
Top 6 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta); LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)														
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference														
The Market Rate for unbundled ports includes all available features in all states														

End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section
Additional NRCs may apply also and are categorized accordingly

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54									
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73									
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27									
UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	13 54									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 73									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	28 27									
2-Wire Voice Grade Line Port (Res)														
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90				19 99			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90				19 99			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90				19 99			
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90				19 99			
LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35									
FEATURES														
	All Features Offered		UEPRX	UEPVF	0	0	0							
ADDITIONAL NRCs														
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54									
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73									
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27									
UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	13 54									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 73									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	28 27									
2-Wire Voice Grade Line Port (Bus)														
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90				19 99			
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90				19 99			
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90				19 99			
LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35									
FEATURES														
NONRECURRING CHARGES - CURRENTLY COMBINED														
ADDITIONAL NRCs														
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			27 54									
	2-Wire VG Loop/Port Combo - Zone 2	2			33 73									
	2-Wire VG Loop/Port Combo - Zone 3	3			42 27									
UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	13 54									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	19 73									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	28 27									
2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2 Wire VG Unbundled Combination 2-Way PBX Trunk Port Res		UEPRG	UEPRD	14	90	90				19 99			
LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15									

FEATURES																	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
ADDITIONAL NRCs																	
	2-Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			27.54											
	2-Wire VG Loop/Port Combo - Zone 2		2			33.73											
	2-Wire VG Loop/Port Combo - Zone 3		3			42.27											
LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	13.54											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	19.73											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	28.27											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90				19.99					
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90				19.99					
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90				19.99					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90				19.99					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90				19.99					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90				19.99					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90				19.99					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90				19.99					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90				19.99					
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	14	90	90				19.99					
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	14	90	90				19.99					
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	14	90	90				19.99					
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	14	90	90				19.99					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90				19.99					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90				19.99					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90				19.99					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90				19.99					
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15											
FEATURES																	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0									
	2-Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity- Nonrecurring						0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
LINE Port/Loop Combination Rates																	
	2-Wire VG Coin Port/Loop Combo – Zone 1					27.54											
	2-Wire VG Coin Port/Loop Combo – Zone 2					33.73											
	2-Wire VG Coin Port/Loop Combo – Zone 3					42.27											
LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	13.54											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.73											
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	28.27											
2-Wire Voice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14	90	90				19.99					
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	14	90	90				19.99					
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90				19.99					
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	14	90	90					33.67	7.88			
	2-Wire Coin 2-Way with Operator Screening & Blocking, 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14	90	90				19.99					

		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA			UEPCO	UEPRN	14	90	90				19 99				
		2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	14	90	90				19 99				
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14	90	90				19 99				
		2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	90	90				19 99				
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs. Electronic Disc 1st	Incremental Charge Manual Svc Order vs. Electronic Disc Add'l
								Nonrecurring						Nonrecurring			
														Disconnect			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/deaveraged.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1	UEANL	UEAL2	14.96	40.69	29.96	11.48	3.36			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		2	UEANL	UEAL2	25.69	40.69	29.96	11.48	3.36			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3	UEANL	UEAL2	52.47	40.69	29.96	11.48	3.36			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSB, UEPSB	UEALS	14.96	40.69	29.96	11.48	3.36			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSB, UEPSB	UEALS	25.69	40.69	29.96	11.48	3.36			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSB, UEPSB	UEALS	52.47	40.69	29.96	11.48	3.36			18.14	8.06	11.41	11.41
		Engineering Information Document (EI)			UEANL			28.72	28.72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		34.9	34.9								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		32.77	32.77								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.65	99.69	74.73	28.73	18.87			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	30.32	99.69	74.73	28.73	18.87			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	61.93	99.69	74.73	28.73	18.87			18.14	8.06	11.41	11.41
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		32.77									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.65	99.69	74.73	28.73	18.87			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	30.32	99.69	74.73	28.73	18.87			18.14	8.06	11.41	11.41
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	61.93	99.69	74.73	28.73	18.87			18.14	8.06	11.41	11.41
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		32.77									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.36	198.1	163.26	74.27	39.44			18.14	8.06	11.41	11.41
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	41.85	198.1	163.26	74.27	39.44			18.14	8.06	11.41	11.41
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.47	198.1	163.26	74.27	39.44			18.14	8.06	11.41	11.41
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		32.77									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UIL2X	21.15	223.27	172.63	74.27	39.44			18.14	8.06	11.41	11.41
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	36.32	223.27	172.63	74.27	39.44			18.14	8.06	11.41	11.41
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	74.19	223.27	172.63	74.27	39.44			18.14	8.06	11.41	11.41
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		32.77									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	28.55	233.18	158.33	105.01	20.41			18.14	8.06	11.41	11.41
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	37.12	233.18	158.33	105.01	20.41			18.14	8.06	11.41	11.41
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	61.88	233.18	158.33	105.01	20.41			18.14	8.06	11.41	11.41
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.9	343.13	310.03	72.54	39.42			18.14	8.06	11.41	11.41
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	20.43	343.13	310.03	72.54	39.42			18.14	8.06	11.41	11.41
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	41.73	343.13	310.03	72.54	39.42			18.14	8.06	11.41	11.41
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		32.77									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11.9	204.74	129.02	100.41	15.81			18.14	8.06	11.41	11.41
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	20.43	204.74	129.02	100.41	15.81			18.14	8.06	11.41	11.41
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	41.73	204.74	129.02	100.41	15.81			18.14	8.06	11.41	11.41

		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		32 77									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8 97	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	15 41	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	31 48	343 13	310 03	72 54	39 42			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		32 77									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8 97	222 04	148 33	100 41	15 81			18 14	8 06	11 41	11 41
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	15 41	222 04	148 33	100 41	15 81			18 14	8 06	11 41	11 41
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	31 48	222 04	148 33	100 41	15 81			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		32 77									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	12 97	361 45	328 35	72 54	39 42			18 14	8 06	11 41	11 41
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	21 76	361 45	328 35	72 54	39 42			18 14	8 06	11 41	11 41
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	44 44	361 45	328 35	72 54	39 42			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		32 77									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	12 97	279 17	203 45	111 45	20 98			18 14	8 06	11 41	11 41
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	21 76	279 17	203 45	111 45	20 98			18 14	8 06	11 41	11 41
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	44 44	279 17	203 45	111 45	20 98			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		32 77									
	4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	58 32	410 38	255 48	92 35	38 44			18 14	8 06	11 41	11 41
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	96 73	410 38	255 48	92 35	38 44			18 14	8 06	11 41	11 41
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	197 67	410 38	255 48	92 35	38 44			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		33 06									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27 5	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	47 24	333 28	230 5	87 99	44 24			18 14	8 04	11 41	11 41
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	96 48	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27 5	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	47 24	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	96 48	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		32 77									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27 5	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	47 24	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	96 48	333 28	230 5	87 99	44 24			18 14	8 06	11 41	11 41
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		32 77									
	2-WIRE Unbundled COPPER LOOP																
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	15 97	283 15	163 59	120 02	22 34			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17 99	283 15	163 59	120 02	22 34			19 99	19 99	19 99	19 99
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	18 18	283 15	163 59	120 02	22 34			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	15 97	202 88	127 16	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17 47	202 88	127 16	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	18 18	202 88	127 16	100 41	15 81			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								

		2-Wire Unbundled Copper Loop/Long - Includes manual srvc Inquiry and facility reservation - Zone 1		1	UCL	UCL2L	42 85	269 99	150 43	120 02	22 34			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL2L	57 79	269 99	150 43	120 02	22 34			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL2L	100 8	269 99	150 43	120 02	22 34			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	42 85	189 73	114 01	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	57 79	189 73	114 01	100 41	15 81			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	100 8	189 73	114 01	100 41	15 81			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			18 14	8 06	11 41	11 41
		2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 4	25 65	7 06			18 14	8 06	11 41	11 41
		2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			18 14	8 06	11 41	11 41
		Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		34 9	34 9								
		Engineering Information Document			UEQ			28 72	28 72								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																	
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	28 98	331 51	211 94	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	26 01	331 51	211 94	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	27 9	331 51	211 94	132 43	27 97			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	28 98	251 24	175 52	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	26 01	251 24	175 52	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	27 9	251 24	175 52	111 45	20 98			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4L	76 23	318 35	198 79	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4L	112 23	318 35	198 79	132 43	27 97			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4L	138 01	318 35	198 79	132 43	27 97			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
		4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4Q	76 23	238 09	162 37	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4Q	112 23	238 09	162 37	111 45	20 98			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4Q	138 01	238 09	162 37	111 45	20 98			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		34 9	34 9								
LOOP MODIFICATION																		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 11	65 11									
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2Q		341 16	341 16									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 11	65 11									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4Q		341 16	341 16									
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 15	65 15									
SUB-LOOPS																		
	Sub-Loop Distribution																	
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		612 58	612 58					18 14	8 06	11 41	11 41
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45 22	45 22					18 14	8 06	11 41	11 41
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		379 35	379 35					18 14	8 06	11 41	11 41
		Sub-Loop Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		110 17	110 17					18 14	8 06	11 41	11 41
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	10 23	131 45	81 84	90 39	13 37			18 14	8 06	11 41	11 41
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	13 92	131 45	81 84	90 39	13 37			18 14	8 06	11 41	11 41
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	20 22	131 45	81 84	90 39	13 37			18 14	8 06	11 41	11 41
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	15 14	157 89	88 29	100 74	18 38			18 14	8 06	11 41	11 41

		Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBNH	19 64	157 89	86 29	100 74	18 38			18 14	8 06	11 41	11 41
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBNH	24	157 89	86 29	100 74	18 38			18 14	8 06	11 41	11 41
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 18	105 91	36 3	90 39	13 37			18 14	8 06	11 41	11 41
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	7 2	118 39	48 77	100 74	18 38			18 14	8 06	11 41	11 41
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		32 77	32 77								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	8 41	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	11	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	13 5	131 45	61 84	90 39	13 37			18 14	8 06	11 41	11 41
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		32 77	32 77								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	10 13	157 89	86 29	100 74	18 38			18 14	8 06	11 41	11 41
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	13 06	157 89	86 29	100 74	18 38			18 14	8 06	11 41	11 41
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	17 02	157 89	86 29	100 74	18 38			18 14	8 06	11 41	11 41
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		32 77	32 77								
	Sub-Loop Feeder																
		USL Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		812 58									
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 22	45 22								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		566 99	11 3								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	10 98	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFA	13 31	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFA	21 61	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		32 77									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	10 98	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	13 31	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21 61	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		32 77									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	10 98	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	13 31	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21 61	184 76	111 8	108 27	26 66			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		32 77									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFD	25 83	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFD	29 83	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	29 81	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		32 77									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	25 83	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	29 83	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	29 81	213 33	138 47	124 72	34 25			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		32 77									
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19 39	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 2		2	UDN	USBFF	24 12	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	32 5	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		32 77									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19 39	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	24 12	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	32 5	211 05	136 19	110 52	25 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFQ	64 62	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFQ	82 63	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFQ	309 79	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		32 77									
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	8 74	187 38	82 53	105 91	21 31			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	7 61	187 38	82 53	105 91	21 31			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	8 63	187 38	82 53	105 91	21 31			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		32 77									
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	20 46	201 76	126 91	117 34	28 87			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	14 8	201 76	126 91	117 34	28 87			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	12 89	201 76	126 91	117 34	28 87			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		32 77									
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	27 11	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	24 84	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	24 86	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	27 11	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	24 84	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24 86	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		32 77									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	27 11	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	24 84	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24 86	201 93	127 07	124 72	34 25			19 99	19 99	19 99	19 99

		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		32 77									
	Unbundled Sub-Loop Modification																
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		355 32	12 25					18 14	8 06	11 41	11 41
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		355 32	12 25					18 14	8 06	11 41	11 41
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		559 94	14 28					18 14	8 06	11 41	11 41
	Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 35	62 26	62 26					18 14	8 06	11 41	1 41
	Network Interface Device (NID)																
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86 37	56 69					18 14	8 06	11 41	11 41
		Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127 79	98 11					18 14	8 06	11 41	11 41
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 72	11 72					18 14	8 06	11 41	11 41
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11 72	11 72					18 14	8 06	11 41	11 41
UNBUNDLED LOOP CONCENTRATION																	
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	432 54	660 11	660 11					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	81 71	270 88	270 88					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	476 24	660 11	660 11					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	103 99	270 88	270 88					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 91	126 43	92 04	34 02	9 52			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	9 39	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	9 39	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 35	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	13 95	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Speciale Card)			UEA	ULCC4	8 32	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	40 67	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 16 2 Kbps Data Loop Interface			UDL	ULCC7	12 33	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	12 33	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC8	12 33	21 05	20 93	10 92	10 86			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																	
LINE OTHER, PROVISIONING ONLY - NO RATE																	
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
		Unbundled Contract Name, Provisioning Only - No Rate			UEA,UL,UEF,UEQ,UENTW	UNECN											
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0	0									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,UDL,UCL,UDL	USBFR	0	0									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	NOTE: 4 month minimum billing period																
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L6ND	12 75							31 27	31 27	3 92	3 92
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	419 1	902 09	527 3	242 15	169 39						
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDL5X	1L6ND	12 75							31 27	31 27	3 92	3 92
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDL5X	UDL51	433 21	902 09	527 3	242 15	169 39						
LOOP MAKE-UP																	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		47 91	47 91								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		50 8	50 8								
		Loop Makeup- With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6852	0 6852								
LINE SHARING																	
		Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	215 88	377 17	0	355 58	0		0				
		Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	53 97	377 17	0	355 58	0		0				
		Line Sharing Splitte, Per System, 8 Line Capacity	I		ULS	ULSDB	17 99	377 17	0	355 58	0		0				

		Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	36 97	21 17	20	9 82			18 14	8 06	11 41	11 41
		Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		32 74	18 35					18 14	8 06		
		Line Sharing-CLEC/ILEC Owned Splitter In CO-per occurrence of each group of 8 lines (16 pair)	I		ULS	ULSDO		67 64		11 37							
UNBUNDLED TRANSPORT																		
	COMMON TRANSPORT (Shared)																	
		Common Transport - Per Mile, Per MOU					0 0000063											
		Common Transport - Facilities Termination Per MOU					0 00047											
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months																	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per			U1TVX	1L5XX	0 0165											
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	26 12	80 99	54 78	33 91	13 97			31 27	31 27	3 92	3 92
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat. - Per Mile per month			U1TVX	1L5XX	0 0165											
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month			U1TVX	U1TR2	26 12	80 99	54 78	33 91	13 97			31 27	31 27	3 92	3 92
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0165											
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22 89	80 99	54 76	33 91	13 97			31 27	31 27	3 92	3 92
		Interoffice Channel - Dedicated Transport - 56 Kbps - per mile per month			U1TDX	1L5XX	0 0165											
		Interoffice Channel - Dedicated Transport - 56 Kbps - Facility Termination per month			U1TDX	U1TD5	18 04	80 99	54 78	33 91	13 97			31 27	31 27	3 92	3 92
		Interoffice Channel - Dedicated Transport - 64 Kbps - per mile per month			U1TDX	1L5XX	0 0165											
		Interoffice Channel - Dedicated Transport - 64 Kbps - Facility Termination per month			U1TDX	U1TD9	18 04	80 99	54 78	33 91	13 97			31 27	31 27	3 92	3 92
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3367											
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	81 45	178 34	163 44	33 13	29 27			31 27	31 27	3 92	39 92
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	7 67											
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	992 87	556 98	325 16	121 99	116 47			31 27	31 27	3 92	3 92
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																	
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	7 67											
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TF8	959 48	556 89	325 16	121 99	116 47			31 27	31 27	3 92	3 92
	LOCAL CHANNEL - DEDICATED TRANSPORT																	
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3-one month, DS3 and above-four months																	
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	21 44	385 78	66 26	74 25	6 48			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	21 44	385 78	66 26	74 25	6 48			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	22 7	385 78	66 26	74 25	6 48			31 26	31 26	3 92	3 92
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	45 1	354 56	307 1	44 97	30 93			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	66 62	354 56	307 1	44 97	30 93			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	144 54	354 56	307 1	44 97	30 93			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	9 92											
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	543 82	902 06	527 3	242 15	169 38			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1	1L5NC	9 92											
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDF5	529 82	902 06	527 3	242 15	169 38			31 27	31 27	3 92	3 92
		Local Channel - Dedicated - OC12 - Facility Termination per month					3372 85	1181 77	408 27	121 99	116 47			50 25	50 25	20 94	20 94
MULTIPLEXERS																		
		Channelization - DS1 to DS0 Channel System			UXTD1	MO1	121 5	181 89	125 01	21 35	19 84			31 27	31 27	3 92	3 92
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	1 9	13 14	9 42									
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systeem - per month			UDN	UC1CA	3 43	13 14	9 42									
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 7609	13 14	9 42									
		DS3 to DS1 Channel System per month			UXTD3	MQ3	233 25	355 89	197 73	67 4	64 49			31 27	31 27	3 92	3 92
		STS1 to DS1 Channel System per month			UXTS1	MQ3	233 25	355 89	197 73	67 4	64 49			31 27	31 27	3 92	3 92
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	13 94	13 14	9 42									
DARK FIBER																		
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	62 92											
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1276 79	276 43	642 55	400 58			31 27	31 27	3 92	3 92
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	31 78											
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1276 79	276 43	642 55	400 58			31 27	31 27	3 92	3 92
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	62 92											
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1276 79	276 43	642 55	400 58			31 27	31 27	3 92	3 92
TRANSPORT OTHER																		

	Optional Features & Functions:														
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 66	23 7	1 97	0 77			29 2	3 92		
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 66	23 7	1 97	0 77			29 2	3 92		
8XX ACCESS TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call		OHD		0 0006306										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		6 29	0 73	18 14				18 14	18 14	11 4	11 4
		8XX Access Ten Digit Screening, Per 8XX Nb, Established W/O POTS		OHD			12 27	1 39	8 3	0 73			18 14	18 14	11 4	11 4
		8XX Access Ten Digit Screening, Per 8XX Nb, Established With POTS		OHD	N8FTX		12 27	1 39	8 3	0 73			18 14	18 14	11 4	11 4
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		4 27	2 14					18 14	18 14	11 4	11 4
		8XX Access Ten Digit Screening, Multiple Inter/LATA Cust Routing Per C/R/R Requested Per 8XX Nb		OHD	N8FMX		5	2 86					18 14	18 14	11 4	11 4
		8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		7 01	0 73					18 14	18 15	11 4	11 4
		8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		4 27						18 14	18 14	11 4	11 4
LINE INFORMATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query		OOT		0 0000418										
		LIDB Validation Per Query		OOU		0 0103774										
		LIDB Originating Point Code Establishment or Change		OOT, OOU	N8PBX		48 17						18 14	18 14	11 4	11 4
SIGNALING (CCS7)															
		CCS7 Signaling Termination, Per STP Port		1D8	PT8SX	181 99							18 14	18 14	11 4	11 4
		CCS7 Signaling Usage, Per TCAP Message		1D8		0 0001052										
		CCS7 Signaling Connection, Per link (A link)		1D8	TPP++	19 48	129 34	129 34	101 1	101 1			18 14	18 14	11 4	11 4
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		1D8	TPP++	19 48	129 34	129 34	101 1	101 1			18 14	18 14	11 4	11 4
		CCS7 Signaling Usage, Per ISUP Message		1D8		0 000043										
		CCS7 Signaling Usage Surrogate, per link per LATA		1D8	STUS8	408 71							18 14	18 14	11 4	11 4
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1D8	CCAPO		40	40					18 14	18 14	11 4	11 4
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Site Affected		1D8	CCAPD		8	8					18 14	18 14	11 4	11 4
E911 SERVICE															
CALLING NAME (CNAM) SERVICE															
		CNAM for DB Owners, Per Query		OQV		0 016										
		CNAM for Non DB Owners, Per Query		OQV		0 01										
		CNAM (Non-Datebs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595					18 14	18 14	11 4	11 4
LNP QUERY SERVICE															
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE														
OPERATOR CALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min. - Using SST LIDB				1 2										
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB				1 24										
		Oper. Call Processing - Fully Automated, per Call - Using SST LIDB				0 2										
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2										
INWARD OPERATOR SERVICES															
		Inward Operator Services - Verification, Per Minute				1 15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING															
		Recording of Custom Branded OA Announcement			CBADS		7000	7000					19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES															
	DIRECTORY ASSISTANCE ACCESS SERVICE														
		Directory Assistance Access Service Calls, Charge Per Call				0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
	UNBRANDING														
	DIRECTORY TRANSPORT														
		Directory Transport - Local Channel DS1				43 83	339 69	299 29	33 02	23 32			42 34	42 34	19 48	19 48
		Directory Transport - DS1 Level Interoffice Per Mile				0 78										
		Directory Transport - DS1 Level Interoffice Per Facility Termination				93 4	140 49	106 69	20	16 34			18 14	18 14	8 06	8 06
		Switched Common Transport Per DA Access Service Per Call				0 0003274										
		Switched Common Transport Per DA Access Service Per Call Per Mile				0 0000175										
		Access Tandem Switching Per DA Access Service Per Call				0 0026267										

		Directory Transport - Installation NRC, Per Trunk or Signaling Connection					195 54	4 23					130 05	4 23		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
		Directory Assistance Data Base Service Charge Per Listing				0 04										
		Directory Assistance Data Base Service, per month			DBSOF	160										
BRANDING - DIRECTORY ASSISTANCE																
		Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
		Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690								
SELECTIVE ROUTING																
		Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		229 65	229 65					31 92	7 32		
VIRTUAL COLLOCATION																
		Virtual Collocation - 2-wire Cross Connects (loop)		usard,use,udn,udc, usl,uhl,ucl,ueq	UEAC2	0 26	23 04	22 11	9 48	8 54			19 99	19 99	19 99	19 99
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB	VE1LS	0 26	23 04	22 11	9 48	8 54			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-wire Cross Connects (port)			VE1P2	0 26	23 04	22 11	9 48	8 54			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-wire Cross Connects (loop)		use,uhl,ucl,usll	UEAC4	0 52	23 23	22 24	9 53	8 55			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-wire Cross Connects (port)			VE1P4	0 52	23 23	22 24	9 53	8 55			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	19 13	41 07	29 63	12 84	10 29			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	34 38	49 81	38 37	16 75	14 2			19 99	19 99	19 99	19 99
		Virtual Collocation - DS1 Cross Connects		USL,USC,CLO	CNC1X	7 5	43 61	30 9	9 56	8 63						
AIN SELECTIVE CARRIER ROUTING																
		Regional Service Establishment		SRC	SRCEG		391788						19 99	19 99	19 99	19 99
		End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
		Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
		Query NRC, per query		SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		153 31	153 31	78 06	78 06			18 14	18 14	11 4	11 4
		AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		50 07	50 07	18 61	18 61			18 14	18 14	11 4	11 4
		AIN SMS Access Service - Port Connection - ISDN Access			CAMIP		50 07	50 07	18 61	18 61			18 14	18 14	11 4	11 4
		AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		104 95	104 95	46 95	46 95			18 14	18 14	11 4	11 4
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		126 33	126 33	24 4	24 4			18 14	18 14	11 4	11 4
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0029										
		AIN SMS Access Service - Session, Per Minute				0 1										
		AIN SMS Access Service - Company Performed Session, Per Minute				1 97										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		153 25	153 25	78 06	78 06			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Training Session, Per Customer			BAPVX		8315	8315					18 14	18 14	11 4	11 4
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			BAPTT		41 08	41 08	18 6	18 6			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		41 08	41 08	18 6	18 6			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		41 08	41 08	18 6	18 6			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP			BAPTO		92 99	92 99	26 73	26 73			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		92 99	92 99	26 73	26 73			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		92 99	92 99	26 73	26 73			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Query Charge, Per Query				0 03										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 0065										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 79										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	15 89	34 81	34 81	21 97	21 97			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 08	37 77	37 77					18 14	18 14	11 4	11 4
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 81	34 81	34 81	21 97	21 97			18 14	18 14	11 4	11 4
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service			BAPES	0 0026	37 77	37 77					18 14	18 14	11 4	11 4
ODUF/EODUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
		ADUF - Message Processing, per message				0 004										
		ADUF - Data Transmission (CONNECT:DIRECT), per message				0 0000305										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF - Message Processing, per message				0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
		ODUF - Recording, per message				0 00019										
		ODUF - Message Processing, per message				0 0024										

	ODUF Message Processing, per Magnetic Tape provisioned					47 3											
	ODUF Data Transmission (CONNECT:DIRECT), per message					0 00003											
ENHANCED EXTENDED LINK (EELs)																	
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;																
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.																
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)																
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge.)																
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1		1		UNCVX	UEAL2	17 65	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2		2		UNCVX	UEAL2	30 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3		3		UNCVX	UEAL2	61 93	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month				UNC1X	1L5XX	0 3367										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per				UNC1X	U1TF1	81 45	295 39	213 88	78 88	34 78			31 27	31 27	3 92	3 92
	DS1 Channelization System Per Month				UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month				UNCVX	1D1VG	0 7609	12 15	8 76								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1		UNCVX	UEAL2	17 65	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2		UNCVX	UEAL2	30 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3		UNCVX	UEAL2	61 93	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month				UNCVX	1D1VG	0 7609	12 15	8 76								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge				UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1		UNCVX	UEAL4	24 36	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2		UNCVX	UEAL4	41 85	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3		UNCVX	UEAL4	85 47	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month				UNC1X	1L6XX	0 3367										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month				UNC1X	U1TF1	81 45	295 39	213 88	78 88	34 78			31 27	31 27	3 92	3 92
	Channelization - Channel System DS1 to DS0 combination Per Month				UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month				UNCVX	1D1VG	0 7609	12 15	8 76								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1		UNCVX	UEAL4	24 36	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2		UNCVX	UEAL4	41 85	193 82	92 77	82 08				31 27	31 27	3 92	3 92
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3		UNCVX	UEAL4	85 47	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month				UNCVX	1D1VG	0 7609	12 15	8 76								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge				UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1		UNCDX	UDL56	27 6	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2		UNCDX	UDL56	47 24	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3		UNCDX	UDL56	86 48	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month				UNC1X	1L6XX	0 3367										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month				UNC1X	U1TF1	81 45	295 39	213 71	78 88	34 78			31 27	31 27	3 92	3 92
	Channelization - Channel System DS1 to DS0 combination Per Month				UNC1X	MQ1	121 5	123 37	26 67	3 42	3 08						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64Kbs)				UNCDX	1D1DD	1 8	12 15	8 76								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1		UNCDX	UDL56	27 6	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2		UNCDX	UDL56	47 24	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3		UNCDX	UDL56	86 48	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64Kbs)				UNCDX	1D1DD	1 8	13 14	9 42								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge				UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1		UNCDX	UDL64	27 5	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2		UNCDX	UDL64	47 24	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3		UNCDX	UDL64	86 48	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	Inte	Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L6XX	0 3367										

	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	81 45	295 39	213 71	78 86	34 78			31 27	31 27	3 92	3 92
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	121 5	123 37	26 67	3 42	3 09						
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kb)			UNCDX	1D1DD	1 6	12 15	8 76								
	Additional 4-Wire 64Kbps Digital Grade Loop/n same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27 5	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	Additional 4-Wire 64Kbps Digital Grade Loop/n same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	47 24	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	Additional 4-Wire 64Kbps Digital Grade Loop/n same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	66 48	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kb)			UNCDX	1D1DD	1 6	12 15	8 76								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	56 32	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	96 73	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	197 67	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3367										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	81 45	295 39	213 86	78 86	34 78			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 17	11 7	14 14	13 91			31 27	31 27	3 92	3 92
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	56 32	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
	First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	96 73	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
	First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	197 67	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	7 67										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	982 87	607 48	221 03	64 07	28 12			31 27	31 27	3 92	3 92
	DS3 to DS1 Channel System combination per month			UNC3X	MQ9	233 25	323 12	127 13	37 72	19 37						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13 64	12 16	8 77								
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	56 32	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	96 73	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	197 67	348 15	92 77	89 88	12 22			31 27	31 27	3 92	3 92
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	13 64	12 16	8 77								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17 65	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	30 32	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	2-Wire VG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	61 93	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0195										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	28 12	149 36	85 88	78 02	34 89			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																
	4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 36	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	41 85	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85 47	193 82	92 77	92 08	12 22			31 27	31 27	3 92	3 92
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0195										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22 89	149 36	85 88	78 02	34 89			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	12 75										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	419 1	387 7	258 22								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	7 67										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	982 87	610 38	249 26	72 2	30 88			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	12 75										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	433 21	387 7	258 22								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	7 67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	959 48	610 38	249 26	72 2	30 88			31 27	31 27	3 92	3 92
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																

		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	21 15	193 82	92 77	82 08	12 22			31 26	31 26	3 91	3 91
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	36 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	74 19	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 3387										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	81 45	295 39	213 86	78 86	34 76			31 27	31 27	3 92	3 92
		Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	121 5	123 37	20 67	3 42	3 06						
		2-wire ISDN CCCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 43	12 15	8 76								
		Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	21 15	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	36 32	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	74 19	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		2-wire ISDN CCCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3 43	12 15	8 76								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	56 32	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	96 73	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	197 67	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
		Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	7 67										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	959 46	810 38	249 52	72 62	39 88			31 27	31 27	3 92	3 92
		STS1 to DS1 Channel System combination per month		UNCSX	MQ3	233 26	220 23	98 9	19 27	7 61						
		DS3 Interface Unit (DS1 CCCI) combination per month		UNC1X	UC1D1	13 64	12 15	8 77								
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	56 32	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	96 73	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
		Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	197 67	348 15	207 55	89 88	28			31 27	31 27	3 92	3 92
		DS3 Interface Unit (DS1 CCCI) combination per month		UNC1X	UC1D1	13 64	12 15	8 77								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 5	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	47 24	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	96 48	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0166										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility		UNCDX	U1TD5	19 04	149 39	88	78 02	34 89			31 27	31 27	3 92	3 92
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 5	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	47 24	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	96 48	193 82	92 77	82 08	12 22			31 27	31 27	3 92	3 92
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0166										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		UNCDX	U1TD5	19 04	149 39	88	78 02	34 89			31 27	31 27	3 92	3 92
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		0	11 7	14 14	14 14			31 27	31 27	3 92	3 92
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not															
	Access to DCS - Customer Reconfiguration (FlexServ)															
	Node (SynchroNet)															
		Node per month		UNCDX	UNCNT	15 43										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 17	11 7	14 14	14 14			31 27	31 27	3 92	3 92
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE: (1) Continued: The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE: (1) Concluded: CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE: (2) Manual Service Order charge, disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 5									

The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm

UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res.		UEPSR	UEPRL	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		UEPSR	UEPRC	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAS	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (BUL)		UEPSR	UEPAQ	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	0 29	0	0					18 14	8 06	10 39	10 39
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller*E484 ID - Bus.		UEPSB	UEPBC	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAX	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)		UEPSB	UEPAA	2 2	16 43	16 43	4 38	4 38			18 14	8 06	10 39	10 39
	Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES														
	All Available Vertical Features		UEPSB	UEPVF	0 29	0	0					18 14	8 06	10 39	10 39
	EXCHANGE PORT RATES (DID & PBX)														
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 62	238 35	37 44	121 38	7 63			18 14	8 06	10 39	10 39
	Exchange Ports - DDTS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	77 66	403 61	191 17	147 11	4 98			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)	UEPTX UEPSX	UITUMA	11 42	146 38	106 86	95 47	21 45			38 29	38 29	6 65	6 65
	All Features Offered	UEPTX UEPSX	UEPVF	0 29	0	0									
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles	UEPTX UEPSX	UITUMA	0	0	0									
	Exchange Ports - 4-Wire ISDN DS1 Port	UEPEX	UEPEX	107 66	407 19	202 89	160 46	40 66			33 18	33 18	7 73	7 73
	2-Wire VG Unbundled 2-Way PBX Trunk - Res	UEPSE	UEPRD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	UEPSP	UEPPC	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus	UEPSP	UEPPO	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	UEPSP	UEPP1	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	UEPSP	UEPLD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port	UEPSP	UEPL2	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD Terminal Ports	UEPSP	UEPLD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Vice Unbundled 2-Way PBX Usage Port	UEPSP	UEPXA	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	UEPSP	UEPXB	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD DDD Terminals Port	UEPSP	UEPXC	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	UEPSP	UEPXD	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port	UEPSP	UEPXE	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port	UEPSP	UEPXK	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port	UEPSP	UEPXL	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	UEPSP	UEPXM	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port	UEPSP	UEPXO	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port	UEPSP	UEPXP	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	UEPSP	UEPXS	2 2	16 43	16 43	3 77	3 77			18 14	8 06	8 94	8 94
	Subsequent Activity	UEPSP	USASC	0	0	0									
	FEATURES														
	All Available Vertical Features	UEPSP UEPSE	UEPVF	0 29	0	0					18 14	8 06	8 94		

EXCHANGE PORT RATES (COS)																
	Exchange Ports - Coin Port					2 5	16 43	16 43	4 15	4 15			18 14	8 06	9 86	9 86
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2 wire ISDN ports																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0021										
	End Office Trunk Port - Shared, Per MOU					0 0002										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 0008										
	Tandem Trunk Port - Shared, Per MOU					0 0003										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 0000083										
	Common Transport - Facilities Termination Per MOU					0 00047										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 6										
	2-Wire VG Loop/Port Combo - Zone 2		2			20 69										
	2-Wire VG Loop/Port Combo - Zone 3		3			51 85										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 55							31 92	7 32		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 55							31 92	7 32		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 55							31 92	7 32		
	2-Wire voice Grade unbundled Louislene extended local dialing parity port with Caller ID - res			UEPRX	UEPAS	2 55							31 92	7 32		
	2-Wire voice unbundled Louislene Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	2 55							31 92	7 32		
	2-Wire voice unbundles res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2 55							31 92	7 32		
FEATURES																
	All Features Offered			UEPRX	UEPVF	8 28	0	0					31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 11						5 12			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 6										
	2-Wire VG Loop/Port Combo - Zone 2		2			20 69									20	
	2-Wire VG Loop/Port Combo - Zone 3		3			51 85										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	49 3										

2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 55							31 92	7 32		
	2-Wire voice unbundled port with Caller + E191 ID - bus			UEPBX	UEPBC	2 55							31 92	7 32		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 55							31 92	7 32		
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPBX	UEPAX	2 55							31 92	7 32		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2 55							31 92	7 32		
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	2 55							31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	8 28	0	0					31 92	7 32		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is			UEPBX	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		3 8	0 29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 11						5 12			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								31 92	7 32		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			18 6										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 69										
	2-Wire VG Loop/Port Combo - Zone 3		3			51 85										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRQ	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRQ	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRQ	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRQ	UEPRD	2 55							31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRQ	LNPCP	3 5										
FEATURES																
	All Features Offered			UEPRQ	UEPVF	8 28	0	0					31 92	7 32		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is			UEPRQ	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRQ	USACC		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 11						5 12			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRQ	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 04	14 04					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			18 6										
	2-Wire VG Loop/Port Combo - Zone 2		2			26 69										
	2-Wire VG Loop/Port Combo - Zone 3		3			51 85										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 55							31 92	7 32		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 55							31 92	7 32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port			UEPPX	UEPL2	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 55							31 92	7 32		

	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	2 55							31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2 55							31 92	7 32		
	2-Wire [illegible] Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	2 55							31 92	7 32		
	2-Wire [illegible] Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPPX	UEPXK	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2 55							31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	2 55							31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	2 55							31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPPX	UEPXP	2 55							31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	2 55							31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
FEATURES															
	All Features Offered		UEPPX	UEPVF	8 28	0	0					31 92	7 32		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is		UEPPX	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 11						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1				18 79										
	2-Wire VG Coin Port/Loop Combo - Zone 2				20 86										
	2-Wire VG Coin Port/Loop Combo - Zone 3				62 04										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	49 3										
2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	2 74							31 92	7 32		
	2-Wire Coin 2-Way [illegible] Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2 74							31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	2 74							31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	2 74							31 92	7 32		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA		UEPCO	UEPRN	2 74							31 92	7 32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)		UEPCO	UEPLA	2 74							31 92	7 32		
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPR1	2 74							31 92	7 32		
	2-Wire Coin Outward Operator [illegible] Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	2 74							31 92	7 32		
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)		UEPCO	UEPNA	2 74							31 92	7 32		
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)		UEPCO	UEPCB	2 74							31 92	7 32		
ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	UREQU	1 81	0	0								
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPCO	UEPVF	8 28	0	0					18 14	8 06	8 04	
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		3 8	0 29					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		3 8	0 29					31 92	7 32		
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0					31 92	7 32		

2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28 99										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			35 35										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			49 88										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	19 5							19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	26 86							19 99	19 99	19 99	19 99
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	40 39							19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9 49							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch as-is			UEPPX	USAC1		14 6	3 72					19 99	19 99	19 99	19 99
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 6	3 72					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		63 6	63 6					19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establishment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0				19 99				
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				19 99				
	Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		34 43										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		43 62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		58 76										
UNE Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	24 92							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	33 11							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	49 25							19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	9 51							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USAC8	0	78 93	53 97					19 99	19 99	19 99	19 39
ADDITIONAL NRCs																
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0								
	CSD			UEPPB UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0	0	0								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0	0	0								
	CSD			UEPPB UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0								

VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile		UEPPB	UEPPR	UEPVF	8 28	0	0								
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB	UEPPR	M1GNC	18 4	76 2	34 54					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile		UEPPB	UEPPR	M1GN M	0 0384	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP			207 97										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP			236 26										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP			450 74										
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP		USL4P	100 42										
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP		USL4P	129 71							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP		USL4P	343 19							19 99	19 99	19 99	19 99
													19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP		UEPPP	107 55										
													19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP		USACP	0	237 88	158 94								
													19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsq Activ- Inward/two way tel nos within Std Allowance		UEPPP		PR7TF		0 979									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP		PR7TQ		22 99	22 99					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP		PR7ZT		45 98	45 98					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPP		LNPCN	1 75										
INTERFACE (Provisioning Only)																
	Voice/Data		UEPPP		PR71V	0	0	0								
	Digital Data		UEPPP		PR71D	0	0	0								
	Inward Data		UEPPP		PR71E	0	0	0								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP		PR7BV	0	29 01						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel		UEPPP		PR7BF	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel		UEPPP		PR7BD	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP		PR7BS	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP		PR7BU	0	29 01						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward		UEPPP		PR7C1	0	0	0								
	Outward		UEPPP		PR7C0	0	0	0								
	Two-way		UEPPP		PR7CC	0	0	0								
Interoffice Channel Mileage																
	Fixed Each Including First Mile		UEPPP		1LN1A	94 1831	140 49	106 99	20				19 99	19 99	19 99	19 99
	Each Airline Fractional Additional Mile		UEPPP		1LN1B	0 7831										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC			178 08										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC			206 17							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC			420 86							19 99	19 99	19 99	19 99
													19 99	19 99	19 99	19 99
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC		USLDC	100 42										
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC		USLDC						23 72		19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC		USLDC	343 19							19 99	19 99	19 99	19 99
													19 99	19 99	19 99	19 99
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port		UEPDC		UDD1T	77 66										
													19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC		USAC4		266 76	123 18					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Charges		UEPDC		USAWA		266 76	123 18					19 99	19 99	19 99	19 99

	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAW B		266 76	123 16					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2 Way Trunk		UEPDC	UDTTA		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1 Way Outward Trunk		UEPDC	UDTTB		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		26 6	26 6					19 99	19 99	19 99	19 99
	4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		26 6	26 6					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		26 6	26 6					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS - Superframe Format		UEPDC	CCOSF		0	605					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	605					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
	AMI -Superframe Format		UEPDC	MCOSF		0	0								
	AMI - Extended SuperFrame Format		UEPDC	MCOP O		0	0								
Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0										
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0						19 99				
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0						19 99				
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0						19 99				
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0						19 99				
	Reserve Non-Consecutive DID Nos.		UEPDC	ND6	0	0	0				19 99				
	Reserve DID Numbers		UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	93 4	140 49	106 69	20	16 34			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 7831	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 7831	0	0								
	Interoffice Channel Mileage - Fixed rate 26+ miles (Facilities Termination)		UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 26+ miles		UEPDC	1LNOC	0 7831	0	0								
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0	0	0							
	Central Office Terminating Point		UEPDC	CTQ	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	100 42	0	0								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	128 71	0	0								
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	343 19	0	0								
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	112 51	0	0								
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	225 02	0	0								
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	450 04	0	0								
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	675 06	0	0								
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	900 08	0	0								
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1125 1	0	0								
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1350 12	0	0								
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1800 16	0	0								
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2250 2	0	0								
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2700 24	0	0								
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3150 28	0	0								
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	300 63	167					19 99	19 99	19 99	19 99
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In Georgia & Tennessee Only															
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only		UEPMG	VUMD4	0	715 54	467 54	148 34	17 63			19 99	19 99	19 99	19 99
Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	605					19 99	19 99	19 99	19 99

	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	605					19 99	19 99	19 99	19 99
Alternate Mark Inversion (AMI)															
	Superframe Format		UEPMG	MCOSF	0	0	0								
	Extended Superframe Format		UEPMG	MCOPO	0	0	0								
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 72	0	0	0	0		19 99				
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 72	0	0	0	0		19 99				
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 72	0	0	0	0		19 99				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	9 52	0	0	0	0		19 99				
Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1POW M	0 75	25 38	13 4	4 47	4 24			19 99	19 99	19 99	19 99
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1POW U	0 75	76 05	18 4	60 03	11 73			19 99	19 99	19 99	19 99
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0										
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99				
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				19 99				
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0								
	Reserve DID Numbers		UEPPX	NDV	0	0	0								
Local Number Portability															
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available		UEPPX	UEPVF	8 28	0	0				19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
These scenarios include:															
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 9 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
The Top 9 MSAs in BellSouth's region are: FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta); LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
The Market Rate for unbundled ports includes all available features in all states															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC UREC1)															
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section															
Additional NRCs may apply also and are categorized accordingly.															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			28 05										
	2-Wire VG Loop/Port Combo - Zone 2	2			38 14										
	2-Wire VG Loop/Port Combo - Zone 3	3			63 3										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 06										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	49 3										
2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90					31 92	7 32		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90					31 92	7 32		
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90					31 92	7 32		
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res		UEPRX	UEPAS	14	90	90					31 92	7 32		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)		UEPRX	UEPAG	14	90	90					31 92	7 32		
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7)		UEPRX	UEPAH	14	90	90					31 92	7 32		
	2-Wire voice unbundled res, low usage line port with Caller ID (LUA)		UEPRX	UEPAP	14	90	90					31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPRX	UEPVF	0	0	0								

	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				28 05										
	2-Wire VG Loop/Port Combo - Zone 2	2				38 14										
	2-Wire VG Loop/Port Combo - Zone 3	3				83 3										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	49 3										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					31 92	7 32		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90					31 92	7 32		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					31 92	7 32		
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPBX	UEPAX	14	90	90					31 92	7 32		
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	14							31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPBX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				28 05										
	2-Wire VG Loop/Port Combo - Zone 2	2				38 14										
	2-Wire VG Loop/Port Combo - Zone 3	3				83 3										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRG	UEPLX	14 05										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRG	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRG	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90					31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				28 05										
	2-Wire VG Loop/Port Combo - Zone 2	2				38 14										
	2-Wire VG Loop/Port Combo - Zone 3	3				83 3										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPPX	UEPLX	14 05										

	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					31 92	7 32		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					31 92	7 32		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port			UEPPX	UEPL2	14							31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way Combination PBX Ukiasa Port			UEPPX	UEPXA	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90					31 92	7 32		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPXE	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port			UEPPX	UEPXK	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port			UEPPX	UEPXP	14	90	90					31 92	7 32		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 16										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1					28 06										
	2-Wire VG Coin Port/Loop Combo - Zone 2					38 14										
	2-Wire VG Coin Port/Loop Combo - Zone 3					63 3										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 06										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	24 14										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	49 3										
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14	90	90					31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90					31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14	90	90					31 92	7 32		
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14	90	90					31 92	7 32		
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA			UEPCO	UEPRN	14	90	90					31 92	7 32		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	14	90	90					31 92	7 32		
	2-Wire Coin Outward with Operator Screening and Blocking, 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14	90	90					31 92	7 32		
	2-Wire Coin Outward Operator Screening & Blocking: 900/976 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	90	90					31 92	7 32		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As Is			UEPCO	USAC2		41 5	41 5								
	2 Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								



CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge Manual Svc Order vs. Electronic-Disc-Add'l
							Nonrecurring			Nonrecurring							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.58	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	20.66	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	29.51	59.25	43.67	16.35	4.6			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4		4	UEANL	UEAL2	38.94	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	15.58	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR, UEPSB	UEALS	20.66	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR, UEPSB	UEALS	29.51	59.25	43.67	16.35	4.6			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4		4	UEPSR, UEPSB	UEALS	38.94	59.25	43.67	16.35	4.06			25.52	11.34	16.06	16.06
		Engineering Information Document (EI)			UEANL			28.72	28.72								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		50.29	50.29								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45.27	45.27								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	18.35	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	24.33	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	34.77	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.88	144.01	107.7	40.98	28.95			25.52	11.34	16.06	
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.27									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	18.35	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	24.33	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	34.77	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4		4	UEA	UEAR2	45.88	144.01	107.7	40.98	28.95			25.52	11.34	16.06	16.06
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.27									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.38	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	29.67	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42.4	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	55.99	289.06	238.19	108.14	57.28			25.52	11.34	16.06	16.06
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.27									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UIL2X	21.86	326.38	252	108.14	57.27			25.52	11.34	16.06	16.06
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	28.97	326.38	252	108.14	57.27			25.52	11.34	16.06	16.06
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	41.4	326.38	252	108.14	57.27			25.52	11.34	16.06	16.06
		2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	UIL2X	54.64	326.38	252					25.52	11.34	16.06	16.06
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.27									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	32.48	233.64	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	42.06	233.64	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	55.26	233.64	158.71	104.88	20.59			25.52	11.34	16.06	16.06
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 4		4	UDC	UDC2X	71.05	233.64	158.71	104.88	20.59			25.52	11.34	16.06	16.06
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	10.87	504.82	456.24	105.86	57.25			25.52	11.34	16.06	16.06
		2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	14.4	504.82	456.24	105.86	57.25			25.52	11.34	16.06	16.06

		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20 58	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	27 16	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 27									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	10 87	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	14 4	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	20 58	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2W	27 16	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 27									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8 5	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11 26	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	16 1	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	21 25	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8 5	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11 26	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	16 1	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL2W	21 25	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10 36	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	13 73	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19 62	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4X	25 9	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10 36	221 85	148 16	100 05	15 75			25 52	11 34	16 06	16 06
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	13 73	221 85	148 16	100 05	15 75			25 52	11 34	16 06	16 06
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19 62	221 85	148 16	100 05	15 75			25 52	11 34	16 06	16 06
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4		4	UHL	UHL4W	25 9	221 85	148 16	100 05	15 75			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 27									
	4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	50 99	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	67 56	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	94 68	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
		4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	127 4	599 09	373 9	133 53	56 25			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		46 17									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25 61	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33 94	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	48 51	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital 19.2 Kbps		4	UDL	UDL19	64 02	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25 61	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33 94	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	48 51	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	UDL	UDL56	64 02	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		46 27									

	4 Wire Unbundled Digital Loop 64 Kbps Zone 1	1	UDL	UDL64	25 61	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	33 94	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	48 51	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	4	UDL	UDL64	64 02	489	337 93	128 36	64 35			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSI		45 27									
	2-WIRE Unbundled COPPER LOOP														
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	18 85	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	22 34	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	31 82	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4	4	UCL	UCLPB	42 13	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	18 85	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	22 34	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	31 82	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4	4	UCL	UCLPW	42 13	202 7	127	100 05	15 75			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1	1	UCL	UCL2L	47 74	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2	2	UCL	UCL2L	70 63	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3	3	UCL	UCL2L	104 29	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 4	4	UCL	UCL2L	112 55	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL2W	47 74	169 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL2W	70 63	169 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL2W	104 29	169 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4	4	UCL	UCL2W	112 55	169 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	11 01	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	12 87	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	4	UEQ	UEQ2X	20 22	44 69	22 4	25 65	7 06			25 52	11 34	16 06	16 06
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	UEQMC		50 29	50 29								
	Engineering Information Document		UEQ			28 72	28 72								
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP														
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	22 24	331 29	211 76	133 82	28 28			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	25 82	331 29	211 76	133 82	28 28			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28 12	331 29	211 76	133 82	28 28			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4S	28 12	331 29	211 76	133 82	28 28			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	22 24	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	25 82	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28 12	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4W	28 12	251 04	175 34	112 63	21 2			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29								
	4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 1	1	UCL	UCL4L	82 63	318 27	188 74	133 82	28 26			19 99	19 99	19 99	19 99

		4-Wire Unbundled Copper Loop/Long - Includes manual svc. Inquiry and facility reservation - Zone 2		2	UCL	UCL4L	127.11	318.27	198.74	133.82	28.28			19.99	19.99	19.99	19.99
		4-Wire Unbundled Copper Loop/Long - Includes manual svc. Inquiry and facility reservation - Zone 3		3	UCL	UCL4L	138.69	318.27	198.74	133.82	28.28			19.99	19.99	19.99	19.99
		4-Wire Unbundled Copper Loop/Long - Includes manual svc. Inquiry and facility reservation - Zone 4		4	UCL	UCL4L	138.69	318.27	198.74	133.82	28.28			19.99	19.99	19.99	19.99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50.29	50.29								
		4-Wire Unbundled Copper Loop/Long - without manual svc. Inquiry and facility reservation - Zone 1		1	UCL	UCL4Q	82.53	238.02	162.33	112.63	21.2			19.99	19.99	19.99	19.99
		4-Wire Unbundled Copper Loop/Long - without manual svc. Inquiry and facility reservation - Zone 2		2	UCL	UCL4Q	127.11	238.02	162.33	112.63	21.2			19.99	19.99	19.99	19.99
		4-Wire Unbundled Copper Loop/Long - without manual svc. Inquiry and facility reservation - Zone 3		3	UCL	UCL4Q	138.69	238.02	162.33	112.63	21.2			19.99	19.99	19.99	19.99
		4-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4Q	138.69	238.02	162.33	112.63	21.2			19.99	19.99	19.99	19.99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		50.29	50.29								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		66.09	66.09								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2Q		341.07	341.07								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		66.09	66.09								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4Q		341.07	341.07								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		66.13	66.13								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		540.53	540.53					25.52	11.34	16.06	16.06
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45.21	45.21					25.52	11.34	16.06	16.06
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		379.25	379.25					25.52	11.34	16.06	16.06
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		111.97	111.97					25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	10.75	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	14.4	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	18.53	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	23.19	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.29	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.41	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	20.9	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN4	20.9	157.85	106.88	90.07	13.33			25.52	11.34	16.06	16.06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.79	105.84	36.29	90.07	13.33			25.52	11.34	16.06	16.06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.39	118.34	48.76	101.8	18.57			25.52	11.34	16.06	16.06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.27	45.27								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	8.74	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	9.31	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10.8	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	12.97	131.42	61.83	90.07	13.33			25.52	11.34	16.06	16.06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.27	45.27								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7.46	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	14.58	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	18.81	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	18.81	157.85	88.26	101.8	18.57			25.52	11.34	16.06	16.06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.27	45.27								
	Sub-Loop Feeder																
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set up			UEA, UDN,UCL,UDL,UD C	USBFW		540.53									
		USL Feeder - DS0 Set up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UD C	USBFX		45.21	45.21								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		534.46	11.3								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	12.34	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFA	17.1	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFA	25.65	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start Loop, Voice Grade - Zone 4		4	UEA	USBFA	32.36	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45.27									
		Unbundle Sub-Loop Feeder Loop, 2 Wire Loop Start, Voice Grade - Zone 1		1	UEA	USBFB	12.34	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop Start, Voice Grade - Zone 2		2	UEA	USBFB	17.1	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	25.55	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop Start, Voice Grade - Zone 4		4	UEA	USBFB	32.36	185.12	112.19	108.13	26.82			19.99	19.99	19.99	19.99
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.27									

		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1	UEA	USBFC	12 34	185 12	112 19	108 13	28 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2	UEA	USBFC	17 1	185 12	112 19	108 13	28 82			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3	UEA	USBFC	25 55	185 12	112 19	108 13	28 82			19 99	19 99	19 99	19 99
		Unbundled S[illegible]r Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4	4	UEA	USBFC	32 36	185 12	112 19	108 13	28 82			19 99	19 99	19 99	19 99
		Order Co[illegible]ified Conversion Time, per LSR		UEA	OCOSL		45 27									
		Unbund[illegible]er Loop, 4 Wire Ground Start, Voice Grade - Zone 1	1	UEA	USBFD	28 24	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled [illegible] Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 2	2	UEA	USBFD	32 51	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3	UEA	USBFD	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 4	4	UEA	USBFD	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 27									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop Start, Voice Grade - Zone 1	1	UEA	USBFE	28 24	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop Start, Voice Grade - Zone 2	2	UEA	USBFE	32 51	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop Start, Voice Grade - Zone 3	3	UEA	USBFE	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop Start Loop - Zone 4	4	UEA	USBFE	41 5	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 27									
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	22 48	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 2	2	UDN	USBFF	28 26	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 3	3	UDN	USBFF	37 36	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 4	4	UDN	USBFF	40 23	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR		UDN	OCOSL		45 27									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)	1	UDC	USBFS	22 48	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)	2	UDC	USBFS	28 26	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)	3	UDC	USBFS	37 36	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DSL compatible)	4	UDC	USBFS	40 23	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	USL	USBFQ	70 02	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	2	USL	USBFQ	178 54	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3	USL	USBFQ	224 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	4	USL	USBFQ	536 66	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR		USL	OCOSL		45 27									
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	UCL	USBFH	7 07	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2	2	UCL	USBFH	9 06	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3	3	UCL	USBFH	5 3	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4	4	UCL	USBFH	4 13	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
		[illegible]ation For Specified Conversion Time, per LSR		UCL	OCOSL		45 27									
		[illegible]Feeder - Per 4-Wire Copper Loop - Zone 1	1	UCL	USBFJ	16 34	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2	UCL	USBFJ	12 77	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3	UCL	USBFJ	11 06	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4	4	UCL	USBFJ	11 06	207 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		45 27									
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	1	UDL	USBFN	28 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	2	UDL	USBFN	24 17	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	3	UDL	USBFN	30 67	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	4	UDL	USBFN	28 9	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFO	28 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFO	24 17	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFO	30 67	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4	4	UDL	USBFO	28 9	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Time Conversion, per LSR		UDL	OCOSL		45 27									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFP	28 48	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFP	24 17	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFP	30 67	202 5	127 66	126 45	35 02	19 99		19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4	4	UDL	USBFP	28 9	202 5	127 66	126 45	35 02			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR		UDL	OCOSL		45 27									
	Unbundled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Diet Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		365 23	12 25					25 52	11 34	16 06	16 06
		Unbundled Sub-loop Modification - 4-W Copper Diet Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		365 23	12 25					25 52	11 34	16 06	16 06
		Unbundled Sub-loop Modification - 2-w/4-w Copper Diet Bridged Tap Removal, per PR unloaded		UEF	ULM4T		559 8	14 28					25 52	11 34	16 06	16 06
	Unbundled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 37	62 97	62 97					25 52	11 34	16 06	16 06
	Network Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines		UENTW	UND12		87 05	57 38					25 52	11 34	16 06	16 06
		Network Interface Device (NID) - 1-5 lines		UENTW	UND16		129 67	100					25 52	11 34	16 06	16 06
		Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		11 79	11 79					25 52	11 34	16 06	16 06
		Network Interface Device Cross Connect - 4W		UENTW	UNDC4		11 79	11 79					25 52	11 34	16 06	16 06
UNBUNDLED LOOP CONCENTRATION																
		Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	442 98	849 95	849 95					19 99	19 99	19 99	19 99

		Unbundled Loop Concentration - System B (TR008)			ULC	UCTBB	57 94	270 81	270 81					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	484 01	649 95	649 95					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	97 64	270 81	270 81					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 5	128 4	92 02	34 38	9 62			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 74	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 74	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 18	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12 99	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 75	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	37 85	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC5	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC8	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																	
UNE OTHER, PROVISIONING ONLY - NO RATE																	
		NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX											
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ, UENTW	UNECN											
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0									
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0	0									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0									
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	NOTE 4 month minimum billing period																
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	14 16										
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	396 3	901 82	527 16	244 7	171 16			31 26	31 26	3 91	3 91
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	14 16										
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	411 34	901 82	527 16	244 7	171 16			31 26	31 26	3 91	3 91
LOOP MAKE-UP																	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		47 9	47 9								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		60 79	60 79								
		Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6793	0 6793								
LINE SHARING																	
		Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	206 52	377 06	0	354 29	0		0				
		Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	51 63	377 06	0	354 29	0		0				
		Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSDC	17 21	377 06	0	354 29	0		0				
		Line Sharing - per Line Activation	I		ULS	ULSDC	0 81	36 99	21 17	19 93	9 76			25 52	11 34	16 06	16 06
		Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		32 73	16 35					25 52	11 34		
		Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)	I		ULS	ULSDQ		57 62		11 33							
UNBUNDLED TRANSPORT																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU					0 0000091										
		Common Transport - Facilities Termination Per MOU					0 0004281										
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per			U1TVX	1L5XX	0 0112										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24 75	80 99	54 74	34 27	14 12			31 26	31 26	3 91	3 91
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bal - Per Mile per month			U1TVX	1L5XX	0 0112										

		Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	24 76	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0112										
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21 76	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0112										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17 24	80 97	54 74	34 27	14 12			31 26	31 26	3 91	3 91
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0112										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 24	80 97	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 2293										
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	63	178 29	163 4	33 48	29 57			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5 43										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	705 42	556 76	326 07	123 28	119 71			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - STS-1																
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5 43										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TF5	707 97	556 76	326 07	123 28	119 71			31 26	31 26	3 91	3 91
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	16 39	385 68	67 24	75 04	6 55			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULCVX	ULDR2	16 39	385 68	67 24	75 04	6 55			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	17 69	386 55	67 11	76	7 51			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41 4	354 47	307 02	45 45	31 25			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	47 27	354 47	307 02	45 45	31 25			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	553 29	354 47	307 02	45 45	30 52			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11 02										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	455 69	901 82	527 18	244 7	171 18			31 26	31 26	3 91	3 91
		Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1	1L5NC	11 02										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDF5	449 29	901 82	527 18	244 7	171 18			31 26	31 26	3 91	3 91
MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MO1	126 29	181 84	124 98	21 57	20 05			31 26	31 26	3 91	3 91
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kb)			UDL	1D1DD	1 49	13 13	9 41								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systems - per month			UDN	UC1CA	3 19	13 13	9 41								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 0068	13 13	9 41								
		DS3 to DS1 Channel System per month			UXTD3	MO3	207 87	365 8	187 99	68 11	65 17			31 26	31 26	3 91	3 91
		STS1 to DS1 Channel System per month			UXTS1	MO5	207 87							31 26	31 26	3 91	3 91
		DS3 Interface Unit (DS1 COCI) used with Loop per month			UDL	UC1D1	16 78	13 13	9 41								
DARK FIBER																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	66 94										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1276 46	275 36	649 31	404 8			31 26	31 26	3 91	3 91
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	32 13										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1276 46	275 36	649 31	404 8			31 26	31 26	3 91	3 91
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	66 94										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1276 46	275 36	649 31	404 8			31 26	31 26	3 91	3 91
TRANSPORT OTHER																	
	Optional Features & Functions:																
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184 8	23 78	1 96	0 76			29 33	3 93		
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184 8	23 78	1 96	0 76			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING																	
		8XX Access Ten Digit Screening, Per Call			QHD		0 0006321										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			QHD	N8R1X		8 48	0 96					25 52	25 52	16 06	16 06
		8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS			QHD			17 04	1 93	11 32	0 96			25 52	25 52	16 06	16 06
		8XX Access Ten Digit Screening, Per 8XX No Established With POTS			QHD	N8FTX		17 04	1 93	11 32	0 96			25 52	25 52	16 06	16 06
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			QHD	N8FCX		5 63	2 91					25 52	25 52	16 06	16 06
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			QHD	N8FMX		6 59	3 77					25 52	25 52	16 06	16 06
		8XX Access Ten Digit Screening, Change Charge Per Request			QHD	N8FAX		9 42	0 96					25 52	25 52	16 06	16 06
		8XX Access Ten Digit Screening, Call Handling and Destination Features			QHD	N8FDX		5 63	5 63					25 52	25 52	16 06	16 06
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
		LIDB Common Transport Per Query			QQT		0 0000446										
		LIDB Validation Per Query			QQU		0 0142132										
		LIDB Originating Point Code Establishment or Change			QQT, QQU	NRPBX		63 63						25 52	25 52	16 06	16 06

SIGNALING (CCS7)																
		CCS7 Signaling Termination, Per STP Port		1DB	PT6SX	161 12							25 52	25 52	16 06	16 06
		CCS7 Signaling Usage, Per TCAP Message		1DB		0 0001115										
		CCS7 Signaling Connection, Per link (A link)		1DB	TPP++	21 58	169 72	169 72	134 08	134 08			25 52	25 52	16 06	16 06
		CCS7 Signaling Connection, Per link (B link) (also known as D link)		1DB	TPP++	21 58	169 72	169 72	134 08	134 08			25 52	25 52	16 06	16 06
		CCS7 Signaling Usage, Per ISUP Message		1DB		0 0000458										
		CCS7 Signaling Usage Surrogate, per link per LATA		1DB	STU56	406 53							25 52	25 52	16 06	16 06
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1DB	CCAPO		40	40					25 52	25 52	16 06	16 06
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Sig Affected		1DB	CCAPD		8	8					25 52	25 52	16 06	16 06
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
		CNAM for DB Owners, Per Query		OQV		0 018										
		CNAM for Non DB Owners, Per Query		OQV		0 01										
		CNAM (Non-Datebs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595	595					25 52	25 52	16 06	16 06
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
		Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB				1 2										
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB				1 24										
		Oper. Call Processing - Fully Automated, per Call - Using BST LIDB				0 2										
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2										
INWARD OPERATOR SERVICES																
		Inward Operator Services - Verification, Per Minute				1 15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING																
		Recording of Custom Branded OA Announcement			CBAOS		7000	7000					19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per shell/NAV			CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call				0 275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1										
	UNBRANDING															
	DIRECTORY TRANSPORT															
		Directory Transport - Local Channel DS1				30 91	494 83	435 28	10 85	33 02			59 58	59 58	27 41	27 41
		Directory Transport - DS1 Level Interoffice Per Mile				0 6598										
		Directory Transport - DS1 Level Interoffice Per Facility Termination				74 4	196 28	147 31	26 58	21 61			25 52	25 52	11 34	11 34
		Switched Common Transport Per DA Access Service Per Call				0 0002997										
		Switched Common Transport Per DA Access Service Per Call Per Mile				0 0000402										
		Access Tandem Switching Per DA Access Service Per Call				0 0023713										
		Directory Transport - Installation NRC, Per Trunk or Signaling Connection					257 73	5 85					171 49	5 85		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADB)															
		Directory Assistance Data Base Service Charge Per Listing				0 04										
		Directory Assistance Data Base Service, per month			DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																
		Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000								
		Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		990	990								
SELECTIVE ROUTING																
		Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		227 99	227 99					43 52	9 99		
VIRTUAL COLLOCATION																
		Virtual Collocation - 2-wire Cross Connects (loop)		uaxl,uaa,udx,udc, uau,ufl,uc,uag	UEAC2	0 3996	30 93	29 59	12 76	11 43			19 99	19 99	19 99	19 99
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR, UEPSD	VE1LS	0 3996	30 93	29 59	12 76	11 43			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 3996	30 93	29 59	12 76	11 43			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-wire Cross Connects (loop)		uaa,ufl,uc,uat	UEAC4	0 7992	31 17	29 77	12 83	11 43			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 7992	31 17	29 77	12 83	11 43			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	15 64	41 58	39 82	12 96	10 34			19 99	19 99	19 99	19 99
		Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	28 11	60 63	38 78	16 97	14 35			19 99	19 99	19 99	19 99
		Virtual Collocation - DS1 Cross Connects		USI, LEC,CLO	CNC1X	7 5	165	104								

AIN SELECTIVE CARRIER ROUTING																	
		Regional Service Establishment			SRC	SRCEC		391788						19 99	19 99	19 99	19 99
		End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
		Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
		Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		174 03	174 03	135 96	135 96			25 52	25 52	16 05	16 05
		AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		53 47	53 47	37 7	37 7			25 52	25 52	16 05	16 05
		AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		53 47	53 47	37 7	37 7			25 52	25 52	16 05	16 05
		AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		129 83	129 83	79 91	79 91			25 52	25 52	16 05	16 05
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		131 54	131 54	45 77	45 77			25 52	25 52	16 05	16 05
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0029										
		AIN SMS Access Service - Session, Per Minute					0 007586										
		AIN SMS Access Service - Company Performed Session, Per Minute					2 09										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		169 31	169 31	135 96	135 96			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8379	8379					25 52	25 52	16 05	16 05
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		39 3	39 3	37 7	37 7			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		39 3	39 3	37 7	37 7			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		39 3	39 3	37 7	37 7			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO		106 9	106 9	48 44	48 44			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		106 9	106 9	48 44	48 44			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		106 9	106 9	48 44	48 44			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Query Charge, Per Query					0 0256138										
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0065161										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 79										
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	16 01	44 02	44 02	31 28	31 28			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 0810536	47 21	47 21					25 52	25 52	16 05	16 05
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 93	44 02	44 02	31 28	31 28			25 52	25 52	16 05	16 05
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service				BAPES	0 0027018	47 21	47 21					25 52	25 52	16 05	16 05
ODUF/EODUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message					0 004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message					0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)																
		EODUF: Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF: Recording, per message					0 0001179										
		ODUF: Message Processing, per message					0 0032969										
		ODUF: Message Processing, per Magnetic Tape provisioned					64 62										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0 0000364										
ENHANCED EXTENDED LINK (EEL's)																	
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft Lauderdale, FL; Nashville, TN; New Orleans, LA																
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge																
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)																
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge.)																
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	18 35										
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	24 33										
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	34 77										
		First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	44 77										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 2293										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per			UNC1X	U1TF1	63										
		DS1 Channelization System Per Month			UNC1X	MQ1	125 29										
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VQ	0 9988										
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	18 35										

		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	24.33											
		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	34.77											
		Each Additional 2-Wire VG Loop(SL2) In the same DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL2	44.77											
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0.8998											
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11.17	11.17	14.29	14.29			31.26	31.26	3.91	3.91	
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22.38											
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29.87											
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42.4											
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	65.96											
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.2293											
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	63											
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	126.29											
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0.8998											
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22.38											
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29.87											
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42.4											
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	65.96											
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11.17	11.17	14.29	14.29			31.26	31.26	3.91	3.91	
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25.91											
		First 4-wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33.94											
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	46.51											
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	84.02											
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.2293											
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	63							31.26	31.26	3.91	3.91	
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	126.29											
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kb)		UNCDX	1D1DD	1.49											
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25.91							31.26	31.26	3.91	3.91	
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33.94							31.26	31.26	3.91	3.91	
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	46.51							31.26	31.26	3.91	3.91	
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	84.02											
		OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kb)		UNCDX	1D1DD	1.49											
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11.17	11.17	14.29	14.29			31.26	31.26	3.91	3.91	
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25.91											
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33.94											
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	46.51											
		First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	84.02											
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.2293											
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	63											
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	126.29											
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kb)		UNCDX	1D1DD	1.49	0	0									
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25.91											
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33.94											
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	46.51											
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	84.02											

		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kb)			UNCDX	1D1DD	1 49									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	50 99									
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	87 58									
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	96 58									
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 4		4	UNC1X	USLXX	127 4									
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2293									
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	63									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50 99									
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	87 58									
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	96 58									
		First DS1 Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	127 4									
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	5 43									
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	705 42									
		DS3 to DS1 Channel System combination per month			UNC3X	MQD	207 87									
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15 78									
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50 99									
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	87 58									
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	96 58									
		Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 4		4	UNC1X	USLXX	127 4									
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15 78									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	18 35									
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	24 33									
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	34 77									
		A 1 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL2	45 88									
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0112									
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	24 75							31 26	31 26	3 91	3 91
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22 38									
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	29 67									
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 4									
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	55 99									
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0112									
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21 75									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	14 16									
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	396 3									
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5 43									
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	705 42									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	14 16									
		High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	411 34									
		Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	5 43									
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	707 97									
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21 86									
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	28 97									
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	41 4									
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 4		4	UNCNX	U1L2X	54 64									
		Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 2293									
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	63									

		Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	125 29										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 19										
		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	21 86										
		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	29 97										
		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	41 4										
		Additional 2-wire IDSN Loop in same DS1 Interoffice Transport Combination - Zone 4	4	UNCNX	U1L2X	54 64										
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3 19										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 66										
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	90 56										
		First DS1 Loop in STS1 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 4										
		Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	TL5XX	5 43										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	707 87										
		STS1 to DS1 Channel System combination per month		UNCSX	MQ3	207 87										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	16 78										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 66										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	90 56										
		Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 4										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	16 78										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61										
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 84										
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	45 51										
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	TL5XX	0 0112										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility		UNCDX	U1TD5	17 24										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 84										
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	45 51										
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	64 02										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	TL5XX	0 0112										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		UNCDX	U1TD5	17 24										
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in General, the non-recurring charges apply and the Switch As Is Charge does not.															
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE. (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3 5									

The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm

UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in QA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res.		UEPSR	UEPRL	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		UEPSR	UEPRC	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.		UEPSR	UEPRO	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAT	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES	All Available Vertical Features		UEPSR	UEPVF	0 75	0	0					25 52	11 34	16 06	16 06
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAY	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES	All Available Vertical Features		UEPSB	UEPVF	0 75	0	0					25 52	11 34	16 06	16 06
	EXCHANGE PORT RATES (DID & PBX)															
		Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 43	238 29	37 43	122 66	7 71			25 52	11 34	16 06	16 06
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	72 99	403 6	191 12	148 66	6 04			19 99	19 99	19 99	19 99
		Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	17 14	145 36	105 63	95 12	21 37			53 87	53 87	11 34	11 34
		All Features Offered		UEPTX UEPSX	UEPVF	0 75	0	0								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
		Exchange Ports - 2-Wire ISDN Port – Channel Profiles		UEPTX UEPSX	U1UMA	0	0	0					51 03	51 03	8 51	8 51
		Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	105 79	407 00	202 64	182 16	41 07						
		2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire VG Line Side Unbundled Inward PBX Trunk - Bus		UEPSP	UEPPI	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled PBX Tel Terminal Hotel Ports		UEPSP	UEPXB	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port		UEPSP	UEPXQ	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port		UEPSP	UEPXR	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2 11	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
		Subsequent Activity		UEPSP	USASC	0	0	0								
	FEATURES	All Available Vertical Features		UEPSP UEPSE	UEPVF	0 75	0	0					25 52	11 34	16 06	
	EXCHANGE PORT RATES (COIN)															
		Exchange Ports - Coin Port				2 32	22 99	22 99	6 56	6 56			25 52	11 34	16 06	16 06
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															

UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0023771										
	End Office Trunk Port - Shared, Per MOU					0 0001927										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 0007834										
	Tandem Trunk Port - Shared, Per MOU					0 0002834										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 0000091										
	Common Transport - Facilities Termination Per MOU					0 0001291										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			21 46										
	2-Wire VG Loop/Port Combo - Zone 3		3			29 76										
	2-Wire VG Loop/Port Combo - Zone 4		4			36 58										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	36 47										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 12								43 52	9 99	
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 12								43 52	9 99	
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 12								43 52	9 99	
	2-Wire voice Grade unbundled Missisippi extended local dialing parity port with Caller ID - res			UEPRX	UEPAT	2 12								43 52	9 99	
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2 12								43 52	9 99	
FEATURES																
	All Features Offered			UEPRX	UEPVF	9 75	0	0						43 52	9 99	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		5 2	0 41						43 52	9 99	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		5 2	0 41						43 52	9 99	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 87							6 88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			21 46										
	2-Wire VG Loop/Port Combo - Zone 3		3			29 76										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	36 47										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 12								43 52	9 99	
	2-Wire voice unbundled port with Caller + E&4 ID - bus			UEPBX	UEPBC	2 12								43 52	9 99	

	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 12							43 52	9 99		
	2-Wire voice Grade unbundled Mlesle/ppi extended local dialing parity port with Caller ID - bus			UEPBX	UEPAY	2 12							43 52	9 99		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2 12							43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	0 75	0	0					43 52	9 99		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as-is			UEPBX	USAC2		5 2	0 41					43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		5 2	0 41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 87						6 88			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								43 52	9 99		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			21 45										
	2-Wire VG Loop/Port Combo - Zone 3		3			29 75										
	2-Wire VG Loop/Port Combo - Zone 4		4			36 59										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRQ	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRQ	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRQ	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRQ	UEPLX	36 47										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRQ	UEPRD	2 12							43 52	9 99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRQ	LNPCP	3 5										
FEATURES																
	All Features Offered			UEPRQ	UEPVF	0 75	0	0					43 52	9 99		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch As-Is			UEPRQ	USAC2		5 2	0 41					43 52	9 99		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRQ	USACC		5 2	0 41					43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 87						6 88			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRQ	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 94	14 94					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			21 45										
	2-Wire VG Loop/Port Combo - Zone 3		3			29 75										
	2-Wire VG Loop/Port Combo - Zone 4		4			36 59										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	36 47										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 12							43 52	9 99		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 12							43 52	9 99		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2 12							43 52	9 99		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 12							43 52	9 99		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 12							43 52	9 99		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 12							43 52	9 99		

		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 12							43 52	9 99		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 12							43 52	9 99		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 12							43 52	9 99		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 12							43 52	9 99		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 12							43 52	9 99		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 12							43 52	9 99		
		2-Wire Voice Unbundled 2-Way PBX Measured Local Economy Calling Port			UEPPX	UEPXQ	2 12							43 52	9 99		
		2-Wire Voice Unbundled 2-Way PBX Measured Local Optional Calling Port			UEPPX	UEPXA	2 12							43 52	9 99		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 12							43 52	9 99		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX	LNPCP	3 16										
	FEATURES																
		All Features Offered			UEPPX	UEPVF	6 76	0	0					43 52	9 99		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		5 2	0 41					43 52	9 99		
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		5 2	0 41					43 52	9 99		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						2 97						6 88			
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
		2-Wire VG Coin Port/Loop Combo – Zone 1					17 06										
		2-Wire VG Coin Port/Loop Combo – Zone 2					21 8										
		2-Wire VG Coin Port/Loop Combo – Zone 3					30 1										
		2-Wire VG Coin Port/Loop Combo – Zone 4					38 84										
	UNE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 59										
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19 33										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	27 63										
		2-Wire Voice Grade Loop (SL1) - Zone 4			UEPCO	UEPLX	36 47										
	2-Wire Voice Grade Line Ports (COIN)																
		2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2 47							43 52	9 99		
		2-Wire Coin 2-Way without Operator Screening and without Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	2 47							43 52	9 99		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2 47							43 52	9 99		
		2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD, with Dialing Parity (MS)			UEPCO	UEPMA	2 47							43 52	9 99		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2 47							43 52	9 99		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	2 47							43 52	9 99		
		2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2 47							43 52	9 99		
		2-Wire Coin 2-W Operator Screening: 900 Block, 900/976, 1+DDD, 011+, Local, with Dialing Parity (MS)			UEPCO	UEPCJ	2 47							43 52	9 99		
		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA			UEPCO	UEPRN	2 47							43 52	9 99		
		2-Wire Coin Outward without Blocking and without Operator Screening; With Dialing Parity (MS)			UEPCO	UEPME	2 47							43 52	9 99		
		2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2 47							43 52	9 99		
		2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	2 47							43 52	9 99		
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2 47							43 52	9 99		
		2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2 47							43 52	9 99		
		2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, and Local, with Dialing Parity (MS)			UEPCO	UEPCS	2 47							43 52	9 99		
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 47							43 52	9 99		
		2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 47							43 52	9 99		
	ADDITIONAL UNE COIN PORT/LOOP (NC)																
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	UNECU	4 62	0	0								

LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEATURES															
All Features Offered			UEPCO	UEPVF	6.75	0	0					26.52	11.34	16.06	
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPCO	USAC2		5.2	0.41					43.52	9.99		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		5.2	0.41					43.52	9.99		
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0					43.52	9.99		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1				31.12										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2				39.6										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3				52.14										
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	4				63.81										
UNE Loop Rates															
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1		UEPPX	UEQD1	21.71							19.99	19.99	19.99	19.99
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2		UEPPX	UEQD1	30.18							19.99	19.99	19.99	19.99
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3		UEPPX	UEQD1	42.73							19.99	19.99	19.99	19.99
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4	4		UEPPX	UEQD1	84.8	210.42	135.59	104.98	20.59			19.99	19.99	19.99	19.99
UNE Port Rate															
Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.41							19.99	19.99	19.99	19.99
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		14.59	3.72					19.99	19.99	19.99	19.99
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14.59	3.72					19.99	19.99	19.99	19.99
ADDITIONAL NRCs															
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49	53.49					19.99	19.99	19.99	19.99
Telephone Number/Trunk Group Charges															
DID Trunk Term... ...et Port)			UEPPX	NDT	0	0	0					19.99	19.99	19.99	19.99
Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19.99	19.99	19.99	19.99
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0				19.99				
Reserve Non-Consecutive DID numbers			UEPPX	ND8	0	0	0				19.99				
Reserve DID Numbers			UEPPX	NDV	0	0	0				19.99				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1		UEPPB UEPPR		42.99										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2		UEPPB UEPPR		53.29										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3		UEPPB UEPPR		67.27										
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4	4				108.56										
UNE Loop Rates															
2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB	UEPPR	USL2X	28.99							19.99	19.99	19.99	19.99
2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB	UEPPR	USL2X	38.99							19.99	19.99	19.99	19.99
2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB	UEPPR	USL2X	52.94							19.99	19.99	19.99	19.99
2-Wire ISDN Digital Grade Loop - UNE Zone 4	4	UEPPB	UEPPR	USL2X	108.56	233.54	158.71	104.88	20.59			19.99	19.99	19.99	19.99
UNE Port Rate															
Exchange Port - 2-Wire ISDN Line Side Port		UEPPB	UEPPR	UEPPB	14.33							19.99	19.99	19.99	19.99
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB	UEPPR	USAC8	0	76.91	42.99					19.99	19.99	19.99	19.99
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		UEPPB	UEPPR	LNPCX	0.35	0	0								

B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCA	0	0	0								
	CVS (EWSD)		UEPPB	UEPPR	U1UCB	0	0	0								
	CSD		UEPPB	UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS,SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCD	0	0	0								
	CVS (EWSD)		UEPPB	UEPPR	U1UCE	0	0	0								
	CSD		UEPPB	UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)		UEPPB	UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																
	All Vertical Feature - One per Channel B User Profile		UEPPB	UEPPR	UEPVF	6 75	0	0								
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB	UEPPR	M1GNC	20 67	106 72	48 83					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile		UEPPB	UEPPR	M1GN M	0 0323	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP			212 84										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP			318 5										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP			366 97										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 4	4	UEPPP			672 23						19 99				
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP		USL4P	107 5							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP		USL4P	212 71							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP		USL4P	251 18							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 4	4	UEPPP		USL4P	586 44	504 29	315 65	91 64	23 97			19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP		UEPPP	105 79							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is		UEPPP		USACP	0	237 82	156 9					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP		PR7TF		0 9788						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP		PR7TQ		23 02	23 02					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP		PR7ZT		48 06	48 06					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPP		UNPCN	1 75										
INTERFACE (Provisioning Only)																
	Voice/Data		UEPPP		PR71V	0	0	0								
	Digital Data		UEPPP		PR71D	0	0	0								
	Inward Data		UEPPP		PR71E	0	0	0								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP		PR7BV	0	29 01						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel		UEPPP		PR7BF	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel		UEPPP		PR7BD	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP		PR7BS	0	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP		PR7BU	0	29 01						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward		UEPPP		PR7C1	0	0	0								
	Outward		UEPPP		PR7C0	0	0	0								
	Two-way		UEPPP		PR7CC	0	0	0								
Interoffice Channel Mileage																
	Fixed Each Including First Mile		UEPPP		1LN1A	75 0599	196 28	147 31	26 58				19 99	19 99	19 99	19 99

	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 6598										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		180 01							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		265 67							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		324 14							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC		639 4							19 99	19 99	19 99	19 99
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	50 99										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC					23 97			19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	251 18							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	566 44	504 28	315 65	91 64	23 97			19 99	19 99	19 99	19 99
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	72 96							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switches-le			UEPDC	USAC4		259 07	134 08					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		259 63	133 85					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAW B		259 63	133 85					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 91	28 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 91	28 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 91	28 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 91	28 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 91	28 91					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF		0	600					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	600					19 99	19 99	19 99	19 99
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0	0								
	AMI - Extended SuperFrame Format			UEPDC	MCOP O		0	0								
Telephone Number/Trunk Group Establishment Charges																
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19 99			0	
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19 99				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND6	0						19 99				
	Reserve Non-Consecutive DID Nos			UEPDC	ND8	0	0	0				19 99				
	Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LN01	74 4	196 28	147 31	26 56	21 61			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 6598	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 6598	0	0								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 6598	0	0								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 16	0	0	0							
	Central Office Terminating Point			UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
UNE DS1 Loop																
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	107 05	0	0								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	212 7	0	0								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	251 18	0	0								
	4-Wire DS1 Loop - UNE Zone 4		4	UEPMG	USLDC	566 44	0	0					19 99	19 99	19 99	19 99
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																

		24 DS0 Channel Capacity - 1 per DS1			UEPMQ	VUM24	116 78	0	0							
		48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMQ	VUM48	231 56	0	0							
		96 DS0 Channel Capacity -1per 4 DS1s			UEPMQ	VUM96	463 12	0	0							
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMQ	VUM14	694 68	0	0							
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMQ	VUM19	926 24	0	0							
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMQ	VUM20	1157 8	0	0							
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMQ	VUM28	1389 36	0	0							
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMQ	VUM38	1852 48	0	0							
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMQ	VUM40	2315 6	0	0							
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMQ	VUM57	2778 72	0	0							
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMQ	VUM67	3241 84	0	0							
		Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System														
		A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.														
		Multiples of this configuration functionings as one are considered Add'l after the minimum system configuration is counted.														
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMQ	USAC4	0	300 55	16 7				19 99	19 99	19 99	19 99
		System Additions at End User Locations Where 4-Wire DS1 Loops with Channelization with Port Combination Currently Exists and														
		New (Not Currently Combined) in Georgia & Tennessee Only														
		NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMQ	VUMD4	0	715 15	327 39	148 05	17 58		19 99	19 99	19 99	19 99
		Bipolar 8 Zero Substitution														
		Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMQ	CCOSF	0	0	800				19 99	19 99	19 99	19 99
		Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMQ	CCOEF	0	0	800				19 99	19 99	19 99	19 99
		Alternate Mark Inversion (AMI)														
		Superframe Format			UEPMQ	MCOSF	0	0	0							
		Extended Superframe Format			UEPMQ	MCOPO	0	0	0							
		Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port														
		Exchange Ports														
		Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 76	0	0	0	0	19 99				
		Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 76	0	0	0	0	19 99				
		Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 76	0	0	0	0	19 99				
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	9 43	0	0	0	0	19 99				
		Feature Activations - Unbundled Loop Concentration														
		Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQW M	0 7	26 38	13 38	4 29	4 26		19 99	19 99	19 99	19 99
		Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQW U	0 7	78 00	18 38	60 66	11 85		19 99	19 99	19 99	19 99
		Telephone Number/ Group Establishment Charges for DID Service														
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0									
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0	0	0			19 99				
		Non-Consecutive DID Numbers - per number			UEPPX	ND6	0	0	0			19 99				
		Reserve Non-Consecutive DID Numbers			UEPPX	ND8	0	0	0							
		Reserve DID Numbers			UEPPX	NDV	0	0	0							
		Local Number Portability														
		Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0							
		FEATURES - Vertical and Optional														
		Local Switching Features Offered with Line Side Ports Only														
		All Features Available			UEPPX	UEPVF	9 75	0	0			19 99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
		Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules														
		These scenarios include:														
		1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee														
		2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouths region for end users with 4 or more DS0 equivalent lines														
		The Top 8 MSAs in BellSouths region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill, TN (Nashville)														
		BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference														
		The Market Rate for unbundled ports includes all available features in all states														
		End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)														
		For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section.														
		Additional NRCs may apply also and are categorized accordingly.														
		2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
		UNE Port/Loop Combination Rates														
		2-Wire VG Loop/Port Combo - Zone 1		1			28 59									
		2-Wire VG Loop/Port Combo - Zone 2		2			33 33									
		2-Wire VG Loop/Port Combo - Zone 3		3			41 63									
		2-Wire VG Loop/Port Combo - Zone 4		4			50 47									

UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14.59										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19.33										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	27.63										
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRX	UEPLX	38.47										
2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	00	00					43.52	9.99		
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	00	00					43.52	9.99		
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	00	00					43.52	9.99		
	2-Wire voice unbundled res. line usage line port with Caller ID (USA		UEPRX	UEPAP	14	00	00					43.52	9.99		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35										
FEATURES															
	All Features Offered		UEPRX	UEPVF	0	0	0								
ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			29.59										
	2-Wire VG Loop/Port Combo - Zone 2	2			33.33										
	2-Wire VG Loop/Port Combo - Zone 3	3			41.63										
	2-Wire VG Loop/Port Combo - Zone 4	4			60.47										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14.59										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19.33										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	27.63										
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPBX	UEPLX	38.47										
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	00	00					43.52	9.99		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	00	00					43.52	9.99		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	00	00					43.52	9.99		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35										
FEATURES															
NONRECURRING CHARGES - CURRENTLY COMBINED															
ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			29.59										
	2-Wire VG Loop/Port Combo - Zone 2	2			33.33										
	2-Wire VG Loop/Port Combo - Zone 3	3			41.63										
	2-Wire VG Loop/Port Combo - Zone 4	4			60.47							43.52	9.99		
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	14.59										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	19.33										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	27.63										
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRG	UEPLX	38.47										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14	00	00					43.52	9.99		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3.15										
FEATURES															
NONRECURRING CHARGES - CURRENTLY COMBINED															
ADDITIONAL NRCs															

		2-Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
		PBX Subsequent Activity - Change/Rearrange Multline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	LINE Port/Loop Combination Rates																
		2-Wire VG Loop/Port Combo - Zone 1		1			28.59										
		2-Wire VG Loop/Port Combo - Zone 2		2			33.33										
		2-Wire VG Loop/Port Combo - Zone 3		3			41.63										
		2-Wire VG Loop/Port Combo - Zone 4		4			50.47										
	LINE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14.59										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	19.33										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	27.63										
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPPX	UEPLX											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					43.52	9.99		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					43.52	9.99		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 2-Way Combination PBX Lease Port			UEPPX	UEPXA	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled PBX Tail Terminal Hotel Trade			UEPPX	UEPXB	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled PBX LD DDD Terminate Port			UEPPX	UEPXC	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 2-Way PBX Message/ Local Economy Calling Port			UEPPX	UEPXQ	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 2-Way PBX Message/ Local Optional Calling Port			UEPPX	UEPXR	14	90	90					43.52	9.99		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					43.52	9.99		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX	UNPCP	3.15										
	FEATURES																
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USA52		0	0								
		2-Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
		PBX Subsequent Activity - Change/Rearrange Multline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	LINE Port/Loop Combination Rates																
		2-Wire VG Coin Port/Loop Combo - Zone 1					28.59										
		2-Wire VG Coin Port/Loop Combo - Zone 2					33.33										
		2-Wire VG Coin Port/Loop Combo - Zone 3					41.63										
		2-Wire VG Coin Port/Loop Combo - Zone 4					50.47										
	LINE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14.59										
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.33										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	27.63										
		2-Wire Voice Grade Loop (SL1) - Zone 4			UEPCO	UEPLX	36.47							43.52	9.99		
	2-Wire Voice Grade Line Port Rates (Coin)																
		2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14	90	90					43.52	9.99		
		2-Wire Coin 2-Way without Operator Screening and without Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	14	90	90					43.52	9.99		
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14	90	90					43.52	9.99		
		2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	14							43.52	9.99		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14	90	90					43.52	9.99		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	14	90	90					43.52	9.99		

		2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14	$0	$0					43 52	$ 99		
		2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCJ	14	$0	$0					43 52	$ 99		
		2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA			UEPCO	UEPTN	14	$0	$0					43 52	$ 99		
		2-Wire Coin Outward without Blocking and without Operator Screening, with Dialing Parity (MS)			UEPCO	UEPME	14	$0	$0					43 52	$ 99		
		2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	14	$0	$0					43 52	$ 99		
		2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	14	$0	$0					43 52	$ 99		
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPHH	14	$0	$0					43 52	$ 99		
		2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14	$0	$0					43 52	$ 99		
		2-Wire Coin Out Operator Screen & Blocking: 900/976, 1+DDD, 011+, & Local; with Dialing Parity (MS)			UEPCO	UEPCS	14	$0	$0					43 52	$ 99		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic 1st	Incremental Charge Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs. Electronic Disc 1st	Incremental Charge Manual Svc Order vs. Electronic Disc Add'l
							Nonrecurring			Nonrecurring							
							Disconnect			Disconnect							
							Fee	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		sw	UEANL	UEAL2	15 88	57 99	42 37					26 94	12 76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Statewide- Line Splitting			UEPSR, UEPSB	UEALS	15 88	57 99	42 37					26 94	12 76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS											
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS											
		Engineering Information Document (EI)			UEANL			28 74	28 74								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		61 38	61 38								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45 34	45 34								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide		sw	UEA	UEAL2	19 5	142 97	106 56					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide		sw	UEA	UEAR2	19 5	142 97	106 56					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Statewide		sw	UEA	UEAL4	27 49	288 47	237 45					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Statewide		sw	UDN	U1L2X	24 98	326 91	251 31					26 94	12 76		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 34									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Statewide		sw	UDC	UDC2X	24 98	326 91	251 31					26 94	12 76		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Statewide		sw	UAL	UAL2X	14 6	504 9	456 17					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34									
		2 Wire Unbundled ADSL Loop without manual service inquiry and facility reservation - Statewide		sw	UAL	UAL2W	14 6	293 85	128 42					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide		sw	UHL	UHL2X	11 98	504 9	456 17					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide		sw	UHL	UHL2W	11 98	221 08	145 65					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide		sw	UHL	UHL4X	13 97	531 35	482 62					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide		sw	UHL	UHL4W	13 97	277 99	202 56					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Statewide		sw	USL	USLXX	62 78	714 84	421 47					42 19	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 31									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19.2 Kbps		sw	UDL	UDL19	32 67	489 04	337 51					19 99	19 99	19 99	19 99
		4 Wire Unbundled Digital Loop 56 Kbps		sw	UDL	UDL56	32 67	489 04	337 51					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34									
		4 Wire Unbundled Digital Loop 64 Kbps - Statewide		sw	UDL	UDL64	32 67	489 04	337 51					26 94	12 76		
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34									

2-WIRE Unbundled COPPER LOOP																		
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13 4	281 95	162 85					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21 76	281 95	162 85					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25 01	281 95	162 85					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13 4	250 17	174 74					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	21 76	250 17	174 74					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	25 01	250 17	174 74					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop/Long - Includes manual svc. Inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37 79	266 96	149 86					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc. Inquiry and facility reservation - Zone 2		2	UCL	UCL2L	63 16	266 96	149 86					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - Includes manual svc. Inquiry and facility reservation - Zone 3		3	UCL	UCL2L	73 02	266 96	149 86					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37 79	188	113 67					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	63 16	188	113 67					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73 02	188	113 67					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop Non-Designed - SW	1	sw	UEQ	UEQ2X	15 88	67 99	42 37					26 94	26 94	26 94	26 94
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USOMC		61 38	61 38								
	Engineering Information Document			UEQ			28 74	28 74								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
4-WIRE COPPER LOOP																
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17 63	330 13	211 02					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	28 89	330 13	211 02					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	33 28	330 13	211 02					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17 63	250 17	174 74					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	28 89	250 17	174 74					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	33 28	250 17	174 74					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53 68	317 14	198 03					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4L	80 07	317 14	198 03					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - Includes manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4L	104 23	317 14	198 03					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 1		1	UCL	UCL4Q	53 68	237 18	161 75					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 2		2	UCL	UCL4Q	80 07	237 18	161 75					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - without manual svc Inquiry and facility reservation - Zone 3		3	UCL	UCL4Q	104 23	237 18	161 75					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		64 85	64 85								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		339 84	339 84								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		64 85	64 85								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		339 84	339 84								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULM8T		64 8	64 8								
SUB-LOOPS																

Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		498 09	498 09					26 94	12 76		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		45 04	45 04					26 94	12 76		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set Up			UEANL	USBSC		313 01	313 01					26 94	12 76		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		108 06	108 06					26 94	12 76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7 99	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	12 63	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14 43	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9 23	156 52	79 66	78 56	13 53			26 94	12 76		
	Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14 63	156 52	79 66	78 56	13 53			26 94	12 76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16 73	156 52	79 66	78 56	13 53			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3 6	114 05	37 2	78 58	10 81			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	3 75	127 87	50 82	78 71	10 69			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7 33	137 1	60 24	76 58	10 81			26 94	12 76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	10 85	137 1	60 24	76 58	10 81			26 94	12 76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12 38	137 1	60 24	76 58	10 81			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 34	45 34								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7 14	182 24	85 38	78 56	13 53			26 94	12 76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	11 09	182 24	85 38	78 56	13 53			26 94	12 76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12 63	182 24	85 38	78 56	13 53			20 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 34	45 34								
Sub-Loop Feeder																
	USL Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		498 09									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 04	45 04								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523 51	11 31								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 34									
	Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21 91	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	35 92	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	41 37	226 36	144 28					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21 91	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	35 92	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	41 37	226 36	144 28					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19 63	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 2		2	UDN	USBFF	31 61	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 3		3	UDN	USBFF	36 27	202 01	105 88					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19 63	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	31 61	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	36 27	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFQ	39 66	393 01	153 37					42 19	12 76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFQ	67 36	393 01	153 37					42 19	12 76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFQ	78 12	393 01	153 37					42 19	12 76		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45 34									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10 66	172 69	90 81					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	16 44	172 69	90 81					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	18 69	172 69	90 81					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14 66	207 14	134 77					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	23 74	207 14	134 77					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	27 29	207 14	134 77					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 71	216	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	44 07	216	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	50 83	216	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 71	216	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	44 07	216	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	50 83	216	132 92					19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 71	216	132 92					19 99	19 99	19 99	19 99

		Sub-Loop Feeder - Per 4 Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	44 07	215	132 92					19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	50 83	215	132 92					19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 34									
		Unbundled Sub-Loop Modification																
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		353 95	12 2					26 94	12 76		
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Per 4 W PR			UEF	ULM4X		353 95	12 2					26 94	12 76		
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		567 78	14 23					26 94	12 76		
		Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 44	64 99	64 99					26 94	12 76		
		Network Interface Device (NID)																
		Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86 37	56 69					26 94	12 76		
		Network Interface Device (NID) - 1-8 lines	I		UENTW	UND18		127 93	98 21					26 94	12 76		
		Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		11 68	11 68					26 94	12 76		
		Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4		11 68	11 68					26 94	12 76		
UNBUNDLED LOOP CONCENTRATION																		
		Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398 41	652 26	652 26					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58 36	271 78	271 78					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439 73	652 26	652 26					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98 34	271 78	271 78					19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 62	126 85	92 35	33 85	9 42			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 19	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	13 03	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	37 98	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	11 61	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC6	11 61	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC8	11 61	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																		
LINE OTHER, PROVISIONING ONLY - NO RATE																		
		NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX												
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE												
		Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN												
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0										
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0	0										
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,UBL,UCL,UDL	USBFR	0	0										
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0										
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																		
	NOTE: 4 month minimum billing period																	
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11 12											
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	404 98	1124 48	699 6					53 48	53 48		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11 12											
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	417 7	1124 48	699 6					53 48	53 48		
LOOP MAKE-UP																		
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		56 34	56 34									
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		58 58	58 58									
		Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		1 04	1 04									
LINE SHARING																		
		Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	152 73	424 61	0				0					
		Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	38 18	424 61	0				0					
		Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	12 73	424 61	0				0					
		Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	68 92	28 59					26 94	12 76			
		Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		38 14	16 29					26 94	12 76			

UNBUNDLED TRANSPORT																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU					0 00001										
		Common Transport - Facilities Termination Per MOU					0 00034										
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	18	176 55	90 65						38 07	38 07	
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bal. - Per Mile per month			U1TVX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 2- Wire VG Rev Bal. - Facility Termination per month			U1TVX	U1TR2	18	18	90 66	0	0				38 07	38 07	
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22 16	128 43	88 27						22 32	22 32	
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17 4	175 55	90 65						38 07	38 07	
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 4	175 55	90 65	0	0				38 07	38 07	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 5753										
		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	71 29	255 24	201 82						38 07	38 07	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12 98										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720 38	866 2	670 81						91 26	91 26	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - STS-1																
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6 14										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TF5	790 37	995 71	462 37						53 48	53 48	
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months																
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2									42 17	12 76	
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1	1		ULCVX	ULDV2	12 51	595 97	102 45								
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2	2		ULCVX	ULDV2	21 23	595 97	102 45								
		Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3	3		UNCVX	ULDV2	24 62	595 97	102 45								
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bal per month			ULCVX	ULDR2	0	0	0	0	0				38 07	38 07	
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1	1		UNCVX	ULDV4	13 4	604 4	105 43								
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2	2		UNCVX	ULDV4	22 73	604 4	105 43								
		Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3	3		UNCVX	ULDV4	26 37	604 4	105 43								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4									42 17	12 76	
		Local Channel - Dedicated - DS1 per month - Zone 1	1		ULDD1	ULDF1	30 12	620 63	484 46								
		Local Channel - Dedicated - DS1 per month - Zone 2	2		ULDD1	ULDF1	61 11	620 63	484 46								
		Local Channel - Dedicated - DS1 per month - Zone 3	3		ULDD1	ULDF1	69 29	620 63	484 46								
		Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1									86 15	1 77	
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L6NC	9 99										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	496 76	619 5	584 13						56 25	56 25	
		Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1	1L6NC	9 99										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDF5	484 09	1124 48	999 9	0	0				38 07	38 07	
MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146 99	222 55	146 22						24 85	8 16	
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4 -64kbs)			UDL	1D1DO	2	13 09	9 38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systeem - per month			UDN	UC1CA	3 69	13 09	9 38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1 27	13 09	9 38								
		DS3 to DS1 Channel System per month			UXTD3	MQ3	233 1	428 75	241 82						24 78	7 42	
		STS1 to DS1 Channel System per month			UXTS1	MQ3	233 1	428 75	241 82						38 07	38 07	
		DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16 07	13 09	9 38								
DARK FIBER																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	63 86										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1807	582 96						38 07	38 07	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	27 71										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1807	582 96	0	0				38 07	38 07	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	53 86										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1807	582 96	0	0				38 07	38 07	
TRANSPORT OTHER																	

	Optional Features & Functions:														
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel	UNC1X	CCOEF		184 76	23 6	1 99	0 78			29 33	3 93		
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel	UNC1X	CCOSF		184 76	23 6	1 99	0 78			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING															
		8XX Access Ten Digit Screening, Per Call	OHD		0 0005										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved	OHD	N8R1X		7 05	0 96					26 94	26 94		
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS	OHD			23 62	2 73					26 94	26 94		
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS	OHD	N8FTX		23 62	2 73					26 94	26 94		
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number	OHD	N8FCX		5 63	2 62					26 94	26 94		
		8XX Access Ten Digit Screening, Multiple InterLATA/IntraLATA Routing Per CXR Requested Per 8XX No	OHD	N8FMX		8 59	3 77					26 94	26 94		
		8XX Access Ten Digit Screening, Change Charge Per Request	OHD	N8FAX		8 01	0 96					26 94	26 94		
		8XX Access Ten Digit Screening, Call Handling and Destination Features	OHD	N8FDX		5 63						26 94	26 94		
		8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query	OHD		0 00365										
		8XX Access Ten Digit Screening w/8XX No. Delivery for 8XX Numbers, with Optional Complex Features, per query	OHD		0 00431										
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query	OHD		0 00383										
		8XX Access Ten Digit Screening w/ POTS No. Delivery, with Optional Complex Features, per query	OHD		0 00431										
LINE INFORMATION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query	OQT		0 0003										
		LIDB Validation Per Query	OQU		0 0134										
		LIDB Originating Point Code Establishment or Change	OQT, OQU	NRPDX		62 26					52 26	26 94	26 94		
SIGNALING (CCS7)															
		CCS7 Signaling Termination, Per STP Port	1DB	PTSSX	132 83							19 99	19 99	19 99	19 99
		CCS7 Signaling Usage, Per TCAP Message	1DB		0 00009										
		CCS7 Signaling Connection, Per link (A link)	1DB	TPP++	18 22	278 02	278 02					19 99	19 99	19 99	19 99
		CCS7 Signaling Connection, Per link (B link) (also known as D link)	1DB	TPP++	18 22	278 02	278 02					19 99	19 99	19 99	19 99
		CCS7 Signaling Usage, Per ISUP Message	1DB		0 00004										
		CCS7 Signaling Usage Surrogate, per link per LATA	1DB	STUSR	338 88							19 99	19 99	19 99	19 99
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	1DB	CCAPO		40	40					19 99	19 99	19 99	19 99
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected	1DB	CCAPD		8	8					19 99	19 99	19 99	19 99
E911 SERVICE															
CALLING NAME (CNAM) SERVICE															
		CNAM for DB Owners, Per Query	OQV		0 016										
		CNAM for Non DB Owners, Per Query	OQV		0 01										
		CNAM (Non-Datas Owner), NRC, applies when using the Character Based User Interface (CHUI)	OQV	CDDCH		595	595					26 94	26 94		
LNP QUERY SERVICE															
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE														
OPERATOR CALL PROCESSING															
		Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB			1 2										
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB			1 24										
		Oper. Call Processing - Fully Automated, per Call - Using BST LIDB			0 11										
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB			0 12										
INWARD OPERATOR SERVICES															
		Inward Operator Services - Verification, Per Call			0 8										
		Inward Operator Services - Verification, Per Minute			1 15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Call			0 85										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute			1 15										
BRANDING - OPERATOR CALL PROCESSING															
		Recording of Custom Branded OA Announcement		CBAOS		7000	7000					19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per shelf/NAV		CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES															
	DIRECTORY ASSISTANCE ACCESS SERVICE														
		Directory Assistance Access Service Calls, Charge Per Call			0 26										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt			0 062										
	UNBRANDING														

	DIRECTORY TRANSPORT															
	Directory Transport - Local Channel DS1				35 68	534 48	462 80					86 15	86 15	1 77	1 77	
	Directory Transport - DS1 Level Interoffice Per Mile				0 5753											
	Directory Transport - DS1 Level Interoffice Per Facility Termination				71 29	217 17	183 75					38 07	38 07	1 77	1 77	
	Switched Common Transport Per DA Access Service Per Call				0 0002											
	Switched Common Transport Per DA Access Service Per Call Per Mile				0 00003											
	Access Tandem Switching Per DA Access Service Per Call				0 0021											
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				0 04											
	Directory Assistance Data Base Service, per month			DBSOF	150											
BRANDING - DIRECTORY ASSISTANCE																
	Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000									
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690									
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		229 65	229 65					40 18	9 45			
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connects (loop)		uasrd,uas,udn,udc,uql,ufd,ucl,usq	UEAC2	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB	VE1LS	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99	
	Virtual Collocation - 2-wire Cross Connects (port)			VE1R2	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99	
	Virtual Collocation - 4-wire Cross Connects (loop)		usq,ufd,ucl,ud9	UEAC4	0 18	41 91	39 25	4 73	4 73			19 99	19 99	19 99	19 99	
	Virtual Collocation - 4 wire Cross Connects (port)			VE1R4	0 18	41 91	39 25	4 73	4 73			19 99	19 99	19 99	19 99	
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	15 99	67 34	49 55					19 99	19 99	19 99	19 99	
	Virtual Collocation - 4 Fiber Cross Connects		CLO	CNC4F	28 74	82 35	63 56					19 99	19 99	19 99	19 99	
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	0 97	71 02	51 08									
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment		SRC	SRCEC		391788						19 99	19 99	19 99	19 99	
	End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99	
	Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99	
	Query NRC, per query		SRC		0 000449											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		294 77	294 77					26 94	26 94			
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMOP		88 94	88 94					26 94	26 94			
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		88 94	88 94					26 94	26 94			
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		200 83	200 83					26 94	26 94			
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		172 06	172 06					26 94	26 94			
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0023											
	AIN SMS Access Service - Session, Per Minute				0 0791											
	AIN SMS Access Service - Company Performed Session, Per Minute				2 08											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		290 06	290 06					26 94	26 94			
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8363	8363					26 94	26 94			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			BAPTT		72 76	72 76					26 94	26 94			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		72 76	72 76					26 94	26 94			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		72 76	72 76					26 94	26 94			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		149 95	149 95					26 94	26 94			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		149 95	149 95					26 94	26 94			
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		149 95	149 95					26 94	26 94			
	AIN Toolkit Service - Query Charge, Per Query				0 02											
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 006											
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 45											
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	15 99	71 8	71 8					26 94	26 94			
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 08	47 2	47 2					26 94	26 94			
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 9	71 8	71 8					26 94	26 94			
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service			BAPES	0 003	47 2	47 2					26 94	26 94			
ODUF/EDOUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF - Message Processing, per message				0 004											
	ADUF - Data Transmission (CONNECT:DIRECT), per message				0 001											
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF - Message Processing, per message				0 004											
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF - Recording, per message				0 0003											
	ODUF - Message Processing, per message				0 0002											
	ODUF - Message Processing, per Magnetic Tape provisioned				54 81											
	ODUF - Data Transmission (CONNECT:DIRECT), per message				0 00004											

ENHANCED EXTENDED LINK (EELs)																
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs. Orlando, FL, Miami, FL; Ft Lauderdale, FLL Nashville, TN, New Orleans, LA;															
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge.															
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)															
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order.(No Switch As Is Charge.)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop - Service Level 2/DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL2	19 5	142 97	106 56					38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 5753										
	Interoffice Transport Dedicated - DS1 combination - Facility Termination per			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	DS1 Channelization System Per Month			UNC1X	MQ1	146 89	197 78	140 06								
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 27	13 09	9 38								
	Each Additional 2-Wire Vg Loop(S2) in the Same Ds1 Interoffice Transport Combination Per Month			UNCVX	UEAL2	19 5	142 97	106 56					21 75	21 75	31 26	10 96
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2											
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	288 47	237 45					21 75	21 75	31 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 89	197 78	140 06								
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	288 47	237 45					38 07	38 07		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4 Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37 67	489 04	337 51					21 75	21 75	32 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 89	197 78	140 06								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kb)			UNCDX	1D1DD	2	15 76	11 28								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37 67	489 04	337 51					21 75	21 75	32 26	10 96
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kb)			UNCDX	1D1DD	2	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37 67	489 04	337 51					21 75	21 75	32 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 89	197 78	140 06								
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kb)			UNCDX	1D1DD	2	15 76	11 28								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37 67	489 04	337 51					21 75	21 75	12 61	12 61
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kb)			UNCDX	1D1DD	2	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					21 75	21 75	32 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					118 2	104 02		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12 98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720 39	794 94	579 55					118 2	104 02		
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	233 1	409 97	234 4								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL2	19 5	142 97	106 56								
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0282										

		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	18	137 48	52 58					38 07	38 07		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-Wire VG Loop used with 4-wire VG Interoffice Transport Combination - Statewide	sw	UNCVX	UEAL4	27 49	288 47	237 45	82 08	12 22						
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0282										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	22 18	106 11	65 95					22 32	22 32		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	11 12										
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	404 98	1071	646 12								
		Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	12 98										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	720 38	794 94	879 55					91 26	91 26		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	11 12										
		High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	417 7	1071	646 12								
		Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	6 14										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	790 37	794 94	879 55					53 48	53 48		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
		First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport - Statewide	sw	UNCNX	U1L2X	24 98	326 91	251 31					38 07	38 07		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 5753										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
		Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	148 89	197 78	140 06								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 59	15 76	11 28								
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Statewide	sw	UNCNX	U1L2X	24 98	325 91	251 31					38 07	38 07		
		2 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3 59	15 76	11 28								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
		First DS1 Loop in STS1 Interoffice Transport Combination - Statewide	sw	UNCSX	USLXX	62 71	714 84	757 03					53 48	53 48		
		Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	6 14										
		Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	790 37	794 94	879 55					53 48	53 48		
		STS1 to DS1 Channel System combination per month		UNC1X	MQ3	233 1	403 9	234 4								
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	18 07	13 09	9 38								
		Additional DS1Loop in STS1 Interoffice Transport Combination - Statewide	sw	UNC1X	USLXX	62 71	714 84	757 03					38 07	38 07		
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	18 07	13 09	9 38								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Statewide	sw	UNCDX	UDL56	37 67	489 04	337 51								
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0282										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility		UNCDX	U1TD6	17 4	137 48	52 58					38 07	38 07		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
		4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Statewide	sw	UNCDX	UDL64	32 67	489 04	337 51								
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0282										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		UNCDX	U1TD6	17 4	137 48	52 58					38 07	38 07		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not															
	Node (Synchronet)															
		Node per month		UNCDX	UNCNT	16										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		

	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE: (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE: (1) Continued: The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded: CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis														
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Restorish)			SOMEC		3 5								
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www interconnection.bellsouth.com/becomm_a_pdf/NatlInterconnection.htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE: Although the Port Rate includes all available features in QA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (INES)														
		Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	2 19	21 6	21 6					26 94	12 76	
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 19	21 6	21 6					26 94	12 76	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 19	21 6	21 6					26 94	12 76	
		Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	2 19	21 6	21 6					26 94	12 76	
		Subsequent Activity		UEPSR	USASC	0	0	0							
	FEATURES														
		All Available Vertical Features		UEPSR	UEPVF	3 4	0	0					26 94	12 76	
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 19	21 6	21 6					26 94	12 76	
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID 4&4 ID - Bus		UEPSB	UEPBL	2 19	21 6	21 6					26 94	12 76	
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 19	21 6	21 6					26 94	12 76	
		Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 19	21 6	21 6					26 94	12 76	
		Subsequent Activity		UEPSB	USASC	0	0	0							
	FEATURES														
		All Available Vertical Features		UEPSB	UEPVF	3 4	0	0					26 94	12 76	
	EXCHANGE PORT RATES (DID & PBX)														
		Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	12 36	108 78	84 6					26 94	12 76	
		Exchange Ports - DDIS Port - 4-Wire DS1 Port with DID capability		UEPDO	UEPDO	123 66	143 63	62 68					19 99	19 99	19 99 19 99
		Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	UIPMA	24 5	117 59	117 59					55 3	55 3	
		All Features Offered		UEPTX UEPSX	UEPVF	3 4	0	0							
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
		Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	UIUMA	0	0	0							
		Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	178 76	241 63	241 63					53 89	53 89	
		2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRO	2 19	21 6	21 6					26 94	12 76	
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 19	21 6	21 6					26 94	12 76	
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 19	21 6	21 6					26 94	12 76	
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 19	21 6	21 6					26 94	12 76	
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 19	21 6	21 6					26 94	12 76	
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2 19	21 6	21 6					26 94	12 76	
		Subsequent Activity		UEPSP	USASC	0	0	0							
	FEATURES														
		All Available Vertical Features		UEPSP UEPSE	UEPVF	3 4	0	0					26 94	12 76	
	EXCHANGE PORT RATES (COIN)														
		Exchange Ports - Coin Port				2 59	21 6	21 6					26 94	12 76	
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
	End Office Switching (Port Usage)														
		End Office Switching Function, Per MOU				0 0015									
		End Office Trunk Port - Shared, Per MOU				0 00023									
	Tandem Switching (Port Usage) (Local or Access Tandem)														

263 of 538

	Tandem Switching Function Per MOU					0 0006										
	Tandem Trunk Port - Shared, Per MOU					0 0003										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 00001										
	Common Transport - Facilities Termination Per MOU					0 00034										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (NES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		SW			18 48										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPRX	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 28								40 18	9 45	
	2 Wire voice unbundled port with Caller ID res			UEPRX	UEPRC	2 28								40 18	9 45	
	2 Wire voice unbundled port outgoing only res			UEPRX	UEPRO	2 28								40 18	9 45	
	2 Wire voice unbundled res, low usage line port with Caller ID (LLM)			UEPRX	UEPAP	2 28								40 18	9 45	
FEATURES																
	All Features Offered			UEPRX	UEPVF	3 4	0	0						40 18	9 45	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as Is			UEPRX	USAC2		2 77	0 4						40 18	9 45	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2 77	0 4						40 18	9 45	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42							10 27		
ADDITIONAL NRCs																
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		SW			18 48										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPBX	UEPLX	14 18										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 28								40 18	9 45	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 28								40 18	9 45	
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 28								40 18	9 45	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2 28								40 18	9 45	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	3 4	0	0						40 18	9 45	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch as Is			UEPBX	USAC2		2 77	0 4						40 18	9 45	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 77	0 4								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42							10 27		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2									40 18	9 45	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		SW			18 48										

UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Statewide		sw	UEPRG	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2 28							40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 5										
FEATURES																
	All Features Offered			UEPRG	UEPVF	3 4	0	0					40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		sw			16 46										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Statewide		sw	UEPPX	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 28							40 18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 28							40 18	9 45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal P...			UEPPX	UEPLD	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminal Port			UEPPX	UEPXC	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 28							40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 28							40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 28							40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 18										
FEATURES																
	All Features Offered			UEPPX	UEPVF	3 4	0	0					40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2 77	0 4					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Statewide					19 8										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide			UEPCO	UEPLX	14 18										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	2 62							40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2 62							40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2 62							40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2 62							40 18	9 45		

		2 Wire Coin 2-Way with Operator Screening, 900 Blocking, 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2 62						40 18	9 45		
		2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	2 62						40 18	9 45		
		2-Wire Coin Outward with Operator Screening and Blocking, 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2 62						40 18	9 45		
		2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 62						40 18	9 45		
		2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 62						40 18	9 45		
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
		UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 7	0	0							
	LOCAL NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35									
	FEATURES															
		All Features Offered			UEPCO	UEPVF	3 4	0	0				26 94	12 76		
	NONRECURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		2 77	0 4				40 18	9 45		
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2 77	0 4				40 18	9 45		
	ADDITIONAL NRCs															
		2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0	0				40 18	9 45		
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
	UNE Port/Loop Combination Rates															
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		sw			31 07									
	UNE Loop Rates															
		2-Wire Analog Voice Grade Loop - (SL2) - Statewide		sw			19 6	142 97	106 58			19 99				
	UNE Port Rate															
		Exchange Ports - 2 Wire DID Port			UEPPX	UEPD1	17 36						19 99	19 99	19 99	19 99
	NONRECURRING CHARGES - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		13 26	6 39				19 99	19 99	19 99	19 99
		2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		13 26	8 19				19 99	19 99	19 99	19 99
	ADDITIONAL NRCs															
		2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 44					19 99	19 99	19 99	19 99
	Telephone Number/Trunk Group Establisment Charges															
		DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0				19 99	19 99	19 99	19 99
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	ND2	0	0	0				19 99	19 99	19 99	19 99
		Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0				19 99	19 99	19 99	19 99
		DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5	0	0	0			19 99				
		Reserve Non-Consecutive DID numbers			UEPPX	ND8	0	0	0			19 99				
		Reserve DID Numbers			UEPPX	NDV	0	0	0			19 99				
	LOCAL NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3 15									
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
	UNE Port/Loop Combination Rates															
		2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - Statewide		sw	UEPPB UEPPR		44 49									
	UNE Loop Rates															
		2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB UEPPR	USL2X	20 12	325 91	251 31			19 99				
	UNE Port Rate															
		Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	24 37						19 99	19 99	19 99	19 99
	NONRECURRING CHARGES - CURRENTLY COMBINED															
		2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USAC8	0	174 35	174 35				19 99	19 99	19 99	19 99
	ADDITIONAL NRCs															
	LOCAL NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0							
	B-CHANNEL USER PROFILE ACCESS:															
		CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0							
		CVS (EWSD)			UEPPB UEPPR	U1UC8	0	0	0							

266.9.5.8

	CSD			UEPPB	UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																	
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																	
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	34	0	0								
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	17 42	137 48	52 58					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0 0282	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Statewide		sw	UEPPP			241 72										
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P											
UNE Port Rate																	
	Exchange Ports - 4 Wire ISDN DS1 Port			UEPPP	UEPPP		179 01							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4 Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-Is			UEPPP		USACP	0	461 51	461 51					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																	
	4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - NC Only			UEPPP		PR71G		1 17	1 17					19 99	19 99	19 99	19 99
	4 Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos (NC only)			UEPPP		PR71P		28 17	28 17					19 99	19 99	19 99	19 99
	4 Wire DS1 Loop / 4 Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP		PR71I		56 33	56 33					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPP		LNPCN	1 75										
INTERFACE (Provisioning Only)																	
	Voice/Data			UEPPP		PR71V	0	0	0								
	Digital Data			UEPPP		PR71D	0	0	0								
	Inward Data			UEPPP		PR71E	0	0	0								
New or Additional "B" Channel																	
	New or Additional - Voice/Data B Channel			UEPPP		PR7BV	0	36 02						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0	36 02						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0	36 02						19 99	19 99	19 99	19 99
	New or Additional Usage Sensitive Voice Data B Channel			UEPPP		PR7BS	0	36 02						19 99	19 99	19 99	19 99
	New or Additional Usage Sensitive Digital Data B Channel			UEPPP		PR7BU	0	36 02						19 99	19 99	19 99	19 99
CALL TYPES																	
	Inward			UEPPP		PR7C1	0	0	0								
	Outward			UEPPP		PR7C0	0	0	0								
	Two-way			UEPPP		PR7CC	0	0	0								
Interoffice Channel Mileage																	
	Fixed Each Including First Mile			UEPPP		1LN1A	71 3603	217 17	163 75	0				19 99	19 99	19 99	19 99
	Each Airline Fractional Additional Mile			UEPPP		1LN1B	0 0783										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		sw	UEPDC			186 23							19 99	19 99	19 99	19 99
UNE Loop Rates																	
	4-Wire DS1 Digital Loop - Statewide		sw	UEPDC		USLDC	62 71	714 64	462 62					19 99	19 99	19 99	19 99
UNE Port Rate																	
	4 Wire DDITS Digital Trunk Port			UEPDC		UDD1T	123 65							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC		USAC4		288 80	133 87					19 99	19 99	19 99	19 99
	4 Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC		USAWA		288 80	133 37					19 99	19 99	19 99	19 99

		4 Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		266 66	133 37					19 99	19 99	19 99	19 99
	ADDITIONAL NRCs																
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		127 63	127 63								
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 81	28 81					19 99	19 99	19 99	19 99
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 81	28 81					19 99	19 99	19 99	19 99
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 81	28 81					19 99	19 99	19 99	19 99
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 81	28 81					19 99	19 99	19 99	19 99
		4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 81	28 81					19 99	19 99	19 99	19 99
	BIPOLAR 8 ZERO SUBSTITUTION																
		B8ZS -Superframe Format			UEPDC	CCOSF		0	615					19 99	19 99	19 99	19 99
		B8ZS - Extended Superframe Format			UEPDC	CCOEF		0	615					19 99	19 99	19 99	19 99
	Alternate Mark Inversion																
		AMI -Superframe Format			UEPDC	MCOSF		0	0								
		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0								
	Telephone Number/Trunk Group Establishment Charges																
		Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0										
		Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19 99				
		Telephone Number for 1-Way Inward Trunk Group Wthout DID			UEPDC	UDTGZ	0						19 99				
		DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0	0	0				19 99				
		DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19 99				
		DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	NDS	0						19 99				
		Reserve Non-Consecutive DID Nbs			UEPDC	ND8	0	0	0				19 99				
		Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99				
	Disconnected DS1 (Interoffice Channel Mileage) [X/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
		Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	IL NO1	71 29	217 17	183 75	0	0			19 99	19 99	19 99	19 99
		Interoffice Channel Mileage - Additional rate per mile - 0 8 miles			UEPDC	IL NOA	0 0783	0	0								
		Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	IL NO2	0	0	0								
		Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	IL NOB	0 0783	0	0								
		Interoffice Channel Mileage - Fixed rate 26+ miles (Facilities Termination)			UEPDC	IL NO3	0	0	0	0							
		Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	IL NOC	0 0783	0	0								
		Local Number Portability, per USO Activated			UEPDC	NPCP	3 16	0	0	0							
		Central Office Terminating Point			UEPDC	CTQ	0										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
	Each System can have up to 24 combinations of rates depending on type and number of ports used																
	UNE DS1 Loop																
		4-wire DS1 Loop UNE - Statewide		sw	UEPMG	USLDC	62 71						19 99				
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
		24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	123 06	0	0								
		48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246 12	0	0								
		96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492 24	0	0								
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738 36	0	0								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984 48	0	0								
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1230 6	0	0								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1476 72	0	0								
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1968 96	0	0								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2461 2	0	0								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2953 44	0	0								
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3445 68	0	0								
	Non Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.																
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted																
		NRC - Conversion (Currently Combined) with or without BellSouth Allowed Charges			UEPMG	USAC4	0	330 61	16 64					19 99	19 99	19 99	19 99
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																
	New (Not Currently Combined) In Georgia & Tennessee Only																
		NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	743 74	326 22	149 02	17 68			19 99	19 99	19 99	19 99
	Bipolar 8 Zero Substitution																
		Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	615					19 99	19 99	19 99	19 99
		Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	615					19 99	19 99	19 99	19 99
	Alternate Mark Inversion (AMI)																
		Superframe Format			UEPMG	MCOSF	0	0	0								
		Extended Superframe Format			UEPMG	MCOPO	0	0	0								

Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	2 28	0	0	0	0		19 99					
Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	2 28	0	0	0	0		19 99					
Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	2 28	0	0	0	0		19 99					
2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	13 26	0	0	0	0		19 99					
Feature Activations - Unbundled Loop Concentration															
Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 65	25 27	13 34	4 15	4 12			19 99	19 99	19 99	19 99	
Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 65	77 75	18 33	58 74	11 48			19 99	19 99	19 99	19 99	
Telephone Number/ Group Establishment Charges for DID Service															
DID Trunk Termination (1 per Port)		UEPPX	NDT	0											
Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA,NC,& SC)		UEPPX	NDZ	0	0	0				19 99					
DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0				19 99					
Non-Consecutive DID Numbers - per number		UEPPX	ND5	0	0	0				19 99					
Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0									
Reserve DID Numbers		UEPPX	NDV	0	0	0									
Local Number Portability															
Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0									
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
All Features Available		UEPPX	UEPVF	3 4	0	0				19 99					
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
Market Rates apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
These scenarios include															
1. Unbundled loop/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee															
2. Unbundled loop/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 5 MSAS in BellSouths region for end users with 4 or more DS0 equivalent lines															
The Top 5 MSAS in BellSouths region are: FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte Gastonia-Rock Hill), TN (Nashville)															
BellSouth [illegible] ability to mechanically bill [illegible] Market Rates in this section. In the [illegible] the rates in the Cost-Based section precedi[illegible] Market Rates and reserves the right to true up the billing difference															
The Market Rate for unbundled ports includes all available features in all states															
For [illegible] Switching, Shared Transport (Usage), Line-side Port switching, [illegible] will apply to all combinations of loop/port regardless of [illegible] except for UNE Com Port/Loop Combinations which have a flat rate usage charge (USOC UHEC0)															
For Not Currently Combined scenarios, flat Rates apply, the Nonrecurring charges listed [illegible] Additional NRC combinations (USOC [illegible]) are required, Combined scenarios the Nonrecurring charges listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly															
2 WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Statewide	sw			28 18											
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Statewide	sw	UEPRX	UEPLX	14 18											
2-Wire Voice Grade Line Port (Res)															
2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90					40 18	9 45			
2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14	90	90					40 18	9 45			
2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14	90	90					40 18	9 45			
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14	90	90					40 18	9 45			
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES															
All Features Offered		UEPRX	UEPVF	0	0	0									
2 Wire Voice Grade Loop / Line Port Combination - Switch as is		UEPRX	USAC2		41 5	41 5									
2 Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41 5	41 5									
ADDITIONAL NRCs															
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Statewide	sw			28 18											
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Statewide	sw	UEPBX	UEPLX	14 18											
2-Wire Voice Grade Line Port (Bus)															
2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14	90	90					40 18	9 45			
2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14	90	90					40 18	9 45			
2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14	90	90					40 18	9 45			
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											

FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPBX	USAC2		41 5	41 5									
2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5									
ADDITIONAL NRCs																
NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates													40 18	9 45	20	20
2-Wire VG Loop/Port Combo - Statewide		SW			28 18											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPRG	UEPLX	14 18											
2-Wire Voice Grade Line Port Rates (RES - PBX)																
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90						40 18	9 45		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPRG	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop/ Line Port Combination - Switch As-Is			UEPRG	USAC2		41 5	41 5									
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5									
ADDITIONAL NRCs																
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity Nonrecurring						0	0									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64						10 00	10 00	0	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Statewide		SW			28 18											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPPX	UEPLX	14 18											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90						40 18	9 45		
Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90						40 18	9 45		
Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14	90	90						40 18	9 45		
2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90						40 18	9 45		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90						40 18	9 45		
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90						40 18	9 45		
2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90						40 18	9 45		
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90						40 18	9 45		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90						40 18	9 45		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90						40 18	9 45		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90						40 18	9 45		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90						40 18	9 45		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90						40 18	9 45		
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop/ Line Port Combination - Switch As-Is			UEPPX	USAC2		41 5	41 5									
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5									
ADDITIONAL NRCs																
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0									
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity Nonrecurring						0	0									
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64						19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
2-Wire VG Coin Port/Loop Combo - Statewide					28 18											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) - Statewide			UEPCO	UEPLX	14 18											

2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	14	90	90					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14	90	90					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976 1+DDD (NC, TN)			UEPCO	UEPNP	14										
	2-Wire Coin 2 Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	14	90	90					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14	90	90					40 18	9 45		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	14	90	90					40 18	9 45		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14	90	90					40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch As-Is			UEPCO	USAC2		41 5	41 5								
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

BellSouth/Southeastern Services
Unbundled Network Elements
SOUTH CAROLINA

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs Electronic-1st	Incremental Charge Manual Svc Order vs Electronic-Add'l	Incremental Charge Manual Svc Order vs Electronic-Disc-1st	Incremental Charge Manual Svc Order vs Electronic-Disc-Add'l
								Nonrecurring				Nonrecurring					
												Disconnect					
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	18 48	70 44	44 05					44 22	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	27 87	70 44	44 05					44 22	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	36 91	70 44	44 05					44 22	13 55		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	18 48	70 44	44 05					44 22	13 55		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	27 87	70 44	44 05					44 22	13 55		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	36 91	70 44	44 05					44 22	13 55		
		Engineering Information Document (EI)			UEANL			28 82	28 82								
		Manual Order Coordination for UVL-SLIs (per loop)*			UEANL	UEAMC		62 1	62 1								
		Order Coordination for Specified Conversion Time for UVL-SLI (per LSR) *			UEANL	OCOSL		45 43	45 43								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	21 57	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	32 53	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	43 08	178 12	128 8					44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	21 57	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	32 53	178 12	128 8					44 42	13 55		
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	43 08	178 12	128 8					44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29 47	383 39	286 77					44 06	13 55		
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	44 44	383 39	286 77					44 06	13 55		
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	58 85	383 39	286 77					44 06	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop Zone 1		1	UDN	UIL2X	26 68	423 04	301 75					44 42	13 55		
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	40 24	423 04	301 75					44 42	13 55		
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	53 85	423 04	301 75					44 42	13 55		
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 43									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	31 61	235 15	160 05	106 09	21 21			44 42	13 55		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	40 95	235 15	160 05	106 09	21 21			44 42	13 55		
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	47 12	235 15	160 05	106 09	21 21			44 42	13 55		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	17 1	600 61	507 33					44 42	13 55		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	25 79	600 61	507 33					44 42	13 55		
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	34 15	600 61	507 33					44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 43									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	17 1	205 28	129 32	100 74	15 86			44 42	13 55		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	25 79	205 28	129 32	100 74	15 86			44 42	13 55		
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	34 15	205 28	129 32	100 74	15 86			44 42	13 55		
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 43									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	12 21	600 61	507 33					44 06	13 55		

		2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	18 41	600 61	507 33					44 06	13 55			
		2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	24 39	600 61	507 33					44 06	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43										
		2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	12 21	222 65	146 68	100 74	15 86			44 06	13 55			
		2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	18 41	222 65	146 68	100 74	15 86			44 06	13 55			
		2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	24 39	222 65	146 68	100 74	15 86			44 06	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43										
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16 21	625 11	532 78					44 06	13 55			
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	24 45	625 11	532 78					44 06	13 55			
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	32 38	625 11	532 78					44 06	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43										
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16 21	279 96	203 99	110 24	20 75			44 06	13 55			
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	24 45	279 96	203 99	110 24	20 75			44 06	13 55			
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	32 38	279 96	203 99	110 24	20 75			44 06	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43										
	4-WIRE DS1 DIGITAL LOOP																	
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59 61	715 77	421 5					43 77	13 55			
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	89 9	715 77	421 5					43 77	13 55			
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	119 06	715 77	421 5					43 77	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 47										
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	34 26	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	51 67	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	68 43	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	34 26	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	51 67	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68 43	602 73	393 5					44 06	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 43										
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	34 26	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	51 67	602 73	393 5					44 06	13 55			
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68 47	602 73	393 5					44 06	13 55			
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 43										
	2-WIRE Unbundled COPPER LOOP																	
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	15 24	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17 14	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	17 68	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	15 24	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17 14	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	17 68	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	47 77	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	69 16	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	84 94	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	47 77	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	69 16	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	84 94	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11 01	44 69	22 4	25 66	7 06			44 22	13 55			
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	12 67	44 69	22 4	25 66	7 06			44 22	13 55			

		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	20 22	44 69	22 4	25 66	7 06			44 22	13 55			
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		62 1	62 1									
		Engineering Information Document			UEQ			28 82	28 82									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92									
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33									
	4-WIRE COPPER LOOP																	
		4 Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	24 55	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	28 13	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	24 17	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	24 55	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation Zone 2		2	UCL	UCL4W	28 13	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	24 17	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		4 Wire Unbundled Copper Loop/Long - Includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4I	96 61	319 41	199 45	130 98	27 68			19 99	19 99	19 99	19 99	
		4 Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4I	148 48	319 41	199 45	130 98	27 68			19 99	19 99	19 99	19 99	
		4 Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4I	180 12	319 41	199 45	130 98	27 68			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	96 61	238 87	162 9	110 24	20 75			19 99	19 99	19 99	19 99	
		4 Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	148 48	238 87	162 9	110 24	20 75			19 99	19 99	19 99	19 99	
		4 Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	180 12	238 87	162 9	110 24	20 75			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 1	62 1									
LOOP MODIFICATION																		
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 32	65 32									
		Unbundled Loop Modification, Removal of Load Coils - 2 wire pair greater than 18k ft			UCL, ULS	ULM2G		342 29	342 29									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 32	65 32									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		342 29	342 29									
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 37	65 37									
SUB-LOOPS																		
	Sub-Loop Distribution																	
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set Up	1		UEANL	USBSA		507 75	507 75					44 22	13 55			
		Sub-Loop - Per Cross Box Location - Per 26 Pair Panel Set Up	1		UEANL	USBSB		45 37	45 37					44 22	13 55			
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSC		380 6	380 6					44 22	13 55			
		Sub-Loop - Per Building Equipment Room - Per 26 Pair Panel Set-Up	1		UEANL	USBSD		111 15	111 15					44 22	13 55			
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBN2	11 09	131 88	62 05	90 69	13 42			44 22	13 55			
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBN2	15 72	131 88	62 05	90 69	13 42			44 22	13 55			
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBN2	18 49	131 88	62 05	90 69	13 42			44 22	13 55			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43									
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	17 64	158 41	88 58	99 64	18 17			44 22	13 55			
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	24 26	158 41	88 58	99 64	18 17			44 22	13 55			
		Sub-Loop Distribution Per 4 Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	23 63	158 41	88 58	99 64	18 17			44 22	13 55			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43									
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	3 01	106 26	36 42	90 69	13 42			44 22	13 55			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43									
		Sub-Loop 4 Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	6 7	118 76	48 93	99 64	18 17			44 22	13 55			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 43	45 43									
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	8 59	131 88	62 05	90 69	13 42			44 22	13 55			
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	12 29	131 88	62 05	90 69	13 42			44 22	13 55			
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	13 1	131 88	62 05	90 69	13 42			44 22	13 55			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 43	45 43									
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	9 81	158 41	88 58	99 64	18 17			44 22	13 55			
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	17 71	158 41	88 58	99 64	18 17			44 22	13 55			
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	15 8	158 41	88 58	99 64	18 17			44 22	13 55			
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 43	45 43									
	Sub-Loop Feeder																	
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set up			UEA, UDN UCL UDL UDC	USBFW		507 75										

				UEA, UDN,UCL,UDL,UD C	USBFX		45 37	45 37									
		USL Feeder - DS0 Set-up per Cross Box location, per 25 pair set-up		USL	USBFZ		523 87	11 34									
		USL Feeder DS1 Set-up at DSX location, per DS1 termination		UEA	USBFA	11 16	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1	1	UEA	USBFA	14 67	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFA	18 43	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground Start, Voice Grade - Zone 3	3	UEA	OCOSL		45 43										
		Order Coordination for Specified Conversion Time, per LSR		UEA	USBFB	11 16	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFB	14 67	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFB	18 43	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	3	UEA	OCOSL		45 43										
		Order Coordination for Specified Time Conversion, per LSR		UEA	USBFC	11 16	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1	UEA	USBFC	14 67	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2	UEA	USBFC	18 43	188 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3	UEA	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, per LSR		UEA	USBFD	27 04	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1	1	UEA	USBFD	34 46	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFD	32 55	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3	UEA	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, Per LSR		UEA	USBFE	27 04	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99	
		UnBundled Sub-Loop Feeder Loop, 4 Wire Loop Start, Voice Grade - Zone 1	1	UEA	USBFE	34 46	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFE	32 55	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	3	UEA	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, Per LSR		UDN	USBFF	21 31	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	26 16	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	2	UDN	USBFF	29 36	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 3	3	UDN	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, Per LSR		UDC	USBFS	21 31	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	UDC	USBFS	26 16	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	2	UDC	USBFS	29 36	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	3	UDC	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, Per LSR		UDS1	USBFG	78 79	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	UDS1	USBFG	155 94	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4 Wire DS1 - Zone 2	2	UDS1	USBFG	290 5	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3	UDS1	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, Per LSR		UDF	USBFH	7 47	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder, 2 Wire Copper Loop - Zone 1	1	UDF	USBFH	9	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99	
		Unbundled Sub Loop Feeder Loop, 2 Wire Copper Loop - Zone 2	2	UDF	USBFH	5 74	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99	
		Unbundled Sub-Loop Feeder Loop, 2 Wire Copper Loop - Zone 3	3	UDF	OCOSL		45 43										
		Order Coordination For Specified Conversion time, per LSR		UDJ	USBFJ	18 51	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	UDJ	USBFJ	10 35	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2	UDJ	USBFJ	10 52	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3	UDJ	OCOSL		45 43										
		Order Coordination For Specified Conversion time, per LSR		UDL	USBFN	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	1	UDL	USBFN	26 62	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	2	UDL	USBFN	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	3	UDL	USBFO	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFO	26 62	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFO	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	3	UDL	OCOSL		45 43										
		Order Coordination For Specified Time Conversion, per LSR		UDL	USBFP	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFP	26 62	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFP	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3	UDL	OCOSL		45 43										
		Order Coordination For Specified Conversion Time, per LSR															
	Unbundled Sub-Loop Modification																
		Unbundled Sub Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		356 5	12 29					44 22	13 55			
		Unbundled Sub-loop Modification - 4 W Copper Dist Load Coil/Equip Removal per 4 W PR		UEF	ULM4X		356 5	12 29					44 22	13 55			
		Unbundled Sub-loop Modification - 2 w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		UEF	ULM4T		661 8	14 33					44 22	13 55			
	Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 41	62 71	62 71					44 22	13 55			
	Network Interface Device (NID)																
		Network Interface Device (NID) - 1-2 lines		UENTW	UND12		87 36	57 58					44 22	13 55			
		Network Interface Device (NID) - 1-6 lines		UENTW	UND16		128 84	99 06					44 22	13 55			
		Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		11 83	11 83					44 22	13 55			
		Network Interface Device Cross Connect - 4W		UENTW	UNDC4		11 83	11 83					44 22	13 55			
UNBUNDLED LOOP CONCENTRATION																	
		Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	398 41	652 26	652 26					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	68 36	271 78	271 78					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	439 73	652 26	652 26					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	98 34	271 78	271 78					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 62	126 85	92 35	33 66	9 42			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - 2 Wire Voice Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 19	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99	

	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	13 03	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 77	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card		UEC	UCTTC	37 98	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	11 51	21 11	21	10 81	10 74			19 99	19 99	19 99	19 99
UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)																
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation		UENTW	UNDDX												
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ, UENTW	UNECN												
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UD L,UON,UEA,UHL,U LC	UNECN	0	0										
	Unbundled Sub-Loop Feeder 2 Wire Cross Box Jumper no rate		UEA,UON,UCL,UD C	USBFQ	0	0										
	Unbundled Sub-Loop Feeder 4 Wire Cross Box Jumper no rate		UEA,USL,UCL,UD I	USBFR	0	0										
	Unbundled DS1 Loop Superframe Format Option no rate		USI	CCOSF	0	0										
	Unbundled DS1 Loop - Extended Superframe Format option no rate		USI	CCOEF	0	0										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	ILSND	15 33											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UEXPX	102 95	905 04	529 05	239 5	167			31 38	31 38	3 94	3 94	
	High Capacity Unbundled Local Loop STS-1 - Per Mile per month		UDLSX	ILSND	15 33											
	High Capacity Unbundled Local Loop STS-1 - Facility Termination per month		UDLSX	UDLST	311 86	905 04	529 05	239 5	167			31 38	31 38	3 94	3 94	
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		48 07	48 07									
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		50 97	50 97									
	Loop Makeup - With or Without Reservation per working or spare facility queried (Mechanized)		UMK	PSUMK		0 6872	0 6873									
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity		ULS	ULSDA	218 22	378 42	0	356 76	0		0					
	Line Sharing Splitter, per System 24 Line Capacity		ULS	ULSDB	54 05	378 42	0	356 76	0		0					
	Line Sharing Splitter, Per System, 8 Line Capacity		ULS	ULSDB	18 02	378 42	0	356 76	0		0					
	Line Sharing - per Line Activation		ULS	ULSDC	0 61	37 09	21 24	20 07	9 85			44 22	13 56			
	Line Sharing per Subsequent Activity per Line Rearrangement		ULS	ULSDS		32 84	16 41					44 22	13 56			
	Line Sharing-CLEC/DLEC Owned Splitter in CO-per occurrence of each group of 8 lines (16 pair)		ULS	ULSDG		57 83		11 41								
UNBUNDLED TRANSPORT																
	COMMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU				0 0000121											
	Common Transport - Facilities Termination Per MOU				0 0004672											
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per		U1TVX	IL5XX	0 0187											
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	24 3	81 25	54 94	33 54	13 82			31 38	31 38	9 8	9 8	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	IL5XX	0 0187											
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month		U1TVX	U1TR2	24 3	81 25	54 94	33 54	13 82			31 38	31 38	9 8	9 8	
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	IL5XX	0 0187											
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV4	21 29	81 25	54 94	33 54	13 82			31 38	31 38	3 94	3 94	
	Interoffice Channel - Dedicated Transport - 56 Kbps - per mile per month		U1TDX	IL5XX	0 0187											
	Interoffice Channel - Dedicated Transport - 56 Kbps - Facility Termination per month		U1TDX	U1TD5	18 76	81 25	54 94	33 54	13 82			31 38	31 38	3 94	3 94	
	Interoffice Channel - Dedicated Transport - 64 Kbps - per mile per month		U1TDX	IL5XX	0 0282											
	Interoffice Channel - Dedicated Transport - 64 Kbps - Facility Termination per month		U1TDX	U1TD6	18 76	81 25	54 94	33 54	13 82			31 38	31 38	9 8	9 8	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	IL5XX	0 3415											

276 23538

		Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	77 14	178 93	163 98	32 77	28 95			31 38	31 38	3 94	3 94	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8 02											
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	880 65	558 74	320 23	120 66	117 17			31 38	31 38	3 94	3 94	
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1																	
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	8 02											
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	880 65	558 74	320 28	120 66	117 17			31 38	31 38	3 94	3 94	
	LOCAL CHANNEL - DEDICATED TRANSPORT																	
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3-one month, DS3 and above-four months																	
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	15 33	387 05	66 48	73 44	6 41			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - 2-Wire Voice Grade Rev Bal per month			ULCVX	ULDR2	15 33	387 05	66 48	73 44	6 41			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	16 54	387 93	67 35	74 38	7 35			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	42 62	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	70 32	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	190 68	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11 93											
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	446	905 04	529 05	239 5	167 51			31 38	31 38	3 94	3 94	
		Local Channel - Dedicated - STS-1 Per Mile per month			ULDS1	1L5NC	11 93											
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	435 1	905 04	529 05	239 5	167 51			31 38	31 38	3 94	3 94	
MULTIPLEXERS																		
		Channelization - DS1 to DS0 Channel System			MO1	MO1	134 46	182 48	[illegible]	21 13	19 [illegible]			31 38	31 38	19 [illegible]	3 94	
		DDS (2 CCI (data) - DS1 to DS0 Channel System - per month (2 4 64kbs)			UDD	1D1DD	1 48	13 18	9 45									
		2 Wire ISDN CCI (BRITE) - DS1 to DS0 Channel System per month			UDN	UC1CA	3 2	13 18	9 45									
		Voice Grade CCI - DS1 to DS0 Channel System - per month			UFA	1D1VG	0 7012	13 18	9 45									
		DS3 to DS1 Channel System per month			MO3	MO3	190 03	357 07	188 [illegible]	66 [illegible]	63 [illegible]			31 38	31 38	[illegible]	3 94	
		DS1 to DS1 Channel System per month			UXIS1	MO3	190 03							31 38	31 38	19 [illegible]	3 94	
		DS1 Interface Unit (DS1 CCI) used with [illegible] per month			UDL	UC1D1	0 8	13 18	9 45									
DARK FIBER																		
		Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	97 65											
		Dark Fiber - Local Channel			UDF	UDFC4		1281 02	276 34	635 52	396 21			31 26	31 26	3 91	19 [illegible]	
		Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	36 41											
		Dark Fiber - Interoffice Channel			UDF	UDFI4		1281 02	[illegible] 76 34	635 52	396 2			31 38	31 38	3 91	[illegible]	
		Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	97 65											
		NRC - Dark Fiber - Local Loop			UDF	UDFL4		1281 02	276 34	635 52	396 21			31 38	31 38	3 94	3 94	
TRANSPORT OTHER																		
	Optional Features & Functions																	
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		185 26	23 86	1 99	0 78			29 33	3 93			
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		185 26	23 86	1 99	0 78			29 33	3 93			
8XX ACCESS TEN DIGIT SCREENING																		
		8XX Access Ten Digit Screening, Per Call			OHD		0 0005227											
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8H1X		6 38	0 9583					27 84	27 84			
		8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS			OHD			22 63	2 73					27 84	27 84			
		8XX Access Ten Digit Screening, Per 8XX No Established With POTS			OHD	N8FTX		22 63	2 73					27 84	27 84			
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5 64	2 82					27 84	27 84			
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		6 6	3 78					27 84	27 84			
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7 34	0 9583					27 84	27 84			
		8XX Access Ten Digit Screening, Call Handing and Destination Features			OHD	N8FDX		5 64						27 84	27 84			
LINE INFORMATION DATA BASE ACCESS (LIDB)																		
		LIDB Common Transport Per Query			OQT		0 0000442											
		LIDB Validation Per Query			OQU		0 0145288											
		LIDB Originating Point Code Establishment or Change			OQT, OQU	N8IPBX		61 62						27 84	27 84			
SIGNALING (CCS7)																		
		CCS7 Signaling Termination, Per STP Port			1DB	PT6SX	156 33							19 99	19 99	19 99	19 99	
		CCS7 Signaling Usage Per TCAP Message			1DB		0 0001108											
		CCS7 Signaling Connection, Per link (A link)			1DB	TPP++	21 79	277 07	277 07					19 99	19 99	19 99	19 99	
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			1DB	TPP++	21 79	277 07	277 07					19 99	19 99	19 99	19 99	
		CCS7 Signaling Usage, Per ISUP Message			1DB		0 0000452											
		CCS7 Signaling Usage Surrogate, per link per LATA			1DB	STU56	396 55							19 99	19 99	19 99	19 99	
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			1DB	CCAPO		40	40					19 99	19 99	19 99	19 99	
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			1DB	CCAPD		8	8					19 99	19 99	19 99	19 99	
E911 SERVICE																		

CALLING NAME (CNAM) SERVICE																			
		CNAM for DB Owners, Per Query		OQV		0 016													
		CNAM for Non DB Owners, Per Query		OQV		0 01													
		CNAM (Non-Datab Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CODCH		595	595						27 84	27 84				
LNP QUERY SERVICE																			
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE																		
OPERATOR CALL PROCESSING																			
		Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 2													
		Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24													
		Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 2													
		Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 2													
INWARD OPERATOR SERVICES																			
		Inward Operator Services - Verification, Per Minute				1 15													
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 16													
BRANDING - OPERATOR CALL PROCESSING																			
		Recording of Custom Branded OA Announcement			CBAOS		7000	7000						19 99	19 99	19 99	19 99		
		Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500	500						19 99	19 99				
DIRECTORY ASSISTANCE SERVICES																			
	DIRECTORY ASSISTANCE ACCESS SERVICE																		
		Directory Assistance Access Service Calls, Charge Per Call				0 275													
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)																		
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 1													
	UNBRANDING																		
	DIRECTORY TRANSPORT																		
		Directory Transport - Local Channel DS1				97 2	534 81	6[illegible]						87 99	87 99	3 11	3 11		
		Directory Transport - DS1 Level Interoffice Per Mile				0 7598													
		Directory Transport - DS1 Level Interoffice Per Facility Termination				91 98	216 27	308						39 63	[illegible]	3 11	3 11		
		Switched Common Transport Per DA Access Service Per Call				0 000327													
		Switched Common Transport Per DA Access Service Per Call Per Mile				0 0000303													
		Access Tandem Switching Per DA Access Service Per Call				0 0024809													
		Directory Transport - DA Interconnection Per DA Service Call				0 000259													
		Directory Transport - Installation NRC, Per Trunk or Signaling Connection					407 81	11						87 99	87 99	3 11	3 11		
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)																		
		Directory Assistance Data Base Service Charge Per Listing				0 04													
		Directory Assistance Data Base Service, per month			DBSOF	150													
BRANDING - DIRECTORY ASSISTANCE																			
		Custom Branding Announcement, per Recording to be used with the provision of DA		AMT	CBADA		3000	3000											
		Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		690	690											
SELECTIVE ROUTING																			
		Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		226 22	226 22						43 19	9 91				
VIRTUAL COLLOCATION																			
		Virtual Collocation - 2 wire Cross Connects (loop)		usan,usa udn udc,	UEAC2	0 3648	41 5	38 94						19 99	19 99	19 99	19 99		
		Virtual Collocation-2 Wire Cross Connects (loop) for Line Splitting	I	usl,uhl ucl,usq UEPSR, UEPSB	VE1LS	0 3648	41 5	38 94						19 99	19 99	19 99	19 99		
		Virtual Collocation - 2 wire Cross Connects (port)			VE1R2	0 3648	41 5	38 94						19 99	19 99	19 99	19 99		
		Virtual Collocation - 4-wire Cross Connects (loop)		usa,uhl,ucl,ud	UEAC4	0 7297	41 56	38 9						19 99	19 99	19 99	19 99		
		Virtual Collocation - 4-wire Cross Connects (port)			VE1R4	0 7297	41 56	38 9						19 99	19 99	19 99	19 99		
		Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	15 00	69 28	40 99						19 99	19 99	19 99	19 99		
		Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	27 08	84 07	63 08						19 99	19 99	19 99	19 99		
		Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	7 5	155	14											
AIN SELECTIVE CARRIER ROUTING																			
		Regional Service Establishment		SRC	SRCEC		381788							19 99	19 99	19 99	19 99		
		End Office Establishment		SRC	SRCEO		320 53	320 53						19 99	19 99	19 99	19 99		
		Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06						19 99	19 99	19 99	19 99		
		Query NRC, per query		SRC		0 000448													
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																			
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		296 16	296 16						27 84	27 84				
		AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		87 29	87 29						27 84	27 84				
		AIN SMS Access Service - Port Connection - ISDN Access			CAMIP		87 29	87 29						27 84	27 84				
		AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		202 08	202 08						27 84	27 84				
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		172 26	172 26						27 84	27 84				
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0028													

		AIN SMS Access Service - Session, Per Minute					0 0942968												
		AIN SMS Access Service - Company Performed Session, Per Minute					2 07												
AIN - BELLSOUTH AIN TOOLKIT SERVICE																			
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		291 41	291 41						27 84	27 84			
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		8333	8333						27 84	27 84			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		73 02	73 02						27 84	27 84			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off Hook Delay				BAPTD		73 02	73 02						27 84	27 84			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		73 02	73 02						27 84	27 84			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO		150 25	150 25						27 84	27 84			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		150 25	150 25						27 84	27 84			
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		150 25	150 25						27 84	27 84			
		AIN Toolkit Service - Query Charge, Per Query					0 0250662												
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0062979												
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 73												
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15 93	72 15	72 15						27 84	27 84			
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 0872769	47 35	47 35						27 84	27 84			
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 84	72 15	72 15						27 84	27 84			
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service				BAPES	0 0029092	47 35	47 35						27 84	27 84			
ODUF/EDOUF/ADUF/CMDS																			
	ACCESS DAILY USAGE FILE (ADUF)																		
		ADUF - Message Processing, per message					0 004												
		ADUF - Data Transmission (CONNECT DIRECT), per message					0 001												
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)																		
		EODUF - Message Processing, per message					0 004												
	OPTIONAL DAILY USAGE FILE (ODUF)																		
		ODUF - Recording, per message					0 0002862												
		ODUF - Message Processing, per message					0 0012344												
		ODUF - Message Processing, per Magnetic Tape provisioned					54 72												
		ODUF - Data Transmission (CONNECT DIRECT), per message					0 0000357												
ENHANCED EXTENDED LINK (EELs)																			
	NOTE: [illegible] density zone 1 in Boston, MA; Orlando, FL; Miami, FL; Ft Lauderdale, FL; Nashville, TN; New Orleans, LA																		
	NOTE: Charlotte, Gastonia, Concord, NC; Greensboro Winston Salem High Point, NC Use all rates below except Switch As Is Charge																		
	NOTE: Unbundled EELs are as shown below plus applicable [illegible] converted to UNE rates A Switch As Is Charge applies only to combined facilities converted to UNEs (Non-recurring rates do not apply)																		
	NOTE: In Georgia, the EEL network elements apply to only combined network elements per the GA PSC order (No Switch As Is Charge)																		
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																		
		First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	21 67												
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32 53												
		First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	43 08												
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 3415												
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per			UNC1X	U1TF1	77 14												
		DS1 Channelization System Per Month			UNC1X	MQ1	134 46												
		Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 7012												
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	21 57												
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32 53												
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	43 08												
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7012												
		Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99				31 38	31 38	3 94	3 94	
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																		
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 47												
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44 44												
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58 85												
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3416												
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77 14												
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	134 46												
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7012												
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 47												
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44 44												
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58 85												

		Nonrecurring Currently Combined Network Elements Switch As Is Charge		UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	34.26										
		First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	51.67										
		First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	68.43										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.3415										
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	77.14							31.38	31.38	3.94	3.94
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MO1	134.46										
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64Kbs)		UNCDX	1D1DD	1.49										
		Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	34.26							31.38	31.38	3.94	3.94
		Additional 4 Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	51.67							31.38	31.38	3.94	3.94
		Additional 4 Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	68.43							31.38	31.38	3.94	3.94
		OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64Kbs)		UNCDX	1D1DD	1.49										
		Nonrecurring Currently Combined Network Elements Switch As Is Charge		UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	34.26										
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	51.67										
		First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	68.43										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.3415										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77.14										
		Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MO1	134.46										
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination per month (2.4-64Kbs)		UNCDX	1D1DD	1.49	0	0								
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	34.26										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	51.67										
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	68.43										
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination per month (2.4-64Kbs)		UNCDX	1D1DD	1.49										
		Nonrecurring Currently Combined Network Elements Switch As Is Charge		UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	59.61										
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	89.9										
		4 Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	119.06										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.3415										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77.14										
		Nonrecurring Currently Combined Network Elements Switch As Is Charge		UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	59.61										
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	89.9										
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	119.06										
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	6.02										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	880.65										
		DS3 to DS1 Channel System combination per month		UNC3X	MO3	180.03										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10.8										
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	59.61										
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	89.9										
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	119.06										
		DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10.8										
		Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNC3X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	21.67										
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	32.53										
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	43.06										
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0.0167										
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	24.3							31.38	31.38	3.94	3.94
		Nonrecurring Currently Combined Network Elements Switch As-Is Charge		UNCVX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	29.47										
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	44.44										
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	58.85										

	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0167											
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	21 29											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	15 33											
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	382 95											
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	8 02											
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	880 65											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	15 33											
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	391 88											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	8 02											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	880 55											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	NCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
2 WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCND	U1L2X	26 68											
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	40 24											
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	53 85											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 3415											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	7 7 14											
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	134 46											
	2 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 2											
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	26 68											
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	40 24											
	Additional 2 wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	53 85											
	2 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 2											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
4 WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS 1 INTEROFFICE TRANSPORT (EEL)																
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	U1LXX	59 61											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	U1LXX	99 9											
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	U1LXX	119 06											
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	8 02											
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	880 55											
	STS1 to DS1 Channel System combination per month		UNCSX	MQ3	190 03											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10 8											
	Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	U1LXX	59 61											
	Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	U1LXX	99 9											
	Additional DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	U1LXX	119 06											
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	10 8											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)																
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	34 26											
	4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	51 67											
	4 wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	68 43											
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0167											
	Interoffice Transport - Dedicated - 4 wire 56 kbps combination - Facility		UNCDX	U1TD6	16 76											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
4 WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)																
	4 wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	34 26											
	4 wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	51 67											
	4 wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	68 47											
	Interoffice Transport - Dedicated - 4 wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0167											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility		UNCDX	U1TD6	16 76											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
ADDITIONAL NETWORK ELEMENTS																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply																
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not																
Node (SynchroNet)																
	Node per month		UNCDX	UNCNT	14 55											
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	

	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11.21	11.21	13.99	13.99			31.38	31.38	3.94	3.94
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order - CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued - The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded - CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)			SOMEC		3.5									
	The "Zone" shown in the section for dark fiber, loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports Note: All Ports Have All Available Features Activated. Any undesired features will need to be ordered using retail BOCs														
	2 WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2 Wire Analog Line Port-Res		UEPSR	UEPRL	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2 Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2.35	24.98	24.98					44.42	14.63		
	Exchange Port - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAU	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LWB)		UEPSR	UEPAJ	2.35	24.98	1.09					1.1	14.63		
	Exchange Ports - 2-wire VG unbundled low voice line port with Caller ID		UEPSR	UEPAP	2.35	24.98	-					44.4	14.63		
	Subsequent Activity		UEPSR	USASC	0	0	0					-	-		
	FEATURES All Available Vertical Features		UEPSR	UEPVF	6.29	0	-					-	14.63		
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port - Bus without Caller ID - Bus		UEPSB	UEPBI	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-ID484 ID - Bus		UEPSB	UEPBC	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAZ	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2.35	24.98	24.98					44.42	14.63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)		UEPSB	ULLAB	2.35	24.98	24.98					44.42	14.63		
	Subsequent Activity		UEPSB	USASC	0	0	0					-	-		
	FEATURES All Available Vertical Features		UEPSB	UEPVF	6.29	0	0					44.42	14.63		
	EXCHANGE PORT RATES (DID & PBX)														
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPP2	8.86	239.14	57.58	120.05	7.54			67.52	67.52		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	73.62	404.94	191.8	145.5	4.93			19.99	19.99	19.99	19.99
	Exchange Ports - 2 Wire ISDN Port (See Notes below)		UEPTX UEPSX	UIUMA	13.38	145.86	106.21	95.79	21.52			67.52	67.52		
	All Features Offered		UEPTX UEPSX	UEPVF	6.29	0	0								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B Channels associated with 2 wire ISDN ports														
	NOTE: Access to B Channel or Clear Channel capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
	Exchange Ports - 2 Wire ISDN Port - Channel Profiles		UEPTX UEPSX	UIUMA	0	0	0								
	Exchange Ports - 4 Wire ISDN DS1 Port		UEPEX	UEPEX	107.44	408.53	103.56	158.7	21.52			67.52	65.48		
	2 Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2.35	24.36	24.36					41.86	14.46		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2.35	24.36	24.36					41.86	14.46		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2.35	24.36	24.36					41.86	14.46		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPPI	2.35	24.36	24.36					41.86	14.46		
	2 Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2.35	24.36	24.36					41.86	14.46		
	2 Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2.35	24.36	24.36					41.86	14.46		
	2 Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2.35	24.36	24.36					41.86	14.46		
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 1 Way Outgoing PBX Measured Port		UEPSP	UEPXS	2.35	24.36	24.36					41.86	14.46		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port		UEPSP	UEPXT	2.35	24.36	24.36					41.86	14.46		

	Subsequent Activity			UEPSP	USASC	0	0	0									
FEATURES																	
	All Available Vertical Features			UEPSP UEPSE	UEPVF	8 29	0	0					41 86	14 46			
EXCHANGE PORT RATES (COIN)																	
	Exchange Ports - Coin Port					2 77	24 75	24 75					43 48	14 57			
Local Switching Features offered with Port																	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																	
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	251	311 73	311 73					66 48	65 46			
	Exchange Port - 2-wire ISDN digital line side port with three features included				U1PMA	36 01	70 32	70 32					67 52	67 52			
UNBUNDLED LOCAL SWITCHING, PORT USAGE																	
End Office Switching (Port Usage)																	
	End Office Switching Function, Per MOU					0 0019295											
	End Office Trunk Port - Shared, Per MOU					0 0002581											
Tandem Switching (Port Usage) (Local or Access Tandem)																	
	Tandem Switching Function Per MOU					0 0006843											
	Tandem Trunk Port - Shared, Per MOU					0 0004094											
Common Transport																	
	Common Transport - Per Mile, Per MOU					0 0000121											
	Common Transport - Facilities Termination Per MOU					0 0004672											
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																	
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																	
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																	
For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71											
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35											
	2-Wire VG Loop/Port Combo - Zone 3		3			37 98											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	25 68											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 99											
2-Wire Voice Grade Line Port Rates (Res)																	
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	3 69							43 19	9 91			
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	3 69							43 19	9 91			
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	3 69							43 19	9 91			
	2-Wire voice (basic unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	3 69							43 19	9 91			
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LWB)			UEPRX	UEPAU	3 69							43 19	9 91			
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	3 69							43 19	9 91			
FEATURES																	
	All Features Offered			UEPRX	UEPVF	8 29	0	0					43 19	9 91			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71						8 91				
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71											
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35											
	2-Wire VG Loop/Port Combo - Zone 3		3			37 98											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	17 02											

	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	25.66											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.99											
2-Wire Voice Grade Line Port (Bus)																	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	3.69							43.19	9.91			
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	3.69							43.19	9.91			
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	3.69							43.19	9.91			
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus			UEPBX	UEPAZ	3.69							43.19	9.91			
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEBI	3.69							43.19	9.91			
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	3.69							43.19	9.91			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35											
FEATURES																	
	All Features Offered			UEPBX	UEPVF	6.29	0	0					43.19	9.91			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1.59	0.4					43.19	9.91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.59	0.4									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						7.1						8.91				
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								43.19	9.91			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			20.71											
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35											
	2-Wire VG Loop/Port Combo - Zone 3		3			37.88											
LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	17.02											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	25.66											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33.99											
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	3.69							43.19	9.91			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.5											
FEATURES																	
	All Features Offered			UEPRG	UEPVF	6.29	0	0					43.19	9.91			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1.59	0.4					43.19	9.91			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1.59	0.4					43.19	9.91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						9.71						8.91				
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.84	14.84					19.99	19.99	19.99	19.99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			20.71											
	2-Wire VG Loop/Port Combo - Zone 2		2			29.35											
	2-Wire VG Loop/Port Combo - Zone 3		3			37.88											
LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	17.02											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	25.66											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.99											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3.69							43.19	9.91			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	3.69							43.19	9.91			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	3.69							43.19	9.91			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	3.69							43.19	9.91			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	3.69							43.19	9.91			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	3.69							43.19	9.91			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	3.69							43.19	9.91			

	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	3 69							43 19	9 91			
	2 Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	3 69							43 19	9 91			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXI	3 69							43 19	9 91			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	3 69							43 19	9 91			
	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	3 69							43 19	9 91			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	3 69							43 19	9 91			
	2-Wire Voice Unbundled 2 Way PBX South Carolina Area Plus Calling Port		UEPPX	UEPXT	3 69							43 19	9 91			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
	All Features Offered		UEPPX	UEPVF	8 29	0	0					43 19	9 91			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					0 71						9 91				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0	0	0					19 99	19 99	19 99	19 99	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 04	14 04									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
LINE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1				21 06											
	2-Wire VG Coin Port/Loop Combo - Zone 2				29 7											
	2-Wire VG Coin Port/Loop Combo - Zone 3				29 03											
LINE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	33 89											
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)		UEPCO	UEPSD	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)		UEPCO	UEPSA	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)		UEPCO	UEPSH	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC)		UEPCO	UEPSC	4 04							43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking; 900/976, 1+DDD, 011+, and Local (SC)		UEPCO	UEPCC	4 04							43 19	9 91			
	2-Wire Coin 2-W Operator Screen, 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YY (SC)		UEPCO	UEPCE	4 04							43 19	9 91			
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC)		UEPCO	UEPCF	4 04							43 19	9 91			
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)		UEPCO	UEPSG	4 04							43 19	9 91			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)		UEPCO	UEPSF	4 04							43 19	9 91			
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)		UEPCO	UEPSJ	4 04							43 19	9 91			
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)		UEPCO	UEPCM	4 04							43 19	9 91			
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC)		UEPCO	UEPCP	4 04							43 19	9 91			
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	4 04							43 19	9 91			
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	4 04											
ADDITIONAL LINE COIN PORT/LOOP (NC)																
	LINE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	UNECU	4 05	0	0									
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPCO	UEPVF	8 29	0	0					41 86	14 46			
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switched-As-Is		UEPCO	USAC2		1 59	0 4					43 19	9 91			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		1 59	0 4					43 19	9 91			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0					43 19	9 91			
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																

UNE Port/Loop Combination Rates																
2-Wire VQ Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			29 68											
2-Wire VQ Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			37 74											
2-Wire VQ Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44 4											
UNE Loop Rates																
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20 85							19 99	19 99	19 99	19 99	
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	28 91							19 99	19 99	19 99	19 99	
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35 67							19 99	19 99	19 99	19 99	
UNE Port Rate																
Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 83							19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		14 62	3 73					19 99	19 99	19 99	19 99	
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 62	3 73					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 88						19 99	19 99	19 99	19 99	
Telephone Number/Trunk Group Establishment Charges																
DID Trunk Termination (One Per Port)			UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99	
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ		0	0					19 99	19 99	19 99	19 99	
Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99	
DID Numbers, Non-consecutive DID Numbers , Per Number			UEPPX	ND5		0	0				19 99					
Reserve Non-Consecutive DID numbers			UEPPX	ND6	0	0	0				19 99					
Reserve DID Numbers			UEPPX	NDV	0	0	0				19 99					
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		38 58											
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		48 25											
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		56 29											
UNE Loop Rates																
2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	27 38							19 99	19 99	19 99	19 99	
2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X								19 99	19 99	19 99	19 99	
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	44 09							19 99	19 99	19 99	19 99	
UNE Port Rate																
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	11 2							19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0	77 18	54 15					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																
LOCAL NUMBER PORTABILITY																
Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0	0									
B-CHANNEL USER PROFILE ACCESS:																
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0	0	0									
CVS (EWSD)			UEPPB UEPPR	U1UCB	0	0	0									
CSD			UEPPB UEPPR	U1UCC	0	0	0									
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0	0	0									
CVS (EWSD)			UEPPB UEPPR	U1UCE	0	0	0									
CSD			UEPPB UEPPR	U1UCF	0	0	0									
USER TERMINAL PROFILE																
User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0	0	0									
VERTICAL FEATURES																

	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	6.29	0	0									
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	20.74	136.44	51.37					19.99	19.99	19.99	19.99	
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GNM	0.0373	0	0				0					
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		221.03											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		301.73											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		434.8											
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	113.59							19.99	19.99	19.99	19.99	
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	184.29							19.99	19.99	19.99	19.99	
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	327.38							19.99	19.99	19.99	19.99	
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	107.44							19.99	19.99	19.99	19.99	
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch as is		UEPPP	USACP	0	238.67	157.48					19.99	19.99	19.99	19.99	
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsqt Actvy - Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0.9822						19.99	19.99	19.99	19.99	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		23.02	23.02					19.99	19.99	19.99	19.99	
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		46.05	46.05					19.99	19.99	19.99	19.99	
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPP	LNPCN	1.75											
	Voice/Data		UEPPP	PR71V	0	0	0									
	Digital Data		UEPPP	PR71D	0	0	0									
	Inward Data		UEPPP	PR71E	0	0	0									
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0	29.11						19.99	19.99	19.99	19.99	
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0	29.11						19.99	19.99	19.99	19.99	
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0	29.11						19.99	19.99	19.99	19.99	
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0	29.11						19.99	19.99	19.99	19.99	
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0	29.11						19.99	19.99	19.99	19.99	
CALL TYPES																
	Inward		UEPPP	PR7C1	0	0	0									
	Outward		UEPPP	PR7C0	0	0	0									
	Two-way		UEPPP	PR7CC	0	0	0									
Interoffice Channel Mileage																
	Fixed Each Including First Mile		UEPPP	1LN1A	95.7398	216.27	162.7	0				19.99	19.99	19.99	19.99	
	Each Airline Fractional Additional Mile		UEPPP	1LN1B	0.7598											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		187.21							19.99	19.99	19.99	19.99	
	4W DS1 Digital [illegible] DDITS Trunk Port - UNE Zone 2	2	UEPDC		267.91							19.99	19.99	19.99	19.99	
	4W DS1 Digital [illegible] DITS Trunk Port - UNE Zone 3	3	UEPDC		400.98							19.99	19.99	19.99	19.99	
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	113.59							19.99	19.99	19.99	19.99	
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC						23.48		19.99	19.99	19.99	19.99	
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	327.38							19.99	19.99	19.99	19.99	
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	73.62							19.99	19.99	19.99	19.99	
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch as is		UEPDC	USAC4		259.66	134.33					19.99	19.99	19.99	19.99	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		259.66	134.33					19.99	19.99	19.99	19.99	
	4-Wire DS1 Digi[illegible] /Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		259.66	134.33					19.99	19.99	19.99	19.99	
ADDITIONAL NRCs																

	4 Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29 01	29 01					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29 01	29 01					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29 01	29 01					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29 01	29 01					19 99	19 99	19 99	19 99	
BIPOLAR 8 ZERO SUBSTITUTION																	
	6425 - Superframe Format			UEPDC	CCOSF		0	605					19 99	19 99	19 99	19 99	
	6825 - Extended Superframe Format			UEPDC	CCOEF		0	605					19 99	19 99	19 99	19 99	
Alternate Mark Inversion																	
	AMI -Superframe Format			UEPDC	MCOSF		0	0									
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0	0									
Telephone Number/Trunk Group Establishment Charges																	
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0											
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0						19 99					
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0						19 99					
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0	0	0				19 99					
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0						19 99					
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0						19 99					
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0	0	0				19 99					
	Reserve DID Numbers			UEPDC	NDV	0	0	0				19 99					
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNQ1	94 98	216 27	162 7	0	0			19 99	19 99	19 99	19 99	
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNQA	0 7598	0	0									
	Interoffice Channel Mileage - Fixed rate 8-25 miles (Facilities Termination)			UEPDC	1LNQ2	0	0	0									
	Interoffice Channel Mileage - Additional rate per mile - 8-25 miles			UEPDC	1LNQB	0 7598	0	0									
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNQ3	0	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNQC	0 7598	0	0									
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0	0	0								
	Central Office Terminating Point			UEPDC	CTG	0											
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																	
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																	
Each System can have up to 24 combinations of rates depending on type and number of ports used																	
UNE DS1 Loop																	
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	113 59	0	0									
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194 29	0	0									
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	327 38	0	0									
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																	
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	103 47	0	0									
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206 94	0	0									
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413 88	0	0									
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620 82	0	0									
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0	0									
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1034 7	0	0									
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1241 64	0	0									
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1655 52	0	0									
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2069 4	0	0									
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2483 28	0	0									
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2897 16	0	0									
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																	
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.																	
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																	
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0	301 62	16 78					19 99	19 99	19 99	19 99	
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																	
New (Not Currently Combined) In Georgia & Tennessee Only																	
	NRC - 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Feature Activation - New GA & TN Only			UEPMG	VUMD4	0	717 71	425 81	149 08	17 69			19 99	19 99	19 99	19 99	
Bipolar 8 Zero Substitution																	
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0	0	605					19 99	19 99	19 99	19 99	
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0	0	605					19 99	19 99	19 99	19 99	
Alternate Mark Inversion (AMI)																	
	Superframe Format			UEPMG	MCOSF	0	0	0									
	Extended Superframe Format			UEPMG	MCOPO	0	0	0									
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																	
Exchange Ports																	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 65	0	0	0	0		19 99					
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 65	0	0	0	0		19 99					
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 65	0	0	0	0		19 99					

	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 86	0	0	0	0		19 99					
Feature Activations - Unbundled Loop Concentration																	
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 7	25 45	13 44	4 2	4 17			19 99	19 99	19 99	19 99	
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 7	78 31	18 49	59 37	11 6			19 99	19 99	19 99	19 99	
Telephone Number/ Group Establishment Charges for DID Service																	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0											
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0	0	0				19 99					
	DID Numbers - groups of 20 Valid all States			UEPPX	ND4	0	0	0				19 99					
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0	0	0				19 99					
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0	0	0									
	Reserve DID Numbers			UEPPX	NDV	0	0	0									
Local Number Portability																	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0	0									
FEATURES - Vertical and Optional																	
Local Switching Features Offered with Line Side Ports Only																	
	All Features Available			UEPPX	UEPVF	8 29	0	0				19 99					
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																	
Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules																	
These scenarios include																	
1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee																	
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines																	
The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)																	
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true up the billing difference																	
The Market Rate for unbundled ports includes all available features in all states																	
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)																	
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly																	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02											
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66											
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	25 68											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 99											
2-Wire Voice Grade Line Port (Res)																	
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14	90	90					43 19	9 91			
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90					43 19	9 91			
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90					43 19	9 91			
	2-Wire voice unbundled res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90					43 19	9 91			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 36											
FEATURES																	
	All Features Offered			UEPRX	UEPVF	0	0	0									
ADDITIONAL NRCs																	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02											
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66											
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	25 68											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 99											
2-Wire Voice Grade Line Port (Bus)																	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					43 19	9 91			
	2-Wire voice unbundled port with Caller + E464 ID - bus			UEPBX	UEPBC	14	90	90					43 19	9 91			
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					43 19	9 91			
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14	90	90					43 19	9 91			
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	14	90	90					43 19	9 91			
LOCAL NUMBER PORTABILITY																	

	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) - PBX															
	LINE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99										
	LINE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRQ	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRQ	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRQ	UEPLX	33 99										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRQ	UEPRD	14	90	90					43 19	9 91		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRQ	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	LINE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99										
	LINE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	33 99										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					43 19	9 91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					43 19	9 91		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					43 19	9 91		
	2 Wire Voice Unbundled PBX LD ODD Terminals Port			UEPPX	UEPXC	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					43 19	9 91		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0								
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
	PBX Subsequent Activity - Change/Rearrange Multline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	LINE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1					31 02										

		2-Wire VG Coin Port/Loop Combo - Zone 2				39 66												
		2-Wire VG Coin Port/Loop Combo - Zone 3				47 99												
	LINE Loop Rates																	
		2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	17 02												
		2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	25 66												
		2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	33 99												
	2-Wire Voice Grade Line Port Rates (Coin)																	
		2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)		UEPCO	UEPSD	14	90	90					43 19	9 91				
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)		UEPCO	UEPRA	14	90	90					43 19	9 91				
		2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)		UEPCO	UEPSA	14	90	90					43 19	9 91				
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)		UEPCO	UEPSH	14	90	90					43 19	9 91				
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (SC)		UEPCO	UEPSC	14	90	90					43 19	9 91				
		2-Wire Coin 2 Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)		UEPCO	UEPCC	14	90	90					43 19	9 91				
		2-Wire Coin 2-W Oper Screen & Blocking: 900/976, 1+DDD, 011+ & Local, Enhanced Calling OPT 3YV (SC)		UEPCO	UEPCE	14	90	90					43 19	9 91				
		2-Wire Coin 2-W Oper Screen & Block: 900/976, 1+DDD, 011+, & Local, Enhanced Calling OPT AP7 (SC)		UEPCO	UEPCF	14	90	90					43 19	9 91				
		2-Wire Coin Outward without Blocking and without Operator Screening (SC)		UEPCO	UEPSG	14	90	90					43 19	9 91				
		2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)		UEPCO	UEPSF	14	90	90					43 19	9 91				
		2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)		UEPCO	UEPSJ	14	90	90					43 19	9 91				
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)		UEPCO	UEPCM	14	90	90					43 19	9 91				
		2-Wire Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, & Local , w/ Enhanced Call OPT 3YW (SC)		UEPCO	UEPCP	14	90	90					43 19	9 91				
	LOCAL NUMBER PORTABILITY																	
		Local Number Portability (1 per port)		UEPCO	LNPCX	0 36												
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	ADDITIONAL NRCs																	
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0	0										

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
												Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Addl'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Addl'l
							Nonrecurring			Nonrecurring		Nonrecurring					
												Disconnect					
							Rec	First	Addl	First	Addl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13 99	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	15 92	79 93	50 99	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR, UEPSB	UEALS	20 78	79 93	50 99	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	27 18	79 93	50 99	10 65	1 41			20 35	10 54	13 32	13 32
		Engineering Information Document (EI)			UEANL			20 0	20 0								
		Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		30 46	30 46								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		30 52	30 52								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 56	75 06	48 2	28 7	17 64			20 35	10 54	13 32	13 32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	21 63	75 06	48 2	28 7	17 64			20 35	10 54	13 32	13 32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28 28	75 06	48 2	28 7	17 64			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16 56	75 06	48 2	28 7	17 64			20 35	10 54	13 32	13 32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	21 63	75 06	48 2	28 7	17 64			20 35	10 54	13 32	13 32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28 28	75 06	48 2	28 7	17 64			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
	4-WIRE ANALOG VOICE GRADE LOOP																
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24 7	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
	2-WIRE ISDN DIGITAL GRADE LOOP																
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	UIL2X	22	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13 32
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	UIL2X	29 02	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13 32
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	UIL2X	37 95	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13 32
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34 29									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	21 15	228 92	152 42	110 01	21 83			20 35	10 54	13 32	13 32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	27 82	228 92	152 42	110 01	21 83			20 35	10 54	13 32	13 32
		2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	36 12	228 92	152 42	110 01	21 83			20 35	10 54	13 32	13 32
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
		2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13 82	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18 05	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	23 9	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34 29									
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2W	13 82	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2W	18 05	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2W	23 9	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32

		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34 29									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10 83	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14 15	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18 5	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	UHL2W	10 83	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL2W	14 15	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL2W	18 5	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13 83	279 9	244 22	74 54	39 14			20 35	10 54	13 32	13 32
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18 2	279 9	244 22	74 54	39 14			20 35	10 54	13 32	13 32
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	23 8	279 9	244 22	74 54	39 14			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	UHL4W	13 83	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL4W	18 2	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL4W	23 8	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29									
	4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57 73	313 08	219 72	98 86	40 45			18 98	8 43	11 95	11 95
		4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	76 4	313 08	219 72	98 86	40 45			18 98	8 43	11 95	11 95
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98 69	313 08	219 72	98 86	40 45			18 98	8 43	11 95	11 95
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34 59									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31 1	207 01	141 38	90 7				20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40 61	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53 11	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31 1	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40 61	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53 11	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31 1	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40 61	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53 11	207 01	141 38	90 7	44 18			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
	2-WIRE Unbundled COPPER LOOP																
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & fac reservation - Statewide	I	sw	UCL	UCLPB	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		2-Wire Unbundled Copper Loop/Short without manual svc. inquiry and facility reservation - Statewide	I	sw	UCL	UCLPW	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order C... ...tion for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		2-Wire ... Copper Loop/Long - Includes manual svc inquiry and facility reservation ... Statewide	I	sw	UCL	UCL2L	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		2-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Statewide	I	sw	UCL	UCL2W	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								

		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	13 19	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	17 23	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	UEQ2X	22 53	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		36 52	36 52								
		Engineering Information Document			UEQ			28 8	28 8								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - Including manual service inquiry and facility reservation - Statewide	1	sw	UCL	UCL4S	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Statewide	1	sw	UCL	UCL4W	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		4-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Statewide	1	sw	UCL	UCL4L	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Statewide	1	sw	UCL	UCL4Q	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	1		UAL, UHL, UCL, UEQ, ULS	ULM2L		65 4	65 4								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	1		UCL, ULS	ULM2Q		710 71	23 77								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	1		UHL, UCL	ULM4L		65 4	65 4								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	1		UCL	ULM4Q		710 71	23 77								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	1		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 44	65 44								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		517 25	517 25					20 35	10 54	13 32	13 32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42 68	42 68					20 35	10 54	13 32	13 32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set Up	1		UEANL	USBSC		313 01	313 01					20 35	10 54	13 32	13 32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set Up	1		UEANL	USBSD		109 06	109 06					20 35	10 54	13 32	13 32
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	10 02	149 84	112 34	73 14	36 66			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 3	147 93	76 11	99 96	16 98			20 35	10 54	13 32	13 32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 54	147 93	76 11	99 96	16 98			20 35	10 54	13 32	13 32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12 47	147 93	76 11	99 96	16 98			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	1 35	84 66	29 35	94 41	13 09			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2 28	116 14	37 1	99 96	16 98			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	5 16	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X	6 74	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	8 81	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6 52	117 12	44 3	99 96	16 98			20 35	10 54	13 32	13 32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	8 52	117 12	44 3	99 96	16 98			20 35	10 54	13 32	13 32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X	11 14	117 12	44 3	99 96	16 98			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29								
	Sub-Loop Feeder																
		USL Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		517 25									
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set up			UEA, UDN,UCL,UDL,UDC	USBFX		42 68	42 68								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			UEA	USBFZ		631 04	11 34								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade- Statewide		sw	UEA	USBFA	12 05	122 24	85 05	76 35	39 16		19 99	20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34 29									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop Start, Voice Grade - Statewide		sw	UEA	USBFB	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34 29									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		sw	UEA	USBFC	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34 29									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFD	21 52	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 2		2	UEA	USBFD	28 11	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32

		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21 52	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	28 11	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29									
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 2		2	UDN	USBFF	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 3		3	UDN	USBFF	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34 29									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DLC connection)		1	UDC	USBFS	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DLC connection)		2	UDC	USBFS	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder, 2 Wire UDC (DLC connection)		3	UDC	USBFS	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFQ	30 74	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFQ	51 9	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFQ	67 88	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34 29									
		Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9 52	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	12 43	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	16 24	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 29									
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14 37	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18 78	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24 53	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 29									
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 06	116	40 62	106 82	18 91		19 99	19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	34 03	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	44 6	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 06	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	34 03	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	44 6	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 29									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 06	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	34 03	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	44 6	116	40 62	106 82	18 91			19 99	19 99	19 99	19 99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34 29									
	Unbundled Sub-Loop Modification																
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		336 35	7 82					20 34	10 84	13 32	13 32
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335 38	7 82					20 36	10 84	13 32	13 32
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		528 48	9 74					20 36	10 84	13 32	13 32
	Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair	I		UENTW	UENPP	0 45	2 48	2 48					20 35	10 54	13 32	13 32
	Network Interface Device (NID)																
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89 99	54 56					20 35	10 54	13 32	13 32
		Network Interface Device (NID) - 1-8 lines			UENTW	UND18		129 95	94 51					20 35	10 54	13 32	13 32
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		0 74	0 74					20 35	10 54	13 32	13 32
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		0 74	0 74					20 35	10 54	13 32	13 32
UNBUNDLED LOOP CONCENTRATION																	
		Loop Channelization System			ULC	ULCCS	307 07	307 34	74 37	4 18				20 35	10 54	13 32	13 32
		CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1 2	9 67	9 62	9 66	9 6			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - System A (TR008)			ULC	UCTBA	500 18	613 6	613 6					20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - System B (TR008)			ULC	UCTB8	84 82	266 67	266 67					20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - System A (TR303)			ULC	UCTSA	530	613 6	613 6					20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - System B (TR303)			ULC	UCTSB	82 37	266 67	266 67					20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6 23	74 39	53 07	30 23	6 48			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCCT	6 48	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	6 48	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - 2 Wire Voice Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 32	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12 45	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 53	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 332
		Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	36 77	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	11 03	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11 03	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11 03	6 66	6 66	9 71	9 66			20 35	10 54	13 32	13 32

UNBUNDLED SUB-LOOP CONCENTRATION (OUTSIDE CO)															
UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX										
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE										
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEO,UENTW	UNECN										
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0	0								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0	0								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0	0								
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0	0								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0	0								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	NOTE 4 month minimum billing period														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9 19									
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374 24	595 87	304 5	234 83	170 16			36 84	36 84	19 01	19 01
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9 19									
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	369 36	595 37	304 5	215 82	151 15			36 84	36 84	19 01	19 01
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	I		UMK	UMKLW		100	100								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	I		UMK	UMKLP		100	100								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)	I		UMK	PSUMK		0 6888	0 6888								
LINE SHARING															
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	100	150	0	150	0		0				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSD9	25	150	0	150	0		0				
	Line Sharing Splitte, Per System, 0 Line Capacity	I		ULS	ULSD8	8 33	150	0	150	0		0				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	40	21 39	36 06	10 79			20 35	10 54	13 32	13 32
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSD6		30	15					20 35	10 54		
UNBUNDLED TRANSPORT															
	COMMON TRANSPORT (Shared)														
	Common Transport - Per Mile, Per MOU					0 0000084										
	Common Transport - Facilities Termination Per MOU					0 0003871										
	NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per			U1TVX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	18 58	55 39	17 37	27 98	3 51			20 35	21 09	9 8	10 54
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	18 58	55 39	17 37	27 98	3 51			20 35	21 09	9 8	10 54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0064										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	24 09	37 87	26 02	30 78	13 07			15 06	15 06	8 66	8 66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD6	17 98	55 39	17 37	27 98	3 51			20 35	21 09	9 8	10 54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 98	55 39	17 37	27 98	3 51			20 35	21 09	9 8	10 54
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3525										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month			U1TD1	U1TF1	77 99	112 4	79 27	19 55	14 99			20 35	21 09	9 8	10 54
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848 99	395 28	178 58	109 04	105 91			36 84	36 84	19 01	19 01
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															

		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2 34							36 84	36 84	19 01	19 01
		Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TF8	849 3	395 29	176 68	109 04	105 91						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3-one month, DS3 and above-four months																
		Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULCVX	ULDV2	19 43	199 33	24 16	54 81	4 8			20 35	10 54	13 32	13 32
		Local Channel - Dedicated - 2-Wire Voice Grade Flex Rel per month			ULCVX	ULDR2	19 43	199 33	24 16	54 81	4 8			20 35	21 09	9 8	10 54
		Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCVX	ULDV4	20 56	201 53	24 93	55 52	5 51			20 35	20 35	13 32	13 32
		Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1	40 99	277 35	233 29	33 19	22 3			45 69	1 76	21 75	1 76
		Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7 15										
		Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	611 3	595 37	304 5	215 82	151 15			36 84	36 84	19 01	19 01
		Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1	1L5NC	7 15										
		Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDF5	599 69	588 07	297 2	215 82	151 15			20 35	21 09	9 8	10 54
MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	90 77	141 67	77 11	44 47	42 62			20 35	9 8	11 49	1 18
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1 82	6 07	4 66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	3 1	6 07	4 66								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 91	6 07	4 66								
		DS3 to DS1 Channel System per month			UXTD3	MQ3	222 99	309 03	108 47	6 34	4 23			20 35	9 8	11 49	1 18
		STS1 to DS1 Channel System per month			UXTS1	MQ3	222 99	309 03	108 47	6 34	4 23			20 35	21 09	9 8	9 8
		DS3 Interface Unit (DS1 COCI) used with Loop per month			U3L	UC1D1	17 84	6 07	4 66								
DARK FIBER																	
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	53 23										
		NRC Dark Fiber - Local Channel			UDF	UDFC4		1219 22	199 75	453 22	339 34			20 35	21 09	9 8	10 54
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	53 23										
		NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1219 22	199 75	453 22	339 34			20 35	21 09	9 8	10 54
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	53 23										
		NRC Dark Fiber - Local Loop			UDF	UDFL4		1219 22	199 75	453 22	339 34			20 35	21 09	9 8	10 54
TRANSPORT OTHER																	
		Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		185 16	23 85	2 03	0 79			20 35	21 09	9 8	10 54
		Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		185 16	23 85	2 03	0 79			20 35	21 09	9 8	10 54
8XX ACCESS TEN DIGIT SCREENING																	
		8XX Access Ten Digit Screening, Per Call			OHD		0 0006192										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		5 21	0 76					20 35	20 35	13 28	13 28
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS			OHD			11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 28
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS			OHD	N8FTX		11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 28
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4 47	2 24					20 35	20 35	13 28	13 28
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		5 23	3					20 35	20 35	13 28	13 28
		8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5 97	0 76					20 35	20 35	13 28	13 28
		8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4 47						20 35	20 35	13 28	13 28
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
		LIDB Common Transport Per Query			OQT		0 0000354										
		LIDB Validation Per Query			OQU		0 0117403										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		49 00						20 35	20 35	13 28	13 28
SIGNALING (CCS7)																	
		CCS7 Signaling Termination, Per STP Port			1DB	PTSSX	138 41							20 35	20 35	13 32	13 32
		CCS7 Signaling Usage, Per TCAP Message			1DB		0 0000918										
		CCS7 Signaling Connection, Per link (A link)			1DB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			1DB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
		CCS7 Signaling Usage, Per ISUP Message			1DB		0 0000373										
		CCS7 Signaling Usage Surcharge, per link per LATA			1DB	STU56	362 3							20 35	20 35	13 32	13 32
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			1DB	CCAPO		40	40					20 35	20 35	13 32	13 32
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Site Affected			1DB	CCAPD		8	8					20 35	20 35	13 32	13 32
E911 SERVICE																	
CALLING NAME (CNAM) SERVICE																	
		CNAM for DB Owners, Per Query			OQV		0 016										
		CNAM for Non DB Owners, Per Query			OQV		0 01										
		CNAM (Non-Databa Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDOCH		595	595					20 35	20 35	13 28	13 28
LNP QUERY SERVICE																	

OPERATOR CALL PROCESSING																
		Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB					1 2									
		Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB					1 24									
		Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0 2									
		Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 2									
BAWARD OPERATOR SERVICES																
		Inward Operator Services - Verification, Per Call					1									
		Inward Operator Services - Verification and Emergency Interrupt - Per Call					1 95									
BRANDING - OPERATOR CALL PROCESSING																
		Recording of Custom Branded OA Announcement				CBAOS		7000	7000					19 99	19 99	19 99	19 99
		Loading of Custom Branded OA Announcement per site/MW				CBAOL		500	500					19 99	19 99		
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
		Directory Assistance Access Service Calls, Charge Per Call					0 275									
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 1									
	UNBRANDING															
	DIRECTORY TRANSPORT															
		Directory Transport - Local Channel DS1					133 91	868 97	488 83					20 35	20 35	13 28	13 28
		Directory Transport - DS1 Level Interoffice Per Mile					23										
		Directory Transport - DS1 Level Interoffice Per Facility Termination					80	100 49	100 49					20 35	20 35	13 28	13 28
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)																
		Directory Assistance Data Base Service Charge Per Listing					0 04										
		Directory Assistance Data Base Service, per month				DBSOF	150										
BRANDING - DIRECTORY ASSISTANCE																	
		Custom Branding Announcement, per Recording to be used with the provision of DA			AMT	CBADA		3000	3000								
		Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		680	680								
SELECTIVE ROUTING																	
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		179 6	179 6					30 89	7 03		
VIRTUAL COLLOCATION																	
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I	UEPSR, UEPSB		VE1LS	0 57	11 62	9 9	10 38	8 66			19 99	19 99	19 99	19 99
		Virtual Collocation - 2-Fiber Cross Connects		CLO		CNC2F	15 64	41 56	29 82								
		Virtual Collocation - 4-Fiber Cross Connects		CLO		CNC4F	28 11	60 63	38 76								
		Virtual Collocation - DS1 Cross Connects		USL,ULC,CLO		CNC1X	1 319	32 22	17 76	10 46	8 75						
AIN SELECTIVE CARRIER ROUTING																	
		Regional Service Establishment			SRC	SRCEC		391788						19 99	19 99	19 99	19 99
		End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
		Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
		Query NRC, per query			SRC		0 000449										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
		AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		135 66	135 66					20 35	20 35	13 28	13 28
		AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		41 75	41 75					20 35	20 35	13 28	13 28
		AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		41 75	41 75					20 35	20 35	13 28	13 28
		AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		96 63	96 63					20 35	20 35	13 28	13 28
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		113 67	113 67					20 35	20 35	13 28	13 28
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0024										
		AIN SMS Access Service - Session, Per Minute					0 0820123										
		AIN SMS Access Service - Company Performed Session, Per Minute					2 27										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
		AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		132 04	132 04					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Training Session, Per Customer				BAPVX		7916	7916					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		31 21	31 21					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31 21	31 21					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31 21	31 21					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO		86 24	86 24					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		86 24	86 24					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		86 24	86 24					20 35	20 36	13 28	13 28
		AIN Toolkit Service - Query Charge, Per Query					0 0211882										

		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0064774										
		AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 5										
		AIN Toolkit Service - Monthly report Per AIN Toolkit Service Subscription				BAPMS	17 43	33 52	33 52					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 1321116	36 23	36 23					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	17 35	33 52	33 52					20 35	20 35	13 28	13 28
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service				BAPES	0 0511435	36 23	36 23					20 35	20 35	13 28	13 28
ODUF/EDDUF/ADUF/CMDS																	
		ADUF Message Processing, per message					0 004										
		ADUF Data Transmission (CONNECT DIRECT), per message					0 001										
		EDDUF Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF Recording, per message					0 0000044										
		ODUF Message Processing, per message					0 0027366										
		ODUF Message Processing, per Magnetic Tape provisioned					52 75										
		ODUF Data Transmission (CONNECT DIRECT), per message					0 0000339										
ENHANCED EXTENDED LINK (EELs)																	
	NOTE: New EELs available in State of Georgia, density zone 1 of following BAAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;																
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.																
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)																
	NOTE: In Georgia, the EEL network elements apply to ordinarily combined network elements per the GA PSC order (No Switch As Is Charge.)																
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 2-Wire VG Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		First 2-Wire VG Grade Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		First 2-Wire VG Grade Loop(SL2) In a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L6XX	0 3525										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination per			UNC1X	U1TF1	77 88	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
		DS1 Channelization System Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 99	13 9						
		Voice Grade COCI - DS1 To DS0 Interface - Per Month			UNCVX	1D1VG	0 91	5 7	4 42								
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 7	4 42								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 82	9 12	9 12			20 35	21 09	9 8	10 54
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 7	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		First 4-Wire Analog Voice Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L6XX	0 3525										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77 88	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
		Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 99	13 9						
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 7	4 42								
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 7	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Additional 4-Wire Analog Voice Grade Loop In same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 7	4 42								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 82	9 12	9 12			20 35	21 09	9 8	10 54
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		First 4-wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		First 4-Wire 56Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L6XX	0 3525										
		Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77 88	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54

	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	80 77	214 52	49 95	75 98	13 6						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 82	6 7	4 42								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	31 1	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	40 81	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	53 11	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 82	6 7	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	31 1	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	40 81	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	First 4-Wire 64Kbps Digital Grade Loop In a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	53 11	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3525										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	80 77	214 52	49 95	75 98	13 6						
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 82	6 7	4 42								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	31 1	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	40 81	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	53 11	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 82	6 7	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 3525										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
	First DS1 Loop In DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	First DS1 Loop In DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	First DS1 Loop In DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2 34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	648 86	420 1	153 81	64 43	35 43			20 35	21 09	9 8	10 54
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	222 66	319 49	126 63	45 53	17 05						
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	17 68	8 52	2 58								
	4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	4-Wire DS1 Digital Loop In Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	17 68	8 52	2 58								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	18 58	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	21 63	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	26 28	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0174										
	Interoffice Transport - Dedicated - 2-Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	18 58	79 86	44 06	89 32	31			20 35	21 09	9 8	10 54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	24 7	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	32 26	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	43 17	109 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0064										
	Interoffice Transport - Dedicated - 4-Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	24 09	79 83	44 06	89 32	31			20 35	21 09	9 8	10 54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54

DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9 19											
High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	374 24	240 23	180 87	106 78	45 24							
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L6XX	2 34											
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	848 99	428 01	153 81	64 43	35 43			20 35	21 09	9 8	10 54	
Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54	
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)																
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9 19											
High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	389 35	240 23	180 87	106 78	45 24							
Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2 34											
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	849 3	428 01	153 81	64 43	35 43			20 35	21 09	9 8	10 54	
Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54	
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)																
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 3525											
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77 88	171 24	113 12	70 07	30 9			20 35	21 09	9 8	10 54	
Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80 77	49 95	75 99	13 9								
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 1	0 16	0 6									
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month			UNCNX	UC1CA	3 1	0 16	0 6									
Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54	
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)																
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54	
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54	
First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54	
Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2 34											
Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849 3	428 01	153 81	64 43	35 43			20 35	21 09	9 8	10 54	
STS1 to DS1 Channel System combination per month			UNCSX	MQ3	222 98	428 01	153 81	64 43	25 43							
DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	5 7	4 42									
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57 73	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54	
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 4	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54	
Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 4	161 74	79 87	24 88			20 35	21 09	9 8	10 54	
DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	5 7	4 42									
Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54	
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)																
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 174											
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility			UNCDX	U1TD6	22 1	56 54	36 32	13 99	8 59			20 35	21 09	9 8	10 54	
Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54	
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)																
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 1	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 8	10 54	
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L6XX	0 174											
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility			UNCDX	U1TD6	22 1	56 54	36 32	13 99	8 59			20 35	21 09	9 8	10 54	
Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54	
ADDITIONAL NETWORK ELEMENTS																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.																
Node (SynchroNet)																
Node per month			UNCDX	UNCNT	17 11											
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																

		2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
		56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
		DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
		DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
		STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 8	10 54
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
		Local Channel - Dedicated - 2-Wire Voice Grade per month		UNCXV	ULDV2	19 43										
		Local Channel - Dedicated - 4-Wire Voice Grade per month		UNCXV	ULDV4	20 58										
		Local Channel - Dedicated - DS1 Per Month		UNC1X	ULDF1	40										
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE. (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE: (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis															
		Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Flexional)			SOME C		3 5									
	The "Zones" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
		Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire Analog Line Port outgoing only Res		UEPSR	UEPRO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAQ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)		UEPSR	UEPAH	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R)		UEPSR	UEPAK	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)		UEPSR	UEPAL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)		UEPSR	UEPAM	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)		UEPSR	UEPAN	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)		UEPSR	UEPAO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID		UEPSR	UEPAP	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Subsequent Activity		UEPSR	USASC	0	0	0								
	FEATURES															
		All Available Vertical Features		UEPSR	UEPVF	0	0	0					20 35	10 54	13 32	1 4
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAV	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)		UEPSB	UEPAC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)		UEPSB	UEPAD	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)		UEPSB	UEPAE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Subsequent Activity		UEPSB	USASC	0	0	0								
	FEATURES															
		All Available Vertical Features		UEPSB	UEPVF	0	0	0					20 35	10 54	13 32	1 4
	EXCHANGE PORT RATES (DID & PBX)															
		Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	8 97	47 76	47 01	9 21	8 47			20 35	10 54	13 32	1 4

		Exchange Ports - DDITS Port - 4 Wire DS1 Port with DID capability			UEPDD	UEPDD	35 74	75 93	38 15	8 77	8 04			19 99	19 99	19 99	19 99
		Exchange Ports - 2 Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1UMA	18 26	30 23	29 49	4 1	4 1			41 43	42 17	9 8	9 8
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
		Exchange Ports - 2-Wire ISDN Port -- Channel Profiles			UEPTX UEPSX	U1UMA	0	0	0								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75 04	148 66	147 18	38 48	38 98			40 69	42 17	9 07	10 54
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPAD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2 Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2 Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	B 1 7	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPSP	UEPXV	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
		Subsequent Activity			UEPSP	USASC	0	0	0								
	FEATURES																
		All Available Vertical Features			UEPSP UEPSE	UEPVF	0	0	0					20 35	10 54	13 32	1 4
	EXCHANGE PORT RATES (COIN)																
		Exchange Ports - Coin Port					2 11	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 4
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B Channels associated with 2-wire ISDN ports																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																	
	End Office Switching (Port Usage)																
		End Office Switching Function, Per MOU					0 0008041										
	Tandem Switching (Port Usage) (Local or Access Tandem)																
		Tandem Switching Function Per MOU					0 0009778										
	Common Transport																
		Common Transport - Per Mile, Per MOU					0 0000084										
		Common Transport - Facilities Termination Per MOU					0 0003971										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
	For Georgia and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
		2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
	UNE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12 48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21 32										
	2-Wire Voice Grade Line Port Rates (Res)																

	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled port with Caller ID res			UEPRX	UEPRC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MFI)			UEPRX	UEPAO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundle res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
FEATURES																
	All Features Offered			UEPRX	UEPVF	0	0	0					30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0	0	0								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				14 18										
	2-Wire VG Loop/Port Combo - Zone 2	2				18 01										
	2-Wire VG Loop/Port Combo - Zone 3	3				23 02										
UNE Loop Rates																
	2 Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	21 32										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled port with Caller + E464 ID - bus			UEPBX	UEPBC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	0	0	0					30 89	7 03		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1 03	0 29								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs																
	2 Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								30 89	7 03		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1				14 18										
	2-Wire VG Loop/Port Combo - Zone 2	2				18 01										

	2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21 32										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2 Wire VG Unbundled Combination 2-Way PBX Trunk Port Res			UEPRG	UEPRD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	LOCAL NUMBER PORTABI															
	Local Number			UEPRG	LNPCP	3 5										
	FEATURES															
	All Features Offered			UEPRG	UEPVF	0	0	0					30 89	7 03		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 78						7 97			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0	0	0								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21 32										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 7	22 14	15 25	8 45				30 89	7 03		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Voice Unbundled 2-Way PBX Tennessee Reston/Sery Calling Port			UEPPX	UEPXV	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES															
	All Features Offered			UEPPX	UEPVF	0	0	0					30 89	7 03		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 78						7 97			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0	0	0								

	PBX Subsequent Activity Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1				14 18										
	2 Wire VG Coin Port/Loop Combo Zone 2				18 01										
	2 Wire VG Coin Port/Loop Combo - Zone 3				23 02										
UNE Loop Rates															
	2 Wire Voice Grade Loop (SL1) Zone 1		UEPCO	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) Zone 3		UEPCO	UEPLX	21 32										
2-Wire Voice Grade Line Ports (COIN)															
	2 Wire Coin 2-Way without Operator Screening and without Blocking (TN)		UEPCO	UEPTB	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2 Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)		UEPCO	UEPHP	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)		UEPCO	UEPTA	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Coin 2-Way with Operator Screening, 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)		UEPCO	UEPCA	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)		UEPCO	UEPTC	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire Coin Outward with Operator Screening and Blocking, 900/976, 1+DDD, 011+, and Local (TN)		UEPCO	UEPOT	1 7	22 14	15 25	8 45	3 91			30 89	7 03		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	1 88							30 89	7 03		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	1 88							30 89	7 03		
ADDITIONAL UNE COIN PORT/LOOP (NC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	3 45	0	0								
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPCO	UEPVF	0	0	0					20 35	10 54	13 32	1 4
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is		UEPCO	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0	0					30 89	7 03		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			18 38										
	2 Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			19 87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			24 78										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	9 6										
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	11 09										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	16										
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	8 78	45 44	29 94	8 45	3 91			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2 Wire DID Trunk Port Combination - Switch as Is		UEPPX	USAC1		8 78	5 75					19 99	19 99	19 99	19 99
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USAIC		8 78	5 75					19 99	19 99	19 99	19 99
Telephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0	0	0					19 99	19 99	19 99	19 99
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0	0	0					19 99	19 99	19 99	19 99
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND6	0	0	0								
	Reserve Non-Consecutive DID numbers		UEPPX	ND8	0	0	0								
	Reserve DID Numbers		UEPPX	NDV	0	0	0								
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		32 27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		34 78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		44 32										
	2 Wire ISDN Digital Grade Loop UNE Zone 1	1	UEPPB UEPPR	USL2X	16 2										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	18 71										
	2 Wire ISDN Digital Grade Loop UNE Zone 3	3	UEPPB UEPPR	USL2X	28 26										
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	16 07	141 76	118 37	49 2	43 26			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0	117 23	117 23					19 99	19 99	19 99	19 99

ADDITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Activ - Non Feature/Add Trunk		UEPPB	UEPPR	USASB		212 99						19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPB	UEPPR	LNPCX	0 35	0	0								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCA	0	0	0								
	CVS (EWSD)		UEPPB	UEPPR	U1UCB	0	0	0								
	CSD		UEPPB	UEPPR	U1UCC	0	0	0								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS,SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)		UEPPB	UEPPR	U1UCD	0	0	0								
	CVS (EWSD)		UEPPB	UEPPR	U1UCE	0	0	0								
	CSD		UEPPB	UEPPR	U1UCF	0	0	0								
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)		UEPPB	UEPPR	U1UMA	0	0	0								
VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile		UEPPB	UEPPR	UEPVF	0	0	0								
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB	UEPPR	M1GNC	17 91	53 99	17 37					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile		UEPPB	UEPPR	M1GN M	0 173	0	0				0				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP			132 58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP			160 26										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP			173 44										
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP		USL4P	67 73										
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP		USL4P	75 4										
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP		USL4P	89 59										
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP		UEPPP	74 85	416 53	366 9	89 28	77 43			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is		UEPPP		USACP	0	328 53	328 53					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsqt Activ - Inward/two way tel nos within Std Allowance		UEPPP		PR7TF		0 94						19 99	19 99	19 99	19 99
	4 Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP		PR7TO		22 36	22 36					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP		PR7ZT		44 71	44 7					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPP		LNPCN	1 75										
INTERFACE (Provisioning Only)																
	Voice/Data		UEPPP		PR71V	0	0	0								
	Digital Data		UEPPP		PR71D	0	0	0								
	Inward Data		UEPPP		PR71E	0	0	0								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP		PR7BV	0	28 39						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel		UEPPP		PR7BF	0	28 11						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel		UEPPP		PR7BD	0	28 39						19 99	19 99	19 99	19 99
	New or Additional Usage Sensitive Voice Data B Channel		UEPPP		PR7BS	0	28 39						19 99	19 99	19 99	19 99
	New or Additional Usage Sensitive Digital Data B Channel		UEPPP		PR7BU	0	28 39						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward		UEPPP		PR7C1	0	0	0								
	Outward		UEPPP		PR7C0	0	0	0								
	Two-way		UEPPP		PR7CC	0	0	0								
Interoffice Channel Mileage																
	Fixed Each Including First Mile		UEPPP		1LN1A	76 1825	145 88	109 85	19 55				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile		UEPPP		1LN1B	0 3626										

4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
LINE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		93 28							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		110 95							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		134 14							19 99	19 99	19 99	19 99
	4 Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	57 53										
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC	75 4				40 45						
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	98 59										
	4 Wire DDITS Digital Trunk Port		UEPDC	UDD1T	35 55	342 8	257 87	61 41	48 49			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		312 91	312 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Charges		UEPDC	USAWA		312 91	312 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Charge - Trunk		UEPDC	USAW B		312 91	312 91					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order		UEPDC	USAS4		94 88	94 88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2 Way Trunk		UEPDC	UDTTA		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		108 67	108 67					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format		UEPDC	CCOSF		0	590					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0	590					19 99	19 99	19 99	19 99
Alternate Mark Inversion															
	AMI -Superframe Format		UEPDC	MCOSF		0	0								
	AMI - Extended SuperFrame Format		UEPDC	MCOP O		0	0								
Telephone Number/Trunk Group Establishment Charges															
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0										
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0						19 99				
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0						19 99				
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0						19 99				
	DID Numbers, Non-consecutive DID Numbers , Per Number		UEPDC	ND5	0						19 99				
	Reserve Non-Consecutive DID Nos		UEPDC	ND6	0	0	0								
	Reserve DID Numbers		UEPDC	NDV	0	0	0				19 99				
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LN01	75 83	145 98	109 65	19 66	14 99			19 99	19 99	19 99	19 99
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LN0A	0 3525	0	0								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LN02	0	0	0								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LN0B	0 3525	0	0								
	Interoffice Channel Mileage - Fixed rate 26+ miles (Facilities Termination)		UEPDC	1LN03	0	0	0	0							
	Interoffice Channel Mileage - Additional rate per mile - 26+ miles		UEPDC	1LN0C	0 3525	0	0								
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0	0	0							
	Central Office Terminating Point		UEPDC	CTG	0										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
LINE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	57 73	0	0								
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	75 4	0	0								
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	98 59	0	0								
LINE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	131 87	0	0								
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	263 74	0	0								
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	527 48	0	0								
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	791 42	0	0								
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	827 76	0	0								
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1318 7	0	0								

	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1582 44	0	0								
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	2109 92	0	0								
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2637 4	0	0								
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	3164 88	0	0								
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3692 36	0	0								
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System														
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations														
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.														
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0	303 61	15 74					19 99	19 99	19 99	19 99
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and														
	New (Not Currently Combined) in Georgia & Tennessee Only														
	NRC - 1 DS1/D4 Channel Bank. Add NRC for each Port and Assoc Feature														
	Activation - New GA & TN Only		UEPMG	VUMD4	0	704 68	441 48	138 36	16 41			19 99	19 99	19 99	19 99
	Bipolar 8 Zero Substitution														
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0	0	590					19 99	19 99	19 99	19 99
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0	0	590					19 99	19 99	19 99	19 99
	Alternate Mark Inversion (AMI)														
	Superframe Format		UEPMG	MCOSF	0	0	0								
	Extended Superframe Format		UEPMG	MCOPC	0	0	0								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port														
	Exchange Ports														
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 79	0	0	0	0	19 99					
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 79	0	0	0	0	19 99					
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEPIX	1 79	0	0	0	0	19 99					
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	8 97	0	0	0	0	19 99					
	Feature Activations - Unbundled Loop Concentration														
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1POW M	0 66	23 94	12 64	3 82	3 8			19 99	19 99	19 99	19 99
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1POW U	0 66	73 67	17 37	54 09	10 57			19 99	19 99	19 99	19 99
	Telephone Number/ Group Establishment Charges for DID Service														
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0										
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0	0	0								
	Non-Consecutive DID Numbers - per number		UEPPX	ND6	0	0	0			19 99					
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0	0	0								
	Reserve DID Numbers		UEPPX	NDV	0	0	0								
	Local Number Portability														
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0	0								
	FEATURES - Vertical and Optional														
	Local Switching Features Offered with Line Side Ports Only														
	All Features Available		UEPPX	UEPVF	0	0	0			19 99					
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules														
	These scenarios include														
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia and Tennessee														
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines														
	The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)														
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true up the billing difference														
	The Market Rate for unbundled ports includes all available features in all states														
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)														
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section														
	Additional NRCs may apply also and are categorized accordingly														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			26 48										
	2-Wire VG Loop/Port Combo - Zone 2	2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3	3			35 32										
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	21 32										
	2-Wire Voice Grade Line Port (Res)														
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14	90	90					30 89	7 03		

	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14	90	90					30 89	7 03				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14	90	90					30 89	7 03				
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	14	90	90					30 89	7 03				
	2-Wire voice unbundles res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14	90	90					30 89	7 03				
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35												
	FEATURES																	
	All Features Offered			UEPRX	UEPVF	0	0	0										
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPRX	USAC2		41 5	41 5										
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 5	41 5										
	ADDITIONAL NRCs																	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0	0										
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
	LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1				26 48												
	2-Wire VG Loop/Port Combo - Zone 2	2				30 31												
	2-Wire VG Loop/Port Combo - Zone 3	3				35 32												
	LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPBX	UEPLX	12 48												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPBX	UEPLX	16 31												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPBX	UEPLX	21 32												
	2-Wire Voice Grade Line Port (Bus)																	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14	90	90					30 89	7 03				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14	90	90					30 89	7 03				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14	90	90					30 89	7 03				
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - bus			UEPBX	UEPAV	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	14							30 89	7 03				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	14	90	90					30 89	7 03				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14							30 89	7 03				
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35												
	FEATURES																	
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-Is			UEPBX	USAC2		41 5	41 5										
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 5	41 5										
	ADDITIONAL NRCs																	
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0	0										
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
	LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1				26 48												
	2-Wire VG Loop/Port Combo - Zone 2	2				30 31												
	2-Wire VG Loop/Port Combo - Zone 3	3				35 32												
	LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPRG	UEPLX	12 48												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPRG	UEPLX	16 31												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPRG	UEPLX	21 32												
	2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14	90	90					30 89	7 03				
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 16												
	FEATURES																	
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 5	41 5										
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 5	41 5										
	ADDITIONAL NRCs																	
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity - Nonrecurring						0	0										
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 84	14 84					19 99	19 99	19 99	19 99		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
	LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1				26 48												

		2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
		2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
	UNE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12 46										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16 31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	21 32										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
		Line Side Unbundled Combination 2 Way PBX Trunk Port - Bus			UEPPX	UEPPC	14	90	90					30 89	7 03		
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14	90	90					30 89	7 03		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	14							30 89	7 03		
		2-Wire Voice Unbundled 1 Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	14							30 89	7 03		
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN			UEPPX	UEPXN	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	14	90	90					30 89	7 03		
		2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPPX	UEPXV	14	90	90					30 89	7 03		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES																
	NONRECURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 5	41 5								
		2 Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 5	41 5								
	ADDITIONAL NRCs															20	20
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0	0								
		2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0	0								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
		2-Wire VG Coin Port/Loop Combo - Zone 1					26 46										
		2-Wire VG Coin Port/Loop Combo - Zone 2					30 31										
		2-Wire VG Coin Port/Loop Combo - Zone 3					35 32										
	UNE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12 46										
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 31										
		2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	21 32										
	2-Wire Voice Grade Line Port Rates (Coin)																
		2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	14	90	90					30 89	7 03		
		2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPAP	14							30 89	7 03		
		2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTA	14	90	90					30 89	7 03		
		2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14	90	90					30 89	7 03		
		2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	14	90	90					30 89	7 03		
		2-Wire Coin Outward with Operator Screening and Blocking, 900/976, 1+DDD, 011+, and Local (TN)				UEPOT	14	90	90					30 89	7 03		
	LOCAL NUMBER PORTABILITY																
		Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	NONRECURRING CHARGES - CURRENTLY COMBINED																
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 5	41 5								
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 5	41 5								
	ADDITIONAL NRCs																
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0	0								

ATTACHMENT 3

NETWORK INTERCONNECTION

TABLE OF CONTENTS

1. GENERAL 3

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) 3

3. NETWORK INTERCONNECTION 4

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES 6

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION 13

6. LOCAL DIALING PARITY 16

7. INTERCONNECTION COMPENSATION 16

8. FRAME RELAY SERVICE INTERCONNECTION 22

9. OPERATIONAL SUPPORT SYSTEMS (OSS) 25

Rates	**Exhibit A**
Basic Architecture	**Exhibit B**
One Way Architecture	**Exhibit C**
Two Way Architecture	**Exhibit D**
Supergroup Architecture	**Exhibit E**

NETWORK INTERCONNECTION

1. GENERAL

1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:

2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).

2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).

2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.

2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").

2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching on the other Party's common (shared) network.

2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.

2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that performs the interconnection function for BellSouth and Southeastern Services, Inc..

2.1.9 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.

2.1.10 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and it's the IP's Serving Wire Center.

2.1.11 **Local Traffic** is as defined in Section 7 of this Attachment.

2.1.12 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.

2.1.13 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.

2.1.14 **Transit Traffic** is traffic originating on Southeastern Services, Inc.'s network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third Party's network that is switched and/or transported by BellSouth and delivered to Southeastern Services, Inc.'s network.

3. NETWORK INTERCONNECTION

3.1 This Attachment pertains only to the provision of network interconnection where Southeastern Services, Inc. owns and provides its switch(es).

3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.

3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which local traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of that traffic.

3.2.1.1 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point which is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a particular LATA may be established by mutual agreement of the Parties. If the Parties are unable to agree to additional IPs, each Party will designate the IP for its originated traffic. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

3.3 **Interconnection via Dedicated Facilities**

3.3.1 **Local Channel Facilities.** As part of network interconnection, the originating Party may obtain Local Channel facilities from the terminating Party. The portion of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor. The charges applied to the portion of the Local Channel used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment.

3.3.2 **Dedicated Interoffice Facilities.** As a part of network interconnection, the originating Party may obtain Dedicated Interoffice Facilities. The portion of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor. The charges applied to the portion of the Dedicated Interoffice Facility used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment.

3.4 **Fiber Meet**

3.4.1 If Southeastern Services, Inc. elects to interconnect with BellSouth pursuant to a Fiber Meet, Southeastern Services, Inc. and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Southeastern Services, Inc.'s SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network .

3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Southeastern Services, Inc. Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility .

3.4.4 Upon verbal request by Southeastern Services, Inc., BellSouth shall allow Southeastern Services, Inc. access to the fusion splice point for the Fiber Meet point for maintenance purposes on Southeastern Services, Inc.'s side of the Fiber Meet point.

3.4.5 Neither Party shall charge the other for it's the Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic . All the appropriate charges will

apply. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Southeastern Services, Inc. shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.

4.2 Southeastern Services, Inc. shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Southeastern Services, Inc.'s originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent Southeastern Services, Inc. desires to deliver Local Traffic and/or Transit Traffic BellSouth access tandems within the LATA, other than the tandems(s) to which Southeastern Services, Inc. has established interconnection trunk groups , Southeastern Services, Inc. shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

4.2.1 Notwithstanding the forgoing, Southeastern Services, Inc. shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Southeastern Services, Inc. has homed (i.e. assigned) its NPA/NXXs. Southeastern Services, Inc. shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Southeastern Services, Inc. shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.

4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Southeastern Services, Inc.'s NXX access tandem homing arrangement as specified by Southeastern Services, Inc. in the LERG.

4.4 Any Southeastern Services, Inc. interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Southeastern Services, Inc. from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Southeastern Services, Inc. to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.

4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Southeastern Services, Inc. are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in

4.10.2.1 BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

4.10.2.2 **Basic Architecture**

4.10.2.2.1 In the basic architecture, Southeastern Services, Inc.'s originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Southeastern Services, Inc. and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Southeastern Services, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southeastern Services, Inc. desires to exchange traffic. This trunk group also carries Southeastern Services, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Southeastern Services, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.2.3 **One-Way Trunk Group Architecture**

4.10.2.3.1 In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Southeastern Services, Inc.-originated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for Southeastern Services, Inc. end-users. A two-way trunk group provides Intratandem Access for Southeastern Services, Inc.'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Southeastern Services, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southeastern Services, Inc. desires to exchange traffic. This trunk group also carries Southeastern Services, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Southeastern Services, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.2.4 **Two-Way Trunk Group Architecture**

4.10.2.4.1 Upon agreement of the Parties as set forth in Section 4.10.1 above, the two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between Southeastern Services, Inc. and BellSouth. In addition, a separate two-way transit trunk group must be established for Southeastern Services, Inc.'s originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Southeastern Services, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southeastern Services, Inc. desires to exchange traffic. This trunk group also carries Southeastern Services, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Southeastern Services, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.2.5 **Supergroup Architecture**

4.10.2.5.1 Upon agreement of the Parties as set forth in Section 4.10.1 above, the Parties may establish a supergroup architecture. In the supergroup architecture, the Parties' Local Traffic and Southeastern Services, Inc.'s Transit Traffic are exchanged on a single two-way trunk group between Southeastern Services, Inc. and BellSouth to provide Intratandem Access to Southeastern Services, Inc.. This trunk group carries Transit Traffic between Southeastern Services, Inc. and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Southeastern Services, Inc. desires to exchange traffic. This trunk group also carries Southeastern Services, Inc. originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Southeastern Services, Inc.. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit D..

4.10.3 **Multiple Tandem Access Interconnection**

4.10.3.1 Where Southeastern Services, Inc. does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Southeastern Services, Inc. may utilize BellSouth multiple tandem access interconnection (MTA). To utilize MTA

Southeastern Services, Inc. must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Southeastern Services, Inc.'s originated Local Traffic for LATA wide transport and termination. Southeastern Services, Inc. must also establish an interconnection trunk group(s) at all BellSouth access tandems where Southeastern Services, Inc. NXXs are homed as described in Section 4.2.1 above. If Southeastern Services, Inc. does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Southeastern Services, Inc. can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Southeastern Services, Inc.'s Local Traffic to end-users served through those BellSouth access tandems where Southeastern Services, Inc. does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

4.10.3.2 Southeastern Services, Inc. may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Southeastern Services, Inc. will be delivered to and from IXCs based on Southeastern Services, Inc.'s NXX access tandem homing arrangement as specified by Southeastern Services, Inc. in the LERG.

4.10.3.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.

4.10.3.4 To the extent Southeastern Services, Inc. does not purchase MTA in a LATA served by multiple access tandems, Southeastern Services, Inc. must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Southeastern Services, Inc. routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA service, Southeastern Services, Inc. agrees to pay BellSouth the associated transport and termination charges.

4.10.4 **Local Tandem Interconnection**

4.10.4.1 Local Tandem Interconnection arrangement allows Southeastern Services, Inc. to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Southeastern Services, Inc.-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's General Subscriber Services Tariff (GSST), Section A3 served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.

4.10.4.2 When a specified local calling area is served by more than one BellSouth local tandem, Southeastern Services, Inc. must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Southeastern Services, Inc. may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Southeastern Services, Inc. may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Southeastern Services, Inc. does not choose to establish an interconnection trunk group(s). It is Southeastern Services, Inc.'s responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Southeastern Services, Inc.'s codes. Likewise, Southeastern Services, Inc. shall obtain its routing information from the LERG.

4.10.4.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Southeastern Services, Inc. must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Southeastern Services, Inc. has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

4.10.4.4 BellSouth's provisioning of local tandem interconnection assumes that Southeastern Services, Inc. has executed the necessary Local Interconnection Agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.5 **Direct End Office-to-End Office Interconnection**

4.10.5.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating local or intraLATA toll traffic to the terminating Party on a direct end office-to-end office basis.

4.10.5.2 The Parties shall utilize direct end office-to-end office trunk groups under the following conditions:

4.10.5.2.1 (1) Tandem Exhaust - a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Southeastern Services, Inc. and BellSouth's subscribers.

4.10.5.2.2 (2) Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between a Southeastern Services, Inc. switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a Southeastern Services, Inc. switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. Either Party will install additional capacity between such points when overflow traffic between Southeastern Services, Inc.'s switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.5.2.3 (3) Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above, and agreement will not unreasonably be withheld.

4.10.6 **Transit Traffic Trunk Group**

4.10.6.1 Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Southeastern Services, Inc. to deliver and receive local and intraLATA toll Transit Traffic from third parties, such as Independent Companies and other CLECs, via BellSouth access tandems (or BellSouth local tandems for Local Traffic), and Switched Access traffic to and from Interexchange Carriers via BellSouth access tandems pursuant to the Transit Traffic section of this Attachment. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.6.2 **Toll Free Traffic**

4.10.6.2.1 If Southeastern Services, Inc. chooses BellSouth to handle Toll Free database queries from its switches, all Southeastern Services, Inc. originating Toll Free traffic will be routed over the Transit Traffic Trunk Group.

4.10.6.2.2 All originating Toll Free Service (Toll Free) calls for which Southeastern Services, Inc. requests that BellSouth perform the Service Switching Point ("SSP") function (i.e., perform the database query) shall be delivered using GR-394 format over the Transit Traffic Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.

4.10.6.2.3 Southeastern Services, Inc. may handle its own Toll Free database queries from its switch. If so, Southeastern Services, Inc. will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the query determines that the call is a BellSouth local or intraLATA Toll Free number, Southeastern Services, Inc. will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or

intraLATA trunk group. If the query determines that the call is a third party (ICO or other CLEC) local or intraLATA Toll Free number, Southeastern Services, Inc. will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group. In such case, Southeastern Services, Inc. is to provide a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free number, Southeastern Services, Inc. will route the post-query interLATA call (Toll Free number) directly from its switch for carriers interconnected with its network or over the Transit Traffic Trunk Group to carriers not directly connected to its network but are connected to BellSouth's access tandem. Calls will be routed to BellSouth over the local/intraLATA and Transit Traffic Trunk Groups within the LATA in which the calls originate.

4.10.6.2.4 All post-query Toll Free Service (Toll Free) calls for which Southeastern Services, Inc. performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend the BellSouth access tandem.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

5.1 Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.

5.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.

5.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself

and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.

5.4 Network Management Controls. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

5.5 Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks. Neither Party shall alter the CCS parameters, or be a party to altering such parameters, or knowingly pass CCS parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 Signaling Call Information. BellSouth and Southeastern Services, Inc. will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Southeastern Services, Inc. will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 **Forecasting for Trunk Provisioning**

5.7.1 Within six (6) months after execution of this agreement, Southeastern Services, Inc. shall provide an initial interconnection trunk group forecast for each LATA that it shall provide service within BellSouth's region. Upon receipt of Southeastern Services, Inc.'s forecast, the Parties shall schedule and participate in a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.

5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Southeastern Services, Inc.-to-BellSouth one-way trunks ("Southeastern Services, Inc. Trunks"), BellSouth-to-Southeastern Services, Inc. one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' local and intraLATA toll. The quantities shall be projected for a minimum of six months in advance and shall include the current year plus next two years total forecasted quantities. Considering Southeastern Services, Inc.'s provided forecast, the

Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities for the time periods listed and to be included within the initial forecast.

5.7.1.2 Additionally all forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Southeastern Services, Inc. location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).

5.7.2 Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process in place for local interconnection trunks.

5.7.4 Once initial interconnection trunk forecasts have been developed, Southeastern Services, Inc. shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Southeastern Services, Inc. shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. Interconnection trunk forecasts shall be updated and provided to BellSouth on an as needed basis, but no less frequently than semiannually and no more frequently than monthly. Upon receipt of Southeastern Services, Inc.'s forecast, including forecast updates, the Parties shall confer to mutually develop BellSouth Reciprocal Trunk and/or two-way interconnection trunk forecasted quantities for the listed time periods within such subsequent forecasts.

5.8 **Trunk Utilization**

5.8.1 BellSouth and Southeastern Services, Inc. shall monitor traffic on each interconnection trunk group that is installed pursuant to the initial interconnection trunk requirements and subsequent forecasts. At any time after the end of a calendar quarter, based on a review of the capacity utilization during such quarter for installed reciprocal trunk groups and/or two-way interconnection trunk groups, subject to the provisions of the section following, BellSouth may disconnect any non-utilized or under-utilized reciprocal trunk(s) and Southeastern Services, Inc. shall refund to BellSouth any associated trunk and facility charges paid by BellSouth. BellSouth may request Southeastern Services, Inc. to disconnect any under-utilized two-way interconnection trunk(s), if BellSouth has determined that

the trunk group is not being utilized at eighty-five percent (85%) of the time consistent busy hour utilization level, provided that the Parties have not otherwise agreed. Southeastern Services, Inc. shall comply with all such requests, subject to Section 5.8.1.1 below. Under-utilized trunks are defined as the trunks being utilized at less than 85% as a result of a time consistent busy hour utilization.

5.8.1.1 BellSouth's LISC will notify the Southeastern Services, Inc. of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Southeastern Services, Inc. interface. Southeastern Services, Inc. will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected Local Number Ported (LNP) and traffic volumes and the timeframes within which Southeastern Services, Inc. expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with Southeastern Services, Inc. to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Southeastern Services, Inc.. The due date of these orders will be four weeks after Southeastern Services, Inc. was first notified in writing of the underutilization of the trunk groups.

5.8.1.2 Southeastern Services, Inc. monitors all direct trunks from Southeastern Services, Inc. to BellSouth. If Southeastern Services, Inc. wishes to disconnect any such trunks, Southeastern Services, Inc. shall issue an ASR to do so.

5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty-five percent (85%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and Southeastern Services, Inc. shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and Southeastern Services, Inc. shall permit similarly situated telephone exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.

7. INTERCONNECTION COMPENSATION

7.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-bound Traffic

7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.

7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one exchange or local calling area to an ISP server or modem in the same exchange or local calling area. ISP-bound Traffic is not considered Local Traffic subject to reciprocal compensation, but instead is information traffic subject to interstate compensation.

7.1.3 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the call transportation and termination of Local Traffic or ISP-bound Traffic.

7.1.4 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.9 and 7.9.1 below and to Multiple Tandem Access as described in Section 4.10.3 above.

7.1.5 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of payment of call transportation and termination compensation.

7.1.6 If Southeastern Services, Inc. assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Southeastern Services, Inc. end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Southeastern Services, Inc. customer physically located outside of such LATA, shall not be deemed Local Traffic, and no compensation from BellSouth to Southeastern Services, Inc. shall be due therefor. Further, Southeastern Services, Inc. agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Southeastern Services, Inc. at BellSouth's switched access tariff rates.

7.2 If Southeastern Services, Inc. does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Southeastern Services, Inc. NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Southeastern

Services, Inc. can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.

7.3 **Percent Local Use.** Each Party shall report to the other a Percent Local Usage ("PLU"). The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

7.4 **Percent Local Facility.** Each Party shall report to the other a Percent Local Facility ("PLF"). The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

7.5 **Percent Interstate Usage**. Each Party shall report to the other the projected Percent Interstate Usage ("PIU"). All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Southeastern Services, Inc.. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 calendar days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's

option be utilized to determine the appropriate local usage compensation to be paid.

7.6 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Southeastern Services, Inc. shall retain records of call detail for a minimum of nine months from which a PLU, PLF and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLU and/or PIU shall be adjusted based upon the audit results and shall apply to the usage for the quarter the audit was completed, to the usage for the quarter prior to the completion of the audit, and to the usage for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.7 **Compensation for 8XX Traffic**

7.7.1 Compensation for 8XX Traffic. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs.

7.7.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.7.3 8XX Access Screening. BellSouth's provision of 8XX TFD to Southeastern Services, Inc. requires interconnection from Southeastern Services, Inc. to BellSouth 8XX SCP. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. Southeastern Services, Inc. shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Southeastern Services, Inc. desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff as amended.

7.8 **Mutual Provision of Switched Access Service**

7.8.1 Switched Access Traffic. Switched Access Traffic is described in the BellSouth Access Tariff. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched

Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be compensated as local.

7.8.2 If the BellSouth end user chooses Southeastern Services, Inc. as their presubscribed interexchange carrier, or if the BellSouth end user uses Southeastern Services, Inc. as an interexchange carrier on a 101XXXX basis, BellSouth will charge Southeastern Services, Inc. the appropriate BellSouth tariff charges for originating switched access services

7.8.3 For originating or terminating switched access traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff..

7.8.4 When Southeastern Services, Inc.'s end office switch, subtending the BellSouth Access Tandem switch for receipt or delivery of switched access traffic, provides an access service connection to or from an interexchange carrier ("IXC") by either a direct trunk group to the IXC utilizing BellSouth facilities, or via BellSouth's tandem switch, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. Thirty (30)-day billing periods will be employed for these arrangements. For tandem routed traffic, the tandem company agrees to provide to the Initial Billing Company as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. The Initial Billing Company will provide the switched access summary usage data, for all originating and terminating traffic, to all Subsequent Billing Companies as defined in MECAB within 10 days of rendering the initial bill to the IXC. Each Party will notify the other when it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary.

7.8.5 In the event that either Party fails to provide the appropriate MECAB switched access usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable

switched access revenues, and a negotiated settlement will be agreed upon between the Parties.

7.8.6 Each Party will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.

7.8.7 Each Party agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.

7.8.8 Each Party also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.

7.8.9 All claims should be filed with the other Party within 120 days of the receipt of the date of the unbillable usage.

7.8.10 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.8.11 Southeastern Services, Inc. agrees not to deliver switched access traffic to BellSouth for termination except over Southeastern Services, Inc. ordered switched access trunks and facilities.

7.9 **Transit Traffic**

7.9.1 BellSouth shall provide tandem switching and transport services for Southeastern Services, Inc.'s Transit Traffic. Rates for Local and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Switched Access Transit Traffic presumes that Southeastern Services, Inc.'s end office is subtending the BellSouth Access Tandem for switched access traffic to and from Southeastern Services, Inc.'s end users utilizing BellSouth facilities, either by direct trunks with the IXC, or via the BellSouth Access Tandem. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Pursuant to these guidelines, the Initial Billing Company shall provide summary usage data, for all originating and terminating Transit Traffic, to all Subsequent Billing Companies. Traffic between Southeastern Services, Inc. and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Southeastern Services, Inc. and

Wireless Type 2A or UNE-CLEC third parties shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or UNE-CLEC third party have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.9.2 In the event that either Party fails to provide the appropriate MECAB usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect Transit Traffic revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable revenues and a negotiated settlement will be agreed upon between the Parties

7.9.3 The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates stipulated in this Agreement to a terminating carrier. BellSouth agrees to deliver this traffic to the terminating carrier; provided, however, that Southeastern Services, Inc. is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the receipt of this traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Southeastern Services, Inc.. Southeastern Services, Inc. agrees to compensate BellSouth for any charges or costs for the delivery of Transit Traffic to a connecting carrier on behalf of Southeastern Services, Inc.. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Southeastern Services, Inc.'s frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service in those states in which Southeastern Services, Inc. is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Southeastern Services, Inc. and BellSouth Frame Relay Switches in the same LATA.

8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.

8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Southeastern Services, Inc. have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.

8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:

8.5.1 If the data packets originate and terminate in locations in the same LATA, and consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").

8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").

8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Southeastern Services, Inc. may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Southeastern Services, Inc. that it has found that this method does not adequately represent the PLCU.

8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.

8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Southeastern Services, Inc. will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Southeastern Services, Inc. will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Southeastern Services, Inc.'s PLCU.

8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate

Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Southeastern Services, Inc. will pay, the total non-recurring and recurring charges for the NNI port. Southeastern Services, Inc. will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Southeastern Services, Inc.'s PLCU.

8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).

8.8 For the PVC segment between the Southeastern Services, Inc. and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.

8.9 Compensation for PVC rate elements will be calculated as follows:

8.9.1 If Southeastern Services, Inc. orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Southeastern Services, Inc. Frame Relay switch, BellSouth will invoice, and Southeastern Services, Inc. will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Southeastern Services, Inc. Frame Relay switches. If the VC is a Local VC, Southeastern Services, Inc. will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Southeastern Services, Inc. for the PVC segment.

8.9.2 If BellSouth orders a Local VC connection between a Southeastern Services, Inc. subscriber's PVC segment and a PVC segment from the Southeastern Services, Inc. Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Southeastern Services, Inc. will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Southeastern Services, Inc. Frame Relay switches. If the VC is a Local VC, Southeastern Services, Inc. will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Southeastern Services, Inc. for the PVC segment.

8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.

8.9.4 If Southeastern Services, Inc. requests a change, BellSouth will invoice and Southeastern Services, Inc. will pay a Feature Change charge for each affected PVC segment.

8.9.4.1 If BellSouth requests a change to a Local VC, Southeastern Services, Inc. will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.

8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.

8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.

8.10 Southeastern Services, Inc. will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.

8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

8.12 If during the term of this Agreement, BellSouth obtains authority to provide interLATA Frame Relay in any State, the Parties agree to renegotiate this arrangement for the exchange of Frame Relay Service Traffic within one hundred eighty (180) days of the date BellSouth receives interLATA authority. In the event the Parties fail to renegotiate this Section 8 within the one hundred eighty day period, they will submit this matter to the appropriate State commission(s) for resolution.

9. OPERATIONAL SUPPORT SYSTEMS (OSS)

9.1 The terms, conditions and rates for OSS are as set forth in FCC Tariff for Access Service Records.

Basic Architecture

Exhibit B





Exhibit C

One-Way Architecture



Two-Way Architecture

Exhibit D





Exhibit E

Supergroup Architecture



BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Alabama

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic 1st	Incremental Charge Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bill" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0005682bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0 0005682bk										
		Tandem Intermediary Charge, per MOU*			OHD		$0 0015										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.																
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$333 69	$58 91								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000026bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0003685bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	$0 0101										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	$24 15	$81 07	$54 82	$33 47	$13 79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	$0 0101										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	$17 28	$81 08	$54 82	$33 47	$13 79						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	$0 0101										
		Interoffice Channel Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	$17 28	$81 08	$54 82	$33 47	$13 79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1MS	1L5NL	$0 2087										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1MS	1L5NL	$68 75	$178 53	$163 61	$32 7	$28 88						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3MS	1L5NM	$4 67										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3MS	1L5NM	$804 02	$557 49	$325 51	$120 39	$116 91						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2 Wire Voice Grade per month			OHL OHM	TEFV2	$15 96	$386 19	$66 33	$73 28	$6 39						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	$17 06	$387 06	$67 2	$74 22	$7 33						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$41 52	$354 94	$307 43	$44 38	$30 52						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$476 04	$903 00	$627 87	$238 97	$167 16						

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Alabama

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic 1st	Incremental Charge Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs. Electronic Elec 1st	Incremental Charge Manual Svc Order vs. Electronic Elec Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1MS	SATN1	$122 5	$182 08	$125 14	$21 07	$19 58						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$201 37	$356 26	$187 94	$66 51	$63 66						
		DS3 Interface Unit (DS1 COCh) per month			OH1 OH1MS	SATCQ	$15 39	$13 15	$9 43								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Florida

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs Electronic-Elec Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0006767bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0005767bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$336 43	$57 38								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000034bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004493bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	$0 0084										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	$26 02	$42 69	$28 66	$16 51	$6 34						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	$0 0084										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	$18 95	$42 69	$28 66	$16 51	$6 34						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	$0 0084										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	$18 95	$42 69	$28 66	$16 51	$6 34						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1MS	1L5NL	$0 171										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1MS	1L5NL	$90 87	$95 16	$88 78	$16 74	$14 85						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3MS	1L5NM	$3 57										
		Interoffice Channel - Dedicated Transport - DS3 Facility Termination per month			OH3 OH3MS	1L5NM	$1,101 00	$302 43	$197 7	$64 94	$63 61						

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		LOCAL CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHM	TEFV2	$21.42	$239.67	$42 34	$33 93	$3.61						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	$21 91	$240 30	$42 97	$34 47	$4.15						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$34 49	$195 33	$165.48	$21 90	$15 28						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$554 83	$501 59	$309 24	$125 43	$87.3						
		LOCAL INTERCONNECTION MID-SPAN MEET															
		NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
		MULTIPLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1 OH1MS	SATN1	$151.74	$91 44	$64 57	$10 00	$9 46						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$218 7	$179 66	$106 96	$36 37	$35 22						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$14 24	$9 08	$6 38								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0011009bk										
		Multiple Tandem Switching, per MOU (applies to Intial tandem only)			OHD		0.0011009bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$333.28	$56.64								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.000008bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004152bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OH	1L5NF	$0.0222										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OH	1L5NF	$17.07	$79.61	$36.08								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OH	1L5NK	$0.0222										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OH	1L5NK	$16.45	$79.61	$36.08								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OH	1L5NK	$0.0222										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OH	1L5NK	$16.45	$79.61	$36.08								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	$0.4523										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	$78.47	$147.07	$111.75								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	$2.72										

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Georgia

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3NX	1L5NM	$788 00	$511 1	$330.77	$122 31	$119 14						
	LOCAL CHANNEL - DEDICATED TRANSPORT																	
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OH1L	OH1NX	TEFV2	$13 91	$382 95	$62.4								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OH1L	OH1NX	TEFV4	$14 99	$368 44	$64 05								
		Local Channel - Dedicated - DS1 per month			OH1		TEFHG	$38 36	$356 15	$312 69								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3		TEFHJ	$515 91	$639 5	$426 31	$122.31	$119 14						
	LOCAL INTERCONNECTION MID-SPAN MEET																	
	NOTE: If Access service rids Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																	
		Local Channel - Dedicated - DS1 per month			OH1MS		TEFHG	$0.00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS		TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																	
		Channelization - DS1 to DS0 Channel System			OH1	OH1NX	SATN1	$126 22	$198 22	$123 59	$31 03	$19 75						
		DS3 to DS1 Channel System per month			OH3	OH3MS	SATNS	$182 04	$280.66	$195 33	$83 10	$59 96						
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS	SATCO	$11 02	$12 02	$8 66								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Kentucky

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interlm	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0007555bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0007555bk										
		Tandem Intermediary Charge, per MOU*			OHD		$0.001096										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.																
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334.09	$57.12								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.0000031bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.000757bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0.0118										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$29.51	$81.10	$54.84	$33.36	$13.75						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0.0118										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$21.26	$81.11	$54.84	$33.36	$13.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0.0118										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$21.26	$81.11	$54.84	$33.36	$13.75						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0.2407										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$97.38	$178.59	$163.67	$32.59	$28.79						

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge Manual Svc Order vs Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3	OH3N	1L5NM	$5 1									
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N	1L5NM	$1,191 53	$557 69	$325 62	$120 00	$116 54					
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN	TEFV2	$18 81	$388 33	$66 35	$73 04	$6 37					
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN	TEFV4	$20.12	$387 20	$67 22	$73 98	$7 31					
		Local Channel - Dedicated - DS1 per month			OH1		TEFH3	$44.63	$355.06	$307.53	$44 24	$30.42					
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3		TEFHJ	$583.57	$903.34	$528 05	$238.20	$166 62					
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS		TEFH3	$0 00	$0 00								
		Local Channel - Dedicated - DS3 per month			OH3MS		TEFHJ	$0 00	$0 00								
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N	SATN1	$139 65	$182.14	$125.19	$21 00	$19 52					
		DS3 to DS1 Channel System per month			OH3	OH3MS	SATNS	$194 82	$356 40	$188	$66 30	$63 44					
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS	SATCO	$14 43	$13.16	$9 43							
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Louisiana

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring							
										Disconnect							
							Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0006289bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0006289bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334 94	$56.98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.0000037bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004332bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OH	1L5NF	$0 0165										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OH	1L5NF	$26 12	$80 98	$54 76	$33 91	$13 97						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OH	1L5NK	$0 0165										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OH	1L5NK	$18 04	$80 99	$54 76	$33 91	$13 97						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OH	1L5NK	$0 0165										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OH	1L5NK	$18 04	$80 99	$54 76	$33 91	$13 97						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	$0 3367										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	$81.45	$178 34	$163.44	$33 13	$29 37						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	$7 46										

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Louisiana

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rate	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3N	1L5NM	$992 87	$556 89	$325 16	$121 99	$118.47						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice per month			OHL OHN	TEFV2	$21 44	$385.78	$66 26	$74 25	$6.48						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHN	TEFV4	$22 7	$386 65	$67 13	$75 21	$7 43						
		Local Channel - Dedicated - DS1 per month			OH1	TEFH3	$45.1	$354.56	$307 1	$44.97	$30 93						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$543.82	$902.06	$527 3	$242 15	$169 38						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFH3	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0.00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1N	SATN1	$121 5	$181 88	$125 01	$21 35	$19 84						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$233.25	$355 89	$197.73	$67 40	$64 49						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$13 64	$13 14	$9.42								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Mississippi

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0006733bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0 0006733bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334 11	$56 98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.000003bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 000499bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OH1	1L5NF	$0 0112										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OH1	1L5NF	$24.75	$80 96	$54 74	$34 27	$14 12						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OH1	1L5NK	$0 0112										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OH1	1L5NK	$17.24	$80 97	$54.74	$34 27	$14 12						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OH1	1L5NK	$0.0112										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OH1	1L5NK	$17.24	$80 97	$54 74	$34 27	$14 12						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 2293										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$63 00	$178 29	$163 4	$33 48	$29 57						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$5 43										

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Mississippi

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES: Nonrecurring Rec	RATES: Nonrecurring First	RATES: Nonrecurring Add'l	RATES: Nonrecurring Disconnect First	RATES: Nonrecurring Disconnect Add'l	OSS RATES: Svc Order Submitted Elec per LSR SOMEC	OSS RATES: Svc Order Submitted Manually per LSR SOMAN	OSS RATES: Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	OSS RATES: Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	OSS RATES: Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st SOMAN	OSS RATES: Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3N	1L5NM	$705 42	$556 75	$325 07	$123 28	$119 71						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHN	TEFV2	$16 39	$385 68	$66 24	$75 04	$6 55						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHN	TEFV4	$17 59	$385 55	$67.11	$76 00	$7 51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$41.40	$354 47	$307 02	$45 45	$31 25						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$455 69	$901 82	$527 16	$244.7	$171.16						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1N	SATN1	$125 29	$181.84	$124 98	$21.57	$20 05						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$207.87	$355 80	$197.69	$68.11	$65.17						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$15 78	$13 13	$9 41								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0012bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0 0012bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$333 54	$56.88								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.00001bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 00034bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHN	1L5NF	$0 0282										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHN	1L5NF	$18 00	$137.48	$52 58								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHN	1L5NK	$0 0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17.40	$137.48	$52 58								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHN	1L5NK	$0 0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHN	1L5NK	$17 40	$137 48	$52 58								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1N	1L5NL	$0 5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1N	1L5NL	$71 29	$217 17	$163 75								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3N	1L5NM	$12 98										

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
North Carolina

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Addl	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Addl
							Rec	First	Addl	First	Addl	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N 1L5NM	$720 38	$794 94	$579.55								
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN TEFV2	$14 82	$553 80	$69.69								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN TEFV4	$15 87	$562.23	$92.67								
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$35 68	$534 48	$462 69								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$499 87	$562.25	$527 88								
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0.00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N SATN1	$146.09	$197 78	$140 06								
		DS3 to DS1 Channel System per month			OH3	OH3MS SATNS	$233 1	$403 97	$234 40								
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS SATCO	$16 07	$13.09	$9 38								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0014911bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0014911bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$335 14	$57 16								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000121bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004672bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OH3	1L5NF	$0 0167										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OH3	1L5NF	$24 3	$81 25	$54 94	$33 54	$13 82						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OH3	1L5NK	$0 0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OH3	1L5NK	$16 76	$81 26	$54 94	$33 54	$13 82						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OH3	1L5NK	$0 0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OH3	1L5NK	$16 76	$81 26	$54 94	$33 54	$13 82						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	$0 3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	$77 14	$178 93	$163 98	$32 77	$28 95						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	$8.02										

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
South Carolina

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N 1L5NM	$880 65	$558.74	$326.23	$120 66	$117.17						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHN TEFV2	$15.33	$387.05	$66.49	$73.44	$6 41						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHN TEFV4	$16 54	$387.93	$67.35	$74.38	$7.35						
		Local Channel - Dedicated - DS1 per month			OH1	TEFH3	$42 62	$355 73	$308.11	$44.48	$30 59						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$446 00	$806.04	$529.05	$239.50	$167.53						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE. If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFH3	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0.00	$0.00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N SATN1	$134 46	$182 48	$125 42	$21 12	$19.62						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$180 03	$357 07	$188 36	$66 66	$63 79						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$10 8	$13 18	$9 45								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0009778bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0 0009778bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		$334.29	$57.01								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	$0 00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	$0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	$0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000064bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0003871bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OH	1L5NF	$0 0174										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OH	1L5NF	$18 58	$55 39	$17 37	$27 96	$3 51						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OH	1L5NK	$0 0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OH	1L5NK	$17 98	$55 39	$17 37	$27 96	$3 51						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OH	1L5NK	$0 0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OH	1L5NK	$17 98	$55 39	$17 37	$27 96	$3 51						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	$0 3562										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	$77 66	$112 40	$76 27	$19 55	$14 99						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	$2 34										

BellSouth/Southeastern Services
LOCAL INTERCONNECTION
Tennessee

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3N, 1L5NM	$848 99	$395 29	$176 56	$109 04	$105 91						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OH1, OH3	TEFV2	$19 02	$199 33	$24 16	$54 81	$4 8						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OH1, OH3	TEFV4	$20 58	$201 53	$24 83	$55 52	$5 51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	$40 99	$277 35	$233 26	$33 18	$22 30						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	$611 3	$595 37	$304 5	$215 82	$151 15						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	$0 00	$0 00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	$0 00	$0 00									
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1N, SATN1	$80 77	$141 87	$77 11	$44 47	$42 82						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	$222 98	$308 03	$108 47	$6 34	$4 23						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	$17.58	$6 07	$4 66								
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BELLSOUTH

PHYSICAL COLLOCATION

1. **Scope of Attachment**

1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Southeastern Services, Inc. is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.

1.2 Right to Occupy. BellSouth shall offer to Southeastern Services, Inc. collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow Southeastern Services, Inc. to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Southeastern Services, Inc. and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).

1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.

1.2.1.1 In all states other than Florida, the size specified by Southeastern Services, Inc. may contemplate a request for space sufficient to accommodate Southeastern Services, Inc.'s growth within a two-year period.

1.2.1.2 In the state of Florida, the size specified by Southeastern Services, Inc. may contemplate a request for space sufficient to accommodate Southeastern Services, Inc.'s growth within an eighteen (18) month period.

1.3 Space Allocation. BellSouth shall attempt to accommodate <customer_ name>'s requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Southeastern Services, Inc.'s cost or materially delay Southeastern Services, Inc.'s occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service the Southeastern Services, Inc. wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical

collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate collocation space and require separate entrances in accordance with FCC rules.

1.4 Space Reclamation. In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Southeastern Services, Inc. will be responsible for any justification of unutilized space within its space, if the appropriate state commission requires such justification.

1.5 Use of Space. Southeastern Services, Inc. shall use the Collocation Space for the purposes of installing, maintaining and operating Southeastern Services, Inc.'s equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.

1.6 Rates and Charges. Southeastern Services, Inc. agrees to pay the rates and charges identified in Exhibit C attached hereto.

1.7 Due Dates. If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter.

1 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

2. Space Availability Report

2.1 Space Availability Report. Upon request from Southeastern Services, Inc., BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.

2.1.1 The request from Southeastern Services, Inc. for a Space Availability Report must be written and must include the Premises street address, located in the Local Exchange Routing Guide and Common Language Location Identification ("CLLI") code of the

Premises. CLLI code information is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Southeastern Services, Inc. and inform Southeastern Services, Inc. of the time frame under which it can respond.

3. Collocation Options

3.1 Cageless. BellSouth shall allow Southeastern Services, Inc. to collocate Southeastern Services, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Southeastern Services, Inc. to have direct access to Southeastern Services, Inc.'s equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where Southeastern Services, Inc.'s equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Southeastern Services, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

3.2 Caged. At Southeastern Services, Inc.'s expense, Southeastern Services, Inc. may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Southeastern Services, Inc. and Southeastern Services, Inc.'s Certified Supplier must comply with the more stringent local building code requirements. Southeastern Services, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Southeastern Services, Inc. and provide, at Southeastern Services, Inc.'s expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Southeastern Services, Inc. to obtain the zoning, permits and/or other licenses. Southeastern Services, Inc.'s Certified Supplier shall bill Southeastern Services, Inc. directly for all work performed for Southeastern Services, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such

charges imposed by the Southeastern Services, Inc.'s Certified Supplier. Southeastern Services, Inc. must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Southeastern Services, Inc.'s locked enclosure prior to notifying Southeastern Services, Inc.. Upon request, BellSouth shall construct the enclosure for Southeastern Services, Inc..

3.2.1 BellSouth may elect to review Southeastern Services, Inc.'s plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Southeastern Services, Inc. indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Southeastern Services, Inc. has indicated their desire to construct their own enclosure. If Southeastern Services, Inc.'s Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. . BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Southeastern Services, Inc.'s plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require Southeastern Services, Inc. to remove or correct within seven (7) calendar days at Southeastern Services, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

3.3 Shared (Subleased) Caged Collocation. Southeastern Services, Inc. may allow other telecommunications carriers to share Southeastern Services, Inc.'s caged collocation arrangement pursuant to terms and conditions agreed to by Southeastern Services, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Southeastern Services, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Southeastern Services, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Southeastern Services, Inc..

3.3.1 Southeastern Services, Inc., as the Host shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Southeastern Services, Inc. with a proration of

the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Southeastern Services, Inc. shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit C. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.

3.3.2 Southeastern Services, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Southeastern Services, Inc.'s Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where physical collocation space within the Premises is legitimately exhausted, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Southeastern Services, Inc. and in conformance with BellSouth's design and construction specifications. Further, Southeastern Services, Inc. shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.

3.4.1 Should Southeastern Services, Inc. elect such option, Southeastern Services, Inc. must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Southeastern Services, Inc. and Southeastern Services, Inc.'s Certified Supplier must comply with the more stringent local building code requirements. Southeastern Services, Inc.'s Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Southeastern Services, Inc.'s Certified Supplier shall bill Southeastern Services, Inc. directly for all work performed for Southeastern Services, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Southeastern Services, Inc.'s Certified Supplier. Southeastern Services, Inc. must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth

shall not access Southeastern Services, Inc.'s locked enclosure prior to notifying Southeastern Services, Inc..

3.4.2 Southeastern Services, Inc. must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Southeastern Services, Inc.'s plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth will have the right to inspect the Adjacent Arrangement during and after construction to make sure it is constructed according to the submitted plans and specifications. BellSouth shall require Southeastern Services, Inc. to remove or correct within seven (7) calendar days at Southeastern Services, Inc.'s expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.

3.4.3 Southeastern Services, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Southeastern Services, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC. Southeastern Services, Inc.'s Certified Supplier shall be responsible, at Southeastern Services, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.

3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocating CLEC equipment is to interconnect with BellSouth's network or access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit Southeastern Services, Inc. to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross-connect language. At no point in time shall Southeastern Services, Inc. use the Collocation Space for the sole or primary purpose of cross-connecting to other CLECs.

3.5.1 The CCXC, shall be provisioned through facilities owned by Southeastern Services, Inc.. Such connections to other carriers may be made using either optical or electrical facilities. Southeastern Services, Inc. may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. Southeastern Services, Inc. may not self provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. Southeastern Services, Inc. is responsible for ensuring the integrity of the signal.

3.5.2 Southeastern Services, Inc. shall be responsible for obtaining authorization from the other CLEC(s) involved. Southeastern Services, Inc. must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. Southeastern Services, Inc.-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, Southeastern Services, Inc. may have the option of constructing its own dedicated support structure.

4. Occupancy

4.1 Occupancy. BellSouth will notify Southeastern Services, Inc. in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Southeastern Services, Inc. will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Southeastern Services, Inc. that the collocation space is ready for occupancy. In the event that Southeastern Services, Inc. fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Southeastern Services, Inc. and billing will commence on the sixteenth day after BellSouth releases the collocation space. Southeastern Services, Inc. must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Southeastern Services, Inc.'s telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, Southeastern Services, Inc. may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Southeastern Services, Inc.'s right to occupy the Collocation Space in the event Southeastern Services, Inc. fails to comply with any provision of this Agreement.

4.2.1 Upon termination of occupancy, Southeastern Services, Inc. at its expense shall remove its equipment and other property from the Collocation Space. Southeastern Services, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Southeastern Services, Inc.'s Guests, unless Southeastern Services, Inc.'s Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. Southeastern Services, Inc. shall continue payment of monthly fees to BellSouth until such date as Southeastern Services, Inc., and if applicable Southeastern Services, Inc.'s Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth.. Should Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest fail to vacate the Collocation Space within thirty (30) calendar

days from the termination date, BellSouth shall have the right to remove the equipment and other property of Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest at Southeastern Services, Inc.'s expense and with no liability for damage or injury to Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of Southeastern Services, Inc.'s right to occupy Collocation Space, Southeastern Services, Inc. shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Southeastern Services, Inc. except for ordinary wear and tear, unless otherwise agreed to by the Parties. Southeastern Services, Inc. or Southeastern Services, Inc.'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. Southeastern Services, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.

5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support CLEC network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

5.1.2 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except

where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Southeastern Services, Inc.'s failure to comply with this section.

5.1.3 Southeastern Services, Inc. shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Southeastern Services, Inc. submits an application for terminations that exceed the total capacity of the collocated equipment, Southeastern Services, Inc. will be informed of the discrepancy and will be required to submit a revision to the application.

5.2 Southeastern Services, Inc. shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.

5.3 Southeastern Services, Inc. shall place a plaque or other identification affixed to Southeastern Services, Inc.'s equipment necessary to identify Southeastern Services, Inc.'s equipment, including a list of emergency contacts with telephone numbers.

5.4 Entrance Facilities. Southeastern Services, Inc. may elect to place Southeastern Services, Inc.-owned or Southeastern Services, Inc.-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Southeastern Services, Inc. will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Southeastern Services, Inc. will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Southeastern Services, Inc.'s equipment in the Collocation Space. In the event Southeastern Services, Inc. utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Southeastern Services, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Southeastern Services, Inc. is responsible for maintenance of the entrance facilities. At Southeastern Services, Inc.'s option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

demarcation point shall be a Southeastern Services, Inc. provided Point of Termination Bay (POT Bay) in a common area within the Premises. Southeastern Services, Inc. shall be responsible for providing, and a supplier certified by BellSouth ("Southeastern Services, Inc.'s Certified Supplier") shall be responsible for installing and properly labeling, the POT Bay as well as the necessary cabling between Southeastern Services, Inc.'s collocation space and the demarcation point. Southeastern Services, Inc. or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Southeastern Services, Inc. desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

5.6 Southeastern Services, Inc.'s Equipment and Facilities. Southeastern Services, Inc., or if required by this Attachment, Southeastern Services, Inc.'s Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Southeastern Services, Inc. which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Southeastern Services, Inc. and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.

5.7 BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Southeastern Services, Inc. at least 48 hours before access to the Collocation Space is required. Southeastern Services, Inc. may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Southeastern Services, Inc. will not bear any of the expense associated with this work.

5.8 Access. Pursuant to Section 11, Southeastern Services, Inc. shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Southeastern Services, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Southeastern Services, Inc. or Southeastern Services, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Southeastern Services, Inc. and returned to BellSouth Access Management within 15 calendar days of Southeastern Services, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Southeastern Services, Inc. agrees to be

responsible for all Access Keys and for the return of all said Access Keys in the possession of Southeastern Services, Inc. employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Southeastern Services, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.

5.8.1 BellSouth will permit one accompanied site visit to Southeastern Services, Inc.'s designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to Southeastern Services, Inc.. Southeastern Services, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date Southeastern Services, Inc. desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Southeastern Services, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Southeastern Services, Inc. desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Southeastern Services, Inc. to access the Collocation Space accompanied by a security escort at Southeastern Services, Inc.'s expense. Southeastern Services, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.

5.9 Lost or Stolen Access Keys. Southeastern Services, Inc. shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Southeastern Services, Inc. shall pay for all reasonable costs associated with the re-keying or deactivating the card.

5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Southeastern Services, Inc. shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Southeastern Services, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to Southeastern Services, Inc., which notice shall direct Southeastern Services, Inc. to cure the violation within forty-eight (48) hours of Southeastern Services, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Southeastern Services, Inc. fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Southeastern Services, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to Southeastern Services, Inc. prior to taking such action and shall have no liability to Southeastern Services, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

5.10.2 For purposes of this Section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Southeastern Services, Inc. fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Southeastern Services, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Southeastern Services, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

5.11 Personalty and its Removal. Facilities and equipment placed by Southeastern Services, Inc. in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Southeastern Services, Inc. at any time. Any damage caused to the Collocation Space by Southeastern Services, Inc.'s employees, agents or representatives during the removal of such property shall be promptly repaired by Southeastern Services, Inc. at its expense.

5.12 Alterations. In no case shall Southeastern Services, Inc. or any person acting on behalf of Southeastern Services, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be

unreasonably withheld. The cost of any such specialized alterations shall be paid by Southeastern Services, Inc.. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee.

5.13 Janitorial Service. Southeastern Services, Inc. shall be responsible for the general upkeep of the Collocation Space. Southeastern Services, Inc. shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Southeastern Services, Inc. that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.

6.2 Initial Application. For Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest(s) initial equipment placement, Southeastern Services, Inc. shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply.

6.3 Subsequent Application. In the event Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, Southeastern Services, Inc. shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Southeastern Services, Inc. in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

6.3.1 Subsequent Application Fee. The application fee paid by Southeastern Services, Inc. for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital

expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

6.4 Space Preferences. If Southeastern Services, Inc. has previously requested and received a Space Availability Report for the Premises, Southeastern Services, Inc. may submit up to three (3) space preferences on their application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can not accommodate the Southeastern Services, Inc.'s preference(s), Southeastern Services, Inc. may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply.

6.5 Space Availability Notification.

6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Southeastern Services, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Southeastern Services, Inc., or differently configured, Southeastern Services, Inc. must resubmit its Application to reflect the actual space available.

6.5.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by Southeastern Services, Inc. or differently configured, Southeastern Services, Inc. must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.

6.5.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Southeastern Services, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Southeastern Services, Inc. or differently configured, Southeastern Services, Inc. must resubmit its Application to reflect the

actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.

6.6 Denial of Application. If BellSouth notifies Southeastern Services, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Southeastern Services, Inc. that BellSouth has no available space in the requested Premises, BellSouth will allow Southeastern Services, Inc., upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

6.7 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Southeastern Services, Inc. to inspect any floor plans or diagrams that BellSouth provides to the Commission.

6.8 Waiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

6.8.2 When space becomes available, Southeastern Services, Inc. must submit an updated, complete, and correct Application to BellSouth within 30 calendar days of such notification. If Southeastern Services, Inc. has originally requested caged collocation

space and cageless collocation space becomes available, Southeastern Services, Inc. may refuse such space and notify BellSouth in writing within that time that Southeastern Services, Inc. wants to maintain its place on the waiting list without accepting such space. Southeastern Services, Inc. may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Southeastern Services, Inc. does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Southeastern Services, Inc. from the waiting list. Upon request, BellSouth will advise Southeastern Services, Inc. as to its position on the list.

6.9 Public Notification. BellSouth will maintain on its Interconnection Services web site a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.

6.10 Application Response.

6.10.1 In Alabama, Kentucky and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10.2 In South Carolina and **Mississippi, BellSouth will provide a written response** ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications one (1) to five (5); within thirty-six (36) calendar days for Bona Fide Applications six (6) to ten (10); within forty-two (42) calendar days for Bona Fide Applications eleven (11) to fifteen (15). Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of fifteen (15) must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

6.10.3 In Tennessee, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the

Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10.4 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Southeastern Services, Inc. to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Southeastern Services, Inc. submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

6.10.5 In Georgia, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10.6 In Louisiana, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days for one (1) to ten (10) Applications; thirty-five (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Application it is increased by five (5) calendar days for every five (5) Applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Southeastern Services, Inc. or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Southeastern Services, Inc. an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. Major changes such as requesting additional

space or adding equipment may require Southeastern Services, Inc. to submit the Application with an Application Fee.

6.12 Bona Fide Firm Order.

6.12.1 In Alabama, Kentucky, North Carolina, and Tennessee, Southeastern Services, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Southeastern Services, Inc. has completed the Application/Inquiry process described in Section 6, preceeding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Southeastern Services, Inc.'s Bona Fide Application.

6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Southeastern Services, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Southeastern Services, Inc.'s Bona Fide Application or the Application will expire.

6.12.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Southeastern Services, Inc.'s Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals

7.1.1 In Alabama (Caged Only), Kentucky, and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Southeastern Services, Inc. submits

a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Southeastern Services, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Southeastern Services, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Southeastern Services, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.

7.1.1.1 To be considered a timely and accurate forecast, Southeastern Services, Inc. must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.

7.1.2 In Alabama (Cageless), BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Southeastern Services, Inc. cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the Bona Fide Firm

Order for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.

7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a Bona Fide Firm Order for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120)

calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than ninety (90) calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.8 In Tennessee, BellSouth will complete construction for collocation arrangements under Ordinary Conditions as follows: (i) for caged collocation arrangements, within a maximum of 90 calendar days from receipt of an Bona Fide Firm Order, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within 30 calendar days from receipt of a Bona Fide Firm Order when there is conditioned space and Southeastern Services, Inc. installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed 90 calendar days from the receipt of a Bona Fide Firm Order, or as agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Southeastern Services, Inc. or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the TRA order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.

7.2 Joint Planning. Joint planning between BellSouth and Southeastern Services, Inc. will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to Southeastern Services, Inc. during joint planning.

7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.

7.4 Acceptance Walk Through. Southeastern Services, Inc. will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Southeastern Services, Inc. that the collocation space is ready for occupancy. In the event that Southeastern Services, Inc. fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Southeastern Services, Inc.. BellSouth will correct any deviations to Southeastern Services, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

7.5 Use of BellSouth Certified Supplier. Southeastern Services, Inc. shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. Southeastern Services, Inc. and Southeastern Services, Inc.'s BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Southeastern Services, Inc. must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Southeastern Services, Inc. with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Southeastern Services, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Southeastern Services, Inc. upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Southeastern Services, Inc. directly for all work performed for Southeastern Services, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Southeastern Services, Inc. or any supplier proposed by Southeastern Services, Inc.. All work performed by or for Southeastern Services, Inc. shall conform to generally accepted industry guidelines and standards.

7.6 Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Southeastern Services, Inc. shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Southeastern Services, Inc.'s Collocation Space. Upon request, BellSouth will provide Southeastern Services, Inc. with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Southeastern Services, Inc.. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

7.7 Virtual to Physical Collocation Relocation. In the event physical collocation space was previously denied at a location due to technical reasons or space limitations, and physical collocation space has subsequently become available, Southeastern Services,

Inc. may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Southeastern Services, Inc., such information will be provided to Southeastern Services, Inc. in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Southeastern Services, Inc. within 180 calendar days of BellSouth's written denial of Southeastern Services, Inc.'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Southeastern Services, Inc. was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then Southeastern Services, Inc. may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Southeastern Services, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

7.8 Virtual to Physical Conversion (In Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.

7.8.1 In Florida, for Virtual to Physical conversions in place that require no physical changes, the only applicable charges shall cover the administrative billing and engineering records updates.

7.8.2 In Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.

7.9 Cancellation. If, at anytime prior to space acceptance, Southeastern Services, Inc. cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Southeastern Services, Inc. cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Southeastern Services, Inc. for all costs incurred prior to the date of Cancellation and for any costs incurred

as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.

7.10 Licenses. Southeastern Services, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

7.11 Environmental Compliance. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

8. Rates and Charges

8.1 BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by Southeastern Services, Inc.'s current billing cycle and is non-refundable.

8.1.1 In Tennessee the applicable Application Fee is the Planning Fee for both Applications and Subsequent Applications placed by Southeastern Services, Inc..

8.2 Space Preparation

8.2.1 Recurring Charges. The recurring charges for space preparation begin on the date Southeastern Services, Inc. executes the written document accepting the collocation space pursuant to section 4 or on the date Southeastern Services, Inc. first occupies collocation space, whichever is first. If Southeastern Services, Inc. fails to schedule and complete an acceptance walk through within fifteen (15) days after BellSouth releases the space for occupancy, BellSouth shall begin billing Southeastern Services, Inc. for recurring charges as of the sixteenth day after BellSouth releases the collocation space.

8.2.2 Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. Southeastern Services, Inc. shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Southeastern Services, Inc. opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Southeastern Services, Inc. as prescribed in this Section 8.

8.2.3 Space Preparation Fee (Florida). Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Southeastern Services, Inc. shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Southeastern Services, Inc. opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to Southeastern Services, Inc. as prescribed in this Section 8.

8.2.4 Space Preparation Fee (Georgia). In Georgia, the Space Preparation Fee is a one time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of $100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7016 U. In the event Southeastern Services, Inc. opts for non enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to Southeastern Services, Inc. as prescribed in Section 8 and will be billed based upon Southeastern Services, Inc.'s first billing cycle after Firm Order.

8.2.5 Space Preparation Fee (North Carolina). In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by Southeastern Services, Inc. on the Bona Fide Application. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Southeastern Services, Inc. opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Southeastern Services, Inc. as described in this Section 8.

8.3 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed.

8.4 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Southeastern Services, Inc. shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Southeastern Services, Inc. shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the

equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Southeastern Services, Inc.'s collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Southeastern Services, Inc. shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

8.4.1 The recurring charges for floor space begin on the date Southeastern Services, Inc. executes the written document accepting the collocation space pursuant to section 4 or on the date Southeastern Services, Inc. first occupies collocation space, whichever is first. If Southeastern Services, Inc. fails to schedule and complete an acceptance walk through within fifteen (15) days after BellSouth releases the space for occupancy, BellSouth shall begin billing Southeastern Services, Inc. for recurring charges as of the sixteenth day after BellSouth releases the collocation space.

8.5 Power. BellSouth shall make available –48 Volt (-48V) DC power for Southeastern Services, Inc.'s Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at Southeastern Services, Inc.'s option within the Premises.

8.5.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Southeastern Services, Inc.'s equipment or space enclosure. Recurring power charges begin on the Space Ready Date, or on the date Southeastern Services, Inc. first occupies the Collocation Space, whichever is sooner. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Southeastern Services, Inc.'s BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Southeastern Services, Inc.'s BellSouth Certified power Supplier. Southeastern Services, Inc. is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Southeastern Services, Inc.'s equipment. Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Southeastern Services, Inc. must provide BellSouth a copy of the engineering power specification prior to the day on which Southeastern Services, Inc.'s equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and Southeastern Services, Inc.'s arrangement area. Southeastern Services, Inc. shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Southeastern Services, Inc.'s arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. Southeastern Services, Inc. shall

comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.

8.5.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, Southeastern Services, Inc. has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of Southeastern Services, Inc.'s dedicated power plant results in construction of a new power plant room, upon termination of Southeastern Services, Inc.'s right to occupy collocation space at such site, Southeastern Services, Inc. shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.

8.5.3 If Southeastern Services, Inc. elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Southeastern Services, Inc.'s DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Southeastern Services, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Southeastern Services, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At Southeastern Services, Inc.'s option, Southeastern Services, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

8.5.4 In Tennessee, Recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Southeastern Services, Inc.'s equipment or space enclosure. Southeastern Services, Inc. shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within Southeastern Services, Inc.'s arrangement and terminations of cable within the collocation space.

8.5.5 In Tennessee, Non recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Southeastern Services, Inc.'s arrangement area.

8.5.6 In Louisiana, Southeastern Services, Inc. has the option to purchase power directly from an electric utility company. Under such an option, Southeastern Services, Inc. is responsible for contracting with the electric utility company for their own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this

arrangement must be performed by a certified vendor hired by Southeastern Services, Inc. Southeastern Services, Inc. must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by Southeastern Services, Inc. in provisioning said power will be billed on an ICB basis.

8.6 Security Escort. A security escort will be required whenever Southeastern Services, Inc. or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Southeastern Services, Inc. shall pay for such half-hour charges in the event Southeastern Services, Inc. fails to show up.

8.7 Cable Record charges. These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records.

8.8 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due thirty (30) calendar days after receipt of the bill (payment due date). Southeastern Services, Inc. will pay a late payment charge of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date.

9. Insurance

9.1 Southeastern Services, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

9.2 Southeastern Services, Inc. shall maintain the following specific coverage:

9.2.1 Commercial General Liability coverage in the amount of ten million dollars ($10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars ($10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars ($100,000.00) each accident, one hundred thousand dollars ($100,000.00) each employee by disease, and five hundred thousand dollars ($500,000.00) policy limit by disease.

9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Southeastern Services, Inc.'s real and personal property situated on or within BellSouth's Central Office location(s).

9.2.4 Southeastern Services, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Southeastern Services, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.4 All policies purchased by Southeastern Services, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Southeastern Services, Inc.'s property has been removed from BellSouth's Premises, whichever period is longer. If Southeastern Services, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Southeastern Services, Inc..

9.5 Southeastern Services, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Southeastern Services, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Southeastern Services, Inc.'s insurance company. Southeastern Services, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375

9.6 Southeastern Services, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

9.7 Self-Insurance. If Southeastern Services, Inc.'s net worth exceeds five hundred million dollars ($500,000,000), Southeastern Services, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Southeastern Services, Inc. shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation

Space. BellSouth shall then review such audited financial statements and respond in writing to Southeastern Services, Inc. in the event that self-insurance status is not granted to Southeastern Services, Inc.. If BellSouth approves Southeastern Services, Inc. for self-insurance, Southeastern Services, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Southeastern Services, Inc.'s corporate officers. The ability to self-insure shall continue so long as the Southeastern Services, Inc. meets all of the requirements of this Section. If the Southeastern Services, Inc. subsequently no longer satisfies this Section, Southeastern Services, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Southeastern Services, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Southeastern Services, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct an inspection of Southeastern Services, Inc.'s equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Southeastern Services, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if Southeastern Services, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Southeastern Services, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

12.1 Unless otherwise specified, Southeastern Services, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Southeastern Services, Inc. employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Southeastern Services, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Southeastern Services, Inc. shall not be required to perform this investigation if an affiliated company of Southeastern Services, Inc. has performed an investigation of the Southeastern Services, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Southeastern Services, Inc. has performed a pre-employment statewide investigation of criminal history records of the Southeastern Services, Inc. employee for the states/counties where the Southeastern Services, Inc. employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

12.2 Southeastern Services, Inc. will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.

12.3 Southeastern Services, Inc. shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo, and the Southeastern Services, Inc.'s name. BellSouth reserves the right to remove from its premises any employee of Southeastern Services, Inc. not possessing identification issued by Southeastern Services, Inc. or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Southeastern Services, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Southeastern Services, Inc. shall be solely responsible for ensuring that any Guest of Southeastern Services, Inc. is in compliance with all subsections of this Section 12.

12.4 Southeastern Services, Inc. shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Southeastern Services, Inc. shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Southeastern Services, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Southeastern Services, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Southeastern Services, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

12.4.1 Southeastern Services, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

12.4.2 Southeastern Services, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

12.5 For each Southeastern Services, Inc. employee or agent hired by Southeastern Services, Inc.within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this agreement, Southeastern Services, Inc. shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Southeastern Services, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, Southeastern Services, Inc. may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

12.5.1 For all other Southeastern Services, Inc.employees requiring access to a BellSouth Premises pursuant to this Attachment, Southeastern Services, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.

12.6 At BellSouth's request, Southeastern Services, Inc. shall promptly remove from BellSouth's Premises any employee of Southeastern Services, Inc. BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Southeastern Services, Inc. is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

12.7 Notification to BellSouth. BellSouth reserves the right to interview Southeastern Services, Inc.'s employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Southeastern Services, Inc.'s Security contact of such interview. Southeastern Services, Inc. and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Southeastern Services, Inc.'s employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Southeastern Services, Inc. for all reasonable costs

associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Southeastern Services, Inc.'s employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Southeastern Services, Inc. for BellSouth property which is stolen or damaged where an investigation determines the culpability of Southeastern Services, Inc.'s employees, agents, or contractors and where Southeastern Services, Inc. agrees, in good faith, with the results of such investigation. Southeastern Services, Inc. shall notify BellSouth in writing immediately in the event that Southeastern Services, Inc. discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Southeastern Services, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

12.8 Use of Supplies. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

12.9 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

12.10 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Southeastern Services, Inc.'s permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Southeastern Services, Inc.'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Southeastern Services, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild

or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Southeastern Services, Inc. may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Supplier. If Southeastern Services, Inc.'s acceleration of the project increases the cost of the project, then those additional charges will be incurred by Southeastern Services, Inc.. Where allowed and where practical, Southeastern Services, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Southeastern Services, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Southeastern Services, Inc.'s permitted use, until such Collocation Space is fully repaired and restored and Southeastern Services, Inc.'s equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Southeastern Services, Inc. has placed an Adjacent Arrangement pursuant to Section 3, Southeastern Services, Inc. shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Southeastern Services, Inc. shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. Nonexclusivity

15.1 Southeastern Services, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

1.1 Compliance with Applicable Law. BellSouth and Southeastern Services, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.

1.2 Notice. BellSouth and Southeastern Services, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Southeastern Services, Inc. should contact 1-800-743-6737 for BellSouth MSDS sheets.

1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Southeastern Services, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Southeastern Services, Inc. will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Southeastern Services, Inc. when operating in the BellSouth Premises.

1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Southeastern Services, Inc. space with proper notification. BellSouth reserves the right to stop any Southeastern Services, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Southeastern Services, Inc. are owned by Southeastern Services, Inc.. Southeastern Services, Inc. will indemnify

BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Southeastern Services, Inc. or different hazardous materials used by Southeastern Services, Inc. at BellSouth Facility. Southeastern Services, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Southeastern Services, Inc. to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and Southeastern Services, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Southeastern Services, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Southeastern Services, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and Southeastern Services, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

2.1 When performing functions that fall under the following Environmental categories on BellSouth's Premises, Southeastern Services, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Southeastern Services, Inc. further agrees to cooperate with BellSouth to ensure that Southeastern Services, Inc.'s employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Southeastern Services, Inc., its employees, agents and/or subcontractors.

2.2 The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 1700 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	Std T&C 450 Std T&C 450-B (Contact E/S for copy of appropriate E/S M&Ps.) Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees	Std T&C 450 29CFR 1910.147 (OSHA Standard)

Version 2Q01: 09/19/01

	and equipment	29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	P&SM Manager - Procurement Fact Sheet Series 17000 GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

THREE MONTH CLEC FORECAST

CLEC NAME _____ **DATE** _____

***Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7' 0".**
**** Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.**

Notes: Forecast information will be used for no other purpose than collocation planning.
Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office requested.

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Southeastern Services, Inc. is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location.

1.2 Right to occupy. BellSouth shall offer to Southeastern Services, Inc. Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to Southeastern Services, Inc. a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by Southeastern Services, Inc. and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for collocation at BellSouth remote locations other than those specified above.

1.2.1 In all states other than Florida, the number of racks/bays specified by Southeastern Services, Inc. may contemplate a request for space sufficient to accommodate Southeastern Services, Inc.'s growth within a two year period.

1.2.2 In the state of Florida, the number of racks/bays specified by Southeastern Services, Inc. may contemplate a request for space sufficient to accommodate Southeastern Services, Inc.'s growth within an eighteen (18) month period.

1.2.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.

1.3 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies Southeastern Services, Inc. that BellSouth's agreement with a Third Party does not grant BellSouth the ability to

provide access and use rights to others, upon Southeastern Services, Inc.'s request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Southeastern Services, Inc.. Southeastern Services, Inc. agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Southeastern Services, Inc.. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for Southeastern Services, Inc. as above, Southeastern Services, Inc. shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Southeastern Services, Inc. in obtaining such permission.

1.4 Space Reclamation. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. Southeastern Services, Inc. will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate state commission.

1.5 Use of Space. Southeastern Services, Inc. shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Southeastern Services, Inc.'s equipment (to include testing and monitoring equipment) necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services. The Remote Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

1.6 Rates and charges. Southeastern Services, Inc. agrees to pay the rates and charges identified in Exhibit D attached hereto.

1.7 Due Dates. In all states except Georgia, if any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.

2. Space Availability Report

2.1 Reporting. Upon request from Southeastern Services, Inc., BellSouth will provide a written report ("Space Availability Report") specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements.

2.1.1 The request from Southeastern Services, Inc. for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If Southeastern Services, Inc. is unable to obtain the CLLI code, from for example a site visit to the remote site, Southeastern Services, Inc. may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, Southeastern Services, Inc. should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. Southeastern Services, Inc. should complete all the requested information and submit the Request with the applicable fee to BellSouth.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. This interval excludes national holidays. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten calendar day response time, BellSouth shall notify Southeastern Services, Inc. and inform Southeastern Services, Inc. of the time frame under which it can respond. In Mississippi, the above intervals shall be in business days.

3. Collocation Options

3.1 Compliance. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.

3.2 Cageless. BellSouth shall allow Southeastern Services, Inc. to collocate Southeastern Services, Inc.'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Southeastern Services, Inc. to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. For equipment requiring special technical considerations, Southeastern Services, Inc. must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to **Section 6**, following. Subject to space availability and technical feasibility, at Southeastern Services, Inc.'s option, Southeastern Services, Inc. may enclose its equipment.

3.3 Shared (Subleased) Collocation. Southeastern Services, Inc. may allow other telecommunications carriers to share Southeastern Services, Inc.'s Remote Collocation Space pursuant to terms and conditions agreed to by Southeastern Services, Inc. ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Southeastern Services, Inc. shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days (in Mississippi, 10 business days) of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Southeastern Services, Inc. that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Southeastern Services, Inc..

3.3.1 Southeastern Services, Inc. shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Southeastern Services, Inc. with a proration of the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Southeastern Services, Inc. shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit D. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.

3.3.2 Southeastern Services, Inc. shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Southeastern Services, Inc.'s Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Southeastern Services, Inc. and in conformance with BellSouth's design

and construction specifications. Further, Southeastern Services, Inc. shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the request for the Remote Site Adjacent Arrangement.

3.4.1 Should Southeastern Services, Inc. elect such an option, Southeastern Services, Inc. must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Southeastern Services, Inc. and Southeastern Services, Inc.'s BellSouth Certified Contractor must comply with local building code requirements. Southeastern Services, Inc.'s BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Southeastern Services, Inc.'s BellSouth Certified Contractor shall bill Southeastern Services, Inc. directly for all work performed for Southeastern Services, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Southeastern Services, Inc. must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Southeastern Services, Inc.'s locked enclosure prior to notifying Southeastern Services, Inc..

3.4.2 BellSouth maintains the right to review Southeastern Services, Inc.'s plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth shall complete its review within fifteen (15) calendar days. BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require Southeastern Services, Inc., at Southeastern Services, Inc.'s sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within seven (7) calendar days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.

3.4.3 Southeastern Services, Inc. shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Southeastern Services, Inc.'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Southeastern Services, Inc.'s BellSouth Certified Contractor shall be responsible, at Southeastern Services, Inc.'s expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.

3.4.4 BellSouth shall allow Shared (Subleased) Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

4 Occupancy

4.1 Occupancy. BellSouth will notify Southeastern Services, Inc. in writing that the Remote Collocation Space is ready for occupancy. Southeastern Services, Inc. must notify BellSouth in writing that collocation equipment installation is complete. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice.

4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, Southeastern Services, Inc. may terminate occupancy in a particular Remote Site Location by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy.

4.2.1 Upon termination of occupancy, Southeastern Services, Inc. at its expense shall remove its equipment and other property from the Remote Collocation Space. Southeastern Services, Inc. shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Southeastern Services, Inc.'s Guests, unless Southeastern Services, Inc.'s Guest has assumed responsibility for the collocation space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date; provided, however, that Southeastern Services, Inc. shall continue payment of monthly fees to BellSouth until such date as Southeastern Services, Inc., and if applicable Southeastern Services, Inc.'s Guest, has fully vacated the Remote Collocation Space. Should Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest at Southeastern Services, Inc.'s expense and with no liability for damage or injury to Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, Southeastern Services, Inc. shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Southeastern Services, Inc. except for ordinary wear and tear unless otherwise agreed to by the Parties. Southeastern Services, Inc. shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

5 **Use of Remote Collocation Space**

5.1 Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services.

5.1.1 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Southeastern Services, Inc.'s failure to comply with these requirements.

5.1.2 Southeastern Services, Inc. shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

5.1.3 Southeastern Services, Inc. shall place a plaque or other identification affixed to Southeastern Services, Inc.'s equipment to identify Southeastern Services, Inc.'s equipment, including a list of emergency contacts with telephone numbers.

5.1.4 All Southeastern Services, Inc. equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding - Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.

5.2 Entrance Facilities. Southeastern Services, Inc. may elect to place Southeastern Services, Inc.-owned or Southeastern Services, Inc.-leased entrance facilities into the Remote Collocation Space from Southeastern Services, Inc.'s point of presence. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Southeastern Services, Inc. will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Southeastern Services, Inc. must contact BellSouth for instructions prior to placing the entrance facility cable. Southeastern Services, Inc. is responsible for maintenance of the entrance facilities.

5.2.1 Shared Use. Southeastern Services, Inc. may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to

Southeastern Services, Inc.'s collocation arrangement within the same BellSouth Remote Site Location.

5.3 Demarcation Point. BellSouth will designate the point(s) of demarcation between Southeastern Services, Inc.'s equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Southeastern Services, Inc. or its agent must perform all required maintenance to Southeastern Services, Inc. equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following.

5.4 Southeastern Services, Inc.'s Equipment and Facilities. Southeastern Services, Inc., or if required by this Attachment, Southeastern Services, Inc.'s Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Southeastern Services, Inc..

5.5 BellSouth's Access to Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.

5.6 Access. Pursuant to Section 12, Southeastern Services, Inc. shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Southeastern Services, Inc. agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Southeastern Services, Inc. or Southeastern Services, Inc.'s Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Southeastern Services, Inc. and returned to BellSouth Access Management within fifteen (15) calendar days of Southeastern Services, Inc.'s receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Southeastern Services, Inc. agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Southeastern Services, Inc. employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Southeastern Services, Inc. or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.

5.6.1 Southeastern Services, Inc. must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date Southeastern Services, Inc. desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Southeastern Services, Inc. may submit such a request at any time subsequent to BellSouth's receipt of the Bona Fide Firm Order. In the event Southeastern Services, Inc. desires access to the Collocation Space after submitting such a request but prior to access being approved, BellSouth shall permit

Southeastern Services, Inc. to access the Collocation Space accompanied by a security escort at Southeastern Services, Inc.'s expense. Southeastern Services, Inc. must request escorted access at least three (3) business days prior to the date such access is desired.

5.7 Lost or Stolen Access Keys. Southeastern Services, Inc. shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), Southeastern Services, Inc. shall pay for all reasonable costs associated with the re-keying.

5.8 Interference or Impairment. Notwithstanding any other provisions of this Attachment, equipment and facilities placed in the Remote Collocation Space shall not significantly degrade, interfere with or impair service provided by BellSouth or by any other interconnector located in the Remote Site Location; shall not endanger or damage the facilities of BellSouth or of any other interconnector, the Remote Collocation Space, or the Remote Site Location; shall not compromise the privacy of any communications carried in, from, or through the Remote Site Location; and shall not create an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Southeastern Services, Inc. violates the provisions of this paragraph, BellSouth shall give written notice to Southeastern Services, Inc., which notice shall direct Southeastern Services, Inc. to cure the violation within forty-eight (48) hours of Southeastern Services, Inc.'s actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

5.8.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Southeastern Services, Inc. fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or other interference/impairment of the services provided by BellSouth or any other interconnector, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Southeastern Services, Inc.'s equipment. BellSouth will endeavor, but is not required, to provide notice to Southeastern Services, Inc. prior to taking such action and shall have no liability to Southeastern Services, Inc. for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

5.8.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Southeastern Services, Inc.

fails to take curative action within 48 hours then BellSouth will establish before the relevant Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Southeastern Services, Inc. or, if subsequently necessary, the relevant Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Southeastern Services, Inc. shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

5.9 Presence of Facilities. Facilities and equipment placed by Southeastern Services, Inc. in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by Southeastern Services, Inc. at any time. Any damage caused to the Remote Collocation Space by Southeastern Services, Inc.'s employees, agents or representatives shall be promptly repaired by Southeastern Services, Inc. at its expense.

5.10 Alterations. In no case shall Southeastern Services, Inc. or any person acting on behalf of Southeastern Services, Inc. make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Southeastern Services, Inc.. Any material rearrangement, modification, improvement, addition, or other alteration shall require an Application Fee.

5.11 Upkeep of Remote Collocation Space. Southeastern Services, Inc. shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Southeastern Services, Inc. shall be responsible for removing any Southeastern Services, Inc. debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Space Notification

6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Southeastern Services, Inc. and BellSouth that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall

supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof

6.2 Application for Space. Southeastern Services, Inc. shall submit a Remote Site Collocation Application when Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest(s), as defined in **Section 3**, desires to request or modify the use of the Remote Collocation Space.

6.3 Initial Application. For Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest(s) equipment placement, Southeastern Services, Inc. shall submit to BellSouth an Application. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. Prior to submitting the application, CLLI information can be obtained in the manner set forth in Section 2. An Application Fee will apply.

6.4 Subsequent Application In the event Southeastern Services, Inc. or Southeastern Services, Inc.'s Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, Southeastern Services, Inc. shall complete an Application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Southeastern Services, Inc. in the Application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

6.4.1 Subsequent Application Fee. The application fee paid by Southeastern Services, Inc. for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application fee will be required. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information.

6.5 Availability of Space. Upon submission of an Application, BellSouth will permit Southeastern Services, Inc. to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual

or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Southeastern Services, Inc. of the amount that is available.

6.5.1 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days (In Mississippi, ten (10) business days) as to whether space is available or not available within a BellSouth Remote Site Location. With the exception of Georgia, this interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Southeastern Services, Inc. of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Southeastern Services, Inc., Southeastern Services, Inc. must resubmit its Application to reflect the actual space available.

6.5.2 BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be assessed. When BellSouth's Application Response includes an amount of space less than that requested by Southeastern Services, Inc., Southeastern Services, Inc. must amend its Application to reflect the actual space available prior to submitting Bona Fide Firm Order.

6.5.3 BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Southeastern Services, Inc. of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Southeastern Services, Inc., Southeastern Services, Inc. must resubmit its Application to reflect the actual space available. BellSouth will also respond as to whether the Application is Bona Fide and if it is not Bona Fide the items necessary to cause the Application to become Bona Fide.

6.6 Denial of Application. If BellSouth notifies Southeastern Services, Inc. that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Southeastern Services, Inc. that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Southeastern Services, Inc., upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. With the exception of Georgia, this interval excludes national holidays. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5)

calendar days of the Denial of Application. In Mississippi the above intervals shall be in business days.

6.7 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Southeastern Services, Inc. to inspect any plans or diagrams that BellSouth provides to the Commission.

6.8 Waiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list

6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the Florida PSC and the telecommunicati- -s carriers on the waiting list within two days of the determination that space is ava.. .le. A CLEC that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.

6.8.2 When space becomes available, Southeastern Services, Inc. must submit an updated, complete, and correct Application to BellSouth within 30 calendar days (in Mississippi, 30 business days) of such notification. Southeastern Services, Inc. may accept an amount of space less than its original request by submitting an Application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Southeastern Services, Inc. does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Southeastern Services, Inc. from the waiting list. Upon request, BellSouth will advise Southeastern Services, Inc. as to its position on the list.

6.9 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days (in Mississippi, 10 business days) of the Denial of Application date. This interval excludes national holidays. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.

6.10 Application Response.

6.10.1 Application Response. In Alabama, Kentucky, North Carolina, and Tennessee, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

6.10.2 Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

6.10.2.1 When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

6.10.3 In Florida, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Southeastern Services, Inc. to place a Firm Order. When Southeastern Services, Inc. submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

6.10.4 In Georgia, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the

estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

6.10.5 In Louisiana, BellSouth will respond with a full Application Response within thirty (30) calendar days for one (1) to ten (10) Applications; thirty (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Applications, it is increased by five (5) calendar days for every five Applications received within five (5) business days. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Southeastern Services, Inc. or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Southeastern Services, Inc. an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit D. Major changes such as requesting additional space or adding equipment may require Southeastern Services, Inc. to submit the Application with an Application Fee.

6.12 Bona Fide Firm Order.

6.12.1 Bona Fide Firm Order. In Alabama, Kentucky, North Carolina, and Tennessee, Southeastern Services, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Southeastern Services, Inc. has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Southeastern Services, Inc.'s Bona Fide Application.

6.12.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Southeastern Services, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Southeastern Services, Inc. has completed the Application/Inquiry process described in this **Section 6**, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days (in Mississippi 30 business days) after BellSouth's Application Response to Southeastern Services, Inc.'s Bona Fide Application or the Application will expire.

6.12.3 In Mississippi, Southeastern Services, Inc. shall indicate its intent to proceed with equipment installation in a BellSouth Remote Terminal Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Southeastern Services, Inc. has completed the Application/Inquiry process described in Section 6, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) business days after BellSouth's Application Response to Southeastern Services, Inc.'s Bona Fide Application or the Application will expire.

6.12.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Southeastern Services, Inc.'s Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

6.13 BellSouth will permit one accompanied site visit to Southeastern Services, Inc.'s designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to Southeastern Services, Inc..

7. Construction and Provisioning

7.1 Construction and Provisioning Intervals.

7.1.1 In Alabama (Caged Only), Kentucky, North Carolina and Tennessee, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals;

major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Southeastern Services, Inc. submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Southeastern Services, Inc. submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Southeastern Services, Inc. submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Southeastern Services, Inc. at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.

7.1.1.1 To be considered a timely and accurate forecast, Southeastern Services, Inc. must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit C attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of bays, number of DS0, DS1, DS3 terminations, equipment power requirements (power drain) and planned application date.

7.1.2 In Alabama, BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.3 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45)

calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Southeastern Services, Inc. cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.

7.1.4 In Georgia, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of 60 calendar days from receipt of a Bona Fide Firm Order and 90 calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.5 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 120 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.6 In Mississippi, excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of 120 calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power

plant(s). Excluding the time interval required to secure the appropriate government licenses and permits, BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within 180 calendar days of the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.1.7 In South Carolina, BellSouth will complete the construction and provisioning activities for collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Southeastern Services, Inc. with the estimated completion date in its Response.

7.3 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.

7.4 Acceptance Walk Through. Southeastern Services, Inc. will schedule and complete an acceptance walk through of each Collocation Space with BellSouth within fifteen (15) days of BellSouth's notifying Southeastern Services, Inc. that the collocation space is ready for occupancy. BellSouth will correct any deviations to Southeastern Services, Inc.'s original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

7.5 Use of BellSouth Certified Supplier. Southeastern Services, Inc. shall select a supplier that has been approved by BellSouth to perform all engineering and installation work required in the Remote Collocation Space per TR 73503 specifications ("Certified Supplier"). BellSouth shall provide Southeastern Services, Inc. with a list of Certified Suppliers upon request. The Certified Supplier(s) shall be responsible for installing Southeastern Services, Inc.'s equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Southeastern Services, Inc. upon successful completion of installation. The Certified Supplier shall

bill Southeastern Services, Inc. directly for all work performed for Southeastern Services, Inc. pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the Certified Supplier. BellSouth shall consider certifying Southeastern Services, Inc. or any supplier proposed by Southeastern Services, Inc.. All work performed by or for Southeastern Services, Inc. shall conform to generally accepted industry guidelines and standards.

7.6 Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Southeastern Services, Inc. shall be responsible for placement, monitoring and removal of alarms used to service Southeastern Services, Inc.'s Remote Collocation Space and for ordering the necessary services therefor. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.

7.7 Virtual Remote Site Collocation Relocation. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit D of this agreement.Southeastern Services, Inc. may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, Southeastern Services, Inc. may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate non-recurring fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Southeastern Services, Inc., such information will be provided to Southeastern Services, Inc. in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Southeastern Services, Inc. within 180 calendar days of BellSouth's written denial of Southeastern Services, Inc.'s request for physical collocation, and (ii) Southeastern Services, Inc. was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then Southeastern Services, Inc. may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Southeastern Services, Inc. must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

7.8 Cancellation. If, at anytime prior to space acceptance, Southeastern Services, Inc. cancels its order for the Remote Collocation Space(s), Southeastern Services, Inc. will

reimburse BellSouth for the applicable non recurring rate for any and all work processes for which work has begun.

7.9 Licenses. Southeastern Services, Inc., at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.

7.10 Environmental Hazard Guidelines. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

8. Rates and Charges

8.1 Application Fee. BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available. Payment of the Application Fee will be due as dictated by Southeastern Services, Inc.'s current billing cycle and is non-refundable.

8.2 Recurring Charges. Recurring charges begin on the date that Southeastern Services, Inc. executes the written document accepting the Remote Collocation Space pursuant to Section 7, or on the date Southeastern Services, Inc. first occupies the Remote Collocation Space, whichever is sooner. If Southeastern Services, Inc. fails to schedule and complete a walkthrough pursuant to Section 7 within fifteen (15) days after BellSouth releases the space for occupancy, then BellSouth shall begin billing Southeastern Services, Inc. for recurring charges as of the sixteenth (16) day after BellSouth releases the Remote Collocation Space. Other charges shall be billed upon request for the services. All charges shall be due as dictated by Southeastern Services, Inc.'s current billing cycle.

8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Southeastern Services, Inc.'s equipment. Southeastern Services, Inc. shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible

8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for Southeastern Services, Inc.'s Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at Southeastern Services, Inc.'s option within the Remote Site Location. The charge for power shall be assessed as part of th ecurring charge for rack/bay space. If the power requirements for South tern Services, Inc.'s equipment exceeds the capacity for the

rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.

8.4.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Southeastern Services, Inc.'s BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Southeastern Services, Inc.'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Southeastern Services, Inc.'s option, Southeastern Services, Inc. may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

8.5 Security Escort. A security escort will be required whenever Southeastern Services, Inc. or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed prior to completing BellSouth's Security Training requirements The parties will negotiate appropriate security escort rates which will be assessed on a one half (1/2) hour increment basis.

8.6 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Southeastern Services, Inc. shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Southeastern Services, Inc.. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such "true-up," the Parties agree that the Commission shall be called upon to resolve such differences.

8.7 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Payment of all other charges under this Attachment shall be due as dictated by Southeastern Services, Inc.'s current billing cycle. Southeastern Services, Inc. will pay a late payment charge

of the lessor of one and one half percent or the legal interest rate assessed monthly on any balance which remains unpaid after the payment due date..

9. Insurance

9.1 Maintain Insurance. Southeastern Services, Inc. shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 9 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

9.2 Coverage. Southeastern Services, Inc. shall maintain the following specific coverage:

9.2.1 Commercial General Liability coverage in the amount of ten million dollars ($10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars ($10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars ($100,000.00) each accident, one hundred thousand dollars ($100,000.00) each employee by disease, and five hundred thousand dollars ($500,000.00) policy limit by disease.

9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Southeastern Services, Inc.'s real and personal property situated on or within BellSouth's Remote Site Location.

9.2.4 Southeastern Services, Inc. may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

9.3 Limits. The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days notice to Southeastern Services, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.4 All policies purchased by Southeastern Services, Inc. shall be deemed to be primary. All policies purchased by Southeastern Services, Inc. shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all Southeastern Services, Inc."'s property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Southeastern Services, Inc. fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Southeastern Services, Inc..

9.5 Submit certificates of insurance. Southeastern Services, Inc. shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Southeastern Services, Inc. shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Southeastern Services, Inc.'''s insurance company. Southeastern Services, Inc. shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
675 W. Peachtree Street
Rm. 17H53
Atlanta, Georgia 30375

9.6 Conformance to recommendations made by BellSouth's fire insurance company. Southeastern Services, Inc. must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

9.7 Self-Insurance. If Southeastern Services, Inc.'s net worth exceeds five hundred million dollars ($500,000,000), Southeastern Services, Inc. may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and Section 9.2.3. Southeastern Services, Inc. shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Southeastern Services, Inc. in the event that self-insurance status is not granted to Southeastern Services, Inc.. If BellSouth approves Southeastern Services, Inc. for self-insurance, Southeastern Services, Inc. shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Southeastern Services, Inc.'s corporate officers. The ability to self-insure shall continue so long as Southeastern Services, Inc. meets all of the requirements of this Section. If Southeastern Services, Inc. subsequently no longer satisfies this Section, Southeastern Services, Inc. is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.3.

9.8 Net worth requirements. The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Southeastern Services, Inc. to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

9.9 Failure to comply. Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

10. Mechanics Liens

10.1 Mechanics Lien or other Liens. If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Southeastern Services, Inc.), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

11. Inspections

11.1 BellSouth may conduct inspection. BellSouth may conduct an inspection of Southeastern Services, Inc.'s equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Southeastern Services, Inc.'s equipment and equipment of BellSouth. BellSouth may conduct an inspection if Southeastern Services, Inc. adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Southeastern Services, Inc. with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

12. Security and Safety Requirements

12.1 Southeastern Services, Inc. will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Southeastern Services, Inc. employee being considered for work on the BellSouth Premises, for the states/counties where the Southeastern Services, Inc. employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Southeastern Services, Inc. shall not be required to perform this investigation if an affiliated company of Southeastern Services, Inc. has performed an investigation of the Southeastern Services, Inc. employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Southeastern Services, Inc. has performed a pre-employment statewide investigation of criminal history records of the Southeastern Services, Inc. employee for the states/counties where the Southeastern Services, Inc.

employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.

12.2 Southeastern Services, Inc. shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Southeastern Services, Inc. name. BellSouth reserves the right to remove from its premises any employee of Southeastern Services, Inc. not possessing identification issued by Southeastern Services, Inc. or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Southeastern Services, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Southeastern Services, Inc. shall be solely responsible for ensuring that any Guest of Southeastern Services, Inc. is in compliance with all subsections of this Section 12.

12.3 Southeastern Services, Inc. will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.

12.4 Southeastern Services, Inc. shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Southeastern Services, Inc. shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Southeastern Services, Inc. personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Southeastern Services, Inc. chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Southeastern Services, Inc. may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

12.4.1 Southeastern Services, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

12.4.2 Southeastern Services, Inc. shall not knowingly assign to the BellSouth Premises any individual who was a former contractor of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

12.5 For each Southeastern Services, Inc. employee requiring access to a BellSouth Premises pursuant to this Attachment, Southeastern Services, Inc. shall furnish BellSouth, prior to an employee gaining such access, a certification that the

aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Southeastern Services, Inc. will disclose the nature of the convictions to BellSouth at that time. In the alternative, Southeastern Services, Inc. may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

12.6 At BellSouth's request, Southeastern Services, Inc. shall promptly remove from BellSouth's Premises any employee of Southeastern Services, Inc. BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Southeastern Services, Inc. is found interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

12.7 Notification to BellSouth. BellSouth reserves the right to interview Southeastern Services, Inc.'s employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Southeastern Services, Inc.'s Security contact of such interview. Southeastern Services, Inc. and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Southeastern Services, Inc.'s employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Southeastern Services, Inc. for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Southeastern Services, Inc.'s employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Southeastern Services, Inc. for BellSouth property which is stolen or damaged where an investigation determines the culpability of Southeastern Services, Inc.'s employees, agents, or contractors and where Southeastern Services, Inc. agrees, in good faith, with the results of such investigation. Southeastern Services, Inc. shall notify BellSouth in writing immediately in the event that the Southeastern Services, Inc. discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Southeastern Services, Inc. shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

12.8 Use of Supplies. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with

such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

12.9 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs. In no event shall Southeastern Services, Inc., its agents, vendors or employees access BellSouth or any other CLEC's end user telephone lines.

12.10 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

13. Destruction of Remote Collocation Space

13.1 Remote Collocation Space is damaged. In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Southeastern Services, Inc.'s permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Southeastern Services, Inc.'''s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Southeastern Services, Inc., except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Southeastern Services, Inc. may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Southeastern Services, Inc.'''s acceleration of the project increases the cost of the project, then those additional charges will be incurred by Southeastern Services, Inc.. Where allowed and where practical, Southeastern Services, Inc. may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Southeastern Services, Inc. shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Southeastern Services, Inc.'''s

permitted use, until such Remote Collocation Space is fully repaired and restored and Southeastern Services, Inc.'''s equipment installed therein (but in no event later than thirty (30) business days after the Remote Collocation Space is fully repaired and restored). Where Southeastern Services, Inc. has placed a Remote Site Adjacent Arrangement pursuant to section 3.4, Southeastern Services, Inc. shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

14. Eminent Domain

14.1 Power of Eminent Domain. If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Southeastern Services, Inc. shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

15. Nonexclusivity

15.1 Attachment is not exclusive. Southeastern Services, Inc. understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

1.1 Compliance with Applicable Law. BellSouth and Southeastern Services, Inc. agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.

1.2 Notice. BellSouth and Southeastern Services, Inc. shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Southeastern Services, Inc. should contact 1-800-743-6737 for BellSouth MSDS sheets.

1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Southeastern Services, Inc. to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Southeastern Services, Inc. will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Southeastern Services, Inc. when operating in the BellSouth Premises.

1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Southeastern Services, Inc. space with proper notification. BellSouth reserves the right to stop any Southeastern Services, Inc. work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Southeastern Services, Inc. are

owned by Southeastern Services, Inc.. Southeastern Services, Inc. will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Southeastern Services, Inc. or different hazardous materials used by Southeastern Services, Inc. at BellSouth Facility. Southeastern Services, Inc. must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Southeastern Services, Inc. to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and Southeastern Services, Inc. will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Southeastern Services, Inc. will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Southeastern Services, Inc. must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and Southeastern Services, Inc. shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Southeastern Services, Inc. agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Southeastern Services, Inc. further agrees to cooperate with BellSouth to ensure that Southeastern Services, Inc.'s employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Southeastern Services, Inc., its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	• Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	• Std T&C 450 • Std T&C 450-B • (Contact E/S for copy of appropriate E/S M&Ps.) • Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees and equipment	• Std T&C 450 • 29CFR 1910.147 (OSHA Standard)

		• 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	• P&SM Manager - Procurement • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 • BSP 010-170-001B (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

Interval Matrix

State	Type	Space Availability/Bona Fide Firm Order	Application Response/Price Quote	Construction and Provisioning	
				Ordinary	Extraordinary
Alabama[1]	Cageless	10 Calendar Days	23 Business Days	60 Cal	90 Cal
Florida	Cageless	15 Calendar Days	15 Calendar Days*	90 Cal	NA
Georgia	Cageless	10 Calendar Days	30 Calendar Days	60 Cal	90 Cal
Kentucky[1]	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
Louisiana	Cageless	10 Calendar Days*	30 Calendar Days*	90 Cal	120 Cal
Mississippi	Cageless	10 Business Days	30 Business Days*	120 Cal	180Cal
North Carolina[1]	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus
South Carolina	Cageless	10 Calendar Days	30 Calendar Days*	90 Cal	NA Cal
Tennessee[1]	Cageless	10 Calendar Days	23 Business Days	76 Bus.	91 Bus

* Extended intervals shall apply when multiple applications are submitted.

Note 1: The intervals were set by the FCC's Order in Docket No. 98-147 released February 20, 2001.
The construction and provisioning intervals, as listed for these states, will apply if a forecast is submitted three (3) months prior to the application date. Extended intervals shall apply if the forecast is not received three (3) months in advance.

THREE MONTH CLEC FORECAST

CLEC NAME _____ **DATE** _____

STATE	Central Office/City	CAGED Sq. Ft.	CAGELESS # Bays		FRAME TERMINATIONS	CLEC Provided BDFB–Amps Load	BST Provided BDFB—Amps Load	Heat Dissipation BTU/Hour	Entrance Facilities # sheaths & # fibers	Proposed Application Date	NOTES
			Standard Bays*	Non-Standard Bays**							

*Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7' 0".

** Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Notes: Forecast information will be used for no other purpose than collocation planning.
Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office requested.

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,760 00	$3,760 00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,134.00	$3,134 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		$1,211 00	$1,211.00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	$2 24										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Caged/ess	I		CLO	PE1SL	$3 01										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$102 16										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,751 00	$1,751 00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$3 68										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$19 67										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	$9 00										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5 63										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11 26										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$16 89										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$38 99										
		Physical Collocation - 2 Wire Cross-Connects			UEANL, UEA,UDN,UDC, UAL,UHL,UCL,UEQ	PE1P2	$0 031	$33 68	$31 79								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0 031	$33 68	$31 79								
		Physical Collocation - 4 Wire Cross-Connects			CLO	PE1P4	$0 062	$33 63	$31 67								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1 28	$52 93	$39 87								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$16 27	$51.99	$38 59								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3 23	$52 00	$38 60								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5 73	$64.54	$51.14								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540 00	$540 00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0 003	$540 00	$540 00								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft			CLO	PE1BW	$178 65										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	$17.52										
		Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	$54 14										
		Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	$0.0807	$46 20	$46 20	$8.72	$8 72						
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		$15 40	$15.40								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45 02	$45 02								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26 19	$26.19								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.19	$26.19								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		$2,150 00	$2,150 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0 08										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$0 17										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$0 69										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$4 74										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$32 02										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$40 48										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,518 57	$976 22	$265 99	$265 99						
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$653 83	$653 83	$378 24	$378 24						
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$9 62	$9 62	$11 79	$11 79						
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$4 50	$4 50	$5 52	$5 52						
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$15 75	$15.75	$19 32	$19 32						
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$168 97	$168 97	$154 25	$154 25						
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33 85	$21 45								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44 09	$27 71								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54 33	$33.96								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft.			CLO	PE1JA	$0 2542										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$5 44										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0 0598	$24.95	$23.97	$12.80	$11.67						
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0 1198	$25.14	$24 11	$13.18	$11.96						
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1 04	$44 19	$32 13	$12 94	$11 82						
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$14.12	$41 93	$30 69	$14 72	$12 05						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2 39	$41 93	$30 69	$14 72	$12 06						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$4 67	$51 14	$39.9	$18 97	$16 3						
		Adjacent Collocation - Application Fee			CLO	PE1JB		$1,555 0000		$0 99							
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5 39										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$10 79										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16 18										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$37.37										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation In the Remote Site - Application Fee *			CLO	PE1RA		$608 17	$608.17	$323.44	$323 44						
		Cabinet Space In the Remote Site per Bay/ Rack *			CLO	PE1RB	$224 82										

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$25 88	$25 88								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$229 02	$229 02								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$74 22	$74 22								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

BellSouth/Southeastern Services
COLLOCATION
Florida

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,791 00	$3,791 00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,160.00	$3,160 00								
		Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		$1,211.00	$1,211.00								
		Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	$2.58										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Caged/ess			CLO	PE1SL	$2 96										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	$100.66										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,826 00	$1,826 00								
		Physical Collocation - Floor Space per Sq Ft			CLO	PE1PJ	$6 57										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$21 68										
		Physical Collocation - Power per Fused Amp			CLO	PE1PL	$8.86										
		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	$5.62										
		Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	$11 26										
		Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	$16 88										
		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	$38 98										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0 074	$34.53	$32.51								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.074	$34 53	$32 51								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.148	$34.54	$32.53								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.29	$54.15	$40.94								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$17.48	$53.28	$39.65								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2.96	$53 28	$39.66								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5 66	$68 08	$52.47								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540.00	$540.00								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft			CLO	PE1BW	$205.93										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft			CLO	PE1CW	$20.20										
		Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AX	$0.0113										
		Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	$0.06	$56 03	$56 03								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		$15.71	$15.71								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45 93	$45.93								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26 41	$26.41								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26 41	$26 41								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises			CLO	PE1SR		$2,168.00	$2,168.00								
		Collocation Cable Records - per request *			CLO	PE1CR		$1,709.00	$1,166.00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$923.66	$923.66								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18.03	$18.03								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.44	$8.44								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.54	$29.54								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$279.05	$279.05								
		Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		$10.99									
		Physical Collocation - Security Escort - Overtime, Per Quarter Hour			CLO	PE1OQ		$13.64									
		Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PE1PQ		$16.40									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft			CLO	PE1JA	$0.182										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLO	PE1JC	$6.70										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.074	$34.53	$32.51								
		Adjacent Collocation - 4-Wire Cross Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.148	$34.54	$32.53								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1.29	$54.15	$40.94								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$17.48	$53.28	$39.65								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2.96	$53.28	$39.66								
		Adjacent Collocation - 4 Fiber Cross-Connect			CLO	PE1F4	$5.66	$66.08	$52.47								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$2,677.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.62										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11.26										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16.88										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$38.96										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation In the Remote Site - Application Fee *			CLO	PE1RA		$874.14	$874.14								
		Cabinet Space in the Remote Site per Bay/ Rack *			CLO	PE1RB	$232.50										
		Physical Collocation In the Remote Site - Security Access - Key *			CLO	PE1RD		$26.20	$26.20								
		Physical Collocation In the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$231.45	$231.45								
		Physical Collocation In the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$75.13	$75.13								

* Interim rates which are subject to true-up.

NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,755.00	$3,755.00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,130.00	$3,130.00								
		Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1BB		$100.00	$100.00								
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,693.00	$1,693.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$4.47										
		Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	$4.47										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$19.26										
		Physical Collocation - Power per Fused Amp			CLO	PE1PL	$5.00										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5.52										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.05										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO		$16.58										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$38.27										
		Physical Collocation - 2 Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.030	$33.76	$31.86								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.030	$33.76	$31.86								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.061	$33.77	$31.80								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.13	$53.05	$39.99								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$14.43	$52.14	$38.71								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2.86	$52.14	$38.72								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.08	$84.74	$51.31								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	$187.36										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	F	$18.38										
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540.00	$540.00								
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	$40.00										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	$0.058	$55.51	$55.51								
		Physical Collocation-Security Access System-Administrative Charge, adding Access Card, per Card	I			PE1AA		$15.56	$15.56								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		$45.50	$45.50								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.16	$26.16								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.16	$26.16								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		$2,148.00	$2,148.00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0.40										

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$1.20										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$1.20										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$8.00										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$38.79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$52.31										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,706.00	$1,164.00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$922.38	$922.38								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18.00	$18.00								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.43	$8.43								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.49	$29.49								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$278.61	$278.61								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33.81	$21.42								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44.03	$27.67								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54.26	$33.92								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft.			CLO	PE1JA	$0.119										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$5.76										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.03	$33.76	$31.86								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.061	$33.77	$31.80								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1.13	$53.05	$39.99								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$14.43	$52.14	$38.71								
		Adjacent Collocation - 2 Fiber Cross-Connect			CLO	PE1F2	$2.86	$52.14	$38.72								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.08	$64.74	$51.31								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$3,150.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.52										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11.05										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16.58										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$38.27										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation In the Remote Site - Application Fee *			CLO	PE1RA		$931.61	$931.61								
		Cabinet Space In the Remote Site per Bay/ Rack *			CLO	PE1RB	$224.82										
		Physical Collocation In the Remote Site - Security Access - Key *			CLO	PE1RD		$25.88	$25.88								
		Physical Collocation In the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$229.02	$229.02								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$74.22	$74.22								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,761 00	$3,761 00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,135 00	$3,135.00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		$1,202.00	$1,202 00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	$2.38										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cageless	I		CLO	PE1SL	$3 30										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$112.11										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,755.00	$1,755 00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$8.20										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$20.14										
		Physical Collocation - Power per Fused Amp			CLO	PE1PL	$8.77										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5.58										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.16										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$16 74										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$38 65										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.037	$33 67	$31.78								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.037	$33 67	$31.78								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.075	$33 66	$31.70								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.51	$52 97	$39.90								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$19.15	$52.04	$38.62								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.80	$52.04	$38 63								
		Physical Collocation - 4 Fiber Cross-Connect			CLO	PE1F4	$6.75	$64.59	$51 18								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft			CLO	PE1ES	$0 003	$540.00	$540.00								
		Physical Collocation Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	$189.85										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	$18.62										
		Physical Collocation Security Access System - Security System per Central Office	I		CLO	PE1AX	$78.11										
		Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	$0.059	$55 59	$55.59								
		Physical Collocation-Security Access System-Administrative Change, edeting Access Card, per Card			CLO	PE1AA		$15.59	$15.59								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45.58	$45 58								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.20	$26 20								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.20	$26.20								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises			CLO	PE1SR		$2,151 00	$2,151 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0 06										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$0.15										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$0 58										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$4.51										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$38.79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$52.31										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,709.00	$1,166 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$923 83	$923 83								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18 03	$18 03								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.44	$8.44								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.54	$29 54								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$279 05	$279 05								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33 86	$21.46								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44 10	$27 72								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54.35	$33.97								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft.			CLO	PE1JA	$0.018										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLO	PE1JC	$6.01										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0 037	$33.67	$31.78								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.075	$33.66	$31.70								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1 51	$52.97	$39.90								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$19.15	$52.04	$38.62								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.80	$52 04	$38.63								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$6.75	$64.59	$51.18								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$3,155.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.58										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11.16										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16.74										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$38.65										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *			CLO	PE1RA		$868.91	$868 91								
		Cabinet Space in the Remote Site per Bay/ Rack *			CLO	PE1RB	$224 41										

BellSouth/Southeastern Services
COLLOCATION
Kentucky

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$26.60	$26.60								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$231.82	$231.82								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$75.13	$75.13								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																

BellSouth/Southeastern Services
COLLOCATION
Louisiana

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manu Svc Order vs Electronic-Add	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,756 00	$3,756 00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,131 00	$3,131 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		$1,200 00	$1,200 00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	$2.60										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cageless	I		CLO	PE1SL	$3 15										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$105 87										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,753.00	$1,753.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$5 94										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$21.16										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	$9.20										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5 66										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.34										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$17 00										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$39 26										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,U DN,UD C,UAL, UHL,UC L,UEQ	PE1P2	$0.036	$33.61	$31.76								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0 036	$33.61	$31 76								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.073	$33 53	$31.58								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.20	$52 80	$39.76								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$15.26	$51.86	$38 49								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.03	$51 86	$38 49								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5 39	$64 38	$50.09								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0 004	$540 00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540 00	$540.00								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	$207 06										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	$20.31										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	$60.60										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	$0 06	$55 51									
		Physical Collocation-Security Access System-Administrative Charge, existing Access Card, per Card	I			PE1AA		$15.57									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45 51	$45.51								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.16									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.16									

BellSouth/Southeastern Services
COLLOCATION
Louisiana

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Int	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order ve
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		$2,148 00	$2,148 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0 0776										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$0.1552										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$0.6406										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$4 75										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$47.44										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$63.97										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,706.00	$1,165.00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$822.51	$822 51								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18 00	$18.00								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.43	$8.43								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.49	$29.49								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$278.65	$278 65								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33.97	$21.53								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44.25	$27.81								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54.53	$34.09								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft			CLO	PE1JA	$0.062										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$6.41										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.036	$33.61	$31.76								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.073	$33.53	$31.58								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1.20	$52.60	$39.76								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$15 26	$51.86	$38.49								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.03	$51.66	$38.49								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.38	$64 36	$50 99								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$3,151.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.66										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11 34										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$17.00										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$39.26										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation In the Remote Site - Application Fee *			CLO	PE1RA		$868.25	$868.25								
		Cabinet Space in the Remote Site per Bay/ Rack *			CLO	PE1RB	$257.01										

BellSouth/Southeastern Services
COLLOCATION
Louisiana

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$26.16	$26.16								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$231.49	$231.49								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$75.02	$75.02								
	* Interim rates which are subject to true-up																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,755.00	$3,755.00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,130.00	$3,130.00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		$1,200.00	$1,200.00								
		Physical Collocation - Space Preparation - C O Modification per square ft.	I		CLO	PE1SK	$2.61										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cageless	I		CLO	PE1SL	$2.88										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$97.85										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,871.00	$1,871.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$6.53										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$19.90										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	$8.86										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5.61										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.23										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$16.84										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$38.89										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.038	$33.65	$31.77								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.038	$33.65	$31.77								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.076	$33.46	$31.52								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.30	$52.73	$39.70								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$16.55	$51.78	$38.43								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.28	$51.78	$38.43								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.83	$64.27	$50.91								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540.00	$540.00								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	$208.30										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	$20.43										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	$85.54										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	$0.061	$55.50	$55.50								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		$15.56	$15.56								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45.50	$45.50								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.16	$26.16								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.16	$26.16								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		$2,147 00	$2,147 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0.1195										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$0.2389										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect				PE1PG	$0 9882										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect				PE1PH	$5.61										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$38.79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$52.31										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,706.00	$1,164 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$922 28	$922 28								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18 00	$18.00								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.42	$8.42								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.49	$29 49								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$278.58	$278.58								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33 80	$21 42								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44.03	$27 67								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54.26	$33.92								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft.			CLO	PE1JA	$0.060										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$6.25										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.038	$33.65	$31.77								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.076	$33.46	$31 52								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1.30	$52.73	$39.70								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$16.55	$51.78	$38 43								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.26	$51.78	$38.43								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.83	$64.27	$50.91								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$2,659.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.61										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11.23										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16 84										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$38.89										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *			CLO	PE1RA		$868.60	$868.60								
		Cabinet Space in the Remote Site per Bay/ Rack *			CLO	PE1RB	$241.11										

BellSouth/Southeastern Services
COLLOCATION
Mississippi

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$26.16	$26.16								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$231.43	$231.43								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$75.01	$75.01								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

BellSouth/Southeastern Services
COLLOCATION
North Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		$3,850.00	$3,850.00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,119.00	$3,119.00								
		Physical Collocation - Space Preparation - C.O. Modification per square ft.	I		CLO	PE1SK	$1.57										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Cageless	I		CLO	PE1SL	$3.26										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$110.79										
		Space Preparation Fees - Power Per Nominal -48V Dc Amp	I		CLO	PEIFH	$5.76										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		$2,305.00	$2,305.00								
		Physical Collocation - Floor Space per Sq. Ft.	I		CLO	PE1PJ	$3.45										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	$21.33										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	$6.65										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5.50										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.01										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$16.51										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$38.12										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.32	$41.78	$39.23								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.32	$41.78	$39.23								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	$0.64	$41.91	$39.25								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	$2.34	$71.02	$51.08								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	$42.84	$89.84	$49.43								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	$2.94	$51.97	$38.59								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	$5.62	$84.53	$51.15								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540.00	$540.00								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	I		CLO	PE1BW	$102.76										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	I		CLO	PE1CW	$10.44										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	$41.03										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	$0.062	$55.30	$55.30								
		Physical Collocation-Security Access System-Administrative Change, adding Access Card, per Card	I		CLO	PE1AA		$15.51	$15.51								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45.34	$45.34								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.18	$26.18								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.18	$26.18								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		$2,140.00	$2,140.00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0.10										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$0.19										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$0.79										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$4.85										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$45.30										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$61.09										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,707.00	$1,165.00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$923.08	$923.08								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18.02	$18.02								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.43	$8.43								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.51	$29.51								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$278.82	$278.82								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$42.92	$25.56								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$54.51	$32.44								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$66.10	$39.32								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft.			CLO	PE1JA	$0.179										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$5.96										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.32	$41.78	$39.23								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.64	$41.91	$39.25								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$2.34	$71.02	$51.08								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$42.84	$69.84	$49.43								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2.94	$51.97	$38.59								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.62	$64.53	$51.15								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$3,153.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.50										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11.01										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16.51										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$38.12										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *			CLO	PE1RA		$865.34	$865.34								
		Cabinet Space in the Remote Site per Bay/ Rack *			CLO	PE1RB	$254.02										

BellSouth/Southeastern Services
COLLOCATION
North Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$26.06	$26.06								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$230.60	$230.60								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$74.74	$74.74								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,768.00	$3,768.00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,141.00	$3,141.00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		$1,204.00	$1,204.00								
		Physical Collocation - Space Preparation - C.O. Modification per square ft.	I		CLO	PE1SK	$2.75										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Caged/ea	I		CLO	PE1SL	$3.24										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$110.17										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,621.00	$1,621.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$3.95										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$21.33										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	$9.19										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5.67										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.36										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$17.03										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$39.33										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.034	$33.75	$31.86								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.034	$33.75	$31.86								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.068	$33.71	$31.75								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.12	$53.05	$39.96								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$14.21	$52.11	$38.68								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2.82	$52.11	$38.69								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.01	$64.69	$51.26								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540.00	$540.00								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	$219.19										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	$21.50										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	$74.12										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	$0.06	$55.70	$55.70								
		Physical Collocation-Security Access System-Administrative Charge, existing Access Card, per Card	I		CLO	PE1AA		$15.62	$15.62								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45.66	$45.66								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.25	$26.25								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.25	$26.25								

BellSouth/Southeastern Services
COLLOCATION
South Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Indicator	Zone	SCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Space Availability Report per premises	1		CLO	PE1SR		$2,155.00	$2,155.00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0.1091										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$0.2181										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$0.9004										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$5.84										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$37.36										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$50.38										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,712.00	$1,168.00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$925.57	$925.57								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18.06	$18.06								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.45	$8.45								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.59	$29.59								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$279.57	$279.57								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33.92	$21.50								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44.19	$27.77								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54.45	$34.04								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft			CLO	PE1JA	$0.094										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$6.40										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.034	$33.75	$31.86								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.068	$33.71	$31.75								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1.12	$53.05	$39.96								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$14.21	$52.11	$38.68								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2.82	$52.11	$38.69								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.01	$84.69	$51.26								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$3,161.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.67										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11.36										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$17.03										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$39.33										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation In the Remote Site - Application Fee *			CLO	PE1RA		$871.12	$871.12								
		Cabinet Space In the Remote Site per Bay/ Rack *			CLO	PE1RB	$246.44										

BellSouth/Southeastern Services
COLLOCATION
South Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$26.25	$26.25								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$232.25	$232.25								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$75.27	$75.27								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

BellSouth/Southeastern Services
COLLOCATION
Tennessee

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		$3,767 00	$3,767 00								
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		$3,140 00	$3,140 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		$1,204 00	$1,204.00								
		Physical Collocation - Space Preparation - C O Modification per square ft.	I		CLO	PE1SK	$2.74										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft. - Caged/ess	I		CLO	PE1SL	$2.95										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	$100.14										
		Physical Collocation - Cable Installation			CLO	PE1BD		$1,757.00	$1,757.00								
		Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	$6.75										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$19 80										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	$8.87										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	$5 60										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	$11.22										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	$16.82										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	$38.84										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.033	$33.82	$31.92								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0.033	$33.82	$31 92								
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.066	$33 94	$31.95								
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1.51	$53.27	$40.16								
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$19.26	$52.37	$38.89								
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.82	$52.37	$38.89								
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$6.79	$65.03	$51.55								
		Co-Carrier Cross-Connect-Copper or Coaxial Cable Support Structure-Per linear ft.			CLO	PE1DS	$0.004	$540.00	$540.00								
		Co-Carrier Cross-Connect-Fiber Cable Support Structure-Per linear ft.			CLO	PE1ES	$0.003	$540.00	$540.00								
		Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	$218.53										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	$21.44										
		Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	$55.99										
		Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	$0.059	$55.67	$55.67								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		$15 61	$15.61								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		$45.64	$45.64								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		$26.24	$26.24								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		$26.24	$26.24								

BellSouth/Southeastern Services
COLLOCATION
Tennessee

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation Space Availability Report per premises	I		CLO	PE1SR		$2,154.00	$2,154.00								

BellSouth/Southeastern Services
COLLOCATION
Tennessee

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	$0.40										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	$1.20										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	$1 20										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	$8 00										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	$38.79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	$52 31										
		Collocation Cable Records - per request *			CLO	PE1CR		$1,711 00	$1,168 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *			CLO	PR1CD		$925.06	$925 06								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *			CLO	PE1CO		$18 05	$18 05								
		Collocation Cable Records - DS1, per T1TIE *			CLO	PE1C1		$8.45	$8 45								
		Collocation Cable Records - DS3, per T3TIE *			CLO	PE1C3		$29.57	$29 57								
		Collocation Cable Records - Fiber Cable, per cable record *			CLO	PE1CB		$279 42	$279 42								
		Physical Collocation - Security Escort - Basic, per Half Hour			CLO	PE1BT		$33 91	$21.49								
		Physical Collocation - Security Escort - Overtime, per Half Hour			CLO	PE1OT		$44.17	$27.76								
		Physical Collocation - Security Escort - Premium, per Half Hour			CLO	PE1PT		$54.42	$34 02								
		Physical Caged Collocation-App Cost(Initial & sub)-Planning, per request			CLO	PEIAC	$16.16	$2,903.66	$2,903 66								
		Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	$4.32										
		Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		$142 40									
		Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		$185 72									
		Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		$242.05									
		Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	$110 97										
		Physical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l50 sq. ft.			CLO	PE1S5	$55.49										
		Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	$0.0156										
		Physical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ		$944 27									
		Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft			CLO	PE1FS	$4.14										
		Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	$21 47										
		Physical Caged Collocation-Power-Power Construction, per amp DC plant□			CLO	PE1PN	$3.55										
		Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	$2 03										
		Physical Caged Collocation-2-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE12C	$0 0475	$7 69									
		Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			CLO	PE14C	$0 0475	$7 69									
		Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			CLO	PE11S	$7 68	$41 65									
		Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt			CLO	PE11X	$0.38	$41 65									

BellSouth/Southeastern Services
COLLOCATION
Tennessee

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs.	Incremental Charge Manual Svc Order vs
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt			CLO	PE13S	$53 96	$298 03									

BellSouth/Southeastern Services
COLLOCATION
Tennessee

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs.	Incremental Charge Manual Svc Order vs.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt			CLO	PE13X	$9.32	$298 03									
		Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		$76 10									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq. Ft.			CLO	PE1JA	$0 069										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLO	PE1JC	$6 06										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.033	$33 82	$31 92								
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.066	$33 94	$31 95								
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1 51	$53.27	$40 16								
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$19 26	$52 37	$38 89								
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3.82	$52 37	$38.89								
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$6.79	$65.03	$51 55								
		Adjacent Collocation - Application Fee			CLO	PE1JB		$3,160.00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.60										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$11 22										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16 82										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$38 84										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *			CLO	PE1RA		$872 95	$872.95								
		Cabinet Space in the Remote Site per Bay/ Rack *			CLO	PE1RB	$219 37										
		Physical Collocation in the Remote Site - Security Access - Key *			CLO	PE1RD		$26 23	$26 23								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *			CLO	PE1SR		$232.12	$232.12								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *			CLO	PE1RE		$75.23	$75 23								
	* Interim rates which are subject to true-up.																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

ATTACHMENT 5

ACCESS TO NUMBERS AND NUMBER PORTABILITY

TABLE OF CONTENTS

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS.....3

2. NUMBER PORTABILITY PERMANENT SOLUTION.....3

3. SERVICE PROVIDER NUMBER PORTABILITY.....4

4. SPNP IMPLEMENTATION.....5

5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES.....12

Rates.....Exhibit A

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

1.1 During the term of this Agreement, where Southeastern Services, Inc. is utilizing its own switch, Southeastern Services, Inc. shall contact the North American Numbering Plan Administrator, Neustar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Southeastern Services, Inc. will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).

1.2 Where BellSouth is providing local switching, Southeastern Services, Inc. may utilize BellSouth's telephone numbers. BellSouth will provide Southeastern Services, Inc. with on line access to telephone numbers on a first come first served basis. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations.

1.3 Southeastern Services, Inc. acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Southeastern Services, Inc. shall return numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

2. NUMBER PORTABILITY PERMANENT SOLUTION

2.1 The Parties will offer local number portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora. Interim Service Provider Number Portability (SPNP) will be available only in those end offices where no carrier has requested implementation of permanent local number portability (PNP). Once PNP is implemented in an end office pursuant to the request of a carrier, both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within ninety (90) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP.

2.2 End User Line Charge. Where Southeastern Services, Inc. subscribes to BellSouth's local switching, BellSouth shall bill and Southeastern Services, Inc. shall pay the end user line charge associated with implementing PNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

2.3 To limit service outage, BellSouth and Southeastern Services, Inc. will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Southeastern Services, Inc..

2.4 The Parties will set Local Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.

2.5 A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.

2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.

2.7 BellSouth and Southeastern Services, Inc. will work cooperatively to implement changes to PNP process flows ordered by the FCC or as recommended by standard industry forums addressing PNP.

3. SERVICE PROVIDER NUMBER PORTABILITY

3.1 Where PNP has not been implemented in an end office, the Parties shall provide SPNP. SPNP is a service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same BellSouth local calling area of his existing number. Except as otherwise expressly provided herein, SPNP is available only where the local exchange carrier is currently providing basic local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (e.g., a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

3.2 Methods of Providing SPNP. SPNP is available through either remote call forwarding or direct inward dialing trunks. Remote call forwarding (SPNP-RCF) is an existing switch-based service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the switch that serves the subscriber.

3.3 Signaling Requirements. SS7 Signaling is required for the provision of SPNP services.

3.4 Rates

3.4.1 Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. SPNP IMPLEMENTATION

4.1 SPNP-RCF is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by Southeastern Services, Inc. or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one call to the receiving Party's specified forwarded-to number. Additional call paths for the forwarding of multiple simultaneous calls are available on a per path basis at rates as outlined in this Attachment.

4.2 SPNP-DID service provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. SPNP-DID is available from BellSouth on a per DS0, DS1 or DS3 basis. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within

the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

4.3 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. Southeastern Services, Inc. may order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty pursuant to BellSouth's tariffs.

4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or Southeastern Services, Inc. shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either Party may request that the other block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMI standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. Southeastern Services, Inc. usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

4.5 The new service provider shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP-DID services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.

4.7 End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Neither Party shall specify end-to-end transmission characteristics for SPNP calls.

4.8 Where SPNP-RCF is utilized for SPNP, for terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party.

5. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

5.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
Alabama

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge Manual Svc Order vs Electronic Add'l	Incremental Charge Manual Svc Order vs Electronic Disc 1st	Incremental Charge Manual Svc Order vs Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line), 10 paths				TNPBL											
		RCF, per number ported (Business Line)				TNPBL	$2 13	$0 65		$0 07							
		RCF, per number ported (Residence Line), 6 paths				TNPRL											
		RCF, per number ported (Residence Line)				TNPRL	$2 13	$0 65		$0 07							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0 32										
		RCF, per service order, per location (Business)				TNPBD		$1 44	$1 44	$1 44	$1 44	$3 50		$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$1.44	$1 44	$1 44	$1.44	$3 50		$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$1 18		$1 18							
		DID per number ported (Business)				TNPDB		$1 18		$1 18							
		DID per service order, per location (Residence)				TNPRD		$1 44	$1 44	$1 44	$1 44	$3 50		$19 99	$19 99	$19 99	$19 99
		DID per service order, per location (Business)				TNPBD		$1 44	$1 44	$1 44	$1 44	$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Initial				TNPT2	$11 84	$173 73		$50 43		$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Subsequent				TNPT2	$11 84	$51 35		$25.00		$3 50		$19 99	$19 99	$19 99	$19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
Florida

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge Manual Svc Order vs Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	$1.97	$0.3738	$0.3738	$0.0374	$0.0374	$3.50	$10.73			$1.65	
		RCF, per number ported (Residence Line)				TNPRL	$1.97	$0.3738	$0.3738	$0.0374	$0.0374	$3.50	$10.73			$1.65	
		RCF, Per Additional Path					$0.6878										
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$0.6242	$0.6242	$0.6242	$0.6242	$3.50	$10.73			$1.65	
		DID per number ported (Business)				TNPDB		$0.6242	$0.6242	$0.6242	$0.6242	$3.50	$10.73			$1.65	
		DID, per trunk termination, Initial				TNPT2	$52.73	$145.42	$145.42	$29.51	$29.51	$3.50	$10.73			$1.65	
		DID, per trunk termination, Subsequent				TNPT2	$52.73	$72.65	$72.65	$29.51	$29.51	$3.50	$10.73			$1.65	
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
		RIPH, Functionality, Per Rearrangement						$18.11	$18.11				$10.73			$1.65	
		RIPH, Per Number Ported					$1.75	$0.1952	$0.1952	$0.0195	$0.0195		$10.73			$1.65	
		RIPH, Functionality, Per Central Ofc						$81.56	$81.56	$2.29	$2.29		$10.73			$1.65	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
Georgia

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic 1st	Incremental Charge Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	$2 03	$0 51									
		RCF, per number ported (Residence Line)				TNPRL	$2 03	$0 51									
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0.2636										
		RCF, per service order, per location (Business)				TNPBD		$2 10	$2 10			$3 50		$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$2 10	$2 10			$3 50		$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$0 93									
		DID per number ported (Business)				TNPDB		$0 93									
		DID per service order, per location (Residence)				TNPRD		$2 10	$2 10								
		DID per service order, per location (Business)				TNPBD		$2 10	$2 10			$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Initial				TNPT2	$10 73	$135 47				$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Subsequent				TNPT2	$10 73	$39 53				$3 50		$19 99	$19 99	$19 99	$19 99
SERVICE PROVIDER NUMBER PORTABILITY (RPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
Kentucky

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic 1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																
	1) BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option (KY)																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
Louisiana

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	$2 29	$0 49		$0.05							
		RCF, per number ported (Residence Line)				TNPRL	$2 29	$0.49		$0 05							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0 38										
		RCF, per service order, per location (Business)				TNPBD		$2 02	$2 02	$2 01	$2 01	$3 50		$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$2 02	$2 02	$2 01	$2 01	$3 50		$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$0 89		$0 90							
		DID per number ported (Business)				TNPDB		$0 89		$0 90							
		DID per service order, per location (Residence)				TNPRD		$2 02	$2 02	$2 01	$2 01	$3 50		$19 99	$19 99	$19 99	$19 99
		DID per service order, per location (Business)				TNPBD		$2 02	$2 02	$2 01	$2 01	$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Initial				TNPT2	$12 46	$129 69		$37 85		$3 50		$19 99	$19 99	$19 99	[illegible]
		DID, per trunk termination, Subsequent				TNPT2	$12 46	$37 85		$18 75		$3 50		$19 99	$19 99	$19 99	$19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring							
										Disconnect							
							Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	$2 34	$ 0 6441		$0 0644							
		RCF, per number ported (Residence Line)				TNPRL	$2 34	$ 0 6441		$0 0644							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0 3838										
		RCF, per service order, per location (Business)				TNPBD		$2 84	$2 84	$2 84	$2 84	$3 50		$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$2 84	$2 84	$2 84	$2 84	$3 50		$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$1 17		$1 17							
		DID per number ported (Business)				TNPDB		$1 17		$1 17							
		DID per service order, per location (Residence)				TNPRD		$2 84	$2 84	$2 84	$2 84	$3 50		$19 99	$19 99	$19 99	$19 99
		DID per service order, per location (Business)				TNPBD		$2 84	$2 84	$2 84	$2 84	$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Initial				TNPT2	$13 78	$171 68		$49 86		$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Subsequent				TNPT2	$13 78	$50 69		$24 71		$3 50		$19 99	$19 99	$19 99	$19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
North Carolina

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line), 10 paths				TNPBL	$2 25										
		RCF, per number ported (Business Line)				TNPBL	$1 66	$0 71		$0 50							
		RCF, per number ported (Residence Line), 6 paths				TNPRL	$1 15										
		RCF, per number ported (Residence Line)				TNPRL	$1 66	$0 71		$0.50							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0 32										
		RCF, per service order, per location (Business)				TNPBD		$2 73	$2 73			$3 50		$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$2 73	$2 73			$3 50		$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$2 25									
		DID per number ported (Business)				TNPDB		$2 25									
		DID per service order, per location (Residence)				TNPRD		$2 73	$2 73			$3 50		$19 99	$19 99	$19 99	$19 99
		DID per service order, per location (Business)				TNPBD		$2 73	$2 73			$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Initial				TNPT2	$11 43	$217 68				$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Subsequent				TNPT2	$11.43	$73 56				$3 50		$19 99	$19 99	$19 99	$19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
South Carolina

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic 1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	$2 17	$0 7046									
		RCF, per number ported (Residence Line)				TNPRL	$2.17	$0 7046									
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0 3854										
		RCF, per service order, per location (Business)				TNPBD		$1 37	$1 37			$3 50		$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$1 37	$1 37			$3 50		$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		$2 25									
		DID per number ported (Business)				TNPDB		$2 25									
		DID per service order, per location (Residence)				TNPRD		$1 37	$1 37	$44 70	$44 70	$3 50		$19 99	$19 99	$19 99	$19 99
		DID per service order, per location (Business)				TNPBD		$1 37	$1 37	$44 70	$44 70	$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Initial				TNPT2	$13.16	$218 03				$3 50		$19 99	$19 99	$19 99	$19 99
		DID, per trunk termination, Subsequent				TNPT2	$13 16	$73.63				$3 50		$19 99	$19 99	$19 99	$19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

BellSouth/Southeastern Services
SERVICE PROVIDER NUMBER PORTABILITY
Tennessee

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge Manual Svc Order vs Electronic-Add'l	Incremental Charge Manual Svc Order vs Electronic-Disc 1st	Incremental Charge Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	$1 50										
		RCF, per number ported (Residence Line)				TNPRL	$1 25										
		RCF, add'l capacity for simultaneous call forwarding, per additional path					$0 50										
		RCF, per service order, per location (Business)				TNPBD		$25 00	$25 00					$19 99	$19 99	$19 99	$19 99
		RCF, per service order, per location (Residence)				TNPRD		$25 00	$25 00					$19 99	$19 99	$19 99	$19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

Attachment 6

Pre-Ordering, Ordering and Provisioning, Maintenance and Repair

TABLE OF CONTENTS

1. QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR 3

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS 3

3. MISCELLANEOUS ORDERING AND PROVISIONING GUIDELINES 5

PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING AND PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide pre-ordering, ordering and provisioning and maintenance and repair services to Southeastern Services, Inc. that are equivalent to the pre-ordering, ordering and provisioning and maintenance and repair services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for pre-ordering, ordering and provisioning and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.

1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated, coordinated orders and order coordinated-time specific)

Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated orders)

1.2.1 The above hours represent the hours, either Eastern or Central Time, of where the physical work is being performed.

1.2.2 To the extent Southeastern Services, Inc. requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians to work outside regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Southeastern Services, Inc., BellSouth will not assess Southeastern Services, Inc. additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Southeastern Services, Inc. access to operations support systems ("OSS") functions for pre-ordering, ordering and provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is

the sole responsibility of Southeastern Services, Inc. to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Southeastern Services, Inc.'s access and use of BellSouth's electronic interfaces are set forth at www.interconnection.bellsouth.com and are incorporated herein by reference.

2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Southeastern Services, Inc. shall not view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Southeastern Services, Inc. will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. BellSouth reserves the right to audit Southeastern Services, Inc.'s access to customer record information. If a BellSouth audit of Southeastern Services, Inc.'s access to customer record information reveals that Southeastern Services, Inc. is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Southeastern Services, Inc. may take corrective action, including but not limited to suspending or terminating Southeastern Services, Inc.'s electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.

2.1.2 Service Ordering. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Southeastern Services, Inc. may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.

2.1.3 Maintenance and Repair. Southeastern Services, Inc. may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides several options for electronic trouble reporting. For exchange services, BellSouth will offer Southeastern Services, Inc. non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via

the ECTA Gateway. BellSouth will provide Southeastern Services, Inc. an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Southeastern Services, Inc. agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

2.2 Change Management. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.

2.3 BellSouth's Versioning Policy for Electronic Interfaces. BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Southeastern Services, Inc., is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.

2.4 Rates. Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

3. MISCELLANEOUS

3.1 Pending Orders. Orders placed in the hold or pending status by Southeastern Services, Inc. will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Southeastern Services, Inc. shall be required to submit a new service order. Incorrect or invalid orders returned to Southeastern Services, Inc. for correction or clarification will be held for ten (10) days. If Southeastern Services, Inc. does not return a corrected order within ten (10) days, BellSouth will cancel the order.

3.2 Single Point of Contact. Southeastern Services, Inc. will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Southeastern Services, Inc. to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Southeastern Services, Inc. and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC.

Pursuant to an order from another carrier, BellSouth may disconnect any network element being used by Southeastern Services, Inc. to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Southeastern Services, Inc. that such an order has been processed, but will not be required to notify Southeastern Services, Inc. in advance of such processing.

3.3 Use of Facilities. When a customer of Southeastern Services, Inc. elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to CLEC by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Southeastern Services, Inc. that such an order has been processed after the disconnect order has been completed.

3.4 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.

3.5 Subscription Functions. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

3.6 Cancellation Charges. If Southeastern Services, Inc. cancels an order for Network Elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC No. 1 Tariff, Section 5.

3.7 Expedite Charges. For expedited requests by Southeastern Services, Inc., expedited charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply.

3.8 CLEC Responsibilities. Southeastern Services, Inc. shall provide to BellSouth electronic access to customer record information, where available. If electronic access is not available, Southeastern Services, Inc. shall provide paper copies of customer record information. Such information shall be provided to BellSouth in the same intervals that BellSouth provides such information to Southeastern Services, Inc..

Attachment 7

Billing

TABLE OF CONTENTS

1. **Payment and Billing Arrangements** 3

2. **Billing Disputes** 6

3. **RAO Hosting** 7

4. **Optional Daily Usage File** 11

5. **Access Daily Usage File** 14

Rates ..... **Exhibit A**

BILLING

1. PAYMENT AND BILLING ARRANGEMENTS

All negotiated rates, terms and conditions set forth in this Attachment pertain to billing and billing accuracy certifications.

1.1 Billing.. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that Southeastern Services, Inc. requests. BellSouth will bill and record in accordance with this Agreement those charges Southeastern Services, Inc. incurs as a result of Southeastern Services, Inc. purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.

1.1.1 For any service(s) BellSouth orders from Southeastern Services, Inc., Southeastern Services, Inc. shall bill BellSouth in CABS format.

1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.

1.2 Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, Southeastern Services, Inc. will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA) and a tax exemption certificate, if applicable.

1.2.1 Payment Responsibility. Payment of all charges will be the responsibility of Southeastern Services, Inc.. Southeastern Services, Inc. shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Southeastern Services, Inc. from Southeastern Services, Inc.'s customer. BellSouth will not become involved in billing disputes that may arise between Southeastern Services, Inc. and Southeastern Services, Inc.'s customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.

1.3 Payment Due. The payment will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

1.4 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.

1.5 Tax Exemption. Upon proof of tax exempt certification from Southeastern Services, Inc., the total amount billed to Southeastern Services, Inc. will not include those taxes or fees for which the CLEC is exempt. Southeastern Services, Inc. will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Southeastern Services, Inc..

1.6 Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate. Southeastern Services, Inc. will be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.

1.7 Discontinuing Service to Southeastern Services, Inc.. The procedures for discontinuing service to Southeastern Services, Inc. are as follows:

1.7.1 BellSouth reserves the right to suspend or terminate service for nonpayment of services or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by Southeastern Services, Inc. of the rules and regulations contained in BellSouth's tariffs.

1.7.2 If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth may provide written notice to Southeastern Services, Inc. that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty (30)days notice to Southeastern Services, Inc. at the billing address to discontinue the provision of existing services to Southeastern Services, Inc. at any time thereafter.

1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Southeastern Services, Inc.'s noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Southeastern Services, Inc. without further notice.

1.7.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, Southeastern Services, Inc.'s services will be discontinued. Upon discontinuance of service on Southeastern Services, Inc.'s account, service to Southeastern Services, Inc.'s end users will be denied. BellSouth will reestablish service at the request of the end user or Southeastern Services, Inc. for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Southeastern Services, Inc. is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.

1.8 Deposit Policy. When purchasing services from BellSouth, Southeastern Services, Inc. will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release Southeastern Services, Inc. from its obligation to make complete and timely payments of its bill. Such security shall be required prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC1) security interest in Southeastern Services, Inc.'s "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Southeastern Services, Inc. fails to remit to BellSouth any deposit requested pursuant to this Section, service to Southeastern Services, Inc. may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Southeastern Services, Inc.'s account(s).

1.9 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, to rejection of additional orders from Southeastern Services, Inc. and to disconnection of services for nonpayment of charges, shall be forwarded to the individual and/or address provided by Southeastern Services, Inc. in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Southeastern Services, Inc. as the contact for billing

information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written notice from Southeastern Services, Inc. to BellSouth's billing organization, a final notice of disconnection of services purchased by Southeastern Services, Inc. under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. BILLING DISPUTES

2.1 Billing disputes shall be handled pursuant to the terms of this section.

2.1.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.

2.1.2 For purposes of this Section 2, a billing dispute means a dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. Once the billing dispute is resolved, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.

2.2 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following

BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

3. RAO HOSTING

3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Southeastern Services, Inc. by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.

3.2 Southeastern Services, Inc. shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.

3.3 Compensation amounts, if applicable, will be billed by BellSouth to Southeastern Services, Inc. on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.

3.4 Southeastern Services, Inc. must have its own unique hosted RAO code. Requests for establishment of RAO status where BellSouth is the selected CMDS interfacing host, require written notification from Southeastern Services, Inc. to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Southeastern Services, Inc. and will coordinate all associated conversion activities.

3.5 BellSouth will receive messages from Southeastern Services, Inc. that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.

3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Southeastern Services, Inc..

3.7 All data received from Southeastern Services, Inc. that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.

3.8 All data received from Southeastern Services, Inc. that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).

3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Southeastern Services, Inc. and will forward them to Southeastern Services, Inc. on a daily basis.

3.10 Transmission of message data between BellSouth and Southeastern Services, Inc. will be via CONNECT:Direct.

3.11 All messages and related data exchanged between BellSouth and Southeastern Services, Inc. will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.

3.12 Southeastern Services, Inc. will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.

3.13 Should it become necessary for Southeastern Services, Inc. to send data to BellSouth more than sixty (60) days past the message date(s), Southeastern Services, Inc. will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Southeastern Services, Inc. to notify all affected Parties.

3.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Southeastern Services, Inc.) identified and agreed to, the company responsible for creating the data (BellSouth or Southeastern Services, Inc.) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Southeastern Services, Inc., the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Southeastern Services, Inc. of the error condition. Southeastern Services, Inc. will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Southeastern Services, Inc. will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

3.16 In association with message distribution service, BellSouth will provide Southeastern Services, Inc. with associated intercompany settlements reports (CATS and NICS) as appropriate.

3.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.

3.18 RAO Compensation

3.18.1 Rates for message distribution service provided by BellSouth for Southeastern Services, Inc. are as set forth in Exhibit A to this Attachment.

3.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.

3.18.3 Data circuits (private line or dial-up) will be required between BellSouth and Southeastern Services, Inc. for the purpose of data transmission. Where a dedicated line is required, Southeastern Services, Inc. will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southeastern Services, Inc. will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Southeastern Services, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.

3.18.4 All equipment, including modems and software, that is required on the Southeastern Services, Inc. end for the purpose of data transmission will be the responsibility of Southeastern Services, Inc..

3.19 Intercompany Settlements Messages

3.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Southeastern Services, Inc. as a facilities based provider of local

exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Southeastern Services, Inc. and the involved company(ies), unless that company is participating in NICS.

3.19.2 Both traffic that originates outside the BellSouth region by Southeastern Services, Inc. and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Southeastern Services, Inc., is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Southeastern Services, Inc., involves a company other than Southeastern Services, Inc., qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

3.19.3 Once Southeastern Services, Inc. is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.

3.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Southeastern Services, Inc.. BellSouth will distribute copies of these reports to Southeastern Services, Inc. on a monthly basis.

3.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Southeastern Services, Inc.. BellSouth will distribute copies of these reports to Southeastern Services, Inc. on a monthly basis.

3.19.6 BellSouth will collect the revenue earned by Southeastern Services, Inc. from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents ($0.05), on behalf of Southeastern Services, Inc.. BellSouth will remit the revenue billed by Southeastern Services, Inc. to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents ($0.05), on behalf on Southeastern Services, Inc.. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Southeastern Services, Inc. via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

3.19.7 BellSouth will collect the revenue earned by Southeastern Services, Inc. within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents ($0.05), on behalf of Southeastern Services, Inc.. BellSouth will remit the revenue billed by Southeastern Services, Inc. within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per

message billing and collection fee of five cents ($0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Southeastern Services, Inc. via a monthly CABS miscellaneous bill.

3.19.8 BellSouth and Southeastern Services, Inc. agree that monthly netted amounts of less than fifty dollars ($50.00) will not be settled.

4. OPTIONAL DAILY USAGE FILE

4.1 Upon written request from Southeastern Services, Inc., BellSouth will provide the Optional Daily Usage File (ODUF) service to Southeastern Services, Inc. pursuant to the terms and conditions set forth in this section.

4.2 Southeastern Services, Inc. shall furnish all relevant information required by BellSouth for the provision of the ODUF.

4.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Southeastern Services, Inc. customer.

4.4 Charges for delivery of the ODUF will appear on Southeastern Services, Inc.s' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4.5 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

4.6 Messages that error in the billing system of Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. If, however, Southeastern Services, Inc. should encounter significant volumes of errored messages that prevent processing by Southeastern Services, Inc. within its systems, BellSouth will work with Southeastern Services, Inc. to determine the source of the errors and the appropriate resolution.

4.7 The following specifications shall apply to the Optional Daily Usage Feed.

4.7.1 USAGE TO BE TRANSMITTED

4.7.1.1 The following messages recorded by BellSouth will be transmitted to Southeastern Services, Inc.:

- Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.)
- Measured billable Local
- Directory Assistance messages

- IntraLATA Toll
- WATS and 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service

4.7.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Southeastern Services, Inc..

4.7.1.4 In the event that Southeastern Services, Inc. detects a duplicate on ODUF they receive from BellSouth, Southeastern Services, Inc. will drop the duplicate message (Southeastern Services, Inc. will not return the duplicate to BellSouth).

4.7.2 **PHYSICAL FILE CHARACTERISTICS**

4.7.2.1 ODUF will be distributed to Southeastern Services, Inc. via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Southeastern Services, Inc. for the purpose of data transmission. Where a dedicated line is required, Southeastern Services, Inc. will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southeastern Services, Inc. will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial

circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Southeastern Services, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Southeastern Services, Inc.'s end for the purpose of data transmission will be the responsibility of Southeastern Services, Inc..

4.7.3 **PACKING SPECIFICATIONS**

4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southeastern Services, Inc. which BellSouth RAO that is sending the message. BellSouth and Southeastern Services, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southeastern Services, Inc. and resend the data as appropriate.

The data will be packed using ATIS EMI records.

4.7.4 **PACK REJECTION**

4.7.4.1 Southeastern Services, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Southeastern Services, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Southeastern Services, Inc. by BellSouth.

4.7.5 **CONTROL DATA**

4.7.5.1 Southeastern Services, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Southeastern Services, Inc. received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Southeastern Services, Inc. for reasons stated in the above section.

4.7.6 **TESTING**

4.7.6.1 Upon request from Southeastern Services, Inc., BellSouth shall send test files to Southeastern Services, Inc. for ODUF. The Parties agree to review and discuss

the file's content and/or format. For testing of usage results, BellSouth shall request that Southeastern Services, Inc. set up a production (LIVE) file. The live test may consist of Southeastern Services, Inc.'s employees making test calls for the types of services Southeastern Services, Inc. requests on ODUF. These test calls are logged by Southeastern Services, Inc., and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

5. ACCESS DAILY USAGE FILE

5.1 Upon written request from Southeastern Services, Inc., BellSouth will provide the Access Daily Usage File (ADUF) service to Southeastern Services, Inc. pursuant to the terms and conditions set forth in this section.

5.2 Southeastern Services, Inc. shall furnish all relevant information required by BellSouth for the provision of ADUF.

5.3 ADUF will contain access messages associated with a port that Southeastern Services, Inc. has purchased from BellSouth

5.4 Charges for delivery of ADUF will appear on Southeastern Services, Inc.'s monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.

5.5 Messages that error in the billing system of Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. If, however, Southeastern Services, Inc. should encounter significant volumes of errored messages that prevent processing by Southeastern Services, Inc. within its systems, BellSouth will work with Southeastern Services, Inc. to determine the source of the errors and the appropriate resolution.

5.6 USAGE TO BE TRANSMITTED

5.6.1 The following messages recorded by BellSouth will be transmitted to Southeastern Services, Inc.:

5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.

5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.

5.6.2 When Southeastern Services, Inc. purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

5.6.2.1 Originating from Network Element and carried by Interexchange Carrier:

5.6.2.1.1 BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF.

5.6.2.2 Originating from network element and carried by BellSouth (Southeastern Services, Inc. is BellSouth's toll customer).

5.6.2.3 Terminating on network element and carried by Interexchange Carrier:

5.6.2.3.1 BellSouth will bill network element to Southeastern Services, Inc. and send access record to Southeastern Services, Inc..

5.6.2.4 Terminating on network element and carried by BellSouth:

5.6.2.4.1 BellSouth will bill network element to Southeastern Services, Inc. and send access record to Southeastern Services, Inc..

5.6.3 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Southeastern Services, Inc..

5.6.4 In the event that Southeastern Services, Inc. detects a duplicate on ADUF they receive from BellSouth, Southeastern Services, Inc. will drop the duplicate message (Southeastern Services, Inc. will not return the duplicate to BellSouth.)

5.6.5 **PHYSICAL FILE CHARACTERISTICS**

5.6.5.1 ADUF will be distributed to Southeastern Services, Inc. via CONNECT:Direct. The Access Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

5.6.5.2 Data circuits (private line or dial-up) will be required between BellSouth and Southeastern Services, Inc. for the purpose of data transmission. Where a dedicated line is required, Southeastern Services, Inc. will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Southeastern Services, Inc. will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Southeastern Services, Inc.. Additionally, all message toll charges associated with the use of the dial circuit by Southeastern Services, Inc. will be the responsibility of Southeastern Services, Inc.. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case

by case basis between the Parties. All equipment, including modems and software, that is required on Southeastern Services, Inc.'s end for the purpose of data transmission will be the responsibility of Southeastern Services, Inc..

5.6.6 **PACKING SPECIFICATIONS**

5.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

5.6.6.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Southeastern Services, Inc. which BellSouth RAO is sending the message. BellSouth and Southeastern Services, Inc. will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Southeastern Services, Inc. and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.7 **PACK REJECTION**

5.6.7.1 Southeastern Services, Inc. will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Southeastern Services, Inc. will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Southeastern Services, Inc. by BellSouth.

5.6.8 **CONTROL DATA**

5.6.8.1 Southeastern Services, Inc. will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Southeastern Services, Inc. received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Southeastern Services, Inc. for reasons stated in the above section.

5.6.9 Testing

5.6.9.1 Upon request from Southeastern Services, Inc., BellSouth shall send a test file of generic data to Southeastern Services, Inc. via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES					OSS RATES					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	$0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF: Recording, per message				N/A	$0 0002										
		ODUF: Message Processing, per message				N/A	$0 0033										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	$55 19										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	$0 00004										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS: Message Processing, per message				N/A	$0 004										
		CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Recurring		Nonrecurring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
							Rate	First	Add'l	First	Add'l	Source	$OMEC	$OMAN	$OMAN	$OMAN	$OMAN	$OMAN
ODUF/EDQUF/ADUF/CMDS																		
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF Message Processing, per message				N/A	$0 0139260											
		ADUF Data Transmission (CONNECT DIRECT), per message				N/A	$0 000129270											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF Recording, per message				N/A	$0 0000068											
		ODUF Message Processing, per message				N/A	$0 008614											
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	$48 77											
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	$0 00010772											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS Message Processing, per message				N/A	$0 004											
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	$0 001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

BellSouth/Southeastern Services
ODUF/ADUF/CMDS
Georgia

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES						OSS RATES					
								Nonrecurring		Nonrecurring								
							Rate	First	Add'l	First	Add'l	Source	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
								Disconnect										
													SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EODUF/ADUF/CMDS																		
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF- Message Processing, per message				N/A	$0 0136327											
		ADUF Data Transmission (CONNECT DIRECT), per message				N/A	$0 0000434											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF- Recording, per message				N/A	$0 0001275											
		ODUF Message Processing, per message				N/A	$0 0082548											
		ODUF- Message Processing, per Magnetic Tape provisioned				N/A	$28 65											
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	$0 0000434											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS- Message Processing, per message				N/A	$0 004											
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	$0 001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

BellSouth/Southeastern Services
ODUF/ADUF/CMDS
Kentucky

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Nonrecurring		Nonrecurring Disconnect			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic 1st	Incremental Charge Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
							Rec	First	Add'l	First	Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDUF/ADUF/CMDS																		
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF Message Processing, per message				N/A	$0 004											
		ADUF Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF Recording, per message				N/A	$0 0006611											
		ODUF Message Processing, per message				N/A	$0 0032357											
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	$55 66											
		ODUF Data Transmission (CONNECT:DIRECT), per message				N/A	$0 0000365											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS Message Processing, per message				N/A	$0 004											
		CMDS Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

BellSouth/Southeastern Services
ODUF/ADUF/CMDS
Louisiana

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Nonrecurring		Nonrecurring								
								Rate	First	Add'l	First	Add'l	Source	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
											Disconnect			$OMEC	$OMAN	$OMAN	$OMAN	$OMAN	$OMAN
ODUF/EDOUF/ADUF/CMDS																			
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF Message Processing, per message				N/A	$0 004											
		ADUF Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF Recording, per message				N/A	$0 00019											
		ODUF Message Processing, per message				N/A	$0.0024											
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	$47 30											
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	$0 00003											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS Message Processing, per message				N/A	$0 004											
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	$0 001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Nonrecurring										
								Recurring		Disconnect								
							Rate	First	Add'l	First	Add'l	Source	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l
IDUF/EDOUF/ADUF/CMDS																		
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF Message Processing, per message				N/A	$0.004											
		ADUF Data Transmission (CONNECT:DIRECT), per message				N/A	$0.001											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF Recording, per message				N/A	$0.0001179											
		ODUF Message Processing, per message				N/A	$0.0032089											
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	$54.62											
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	$0.0000354											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS Message Processing, per message				N/A	$0.004											
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	$0.001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

BellSouth/Southeastern Services
ODUF/ADUF/CMDS
North Carolina

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Nonrecurring		Nonrecurring Disconnect			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs. Electronic Elec 1st	Incremental Charge Manual Svc Order vs. Electronic Elec Add'l
							Rec	First	Add'l	First	Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/DUF/ADUF/CMDS																		
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF- Message Processing, per message				N/A	$0 004											
		ADUF- Data Transmission (CONNECT DIRECT), per message				N/A	$0 001											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF- Recording, per message				N/A	$0 0003											
		ODUF- Message Processing, per message				N/A	$0 0032											
		ODUF- Message Processing, per Magnetic Tape provisioned				N/A	$54 61											
		ODUF- Data Transmission (CONNECT DIRECT), per message				N/A	$0 0004											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS- Message Processing, per message				N/A	$0 004											
		CMDS- Data Transmission (CONNECT DIRECT), per message				N/A	$0 001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

BellSouth/Southeastern Services
ODUF/ADUF/CMDS
South Carolina

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Nonrecurring		Nonrecurring			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge Manual Svc Order vs. Electronic Disc 1st	Incremental Charge Manual Svc Order vs. Electronic Disc Add'l
							Rate	First	Add'l	Disconnect First	Disconnect Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EODUF/ADUF/CMDS																		
	ACCESS DAILY USAGE FILE (ADUF)																	
		ADUF Message Processing, per message				N/A	$0 004											
		ADUF Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001											
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF Recording, per message				N/A	$0 0002882											
		ODUF Message Processing, per message				N/A	$0 0032344											
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	$54 72											
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	$0 0000357											
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																	
		CMDS Message Processing, per message				N/A	$0 004											
		CMDS Data Transmission (CONNECT:DIRECT), per message				N/A	$0 001											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES						OSS RATES					
								Nonrecurring		Nonrecurring Disconnect			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	Source	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																		
	OPTIONAL DAILY USAGE FILE (ODUF)																	
		ODUF Recording, per message				N/A	$0.0000044											
		ODUF Message Processing, per message				N/A	$0.0027366											
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	$52.75											
		ODUF, Data Transmission (CONNECT:DIRECT), per message				N/A	$0.0000039											
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																	

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

ATTACHMENT 9

PERFORMANCE MEASUREMENTS

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission.

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
SOUTHEASTERN SERVICES, INC.
BellSouth Standard Interconnection Agreement

Agreement Effective Date: <effective_date>	**Agreement Expiration Date: <expiration_date>**
Account Manager:	**Account Manager Tel No:**

Attachment Name/Number	Section Number	Version Date	Planned Activities
Terms/Conditions	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
SOUTHEASTERN SERVICES, INC.
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	28		
	29		
	30		
	31		
	32		
	33		
	34		
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
2-Network Elements & Other Svs	1		
	2		
	3		
	4		
	5		

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
SOUTHEASTERN SERVICES, INC.
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	C.O.		
	TN		
	Rem Site		
5-Access to Numbers/Num Portability	1		
	2		

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
SOUTHEASTERN SERVICES, INC.
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	3		
	4		
	5		
	Exhibit A		
6-Pre-Ordering, Ordering/ Provisioning/Maint/Repair	1		
	2		
	3		
7-Billing	1		
	2		
	3		
	4		
	5		
	Exhibit A		
8-ROW/Conduits/PoleAtt			
9-Perf Measurement			
10-Agrmt Implementation Template			
11-Disaster Recovery			
12-BFR/NBR Process			

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
Southeastern Services, Inc.
BellSouth Standard Interconnection Agreement

Agreement Effective Date:	**Agreement Expiration Date:**
Account Manager:	**Account Manager Tel No:**

Attachment Name	Section No.	Version Date	Planned Activities
Terms/Conditions	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
	27		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
Southeastern Services, Inc.
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	28		
	29		
	30		
	31		
	32		
	33		
	34		
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
Southeastern Services, Inc.
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
4-Physical Collocation	C.O.		
	TN		
	Rem Site		
5-Access to Numbers/Num Portability	1		
	2		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
Southeastern Services, Inc.
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	3		
	4		
	5		
	Exhibit A		
6-Pre-Ord/Ord/Prov/Maint/ Repair	1		
	2		
	3		
7-Billing	1		
	2		
	3		
	4		
	5		
	Exhibit A		
8-ROW/Conduits/PoleAtt			
9-Perf Measurement			
10-Agmt Implementation Template			
11-Disaster Recovery Plan			
12-BFR/NBR Process			

Attachment 11

BellSouth Disaster Recovery Plan

CONTENTS

PAGE

1.0	Purpose	2
2.0	Single Point of Contact	2
3.0	Identifying the Problem	2
	3.1 Site Control	3
	3.2 Environmental Concerns	4
4.0	The Emergency Control Center (ECC)	4
5.0	Recovery Procedures	5
	5.1 CLEC Outage	5
	5.2 BellSouth Outage	5
	5.2.1 Loss of Central Office	6
	5.2.2 Loss of a Central Office with Serving Wire Center Functions	6
	5.2.3 Loss of a Central Office with Tandem Functions	6
	5.2.4 Loss of a Facility Hub	6
	5.3 Combined Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Identification Procedures	7
7.0	Acronyms	8

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.

2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.

3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.

4. Mercury and other regulated compounds resident in telephone equipment.

5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and

e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service for Hospitals, Police and other emergency agencies;

e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;

f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

a) Placing specialists and emergency equipment on notice;

b) Inventorying the damage to determine what equipment and/or functions are lost;

c) Moving containerized emergency equipment to the stricken area, if necessary;

d) Reconnecting service for Hospitals, Police and other emergency agencies; and

e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ACRONYMS

CO	-	Central Office (BellSouth)
DS3	-	Facility that carries 28 T1s (672 circuits)
ECC	-	Emergency Control Center (BellSouth)
CLEC	-	Competitive Local Exchange Carrier
NMC	-	Network Management Center
SWC	-	Serving Wire Center (BellSouth switch)
T1	-	Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Attachment 12

Bona Fide Request and New Business Requests Process

BONA FIDE REQUEST AND NEW BUSINESS REQUESTS PROCESS

1.0 The Parties agree that Southeastern Services, Inc. is entitled to order any Network Element, Interconnection option, service option or Resale Service required to be made available by the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"), FCC requirements or State Commission requirements. Southeastern Services, Inc. also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 12.

2.0 Bona Fide Requests ("BFR") are to be used when Southeastern Services, Inc. makes a request of BellSouth to provide a new or modified network element, interconnection option, or other service option pursuant to the Act that was not previously included in the Agreement. New Business Requests ("NBRs") are to be used when Southeastern Services, Inc. makes a request of BellSouth to provide a new or custom capability or function to meet Southeastern Services, Inc.'s business needs that was not previously included in the Agreement. The BFR/NBR process is intended to facilitate the two-way exchange of information between Southeastern Services, Inc. and BellSouth, necessary for accurate processing of requests in a consistent and timely fashion.

3.0 A BFR shall be submitted in writing by Southeastern Services, Inc. and shall specifically identify the required service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request also shall include a Southeastern Services, Inc.'s designation of the request as being (i) pursuant to the Telecommunications Act of 1996 (i.e. a "BFR") or (ii) pursuant to the needs of the business (i.e. a "NBR"). The request shall be sent to Southeastern Services, Inc.'s Account Executive.

4.0 Southeastern Services, Inc. may cancel a BFR or NBR at any time. If Southeastern Services, Inc. cancels the request more than three (3) business days after submitting it, Southeastern Services, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR or NBR up to the date of cancellation. If Southeastern Services, Inc. does not cancel a BFR or NBR, Southeastern Services, Inc. shall pay BellSouth's reasonable and demonstrable costs of processing and implementing the request.

5.0 Within twenty-five (25) business days of its receipt of a BFR or NBR from Southeastern Services, Inc., BellSouth shall respond to Southeastern

Services, Inc. by providing a preliminary analysis of such Interconnection, Network Element, or other facility or service option that is the subject of the BFR or NBR. The preliminary analysis shall confirm that BellSouth will either offer access to the Interconnection, Network Element, or other facility or service option, or provide an explanation of why it is not technically feasible and/or why the request does not qualify as an Interconnection, Network Element, or is not otherwise required to be provided under the Act.

6.0 If BellSouth determines that the Interconnection, Network Element, or other facility or service option that is the subject of the BFR is technically feasible, BellSouth shall propose a firm price and a detailed implementation plan within fifty (50) business days after receipt of the BFR. BellSouth may, but shall not be required to, provide a firm time and cost proposal for a NBR.

7.0 Within thirty (30) business days after its receipt of (i) a refusal of BellSouth to provide a BFR or NBR price quote, or (ii) the BFR or NBR price quote and implementation plan from BellSouth, Southeastern Services, Inc. must either confirm or cancel its order for such facility or service option. If it believes such quote is not consistent with the requirements of the Act, Southeastern Services, Inc. may at that time seek FCC or state Commission arbitration of its request, as appropriate. Any such arbitration applicable to Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.

8.0 Unless Southeastern Services, Inc. agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the State Commission.

9.0 If either Party to a BFR or NBR believes that the other Party is not requesting, negotiating, or processing the Bona Fide Request in good faith, or disputes a determination, or price or cost quote, such Party may seek FCC or state Commission resolution of the dispute, as appropriate.

10.0 Upon agreement to the terms of a BFR or NBR, an amendment to the Agreement may be required.