Legal Department

T. MICHAEL TWOMEY
Senior Regulatory Counsel

BellSouth Telecommunications, Inc.
150 South Monroe Street
Room 400
Tallahassee, Florida 32301
(404) 335-0750

December 21, 2001

Mrs. Blanca S. Bayó
Division of the Commission Clerk and
Administrative Services
Florida Public Service Commission
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850

Re: Docket No. 001797-TP (Covad Arbitration)

Dear Ms. Bayó:

Enclosed is an original and five copies of BellSouth Telecommunications, Inc. and DIECA Communications, Inc. d/b/a Covad Communications Company Interconnection Agreement pursuant to Order No. PSC-01-2319-PCO-TP, which we ask that you file in the captioned docket.

A copy of this letter is enclosed. Please mark it to indicate that the original was filed and return the copy to me. Copies have been served to the parties shown on the attached Certificate of Service.

Sincerely,

T. Michael Twomey

T. Michael Twomey (RA)

cc: All Parties of Record
Marshall M. Criser III
R. Douglas Lackey
Nancy B. White

DOCUMENT NUMBER-DATE
15983 DEC 21 01
FPSC-COMMISSION CLERK

CERTIFICATE OF SERVICE
Docket No. 001797-TP

I HEREBY CERTIFY that a true and correct copy of the foregoing was served via Facsimile and Federal Express this 21st day of December, 2001 to the following:

Felicia Banks
Staff Counsel
Florida Public Service Commission
Division of Legal Services
2540 Shumard Oak Boulevard
Tallahassee, FL 32399-0850
Fax. No. (850) 413-6250
fbanks@psc.state.fl.us

Covad Communications Company
Ms. Catherine F. Boone **(+)**
10 Glenlake Parkway
Suite 650
Atlanta, GA 30328-3495
Tel. No. (678) 222-3469
Fax. No. (240) 525-5673
cboone@covad.com
Atty. for Covad

Joseph A. McGlothlin **(+)**
Vicki Gordon Kaufman **(+)**
McWhirter Reeves McGlothlin Davidson Decker Kaufman Arnold & Steen, P.A.
117 South Gadsden Street
Tallahassee, Florida 32301
Tel. No. (850) 222-2525
Fax. No. (850) 222-5606
Atty. for Covad
Jmcglothlin@mac-law.com
vkaufman@mac-law.com

T. Michael Twomey (KH)
T. Michael Twomey

(+) Signed Protective Agreement

By and Between

BellSouth Telecommunications, Inc.

And

DIECA Communications, Inc. d/b/a

Covad Communications Company

TABLE OF CONTENTS

General Terms and Conditions
Part A

1. Purpose
2. Term of the Agreement
3. Ordering Procedures
4. Parity
5. White Pages Listings
6. Bona Fide Request/New Business Request Process for Further Unbundling
7. Court Ordered Requests for Call Detail Records and Other Subscriber Information
8. Liability and Indemnification
9. Intellectual Property Rights and Indemnification
10. Treatment of Proprietary and Confidential Information
11. Assignments
12. Resolution of Disputes
13. Taxes
14. Force Majeure
15. Year 2000 Compliance
16. Modification of Agreement
17. Waivers
18. Governing Law
19. Arm's Length Negotiations
20. Notices
21. Rule of Construction
22. Headings of No Force or Effect
23. Multiple Counterparts
24. Implementation of Agreement
25. Filing of Agreement
26. Entire Agreement

Part B - Definitions

Attachment 1 - Resale
Attachment 2 - Network Elements and Other Services
Attachment 3 - Network Interconnection
Attachment 4 - Physical Collocation
Attachment 5 - Access to Numbers and Number Portability
Attachment 6 - Ordering and Provisioning
Attachment 7 - Billing and Billing Accuracy Certification
Attachment 8 - Rights-of-Way, Conduits and Pole Attachments
Attachment 9 - Performance Measurements
Attachment 10- Agreement Implementation Template
Attachment 11- BellSouth Disaster Recovery Plan

AGREEMENT

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and DIECA Communications, Inc. d/b/a Covad Communications Company ("Covad"), a Virginia corporation, and shall be deemed effective as of the date of the last signature of both Parties ("Effective Date"). This Agreement may refer to either BellSouth or Covad or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, Covad is or seeks to become a competitive local exchange carrier ("CLEC") authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

WHEREAS, Covad wishes to purchase unbundled network elements and other services from BellSouth, resell BellSouth's telecommunications services, and/or the Parties wish to interconnect their facilities and exchange traffic pursuant to sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and Covad agree as follows:

1. Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each of BellSouth's nine state region, Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communication Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 ("Act") means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47, U.S.C. Section 1 et. seq.).

2. Purpose

This Agreement sets forth the terms and conditions under which Covad will obtain services and unbundled network elements from BellSouth to provide telecommunications services to Covad customers within the territory of BellSouth. BellSouth will provide Covad with the functionalities of unbundled network elements so that Covad can provide any telecommunications service that can be offered by means of the unbundled elements as described in Attachment 2.

2.1 Term of the Agreement

2.2 The term of this Agreement shall be three years, and shall apply to the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. This Agreement shall become effective on the date the last party executes the Agreement.

2.3 The Parties agree that by no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement ("Subsequent Agreement"). If as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Section 2.4.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration shall be as set forth in Section 2.4 below.

2.4 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.3 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252. In the event the Commission does not issue its order prior to the expiration date of this Agreement, or if the Parties continue beyond the expiration date of this Agreement to negotiate the Subsequent Agreement without Commission intervention, the terms, conditions and prices ultimately ordered by the Commission, or negotiated by the Parties, will be effective on the date the last party executes the Agreement. Until the Subsequent Agreement becomes effective, the Parties shall continue to exchange traffic and BellSouth shall continue to provide Covad unbundled network elements and services for resale pursuant to the terms and conditions of this Agreement, except as provided in 2.4.1 and 2.4.2.

2.4.1 In the event that as of the date of expiration of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.4 above, then either Party may terminate this Agreement upon sixty (60) days notice to the other Party. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Covad pursuant to the terms, conditions and rates set forth in BellSouth's Statement of Generally Available Terms (SGAT) to the extent an SGAT has been approved by the applicable Commission(s). If any state Commission has not approved a BellSouth SGAT, then upon BellSouth's termination of this Agreement as provided herein, BellSouth will continue to provide services to Covad pursuant to BellSouth's then current standard interconnection agreement. In the event that the SGAT or BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement, and the terms of such Subsequent Agreement shall be effective as of the date of execution.

2.4.2 Notwithstanding Section 2.4 above, in the event that as of the date of expiration of this Agreement the Parties have not entered into a Subsequent Agreement and (1) no arbitration proceeding has been filed in accordance with Section 2.3 above, and (2) Covad either is not certified as a CLEC in any particular state to which this Agreement applies or has not ordered any services under this Agreement as of the date of expiration, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.

2.4.3 The Parties may negotiate changes in section 2 as necessary.

3. OSS

Covad shall, where appropriate, pay charges for Operational Support Systems (OSS).

4. Parity

When Covad purchases, pursuant to Attachment 1 of this Agreement, telecommunications services from BellSouth for the purposes of resale to end users, BellSouth shall provide said services so that the services are equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its affiliates, subsidiaries and end users. For resale purposes, BellSouth will provide Covad with pre-ordering, ordering, maintenance, and trouble reporting, and daily usage data functionality that will enable Covad to provide equivalent levels of customer service to its customers and end users as BellSouth provides to its own customers and end users. When Covad purchases unbundled network elements from BellSouth, to the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Covad shall be at least equal in quality to that which BellSouth provides to itself, its affiliates or any other telecommunications carrier. The quality of the interconnection between the networks of BellSouth and the network of Covad shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by end users and service quality as perceived by Covad.

5. White Pages Listings

5.1 BellSouth shall provide Covad and their customers access to white pages directory listings under the following terms:

5.2. Listings. Covad shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Covad residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories. Directory listings will make no distinction between Covad and BellSouth subscribers.

5.2.1 Rates. So long as Covad provides subscriber listing information to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to Covad one (1) primary White Pages listing per Covad subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.

5.3 Procedures for Submitting Covad Subscriber Information are found in BellSouth's Ordering Guide for manually processed listings and in the Local Exchange Ordering Guide for mechanically submitted listings.

5.3.1 Notwithstanding any provision(s) to the contrary, Covad shall provide to BellSouth, and BellSouth shall accept, Covad's Subscriber Listing Information

(SLI) relating to Covad's customers in the geographic area(s) covered by this Interconnection Agreement. Covad authorizes BellSouth to release all such Covad SLI provided to BellSouth by Covad to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff, Section A38.2, as the same may be amended from time to time. Such CLEC SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI. Where necessary, BellSouth will use good faith efforts to obtain state commission approval of any necessary modifications to Section A38.2 of its tariff to provide for release of third party directory listings, including modifications regarding listings to be released pursuant to such tariff and BellSouth's liability thereunder. BellSouth's obligation pursuant to this Section shall not arise in any particular state until the commission of such state has approved modifications to such tariff.

5.3.2 No compensation shall be paid to Covad for BellSouth's receipt of Covad SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Covad's SLI, or costs on an ongoing basis to administer the release of Covad SLI, Covad shall pay to BellSouth its proportionate share of the reasonable costs associated therewith.

5.3.3 BellSouth shall not be liable for the content or accuracy of any SLI provided by Covad under this Agreement. Covad shall indemnify, hold harmless and defend BellSouth from and against any damages, losses, liabilities, demands claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Covad listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Covad any complaints received by BellSouth relating to the accuracy or quality of Covad listings.

5.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

5.4 Unlisted/Non-Published Subscribers. Covad will be required to provide to BellSouth the names, addresses and telephone numbers of all Covad customers that wish to be omitted from directories.

5.5 Inclusion of Covad Customers in Directory Assistance Database. BellSouth will include and maintain Covad subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and Covad shall provide such Directory Assistance listings at no recurring charge. BellSouth and Covad will formulate appropriate procedures regarding lead-time, timeliness, format and content of listing information.

5.6 Listing Information Confidentiality. BellSouth will accord Covad's directory listing information the same level of confidentiality that BellSouth accords its own directory listing information, and BellSouth shall limit access to Covad's customer proprietary confidential directory information to those BellSouth employees who are involved in the preparation of listings.

5.7 Optional Listings. Additional listings and optional listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.

5.8 Delivery. BellSouth or its agent shall deliver White Pages directories to Covad subscribers at no charge or as specified in a separate BAPCO agreement.

6. Bona Fide Request/New Business Request Process for Further Unbundling

6.1 BellSouth shall, upon request of Covad, provide to Covad access to its network elements at any technically feasible point for the provision of Covad's telecommunications service where such access is necessary and failure to provide access would impair the ability of Covad to provide services that it seeks to offer. Any request by Covad for access to a network element, interconnection option, or for the provisioning of any service or product that is not already available shall be treated as a Bona Fide Request/New Business Request, and shall be submitted to BellSouth pursuant to the Bona Fide Request/New Business Request process set forth in Exhibit 1 hereto.

6.2 Covad shall submit any Bona Fide Request/New Business Request in writing to Covad's Account Manager. The BFR/NBR shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The BFR/NBR also shall include Covad's designation of the request as being (i) pursuant to the Telecommunications Act of 1996 or (ii) pursuant to the needs of the business.

7. Court Ordered Requests for Call Detail Records and Other Subscriber Information

7.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for Covad, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Covad end users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Covad end users for the same length of time it maintains such information for its own end users.

7.2 Subpoenas Directed to Covad. Where BellSouth is providing to Covad telecommunications services for resale or providing to Covad the local switching function, then Covad agrees that in those cases where Covad receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Covad end users, and where Covad does not have the requested information, Covad will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 7.1 above.

7.3 In all other instances, where either Party receives a request for information involving the other Party's end user, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

8. Liability and Indemnification

8.1 Covad Liability. In the event that Covad consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of Covad under this Agreement.

8.2 Liability for Acts or Omissions of Third Parties. BellSouth shall not be liable to Covad for any act or omission of another telecommunications company providing services to Covad.

8.3 Limitation of Liability

8.3.1 Liability Cap

8.3.1.1 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by Covad, any Covad customer or by any other person or entity, for damages associated with any of the services provided by BellSouth pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, BellSouth's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of BellSouth and claims for damages by Covad resulting from the failure of BellSouth to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability. Covad acknowledges that, to the extent BellSouth's obligations hereunder involve provisioning elements and services within any particular interval, BellSouth may not be able to meet such intervals 100% of the time. Covad bears the burden of showing that the number or percentage of intervals missed by BellSouth constitutes a material breach of this Agreement pursuant to applicable law. Any damages found payable to Covad

under this Section shall be reduced by the amount of any performance penalties for the same occurrence payable to Covad under this Agreement.

8.3.1.2 With respect to any claim or suit, whether based in contract, tort or any other theory of legal liability, by BellSouth, any BellSouth customer or by any other person or entity, for damages associated with any of the services provided by Covad pursuant to or in connection with this Agreement, including but not limited to the installation, provision, preemption, termination, maintenance, repair or restoration of service, and subject to the provisions of the remainder of this Section, Covad's liability shall be limited to an amount equal to the proportionate charge for the service provided pursuant to this Agreement for the period during which the service was affected. Notwithstanding the foregoing, claims for damages from the gross negligence or willful misconduct of Covad and claims for damages by BellSouth resulting from the failure of Covad to honor in one or more material respects any one or more of the material provisions of this Agreement shall not be subject to such limitation of liability.

8.3.2 Neither Party shall be liable for any act or omission of any other telecommunications company to the extent such other telecommunications company provides a portion of a service.

8.3.3 Neither Party shall be liable for damages to the other Party's terminal location, Interconnection Point or the other Party's customers' premises resulting from the furnishing of a service, including but not limited to the installation and removal of equipment and associated wiring, except to the extent the damage is caused by such Party's gross negligence or willful misconduct, or by a Party's failure properly to ground a local loop after disconnection using sound engineering principles.

8.3.4 The Party providing services under this Agreement, its affiliates and its parent company shall be indemnified, defended and held harmless by the Party receiving such services against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement, involving: 1) claims for libel, slander, invasion of privacy or copyright infringement arising from the content of the receiving Party's own communications; 2) any claim, loss, or damage claimed by the receiving Party's customer(s) arising from such customer's use of any service, including 911/E911, that the customer has obtained from the receiving Party and that the receiving Party has obtained from the supplying Party under this Agreement; or 3) all other claims arising out of an act or omission of the receiving Party in the course of using services provided pursuant to this Agreement. Notwithstanding the foregoing, to the extent that a claim, loss or damage is caused by the gross negligence or willful misconduct of a supplying Party the receiving Party shall have no obligation to indemnify, defend and hold harmless the supplying Party hereunder. Nothing herein is intended to modify or alter in any way the indemnification obligations set forth in Section 9, supra, relating to intellectual property infringement.

8.3.5 Neither Party guarantees or makes any warranty with respect to its services when used in an explosive atmosphere. Each Party shall be indemnified, defended and held harmless by the other Party or the other Party's customer from any and all claims by any person relating to the other Party or the other Party's customer's use of services so provided.

8.3.6 Promptly after receipt of notice of any claim or the commencement of any action for which a Party may seek indemnification pursuant to this Section, such Party (the "Indemnified Party") shall promptly give written notice to the other Party (the "Indemnifying Party") of such claim or action, but the failure to so notify the Indemnifying Party shall not relieve the Indemnifying Party of any liability it may have to the Indemnified Party except to the extent the Indemnifying Party has actually been prejudiced thereby. The Indemnifying Party shall be obligated to assume the defense of such claim, at its own expense. The Indemnified Party shall cooperate with the Indemnifying Party's reasonable request for assistance or information relating to such claim, at the Indemnifying Party's expense. The Indemnified Party shall have the right to participate in the investigation and defense of such claim or action, with separate counsel chosen and paid for by the Indemnified Party. Unless the Indemnified Party chooses to waive its rights to be indemnified further in any claim or action, the Indemnified Party's counsel shall not interfere with the defense strategy chosen by the Indemnifying Party and its counsel, and the Indemnified Party when such course of action in representation of the Indemnified Party's counsel shall not raise any claims, defenses, or objections or otherwise take a course of action in representation of the Indemnified Party when such course of action might be in conflict with a course of action or inaction chosen by the Indemnifying Party. The Indemnifying Party is not liable under this Section 8 for settlements or compromises by the Indemnified Party of any claim, demand, or lawsuit unless the Indemnifying Party ahs approved the settlement or compromise in advance or unless the Indemnified Party has tendered the defense of the claim, demand, or lawsuit to the Indemnifying Party in writing and the Indemnifying Party has failed to promptly undertake the defense.

8.4 Both Parties agree that they, at their own cost and expense, shall maintain throughout the term of this Agreement, all insurance required by law or required under this Agreement, and may at their own cost and expense purchase insurance or self-insure for their employer, public, professional and legal liabilities. No limit of liability on any policy, no program or self-insurance, nor any failure to maintain adequate insurance coverage shall limit the direct or indirect liability of either Party.

8.5 Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE

OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

9. Intellectual Property Rights and Indemnification

9.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. Covad is strictly prohibited from any use, including but not limited to in sales, in marketing or advertising of telecommunications services, of any BellSouth name, service mark or trademark. Notwithstanding the foregoing, Covad may use BellSouth's name solely in response to inquiries of customers or potential customers regarding the source of the underlying service or the identity of repair or service technicians under this Agreement.

9.2 Ownership of Intellectual Property. Any intellectual property which originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right now or hereafter owned, controlled or licensable by a Party, is granted to the other Party or shall be implied or arise by estoppel. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

9.3 Indemnification. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 8 of this Agreement.

9.4 Claim of Infringement. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:

9.4.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or

9.4.2 obtain a license sufficient to allow such use to continue.

9.4.3 In the event 9.4.1 or 9.4.2 are commercially unreasonable, then said Party may, terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.

9.5 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

9.6 Exclusive Remedy. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

10. Proprietary and Confidential Information

10.1 Proprietary and Confidential Information. It may be necessary for BellSouth and Covad, each as the "Discloser," to provide to the other party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, prices, costs, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All Information shall be provided to Recipient in written or other tangible or electronic form, clearly marked with a confidential and, proprietary notice . Information orally or visually provided to Recipient must be designated by Discloser as confidential and proprietary at the time of such disclosure and must be reduced to writing marked with a confidential and proprietary notice and provided to Recipient within thirty (30) calendar days after such oral or visual disclosure.

10.1.1 Each Party shall fully comply with all Customer Proprietary Network Information ("CPNI") and carrier information set forth in Section 222 of the Act and the FCC's rules and regulations implementing, or promulgated under, Section 222 of the Act.

10.2 Use and Protection of Information. Recipient shall use the Information solely for the purpose(s) of performing its obligations under this Agreement, and Recipient shall protect Information from any use, distribution or disclosure except as

permitted hereunder. Recipient will use the same standard of care to protect Information as Recipient uses to protect its own similar confidential and proprietary information, but not less than a reasonable standard of care. Recipient may disclose Information solely to the Authorized Representatives of the Recipient who (a) have a substantive need to know such Information in connection with performance of the Agreement; (b) have been advised of the confidential and proprietary nature of the Information; and (c) have personally agreed in writing to protect from unauthorized disclosure all confidential and proprietary information, of whatever source, to which they have access in the course of their employment. "Authorized Representatives" are the officers, directors and employees of Recipient and its Affiliates, as well as Recipient's and its Affiliates' consultants, contractors, counsel and agents.

10.3 Ownership, Copying & Return of Information. Information remains at all times the property of Discloser. Recipient may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All such tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any information) will be destroyed and Recipient will provide Discloser with written certification stating that such Information has been destroyed.)

10.4 Exceptions. Discloser's Information does not include: (a) any information publicly disclosed by Discloser; (b) any information Discloser in writing authorizes Recipient to disclose without restriction; (c) any information already lawfully known to Recipient at the time it is disclosed by the Discloser, without an obligation to keep confidential; or (d) any information Recipient lawfully obtains from any source other than Discloser, provided that such source lawfully disclosed and/or independently developed such information. If Recipient is required to provide Information to any court or government agency pursuant to written court order, subpoena, regulation or process of law, Recipient must first provide Discloser with prompt written notice of such requirement and cooperate with Discloser to appropriately protect against or limit the scope of such disclosure. To the fullest extent permitted by law, Recipient will continue to protect as confidential and proprietary all Information disclosed in response to a written court order, subpoena, regulation or process of law.

10.5 Equitable Relief. Recipient acknowledges and agrees that any breach or threatened breach of this Section 10 is likely to cause Discloser irreparable harm for which money damages may not be an appropriate or sufficient remedy. Recipient therefore agrees that Discloser or its Affiliates, may be entitled to receive injunctive or other equitable relief to remedy or prevent any breach or threatened breach of this Section 10. Such remedy is not the exclusive remedy for any breach

or threatened breach of this Section 10, but is in addition to all other rights and remedies available at law or in equity.

10.6 Survival of Confidentiality Obligations. The parties' rights and obligations under this Section 10 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

11. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement or any right, obligation, duty or other interest hereunder to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the effective date thereof and, provided further, if the assignee is an assignee of Covad, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations.

12. Resolution of Disputes

Except as otherwise stated in this Agreement, the Parties agree that if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, either Party may petition the Commission for a resolution of the dispute. Each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

13. Taxes

13.1 Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services

furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.

13.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

13.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.

13.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.

13.3 Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.

13.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.

13.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

13.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

13.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

13.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

13.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee; provided, however, that this provision shall not apply to any interest, penalties, or other charges or payable expenses (including reasonable attorney fees) attributable to the providing Party's failure to timely remit any taxes or fees collected from the purchasing Party.

13.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

13.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.

13.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.

13.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.

13.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

13.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the

existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.

13.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.

13.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

13.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

13.5 Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

14. Force Majeure

14.1 In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Customer, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease. BellSouth understands that its obligation to

provide Covad with nondiscriminatory access to unbundled network elements is not altered by a work stoppage, strike or other labor problem.

15. Adoption of Agreements

BellSouth shall make available without unreasonable delay to Covad any individual interconnection, service, or network element arrangement contained in any agreement to which it is a party that is approved by a state commission pursuant to section 252 of the Act, upon the same rates, terms and conditions as those provided in the agreement. If BellSouth believes that it is no longer reasonable to allow Covad to opt into a particular agreement because of changes in technology or pricing or for any other reason, BellSouth may petition the Commission requesting that Covad not be allowed to opt-in.

16. Modification of Agreement

16.1 If Covad changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Covad to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.

16.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.

16.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Covad or BellSouth to perform any material terms of this Agreement, Covad or BellSouth may, on thirty (30) days' written notice require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

16.4 Notwithstanding anything to the contrary in this Agreement, this Agreement shall not be amended or modified after the expiration date hereof as set forth in Section 2 above.

17. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or infer that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such

decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

18. Severability

If any provision of this Agreement, or the application of such provision to either Party or circumstance, shall be held invalid, the remainder of the Agreement, or the application of any such provision to the Parties or circumstances other than those to which it is held invalid, shall not be affected thereby, provided that the Parties shall attempt to reformulate such invalid provision to give effect to such portions thereof as may be valid without defeating the intent of such provision.

19. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

20. Governing Law

This Agreement shall be governed by, and construed and enforced in accordance with, the laws of the State of Georgia, without regard to its conflict of laws principles.

21. Notices

21.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

Account Team
600 North 19th Street
Birmingham, Alabama 35203

and

General Attorney - COU
Suite 4300
675 W. Peachtree St.
Atlanta, GA 30375

Dhruv Khanna
Executive Vice President and General Counsel
Covad Communications Company
3420 Central Expressway
Santa Clara, CA 95054

and

Catherine F. Boone
Senior Counsel
Covad Communications Company
10 Glenlake Parkway, Suite 130
Atlanta, GA 30328

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

21.2 Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

21.3 Notwithstanding the foregoing, BellSouth may provide Covad notice via Internet posting of price changes, changes to the terms and conditions of services available for resale, changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Implementation of Agreement

If Covad is a facilities based provider or a facilities based and resale provider, this section shall apply. Within 60 days of the execution of this Agreement, the Parties may adopt a schedule for the implementation of the Agreement. The schedule shall state with specificity time frames for submission of including but not limited to, network design, interconnection points, collocation arrangement requests, pre-sales testing and full operational time frames for the business and residential markets. An implementation template which may be used for the implementation schedule is contained in Attachment 10 of this Agreement.

25. Filing of Agreement

25.1 Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, Covad and BellSouth shall share those fees evenly. Covad shall be responsible for publishing the required notice. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Covad is duly certified as a local exchange carrier in such state.

26. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

27. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

28. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

29. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except

insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to Covad as a requesting carrier under the Act).

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

This Agreement and its Attachments, incorporated herein by this reference, sets forth the entire understanding and supersedes prior Agreements between the Parties relating to the subject matter contained herein and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement. Neither Party shall be bound by any condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement may include the following attachments:

Network Elements and Other Services •
Local Interconnection
Resale
Collocation

The following services are included as options for purchase by Covad. Covad may elect to purchase said services by written request to its Account Manager if applicable.

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year above first written.

BellSouth Telecommunications, Inc.	DIECA Communications, Inc. d/b/a Covad Communications Company
Gregory R Follensbee	
Signature	Signature
Gregory R Follensbee	DHRUV KHANNA
Name	Name
Senior Director	EXECUTIVE VICE PRESIDENT – GENERAL COUNSEL
Title	Title
12-19-01	DECEMBER 18, 2001
Date	Date

Attachment 1

Resale

TABLE OF CONTENTS

1. Discount Rates.....3

2. Definition of Terms.....3

3. General Provisions.....3

4. Bellsouth's Provision of Services To Covad.....8

5. Maintenance of Services.....8

6. Establishment of Service.....9

7. Payment and Billing Arrangements.....11

8. Discontinuance of Service.....13

9. Line Information Database (LIDB).....15

10. RAO Hosting.....15

11. Optional Daily Usage File (ODUF).....15

12. Enhanced Optional Daily Usage File (EODUF).....15

Exhibit A – Applicable Discounts/OSS Rates.....16

Exhibit B – Resale Restrictions.....19

Exhibit C – Line Information Database (LIDB) Storage Agreement.....21

Exhibit D – CMDS/ROA Hosting.....27

Exhibit E – Optional Daily Usage File (ODUF).....31

Exhibit F – Enhanced Option Daily Usage File (EODUF).....34

Exhibit G – ODUF/EODUF/CMDS Rates.....Rate Table

RESALE

1. Discount Rates

The discount rates applied to Covad purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit A. Such discount shall reflect the costs avoided by BellSouth when selling a service for wholesale purposes.

2. Definition of Terms

2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the public service commissions of BellSouth's franchised area to provide local exchange service within BellSouth's franchised area.

2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.

2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.

2.4 END USER means the ultimate user of the telecommunications services.

2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an end user makes use of the telecommunications services.

2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.

2.7 RESALE means an activity wherein a certificated CLEC, such as Covad subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

2.8 RESALE SERVICE AREA means the area, as defined in a public service commission approved certificate of operation, within which a CLEC, such as Covad, may offer resold local exchange telecommunications service.

3. General Provisions

3.1 Covad may resell the tariffed local exchange and toll telecommunications services of BellSouth contained in the General Subscriber Service Tariff and Private Line Service Tariff subject to the terms, and conditions specifically set forth herein. Notwithstanding the foregoing, the exclusions and limitations on services available for resale will be as set forth in Exhibit B, attached hereto and incorporated herein by this reference.

3.2 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. BellSouth shall make available telecommunications services for resale at the discount rates set forth in Exhibit A to this Agreement and subject to the exclusions and limitations set forth in Exhibit B to this Agreement. BellSouth does not however waive its rights to appeal or otherwise challenge any decision regarding resale that resulted in the discount rates contained in Exhibit A or the exclusions and limitations contained in Exhibit B. BellSouth reserves the right to pursue any and all legal and/or equitable remedies, including appeals of any decisions. If such appeals or challenges result in changes in the discount rates or exclusions and limitations, the parties agree that appropriate modifications to this Agreement will be made promptly to make its terms consistent with the outcome of the appeal.

3.3 Covad may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:

3.3.1 Covad must resell services to other end users.

3.3.2 Covad must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Resale Account Teams pursuant to Section 3 of the General Terms and Conditions.

3.3.3 Covad cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.

3.4 The provision of services by BellSouth to Covad does not constitute a joint undertaking for the furnishing of any service.

3.5 Covad will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and expect payment from Covad for said services.

3.6 Covad will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the end user except to the extent provided for herein.

3.7 BellSouth will continue to bill the end user for any services that the end user specifies it wishes to receive directly from BellSouth.

3.8 BellSouth maintains the right to serve directly any end user within the service area of Covad. BellSouth will continue to directly market its own telecommunications products and services and in doing so may establish independent relationships with end users of Covad.

3.9 Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

3.10 Current telephone numbers may normally be retained by the end user and are assigned to the service furnished. However, neither Party nor the end user has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.

3.11 For the purpose of the resale of BellSouth's telecommunications services by Covad, BellSouth will provide Covad with an on line access to telephone numbers for reservation on a first come first serve basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of nine (9) days. Covad acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC) and in such instances BellSouth may request that Covad cancel its reservations of numbers. Covad shall comply with such request.

3.12 Further, upon Covad's request, and for the purpose of the resale of BellSouth's telecommunications services by Covad, BellSouth will reserve up to 100 telephone numbers per CLLIC, for Covad's sole use. Such telephone number reservations shall be valid for ninety (90) days from the reservation date. Covad acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity of Covad's reasonable need in that particular CLLIC.

3.13 Service is furnished subject to the condition that it will not be used for any unlawful purpose.

3.14 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.

3.15 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.

3.16 BellSouth accepts no responsibility to any person for any unlawful act committed by Covad or its end users as part of providing service to Covad for purposes of resale or otherwise.

3.17 BellSouth will cooperate fully with law enforcement agencies with subpoenas and court orders for assistance with BellSouth's end users, pursuant to Section 7 of the General Terms and Conditions.

3.18 The characteristics and methods of operation of any circuits, facilities or equipment provided by any person or entity other than BellSouth shall not:

3.18.1 Interfere with or impair service over any facilities of BellSouth, its affiliates, or its connecting and concurring carriers involved in its service; or

3.18.2 Cause damage to BellSouth's plant;

3.18.3 Impair the privacy of any communications; or

3.18.4 Create hazards to any BellSouth employees or the public.

3.19 If Covad utilizes a BellSouth resold telecommunications service in a manner other than which the service was originally intended as described in BellSouth's retail tariffs, Covad has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.

3.20 Facilities and/or equipment utilized by BellSouth to provide service to Covad remain the property of BellSouth.

3.21 White page directory listings will be provided in accordance with Section 5 of the General Terms and Conditions.

3.22 BellSouth provides electronic access to customer record information. Access is provided through the Local Exchange Navigation System (LENS) and the Telecommunications Access Gateway (TAG). Customer Record Information includes but is not limited to, customer specific information in CRIS and RSAG. In addition, Covad shall provide to BellSouth access to customer record information including electronic access where available. Otherwise, upon request by BellSouth Covad shall provide paper copies of customer record information within a reasonable period of time by BellSouth. Customer Record Information is equivalent to but not limited to the type of customer specific information contained in CRIS and RSAG. The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission, and further agrees that Covad and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided.

3.23 All costs incurred by BellSouth to develop and implement operational interfaces shall be recovered from Resellers who utilize the services. Charges for use of Operational Support Systems (OSS) shall be as set forth in Exhibit A of this Attachment.

3.24 Where available to BellSouth's end users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:

- Simplified Message Desk Interface - Enhanced ("SMDI-E")
- Simplified Message Desk Interface ("SMDI")
- Message Waiting Indicator ("MWI") stutter dialtone and message waiting light feature capabilities
- Call Forward on Busy ("CF/B")
- Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

3.24.1 BellSouth shall provide branding for, or shall unbrand, voice mail services to Covad per the Bona Fide Request/New Business Request process as set forth in Section 6 of the General Terms and Conditions.

3.25 BellSouth's Inside Wire Maintenance Service Plans may be made available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.

3.26 If Covad requires a special assembly Covad agrees to pay the costs incurred by BellSouth for providing the requested special assembly. The costs will be provided to Covad prior to providing the service. Such costs could include both recurring and non-recurring charges and shall exclude any cost attributable to any marketing, billing collection or other costs that will be avoided by BellSouth in providing service to Covad.

3.27 Recovery of charges associated with implementing Number Portability through monthly charges assessed to end users has been authorized by the FCC. This end user line charge will be billed to Resellers of BellSouth's telecommunications services and will be as filed in FCC No. 1. This charge is not discounted.

3.28 BellSouth shall provide 911/E911 for Covad customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Covad customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Covad customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

3.29 Pursuant to 47 CFR Section 51.617, BellSouth will bill Covad end users common line charges identical to the end user common line charges BellSouth bills its end users.

4. BellSouth's Provision of Services to Covad

4.1 Covad agrees that its resale of BellSouth services shall be as follows:

4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.

4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital end users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Independent Payphone Provider (IPP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.

4.1.3 BellSouth reserves the right to periodically audit services purchased by Covad to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Covad shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit.

4.2 Resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual end user of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month), shall not be aggregated across multiple resold services.

4.3 Covad may resell services only within the specific resale service area as defined in its certificate.

4.4 Telephone numbers transmitted via any resold service feature are intended solely for the use of the end user of the feature. Resale of this information is prohibited.

5. Maintenance of Services

5.1 Covad will adopt and adhere to the standards contained in the applicable CLEC Work Center Operational Understanding Agreement regarding maintenance and installation of service.

5.2 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.

5.3 Covad or its end users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth, other than by connection or disconnection to any interface means used, except with the written consent of BellSouth.

5.4 Covad accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.

5.5 Covad will be BellSouth's single point of contact for all repair calls on behalf of Covad's end users. The parties agree to provide one another with toll-free contact numbers for such purposes.

5.6 Covad will contact the appropriate repair centers in accordance with procedures established by BellSouth.

5.7 For all repair requests, Covad accepts responsibility for adhering to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.

5.8 BellSouth will bill Covad for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.

5.9 BellSouth reserves the right to contact Covad's end users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

6.1 After receiving certification as a local exchange company from the appropriate regulatory agency, Covad will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for Covad's resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable. When necessary deposit requirements are met, BellSouth will begin taking orders for the resale of service.

6.2 Service orders will be in a standard format designated by BellSouth.

6.3 When notification is received from Covad that a current end user of BellSouth will subscribe to Covad's service, standard service order intervals for the appropriate class of service will apply.

6.4 BellSouth will not require end user confirmation prior to establishing service for Covad's end user customer. Covad must, however, be able to demonstrate end user authorization upon request.

6.5 Covad will be the single point of contact with BellSouth for all subsequent ordering activity resulting in additions or changes to resold services except that BellSouth will accept a request directly from the end user for conversion of the end user's service from Covad to BellSouth or will accept a request from another CLEC for conversion of the end user's service from Covad to the other LEC. BellSouth will notify Covad that such a request has been processed.

6.6 If BellSouth determines that an unauthorized change in local service to Covad has occurred, BellSouth will reestablish service with the appropriate local service provider and will assess Covad as the CLEC initiating the unauthorized change, the unauthorized change charge described in F.C.C. Tariff No. 1, Section 13 or applicable state tariff. Appropriate nonrecurring charges, as set forth in Section A4 of the General Subscriber Service Tariff, will also be assessed to Covad. These charges can be adjusted if Covad provides satisfactory proof of authorization.

6.7 In order to safeguard its interest, BellSouth reserves the right to secure the account with a suitable form of security deposit, unless satisfactory credit has already been established.

6.7.1 Such security deposit shall take the form of an irrevocable Letter of Credit or other forms of security acceptable to BellSouth. Any such security deposit may be held during the continuance of the service as security for the payment of any and all amounts accruing for the service.

6.7.2 If a security deposit is required, such security deposit shall be made prior to the inauguration of service.

6.7.3 Such security deposit may not exceed two months' estimated billing.

6.7.4 The fact that a security deposit has been made in no way relieves Covad from complying with BellSouth's regulations as to advance payments and the prompt payment of bills on presentation nor does it constitute a waiver or modification of the regular practices of BellSouth providing for the discontinuance of service for non-payment of any sums due BellSouth.

6.7.5 BellSouth reserves the right to increase the security deposit requirements when, in its sole judgment, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the security deposit.

6.7.6 In the event that Covad defaults on its account, service to Covad will be terminated and any security deposits held will be applied to its account.

6.7.7 Interest on a security deposit shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

7. Payment And Billing Arrangements

7.1 Prior to submitting orders to BellSouth for local service, a master account must be established for Covad. Covad is required to provide the following before a master account is established: proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a tax exemption certificate, if applicable.

7.2 BellSouth shall bill Covad on a current basis all applicable charges and credits.

7.3 Payment of all charges will be the responsibility of Covad. Covad shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Covad from Covad's end user. BellSouth will not become involved in billing disputes that may arise between Covad and its end user. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.

7.4 BellSouth will render bills each month on established bill days for each of Covad's accounts.

7.5 BellSouth will bill Covad in advance charges for all services to be provided during the ensuing billing period except charges associated with service usage, which will be billed in arrears. Charges will be calculated on an individual end user account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill Covad, and Covad will be responsible for and remit to BellSouth, all charges applicable to resold services including but not limited to 911 and E911 charges, telecommunications relay charges (TRS), and franchise fees.

7.6 The payment will be due by the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.

7.6.1 If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in section 7.8 following, shall apply.

7.6.2 If Covad requests multiple billing media or additional copies of bills, BellSouth will provide these at an appropriate charge to Covad.

7.6.3 Billing Disputes

7.6.3.1 Each Party agrees to notify the other Party upon the discovery of a billing dispute. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the Bill Date on which such disputed charges appear. Resolution of the dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the dispute and closure of a specific billing period. If the issues are not resolved within the allotted time frame, the following resolution procedure will begin:

7.6.3.2 If the dispute is not resolved within sixty (60) days of the Bill Date, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved within ninety (90) days of the Bill Date, the dispute will be escalated to the third level of management for each of the respective Parties for resolution.

7.6.3.3 If the dispute is not resolved within one hundred and twenty (120) days of the Bill Date, the dispute will be escalated to the fourth level of management for each of the respective Parties for resolution.

7.6.3.4 If a Party disputes a charge and does not pay such charge by the payment due date, such charges shall be subject to late payment charges as set forth in the Late Payment Charges provision of this Attachment. If a Party disputes charges and the dispute is resolved in favor of such Party, the other Party shall credit the bill of the disputing Party for the amount of the disputed charges along with any late payment charges assessed no later than the second Bill Date after the resolution of the dispute. Accordingly, if a Party disputes charges and the dispute is resolved in favor of the other Party, the disputing Party shall pay the other Party the amount of the disputed charges and any associated late payment charges assessed no later than the second bill payment due date after the resolution of the dispute. BellSouth shall only assess interest on previously assessed late payment charges in a state where it has authority pursuant to its tariffs.

7.7 Upon proof of tax exempt certification from Covad, the total amount billed to Covad will not include any taxes due from the end user to reflect the tax exempt certification and local tax laws. Covad will be solely responsible for the computation, tracking, reporting, and payment of taxes applicable to Covad's end user.

7.8 If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff and Section B2 of the Private Line Service Tariff. Covad will be charged a fee for all returned checks as set forth in Section to A2 of the General Subscriber Services Tariff or in applicable state law.

7.9 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to, BellSouth. No additional charges are to be assessed to Covad.

7.10 BellSouth will not perform billing and collection services for Covad as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.

7.11 In general, BellSouth will not become involved in disputes between Covad and Covad's end user customers over resold services. If a dispute does arise that cannot be settled without the involvement of BellSouth, Covad shall contact the designated Service Center for resolution. BellSouth will make every effort to assist in the resolution of the dispute and will work with Covad to resolve the matter in as timely a manner as possible. Covad may be required to submit documentation to substantiate the claim.

8. Discontinuance of Service

8.1 The procedures for discontinuing service to an end user are as follows:

8.1.1 Where possible, BellSouth will deny service to Covad's end user on behalf of, and at the request of, Covad. Upon restoration of the end user's service, restoral charges will apply and will be the responsibility of Covad.

8.1.2 At the request of Covad, BellSouth will disconnect a Covad end user customer.

8.1.3 All requests by Covad for denial or disconnection of an end user for nonpayment must be in writing.

8.1.4 Covad will be made solely responsible for notifying the end user of the proposed disconnection of the service.

8.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Covad when it is determined that annoyance calls are originated from one of their end user's locations. BellSouth shall be indemnified, defended and held harmless by Covad and/or the end user against any claim, loss or damage arising from providing this information to Covad. It is the responsibility of Covad to take the corrective action necessary with its end users who make annoying calls. Failure to do so will result in BellSouth's disconnecting the end user's service.

8.1.6 BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from an end user or an end user's CLEC at the same address served by the denied facility.

8.2 The procedures for discontinuing service to Covad are as follows:

8.2.1 BellSouth reserves the right to suspend or terminate service for nonpayment or in the event of prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by Covad of the rules and regulations of BellSouth's Tariffs.

8.2.2 If payment of account is not received by the bill day in the month after the original bill day, BellSouth may provide written notice to Covad, that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition BellSouth may, at the same time, give thirty days notice to the person designated by Covad to receive notices of noncompliance, and discontinue the provision of existing services to Covad at any time thereafter.

8.2.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

8.2.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Covad's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Covad without further notice.

8.2.5 If payment is not received or arrangements made for payment by the date given in the written notification, Covad's services will be discontinued. Upon discontinuance of service on a Covad's account, service to Covad's end users will be denied. BellSouth will also reestablish service at the request of the end user or Covad upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Covad is solely responsible for notifying the end user of the proposed disconnection of the service.

8.2.6 If within fifteen days after an end user's service has been denied no contact has been made in reference to restoring service, the end user's service will be disconnected.

9. Line Information Database (LIDB)

9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit C.

9.2 BellSouth will provide LIDB Storage upon written request to Covad Account Manager stating requested activation date.

10. RAO Hosting

10.1 The RAO Hosting Agreement is included in this Attachment as Exhibit D. Rates for BellSouth's Centralized Message Distribution System (CMDS) are as set forth in Exhibit H of this Attachment.

10.2 BellSouth will provide RAO Hosting upon written request to its Account Manager stating requested activation date.

11. Optional Daily Usage File (ODUF)

11.1 The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit E. Rates for ODUF are as set forth in Exhibit H of this Attachment.

11.2 BellSouth will provide Optional Daily Usage File (ODUF) service upon written request to its Account Manager stating requested activation date.

12. Enhanced Optional Daily Usage File (EODUF)

12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit F. Rates for EODUF are as set forth in Exhibit H of this Attachment.

12.2 BellSouth will provide Enhanced Optional Daily Usage File (EODUF) service upon written request to its Account Manager stating requested activation date.

EXHIBIT A

APPLICABLE DISCOUNTS

The telecommunications services available for purchase by Covad for the purposes of resale to Covad end users shall be available at the following discount off of the retail rate. If Covad cancels an order for telecommunications services for the purpose of resale, any costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with the applicable sections of the GSST and the PLST.

	DISCOUNT*		
STATE	RESIDENCE	BUSINESS	CSAs***
ALABAMA	16.3%	16.3%	
FLORIDA	21.83%	16.81%	
GEORGIA	20.3%	17.3%	
KENTUCKY	16.79%	15.54%	
LOUISIANA	20.72%	20.72%	9.05%
MISSISSIPPI	15.75%	15.75%	
NORTH CAROLINA	21.5%	17.6%	
SOUTH CAROLINA	14.8%	14.8%	8.98%
TENNESSEE**	16%	16%	

* When a CLEC provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.

** In Tennessee, if a CLEC provides its own operator services and directory services, the discount shall be 21.56%. CLEC must provide written notification to BellSouth within 30 days prior to providing its own operator services and directory services to qualify for the higher discount rate of 21.56%.

*** Unless noted in this column, the discount for Business will be the applicable discount rate for CSAs.

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES

BellSouth has developed and made available the following mechanized systems by which Covad may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interchange
TAG	Telecommunications Access Gateway

LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the Table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS (OSS) RATES	**Electronic** **Per LSR received from the CLEC by one of the OSS interactive interfaces**	**Manual** **Per LSR received from the CLEC by means other than one of the OSS interactive interfaces**
OSS LSR Charge	**$3.50**	**$19.99**
USOC	**SOMEC**	**SOMAN**

Note: In addition to the OSS charges, applicable discounted service order and related discounted charges apply per the tariff.

Denial/Restoral OSS Charge

In the event Covad provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

Cancellation OSS Charge

Covad will incur an OSS charge for an accepted LSR that is later canceled by Covad.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

Threshold Billing Plan

The Parties agree that Covad will incur the mechanized rate for all LSRs, both mechanized and manual, if the percentage of mechanized LSRs to total LSRs meets or exceeds the threshold percentages shown below:

Year	Ratio: Mechanized/Total LSRs
2000	80%
2001	90%

The threshold plan will be discontinued in 2002.

BellSouth will track the total LSR volume for each CLEC for each quarter. At the end of that time period, a Percent Electronic LSR calculation will be made for that quarter based on the LSR data tracked in the LCSC. If this percentage exceeds the threshold volume, all of that CLECs' future manual LSRs will be billed at the mechanized LSR rate. To allow time for obtaining and analyzing the data and updating the billing system, this billing change will take place on the first day of the second month following the end of the quarter (e.g. May 1 for 1Q, Aug 1 for 2Q, etc.). There will be no adjustments to the amount billed for previously billed LSRs.

Exclusions and Limitations
On Services Available for Resale

	Type of Service	AL		FL		GA		KY		LA		MS		NC		SC		TN	
		Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2	Contract Service Arrangements	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Note 3
4	Promotions - < 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
5	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Note 4	Note 4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
7	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
8	AdWatch℠ Svc (See Note 6)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
9	MemoryCall® Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10	Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
11	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
13	End User Line Charge – Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
14	Public Telephone Access Service (PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes

Exclusions and Limitations
On Services Available for Resale

Applicable Notes:

1. **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
2. Where available for resale, **promotions** will be made available only to end users who would have qualified for the promotion had it been provided by BellSouth directly.
3. In Tennessee, long-term **promotions** (offered for more than ninety (90) days) may be obtained at one of the following rates:
   (a) the stated tariff rate, less the wholesale discount;
   (b) the promotional rate (the promotional rate offered by BellSouth will not be discounted further by the wholesale discount rate)
4. **Lifeline/Link Up** services may be offered only to those subscribers who meet the criteria that BellSouth currently applies to subscribers of these services as set forth in Sections A3 and A4 of the BellSouth General Subscriber Services Tariff.
5. Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.
6. AdWatch[SM] Service is tariffed as BellSouth® AIN Virtual Number Call Detail Service.

LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Covad and pursuant to which BellSouth, its LIDB customers and Covad shall have access to such information. Covad understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Covad, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

B. LIDB is accessed for the following purposes:
1. Billed Number Screening
2. Calling Card Validation
3. Fraud Control

C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Covad of fraud alerts so that Covad may take action it deems appropriate. Covad understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Covad pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Covad for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Covad understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Covad further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, Covad understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on Covad's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its supporting systems the means to differentiate Covad's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) Covad agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for Covad's end user accounts which are resident in LIDB pursuant to this Agreement. Covad authorizes BellSouth to place such charges on Covad's bill from BellSouth and agrees that it shall pay all such charges. Charges for which Covad hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.

(c) Covad shall have the responsibility to render a billing statement to its end users for these charges, but Covad's obligation to pay BellSouth for the charges billed shall be independent of whether Covad is able or not to collect from Covad's end users.

(d) BellSouth shall not become involved in any disputes between Covad and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Covad. It shall be the responsibility of Covad and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of _____, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

III. FEES FOR SERVICE AND TAXES

A. Covad will not be charged a fee for storage services provided by BellSouth to Covad, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Covad. Covad shall have the right to have BellSouth contest with the imposing jurisdiction, at Covad's expense, any such taxes that Covad deems are improperly levied.

IV. INDEMNIFICATION

To the extent not prohibited by law, each Party will indemnify the other and hold the other harmless against any loss, cost, claim, injury, or liability relating to or arising out of negligence or willful misconduct by the indemnifying Party or its agents or contractors in connection with the indemnifying Party's provision of services, provided, however, that any indemnity for any loss, cost, claim, injury or liability arising out of or relating to errors or omissions in the provision of services under this

Agreement shall be limited as otherwise specified in this Agreement. The indemnifying Party under this Section agrees to defend any suit brought against the other Party for any such loss, cost, claim, injury or liability. The indemnified Party agrees to notify the other Party promptly, in writing, of any written claims, lawsuits, or demands for which the other Party is responsible under this Section and to cooperate in every reasonable way to facilitate defense or settlement of claims. The indemnifying Party shall not be liable under this Section for settlement by the indemnified Party of any claim, lawsuit, or demand unless the defense of the claim, lawsuit, or demand has been tendered to it in writing and the indemnifying Party has unreasonably failed to assume such defense.

V. LIMITATION OF LIABILITY

Neither Party shall be liable to the other Party for any lost profits or revenues or for any indirect, incidental or consequential damages incurred by the other Party arising from this Agreement or the services performed or not performed hereunder, regardless of the cause of such loss or damage.

VI. MISCELLANEOUS

A. It is understood and agreed to by the Parties that BellSouth may provide similar services to other companies.

B. All terms, conditions and operations under this Agreement shall be performed in accordance with, and subject to, all applicable local, state or federal legal and regulatory tariffs, rulings, and other requirements of the federal courts, the U. S. Department of Justice and state and federal regulatory agencies. Nothing in this Agreement shall be construed to cause either Party to violate any such legal or regulatory requirement and either Party's obligation to perform shall be subject to all such requirements.

C. Covad agrees to submit to BellSouth all advertising, sales promotion, press releases, and other publicity matters relating to this Agreement wherein BellSouth's corporate or trade names, logos, trademarks or service marks or those of BellSouth's affiliated companies are mentioned or language from which the connection of said names or trademarks therewith may be inferred or implied; and Covad further agrees not to publish or use advertising, sales promotions, press releases, or publicity matters without BellSouth's prior written approval.

D. This Agreement constitutes the entire Agreement between Covad and BellSouth which supersedes all prior Agreements or contracts, oral or written representations, statements, negotiations, understandings, proposals and undertakings with respect to the subject matter hereof.

E. Except as expressly provided in this Agreement, if any part of this Agreement is held or construed to be invalid or unenforceable, the validity of any other Section of this Agreement shall remain in full force and effect to the extent permissible or appropriate in furtherance of the intent of this Agreement.

F. Neither Party shall be held liable for any delay or failure in performance of any part of this Agreement for any cause beyond its control and without its fault or negligence, such as acts of God, acts of civil or military authority, government regulations, embargoes, epidemics, war, terrorist acts, riots, insurrections, fires, explosions, earthquakes, nuclear accidents, floods, strikes, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities, or acts or omissions of transportation common carriers.

G. This Agreement shall be deemed to be a contract made under the laws of the State of Georgia, and the construction, interpretation and performance of this Agreement and all transactions hereunder shall be governed by the domestic law of such State.

RESALE ADDENDUM TO LINE INFORMATION DATA BASE (LIDB) STORAGE AGREEMENT

This is a Resale Addendum to the Line Information Data Base Storage Agreement dated _____, 2000, between BellSouth Telecommunications, Inc. ("BellSouth"), and Covad ("Covad"), effective the _____ day of _____, 2000.

I. GENERAL

This Addendum sets forth the terms and conditions for Covad's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by Covad, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

A. Billing number - a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.

C. Special billing number - a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.

D. Calling Card number - a billing number plus PIN number assigned by BellSouth.

E. PIN number - a four digit security code assigned by BellSouth which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by the Covad.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by the Covad.

III. RESPONSIBILITIES OF PARTIES

A. BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. The Covad will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.

B. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of Covad. BellSouth will not issue line-based calling cards in the name of Covad's individual end users. In the event that Covad wants to include calling card numbers assigned by the Covad in the BellSouth LIDB, a separate agreement is required.

C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BellSouth is authorized to use the billing number information to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

2. Determine whether the Covad has identified the billing number as one which should not be billed for collect or third number calls, or both.

RAO Hosting

1. RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Covad by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.

2. Covad shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.

3. Applicable compensation amounts will be billed by BellSouth to Covad on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.

4. Covad must have its own unique RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from Covad to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Covad and will coordinate all associated conversion activities.

5. BellSouth will receive messages from Covad that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.

6. BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Covad.

7. All data received from Covad that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in accordance with the agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.

8. All data received from Covad that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).

9. BellSouth will receive messages from the CMDS network that are destined to be processed by Covad and will forward them to Covad on a daily basis.

10. Transmission of message data between BellSouth and Covad will be via CONNECT:Direct.

11. All messages and related data exchanged between BellSouth and Covad will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.

12. Covad will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.

13. Should it become necessary for Covad to send data to BellSouth more than sixty (60) days past the message date(s), Covad will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Covad to notify all affected Parties.

14. In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Covad) identified and agreed to, the company responsible for creating the data (BellSouth or Covad) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

15. Should an error be detected by the EMI format edits performed by BellSouth on data received from Covad, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Covad of the error condition. Covad will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Covad will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

16. In association with message distribution service, BellSouth will provide Covad with associated intercompany settlements reports (CATS and NICS) as appropriate.

17. In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this agreement.

18. RAO Compensation

18.1 Rates for message distribution service provided by BellSouth for Covad are as set forth in Exhibit A to this Attachment.

18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.

18.3 Data circuits (private line or dial-up) will be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.

18.4 All equipment, including modems and software, that is required on the Covad end for the purpose of data transmission will be the responsibility of Covad.

19. Intercompany Settlements Messages

19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Covad as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Covad and the involved company(ies), unless that company is participating in NICS.

19.2 Both traffic that originates outside the BellSouth region by Covad and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Covad, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Covad, involves a company other than Covad, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

19.3 Once Covad is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.

19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Covad. BellSouth will distribute copies of these reports to Covad on a monthly basis.

19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Covad. BellSouth will distribute copies of these reports to Covad on a monthly basis.

19.6 BellSouth will collect the revenue earned by Covad from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents ($0.05), on behalf of Covad. BellSouth will remit the revenue billed by Covad to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents ($0.05), on behalf on Covad. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Covad via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

19.7 BellSouth will collect the revenue earned by Covad within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents ($0.05), on behalf of Covad. BellSouth will remit the revenue billed by Covad within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents ($0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Covad via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Covad agree that monthly netted amounts of less than fifty dollars ($50.00) will not be settled.

Optional Daily Usage File

1. Upon written request from Covad, BellSouth will provide the Optional Daily Usage File (ODUF) service to Covad pursuant to the terms and conditions set forth in this section.

2. Covad shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.

3. The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Covad customer.

   Charges for delivery of the Optional Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4. The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

5. Messages that error in Covad's billing system will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with the to determine the source of the errors and the appropriate resolution.

6. The following specifications shall apply to the Optional Daily Usage Feed.

6.1 Usage To Be Transmitted

6.1.1 The following messages recorded by BellSouth will be transmitted to Covad:

- Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
- Measured billable Local
- Directory Assistance messages
- IntraLATA Toll
- WATS & 800 Service
- N11

- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (UNE only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service

6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Covad.

6.1.4 In the event that Covad detects a duplicate on Optional Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth).

6.2 Physical File Characteristics

6.2.1 The Optional Daily Usage File will be distributed to Covad via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties.

All equipment, including modems and software, that is required on Covad end for the purpose of data transmission will be the responsibility of Covad.

6.3 Packing Specifications

6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

6.4 Pack Rejection

6.4.1 Covad will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Covad will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Covad by BellSouth.

6.5 Control Data

Covad will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Covad received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Covad for reasons stated in the above section.

6.6 Testing

6.6.1 Upon request from Covad, BellSouth shall send test files to Covad for the Optional Daily Usage File. The parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Covad set up a production (LIVE) file. The live test may consist of Covad's employees making test calls for the types of services Covad requests on the Optional Daily Usage File. These test calls are logged by Covad, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

Enhanced Optional Daily Usage File

1. Upon written request from Covad, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Covad pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.

2. Covad shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.

3. The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

4. Charges for delivery of the Enhanced Optional Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

6. Messages that error in the billing system of Covad will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with Covad to determine the source of the errors and the appropriate resolution.

7. The following specifications shall apply to the Optional Daily Usage Feed.

7.1 Usage To Be Transmitted

7.1.1 The following messages recorded by BellSouth will be transmitted to Covad:

Customer usage data for flat rated local call originating from Covad's end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Covad.

7.1.3 In the event that Covad detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth).

7.2 Physical File Characteristics

7.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Covad over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Covad's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the parties. All equipment, including modems and software, that is required on Covad's end for the purpose of data transmission will be the responsibility of Covad.

7.3 Packing Specifications

7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

THE DATA WILL BE PACKED USING ATIS EMI RECORDS.

RESALE DISCOUNTS AND RATES

	ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
APPLICABLE DISCOUNTS									
RESIDENCE	16.3%	21.83%	20.3%	16.79%	20.72%	15.75%	21.5%	14.8%	16%
BUSINESS	16.3%	16.81%	17.3%	15.54%	20.72%	15.75%	17.6%	14.8%	16%
CSAs*					9.05%			8.98%	
* Unless noted in this row, the discount for Business will be the applicable discount rate for CSAs.									
OPERATIONAL SUPPORT SYSTEMS (OSS) RATES									
ELEMENT / USOC									
Electronic LSR / SOMEC	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50	$3.50
Manual LSR / SOMAN	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99	$19.99
ODUF/EODUF/CMDS RATES									
ENHANCED OPTION DAILY USAGE FILE (EODUF)									
EODUF: Message Processing, per message	$0.004	0.22245100	$0.0034555	$0.004	$0.250015	$0.250424	$0.004	$0.004	$0.004
ODUF: Recording, per message	$0.0002	0.00000680	$0.0001275	$0.0008611	$0.0000117	$0.0000063	$0.0003	$0.0002862	$0.0000044
ODUF: Message Processing, per message	$0.0033	0.00661400	$0.0082548	$0.0032357	$0.004641	$0.004707	$0.0032	$0.0032344	$0.0027366
ODUF: Message Processing, per Magnetic Tape provisioned	$55.19	48.77000000	$28.85	$55.68	$48.45	$49.04	$54.61	$54.72	$52.75
ODUF: Data Transmission (CONNECT:DIRECT), per msg	$0.00004	0.00010772	$0.0000434	$0.0000365	$0.00010568	$0.00010669	$0.0004	$0.0000357	$0.0000339

RESALE DISCOUNTS AND RATES

	ALABAMA	FLORIDA	GEORGIA	KENTUCKY	LOUISIANA	MISSISSIPPI	NORTH CAROLINA	SOUTH CAROLINA	TENNESSEE
CUSTOMIZED DA ANNOUNCEMENT (CBA)									
DIRECTORY ASSISTANCE (DA) CBA via OLNS SOFTWARE									
Recording of DA CBA	$3,000.00	$3,000.00	$3,000.00	$3,000.00	$3,000.00	$3,000.00	$3,000.00	$3,000.00	$3,000.00
Loading of DA CBA per DRAM Card/Switch per OCN	$1, 700.00	$1, 700.00	$1, 700.00	$1, 700.00	$1, 700.00	$1, 700.00	$1, 700.00	$1, 700.00	$1, 700.00
DIRECTORY ASSISTANCE (DA) UNBRANDING via OLNS SOFTWARE									
Loading of DA per OCN (1 OCN per Order)	$420.00	$420.00	$420.00	$420.00	$420.00	$420.00	$420.00	$420.00	$420.00
Loading of DA per Switch, per OCN	$16.00	$16.00	$16.00	$16.00	$16.00	$16.00	$16.00	$16.00	$16.00
OPERATOR ASSISTANCE (OA) CBA via OLNS SOFTWARE									
ELEMENT / USOC									
Recording of OA CBA — CBAOS	$7,000.00	$7,000.00	$7,000.00	$7,000.00	$7,000.00	$7,000.00	$7,000.00	$7,000.00	$7,000.00
Loading of OA CBA per shelf/ NAV per OCN — CBAOL	$500.00	$500.00	$500.00	$500.00	$500.00	$500.00	$500.00	$500.00	$500.00
Loading of DA CBA per DRAM Card/Switch per OCN	$1,170.00	$1,170.00	$1,170.00	$1,170.00	$1,170.00	$1,170.00	$1,170.00	$1,170.00	$1,170.00
OPERATOR ASSISTANCE (OA) UNBRANDING via OLNS SOFTWARE									
Loading of OA per OCN - Regional	$1,200.00	$1,200.00	$1,200.00	$1,200.00	$1,200.00	$1,200.00	$1,200.00	$1,200.00	$1,200.00

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1. INTRODUCTION 3

2. UNBUNDLED LOOPS, INTEGRATED DIGITAL LOOP CARRIERS, NETWORK INTERFACES DEVICE, UNBUNDLED LOOP CONCENTRATION (ULC) SYSTEM, SUB LOOPS AND DARK FIBER 4

3. SWITCHING 32

4. UNBUNDLED NETWORK ELEMENT COMBINATIONS 43

5. PORT/LOOP COMBINATIONS 48

6. TRANSPORT AND DARK FIBER 50

7. BELLSOUTH SWA 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE 56

8. LINE INFORMATION DATABASE (LIDB) 58

9 SIGNALING 61

10. OPERATOR CALL PROCESSING, INWARD OPERATOR SERVICES AND DIRECTORY ASSISTANCE SERVICES 70

11. CALLING NAME (CNAM) DATABASE SERVICE 77

12. BASIC 911 AND E911 79

13. TRUE-UP 80

LIDB Storage Agreement ..... Exhibit A

CNAM Database Services ..... Exhibit B

Rates ..... Exhibit C

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1. Introduction

1.1. This Attachment sets forth the unbundled network elements and combinations of unbundled network elements that BellSouth agrees to offer to Covad in accordance with its obligations under Section 251(c)(3) of the Act. The specific terms and conditions that apply to the unbundled network elements are described below in this Attachment 2. The price for each unbundled network element and combination of unbundled Network Elements are set forth in Exhibit C of this Agreement.

1.2. For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment provided by BellSouth on an unbundled basis as is used by the CLEC in the provision of a telecommunications service. These unbundled network elements will be consistent with the requirements of the FCC 319 rule. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."

1.2.1. Except as otherwise required by law, BellSouth shall not impose limitation restrictions or requirements or requests for the use of the network elements or combinations that would impair the ability of Covad to offer telecommunications service in the manner Covad intends.

1.2.2 Except upon request by Covad, BellSouth shall not separate requested network elements that BellSouth currently combines.

1.3. BellSouth shall, upon request of Covad, and to the extent technically feasible, provide to Covad access to its network elements for the provision of Covad's telecommunications service. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

1.4. Covad may purchase network elements and other services from BellSouth for the purpose of combining such network elements in any manner Covad chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop elements which are located outside of the central office, BellSouth shall deliver the network elements purchased by Covad for combining to the designated Covad collocation space. The network elements shall be provided as set forth in this Attachment.

1.5. BellSouth shall comply with the requirements as set forth in the technical references within Attachment 2 unless BellSouth's actual performance or applicable industry

standards are greater than such technical reference, in which event BellSouth shall provide UNE's at such greater level. In the event the applicable industry standard exceeds the BellSouth technical reference, BellSouth shall provide UNE's consistent with the Industry Standard within ninety (90) days of notice from Covad that the industry standard exceeds the BellSouth technical reference.

1.6. In the event that any effective legislative, regulatory, judicial or other legal action modifies or redefines the "Network Elements" in a manner which materially affects the terms of this Attachment or the Network Elements and/or prices set forth herein, either Party may, on thirty (30) days written notice, require renegotiation of such terms, and the Parties shall renegotiate in good faith such new terms in accordance with such legislative, regulatory, judicial or other legal action. In the event such new terms are not renegotiated within ninety (90) days after the notice for renegotiation, either Party may petition the Commission for resolution of the dispute between the Parties. Each Party reserves the right to seek judicial review of any Commission ruling concerning this Attachment.

1.7. Covad will adopt and adhere to the standards contained in the applicable CLEC Work Center BellSouth Operational Understanding Agreement regarding maintenance and installation of service.

1.8 If one or more of the requirements set forth in this Agreement are in conflict, the parties shall mutually agree on which requirement shall apply. If the parties cannot reach agreement, the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference, shall apply.

2. Unbundled Loops, Integrated Digital Loop Carriers, Network Interfaces Device, Unbundled Loop Concentration (ULC) System, Sub loops and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled loops.

2.1 Unbundled Loops

2.1.1 Definition

2.1.2 The local loop network element ("Loop(s)") is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end-user customer premises, including inside wire owned by BellSouth. The local loop network element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.

2.1.3 The provisioning of service to a CLEC collocation space will require cross-office cabling and cross-connections within the central office to connect the loop to a local switch or to other transmission equipment. These cross-connects are a separate component, that are not considered a part of the loop, and thus have a separate charge.

2.1.4 The Loop shall be provided to Covad in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references. Covad shall be provided with six months notice of any changes to the existing loop specifications proposed by BellSouth to TR73600 after execution of this Agreement. The 6 months notification will not apply if Industry Standards, or legal or regulatory mandates require a different timeframe, if an applicable regulatory authority or industry forum requires modifications within a shorter time frame, or if otherwise agreed to by Covad and BellSouth.

Covad may utilize the unbundled Loops to provide any telecommunications service it wishes, so long as such serves are consistent with industry standards and BellSouth's TR73600.

BellSouth will only provision, maintain and repair the loops to the standards that are consistent with the type of loop ordered. In those cases where Covad has requested that BellSouth modify a loop so that it no longer meets the technical parameters of the original loop type, the resulting loop will be maintained as an Unbundled Copper Loop (UCL), and Covad shall pay the recurring and non-recurring charges for the resulting UCL.

2.1.5 BellSouth Order Coordination referenced in Attachment 2 includes two types: "Order Coordination" and "Order Coordination - Time Specific."

2.1.6 "Order Coordination" allows BellSouth and Covad to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Covad's facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. Order coordination for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date and Covad advised. OC shall be provided in accordance with the chart set forth below.

2.1.7 "Order Coordination – Time Specific" refers to service order coordination in which Covad requests a specific time for a service order conversion to take place. BellSouth will make every effort to accommodate Covad's specific conversion time request. However, BellSouth reserves the right to negotiate with Covad a conversion time based on load and appointment control when necessary. Loops on a single service

order of 14 or more loops will be provisioned on a project basis. This is a chargeable option for any coordinated order and is billed in addition to the OC charge. Covad may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Covad specifies a time outside this window, or selects a time or quantity of loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

2.1.8 If Covad cancels an order for network elements and other services, any reasonable costs incurred by BellSouth in conjunction with the provisioning of that order will be recovered in accordance with FCC #1 Tariff, Section 5.4. If Covad cancels an order for network elements and other services prior to the DLR Date for provisioning of the loop, Covad shall not be required to pay the above referenced cancellation charge. Notwithstanding the foregoing, if Covad places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services ordered in accordance with the transmission characteristics of the network elements or services ordered, cancellation charges described in this Section shall not apply. Where Covad places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Covad may cancel its order as to those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Covad elect to cancel the entire LSR, cancellation charges as described in this Section shall apply as to those elements and services that were not the subject of inaccurate loop makeup information. In order to obtain the credit in those loop makeup instances described above where a credit would be due, Covad must provide (1) backup documentation to confirm cancellation of the service order, such documentation to include the purchase order number and the order status; and (2) a copy of the correlating loop makeup response output with the facility reservation number, such loop makeup response being the original catalyst for Covad's submission of the service order for the facility, which is the subject of the inaccurate loop makeup information; and (3) the Billing Adjustment Request (BAR) Form. Upon presentation of that information, BellSouth may investigate whether cancellation charges are appropriate. BellSouth shall issue the appropriate credit within 60 days of receiving the above referenced information from Covad, irrespective of whether it elected to perform an investigation. No other billing dispute process shall be required for Covad to obtain the necessary credit for these charges.

2.1.9 If a Covad order for a local loop is cancelled or modified by Covad or a Covad end-user, and the cancellation or modification is not caused by BellSouth, Covad will compensate BellSouth costs incurred by BellSouth for provisioning or accommodating the modification of the local loop, unless such costs are already being recovered through approved rates. Covad may charge BellSouth order modification or cancellation charges using the same rates and conditions as BellSouth utilizes for assessing such charges to Covad, if the modification or cancellation is caused by BellSouth.

2.1.10 BellSouth will offer Unbundled Voice Loops (UVL) in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.1.11 Unbundled Voice Loops - SL1 loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 loops when reuse of existing facilities has been requested by Covad. Covad may also order OC-TS when a specificied conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as chargeable option. The EI document provides loop makeup information which is similar to the information normally provided in a Design Layout Record. Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users. If Covad requests work to be done for SL1s that requires BellSouth technicians to work outside normal work hours, overtime charges will be applied according to actual costs based on type of force group required to perform the work, overtime hours worked and any special circumstances.

2.1.12 Unbundled Voice Loop - SL2 loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a design layout record provided to Covad. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow Covad to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.1.13 BellSouth will also offer Unbundled Digital Loops (UDL). They will be designed, will be provisioned with test points (where appropriate), and will come standard with Order Coordination and a Design Layout Record (DLR).

2.1.14 As a chargeable option on all loops except the Universal Digital Channel (UDC) and all Unbundled Copper Loops (UCLs), BellSouth will offer Order Coordination - Time Specific (OC-TS). This will allow Covad the ability to specify the time that the

coordinated conversion takes place. The OC-TS charge for orders due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.15 Covad will be responsible for testing and isolating troubles on the loops. Once Covad has isolated a trouble to the BellSouth provided loop, Covad will issue a trouble to BellSouth on the loop. BellSouth will take the actions necessary to repair the loop on the first trouble ticket opened. BellSouth will repair these loops in the same time frames that BellSouth repairs similarly situated loops to its customers.

2.1.16 If Covad reports a trouble and BellSouth appropriately tests its loop but finds no trouble, BellSouth will charge Covad for any dispatching and testing (inside and outside the CO for non-designed loops and outside the CO for designed loops) required by BellSouth in order to confirm the loop's working status. In the event BellSouth closes a Covad trouble ticket as "no trouble found," and Covad reports a subsequent trouble on the same loop within 30 days of the previous trouble ticket, Covad may provide to BellSouth in writing, using the Billing Adjustment Request (BAR) Form, the PON number of the order, the number of repeat trouble tickets and confirmation that the loop is currently operational. At that time, BellSouth shall investigate the trouble tickets to determine if the subsequent trouble was in fact the same trouble that had been previously reported and closed as "no trouble found." If the investigation reveals that the subsequent trouble was the same trouble reported by Covad within 30 days prior to the subsequent trouble, BellSouth shall credit Covad for all charges related to those trouble tickets within 60 days of Covad's providing the information specified above. No other formal billing dispute shall be required to obtain this credit. If the investigation reveals that the subsequent trouble was unrelated to the previous reported trouble, no credit will be due to Covad where the trouble tickets were closed as "no trouble found."

2.1.17 xDSL Capable Loops

BellSouth will offer loops capable of supporting telecommunications services such as: POTS, Centrex, basic rate ISDN, analog PBX, voice grade private line, ADSL, HDSL, DS1 and digital data (up to 64 kb/s). Specifically, BellSouth shall make available the following:

2.1.17.1 ADSL: Asymmetrical Digital Subscriber Line (ADSL) Capable Loop: These copper loops are provisioned according to the Revised Resistance Design (RRD) industry standards which means they may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap which is included in of the loop length.

2.1.17.2 HDSL: High Big Rate Digital Subscriber Line (HDSL) Capable Loop: These copper loops are provisioned according to the Industry Standard Carrier Service Area ("CSA") guidelines. It will be 12,000 feet or less on 24 gauge wire and 9,000 feet or

less on 26 gauge wire, inclusive of up to 2,500 feet of bridged tap (with no one bridged tap exceeding 2000 feet).

2.1.17.3 xDSL: Subscriber Line ("DSL") technologies. The "x" in xDSL is a placeholder for the various types of digital subscriber line services. A loop is a dedicated transmission facility between a distribution frame, or its equivalent, in a BellSouth central office and the loop demarcation point at the customer premises.

An xDSL loop is a plain twisted pair of cooper loop of unlimited length without intervening devices, such as load coils, repeaters (unless so requested by the requesting carrier), or digital access main lines ("DAMLs"), and which may contain minimal bridge tap. A cooper loop used for such purposes will meet basic electrical standards such as metallic conductivity and capacitive and resistive balance.

2.1.17.4 UCL/short: an Unbundled Copper Loop (UCL). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A short UCL (18 kft or less) will be provisioned according to Resistance Design parameters. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.

2.1.17.5 UCL/long: Unbundled Copper Loop/long (UCL/long). The UCL will be a copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). A long UCL (18 kft or more) will be provisioned with a maximum 2800 ohms resistence. The UCL is a dry cooper loop and is not intended to support any particular telecommunications service. Covad may use the UCL loop for a variety of services, including xDSL (e.g., ADSL and HDSL) services, by attaching appropriate terminal equipment of Covad's choosing. Covad will determine the type of service that will be provided over the loop. Because the UCL loop shall be an unbundled loop offering that is separate and distinct from BellSouth's ADSL and HDSL capable loop offerings, CLEC agrees that BellSouth's UCL loop will not be held to the service level and performance expectations that apply to its ADSL and HDSL unbundled loop offerings. BellSouth shall only be obligated to maintain copper continuity and provide balance relative to tip and ring on UCL loops.

2.1.17.6 When attempting to provide cooper-based loops, BellSouth will attempt to use any available copper facility that serves the end users address. This includes performing Line and Station Transfers (LSTs) to free up copper facilities that may be currently in use but could be provisioned using a different spare media that will support the service currently in use.

2.1.17.7 Where facilities are available, BellSouth will install ADSL, HDSL, UCL and UCL-ND loops in no more than a 5 business day interval from receipt of Firm Order Confirmation ("FOC"). For orders of 14 or more loops at the same address, the installation will be handled on a project basis and the intervals will be set by the BellSouth project manager for that order. Some loops require a Service Inquiry (SI) to determine if facilities are available prior to issuing the order. The interval for the SI process is separate from the installation interval. For expedite requests by Covad, expedite charges will apply for intervals less than 5 days. The charges outlined in BellSouth's FCC #1 Tariff, Section 5.1.1, will apply.

2.1.17.8 **ISDN/IDSL/UDC**

2.1.17.8.1 Due to technical limitations associated with certain DLC systems, certain ports on Digital Loop Carrier ("DLC") systems do not support ISDN Digital Subscriber Lines (IDSL).

2.1.17.8.2 BellSouth will offer the IDSL-Compatible Loop, known internally at BellSouth as the Universal Digital Channel (UDC), as a part of its Unbundled Digital Loop offerings as an xDSL capable loop. The IDSL-Compatible loop is compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. The technical specifications which govern this loop are those set forth in BellSouth's TR73600, which is in effect on the date of execution of this agreement.

2.1.17.8.3 Like the ISDN-capable loop, the IDSL-Compatible loop may be provisioned on copper or through a DLC system. When IDSL-Compatible loops are provisioned using a DLC system, BellSouth will ensure that they are only provisioned on time slots that are compatible with data-only services such as IDSL.

2.1.17.8.4 The Universal Digital Channel (UDC)/IDSL Compatible Loop shall be provisioned by BellSouth in no more than 10 business days from the date of the receipt of the Firm Order Confirmation.

2.1.17.8.5 The rates for the IDSL-Compatible shall be the same as the rates for ISDN loops, subject to true-up when and if BellSouth's proposed rates for the IDSL-Compatible are approved and accepted by a state commission.

2.1.17.8.6 Covad shall exclusively order the UDC for its IDSL service.

2.1.17.9 Acceptance Testing and Cooperative Testing

2.1.17.9.1 Cooperative Acceptance Testing is acknowledged by both BellSouth and Covad to assist in the timely and efficient provisioning of functioning loops. If both parties agree in writing that this testing is no longer necessary, it can be suspended at any time.

2.1.17.9.2 BellSouth will dispatch a technician to provide normal acceptance testing where BellSouth determines a dispatch is required to provision the loop. Normal acceptance testing includes: Placing a short on the tip and ring conductors, listening for tone, and placing a ground on tip and ring. BellSouth will call Covad with the technician on the line to perform the above mentioned tests and Covad will within 15 minutes begin testing with the technician. The BellSouth technician will test with Covad for a period not to exceed 15 minutes. Testing not considered to be normal acceptance testing as outlined above may be performed by BellSouth, if requested by Covad. BellSouth will charge and Covad will pay for additional acceptance testing, by paying additional acceptance charges as outlined in FCC No. 1 Tariff. BellSouth shall deliver loops which perform according to the characteristics of TR73600 for the particular loop ordered.

2.1.17.9.3 Where a technician is dispatched to provision a loop, the BellSouth technician shall tag a circuit for identification purposes. Where a technician is not dispatched by BellSouth, BellSouth will provide sufficient information to Covad to enable Covad to locate the circuit being provisioned. Upon delivery of the loop BellSouth will contact CLEC via a toll free number to provide notification of the completion of the loop and where required, provide acceptance testing as provided for in this agreement.

2.1.17.9.4 If Covad is not available to perform acceptance testing within 15 minutes of the time of loop turn up by BellSouth then CLEC may request and BellSouth, if mutually agreed to, will require the BellSouth technician to standby. CLEC would then be required to pay standby charges as provided for in FCC No. 1 Tariff.

2.1.17.9.5 If BellSouth is unable to contact a Covad employee to perform acceptance testing at the time of loop turn up (placed on hold for more than 15 minutes, reaches voice mail or other recording, no answer or repeated busy conditions), BellSouth will test the loop to ensure the loop is provisioned according to requirements of TR73600 for the type of loop requested by CLEC. BellSouth will complete the local service request without obtaining acceptance from Covad and will have no further obligation to perform normal acceptance testing of the provisioned loop. On any such orders where

BellSouth completes the local service request without obtaining acceptance from Covad, BellSouth must provide the reason for which it was unable to contact Covad.

If at any time Covad feels that the process described in this paragraph is not being appropriately executed by BellSouth, Covad may escalate to the appropriate BellSouth Manager for immediate resolution. Such resolution shall include but not be limited to: an immediate review of the processes described above by BellSouth personnel, joint meetings of the parties to mutually resolve issues and any other such action which both parties agree may need to be implemented to correct the process failure.

2.1.17.9.6 If the Acceptance Test fails loop Continuity Test parameters, as defined by TR73600 for the loop being provisioned, the BellSouth technician will take any or all reasonable steps, if possible, to immediately resolve the problem with CLEC on the line including, but not limited to, calling the central office to perform work or troubleshooting for physical faults. If the problem cannot be resolved in an expedient manner, the technician will release the CLEC representative, and perform the work necessary to correct the situation. Once the loop is correctly provisioned, BellSouth will re-contact the CLEC representative to repeat the Acceptance Test.

2.1.17.9.7 Both Parties declare they will work together, in good faith, to implement Acceptance Testing procedures that are efficient and effective. If the Parties mutually agree to additional testing, procedures and/or standards not covered by this Appendix or any Public Utilities Commission or FCC ordered tariff, the Parties will negotiate terms and conditions to implement such additional testing, procedures and/or standards.

2.1.17.9.8 BellSouth will not bill for loop repairs when the repair resulted from a BellSouth problem.

2.1.17.10 Unbundled Copper Loop – Non-Designed (UCL-ND)

2.1.17.10.1 The UCL–ND will be provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines ("DAMLs"), and may have up to 6,000 feet of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For loops less than 18,000 feet and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog

voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a design layout record or a test point.

2.1.17.10.2 The UCL-ND will be provisioned according to the specifications for the UCL-ND set forth in BellSouth's TR73600.

2.1.17.10.3 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, COVAD can request Loop Make Up for which additional charges would apply.

2.1.17.10.4 At Covad's option, Covad may request that BellSouth participate in Joint Acceptance Testing on the UCL-ND under the following terms, conditions, and rates. BellSouth shall take all steps necessary to complete an order for the UCL-ND. After BellSouth has confirmed that the UCL-ND loop meets the applicable technical specifications, BellSouth shall call Covad and participate in Joint Acceptance Testing. The charges for testing shall be assessed as follows: 1) At the time of testing, if the parties agree that the loop complies with technical specifications set forth in TR73600, Covad will pay for the Joint Acceptance Testing; 2) At the time of testing, if the parties agree that the loop does not comply with technical specifications set forth in TR73600, BellSouth shall not charge Covad for the Joint Acceptance Testing and any subsequent, technically feasible work and testing necessary to deliver a UCL-ND that meet the technical specifications; and 3) At the time of testing, if the Parties disagree as to whether the UCL-ND complies with applicable technical specifications, BellSouth and Covad will both dispatch a technician to the end user location at a mutually agreeable time. During this joint dispatch, the technicians will work cooperatively to isolate the trouble to the loop and will retest the loop to determine if the loop meets the applicable specifications. If the jointly dispatched test indicates that the UCL-ND meets applicable technical specifications, Covad will only be billed for the time associated with the first Joint Acceptance Test. If the jointly dispatched testing indicates a non-conforming loop, then BellSouth will take whatever technically feasible action necessary to bring the loop into specifications. In such case, BellSouth will be responsible for all charges associated with Joint Acceptance Testing as well as the cost of the Covad technician's participation in the joint testing on a time and materials basis (rates will be negotiated and agreed to in advance). If the loop cannot be brought into specifications, then Covad may cancel the order and will not be charged cancellation charges for that loop. In the event the Commission establishes Joint Acceptance Testing rates different from those set forth herein, the Parties will amend this Agreement to incorporate such rates.

2.1.17.10.5 BellSouth will perform continuity validation on UCL-ND loops which require a dispatch to provision prior to order completion.

2.1.17.10.6 UCL-ND loops are not intended to support any particular service and may be utilized by COVAD to provide a wide-range of telecommunications services so long as those services do not adversely affect BellSouth's network. The UCL-ND will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.

2.1.17.10.7 The UCL-ND will be delivered to COVAD's collocation space via a cross-connect. This cross-connect element will be provisioned as a part of BellSouth's Collocation offering.

2.1.17.10.8 Order Coordination (OC) will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth's facilities. Order Coordination -Time Specific (OC-TS) does not apply to this product.

2.1.17.10.9 COVAD may use BellSouth's Unbundled Loop Modification (ULM) offering to remove bridge tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.1.17.10.10 The provisioning interval for the UCL-ND is as set forth in Section 2.1.8 of this Attachment.

2.1.17.10.11 When BellSouth provisions a UCL-ND, BellSouth will take necessary steps to identify the pair as an xDSL compatible loop. As such, when making modifications to its network, BellSouth will maintain the same specified physical characteristics of the UCL-ND in accordance with TR 73600 until the loop is disconnected by the CLEC or the end-user.

2.2 Loop Conditioning/Loop Modification

2.2.1 Subject to applicable and effective FCC rules and orders, BellSouth shall condition loops, as requested by Covad, whether or not BellSouth offers advanced services to the End User on that loop. BellSouth shall deliver a conditioned loop in no more than 14 business days from receipt of Firm Order Confirmation.

2.2.2 Loop conditioning is defined as the removal from the loop of any devices that may diminish the capability of the loop to deliver high-speed switched wireline

telecommunications capability, including xDSL service. Such devices include, but are not limited to, bridge taps, low pass filters, and range extenders.

2.2.3 Charges for conditioning a loop, if any, will be determined by each state public service commission.

2.2.4 The unbundled Loop Modifications (ULM) offering provides the following elements: 1) removal of equipment on loops less than 18kft, 2) removal of equipment of loops longer than (18kft), 3) removal of bridged-taps on loops of any length.

2.3 Integrated Digital Loop Carriers

2.3.1 In the event that BellSouth has chosen to deploy Integrated Digital Loop Carrier (IDLC) systems to provide the local loop that do no permit unbundling of that local loop, BellSouth will provide a suitable alternative facility (such as a contiguous local copper loop which is in existence at that location and which is not currently being utilized by BellSouth or any other customer) without additional cost. If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities.

2.4 Network Interface Device

2.4.1 Definition

The NID is defined as any means of interconnection of end-user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the point of demarcation at the end users premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's on-premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.4.2. BellSouth shall permit Covad to connect Covad's loop facilities to on-premises wiring through the BellSouth NID or at any other technically feasible point.

2.4.3 Access to Network Interface Device (NID)

2.4.3.1. Due to the wide variety of NIDs utilized by BellSouth (based on subscriber size and environmental considerations), Covad may access the on-premises wiring by any of the following means: BellSouth shall allow Covad to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are

not used by BellSouth or any other telecommunications carriers to provide service to the premise. It is the responsibility of Covad to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID.

2.4.3.2. Where an adequate length of on-premises wiring is present and environmental conditions permit, either Party may remove the on-premises wiring from the other Party's NID and connect that wire to that Party's own NID; or

2.4.3.3. Enter the subscriber access chamber or "side" of "dual chamber" NID enclosures for the purpose of extending a connecterized or spliced jumper wire from the on-premises wiring through a suitable "punch-out" hole of such NID enclosures; or

2.4.3.4. Request BellSouth to make other rearrangements to the on-premises wiring terminations or terminal enclosure on a time and materials cost basis to be charged to the requesting Party (i.e., Covad, its agent, the building owner or the subscriber). Such charges will be billed to the requesting Party.

2.4.3.5. In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors, without state regulatory requirement, without providing prior notice to the other Party, and without appropriately capping off and guarding the other Party's loop. In such cases, it shall be the responsibility of the disconnecting party to properly ground the other party's loop, maintain the NID, and assume full liability for its action and any adverse consequences.

2.4.3.6. In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.

2.4.3.7. In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.

2.4.3.8. Due to the wide variety of NID enclosures and outside plant environments BellSouth will work with Covad to develop specific procedures to establish the most effective means of implementing this Section, 2.4.3.

2.4.4 Technical Requirements

2.4.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.

2.4.4.2 The NID shall be capable of transferring electrical analog or digital signals between the subscriber's inside wiring and the Distribution Media and/or cross connect to Covad's NID, consistent with the NID's function at the Effective Date of this Agreement.

2.4.4.3 Where a BellSouth NID exists, it is provided in its "as is" condition. Covad may request BellSouth do additional work to the NID in accordance with Section 2.4.3.8.

2.4.4.4 When Covad deploys its own local loops with respect to multiple-line termination devices, Covad shall specify the quantity of NIDs connections that it requires within such device.

2.4.5 Interface Requirements

2.4.5.1 The NID shall be equal to or better than all of the requirements for NIDs set forth in the applicable industry standard technical references.

2.5 Unbundled Loop Concentration (ULC) System

2.5.1 BellSouth will provide to Covad Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.

2.5.2 ULC will be offered in two sizes. System A will allow up to 96 BellSouth loops to be concentrated onto multiple DS1s. The high-speed connection from the concentrator will be at the electrical DS1 level and may connect to Covad at Covad's collocation site. System B will allow up to 192 BellSouth loops to be concentrated onto multiple DS1s. System A may be upgraded to a System B. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). All DS1 interfaces will terminate to the CLEC's collocation space. ULC service is offered with or without concentration and with or without protection. A Line Interface element will be required for each loop that is terminated onto the ULC system. Rates for ULC are as set forth in this Attachment.

2.6 Sub-loop Elements

2.6.1 BellSouth shall offer access to its Unbundled Sub Loop (USL), Unbundled Subloop Concentration (USLC) System and Unbundled Network Terminating Wire (UNTW) elements. BellSouth shall provide non-discriminatory access, in accordance with 51.311 and section 251(c) (3) of the Act, to the subloop. On an unbundled basis and pursuant to the following terms and conditions and the rates approved by the Commission and set forth in this Attachment.

2.6.2 Subloop components include but are not limited to the following:

2.6.2.1 Unbundled Sub-Loop Distribution;

2.6.2.2 Unbundled Sub-Loop Concentration/Multiplexing Functionality; and

2.6.2.3 Unbundled Network Terminating Wire; and

2.6.2.4 Unbundled Sub-Loop Feeder.

2.6.3 Unbundled Sub-Loop (distribution facilities)

2.6.3.1 Definition

2.6.3.2 The unbundled sub-loop distribution facility is dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. There are two offerings available for Unbundled Sub-Loops (USL):

2.6.3.3 Unbundled Sub-Loop Distribution (USL-D) will include the sub-loop facility from the cross-box in the field up to and including the point of demarcation.

2.6.3.4 BellSouth will also provide sub-loop interconnection to the intrabuilding network cable (INC) (riser cable). INC is the distribution facility inside a subscriber's building or between buildings on one customer's same premises (continuous property not separated by a public street or road). USL-INC (riser cable) will include the facility from the cross-connect device in the building equipment room up to and including the point of demarcation.

2.6.4. Requirements for Unbundled Sub-Loop Distribution Facilities

2.6.4.1 Unbundled Sub-Loop distribution facilities were originally built as part of the entire voice grade loop from the BellSouth central office to the customer network interface. Therefore, the Unbundled Sub-Loop may have load coils, which are necessary for transmission of voice grade services. The Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.6.4.2 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. In a scenario that involves connection at a BellSouth cross-box located in the field, Covad would be required to deliver a cable to the BellSouth remote terminal or cross-box to provide continuity to Covad's feeder facilities. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box. Covad's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician. In a scenario that requires connection in a building

equipment room, BellSouth will install a cross connect panel on which access to the requested sub-loops will be connected. The CLEC's cable pairs can then be connected to the Unbundled Sub-Loop pairs on this cross-connect panel by the BellSouth technician.

2.6.4.3 BellSouth will provide Unbundled Sub-Loops where possible. Through the firm order Service Inquiry (SI) process, BellSouth will determine if it is feasible to place the required facilities where Covad has requested access to Unbundled Sub-Loops. If existing capacity is sufficient to meet the CLEC demand, then BellSouth will perform the set-up work as described in the next section 2.6.4.4 . If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room as noted in 2.6.4.4) to accommodate Covad's request for Unbundled Sub-Loops, BellSouth will use its Special Construction (SC) process to determine the additional costs required to provision the Unbundled Sub-Loops. Covad will then have the option of paying the one-time SC charge to modify the facilities to meet Covad's request.

2.6.4.4 During the initial set-up in a BellSouth cross-connect box in the field, the BellSouth technician will perform the necessary work to splice the CLEC's cable into the cross-connect box. For the set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel that will be used to provide access to the requested USLs. Once the set-up is complete, the CLEC requested sub-loop pairs would be provisioned through the service order process based on the submission of a LSR to the LCSC.

2.6.5 Interface Requirements

2.6.5.1 Unbundled Sub-Loop shall be equal to or better than each of the applicable requirements set forth in the applicable industry standard technical references.

2.6.6 **Unbundled Sub-Loop Concentration System (USLC)**

2.6.6.1 Where facilities permit and where necessary to comply with an effective Commission order, BellSouth will provide to Covad with the ability to concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office. The DS1s will then be terminated into Covad's collocation space. TR-008 and TR303 interface standards are available.

2.6.6.2 USLC, using the Lucent Series 5 equipment, will be offered in two different systems. System A will allow up to 96 of Covad's sub-loops to be concentrated onto multiple DS1s. System B will allow an additional 96 of Covad's sub-loops to be concentrated onto multiple DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of

two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the RT site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to the CLEC's collocation space within the SWC that serves the RT where the CLEC's sub-loops are connected. USLC service is offered with or without concentration and with or without a protection DS1.

2.6.6.3 In these scenarios Covad would be required to place a cross-box, remote terminal (RT), or other similar device and deliver a cable to the BellSouth remote terminal. This cable would be connected, by a BellSouth technician, to a cross-connect panel within the BellSouth RT/cross-box and would allow Covad's sub-loops to then be placed on the ULSC and transported to their collocation space at a DS1 level.

2.6.7 Unbundled Network Terminating Wire (UNTW)

2.6.7.1 BellSouth agrees to offer its Unbundled Network Terminating Wire (UNTW) to Covad pursuant to the following terms and conditions at rates as set forth in this Attachment.

2.6.7.2 Definition

2.6.7.2.1 Subject to applicable and effective FCC rules and orders, UNTW is a dedicated transmission facility that BellSouth provides from the Wiring Closet /Garden Terminal (or other type of cross-connect point) at the point of termination of BellSouth's loop distribution facilities to the end user's point of demarcation.

2.6.7.3 Requirements

2.6.7.3.1 BellSouth will offer spare pairs that are available to an end user's premises to Covad. Available spare pairs are defined as pairs that are not being utilized by BellSouth or by a third party to provide an end user with working service at the time of Covad's request for UNTW. If no spare pairs are available and the end user is no longer using BellSouth's local service, BellSouth will relinquish the first pair to Covad. If after BellSouth has relinquished the first pair to Covad and the end user decides to change local service providers to BellSouth, Covad will relinquish the first pair back to BellSouth.

2.6.7.3.2 Notwithstanding the foregoing, should BellSouth subsequently require the use of additional pair(s) to provide for the activation of additional lines in an end users premises in response to a request from such end user, Covad agrees to surrender its spare pair(s) upon request by BellSouth.

2.6.7.3.3 If an end user of Covad desires to receive local exchange service from a service provider who is not a Party to this Agreement, and such third party service provider needs access to the BellSouth UNTW to provide local exchange service to the end

user, then Covad agrees to surrender the requisite number of its inactive spare pair(s) if no other spare pair is available and upon request by BellSouth.

2.6.7.3.4 If Covad has placed NTW at a location and an end user desires to receive local exchange service from BellSouth and BellSouth needs access to Covad's NTW to provide local exchange service to the end user, then Covad agrees to surrender the requisite number of its spare pair(s) upon request by BellSouth.

2.6.7.3.5 In new construction, where possible, both Parties may at their option and with the property owner's agreement install their own NTW. In existing construction, BellSouth shall not be required to install new or additional NTW beyond existing NTW to provision the services of the CLEC.

2.6.8 Technical Requirements

2.6.8.1 In these scenarios, BellSouth will connect the requested UNTW pairs to a single point of interconnection (SPOI) designed for CLEC access to BellSouth's NTW. The SPOI will be installed either near BellSouth's garden terminal or wiring closet. Covad will be required to place a cross-box, terminal or other similar device and deliver a cable to this SPOI. Covad will then connect their cable to the cross-connect panel to access the requested UNTW pairs.

2.7 Dark Fiber

2.7.1 Defintion

Dark Fiber is optical transmission facilities without attached multiplexing, aggregation or other electronics that connects two points within BellSouth's network. Dark Fiber also includes strands of optical fiber existing in aerial or underground cable which may have lightwave repeater (regenerator or optical amplifier) equipment interspliced to it at appropriate distances, but which has no line terminating elements terminated to such strands to operationalize its transmission capabilities.

2.7.2 Requirements

2.7.2.1 BellSouth shall make available Dark Fiber where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. If BellSouth has plans to use the fiber within a two –year planning period, there is no requirement to provide said fiber to Covad.

2.7.2.2 If the requested dark fiber has any lightwave repeater equipment interspliced to it, BellSouth will remove such equipment at Covad's request subject to time and materials charges.

2.7.2.3 Covad may test the quality of the Dark Fiber to confirm its usability and performance specifications.

2.7.2.4 BellSouth shall use its best efforts to provide to Covad information regarding the location, availability and performance of Dark Fiber within ten (10) business days for a records based answer and twenty (20) business days for a field based answer, after receiving a request from Covad ("Request"). Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber ("Confirmation"). From the time of the Request to forty-five (45) days after Confirmation, BellSouth shall hold such requested Dark Fiber for Covad's use and may not allow any other party to use such media, including BellSouth.

2.7.2.5 BellSouth shall use its best efforts to make Dark Fiber available to Covad within thirty (30) business days after it receives written confirmation from Covad that the Dark Fiber previously deemed available by BellSouth is wanted for use by Covad. This includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX) or splice points) to enable Covad to connect or splice Covad provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber.

2.7.2.6 Dark Fiber shall meet the manufacturer's design specifications.

2.7.2.7 Covad may splice and test Dark Fiber obtained from BellSouth using Covad or Covad designated personnel. BellSouth shall provide appropriate interfaces to allow splicing and testing of Dark Fiber. BellSouth shall provide an excess cable length of 25 feet minimum (for fiber in underground conduit) to allow the uncoiled fiber to reach from the manhole to a splicing van.

2.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

2.9 Operational Support Systems (OSS)

BellSouth has developed and made available the following mechanized systems by which Covad may submit LSRs electronically.

LENS	Local Exchange Navigation System
EDI	Electronic Data Interchange
TAG	Telecommunications Access Gateway

2.9.1 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic ordering charge as specified in the table below. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted

by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge as specified in the table below:

OPERATIONAL SUPPORT SYSTEMS	AL, GA, MS, NC, SC, TN	KY	FL	LA
OSS LSR charge, per LSR received from the CLEC by one of the OSS interactive interfaces	$3.50 SOMEC	$3.50 SOMEC	$3.50 SOMEC	$3.50 SOMEC
Incremental charge received from the CLEC by means other than one of the OSS interactive interfaces	See applicable rate element – applied on a per element basis SOMAN	$19.99 applied on a per LSR basis SOMAN	$10.73 applied on a per LSR basis SOMAN	$15.20 applied on a per LSR basis SOMAN

For network elements and service for which BellSouth makes available an electronic ordering mechanism, Covad shall pay the manual ordering charge when it submits a manual order, unless Covad submitted the manual order when the electronic systems were non functional for any reason other than scheduled maintenance and downtime. For network elements and services for which BellSouth does not make available a electronic ordering mechanism, Covad shall pay the manual ordering rate for manually submitted orders. Notwithstanding the foregoing, if BellSouth's retail operations have electronic ordering capabilities for services analogous to those provided by BellSouth to Covad and BellSouth does not make electronic ordering available to Covad, Covad shall pay the electronic ordering rate for those services, irrespective of whether the orders are placed manually or electronically.

2.9.2 Denial/Restoral OSS Charge

In the event Covad provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and, therefore will be billed as one LSR per location.

2.9.3 Covad will incur an OSS charge for an accepted LSR that is later canceled by Covad, except when BellSouth does not deliver the loop within seven (7) days of the standard loop delivery interval for each particular loop.

Note: Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

2.9.4 Network Elements and Other Services Manual Additive

2.9.4.1 The Commissions in some states have ordered per-element manual additive non-recurring charges (NRC) for Network Elements and Other Services ordered by means

other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed on the Rate Tables in Exhibit A.

2. 10 Loop Makeup (LMU)

2.10.1 Description of Service

2.10.1.1 BellSouth shall make available to Covad loop makeup information so that Covad can make an independent judgment about whether the loop is capable of supporting the advanced services equipment Covad intends to install and the services Covad wishes to provide. This section addresses LMU as a *preordering* transaction, distinct from Covad ordering any other service(s). Loop Makeup *Service Inquiries (LMUSI) for preordering loop makeup* are likewise unique from other preordering functions with associated service inquiries (SI) as described in this Agreement.

2.10.1.2 BellSouth will provide Covad LMU information consistent with the effective FCC Rules, Orders and Regulations including the composition of the loop material (copper/fiber); the existence, location and type of equipment on the loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the loop length; the wire gauge and electrical parameters.

2.10.1.3 BellSouth's LMU information is provided to Covad as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

2.10.1.4 Covad may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth loop. The determination shall be made solely by Covad and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said loop. The specific loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop requested taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Covad's ability to provide advanced data services over the ordered loop type. Further, if Covad orders loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Covad is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.10.2 Submitting Loop Makeup Service Inquiries

2.10.2.1 Covad may obtain LMU information by submitting a LMUSI mechanically or manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the loop from the mechanized LMUSI process, if Covad needs further loop information in order to determine loop service capability, Covad may initiate a separate Manual LMUSI for a separate nonrecurring charge as set forth in the rate exhibit for Attachment 2.

2.10.2.2 Manual LMUSIs shall be submitted by electronic-mail to BellSouth's Complex Resale Support Group (CRSG/Account Team utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.10.3 Loop Reservations

2.10.3.1 Covad may reserve facilities for up to four (4) calendar days for each facility requested on a LMUSI from the time the LMU information is returned to Covad. During and prior to Covad placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If Covad does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released. For a Mechanized LMUSI, Covad may reserve up to 10 loop facilities. For a Manual LMUSI, Covad may reserve up to 3 loop facilities.

2.10.3.2 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.10.4 Ordering of Other UNE Services

2.10.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Covad will not be billed any additional LMU charges for the loop ordered on such LSR. If however, Covad does not reserve facilities upon an initial LMUSI, Covad's placement of an order for an advanced data service type facility shall be deemed placed for such a facility rate element that "includes manual service inquiry and reservation" per the rate matrix of this Attachment.

2.10.4.2 Where Covad has reserved multiple loop facilities on a single reservation, Covad may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Covad, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type loop as ordered by Covad. If the ordered loop type is not available, Covad may utilize the Unbundled Loop

Modification process or the Special Construction process, as applicable, to obtain the loop type ordered.

2.11 High Frequency Spectrum Network Element

2.11.1 BellSouth shall provide Covad access to the high frequency portion of the local loop as an unbundled network element ("High Frequency Spectrum") at the rates set forth in Exhibit C. BellSouth shall provide Covad with the High Frequency Spectrum irrespective of whether BellSouth chooses to offer xDSL services on the loop.

2.11.1.1 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow Covad the ability to provide Digital Subscriber Line ("xDSL") data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL presumed acceptable for deployment pursuant to 47 C.F.R. Section 51.230, including, but not limited to, ADSL, RADSL, and any other xDSL technology that is presumed to be acceptable for deployment pursuant to FCC rules. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. Covad shall only use xDSL technology that is within the PSD mask parameters set forth in T1.413 or other applicable industry standards. Covad shall provision xDSL service on the High Frequency Spectrum in accordance with the applicable Technical Specifications and Standards.

2.11.1.2 The following loop requirements are necessary for Covad to be able to access the High Frequency Spectrum: an unconditioned, 2-wire copper loop. An unconditioned loop is a copper loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601. The process of removing such devices is called "conditioning." BellSouth shall charge and Covad shall pay as interim rates, the same rates that BellSouth charges for conditioning stand-alone loops as provided in this Interconnection Agreement (e.g., unbundled copper loops, ADSL loops, and HDSL loops) until permanent pricing for loop conditioning are established either by mutual agreement or by a state public utilities commission. The interim costs for conditioning are subject to true up as provided in this agreement. BellSouth will condition loops to enable Covad to provide xDSL-based services on the same loops the incumbent is providing analog voice service, regardless of loop length. BellSouth is not required to condition a loop in connection with Covad's access to the High Frequency Spectrum if conditioning of that loop impairs service from the end users perspective. If Covad requests that BellSouth condition a loop longer than 18,000 ft. and such conditioning significantly

degrades the voice services on the loop, Covad shall pay for the loop to be restored to its original state.

2.11.1.3 Covad's termination point is the point of termination for Covad's on the toll main distributing frame in the central office (" Termination Point"). BellSouth will use jumpers to connect Covad's connecting block to the splitter. The splitter will route the High Frequency Spectrum on the circuit to the Covad's xDSL equipment in the Covad's collocation space.

2.11.1.4 For the purposes of testing line shared loops, Covad shall have access to the test access point associated with the splitter and the demarcation point between BellSouth's network and Covad's network.

2.11.2 PROVISIONING OF HIGH FREQUENCY SPECTRUM AND SPLITTER SPACE

2.11.2.1 BellSouth will provide Covad with access to the High Frequency Spectrum as follows:

2.11.2.2 BellSouth will install splitters within thirty-six (36) calendar days of Covad's submission of such order to the BellSouth Complex Resale Support Group.

2.11.2.3 BellSouth shall provide Covad the status of manually submitted LSRs for end user line sharing orders through the PON Report on the CLEC Operations Website at https://clec.bellsouth.com.

Status shall include FOC Sent, Pending, Cancelled, In Clarification, Jeopardies or Rejected. A description of these statuses can be found on this website. This is a secure website. Passwords can be obtained from your account team.

For LSRs submitted through an electronic interface (EDI, TAG, LENS, RoboTAG), the following responses will be returned to Covad electronically: FOCs, Completion Notices, Errors/Clarifications, Pending Order Status, Jeopardies, e.g. missed appointments. Covad may view CSRs through LENs.

Covad may determine the status of its line sharing end user service orders through CSOTS (CLEC Service Order Tracking System). The service order statuses are described in the Pending Order Status Job Aid located on the web at http://www.interconnection.bellsouth.com/markets/lec/oss_info.html. Passwords for CSOTS can be obtained from the account team.

Covad may determine the status of its COSMOS/SWITCH work order for its line sharing end user orders through the COSMOS/SWITCH Line Sharing Report. These reports will provide the telephone number, CLLI code, cable and pair, splitter

assignment, status and in COSMOS service order number if pending. The reports also provide a summary including working pairs, pairs pending disconnect, pairs pending connect. The COSMOS/SWITCH report will be in a form that enables Covad to download it into an excel-type spreadsheet format. When Covad has received a Firm Order Confirmation ("FOC") on an order and the CSOTS system also shows that order as complete, but the order appears on the COSMOS/SWITCH report in the pending connect or pending disconnect status, Covad shall enter a trouble report through DLEC Tafi or report troubles to the BellSouth CWINS center. When Covad has received a FOC on an order and the order in pending in CSOTS beyond the due date of the order, then Covad shall check to see if BellSouth has provided a jeopardy or clarification notification via the PON Status Report. If there are no outstanding clarifications or jeopardies, Covad will contact the LCSC. The COSMOS/SWITCH report will be updated by 8:00 p.m., daily, Monday thru Sunday.

2.11.2.4 Covad shall be entitled to order the High Frequency Spectrum on lines served out of any central office where Covad has a splitter available for its use pursuant to Section 2.11.2.

2.11.2.5 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide Covad access to data ports on the splitter. In the event that BellSouth elects to use a brand of splitter other than Siecor, the Parties shall renegotiate the recurring and non-recurring rates associated with the splitter. In the event the Parties cannot agree upon such rates, the then current rates (final or interim) for the Siecor splitter shall be the interim rates for the new splitter. BellSouth will provide Covad with a carrier notification letter at least 30 days before such change and shall work collaboratively with Covad to select a mutually agreeable brand of splitter for use by BellSouth. Covad shall thereafter purchase ports on the splitter as set forth more fully below.

2.11.2.6 BellSouth will install the splitter in (i) a common area close to the Covad collocation area, if possible; or (ii) in a BellSouth relay rack as close to the Covad DSO termination point as possible. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. Nothing in this section shall be construed as Covad's agreement that such placement is the most efficient network configuration. Moreover, nothing in this section shall be construed as Covad's agreement that such placement is consistent with TELRIC pricing rules or otherwise is a network configuration that would be used by an efficient forward looking provider of unbundled network elements. Notwithstanding the foregoing, neither Party waives any rights to take a position contrary to the provisions of this Section before any regulatory body regarding line sharing processes or rates. BellSouth will cross-connect the splitter data ports to a specified Covad DS0 at such time that a Covad end user's service is established.

2.11.2.7 The High Frequency Spectrum shall only be available on loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end-user terminates its BellSouth provided voice service for any reason, and Covad desires to continue providing xDSL service on such loop, Covad shall be required to purchase the full stand-alone loop unbundled network element. In the event BellSouth disconnects the end-user's voice service pursuant to its tariffs or applicable law, and Covad desires to continue providing xDSL service on such loop, Covad shall be permitted to continue using the line by purchasing the full stand-alone loop unbundled network element. BellSouth shall give Covad notice in a reasonable time prior to disconnect, which notice shall give Covad an adequate opportunity to notify BellSouth of its intent to purchase such loop. The Parties shall work collaboratively towards the method of notification and the time periods for notice. In those cases in which BellSouth no longer provides voice service to the end user and Covad purchases the full stand-alone loop, Covad may elect the type of loop it will purchase. Covad will pay the appropriate recurring and non-recurring rates for such loop as set forth in Attachment 2 of the Agreement, including a voice grade loop.

2.11.2.8 Covad and BellSouth shall continue to work together collaboratively to develop systems and processes for provisioning the High Frequency Spectrum in various real life scenarios. BellSouth and Covad agree that Covad is entitled to purchase the High Frequency Spectrum on a loop that is provisioned over fiber-fed digital loop carrier. BellSouth will provide Covad with access to feeder sub-loops at UNE prices. BellSouth and Covad will work together to establish methods and procedures for providing Covad access to the High Frequency Spectrum over fiber fed digital loop carriers.

2.11.2.9 Only one competitive local exchange carrier shall be permitted access to the High Frequency Spectrum of any particular loop.

2.11.2.10 To order High Frequency Spectrum on a particular loop, Covad must have a DSLAM collocated in the central office that serves the end-user of such loop. BellSouth shall allow Covad to order splitters in central offices where Covad is in the process of obtaining collocation space. BellSouth shall install such splitters before the end of Covad's collocation provisioning interval.

2.11.2.11 BellSouth will devise a splitter order form that allows Covad to order splitter ports in increments of 8, 24 or 96 ports.

2.11.2.12 BellSouth will provide Covad the Local Service Request ("LSR") format to be used when ordering the High Frequency Spectrum.

2.11.2.13 BellSouth will provide Covad with access to the High Frequency Spectrum of the unbundled loop as follows:

For 1-5 lines at the same address within three (3) business days from BellSouth's issuance of a FOC; 6-10 lines at the same address within 5 business days from BellSouth's issuance of a FOC; and more than 10 lines at the same address is to be negotiated.

For manual orders, BellSouth will return a Firm Order Confirmation (FOC) in no more than twenty-four (24) business hours. For electronic orders, BellSouth will return a FOC in one (1) hour ninety-five percent (95%) of the time for orders that flow-through. For orders that do not flow-through, BellSouth will return a FOC in twenty-four (24) business hours.

2.11.2.14 BellSouth shall perform testing to confirm that all in place splitters are correctly installed to the BellSouth frame. In the event any splitters are not correctly cabled or installed shall be corrected before February 28, 2001. BellSouth shall include testing to ensure splitters are correctly installed and cabled to the BellSouth frame as a part of the splitter installation process. If BellSouth informs Covad that a splitter has been installed for Covad's use, and that splitter is later found to have been incorrectly installed, BellSouth shall waive the nonrecurring charge for that splitter installation.

2.11.2.15 BellSouth shall test the data portion of the loop to insure the continuity of the wiring for Covad's data using the LSVT test-set for both the provisioning and maintenance of a loop. This test shall be performed from the Covad designated tie cable pair (which is connected to Covad's DSLAM) to the Main Distribution Frame (MDF) where the customer's cable pair leaves the BellSouth central office. This process will be implemented unless, and until, Covad and BellSouth mutually agree on another process. If BellSouth delivers a line shared loop that is not properly wired by BellSouth, BellSouth shall adjust the monthly recurring charge to reflect the day that the line shared loop was placed in service.

2.11.3 MAINTENANCE AND REPAIR

2.11.3.1 Covad shall have access, for test, repair, and maintenance purposes, to any loop as to which it has access to the High Frequency Spectrum. Covad may access the loop at the point where the combined voice and data signal exits the central office splitter.

2.11.3.2 BellSouth will be responsible for repairing voice services and the physical line between the network interface device at the customer premise and the Termination Point of demarcation in the central office. Covad will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

2.11.3.3 If the problem encountered appears to impact primarily the xDSL service, the end user should call Covad. If the problem impacts primarily the voice service, the end user should call BellSouth. If both services are impaired, the end user should contact BellSouth and Covad.

2.11.3.4 BellSouth and Covad will work together to diagnose and resolve any troubles reported by the end-user and to develop a process for repair of lines as to which Covad has access to the High Frequency Spectrum. The Parties will continue to work together to address customer initiated repair requests and other customer impacting maintenance issues to better support unbundling of High Frequency Spectrum.

2.11.3.4.1 The Parties will be responsible for testing and isolating troubles on its respective portion of the loop. Once a Party ("Reporting Party") has isolated a trouble to the other Party's ("Repairing Party") portion of the loop, the Reporting Party will notify the end user to report the trouble to the other service provider. The Repairing Party will take the actions necessary to repair the loop if it determines a trouble exists in its portion of the loop.

2.11.3.4.2 If a trouble is reported on either Party's portion of the loop and no trouble actually exists, the Repairing Party may charge the Reporting Party for any dispatching and testing (both inside and outside the central office) required by the Repairing Party in order to confirm the loop's working status.

2.11.3.5 In the event Covad's deployment of xDSL on the High Frequency Spectrum significantly degrades the performance of other advanced services or of BellSouth's voice service on the same loop, BellSouth shall notify Covad and allow twenty-four (24) hours to cure the trouble. If Covad fails to resolve the trouble, BellSouth may discontinue Covad's access to the High Frequency Spectrum on such loop.

2.11.4 PRICING

2.11.4.1 BellSouth and Covad agree to the negotiated, interim rates for the High Frequency Spectrum. All interim prices will be subject to true up based on either mutually agreed to permanent pricing or permanent pricing established in a line sharing cost proceeding conducted by state public utility commissions. In the event interim prices are established by state public utility commissions before permanent prices are established, either through arbitration or some other mechanism, the interim prices established in this Agreement will be changed to reflect the interim prices mandated by the state public utility commissions; however, no true up will be performed until mutually agreed to permanent prices are established or permanent prices are established by state public utility commissions.

2.11.4.2 BellSouth and Covad enter into this Agreement without waiving current or future relevant legal rights and without prejudicing any position BellSouth or Covad may take on relevant issues before state or federal regulatory or legislative bodies or courts of competent jurisdiction. This clause specifically contemplates but is not limited to: (a) the positions BellSouth or Covad may take in any cost docket related to the terms and conditions associated with access to the High Frequency Spectrum; and (b) the positions that BellSouth or Covad might take before the FCC or any state public utility commission related to the terms and conditions under which BellSouth must provide Covad with access to the High Frequency Spectrum. The interim rates set forth in Exhibit C were adopted as a result of a compromise between the parties and do not reflect either party's position as to final rates for access to the High Frequency Spectrum.

Any element necessary for interconnection that is not identified above is priced as currently set forth in the Agreement.

3. Switching

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of local and tandem switching.

3.1 **Local Switching**

BellSouth shall provide non-discriminatory access to local circuit switching capability, and local tandem switching capability, on an unbundled basis, except as set forth below in Section 3.1.3 to Covad for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to Covad for the provision of a telecommunications service only in the limited circumstance described below in Section 3.3.4.6.

3.1.1. Except as otherwise provided herein, BellSouth shall not impose any restrictions on Covad regarding the use of Switching Capabilities purchased from BellSouth provided such use does not result in demonstrable harm to either the BellSouth network or personnel or the use of the BellSouth network by BellSouth or any other telecommunication carrier.

3.1.2. Local Circuit Switching Capability, including Tandem Switching Capability

3.1.2.1 Definition

Local Circuit Switching Capability is defined as: (A) line-side facilities, which include, but are not limited to, the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include, but are not limited to, the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; and (C) All features, functions, and capabilities of the

switch, which include, but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any technically feasible customized routing functions provided by the switch; (D) switching provided by remote switching modules.

3.1.2.2 When utilizing BellSouth's local circuit switching capability, local traffic shall be defined as set forth in Part B of the General Terms and Conditions.

3.1.3 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for Covad when Covad serves end-users with four (4) or more voice-grade (DS-0) equivalents or lines in locations served by BellSouth's local circuit switches, which are in the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.

3.1.4 In the event that Covad orders local circuit switching for a single end user account name at a single physical end user location with four (4) or more two (2) wire voice-grade loops from a BellSouth central office listed on Exhibit A, BellSouth's sole recourse shall be to charge Covad a rate to be negotiated for use of the local circuit switching functionality for the affected facilities, or in the alternative, to charge Covad the local services resale rate for use of all Combinations used to provide the affected facilities to Covad.

3.1.5 A featureless port is one that has a line port, switching facilities, and an interoffice port. A featured port is a port that includes all features then capable or a number of then capable features specifically requested by Covad. Any features that are not currently then capable but are technically feasible through the switch can be requested through the BFR process.

3.1.6 BellSouth will provide to Covad customized routing of calls: (i) to a requested directory assistance services platform; (ii) to an operator services platform pursuant to Section 10 of Attachment 2; (iii) for Covad's PIC'ed toll traffic in a two (2) PIC environment to an alternative OS/DA platform designated by Covad. Covad customers may use the same dialing arrangements as BellSouth customers.

3.1.7 Remote Switching Module functionality is included in Switching Capability. The switching capabilities used will be based on the line side features they support.

3.1.8 Switching Capability will also be capable of routing local, intraLATA, interLATA, and calls to international customer's preferred carrier; call features (e.g. call forwarding) and Centrex capabilities.

3.1.9 Where required to do so in order to comply with an effective Commission order, BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service under Attachment 1, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad customers may use the same dialing arrangements as BellSouth customers, but obtain a Covad branded service.

3.2 Technical Requirements

3.2.1 The requirements set forth in this Section apply to Local Switching, but not to the Data Switching function of Local Switching.

3.2.1.1 Local Switching shall be equal to or better than the requirements for Local Switching set forth in the applicable industry standard technical references.

3.2.1.2 When applicable, BellSouth shall route calls to the appropriate trunk or lines for call origination or termination.

3.2.1.3 Subject to this section, BellSouth shall route calls on a per line or per screening class basis to (1) BellSouth platforms providing Network Elements or additional requirements (2) Operator Services platforms, (3) Directory Assistance platforms, and (4) Repair Centers. Any other routing requests by Covad will be made pursuant to the Bona Fide Request/ New Business Request Process as set forth in General Terms and Conditions.

3.2.1.4 BellSouth shall provide unbranded recorded announcements and call progress tones to alert callers of call progress and disposition.

3.2.1.5 BellSouth shall activate service for a Covad customer or network interconnection on any of the Local Switching interfaces. This includes provisioning changes to change a customer from BellSouth's services to Covad's services without loss of switch feature functionality as defined in this Agreement.

3.2.1.6 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.

3.2.1.7 BellSouth shall repair and restore any equipment or any other maintainable component that may adversely impact Local Switching.

3.2.1.8 BellSouth shall control congestion points such as those caused by radio station call-ins, and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

3.2.1.9 BellSouth shall perform manual call trace and permit customer originated call trace.

3.2.1.10 Special Services provided by BellSouth will include the following:

3.2.1.10.1 Telephone Service Prioritization;

3.2.1.10.2 Related services for handicapped;

3.2.1.10.3 Soft dial tone where required by law; and

3.2.1.10.4 Any other service required by law.

3.2.1.11 BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.

3.2.1.12 BellSouth shall provide interfaces to adjuncts through Telcordia (formerly BellCore) standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors.

3.2.1.13 BellSouth shall provide performance data regarding a customer line, traffic characteristics or other measurable elements to Covad, upon a reasonable request from Covad. CLEC will pay BellSouth for all costs incurred to provide such performance data through the Business Opportunity Request process.

3.2.1.14 BellSouth shall offer Local Switching that provides feature offerings at parity to those provided by BellSouth to itself or any other Party. Such feature offerings shall include but are not limited to:

3.2.1.14.1 Basic and primary rate ISDN;

3.2.1.14.2 Residential features;

3.2.1.14.3 Customer Local Area Signaling Services (CLASS/LASS);

3.2.1.14.4 CENTREX (including equivalent administrative capabilities, such as customer accessible reconfiguration and detailed message recording); and

3.2.1.14.5 Advanced intelligent network triggers supporting Covad and BellSouth service applications.

3.2.2 BellSouth shall offer to Covad all AIN triggers in connection with its SMS/SCE offering which are supported by BellSouth for offering AIN-based services. Triggers that are currently available are:

3.2.2.1 Off-Hook Immediate

3.2.2.2 Off-Hook Delay

3.2.2.3 Termination Attempt

3.2.2.4 6/10 Public Office Dialing Plan

3.2.2.5 Feature Code Dialing

3.2.2.6 Customer Dialing Plan

3.2.3 When the following triggers are supported by BellSouth, BellSouth will make these triggers available to Covad:

3.2.3.1 Private EAMF Trunk

3.2.3.2 Shared Interoffice Trunk (EAMF, SS7)

3.2.3.3 N11

3.2.3.4 Automatic Route Selection

3.2.4 Where capacity exists, BellSouth shall assign each Covad customer line the class of service designated by Covad (e.g., using line class codes or other switch specific provisioning methods), and shall route directory assistance calls from Covad customers to Covad directory assistance operators at Covad's option.

3.2.5 Where capacity exists, BellSouth shall assign each Covad customer line the class of services designated by Covad (e.g., using line class codes or other switch specific provisioning methods) and shall route operator calls from Covad customers to Covad operators at Covad's option. For example, BellSouth may translate 0- and 0+ intraLATA traffic, and route the call through appropriate trunks to a Covad Operator Services Position System (OSPS). Calls from Local Switching must pass the ANI-II digits unchanged.

3.2.6 Local Switching shall be offered in accordance with the technical specifications set forth in the applicable industry standard references.

3.2.7 Interface Requirements

3.2.7.1 BellSouth shall provide the following interfaces to loops:

3.2.7.1.1 Standard Tip/Ring interface including loop start or ground start, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

3.2.7.1.2 Coin phone signaling;

3.2.7.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia (formerly BellCore) Technical Requirements;

3.2.7.1.4 Two-wire analog interface to PBX;

3.2.7.1.5 Four-wire analog interface to PBX;

3.2.7.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);

3.2.7.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia (formerly BellCore) Technical Requirements;

3.2.7.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and

3.2.7.1.9 Loops adhering to Telcordia (formerly BellCore) TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

3.2.7.2 BellSouth shall provide access to the following but not limited to:

3.2.7.2.1 SS7 Signaling Network or Multi-Frequency trunking if requested by Covad;

3.2.7.2.2 Interface to Covad operator services systems or Operator Services through appropriate trunk interconnections for the system; and

3.2.7.2.3 Interface to Covad Directory Assistance Services through the Covad switched network or to Directory Assistance Services through the appropriate trunk interconnections for the system; and 950 access or other Covad required access to interexchange carriers as requested through appropriate trunk interfaces.

3.3 Tandem Switching

3.3.1 Definition

Tandem Switching is the function that establishes a communications path between two switching offices through a third switching office (the Tandem switch).

3.3.2 Technical Requirements

3.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Bell Communications Research TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include, but are not limited to the following:

3.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

3.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by Covad and BellSouth;

3.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;

3.3.2.1.4 Tandem Switching shall provide access to Toll Free number portability database as designated by Covad;

3.3.2.1.5 Tandem Switching shall provide all trunk interconnections discussed under the "Network Interconnection" section (e.g., SS7, MF, DTMF, DialPulse, PRI-ISDN, DID, and CAMA-ANI (if appropriate for 911));

3.3.2.1.5.1 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and

3.3.2.1.5.2 Where appropriate, Tandem Switching shall provide connectivity to transit traffic to and from other carriers.

3.3.2.1.6 Tandem Switching shall accept connections (including the necessary signaling and trunking interconnections) between end offices, other tandems, IXCs, ICOs, CAPs and CLEC switches.

3.3.2.1.7 Tandem Switching shall provide local tandeming functionality between two end offices including two offices belonging to different CLEC's (e.g., between a CLEC end office and the end office of another CLEC).

3.3.2.1.8 Tandem Switching shall preserve CLASS/LASS features and Caller ID as traffic is processed.

3.3.2.1.9 Tandem Switching shall record billable events and send them to the area billing centers designated by Covad. Tandem Switching will provide recording of all billable events as jointly agreed to by Covad and BellSouth.

3.3.2.1.10 Upon a reasonable request from Covad, BellSouth shall perform routine testing and fault isolation on the underlying switch that is providing Tandem Switching and all its interconnections. The results and reports of the testing shall be made immediately available to Covad.

3.3.2.1.11 BellSouth shall maintain Covad's trunks and interconnections associated with Tandem Switching at least at parity to its own trunks and interconnections.

3.3.2.1.12 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.

3.3.2.1.13 Selective Call Routing through the use of line class codes is not available through the use of tandem switching. Selective Call Routing through the use of line class codes is an end office capability only. Detailed primary and overflow routing plans for all interfaces available within BellSouth's switching network shall be mutually agreed to by Covad and BellSouth.

3.3.2.1.14 Tandem Switching shall process originating toll-free traffic received from Covad's local switch.

3.3.2.1.15 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element, to the extent such Tandem Switch has such capability.

3.3.2.2 Interface Requirements

3.3.2.2.1 Tandem Switching shall provide interconnection to the E911 PSAP where the underlying Tandem is acting as the E911 Tandem.

3.3.2.2.2 Tandem Switching shall interconnect, with direct trunks, to all carriers with which BellSouth interconnects.

3.3.2.2.3 BellSouth shall provide all signaling necessary to provide Tandem Switching with no loss of feature functionality.

3.3.2.2.4 Tandem Switching shall interconnect with Covad's switch, using two-way trunks, for traffic that is transiting via BellSouth's network to interLATA or intraLATA carriers. At Covad's request, Tandem Switching shall record and keep records of traffic for billing.

3.3.2.2.5 Tandem Switching shall provide an alternate final routing pattern for Covad's traffic overflowing from direct end office high usage trunk groups.

3.3.2.2.6 Tandem Switching shall be equal or better than the requirements for Tandem Switching set forth in the applicable technical references.

3.4 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers

3.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of Covad. AIN Selective Carrier Routing will provide Covad with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

3.4.2 Covad shall order AIN Selective Carrier Routing through its Account Team. AIN Selective Carrier Routing must first be established regionally and then on a per central office, per state basis.

3.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.

3.4.4 Where AIN Selective Carrier Routing is utilized by Covad, the routing of Covad's end user calls shall be pursuant to information provided by Covad and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an 'as needed basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.

3.4.5 Upon ordering of AIN Selective Carrier Routing Regional Service, Covad shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit A of this Attachment. There shall be a non-recurring End Office Establishment Charge per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. Said non-recurring charge shall be as set forth in Exhibit A of this Attachment. For each Covad end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit A of this Attachment, payable to BellSouth pursuant to the terms of the General Terms and Conditions, incorporated herein by this reference. Covad shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit A of this Attachment.

3.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 coming up-front with the submission of all fully completed required forms, including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request - Form B, AIN_SCR Central Office Identification Form - Form C, AIN_SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has 30 days to respond to the client's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to the client, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.

3.4.7 The non-recurring End Office Establishment Charge will be billed to the client following our normal monthly billing cycle for this type of order.

3.4.8 End-User Establishment Orders will not be turned-up until the 2nd payment is received for the Regional Service Order. The non-recurring End-User Establishment Charges will be billed to the client following our normal monthly billing cycle for this type of order.

3.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to the client following the normal billing cycle for per query charges.

3.4.10 All other network components needed, for example, unbundled switching and unbundled local transport, etc, will be billed according per contracted rates.

3.5 Packet Switching Capability

3.5.1 Definition
Packet Switching Capability. The packet switching capability network element is defined as the basic packet switching function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units, and the functions that are performed by Digital Subscriber Line Access Mulitplexers, including but not limited to:

3.5.2 The ability to terminate copper customer loops (which includes both a low band voice channel and a high-band data channel, or solely a data channel);

3.5.3 The ability to forward the voice channels, if present, to a circuit switch or multiple circuit switches;

3.5.4 The ability to extract data units from the data channels on the loops, and

3.5.5 The ability to combine data units from multiple loops onto one or more trunks connecting to a packet switch or packet switches.

3.5.6 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:

3.5.6.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the distribution section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);

3.5.6.2 There are no spare copper loops capable of supporting the xDSL services Covad seeks to offer;

3.5.6.3 BellSouth has not permitted Covad to deploy a Digital Subscriber Line Access Multiplexer at the remote terminal, pedestal or environmentally controlled vault or other interconnection point as defined in Section 2 of the Remote Site Collocation Attachment, nor has the Covad obtained a virtual collocation arrangement at these subloop interconnection points as defined by 47 C.F.R. § 51.319 (b); and

3.5.6.4 BellSouth has deployed packet switching capability for its own use.

3.5.7 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 12 of the General Terms and Conditions of this Agreement, incorporated herein by this reference.

3.6 **Interoffice Transmission Facilities**

BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to Covad for the provision of a telecommunications service.

3.7 **Rates**

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

3.8 **Operational Support Systems (OSS)**

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

4. Unbundled Network Element Combinations

4.1 Unbundled Network Element Combinations shall include: 1) Enhanced Extended Links (EELs) 2) Other Non-Switched Transport Combinations 3) UNE Loop/Special Access Combinations and 4) UNE Loop/Port Combinations.

4.2 For purposes of this Section, references to "Currently Combined" network elements shall mean that such network elements are in fact already combined by BellSouth in the BellSouth network to provide service to a particular end user at a particular location.

4.3 **Enhanced Extended Links (EELs)**

4.3.1 Where facilities permit and where necessary to comply with an effective FCC and/or State Commission order, or as otherwise mutually agreed by the Parties, BellSouth shall offer access to loop and transport combinations, also known as the Enhanced Extended Link ("EEL") as defined in Section 4.3.2 below.

4.3.2 Subject to Section 4.3.4 below, BellSouth will provide access to the EEL in the combinations set forth in Section 4.3.5 following. Covad shall provide to BellSouth a letter certifying that Covad is providing a significant amount of local exchange service (as described in Sections 4.3.8.1.1, 4.3.8.1.2, 4.3.8.1.3 or 4.3.8.2) over such combinations. This offering is intended to provide connectivity from an end user's location through that end user's SWC to Covad's POP serving wire center. The circuit must be connected to Covad's switch for the purpose of provisioning telephone exchange service to Covad's end-user customers. The EEL will be connected to Covad's facilities in Covad's collocation space at the POP SWC, or Covad may purchase BellSouth's access facilities between Covad's POP and Covad's collocation space at the POP SWC.

4.3.3 When ordering EEL combinations, Covad shall provide to BellSouth a letter certifying that Covad will provide a significant amount of local exchange service over the requested combination, as described in Section 4.3.6 below, and shall indicated under what local usage option Covad seeks to qualify. Covad shall be deemed to be providing a significant amount of local exchange service if one of the three (3) options set forth in Sections 4.3.8.1.1 through 4.3.8.1.3 is met. BellSouth shall have the right to audit Covad's records to verify that Covad is meeting the applicable local usage requirements. Such audit shall comply with the terms of Section 4.3.8.3 of this Attachment.

4.3.4 BellSouth shall provide EEL combinations to Covad in Georgia, Kentucky, Louisiana, Mississippi and Tennessee regardless of whether or not such EELs are Currently Combined. In all other states, BellSouth shall make available to Covad those EEL combinations described in Section 4.3.5 below only to the extent such combinations are Currently Combined. Furthermore, BellSouth will make available EEL combinations to Covad in density Zone 1, as defined in 47 C.F.R. 69.123 as of January 1, 1999, in the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs regardless of whether or not such EELs are Currently Combined. Except as stated above, EELs will be provided to Covad only to the extent such network elements are Currently Combined.

4.3.5 EEL Combinations

4.3.5.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop

4.3.5.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop

4.3.5.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop

4.3.5.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop

4.3.5.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop

4.3.5.6 DS1 Interoffice Channel + DS1 Local Loop

4.3.5.7 DS3 Interoffice Channel + DS3 Local Loop

4.3.5.8 STS-1 Interoffice Channel + STS-1 Local Loop

4.3.5.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop

4.3.5.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop

4.3.5.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop

4.3.5.12 4wire VG Interoffice Channel + 4-wire VG Local Loop

4.3.5.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop

4.3.5.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop

4.3.6 To order EELs Covad must meet the requirements in Section 4.3.8.1.1 or 4.3.8.1.2.

4.3.7 Special Access Service Conversions

4.3.7.1 Covad may not convert special access services to combinations of loop and transport network elements, whether or not Covad self-provides its entrance facilities (or obtains entrance facilities from a third party), unless Covad uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent Covad requests to convert any special access services to combinations of loop and transport network elements at UNE prices, Covad shall provide to BellSouth a letter certifying that Covad is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification letter shall also indicate under what local usage option Covad seeks to qualify for conversion of special access circuits. Covad shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:

4.3.7.1.1 Covad certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option,

Covad is the end user's only local service provider, and thus, is providing more than a significant amount of local exchange service. Covad can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or

4.3.7.1.2 Covad certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dialtone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. The loop-transport combination must terminate at Covad's collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or

4.3.7.1.3 Covad certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dialtone service and at least 50 percent of the traffic on each of these local dialtone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criteria. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. Covad does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

4.3.7.2 In addition, there may be extraordinary circumstances where Covad is providing a significant amount of local exchange service, but does not qualify under any of the three options set forth in Section 4.3.8. In such case, Covad may petition the FCC for a waiver of the local usage options set forth in the June 2, 2000 Order. If a waiver is granted, then upon Covad's request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.

4.3.7.3 BellSouth may at its sole discretion audit Covad records in order to verify the type of traffic being transmitted over combinations of loop and transport network elements. The audit shall be conducted by a third party independent auditor, and Covad shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year, unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, Covad shall reimburse BellSouth for the cost of the audit. If, based on its audits, BellSouth concludes that Covad is not providing a significant amount of

local exchange traffic over the combinations of loop and transport network elements, BellSouth may file a complaint with the appropriate Commission, pursuant to the dispute resolution process as set forth in the Interconnection Agreement. In the event that BellSouth prevails, BellSouth may convert such combinations of loop and transport network elements to special access services and may seek appropriate retroactive reimbursement from Covad.

4.3.7.4 Covad may convert special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section and subject to the termination provisions in the applicable special access tariffs, if any.

4.3.8 Rates

4.3.8.1 Georgia, Kentucky, Louisiana, Mississippi and Tennessee

4.3.8.2 The non-recurring and recurring rates for the EEL Combinations of network elements set forth in 4.3.4 whether Currently Combined or new, are as set forth in Exhibit C of this Attachment.

4.3.8.3 For combinations of loop and transport network elements not set forth in Section 4.3.5, where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements which make up the combination.

4.3.8.4 To the extent that Covad seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Covad, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.

4.3.8.5 All Other States

4.3.8.5.1 Subject to the preceding sections, for all other states, the non-recurring and recurring rates for the Currently Combined EEL combinations set forth in Section 4.3.5 and other Currently Combined network elements will be the sum of the recurring rates for the individual network elements plus a non recurring charge set forth in Exhibit C of this Attachment.

4.3.8.6 Multiplexing

4.3.8.6.1 Where multiplexing functionality is required in connection with loop and transport combinations, such multiplexing will be provided at the rates and on the terms set forth in this Agreement.

4.4 Other Non-Switched Combinations

4.4.1 In the state of Georgia, Kentucky, Louisiana, Mississippi and Tennessee, BellSouth shall make available to Covad, in accordance with Section 4.4.2.1 below: (1) combinations of network elements other than EELs that are Currently Combined; and (2) combinations of network elements other than EELs that are not Currently Combined but that BellSouth ordinarily combines in its network. In all other states, BellSouth shall make available to Covad, in accordance with Section 4.4.2.2 below, combinations of network elements other than EELs only to the extent such combinations are Currently Combined.

4.4.2 Rates

4.4.2.1 Georgia, Kentucky, Louisiana, Mississippi and Tennessee

4.4.2.1.1 The non-recurring and recurring rates for Other Network Element combinations, whether Currently Combined or new, are as set forth in Exhibit C of this Attachment.

4.4.2.1.2 For Other Network Element combinations where the elements are not Currently Combined but are ordinarily combined in BellSouth's network, the non-recurring and recurring charges for such UNE combinations shall be the sum of the stand-alone non-recurring and recurring charges of the network elements that make up the combination.

4.4.2.1.3 To the extent that Covad seeks to obtain other combinations of network elements that BellSouth ordinarily combines in its network which have not been specifically priced by the Commission when purchased in combined form, Covad, at its option, can request that such rates be determined pursuant to the Bona Fide Request/New Business Request (NBR) process set forth in this Agreement.

4.4.2.2 All Other States

4.4.2.2.1 For all other states, the non-recurring and recurring rates for the Other Network Element Combinations that are Currently Combined will be the sum of the recurring rates for the individual network elements plus a non-recurring charge set forth in Exhibit C of this Attachment.

4.5 UNE Loop/Special Access Combinations

4.5.1 Additionally, BellSouth shall make available to Covad a new combination of an unbundled loop and tariffed special access interoffice facilities. To the extent Covad will require multiplexing functionality in connection with such combination, BellSouth will provide access to multiplexing within the central office pursuant to the terms, conditions and rates set forth in its Access Services Tariffs. The tariffed special access

interoffice facilities and any associated tariffed services, including but not limited to multiplexing, shall not be eligible for conversion to UNEs as described in Section 4.3.8.

4.5.2 Rates

4.5.2.1 The non-recurring and recurring rates for UNE/Special Access Combinations will be the sum of the unbundled loop rates as set forth in Exhibit C and the interoffice transport rates and multiplexing rates as set forth in the Access Services Tariff.

5. Port/Loop Combinations

5.1 Combinations of port and loop unbundled network elements along with switching and transport unbundled network elements provide local exchange service for the origination or termination of calls. Port/ loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment 2 and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, so long as such combinations are ordinarily combined in BellSouth's network.

5.2.1 Except as set forth in section 5.3 below, in Georgia, Kentucky, Louisiana, Mississippi and Tennessee, BellSouth shall provide UNE port/loop combinations that are ordinarily combined in BellSouth's network, regardless of whether such combinations are Currently Combined at the cost-based rates in Exhibit C.

5.2.2 In Alabama, Florida, North Carolina and South Carolina, BellSouth shall provide UNE port/loop combinations that are not Currently Combined but that are ordinarily combined in BellSouth's network at the market rates in Exhibit C.

5.2.3 In Alabama, Florida, North Carolina and South Carolina, BellSouth shall provide UNE port/loop combinations that are Currently Combined at the cost-based rates in Exhibit C.

5.3 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as an unbundled network element.

5.3.1 BellSouth shall not be required to provide local circuit switching as an unbundled network element in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New

Orleans, LA, MSAs to Covad if Covad's customer has 4 or more DS0 equivalent lines.

5.3.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as an unbundled network element and shall do so at the market rates in Exhibit C.

5.6.3 Combination Offerings

5.6.3.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.4 2-wire CENTREX port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6.3.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

6. Transport and Dark Fiber

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of unbundled transport and dark fiber.

6.1. Transport

6.1.1 Definition of Common (Shared) Transport

Common (Shared) Transport is an interoffice transmission path between two BellSouth end-offices, BellSouth end-office and a local tandem, or between two local tandems. Where BellSouth Network Elements are connected by intra-office wiring, such wiring is provided as a part of the Network Elements and is not Common (Shared) Transport. Common (Shared) Transport consists of BellSouth inter-office transport facilities and is unbundled from local switching.

6.1.2 Technical Requirements of Common (Shared) Transport

6.1.2.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office ("CO to CO") connections in the appropriate industry standards.

6.1.2.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits, shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the appropriate industry standards.

6.1.2.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

6.1.2.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standard technical references.

6.2 Interoffice transmission facility network elements include:

6.2.1 Dedicated transport, defined as BellSouth's transmission facilities, including all technically feasible capacity-related services including, but not limited to, DS1, DS3 and OCn levels, dedicated to a particular customer or carrier, that provide telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and Covad.

6.2.2 Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached multiplexing, aggregation or other electronics;

6.2.3 Shared transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network.

6.2.4 BellSouth shall:

6.2.4.1 Provide Covad exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

6.2.4.2 Provide all technically feasible transmission facilities, features, functions, and capabilities that Covad could use to provide telecommunications services;

6.2.4.3 Permit, to the extent technically feasible, Covad to connect such interoffice facilities to equipment designated by Covad, including but not limited to, Covad's collocated facilities; and

6.2.4.4 Permit, to the extent technically feasible, Covad to obtain the functionality provided by BellSouth's digital cross-connect systems in the same manner that BellSouth provides such functionality to interexchange carriers.

6.2.5 Provided that the facility is used to transport a significant amount of local exchange services Covad shall be entitled to convert existing interoffice transmission facilities (i.e., special access) to the corresponding interoffice transport network element option.

6.3 Dedicated Transport

6.3.1 Definitions

6.3.2 Dedicated Transport is defined as BellSouth transmission facilities dedicated to a particular customer or carrier that provide telecommunications between wire centers owned by BellSouth or requesting telecommunications carriers, or between switches owned by BellSouth or requesting telecommunications carriers.

6.3.3 Unbundled Local Channel

6.3.4 Unbundled Local Channel is the dedicated transmission path between Covad's Point of Presence and the BellSouth Serving Wire Center's collocation.

6.3.5 Unbundled Interoffice Channel.

6.3.6 Unbundled Interoffice Channel is the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations.

6.3.7 BellSouth shall offer Dedicated Transport in each of the following ways:

6.3.7.1 As capacity on a shared UNE facility.

6.3.7.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to Covad. This circuit shall consist of an Unbundled Local Channel or an Unbundled Interoffice Channel or both.

6.3.8 When Dedicated Transport is provided it shall include:

6.3.8.1 Transmission equipment such as, line terminating equipment, amplifiers, and regenerators;

6.3.8.2 Inter-office transmission facilities such as optical fiber, copper twisted pair, and coaxial cable.

6.3.9 Rates for Dedicated Transport are listed in this Attachment. For those states that do not contain rates in this Attachment the rates in the applicable State Access Tariff will apply as interim rates. When final rates are developed, these interim rates will be subject to true up, and the Parties will amend the Agreement to reflect the new rates.

6.3.10 Technical Requirements

6.3.10.1 This Section sets forth technical requirements for all Dedicated Transport.

6.3.10.2 When BellSouth provides Dedicated Transport, the entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to Covad designated traffic.

6.3.10.3 BellSouth shall offer Dedicated Transport in all technologies that become available including, but not limited to, (1) DS0, DS1 and DS3 transport services, and (2) SONET at available transmission bit rates.

6.3.10.4 For DS1 or VT1.5 circuits, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office ("CI to CO") connections in the appropriate industry standards.

6.3.10.5 Where applicable, for DS3, Dedicated Transport shall, at a minimum, meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the appropriate industry standards.

6.3.10.6 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

6.3.10.6.1 DS0 Equivalent;

6.3.10.6.2 DS1 (Extended SuperFrame - ESF);

6.3.10.6.3 DS3 (signal must be framed);

6.3.10.6.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

6.3.10.6.5 When Dedicated Transport is provided, BellSouth shall design it according to BellSouth's network infrastructure to allow for the termination points specified by Covad.

6.3.11 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.

6.3.11.1 BellSouth Technical References:

6.3.11.2 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6.3.11.3 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

6.3.11.4 TR 73525 MegaLink®Service, MegaLink Channel Service & MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.4 Unbundled Channelization

6.4.1 BellSouth agrees to offer access to Unbundled Channelization when available pursuant to following terms and conditions and at the rates set forth in the Attachment.

6.4.2 Definition

6.4.2.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 Unbundled Network Element (UNE) or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. This can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Covad can have channels activated on an as-needed basis by having BellSouth connect lower level UNEs via Central Office Channel Interfaces (COCIs).

6.4.3 Channelization capabilities will be as follows:

6.4.3.1 DS3 Channelization System: An element that channelizes a DS3 signal into 28 DS1s/STS-1s.

6.4.3.2 DS1 Channelization System: An element that channelizes a DS1 signal into 24 DS0s.

6.4.3.3 Central Office Channel Interfaces (COCI): Elements that can be activated on a channelization system.

6.4.4 DS1 Central Office Channel Interface elements can be activated on a DS3 Channelization System.

6.4.5 Voice Grade and Digital Data Central Office Channel Interfaces can be activated on a DS1 Channelization System.

6.4.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as options.

6.4.7 COCI will be billed on the lower level UNE order that is interfacing with the UC arrangement and will have to be compatible with those UNEs.

6.4.8 Channelization may be incorporated within dedicated transport or ordered as a stand-alone capability, which requires either the high or low speed side to be connected to collocation.

6.4.9 Technical Requirements

6.4.9.1 In order to assure proper operation with BST provided central office multiplexing functionality, the customer's channelization equipment must adhere strictly to form and protocol standards. Separate standards exist for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for subrate digital access.

6.4.9.2 DS0 to DS1 Channelization

6.4.9.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, *Digital Hierarchy Formats Specifications* and ANSI T1.403.02, *DS1 Robbed-bit Signaling State Definitions*. DS0 to DS1 Channelization requirements are essential the same as defined in BellSouth Technical Reference 73525, *MegaLink® Service, MegaLink® Channel Service, MegaLink® Plus Service, and MegaLink® Light Service Interface and Performance Specification.*

6.4.9.3 DS1 to DS3 Channelization

6.4.9.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, *Digital Hierarchy Formats Specifications*. DS1 to DS3 Channelization requirements are essentially the same as defined in BellSouth Technical Reference 73501,

LightGate® Service Interface and Performance Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.

6.4.9.4 DS1 to STS Channelization

6.4.9.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, *Synchronous Optical Network (SONET) – Basic Description Including Multiplex Structure, Rates and Formats* and T1.105.02, *Synchronous Optical Network (SONET) – Payload Mappings.* DS1 to STS Channelization requirements are essentially the same as defined in BellSouth Technical Reference TR 73501, *LightGate® Service Interface and Performance Specifications.*

6.5 Dark Fiber

The terms, conditions and rates for Dark Fiber are as set forth in Section 2.7 of this Attachment.

6.6 Operational Support Systems (OSS)

The terms, conditions and rates for OSS are as set forth in Section 2.9 of this Attachment.

7. BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service

All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of 8XX Access Ten Digit Screening Services.

7.1 BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database

7.1.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (herein known as 8XX SCP) is a SCP that contains customer record information and functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (herein know as 8XX TFD), utilizes the 8XX SCP to provide identification and routing of the 8XX calls, based on the ten digits dialed. 8XX TFD is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Covad. BellSouth shall provide 8XX TFD in accordance with the following:

7.1.2 Technical Requirements

7.1.2.1 BellSouth shall provide Covad with access to the 8XX record information located in the 8XX SCP. The 8XX SCP contains current records as received from the national SMS and will provide for routing 8XX originating calls based on the dialed ten-digit 8XX number.

7.1.2.2 The 8XX SCP is designated to receive and respond to queries using the American National Standard Specification of Signaling System Seven (SS7) protocol. The 8XX SCP shall determine the carrier identification based on all ten digits of the dialed number and route calls to the carrier, POTS number, dialing number and/or other optional feature selected by Covad.

7.1.2.3 The SCP shall also provide, at Covad's option, such additional feature as described in SR-TSV-002275 (BOC Notes on BellSouth Networks, SR-TSV-002275, Issue 2, (Telcordia (formerly BellCore), April 1994)) as are available to BellSouth. These may include but are not limited to:

7.1.2.3.1 Network Management;

7.1.2.3.2 Customer Sample Collection; and

7.1.2.3.3 Service Maintenance.

7.2 Automatic Location Identification/Data Management System (ALI/DMS)

7.2.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

7.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

8 Line Information Database (LIDB)

8.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of LIDB.

8.2 BellSouth will store in its LIDB only records relating to service in the BellSouth region. The LIDB Storage Agreement is included in this Attachment.

8.2.1 Definition

8.2.2 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. It contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

8.2.3 Technical Requirements

8.2.4 BellSouth will offer to Covad any additional capabilities that are developed for LIDB during the life of this Agreement.

8.2.4.1 BellSouth shall process Covad's Customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Covad what additional functions (if any) are performed by LIDB in the BellSouth network.

8.2.4.2 Within two (2) weeks after a request by Covad, BellSouth shall provide Covad with a list of the customer data items, which Covad would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function, and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

8.2.4.3 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.

8.2.4.4 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.

8.2.4.5 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.

8.2.4.6 All additions, updates and deletions of Covad data to the LIDB shall be solely at the direction of Covad. Such direction from Covad will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

8.2.4.7 BellSouth shall provide priority updates to LIDB for Covad data upon Covad's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.

8.2.4.8 BellSouth shall provide LIDB systems such that no more than 0.01% of Covad customer records will be missing from LIDB, as measured by Covad audits. BellSouth will audit Covad records in LIDB against DBAS to identify record mismatches and provide this data to a designated Covad contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to Covad within one business day of audit. Once reconciled records are received back from Covad, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact Covad to negotiate a time frame for the updates, not to exceed three business days.

8.2.4.9 BellSouth shall perform backup and recovery of all of Covad's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis and when a new software release is scheduled, a backup is performed prior to loading the new release.

8.2.4.10 BellSouth shall provide Covad with LIDB reports of data, which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Covad and BellSouth.

8.2.4.11 BellSouth shall prevent any access to or use of Covad data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Covad in writing.

8.2.4.12 BellSouth shall provide Covad performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Covad at least at parity with BellSouth Customer Data. BellSouth shall obtain from Covad the screening

information associated with LIDB Data Screening of Covad data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Covad under the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

8.2.4.13 BellSouth shall accept queries to LIDB associated with Covad customer records, and shall return responses in accordance with industry standards.

8.2.4.14 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

8.2.4.15 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.

8.2.5 Interface Requirements

8.2.6 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

8.2.6.1 The interface to LIDB shall be in accordance with the technical references contained within.

8.2.6.2 The CCS interface to LIDB shall be the standard interface described herein.

8.2.6.3 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

8.3 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

9 Signaling

9.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Signaling Transport Services.

9.2 BellSouth agrees to offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.3 Signaling Link Transport

9.3.1 Definition Signaling Link Transport is a set of two or four dedicated 56 Kbps. transmission paths between CLEC-designated Signaling Points of Interconnection (SPOI) that provides appropriate physical diversity.

9.3.2 Technical Requirements

9.3.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths.

9.3.3 Of the various options available, Signaling Link Transport shall perform in the following two ways:

9.3.3.1 As an "A-link" which is a connection between a switch or SCP and a home Signaling Transfer Point Switch (STP) pair; and

9.3.3.2 As a "B-link" which is a connection between two STP pairs in different company networks (e.g., between two STP pairs for two Competitive Local Exchange Carriers (CLECs)).

9.3.4 Signaling Link Transport shall consist of two or more signaling link layers as follows:

9.3.4.1 An A-link layer shall consist of two links.

9.3.4.2 A B-link layer shall consist of four links.

9.3.5 A signaling link layer shall satisfy a performance objective such that:

9.3.5.1 There shall be no more than two minutes down time per year for an A-link layer; and

9.3.5.2 There shall be negligible (less than 2 seconds) down time per year for a B-link layer.

9.3.5.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

9.3.5.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and

9.3.5.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

9.3.5.4 Interface Requirements

9.3.5.4.1 There shall be a DS1 (1.544 Mbps) interface at the Covad designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

9.4 Signaling Transfer Points (STPs)

9.4.1 Definition - Signaling Transfer Points is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links which enable the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

9.4.2 Technical Requirements

9.4.2.1 STPs shall provide access to Network Elements connected to BellSouth SS7 network. These include:

9.4.2.1.1 BellSouth Local Switching or Tandem Switching;

9.4.2.1.2 BellSouth Service Control Points/DataBases;

9.4.2.1.3 Third-party local or tandem switching;

9.4.2.1.4 Third-party-provided STPs.

9.4.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This explicitly includes the use of the BellSouth SS7 network to convey messages which neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transient messages). When the BellSouth SS7 network is used to convey transient messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

9.4.2.3 If a BellSouth tandem switch routes calling traffic, based on dialed or translated digits, on SS7 trunks between a Covad local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Covad local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

9.4.2.4 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

9.4.2.5 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as defined in Telcordia (formerly BellCore) ANSI Interconnection Requirements. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. In cases where the destination signaling point is a Covad or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network, and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Covad database, then Covad agrees to provide BellSouth with the Destination Point Code for the Covad database.

9.4.2.6 STPs shall provide on a non-discriminatory basis all functions of the OMAP commonly provided by STPs, as specified in the reference in Section 12.4.5 of this Attachment. All OMAP functions will be on a "where available" basis and can include:

9.4.2.6.1 MTP Routing Verification Test (MRVT); and

9.4.2.6.2 SCCP Routing Verification Test (SRVT).

9.4.2.7 In cases where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Covad or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement shall be superseded by the specifications for Internetwork MRVT and SRVT if and when these become approved ANSI standards and available capabilities of BellSouth STPs, and if mutually agreed upon by Covad and BellSouth.

9.4.2.8 STPs shall be on parity with BellSouth.

9.4.2.9 SS7 Advanced Intelligent Network (AIN) Access

9.4.2.9.1 When technically feasible and upon request by Covad, SS7 Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with the Covad SS7 network to exchange TCAP queries and responses with a Covad SCP.

9.4.2.9.2 SS7 AIN Access shall provide Covad SCP access to BellSouth local switch in association with switching via interconnection of BellSouth SS7 and Covad SS7 Networks. BellSouth shall offer SS7 access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Covad SCP as at least at parity with BellSouth's SCP's in terms of interfaces, performance and capabilities.

9.4.3 Interface Requirements

9.4.3.1 BellSouth shall provide the following STPs options to connect Covad or Covad-designated local switching systems or STPs to the BellSouth SS7 network:

9.4.3.1.1 An A-link interface from Covad local switching systems; and,

9.4.3.1.2 A B-link interface from Covad local STPs.

9.4.3.2 Each type of interface shall be provided by one or more sets (layers) of signaling links.

9.4.3.3 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.

9.4.3.4 BellSouth CO shall provide intraoffice diversity between the SPOIs and BellSouth STPs, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOIs.

9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

9.4.3.6 Message Screening

9.4.3.6.1 BellSouth shall set message screening parameters so as to accept valid messages from Covad local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.

9.4.3.6.2 BellSouth shall set message screening parameters so as to pass valid messages from Covad local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Covad switching system has a legitimate signaling relation.

9.4.3.6.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Covad from any signaling point or network interconnected through BellSouth's SS7 network where the Covad SCP has a legitimate signaling relation.

9.4.4 STPs shall be equal to or better than all of the requirements for STPs set forth in the applicable industry standard technical references.

9.5 Service Control Points/Databases

9.5.1 Definition

9.5.1.1 Databases are the Network Elements that provide the functionality for storage of, access to, and manipulation of information required to offer a particular service and/or capability. Databases include, but are not limited to: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, Calling Name Database, access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.

9.5.2 A Service Control Point (SCP) is a specific type of Database functionality deployed in a Signaling System 7 (SS7) network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

9.5.3 Technical Requirements for SCPs/Databases

9.5.3.1 Requirements for SCPs/Databases within this section address storage of information, access to information (e.g. signaling protocols, response times), and administration of information (e.g., provisioning, administration, and maintenance). All SCPs/Databases shall be provided to Covad in accordance with the following requirements.

9.5.3.2 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

9.5.3.3 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).

9.5.3.4 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.5.4 Database Availability

9.5.4.1 Call processing databases shall have a maximum unscheduled availability of 30 minutes per year. Unavailability due to software and hardware upgrades shall be scheduled during minimal usage periods and only be undertaken upon proper notification to providers, which might be impacted. Any downtime associated with the provision of call processing related databases will impact all service providers, including BellSouth, equally.

9.5.4.2 The operational interface provided by BellSouth shall complete Database transactions (i.e., add, modify, delete) for Covad customer records stored in BellSouth databases within 3 days, or sooner where BellSouth provisions its own customer records within a shorter interval.

9.6 Local Number Portability Database

9.6.1 Definition

9.6.2 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. PNP is currently being worked in industry forums. The results of these forums will dictate the industry direction of PNP. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.7 SS7 Network Interconnection

9.7.1 Definition.

9.7.2 SS7 Network Interconnection is the interconnection of Covad local Signaling Transfer Point Switches (STP) and Covad local or tandem switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), Covad local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

9.7.3 Technical Requirements

9.7.3.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:

9.7.3.1.1 BellSouth local or tandem switching systems;

9.7.3.1.2 BellSouth DBs; and

9.7.3.1.3 Other third-party local or tandem switching systems.

9.7.4 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and DBs and Covad or other third-party switching systems with A-link access to the BellSouth SS7 network.

9.7.5 If traffic is routed based on dialed or translated digits between a Covad local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Covad local STPs and BellSouth or other third-party local switch.

9.7.6 When the capability to route messages based on Intermediate Signaling Network Identifier (ISNI) is generally available on BellSouth STPs, the BellSouth SS7 Network shall also convey TCAP messages using SS7 Network Interconnection in similar circumstances where the BellSouth switch routes traffic based on a Carrier Identification Code (CIC).

9.7.7 SS7 Network Interconnection shall provide all functions of the MTP as specified in ANSI T1.111. This includes:

9.7.7.1 Signaling Data Link functions, as specified in ANSI T1.111.2;

9.7.7.2 Signaling Link functions, as specified in ANSI T1.111.3; and

9.7.7.3 Signaling Network Management functions, as specified in ANSI T1.111.4.

9.7.8 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Covad local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of

messages to a gateway pair of Covad local STPs, and shall not include SCCP Subsystem Management of the destination.

9.7.9 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.

9.7.10 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.

9.7.11 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.

9.7.12 SS7 Network Interconnection shall be equal to or better than the following performance requirements:

9.7.12.1 MTP Performance, as specified in ANSI T1.111.6;

9.7.12.2 SCCP Performance, as specified in ANSI T1.112.5; and

9.7.12.3 ISDNUP Performance, as specified in ANSI T1.113.5.

9.7.13 Interface Requirements

9.7.13.1 BellSouth shall offer the following SS7 Network Interconnection options to connect Covad or Covad-designated local or tandem switching systems or STPs to the BellSouth SS7 network:

9.7.13.1.1 A-link interface from Covad local or tandem switching systems; and

9.7.13.1.2 B-link interface from Covad STPs.

9.7.13.2 The Signaling Point of Interconnection (SPOI) for each link shall be located at a cross-connect element, such as a DSX-1, in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface. BellSouth shall offer higher rate DS1 signaling links for interconnecting Covad local switching systems or STPs with BellSouth STPs as soon as these become approved ANSI standards and available capabilities of BellSouth STPs. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.

9.7.13.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the

failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and Covad will work jointly to establish mutually acceptable SPOI.

9.7.13.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.

9.7.13.5 BellSouth shall set message screening parameters to accept messages from Covad local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the Covad switching system has a legitimate signaling relation.

9.7.13.6 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the applicable industry standard technical references.

9.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

10. Operator Call Processing, Inward Operator Services and Directory Assistance Services

10.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of Operator Call Processing, Inward Operator Services and Directory Assistance Services.

10.2 Operator Systems

10.2.1 Definition. Operator Systems is the Network Element that provides operator and automated call handling and billing, special services, end user telephone listings and optional call completion services. The Operator Systems, Network Element provides two types of functions: Operator Service functions and Directory Assistance Service functions, each of which are described in detail below.

10.3 Operator Service

10.3.1 Definition. Operator Service provides: (1) operator handling for call completion (for example, collect, third number billing, and manual credit card calls), (2) operator or automated assistance for billing after the end user has dialed the called number (for example, credit card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, Operator-assisted Directory Assistance, and Rate Quotes.

10.3.2 Requirements

10.3.2.1 When Covad requests BellSouth to provide Operator Services, the following requirements apply:

10.3.2.1.1 BellSouth shall complete 0+ and 0- dialed local calls.

10.3.2.1.2 BellSouth shall complete 0+ intraLATA toll calls.

10.3.2.1.3 BellSouth shall process calls that are billed to Covad end user's calling card that can be validated by BellSouth.

10.3.2.1.4 BellSouth shall complete person-to-person calls.

10.3.2.1.5 BellSouth shall complete collect calls.

10.3.2.1.6 BellSouth shall provide the capability for callers to bill to a third party and complete such calls.

10.3.2.1.7 BellSouth shall complete station-to-station calls.

10.3.2.1.8 BellSouth shall process emergency calls.

10.3.2.1.9 BellSouth shall process Busy Line Verify and Emergency Line Interrupt requests.

10.3.2.1.10 BellSouth shall process emergency call trace, as they do for their End users prior to the Effective Date. Call must originate from a 911 provider.

10.3.2.1.11 BellSouth shall process operator-assisted directory assistance calls.

10.3.2.1.12 BellSouth shall adhere to equal access requirements, providing Covad local end users the same IXC access as provided to BellSouth end users.

10.3.2.1.13 BellSouth shall exercise at least the same level of fraud control in providing Operator Service to Covad that BellSouth provides for its own operator service.

10.3.2.1.14 BellSouth shall perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls.

10.3.2.1.15 BellSouth shall direct customer account and other similar inquiries to the customer service center designated by Covad.

10.3.2.1.16 BellSouth shall provide a feed of customer call records in "EMI" format to Covad in accordance with CLEC ODUF standards specified in Attachment 7.

10.3.3 Interface Requirements

10.3.3.1 With respect to Operator Services for calls that originate on local switching capability provided by or on behalf of Covad, the interface requirements shall conform to the then current established system interface specifications for the platform used to provide Operator Service and the interface shall conform to industry standards.

10.4 Directory Assistance Service

10.4.1 Definition. Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the callers direction separate and distinct from local switching.

10.4.2 Requirements

10.4.3 Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by Covad's end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings, equal to that which BellSouth provides its end users. If not available, Covad may request such requirement pursuant to the Bona Fide Request/New Business Process as set forth in General Terms and Conditions.

10.4.4 Directory Assistance Service Updates

10.4.4.1 **BellSouth shall update end user listings changes daily. These changes include:**

10.4.4.1.1 **New end user connections: BellSouth will provide service to Covad that is equal** to the service it provides to itself and its end users;

10.4.4.1.2 End user disconnections: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users; and

10.4.4.1.3 End user address changes: BellSouth will provide service to Covad that is equal to the service it provides to itself and its end users;

10.4.4.1.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.4.5 Branding for Operator Call Processing and Directory Assistance

10.4.5.1 The BellSouth Operator Systems Branding Feature provides a definable announcement to Covad end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing them in queue or connecting them to an available operator or automated operator system. This feature allows Covad to have its calls custom branded with Covad's name on whose behalf BellSouth is providing Directory Assistance and/or Operator Call Processing. Rates for Custom Branding, Operator Call Process and Directory Assistance are set forth in this Attachment.

10.4.5.2 BellSouth offers four service levels of branding to Covad when ordering Directory Assistance and/or Operator Call Processing.

10.4.5.2.1 Service Level 1 - BellSouth Branding

10.4.5.2.2 Service Level 2 - Unbranded

10.4.5.2.3 Service Level 3 - Custom Branding

10.4.5.2.4 Service Level 4 - Self Branding (applicable only to Covad for Resale or use with an Unbundled Port when routing to an operator service provider other than BellSouth).

10.4.6 For Resellers and Use with an Unbundled Port

10.4.6.1 BellSouth Branding is the Default Service Level.

10.4.6.2 Unbranding, Custom Branding, and Self Branding require Covad to order selective routing for each originating BellSouth end office identified by Covad. Rates for Selective Routing are set forth in this Attachment.

10.4.6.3 Customer Branding and Self Branding require Covad to order dedicated trunking from each BellSouth end office identified by Covad, to either the BellSouth Traffic Operator Position System (TOPS) or Covad Operator Service Provider. Rates for trunks are set forth in applicable BellSouth tariffs.

10.4.6.4 Unbranding - Unbranded Directory Assistance and/or Operator Call Processing calls ride common trunk groups provisioned by BellSouth from those end offices identified by Covad to the BellSouth TOPS. These calls are routed to "No Announcement."

10.4.7 For Facilities Based Carriers

10.4.7.1 All Service Levels require Covad to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.

10.4.7.2 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch, IVS and NAV equipment for which Covad requires service.

10.4.8 Directory Assistance customized branding uses:

10.4.8.1 the recording of the name;

10.4.8.2 the front-end loading of the Digital Recorded Announcement Machine (DRAM) in each TOPS switch.

10.4.9 Operator Call Processing customized branding uses:

10.4.9.1 the recording of the name;

10.4.9.2 the front-end loading of the DRAM in the TOPS Switch;

10.4.9.3 the back-end loading in the audio units in the Automated Alternate Billing System (AABS) in the Interactive Voice Subsystem (IVS);

10.4.9.4 the 0- automation loading for the audio units in the Enhanced Billing and Access Service (EBAS) in the Network Applications Vehicle (NAV).

10.4.9.5 BellSouth will provide to Covad purchasing local BellSouth switching and reselling BellSouth local exchange service, selective routing of calls to a requested directory assistance services platform or operator services platform. Covad end users may use the same dialing arrangements as BellSouth end users, but obtain a Covad branded service.

10.5 Directory Assistance Database Service (DADS)

10.5.1 BellSouth shall make its Directory Assistance Database Service (DADS) available solely for the expressed purpose of providing Directory Assistance type services to Covad end users. The term "end user" denotes any entity which obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted and Electronic Directory Assistance (Data System assisted)). Covad agrees that Directory Assistance Database Service (DADS) will not be used for any purpose which violates federal or state laws, statutes, regulatory orders or tariffs. Except for the permitted users, Covad agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS. Further, Covad authorizes the inclusion of Covad Directory Assistance listings in the BellSouth Directory Assistance products.

10.5.2 BellSouth shall provide Covad initially with a base file of subscriber listings which reflect all listing change activity occurring since Covad's most recent update via magnetic tape, and subsequently using electronic connectivity such as Network Data Mover to be developed mutually by Covad and BellSouth. Covad agrees to assume the costs associated with CONNECT: Direct ™ connectivity, which will vary depending upon volume and mileage.

10.5.3 BellSouth will require approximately one month after receiving an order to prepare the Base File. BellSouth will provide daily updates which will reflect all listing change activity occurring since CLEC's most recent update. BellSouth shall provide updates to Covad on a Business, Residence, or combined Business and Residence basis. Covad agrees that the updates shall be used solely to keep the information current. Delivery of Daily Updates will commence the day after Covad receives the Base File.

10.5.4 BellSouth is authorized to include Covad Directory Assistance Listing Information in its Directory Assistance Database Service (DADS). Any other use by BellSouth of Covad Directory Assistance Listing Information is not authorized and with the exception of a request for DADS, BellSouth shall refer any request for such information to Covad.

10.5.5 Rates for DADS are as set forth in this Attachment.

10.6 Direct Access to Directory Assistance Service

10.6.1 Direct Access to Directory Assistance Service (DADAS) will provide Covad's directory assistance operators with the ability to search all available BellSouth's subscriber listings using the Directory Assistance search format. Subscription to DADAS will allow Covad to utilize its own switch, operator workstations and optional audio subsystems.

10.6.2 BellSouth will provide DADAS from its DA location. Covad will access the DADAS system via a telephone company provided point of availability. Covad has the responsibility of providing the physical links required to connect to the point of availability. These facilities may be purchased from the telephone company as rates and charges billed separately from the charges associated with this offering.

10.6.3 A specified interface to each Covad subsystem will be provided by BellSouth. Interconnection between Covad's system and a specified BellSouth location will be pursuant to the use of Covad owned or Covad leased facilities and shall be appropriate sized based upon the volume of queries being generated by Covad.

10.6.4 The specifications for the three interfaces necessary for interconnection are available in the following documents:

10.6.4.1 DADAS to Subscriber Operator Position System—Northern Telecom Document CSI-2300-07; Universal Gateway/ Position Message Interface Format Specification;

10.6.4.2 DADAS to Subscriber Switch—Northern Telecom Document Q210-1 Version A107; NTDMS/CCIDAS System Application Protocol; and AT&T Document 250-900-535 Operator Services Position System Listing Service and Application Call Processing Data Link Interface Specification;

10.6.4.3 DADAS to Audio Subsystem (Optional)—Directory One Call Control to Audio Response Unit system interface specifications are available through Northern Telecom as a licensed access protocol—Northern Telecom Document 355-004424 and Gateway/Interactive Voice subsystem Protocol Specification.

10.6.5 Rates for DADAS are as set forth in this Attachment.

10.7 **Automatic Location Identification/Data Management System (ALI/DMS)**

10.7.1 The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide more routing flexibility for E911 calls than Basic 911. BellSouth shall provide the Emergency Services Database in accordance with the following:

10.7.2 Technical Requirements

10.7.2.1 BellSouth shall offer Covad a data link to the ALI/DMS database or permit Covad to provide its own data link to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to Covad immediately after Covad inputs information into the ALI/DMS database. Alternately, Covad may utilize BellSouth, to

enter end user information into the data base on a demand basis, and validate end user information on a demand basis.

10.7.2.2 The ALI/DMS database shall contain the following end user information:

10.7.2.2.1 Name;

10.7.2.2.2 Address;

10.7.2.2.3 Telephone number; and

10.7.2.2.4 Other information as appropriate (e.g., whether a end user is blind or deaf or has another disability).

10.7.2.3 When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless Covad requests otherwise and shall be updated if Covad requests, provided Covad supplies BellSouth with the updates.

10.7.2.4 When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.

10.7.2.5 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface) it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.

10.7.3 Interface Requirements

The interface between the E911 Switch or Tandem and the ALI/DMS database for Covad end users shall meet industry standards.

10.8 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

11. Calling Name (CNAM) Database Service

11.1 All of the negotiated rates, terms and conditions set forth in this Section pertain to the provision of CNAM.

11.2 The Agreement for Calling Name (CNAM) with standard pricing is included as Exhibit B to this Attachment. Covad must provide to its account manager a written request with a requested activation date to activate this service. If Covad is interested in requesting CNAM with volume and term pricing, Covad must contact its account manager to request a separate CNAM volume and term Agreement.

11.3 SCPs/Databases shall be equal to or better than all of the requirements for SCPs/Databases set forth in the applicable industry standard technical references.

11.4 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access

11.4.1 BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide Covad the capability that will allow Covad and other third parties to create service applications in a BellSouth Service Creation Environment and deploy those applications in a BellSouth SMS to a BellSouth SCP. The third party service applications interact with AIN triggers provisioned on a BellSouth SSP.

11.4.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Covad. Scheduling procedures shall provide Covad equivalent priority to these resources.

11.4.2 BellSouth SCP shall partition and protect Covad service logic and data from unauthorized access, execution or other types of compromise.

11.4.3 When Covad selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Covad to use BellSouth's SCE/SMS AIN Access to create and administer applications. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions, but will not include support for the creation of a specific service application.

11.4.4 When Covad selects SCE/SMS AIN Access, BellSouth shall provide for a secure, controlled access environment in association with its internal use of AIN components. Covad access will be provided via remote data connection (e.g., dial-in, ISDN).

11.4.5 When Covad selects SCE/SMS AIN Access, BellSouth shall allow Covad to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth (e.g., service customization and end user subscription).

11.5 Rates

The prices that Covad shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit C to this Attachment.

12. Basic 911 and E911

12.1 All of the negotiated terms and conditions set forth in this Section pertain to the provision of Basic 911 and E911.

12.2 If Covad orders network elements and other services, then Covad is also responsible for providing E911 to its end users. BellSouth agrees to offer access to the 911/E911 network pursuant to the following terms and conditions set forth in this Attachment.

12.3 Definition

12.4 Basic 911 and E911 is an additional requirement that provides a caller access to the applicable emergency service bureau by dialing a 3-digit universal telephone number (911).

12.5 Requirements

12.5.1 Basic 911 Service Provisioning. For Basic 911 service, BellSouth will provide to Covad a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Covad will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. Covad will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, Covad will be required to discontinue the Basic 911 procedures and begin using E911 procedures.

12.5.2 E911 Service Provisioning. For E911 service, Covad will be required to install a minimum of two dedicated trunks originating from the Covad serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS-0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency ("MF") pulsing that will deliver automatic number identification ("ANI") with the voice portion of the call. If the user interface is digital, MF pulses, as well as other AC signals, shall be encoded per the u-255 Law convention. Covad will be required to provide BellSouth daily updates to the E911 database. Covad will be required to forward 911 calls to the appropriate E911 tandem, along with ANI, based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Covad will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point ("PSAP"). This call will be transported over BellSouth's

interoffice network and will not carry the ANI of the calling party. Covad shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

12.5.3 Rates. Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on Covad beyond applicable charges for BellSouth trunking arrangements.

12.5.4 Basic 911 and E911 functions provided to Covad shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.

12.5.5 Detailed Practices and Procedures. The detailed practices and procedures contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement will determine the appropriate practices and procedures for BellSouth and Covad to follow in providing 911/E911 services.

13. True-Up

This section applies only to other rates that are interim or expressly subject to true-up under this attachment.

13.1 The interim prices for Network Elements and Other Services and Local Interconnection shall be subject to true-up according to the following procedures:

13.2 The interim prices shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission which final order meets the criteria of (3) below. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with interim prices for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement.

13.3 The Parties may continue to negotiate toward final prices, but in the event that no such Agreement is reached within nine (9) months, either Party may petition the

Commission to resolve such disputes and to determine final prices for each item. Alternatively, upon mutual agreement, the Parties may submit the matter to the Dispute Resolution Process set forth in Section 16 of the General Terms and Conditions and Attachment 1 of the Agreement, so long as they file the resulting Agreement with the Commission as a "negotiated Agreement" under Section 252(e) of the Act.

13.4 A final order of this Commission that forms the basis of a true-up shall be the final order as to prices based on appropriate cost studies, or potentially may be a final order in any other Commission proceeding which meets the following criteria:

(a) BellSouth and Covad are entitled to be a full Party to the proceeding;

(b) It shall apply the provisions of the federal Telecommunications Act of 1996, including but not limited to Section 252(d)(1) (which contains pricing standards) and all then-effective implementing rules and regulations; and,

(c) It shall include as an issue the geographic deaveraging of network element and other services prices, which deaveraged prices, if any are required by said final order, shall form the basis of any true-up.

EXHIBIT A

**LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT**

I. SCOPE

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of Covad and pursuant to which BellSouth, its LIDB customers and Covad shall have access to such information. Covad understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of Covad, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained in the attached Addendum(s) are hereby made a part of this Agreement as if fully incorporated herein.

B. LIDB is accessed for the following purposes:

1. Billed Number Screening
2. Calling Card Validation
3. Fraud Control

C. BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify Covad of fraud alerts so that Covad may take action it deems appropriate. Covad understands and agrees BellSouth will administer all data stored in the LIDB, including the data provided by Covad pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to Covad for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

Covad understands that BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses. Covad further understands that these billing and collection customers of BellSouth query BellSouth's LIDB to determine whether to accept various billing options from end users. Additionally, Covad understands that presently BellSouth has no method to differentiate between BellSouth's own billing and line data in the LIDB and such data which it includes in the LIDB on Covad's behalf pursuant to this Agreement. Therefore, until such time as BellSouth can and does implement in its LIDB and its

supporting systems the means to differentiate Covad's data from BellSouth's data and the Parties to this Agreement execute appropriate amendments hereto, the following terms and conditions shall apply:

(a) Covad agrees that it will accept responsibility for telecommunications services billed by BellSouth for its billing and collection customers for Covad's end user accounts which are resident in LIDB pursuant to this Agreement. Covad authorizes BellSouth to place such charges on Covad's bill from BellSouth and agrees that it shall pay all such charges. Charges for which Covad hereby takes responsibility include, but are not limited to, collect and third number calls.

(b) Charges for such services shall appear on a separate BellSouth bill page identified with the name of the entity for which BellSouth is billing the charge.

(c) Covad shall have the responsibility to render a billing statement to its end users for these charges, but Covad's obligation to pay BellSouth for the charges billed shall be independent of whether Covad is able or not to collect from Covad's end users.

(d) BellSouth shall not become involved in any disputes between Covad and the entities for which BellSouth performs billing and collection. BellSouth will not issue adjustments for charges billed on behalf of an entity to Covad. It shall be the responsibility of Covad and the other entity to negotiate and arrange for any appropriate adjustments.

II. TERM

This Agreement will be effective as of _____, and will continue in effect for one year, and thereafter may be continued until terminated by either Party upon thirty (30) days written notice to the other Party.

III. FEES FOR SERVICE AND TAXES

A. Covad will not be charged a fee for storage services provided by BellSouth to Covad, as described in Section I of this Agreement.

B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by Covad. Covad shall have the right to have BellSouth contest with the imposing jurisdiction, at Covad's expense, any such taxes that Covad deems are improperly levied.

IV. MISCELLANEOUS

A. This LIDB Storage Agreement shall be subject to the terms and conditions of the Interconnection Agreement between Covad and BellSouth.

**FACILITIES BASED ADDENDUM
TO LINE INFORMATION DATA BASE (LIDB)
STORAGE AGREEMENT**

This is a Facilities Based Addendum to the Line Information Data Base Storage Agreement dated _____, between BellSouth Telecommunications, Inc. ("BellSouth"), and _____("Covad"), effective the _____ day of _____, _____.

I. GENERAL

This Addendum sets forth the terms and conditions for Covad's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. BellSouth will store in its LIDB the billing number information provided by Covad, and BellSouth will provide responses to on-line, call-by-call queries to this information for purposes specified in Section I.B. of the Agreement.

II. DEFINITIONS

A. Billing number - a number that Covad creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.

B. Line number - a ten digit number that identifies a telephone line administered by Covad.

C. Special billing number - a ten digit number that identifies a billing account established by Covad.

D. Calling Card number - a billing number plus PIN number.

E. PIN number - a four digit security code assigned by Covad which is added to a billing number to compose a fourteen digit calling card number.

F. Toll billing exception indicator - associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by Covad.

G. Billed Number Screening - refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.

H. Calling Card Validation - refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.

I. Billing number information - information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by Covad.

III. RESPONSIBILITIES OF PARTIES

A. Covad will provide its billing number information to BellSouth's LIDB each business day by a method that has been mutually agreed upon by both Parties.

B. BellSouth will store in its LIDB the billing number information provided by Covad. Under normal operating conditions, BellSouth shall include Covad's billing number information in its LIDB no later than two business days following BellSouth's receipt of such billing number information, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of Covad's working telephone numbers.

C. BellSouth will provide responses to on-line, call-by-call queries to the stored information for the specific purposes listed in the next paragraph.

D. BellSouth is authorized to use the billing number information provided by Covad to perform the following functions for authorized users on an on-line basis:

1. Validate a 14 digit Calling Card number where the first 10 digits are a line number or special billing number assigned by Covad, and where the last four digits (PIN) are a security code assigned by Covad.

2. Determine whether Covad or the subscriber has identified the billing number as one which should not be billed for collect or third number calls, or both.

E. Covad will provide its own billing number information to BellSouth for storage and to be used for Billed Number Screening and Calling Card Validation. Covad will arrange and pay for transport of updates to BellSouth.

IV. COMPLIANCE

Unless expressly authorized in writing by Covad, all billing number information provided pursuant to this Addendum shall be used for no purposes other than those set forth in this Addendum.

EXHIBIT B

CALLING NAME DELIVERY (CNAM) DATABASE SERVICES

1. Definitions

For the purpose of this Attachment, the following terms shall be defined as:

CALLING NAME DELIVERY DATABASE SERVICE (CNAM) - The ability to associate a name with the calling party number, allowing the end user subscriber (to which a call is being terminated) to view the calling party's name before the call is answered. This service also provides Covad the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

CALLING PARTY NUMBER (CPN) - The number of the calling party that is delivered to the terminating switch using common channel signaling system 7 (CCS7) technology, and that is contained in the Initial Address Message (IAM) portion of the CCS7 call setup.

COMMON CHANNEL SIGNALING SYSTEM 7 (CCS7) - A network signaling technology in which all signaling information between two or more nodes is transmitted over high-speed data links, rather than over voice circuits.

SERVICE CONTROL POINTs (SCPs) - The real-time data base systems that contain the names to be provided in response to queries received from CNAM SSPs.

SERVICE MANAGEMENT SYSTEM (SMS) - The main operations support system of CNAM DATABASE SERVICE. CNAM records are loaded into the SMS, which in turn downloads into the CNAM SCP.

SERVICE SWITCHING POINTs (SSPs) - Features of computerized switches in the telephone network that determine that a terminating line has subscribed to CNAM service, and then communicate with CNAM SCPs in order to provide the name associated with the calling party number.

SUBSYSTEM NUMBER (SSN) - The address used in the Signaling Connection Control Part (SCCP) layer of the SS7 protocol to designate an application at an end signaling point. A SSN for CNAM at the end office designates the CNAM application within the end office. BellSouth uses the CNAM SSN of 232.

2. Attachment

2.1 This Attachment contains the terms and conditions where BellSouth will provide to the Covad access to the BellSouth CNAM SCP for query or record storage purposes.

2.2 Covad shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services pursuant to the terms and conditions of this Attachment. Said notice shall be in writing, no less than 60 days prior to Covad's access to BellSouth's CNAM Database Services and shall be addressed to Covad's Account Manager.

3. Physical Connection and Compensation

3.1 BellSouth's provision of CNAM Database Services to Covad requires interconnection from Covad to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement. The appropriate charge for access to and use of the BellSouth CNAM Database service shall be as set forth in this Attachment.

3.2 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, Covad shall provide its own CNAM SSP. Covad's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

3.3 If Covad elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia (formerly BellCore)'s CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that Covad desires to query.

3.4 Out-Of-Region Customers

If the customer queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's (formerly BellCore's) CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties in writing and shall, by this reference become an integral part of this Agreement.

4. CNAM Record Initial Load and Updates

4.1 The mechanism to be used by Covad for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be

provided by Covad in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of Covad to provide accurate information to BellSouth on a current basis.

4.2 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

4.3 Covad CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website																
http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	44.85	78.92	78.92	15.21	3.22			23.97	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Basic 1st Half Hour			UEANL	URET1		23.33	23.33								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA											
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	15.24	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	24.75	59.03	43.14	15.21	3.22			27.37	12.97	17.77	17.77
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	44.85	59.03	43.14	15.21	3.22			23.97	12.97	17.77	17.77
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3			UEANL	UEAMC		28.75	28.75								
	Engineering Information Document (EI)			UEANL	OCOSL		51.29	51.29								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL			45.99	45.99								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99						27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.95	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	29.16	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	52.84	145.46	108.40	40.31	26.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99						27.37	12.97	17.77	17.77
4-WIRE ANALOG VOICE GRADE LOOP																
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24.01	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.00	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	70.87	293.70	241.76	108.96	57.01			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.99									
2-WIRE ISDN DIGITAL GRADE LOOP																
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.23	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	37.74	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	68.38	331.85	255.87	108.95	57.01			27.37	12.97	17.77	17.77
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.99									
2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	1	UDC	UDC2X	16.84	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	1	2	UDC	UDC2X	19.45	104.17	78.10	108.95	57.01			18.94	8.42	17.77	17.77
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	1	3	UDC	UDC2X	30.92	104.17						18.94	8.42	17.77	17.77
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.23	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.97	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.62	514.21	464.58	106.65	56.98			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.23	104.17	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	12.97	104.17	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	20.62	104.17	129.08	100.52	15.82			27.37	12.97	17.77	17.77
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.99									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9 41	514 21	464 58	108 65	56.98			27 37	12.97	17 77	17 77	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	15 29	514.21	464.58	108 65	56.98			27 37	12.97	17 77	17 77	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	27 70	514 21	464.58	108 65	56 98			27.37	12 97	17.77	17 77	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.41	222 20	146 40	100 52	15.82			27 37	12.97	17 77	17 77	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	15 29	222.20	146 40	100 52	15.82			27 37	12.97	17.77	17 77	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	27 70	222.20	146 40	100.52	15.82			27 37	12 97	17 77	17.77	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.99										
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	11 52	541 13	491 50	108 65	56 98			27.37	12 97	17.77	17.77	
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18 71	541 13	491 50	108.65	56 98			27 37	12 97	17.77	17.77	
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	33 90	541 13	491 50	108.65	56 98			27 37	12 97	17.77	17 77	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	11.52	279 39	203 59	109.99	20 70			27 37	12 97	17.77	17.77	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	18 71	279.39	203.59	109 99	20 70			27 37	12.97	17 77	17 77	
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	33.90	279.39	203 59	109 99	20 70			27 37	12.97	17.77	17 77	
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 99										
	4-WIRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	51 74	610 13	380.26	134 77	55.97			27 37	12.97	17.77	17.77	
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	84.05	610 13	380.26	134.77	55 97			27 37	12.97	17.77	17.77	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	152 29	610 13	380.26	134.77	55.97			27 37	12.97	17.77	17.77	
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		49.18										
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27 33	498 05	343 70	129.62	64.25			27.37	12.97	17 77	17 77	
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	44 40	498.05	343 70	129.62	64.25			27 37	12.97	17 77	17.77	
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	80 45	498 05	343 70	129.62	64.25			27.37	12.97	17 77	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27 33	498 05	343 70	129.62	64 25			27 37	12.97	17.77	17 77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	44 40	498.05	343 70	129.62	64 25			27.37	12.97	17 77	17.77	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	80 45	498.05	343 70	129.62	64 25			27 37	12 97	17 77	17.77	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.99										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27 33	498 05	343.70	129.62	64.25			27 37	12 97	17 77	17 77	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	44.40	498 05	343.70	129.62	64 25			27 37	12.97	17 77	17 77	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	80 45	498 05	343 70	129 62	64.25			27.37	12.97	17 77	17 77	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 99										
	2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11 90	283 37	163.68	120 15	22 37			18.94	8.42			
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.74	283.37	163 68	120.15	22.37			18.94	8.42			
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	21 83	283.37	163 68	120.15	22.37			18 94	8.42			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51.29	51 29									
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	11 90	104 17	78 10					18 94	8.42			
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13 74	104 17	78.10					18.94	8.42			
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	21 83	104 17	78 10					18.94	8 42			
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51.29									
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35 43	270 28	150 59	120 15	22 37			18 94	8.42			
	2-Wire Unbundled Copper Loop/Long - Includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	40 91	270 28	150.59	120 15	22 37			18 94	8 42			
	2-Wire Unbundled Copper Loop/Long - Includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65 02	270.28	150.59	120 15	22 37			18.94	8 42			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51 29	51.29								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL2W	35 43	104 17	78.10					18 94	8 42		
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL2W	40.91	104 17	78 10					18 94	8 42		
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	65 02	104 17	78 10					18 94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		51.29	51 29								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 40	25 65	7.06			27.37	12.97		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12.87	44.69	22.40	25.65	7 06			27 37	12.97		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 40	25.65	7 06			27.37	12 97		
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		51.29	51 29								
	Engineering Information Document			UEQ			28 75	28.75								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78.92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23.33								
	4-WIRE COPPER LOOP															
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16 65	331 78	212 09	130 69	27 60			27 37	8 42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19 22	331 78	212.09	130 69	27 60			18 94	8 42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30 55	331 78	212.09	130 69	27 60			18 94	8 42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.46	36 46								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	16.65	104 17	78.10					18 94	8 42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL4W	19 22	104.17	78 10					18 94	8 42		
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL4W	30.55	104 17	78 10					18 94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36 46								
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	47 56	318.70	199 00	130 69	27 60			18 94	8 42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	54.92	318 70	199.00	130 69	27 60			18 94	8 42		
	4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	87 30	318 70	199 00	130 69	27 60			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36.46								
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	I	1	UCL	UCL4O	47 56	104 17	78.10					18 94	8 42		
	4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2	I	2	UCL	UCL4O	54 92	104 17	78 10					18 94	8 42		
	4-Wire Unbundled Copper Loop/Long - without manual svc. Inquiry and facility reservation - Zone 3	I	3	UCL	UCL4O	87 30	104 17	78 10					18 94	8 42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 46	36.46								
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	I		UAL, UHL, UCL, UEQ,	ULM2L		67 39	67 39								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	I		UCL, ULS	ULM2G		337 50	337.50								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	I		UHL, UCL	ULM4L		67 39	67.39								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	I		UCL	ULM4G		337.50	337.50								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		78.10	78.10								
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		421 08	421 08					18.94	8.42		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		67 10	67.10					18 94	8 42		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		394 74	394.74					18 94	8 42		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		154 57	154.57					18 94	8.42		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		sw	UEANL	USBN2	9.12	207.01	171 32					18.94	8 42		

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45.99								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN4	8.32	219 35	72 99	123.72	28 77			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45 99								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.61	137 03	41 59	115 85	19 17			18 94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 99	45.99								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.96	176 46	55 11	122 17	19 57			18 94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45.99	45 99								
		2 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UCS2X	5 54	175.18	55 50	108 86	24 53			18.94	8 42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45.99	45 99								
		4 Wire Copper Unbundled Sub-Loop Distribution - Statewide		SW	UEF	UCS4X	8 88	219.35	72 99	123 72	28.77			18 94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 99	45 99								
	Sub-Loop Feeder																
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL, UDC	USBFW		421 08									
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL, UDC	USBFX		67.10	67 10								
		USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		519 95	11.32								
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade-Statewide		SW	UEA	USBFA	8 58	208.44	170 05	119 95	27.04			18 94	8 42		
		Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 99									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFB	8.58	208 44	170.05	119.95	27.04			18 94	8.42		
		Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		SW	UEA	USBFC	8 58	208 44	170 05	119 95	27.04			18 94	8 42		
		Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide		SW	UEA	USBFD	19.91	243 41	81.32	134.77	33.93			18 94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 99									
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFE	19 91	243 41	81 32	134.77	33 93			18 94	8.42		
		Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 99									
		Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide		SW	UDN	USBFF	17 73	208 50	62 31	119.68	29.58			19.99	19 99	19 99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 99									
		Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		SW	UDC	USBFS	17 73	208.50	62 31	119.68	29.58			19.99	19.99	19.99	19.99
		Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide		SW	USL	USBFG	79 30	203.69	128 76	124.09	34 80			19 99	19.99	19.99	19.99
		Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45.99									
		Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide		SW	UCL	USBFH	7.22	195 38	63 15	119 68	29 58			18 94	8 42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45.99									
		Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide		SW	UCL	USBFJ	13 72	243 41	81 32	134.77	33 93			18.94	8.42		
		Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 99									
		Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		SW	UDL	USBFN	24 50	243 41	81.32	134.77	33.93			19.99	19 99	19.99	19 99
		Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFO	24.50	243 41	81.32	134.77	33.93			19.99	19.99	19 99	19.99
		Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45.99									
		Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFP	24.50	243.41	81.32	134.77	33.93			19.99	19 99	19 99	19.99
		Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45.99									
		Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	13 55										
		Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	332.40	3,384.00	407.00	160 47	90 97			31 31	31 31	3 93	3.93
		Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	13 55										
		Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	357 36	3,384.00	407 00	160.47	90 97			31.31	31 31	3 93	3.93
		Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10.26										
		Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	54 89										
		Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	538.69	3,384 00	407.00	160 47	90 97			31.31	31 31	3.93	3 93
		Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	12.66										
		Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	620.18										
		Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,729.00	3,384.00	407.00	160 47	90 97			31.31	31 31	3 93	3.93
		Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	41.51										
		Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	310 30										
		Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,495.00	3,570 00	407.00	160 47	90.97			31 31	31.31	3.93	3 93
		Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	360.09	788 09	407 00	160 47	90 97			31 31	31.31	3.93	3 93
	Unbundled Sub-Loop Modification																
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		355.71	12.26					18.94	8.42		
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		355 71	12 26					18.94	8.42		
		Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		560 55	14 30					18.94	8.42		
	Unbundled Network Terminating Wire (UNTW)																
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1 37	2.48	2 48	1 74	1 74			18.94	8.42		

Unbundled Network Elements
ALABAMA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86 46	56 75					18.94	8 42		
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21					18.94	8 42		
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.73	11 73					18 94	8 42		
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.73	11.73					18.94	8 42		
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441 42	650 81	650 81					19.99	19.99	19.99	19.99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52 97	271.17	271.17					19 99	19.99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478.93	650.81	650 81								
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89 26	271 17	271 17					19.99	19.99	19 99	19.99
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	126 57	92 14	33 57	9 40			19.99	19.99	19.99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	21.07	20 96	10 78	10 71			19.99	19 99	19.99	19.99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 00	21.07	20 96	10 78	10.71			19.99	19 99	19 99	19.99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.00	21 07	20 96	10 78	10 71			18 94	8 42		
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11 89	21 07	20.96	10 78	10 71			18 94	8 42		
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			18.94	8 42		
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34.67	21 07	20 96	10 78	10.71			19 99	19 99	19.99	19.99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10 51	21.07	20.96	10 78	10 71			19.99	19.99	19 99	19.99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21 07	20.96	10.78	10.71			19.99	19 99	19.99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	21.07	20 96	10 78	10 71			19.99	19.99	19.99	19 99
	Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data															
LINE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0 00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0 00	0.00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE. 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10 16										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374 52	903 03	527.87	238 97	167 16			31 31	31.31	3 93	3 93
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10 16										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	387.67	903.03	527.87	238 97	167 16			31.31	31.31	3.93	3.93
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	I		UMK	UMKLW		47.97	47 97								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	I		UMK	UMKLP		50.86	50 86								
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)	I		UMK	PSUMK		0 6758000	0 6758000								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	100 00	300 00	0.00	0.00	0.00		0 00				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	25 00	300 00	0.00	0.00	0 00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	12 73	300.00	0 00	0.00	0 00		0 00				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0.61	40.00	22 00	0 00	0 00			19.99	12.97	19 99	19 99
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		30 00	15.00					19.99	12 97		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing-DLEC Owned Splitter In CO-CFA activation-deactivation (per LSOD)	I		ULS	ULSDG		57.70		11.39							
UNBUNDLED TRANSPORT																
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period, below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month			U1TVX	U1TR2	24.15	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21.41	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0101										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17.28	81.07	54.82	33.47	13.79			31.31	31.31	3.93	3.93
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2067										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	68.75	178.53	163.61	32.70	28.88			31.31	31.31	3.93	3.93
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per			U1TD3	U1TF3	804.02	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.67										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	801.57	557.49	325.51	120.39	116.91			31.31	31.31	3.93	3.93
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	15.96	386.19	66.33	73.28	8.39			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	15.96	386.19	66.33	73.28	8.39			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	17.06	387.19	67.20	74.22	7.33			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	41.52	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	61.05	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	47.29	354.94	307.43	44.38	30.52			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7.91										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	476.04	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7.91										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	486.84	903.03	527.87	238.87	167.16			31.31	31.31	3.93	3.93
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	122.50	182.06	125.14	21.07	19.58			31.31	31.31	3.93	3.93
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.36	13.15	9.43								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	2.92	13.15	9.43								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.64	13.15	9.43								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	201.37	356.28	187.94	66.51	63.65			31.31	31.31	3.93	3.93
	STS1 to DS1 Channel System per month			UXTS1	MQ3	201.37	356.28	187.94	66.51	63.65			31.31	31.31	3.93	3.93
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	15.39	13.15	9.43								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	68.84										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,278.17	275.73	634.11	395.32			31.31	31.31	3.93	3.93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	25.53										

Unbundled Network Elements
ALABAMA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES ($)					DSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect							
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,278 17	275.73	634 11	395 32			31 31	31 31	3 93	3 93
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	68 84										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,278 17	275.73	634.11	395 32			31.31	31 31	3 93	3 93
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184.85	23 81	1 99	0 77			29 23	3 93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184 85	23 81	1 99	0.77			29 23	3.93		
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		7.13	0 97					27 37	27 37	17 75	17.75
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			15 88	1.97	10 04	0.97			27 37	27 37	17.75	17 75
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		15 88	1.97	10.04	0 97			27 37	27 37	17 75	17.75
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5.69	2 85					27 37	27 37	17 75	17.75
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6 66	3.81					27 37	27 37	17 75	17 75
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8 10	0 97					27 37	27 37	17 75	17 75
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5 69						27.37	27 37	17.75	17.75
	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query			OHD												
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query			OHD												
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.00004										
	LIDB Validation Per Query			OQU		0 0142							27 37	27 37	17 75	17 75
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		64 38									
SIGNALING (CCS7)													25.93	25.93	16.31	16.31
	CCS7 Signaling Termination, Per STP Port			UDB	PT89X	148.72										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0001							25.93	25.93	16 31	16.31
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.79	171 98	171 98	135.70	135.70			25 93	25 93	16.31	16 31
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18 79	171.98	171 98	135 70	135.70			25 93	25 93	16 31	16 31
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 00004							25.93	25 93	16 31	16 31
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	376 12										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40 00	40.00					25.93	25.93	16.31	16 31
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					25.93	25.93	16.31	16 31
E911 SERVICE													18 94	8.42		
	Local Channel - Dedicated - 2-wr Voice Grade					13 91	382 95	62 40								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0 0222										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					17 07										
	Local Channel - Dedicated - DS1					38.36	356.15	312.89					18 94	8.42		
	Interoffice Transport - Dedicated - DS1 Per Mile					0 4523										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					78 47										
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0.016										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDOCH		595.00	595 00					27.37	27.37	17.75	17.75
LNP QUERY SERVICE																
	LNP Charge Per query															
	LNP Service Establishment Manual															
	LNP Service Provisioning with Point Code Establishment															
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB					1 24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20										
INWARD OPERATOR SERVICES																

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Inward Operator Services - Verification, Per Minute					1 15										
		Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1 15										
BRANDING - OPERATOR CALL PROCESSING																	
		Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000 00					19.99	19.99	19.99	19.99
		Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500 00					19.99	19.99		
	Unbranding via OLNS for UNEP CLEC																
		Loading of OA per OCN (Regional)						1,200.00	1,200 00								
DIRECTORY ASSISTANCE SERVICES																	
	DIRECTORY ASSISTANCE ACCESS SERVICE																
		Directory Assistance Access Service Calls, Charge Per Call					0 30										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)																
		Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	DIRECTORY TRANSPORT																
		SWA Common Transport per Directory Assistance Access Service Call					0 0003										
		SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004										
		Access Tandem Switching per Directory Assistance Access Service Call					0.00055										
		Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
		DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)																
		Directory Assistance Data Base Service Charge Per Listing					0 01										
		Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - DIRECTORY ASSISTANCE																	
	Facility Based CLEC																
		Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
		Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170 00	1,170 00								
	UNEP CLEC																
		Recording of DA Custom Branded Announcement						3,000 00	3,000.00								
		Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170 00								
	Unbranding via OLNS for UNEP CLEC																
		Loading of DA per OCN (1 OCN per Order)						420 00	420 00								
		Loading of DA per Switch per OCN						16 00	16 00								
SELECTIVE ROUTING																	
		Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		230 60	230.60					40 71	6.58		
VIRTUAL COLLOCATION																	
		Virtual Collocation - Application Cost			CLO	EAF		2,848 30	2,848 30								
		Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750 00	2,750 00								
		Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20										
		Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48										
		Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13 35										
		Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uesa,udn, udc,ual,uhl,ucl, ueq	UEAC2	0 28	30.76	29 40	12.75	11 38			19.99	19.99	19.99	19.99
		Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0 56	68.71	50 43	12.82	11.39			19 99	19.99	19.99	19.99
		Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	12 10	55.46	39 18	16 83	13.27			19.99	19.99	19.99	19.99
		Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	21 75	68 71	50.43	21.86	18 31			19.99	19.99	19 99	19.99
		Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7 50	155 00	14.00								
		Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151 90	11 83								
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0.0026										
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0038										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			535 37									
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			535 37									
		Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41 00	25 00								
		Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48 00	30 00								
		Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55 00	35.00								
		Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.84	30 64								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.56	66.71	50.43					19.99	19.99	19.99	19.99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.56	66.71	50.43					19.99	19.99	19.99	19.99
VIRTUAL COLLOCATION																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.28	30.76	29.40	12.75	11.38			19.99	19.99	19.99	19.99
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment	I		SRC	SRCEC		202,197.82		17,181.39				27.37	27.37	27.37	27.37
	End Office Establishment	I		SRC	SRCEO		339.75	339.75	3.39	3.39			27.37	27.37	27.37	27.37
	Query NRC, per query	I		SRC		0.0031412										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		197.49	197.49	114.22	114.22			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		64.05	64.05	27.04	27.04			27.37	27.37	17.75	17.75
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		141.84	141.84	70.05	70.05			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		142.13	142.13	35.26	35.26			27.37	27.37	17.75	17.75
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.0892										
	AIN SMS Access Service - Company Performed Session, Per Minute					2.08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		192.69	192.69	114.22	114.22			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,383.00	8,383.00					27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		49.64	49.64	27.04	27.04			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit POOP				BAPTO		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		117.98	117.98	37.90	37.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Query Charge, Per Query					0.024										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.006										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.63										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	16.00	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0.10	47.74	47.74	15.90	15.90			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15.90	44.56	44.56	31.84	31.84			27.37	27.37	17.75	17.75
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0.003	47.74	47.74					27.37	27.37	17.75	17.75
ODUF/EDOUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF, Message Processing, per message					0.004										
	ADUF, Data Transmission (CONNECT DIRECT), per message					0.001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF, Message Processing, per message					0.004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF, Recording, per message					0.0002										
	ODUF, Message Processing, per message					0.0033										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ODUF Message Processing, per Magnetic Tape provisioned					55 19										
	ODUF Data Transmission (CONNECT DIRECT), per message					0.00004										
ENHANCED EXTENDED LINK (EELs)																
	NOTE. New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL, Miami, FL, Ft. Lauderdale, FL, Nashville, TN, New Orleans, LA,															
	NOTE: Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.															
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)															
	NOTE In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements (No Switch As Is Charge)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) In a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	17 95										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	29 16										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	52 84										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88 75										
	DS1 Channelization System Per Month			UNC1X	MQ1	122 50										
	Voice Grade COCI - DS1 To DS0 Interface - Per Month			UNCVX	1D1VG	0 64										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17 95										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	29 16										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	52 84										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 64										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.01										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.00										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70 87										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	88 75										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122.50										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.64										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 01										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39 00										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	70 87										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 64										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11 18	13.96	13.96			31.31	31 31	3.93	3.93
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	88 75							31.31	31 31	3 93	3 93
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122 50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1.36										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27 33							31 31	31 31	3 93	3 93
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44 40							31 31	31.31	3 93	3 93
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80 45							31 31	31.31	3.93	3 93

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	122.50										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1.36	0.00	0.00								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80.45										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1.36										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		1	UNC1X	USLXX	51.74										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		2	UNC1X	USLXX	84.05										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2067										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	68.75										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	4.67										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	804.02										
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84.05										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		1	UNCVX	UEAL2	17.85										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		2	UNCVX	UEAL2	29.18										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		3	UNCVX	UEAL2	52.84										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	24.15							31.31	31.31	3.93	3.93
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		1	UNCVX	UEAL4	24.01										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		2	UNCVX	UEAL4	39.00										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		3	UNCVX	UEAL4	70.67										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21.41										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	10.16										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	374.52										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.67										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	804 02										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 18	11.18	13.96	13 96			31.31	31 31	3.93	3.93
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	10.16										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	387 67										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	4 67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	801 57										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11.18	11 18	13 96	13 96			31 31	31 31	3 93	3 93
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	23.23										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	37 74										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	68.38										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 2067										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	68.75										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	122 50										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	2.92										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23 23										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	37 74										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	68 38										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	2 92										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.18	11 18	13.96	13.96			31 31	31 31	3.93	3.93
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84 05										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	4 67										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	801 57										
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	201.37										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15 39										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	51.74										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	84 05										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	152.29										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	15.39										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11.18	11 18	13 96	13 96			31.31	31 31	3 93	3 93
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.33										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	44.40										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	80.45										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0101										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	17 28										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11.18	11 18	13.96	13.96			31.31	31.31	3.93	3.93
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.33										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	44.40										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	80 45										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0101										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17.28										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11.18	11 18	13 96	13 96			31 31	31 31	3.93	3.93
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Node (SynchroNet)															
	Node per month			UNCDX	UNCNT	15.77										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11.18	11.18	13.96	13.96			31.31	31.31	3.93	3.93
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued: The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded: CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge.															
	NOTE (2) Manual Service Order charge: disconnect, in the state of Florida, to be billed on a per LSR basis															
	Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive Interfaces (Regional)				SOMEC		3.50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.07	21.93	21.93	6.21	6.21			27.37	12.97	17.77	1.44
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	5.55	0.00	0.00					27.37	12.97	17.77	1.44
	EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.20	238.61	37.48	119.79				19.99	19.99	19.99	19.99
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	66.67	404.04	191.38	145.18	4.92			19.99	19.99	19.99	19.99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	11.19	145.54	105.97	95.57	21.47			19.99	19.99	19.99	19.99
	All Features Offered			UEPTX UEPSX	UEPVF	5.55	0.00	0.00								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
	Exchange Ports - 2-Wire ISDN Port – Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	98 37	407 62	203 11	158 35	40 11			54 75	54.75	11.53	11 53
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2 07	21 93	21 93	6 21	6.21			27 37	12.97	17.77	1.44
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2 07	21 93	21.93	6.21	6.21			27 37	12 97	17 77	0 48
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.07	21 93	21.93	6.21	6.21			27 37	12.97	17 77	1 44
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.07	21 93	21 93	6.21	6.21			27 37	12.97	17 77	1.44
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2 07	21 93	21.93	6 21	6 21			27.37	12 97	17.77	1.44
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	2 07	21 93	21 93	6 21	6.21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2 07	21 93	21.93	6 21	6.21			27.37	12.97	17.77	1.44
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.07	21.93	21 93	6.21	6 21			27.37	12.97	17.77	1 44
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.07	21 93	21.93	6 21	6 21			27.37	12.97	17.77	1.44
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2 07	21 93	21 93	6.21	6 21			27 37	12 97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.07	21 93	21 93	6 21	6.21			27 37	12.97	17 77	1 44
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2 07	21 93	21 93	6.21	6 21			27 37	12 97	17 77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.07	21.93	21 93	6 21	6.21			27 37	12 97	17 77	1.44
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2 07	21 93	21 93	6 21	6 21			27 37	12 97	17 77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Ceting Port			UEPSP	UEPXO	2 07	21 93	21 93	6 21	6.21			27 37	12 97	17 77	1.44
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.07	21 93	21.93	6.21	6.21			27 37	12 97	17 77	1 44
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00								
FEATURES																
	All Available Vertical Features			UEPSE	UEPVF	5 55	0 00	0 00					27.37	12 97	17 77	1 44
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					2.34	21 93	21 93	5 21	5 21			25 93	12 97	16 33	0 48
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0018										
	End Office Trunk Port - Shared, Per MOU					0 0002										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 00063										
	Tandem Trunk Port - Shared, Per MOU					0.00033										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 00001										
	Common Transport - Facilities Termination Per MOU					0 00045										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
	For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			18 55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44 44										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42 24										
	2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 20							40 71	9 58		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 20							40 71	9 58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.20							40 71	9.58		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res			UEPRX	UEPAR	2.20							40.71	9.58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.20							40.71	9.58		
FEATURES																
	All Features Offered			UEPRX	UEPVF	5.55	0.00	0.00					40.71	9.58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.44						8.25			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					40.71	9.58		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.20							40.71	9.58		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.20							40.71	9.58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.20							40.71	9.58		
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPBX	UEPAW	2.20							40.71	9.58		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.20							40.71	9.58		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	5.55	0.00	0.00					40.71	9.58		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2.80	0.41					40.71	9.58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2.80	0.41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.44						8.25			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								40.71	9.58		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55										
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51										
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	14.35										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	23.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	42.24										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2.20							40.71	9.58		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.50											
FEATURES																	
	All Features Offered			UEPRG	UEPVF	5.55	0.00	0.00					40.71	9.58			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2.80	0.41					40.71	9.58			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2.80	0.41					40.71	9.58			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.44						8.25				
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.71	9.58			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			16.55											
	2-Wire VG Loop/Port Combo - Zone 2		2			25.51											
	2-Wire VG Loop/Port Combo - Zone 3		3			44.44											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	14.35											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	23.31											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	42.24											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.20							40.71	9.58			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.20							40.71	9.58			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.20							40.71	9.58			
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	2.20							40.71	9.58			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.20							27.37	9.58			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.20							40.71	9.58			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.20							40.71	9.58			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.20							40.71	9.58			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.20							40.71	9.58			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.20							40.71	9.58			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.20							40.71	9.58			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.20							40.71	9.58			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.20							40.71	9.58			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.20							40.71	9.58			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15											
FEATURES																	
	All Features Offered			UEPPX	UEPVF	5.55	0.00	0.00					40.71	9.58			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.80	0.41					40.71	9.58			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.80	0.41					40.71	9.58			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.44						8.25				
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					40.71	9.58			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOSEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					16 88										
	2-Wire VG Coin Port/Loop Combo – Zone 2					25.84										
	2-Wire VG Coin Port/Loop Combo – Zone 3					44.77										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	42 24										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2 53							40 71	9 58		
	2-Wire Coin 2-Way with Operator Screening and Blocking, 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2 53							40 71	9.58		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2 53							40 71	9.58		
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2 53							40.71	9 58		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2 53							40 71	9 58		
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2 53							40 71	9 58		
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.53							40 71	9.58		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.53							40 71	9 58		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 53							40 71	9.58		
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1 56	0 00	0.00								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPCO	USAC2		2 80	0.41					40 71	9 58		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2 80	0.41					40 71	9 58		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0.00					40 71	9 58		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			29 59										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			38 58										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			45 06										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20.42										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	27 41										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35.89										
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9 17							40.71	9 58		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		14 61	3 73					40.71	9.58		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14.61	3.73					40 71	9.58		
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 56	53 56					40 71	9 58		
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0.00	0 00					19 99	19 99		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0.00	0 00					19.99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0 00	0 00					19 99			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00					19 99	19.99		
	Reserve DID Numbers			UEPPX	NDV	0 00	0.00	0 00				19 99				
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
	UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		38 62										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		44 49										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		55 39										
	UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	27 20							19 99	19 99	19 99	19.99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	35 07							19 99	19.99	19.99	19.99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	45 97							19 99	19 99	19 99	19 99
	UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	9 42							19 99	19.99	19 99	19.99
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	77 01	54 04					19 99	19.99	19.99	19 99
	ADDITIONAL NRCs															
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0 00	0.00								
	B-CHANNEL USER PROFILE ACCESS															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0 00	0 00	0 00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0 00	0 00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0 00	0 00								
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS SC,MS, & TN)															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0 00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0 00	0 00	0 00								
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0 00	0 00								
	VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	5 56	0.00	0.00					40 71	9 58		
	INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	17 81	107 11	48 27					19.99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0339	0.00	0 00				0.00				
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		196 29										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		274 00										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		425 41										
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	101 92							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	177 63							19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	329 04							19 99	19 99	19.99	19 99
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	96 37							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0 00	238 13	157 11					19 99	19 99	19.99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digl Trk Port - Subsql Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0 9601						19 99	19 99	19 99	19.99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TQ		23 02	23 02					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		46 05	46 05					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0.00	0 00	0 00								
	Digital Data			UEPPP	PR71D	0.00	0 00	0 00								
	Inward Data			UEPPP	PR71E	0 00	0.00	0.00								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	29 05						19 99	19.99	19.99	19 99
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	29 05						19 99	19.99	19.99	19.99
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	29 05						19 99	19.99	19.99	19.99
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0 00	29.05						19 99	19.99	19.99	19 99
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0 00	29.05						19 99	19.99	19.99	19.99
CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0 00	0 00								
	Outward			UEPPP	PR7C0	0 00	0 00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0 00	0 00								
Interoffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	80.362	198 15	148.18	25 44				19 99	19.99	19.99	19 99
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 692										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		170.59							19 99	19.99	19.99	19.99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		246 30							19.99	19.99	19.99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		397.71							19.99	19.99	19.99	19.99
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	101 92							19 99	19 99	19.99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	177.63							19.99	19 99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	329.04							19 99	19.99	19.99	19.99
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	68 67							19 99	19.99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-			UEPDC	USAC4		258 98	134.03					19 99	19.99	19.99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		258 98	134.04					19 99	19.99	19.99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Charge - Trunk			UEPDC	USAWB		258 98	134.03					19 99	19 99	19.99	19 99
	ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 95	28 95					19.99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 85	28 85					19 99	19 99	19.99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 85	28 85					19 99	19 99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.85	28 85					19 99	19 99	19.99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.85	28 85					19.99	19 99	19 99	19 99
	BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0 00	600 00					19 99	19 99	19 99	19 99
	B6ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	600 00					19.99	19.99	19 99	19 99
	Alternate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPQ		0 00	0 00								
	Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19 99	19 99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00							19 99	19 99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19 99	19 99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00	0 00						19 99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00							19.99	19.99		
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0 00	0 00					19.99	19.99		
	Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0.00					19.99	19.99		
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	79.69	198 15	148 18	25 44	20.42						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.692	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.692	0.00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0 00	0.00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.692	0 00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00							
	Central Office Termininating Point			UEPDC	CTG	0 00										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	101 92	0 00	0 00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	177.63	0 00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	328.04	0 00	0 00								
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	115 69	0 00	0.00					19 99	19 99		
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	231 78	0 00	0.00					19.99	19.99		
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	463 56	0.00	0 00					19 99	19 99		
	144 DS0 Channel Capacity - 1 per 8 DS1s			UEPMG	VUM14	695 34	0 00	0 00					19 99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	980 00	0 00	0.00					19 99	19 99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,158 90	0.00	0.00					19 99	19 99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,390 68	0 00	0.00					19 99	19 99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,854.24	0 00	0.00					19 99	19 99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,317.80	0 00	0.00					19 99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,781 36	0.00	0 00					19 99	19.99		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,244 92	0 00	0 00					19 99	19 99		
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizton with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	300 95	16.72					19 99	19.99		
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) In Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only			UEPMG	VUMD4	0 00	716 11	468 04	148 75	17.65			19 99			
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0 00	0 00	600 00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0 00	0.00	600 00								
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00								
	Extended Superframe Format			UEPMG	MCOPO	0 00	0.00	0 00								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 58	0 00	0.00	0.00	0 00			40 71	9 58		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 58	0 00	0.00	0 00	0.00			40 17	9.58		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.58	0 00	0 00	0 00	0.00			40.71	9 58		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	9 20	0 00	0.00	0 00	0 00			40 71	9 58		
	2-Wire Channelized PBX Area Calling Service Combination Port (AL Only)			UEPPX	UEPA4	1 58	0 00	0.00					40 71	9 58		
	2 Wire Channelized PBX Area Calling Service Outgoing Only Port (AL Only)			UEPPX	UEPA3	1.58	0 00	0 00					40.71	9.58		
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 64	25 39	13 41	4 19	4 16			40 71	9 58		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 64	78.13	18 42	59 24	11 58			40 17	9.58		
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00							19.99			
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0 00	0.00					19.99			
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0.00	0 00					19.99			
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00					19 99			
	Reserve DID Numbers			UEPPX	NDV	0 00	0.00	0.00					19 99			
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0.00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	5.55	0 00	0.00					40 71	9 58		
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	These scenarios include:															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee.															
	2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft Lauderdale, Miami); GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			28 35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56.24										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	42 24										
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90 00					40 71	9 58		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14 00	90.00	90 00					40 71	9 58		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14 00	90.00	90.00					40 71	9 58		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14 00	90.00	90 00					40 71	9.58		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
	FEATURES															
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00								
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0 00	0 00					40 71	9 58		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			28 35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56 24										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	42.24										
	2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					40.71	9 58		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90.00					40.71	9 58		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00					40.71			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0 00	0.00					40 71	9.58		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			28 35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37.31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56 24										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	42.24										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14 00	90 00	90.00					40 71	9.58		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19.99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			28.35										
	2-Wire VG Loop/Port Combo - Zone 2		2			37 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			56 24										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	14 35										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	23 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	42.24										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90 00	90 00					40 71	9.58		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90.00					40 71	9 58		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90.00					40 71	9 58		
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	14 00	90 00	90.00					40 71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90.00					40 71	9.58		
	2-Wire Voice Unbundled 2-Way Combination PBX Ueage Port			UEPPX	UEPXA	14 00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90 00	90 00					40 71	9 58		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90 00	90.00					40.71	9 58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90.00					40.71	9.58		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14 00	90 00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00					40.71	9 58		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14 00	90 00	90 00					40 71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14 00	90.00	90.00					40.71	9.58		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.71			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0 00	0 00					40 71	9 58		
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0.00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19 99	19.99	19 99	19.99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec. per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
UNE Port/Loop Combination Rates																	
	2-Wire VG Coin Port/Loop Combo - Zone 1					28 35											
	2-Wire VG Coin Port/Loop Combo - Zone 2					37 31											
	2-Wire VG Coin Port/Loop Combo - Zone 3					56 24											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	14 35											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	23 31											
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	42 24											
2-Wire Voice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	14 00	90 00	90 00					40.71	9 58			
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	14 00	90 00	90 00					40 71	9.58			
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14 00	90 00	90 00					40 71	9 58			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	14 00	90.00	90 00					40 71	9 58			
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	14 00	90.00	90 00					40.71	9 58			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	14.00	90 00	90 00					40 71	9 58			
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	14 00	90 00	90 00					40.71	9 58			
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCN	14 00	90 00	90 00					40.71	9.58			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																	
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0.00					40 71	9 58			
NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEAL2	11.74	44.68	20.57	23.10	5.92		10.73				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEAL2	16.26	44.68	20.57	23.10	5.92		10.73				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEAL2	30.75	44.68	20.57	23.10	5.92		10.73				
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		76.92	76.92								
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		23.33	23.33								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR, UEPSB	UEALS	11.74	44.68	20.57	23.10	5.92		10.73				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR, UEPSB	UEALS	16.26	44.68	20.57	23.10	5.92		10.73				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR, UEPSB	UEALS	30.75	44.68	20.57	23.10	5.92		10.73				
	Engineering Information Document (EI)		UEANL			28.77	28.77								
	Manual Order Coordination for UVL-SL1s (per loop)*		UEANL	UEAMC		8.12	8.12								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *		UEANL	OCOSL		20.75	20.75								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	13.43	122.38	74.35	57.28	10.83		10.73				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	18.60	122.38	74.35	57.28	10.83		10.73				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	35.18	122.38	74.35	57.28	10.83		10.73				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		20.75									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	13.43	122.38	74.35	57.28	10.83		10.73				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	18.60	122.38	74.35	57.28	10.83		10.73				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	35.18	122.38	74.35	57.28	10.83		10.73				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		20.75									
	4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	21.23	151.34	103.82	60.47	14.02		10.73				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	29.41	151.34	103.82	60.47	14.02		10.73				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	55.63	151.34	103.82	60.47	14.02		10.73				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		20.75									
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	20.44	133.15	85.12	56.10	9.65		10.73				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	28.31	133.15	85.12	56.10	9.65		10.73				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	53.56	133.15	85.12	56.10	9.65		10.73				
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		20.75									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP														
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	UDC	UDC2X	20.44	133.15	85.12	56.10	9.65		10.73				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	2	UDC	UDC2X	28.31	133.15	85.12	56.10	9.65		10.73				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	3	UDC	UDC2X	53.56	133.15	85.12	56.10	9.65		10.73				
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.52	134.80	93.62	67.66	14.09		10.73				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	15.96	134.80	93.62	67.66	14.09		10.73				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	30.19	134.80	93.62	67.66	14.09		10.73				
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		20.75									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	UAL	UAL2W	11.52	112.56	64.12	54.67	8.22		10.73				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	15.96	112.55	64.12	54.67	8.22		10.73							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	30.19	112.55	64.12	54.67	8.22		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		20.75												
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.12	143.43	102.25	67.66	14.09		10.73							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	12.63	143.43	102.25	67.66	14.09		10.73							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	23.90	143.43	102.25	67.66	14.09		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		20.75												
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.12	121.17	72.75	54.67	8.22		10.73							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	12.63	121.17	72.75	54.67	8.22		10.73							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	23.90	121.17	72.75	54.67	8.22		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		20.75												
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	14.24	174.28	125.30	69.56	11.37		10.73							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	19.72	174.28	125.30	69.56	11.37		10.73							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	37.31	174.28	125.30	69.56	11.37		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		20.75												
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	14.24	152.02	104.11	56.57	10.12		10.73							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	19.72	152.02	104.11	56.57	10.12		10.73							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	37.31	152.02	104.11	56.57	10.12		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		20.75												
	4-WIRE DS1 DIGITAL LOOP																	
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	69.22	282.15	163.51	47.40	10.22		10.73							
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	95.89	282.15	163.51	47.40	10.22		10.73							
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	181.38	282.15	163.51	47.40	10.22		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL		20.75												
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	24.48	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	33.91	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	84.14	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	24.48	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	33.91	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	84.14	145.66	98.14	60.47	14.02		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		20.75												
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	24.48	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	33.91	145.66	98.14	60.47	14.02		10.73							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	84.14	145.66	98.14	60.47	14.02		10.73							
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		20.75												
	2-WIRE Unbundled COPPER LOOP																	
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.52	133.88	92.70	67.66	14.09		10.73							
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	15.96	133.88	92.70	67.66	14.09		10.73							
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	30.19	133.88	92.70	67.66	14.09		10.73							
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	11.52	111.82	83.19	54.67	8.22		10.73							
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	15.96	111.82	83.19	54.67	8.22		10.73							

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	30.19	111.82	63.19	54.67	8.22		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
		2-Wire Unbundled Copper Loop/Long - includes manual srvc. inqury and facility reservation - Zone 1	1	UCL	UCL2L	33.57	133.88	92.70	67.66	14.09		10.73							
		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2	2	UCL	UCL2L	46.50	133.88	92.70	67.66	14.09		10.73							
		2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	3	UCL	UCL2L	87.96	133.88	92.70	67.66	14.09		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL2W	33.57	111.62	63.19	54.67	8.22		10.73							
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL2W	46.50	111.62	63.19	54.67	8.22		10.73							
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL2W	87.96	111.62	63.19	54.67	8.22		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06		10.73							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06		10.73							
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06		10.73							
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	LSBMC		8.12	8.12											
		Engineering Information Document		UEQ			26.77	26.77											
		Loop Testing - Basic 1st Half Hour		UEQ	URET1		78.92	78.92											
		Loop Testing - Basic Additional Half Hour		UEQ	URETA		23.33	23.33											
	4-WIRE COPPER LOOP																		
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	16.18	160.36	119.69	69.56	15.99		10.73							
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	22.41	160.36	119.69	69.56	15.99		10.73							
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	42.39	160.36	119.69	69.56	15.99		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	16.18	138.10	90.19	56.57	10.12		10.73							
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	22.41	138.10	90.19	56.57	10.12		10.73							
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	42.39	138.10	90.19	56.57	10.12		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inqury and facility reservation - Zone 1	1	UCL	UCL4L	57.88	160.36	119.69	69.56	15.99		10.73							
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2	2	UCL	UCL4L	60.18	160.36	119.69	69.56	15.99		10.73							
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	3	UCL	UCL4L	151.67	160.36	119.69	69.56	15.99		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1	1	UCL	UCL4O	57.88	138.10	90.19	56.57	10.12		10.73							
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2	2	UCL	UCL4O	60.18	138.10	90.19	56.57	10.12		10.73							
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3	3	UCL	UCL4O	151.67	138.10	90.19	56.57	10.12		10.73							
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.12	8.12											
LOOP MODIFICATION																			
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft		UAL, UHL, UCL, UEQ, ULS	ULM2L		0.00	0.00											
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft		UCL, ULS	ULM2G		309.32	309.32											
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft		UHL, UCL	ULM4L		0.00	0.00											

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
							Nonrecurring		Nonrecurring Disconnect										
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft		UCL	ULM4G		309.32	309.32											
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		9.48	9.48											
SUB-LOOPS																			
	Sub-Loop Distribution																		
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL	USBSA		467.08	467.08				10.73							
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL	USBSB		11.27	11.27				10.73							
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		152.58	152.58				10.73							
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		43.54	43.54				10.73							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	6.90	54.26	19.64	37.03	4.10		10.73							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	9.56	54.26	19.64	37.03	4.10		10.73							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	18.08	54.26	19.64	37.03	4.10		10.73							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.12	8.12											
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	7.35	62.05	27.42	37.98	5.05		10.73							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	10.18	62.05	27.42	37.98	5.05		10.73							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	19.25	62.05	27.42	37.98	5.05		10.73							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.12	8.12											
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	USBR2	3.33	46.74	12.11	37.03	4.10		10.73							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.12	8.12											
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		UEANL	USBR4	6.32	50.41	15.78	37.98	5.05		10.73							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.12	8.12											
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	5.66	54.26	19.64	37.03	4.10		10.73							
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	7.83	54.26	19.64	37.03	4.10		10.73							
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	14.82	54.26	19.64	37.03	4.10		10.73							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		23.24	23.24											
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	4.72	62.05	27.42	37.98	5.05		10.73							
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	6.53	62.05	27.42	37.98	5.05		10.73							
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	12.36	62.05	27.42	37.98	5.05		10.73							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.12	8.12											
	Sub-Loop Feeder																		
		USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		UEA, UDN, UCL, UDL, UDC	USBFW		467.08												
		USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up		UEA, UDN, UCL, UDL, UDC	USBFX		11.27	11.27											
		USL Feeder DS1 Set-up at DSX location, per DS1 termination		USL	USBFZ		522.41	11.32											
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1	1	UEA	USBFA	7.60	83.62	46.20	45.57	10.19		10.73							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFA	10.53	83.62	46.20	45.57	10.19		10.73							
		Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3	3	UEA	USBFA	19.92	83.62	46.20	45.57	10.19		10.73							
		Order Coordination for Specified Conversion Time, per LSR		UEA	OCOSL		20.75												
		Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFB	7.60	83.62	46.20	45.57	10.19		10.73							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFB	10.53	83.62	46.20	45.57	10.19		10.73							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	3	UEA	USBFB	19.92	83.62	46.20	45.57	10.19		10.73							
		Order Coordination for Specified Time Conversion, per LSR		UEA	OCOSL		20.75												
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1	UEA	USBFC	7.60	83.62	46.20	45.57	10.19		10.73							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2	UEA	USBFC	10.53	83.62	46.20	45.57	10.19		10.73							
		Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3	UEA	USBFC	19.92	83.62	46.20	45.57	10.19		10.73							
		Order Coordination For Specified Conversion Time, per LSR		UEA	OCOSL		20.75												
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1	1	UEA	USBFD	16.05	96.40	58.12	48.55	11.33		10.73							
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFD	22.23	96.40	58.12	48.55	11.33		10.73							
		Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3	UEA	USBFD	42.06	96.40	58.12	48.55	11.33		10.73							
		Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		20.75												
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFE	16.05	96.40	58.12	48.55	11.33		10.73							
		Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFE	22.23	96.40	58.12	48.55	11.33		10.73							

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	3	UEA	USBFE	42.08	96.40	58.12	48.55	11.33		10.73							
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		20.75												
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	18.18	98.91	60.12	46.95	9.74		10.73							
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	2	UDN	USBFF	22.41	98.91	60.12	46.95	9.74		10.73							
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	3	UDN	USBFF	42.39	98.91	60.12	46.95	9.74		10.73							
	Order Coordination For Specified Conversion Time, Per LSR		UDN	OCOSL		20.75												
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	UDC	USBFS	18.18	98.91	60.12	46.95	9.74		10.73							
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	2	UDC	USBFS	22.41	98.91	60.12	46.95	9.74		10.73							
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	3	UDC	USBFS	42.39	98.91	60.12	46.95	9.74		10.73							
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	USL	USBFG	43.64	120.61	70.34	65.07	16.20		10.73							
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	2	USL	USBFG	60.45	120.61	70.34	65.07	16.20		10.73							
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3	USL	USBFG	114.36	120.61	70.34	65.07	16.20		10.73							
	Order Coordination For Specified Conversion Time, Per LSR		USL	OCOSL		20.75												
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	UCL	USBFH	6.65	76.87	38.08	45.64	8.43		10.73							
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2	2	UCL	USBFH	9.22	76.87	38.08	45.64	8.43		10.73							
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3	3	UCL	USBFH	17.44	76.87	38.08	45.64	8.43		10.73							
	Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		20.75												
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	UCL	USBFJ	12.76	89.85	51.57	46.59	9.38		10.73							
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2	UCL	USBFJ	17.67	89.85	51.57	46.59	9.38		10.73							
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3	UCL	USBFJ	33.43	89.85	51.57	46.59	9.38		10.73							
	Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		20.75												
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	1	UDL	USBFN	17.52	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	2	UDL	USBFN	24.28	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	3	UDL	USBFN	45.92	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFO	17.52	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFO	24.28	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFO	45.92	90.72	52.43	48.55	11.33		10.73							
	Order Coordination For Specified Time Conversion, per LSR		UDL	OCOSL		20.75												
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFP	17.52	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFP	24.28	90.72	52.43	48.55	11.33		10.73							
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFP	45.92	90.72	52.43	48.55	11.33		10.73							
	Order Coordination For Specified Conversion Time, per LSR		UDL	OCOSL		20.75												
	Sub Loop Feeder - DS3 - Per Mile Per Month		UE3	1L5SL	15.69													
	Sub Loop Feeder - DS3 - Facility Termination Per Month		UE3	USBF1	347.59	3,386.00	407.15	166.83	94.58		10.73							
	Sub Loop Feeder – STS-1 – Per Mile Per Month		UDLSX	1L5SL	15.69													
	Sub Loop Feeder - STS-1 - Facility Termination Per Month		UDLSX	USBF7	402.09	3,386.00	407.15	166.83	94.58		10.73							
	Sub Loop Feeder – OC-3 – Per Mile Per Month		UDLO3	1L5SL	11.90													
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month		UDLO3	USBF5	62.98													
	Sub Loop Feeder - OC-3 - Facility Termination Per Month		UDLO3	USBF2	547.22	3,386.00	407.15	166.83	94.58		10.73							
	Sub Loop Feeder - OC-12 - Per Mile Per Month		UDL12	1L5SL	14.65													
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month		UDL12	USBF6	502.47													
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		UDL12	USBF3	1,577.00	3,386.00	407.15	166.83	94.58		10.73							
	Sub Loop Feeder - OC-48 - Per Mile Per Month		UDL48	1L5SL	48.06													
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month		UDL48	USBF9	251.80													
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		UDL48	USBF4	1,589.00	3,572.00	407.15	168.35	95.43		10.73							
	Sub Loop Feeder - OC-12 Interface On OC-48		UDL48	USBF8	331.15	788.39	407.15	168.35	95.43		10.73							
Unbundled Sub-Loop Modification																		
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		9.11	9.11				10.73							
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		9.11	9.11				10.73							
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		UEF	ULM4T		14.05	14.05				10.73							
Unbundled Network Terminating Wire (UNTW)																		
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.3682	21.85	21.85				10.73							
	Set-Up Work: Site Visit Survey, per MDU		UENTW	UENVS		120.11	120.11											
	Site Visit Set-Up - Per Terminal - 1st Terminal		UENTW	UENSS		39.43	39.43											
	Site Visit Set-Up, Per Terminal, Additional Terminals		UENTW	UENSV		38.42	38.42											
	Access Terminal Provisioning, per Terminal, 1st Terminal		UENTW	UEN1T		101.09	101.09											
	Access Terminal Provisioning, per Terminal, Additional Terminals		UENTW	UEN2T		100.25	100.25											
	UNTW Pair Provisioning, per Pair for 1st Terminal		UENTW	UENP1		4.48	4.48											

Unbundled Network Elements
FLORIDA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)							
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	UNTW Pair Provisioning, per Pair for Additional Terminals		UENTW	UENPA		3.64	3.64											
Network Interface Device (NID)																		
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		63.72	40.94				10 73							
	Network Interface Device (NID) - 1-5 lines		UENTW	UND16		105 96	83.17				10 73							
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		7.12	7.12				10 73							
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		7 12	7 12				10 73							
UNBUNDLED LOOP CONCENTRATION																		
	Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	481 86	324 01	324.01				10 73							
	Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	54 91	135 00	135.00				10 73							
	Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	500 74	324 01	324 01				10 73							
	Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	92.53	135 00	135.00				10.73							
	Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 18	54 85	46.45	16.67	4.35									
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8.22	14 96	14.88	6.11	6.07									
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 22	14 96	14.88	6.11	6.07									
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2.08	14 96	14 88	6.11	6 07									
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	12.22	14.96	14.88	6.11	6.07									
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7.29	14 96	14.89	6.11	6.07									
	Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	35.63	14 96	14.88	6.11	6.07		10 73							
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface		UDL	ULCC7	10.80	14 96	14.88	6.11	6 07									
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	10 80	14 96	14.88	6.11	6.07									
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	10.80	14 96	14 88	6.11	6.07									
	Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data																	
UNE OTHER, PROVISIONING ONLY - NO RATE																		
	NID - Dispatch and Service Order for NID installation		UENTW	UNDBX														
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE														
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL, UEF,UEQ,UENTW	UNECN														
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC, UDL,UDN,UEA, UHL,ULC	UNECN	0 00	0.00												
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL, UDC	USBFQ	0.00	0.00												
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0.00	0 00												
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0 00	0 00												
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0.00	0.00												
HIGH CAPACITY UNBUNDLED LOCAL LOOP																		
	NOTE: 4 month minimum billing period																	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	10.06													
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	387 10	501.59	309.24	125.43	87.30		10.73							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	10.06													
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDL3X	UDLS1	428.68	501 59	309.24	125.43	87 30		10.73							
LOOP MAKE-UP																		
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		43.10	43.10											
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		45 72	45.72											

Unbundled Network Elements
FLORIDA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0.6757	0.6757								
LINE SHARING															
	Line Sharing Splitter, per System 96 Line Capacity		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity		ULS	ULSDB	8.33	150.00	0.00	150.00	0.00		0.00				
	Line Sharing - per Line Activation		ULS	ULSDC	0.00	29.88	21.28	19.57	9.61		10.73				
	Line Sharing - per Subsequent Activity per Line Rearrangement		ULS	ULSDS		21.88	15.44				10.73				
	Line Splitting - per line activation DLEC owned splitter		UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned -physical		UEPSB	UREBP	0.638	29.88	21.28	19.57	9.61						
	Line Splitting - per line activation BST owned - virtual		UEPSB	UREBV	1.134	29.88	21.28	19.57	9.61						
UNBUNDLED TRANSPORT															
	NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period, below DS3 = one month, DS3 and above four months														
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.0084										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	26.02	42.69	28.66	16.51	6.34		10.73				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0.0084										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month		U1TVX	U1TR2	26.02	42.69	28.66	16.51	6.34		10.73				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.0084										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV4	23.20	42.69	28.66	16.51	6.34		10.73				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0.0084										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD5	18.95	42.69	28.66	16.51	6.34		10.73				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0.0084										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	18.95	42.69	28.66	16.51	6.34		10.73				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0.171										
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination per month		U1TD1	U1TF1	90.87	95.16	88.78	16.74	14.85		10.73				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3														
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	3.57										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	1,101.00	302.43	197.70	64.94	63.61		10.73				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1														
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	3.57										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	1,085.00	302.43	197.70	64.94	63.61		10.73				
	LOCAL CHANNEL - DEDICATED TRANSPORT														
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months														
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1	1	ULDVX	ULDV2	21.04	239.67	42.34	33.93	3.61		10.73				
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2	2	ULDVX	ULDV2	29.15	239.67	42.34	33.93	3.61		10.73				
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3	3	UNDVX	ULDV2	55.14	239.67	42.34	33.93	3.61		10.73				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per month - Zone 1	1	ULDVX	ULDR2	21.04	239.67	42.34	33.93	3.61		10.73				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 2	2	ULDVX	ULDR2	29.15	239.67	42.34	33.93	3.61		10.73				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev. Bat. Per Month - Zone 3	3	ULDVX	ULDR2	55.14	239.67	42.34	33.93	3.61		10.73				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1	1	UNDVX	ULDV4	21.91	240.30	42.97	34.47	4.15		10.73				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2	2	UNDVX	ULDV4	30.35	240.30	42.97	34.47	4.15		10.73				
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3	3	UNDVX	ULDV4	57.40	240.30	42.97	34.47	4.15		10.73				
	Local Channel - Dedicated - DS1 per month - Zone 1	1	ULDD1	ULDF1	34.49	195.33	165.48	21.90	15.28		10.73				
	Local Channel - Dedicated - DS1 per month - Zone 2	2	ULDD1	ULDF1	47.78	195.33	165.48	21.90	15.28		10.73				
	Local Channel - Dedicated - DS1 per month - Zone 3	3	ULDD1	ULDF1	90.38	195.33	165.48	21.90	15.28						
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	7.83										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	554 63	501.59	309.24	125 43	87 30		10 73							
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	7.83													
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	563.73	501.59	309.24	125 43	87 30		10.73							
MULTIPLEXERS																		
	Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	151 74	91 44	64 57	10.00	9.46		10 73							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)		UDL	1D1DD	2.16	9 08	6.38											
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3.78	9 08	6.38											
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	1.42	9.08	6.38											
	DS3 to DS1 Channel System per month		UXTD3	MQ3	218.70	179.66	108.96	36.37	35.22		10.73							
	STS1 to DS1 Channel System per month		UXTS1	MQ3	218.70	179.66	105.96	36.37	35.22		10.73							
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	14.24	9 08	6 38											
DARK FIBER																		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	54.11						10.73							
	NRC Dark Fiber - Local Channel		UDF	UDFC4		677.34	174.79	277.72	179.41									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	25.14						10.73							
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		677.34	174 79	277 72	179.41									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	54 11						10 73							
	NRC Dark Fiber - Local Loop		UDF	UDFL4		677.34	174 79	277.72	179.41									
TRANSPORT OTHER																		
	Optional Features & Functions:																	
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184.92	23.82	2.07	0.80		10.73							
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184.92	23.82	2.07	0 80		10.73							
8XX ACCESS TEN DIGIT SCREENING																		
	8XX Access Ten Digit Screening, Per Call		OHD		0.0006165													
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		3.74	0 64				10.73							
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations		OHD			7.92	1.08	5.20	0.64		10.73							
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations		OHD	N8FTX		7 92	1.08	5.20	0.64		10.73							
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		3.74	1.87				10.73							
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.		OHD	N8FMX		4 37	2.50				10.73							
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		4.37	0.64				10.73							
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		3 74												
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query		OHD		0.0006165													
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query		OHD		0.0006165													
LINE INFORMATION DATA BASE ACCESS (LIDB)																		
	LIDB Common Transport Per Query		OQT		0 0000195													
	LIDB Validation Per Query		OQU		0 0132254													
	LIDB Originating Point Code Establishment or Change		OQT, OQU	N8P8X		49.71	49.71	49.71	49 71		10.73							
SIGNALING (CCS7)																		
	CCS7 Signaling Termination, Per STP Port		UDB	PT8SX	129.77						10.73							
	CCS7 Signaling Usage, Per TCAP Message		UDB		0 0000592						10.73							
	CCS7 Signaling Connection, Per link (A link)		UDB	TPP++	18.39	39.28	39.28	16.51	16.51		10.73							
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TPP++	18.39	39.28	39.28	16.51	16.51									
	CCS7 Signaling Usage, Per ISUP Message		UDB		0.0000148						10 73							
	CCS7 Signaling Usage Surrogate, per link per LATA		UDB	STU68	876.69													
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		UDB	CCAPO		41.50	41.50				10.73							
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		UDB	CCAPD		8.00	8.00				10 73							
E911 SERVICE																		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				21 04	239 87	42.34	33 89	3.61		10 73							
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				29 15	239 87	42.34	33.93	3.61		10 73							
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				55.14	239 87	42.34	33.93	3.61		10 73							
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				0.0084													
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination				28 02	42.69	28 66	16 51	6.34		10 73							

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	pCS	USOC	RATES ($)					QSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Local Channel - Dedicated - DS1 - Zone 1				34.49	195.33	165.48	21.90	15.28		10.73							
	Local Channel - Dedicated - DS1 - Zone 2				47.78	195.33	165.48	21.90	15.28		10.73							
	Local Channel - Dedicated - DS1 - Zone 3				90.36	195.33	165.48	21.90	15.28		10.73							
	Interoffice Transport - Dedicated - DS1 Per Mile				0.171													
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				90.87	95.18	88.78	16.74	14.85		10.73							
CALLING NAME (CNAM) SERVICE																		
	CNAM for DB Owners, Per Query		OQV		0.0010161													
	CNAM for Non DB Owners, Per Query		OQV		0.0010161													
	CNAM For DB Owners - Service Establishment		OQV			22.85	22.85	17.14	17.14		10.73							
	CNAM For Non DB Owners - Service Establishment		OQV			22.85	22.85	17.14	17.14		10.73							
	CNAM For DB Owners - Service Provisioning With Point Code Establishment		OQV			1,435.00	1,061.00	317.70	233.60		10.73							
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment		OQV			492.73	356.07	322.83	233.60		10.73							
	CNAM (Non-Datata Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595.00	595.00				10.73							
LNP QUERY SERVICE																		
	LNP Charge Per query				0.000842													
	LNP Service Establishment Manual					12.46	12.46	9.35	9.35		10.73							
	LNP Service Provisioning with Point Code Establishment					591.01	301.83	218.42	160.60		10.73							
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE																	
OPERATOR CALL PROCESSING																		
	Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB				1.20													
	Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB				1.24													
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB				0.20													
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB				0.20													
INWARD OPERATOR SERVICES																		
	Inward Operator Services - Verification, Per Call				1.00													
	Inward Operator Services - Verification and Emergency Interrupt - Per Call				1.96													
BRANDING - OPERATOR CALL PROCESSING																		
	Recording of Custom Branded OA Announcement			CBAOS		7,000.00	7,000.00				10.73							
	Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500.00	500.00				10.73							
	Unbranding via OLNS for UNEP CLEC																	
	Loading of OA per OCN (Regional)					1,200.00	1,200.00											
DIRECTORY ASSISTANCE SERVICES																		
	DIRECTORY ASSISTANCE ACCESS SERVICE																	
	Directory Assistance Access Service Calls, Charge Per Call				0.271744													
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)																	
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0.10													
	DIRECTORY TRANSPORT																	
	SWA Common transport per Directory Assistance Access Service Call				0.0003													
	SWA Common Transport per Directory Assistance Access Service Call Mile				0.00004													
	Access Tandem Switching per Directory Assistance Access Service Call				0.00055													
	Directory Assistance Interconnection per Directory Assistance Access Service Call				0.00													
	DS3 to DS1 Multiplexer per DA Access Service Call				0.00018													
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)																	
	Directory Assistance Data Base Service Charge Per Listing				0.04													
	Directory Assistance Data Base Service, per month			DBSOF	150.00													
BRANDING - DIRECTORY ASSISTANCE																		
	Facility Based CLEC																	
	Recording and Provisioning of DA Custom Branded Announcement		AMT	CBADA		6,000.00	6,000.00											
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		1,170.00	1,170.00											
	UNEP CLEC																	
	Recording of DA Custom Branded Announcement					3,000.00	3,000.00											

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Srvc Order Submitted Elec per LSR	Srvc Order Submitted Manually per LSR	Incremental Charge - Manual Srvc Order vs. Electronic-1st	Incremental Charge - Manual Srvc Order vs. Electronic-Add'l	Incremental Charge - Manual Srvc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Srvc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	BOMEC	BOMAN	SOMAN	BOMAN	BOMAN	BOMAN
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN					1,170.00	1,170.00								
	Unbranding via OLNS for UNEP CLEC					420.00	420.00								
	Loading of DA per OCN (1 OCN per Order)					16.00	16.00								
	Loading of DA per Switch per OCN														
				USRCR		84.33	84.33	11.46	11.46			10.73			
SELECTIVE ROUTING	Selective Routing Per Unique Line Class Code Per Request Per Switch		CLO	EAF		4,122.00	2,848.30								
			CLO	ESPCX		965.00	2,750.00								
VIRTUAL COLLOCATION	Virtual Collocation - Application Cost		CLO	ESPVX	4.25										
	Virtual Collocation - Cable Installation Cost, per cable		CLO	ESPAX	6.85										
	Virtual Collocation - Floor Space, per sq. ft.		CLO	ESPSX	13.35										
	Virtual Collocation - Power, per breaker amp														
	Virtual Collocation - Cable Support Structure, per entrance cable		ueanl ue a,udn,ud c,ual,uhl ucl,ueq	UEAC2	5.02	1,157.00	1,157.00					11.90			
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts		uera, uhl, ucl,udl	UEAC4	5.02	1,157.00	1,157.00					11.90			
	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts		CLO	CNC2F	6.71	2,431.00						11.90			
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC4F	6.71	2,431.00						11.90			
	Virtual Collocation - 4-Fiber Cross Connects		USL,UL C,CLO	CNC1X	7.50	155.00	14.00					11.90			
	Virtual Collocatin - DS1 Cross Connects		USL,UL C,CLO	CND3X	56.25	151.90	11.83								
	Virtual Collocatin - DS3 Cross Connects		AMTFS	PE1ES	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot		AMTFS	PE1DS	0.0041										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft		AMTFS			535.54									
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable		AMTFS			535.54									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable		CLO	SPTBQ		10.89									
	Virtual Collocatin - Security Escort - Basic, per quarter hour		CLO	SPTOQ		13.64									
	Virtual Collocatin - Security Escort - Overtime, per quarter hour		CLO	SPTPQ		16.40									
	Virtual Collocatin - Security Escort - Premium, per quarter hour		CLO		5.02	1,157.00									
	Virtual Collocatin - Security Escort Cross Connects (loop), per 100 ckts		CLO		5.02	1,157.00									
	Virtual Collocation - 2-wire Cross Connects (loop), per 100 ckts		CLO	VE11S	226.39	1,950.00									
	Virtual Collocation - 4-wire Cross Connects (loop), per 100 ckts		CLO	VE11X	11.51	1,950.00									
	Virtual Collocation - DS-1/DCS, PER 28 CKTS		CLO	VE13S	56.97	528.00									
	Virtual Collocation - DS-1 DSX, PER 28 CKTS		CLO	VE13X	10.06	528.00									
	Virtual Collocation - DS-3/DCS, PER CKT		CLO		0.19	526.17									
	Virtual Collocation - DS-3/DSC, PER CKT		CLO		0.17	134.46									
	Virtual Collocation - Virtual to Virtual connection, per fiber, per cable		CLO	SPTRE		10.89									
	Virtual Collocation - Virtual to Virtual connection - DS1/DS-3, per cable		CLO	SPTOE		13.64									
	Virtual Collocatin - Maintenance in CO - Basic, per quarter hour		CLO	SPTPE		16.40									
	Virtual Collocatin - Maintenance in CO - Overtime, per quarter hour											11.90			
	Virtual Collocatin - Maintenance in CO - Premium per quarter hour			UEPSR	VE1R2	0.524	11.57	11.57				11.90			
VIRTUAL COLLOCATION	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPRX	PE1R2	0.524	11.57	11.57				11.90			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPSP	VE1R2	0.524	11.57	11.57				11.90			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX			UEPSE	VE1R2	0.524	11.57	11.57				11.90			
	Trunk - Bus			UEPSB	VE1R2	0.524	11.57	11.57				11.90			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX			UEPSX	VE1R2	0.524	11.57	11.57				11.90			
	Trunk - Res			UEPTX	VE1R2	0.524	11.57	11.57				11.90			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPDD	VE1R4	0.524	11.57	11.57				11.90			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPEX	VE1R4	0.524	11.57	11.57				11.90			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN														
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1														
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1														
VIRTUAL COLLOCATION															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR, UEPSB	VE1LS	0 0297	33.66	31.95				10 73				
AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment		SRC	SRCEC		191,575.00		8,974.00			10.73				
	End Office Establishment		SRC	SRCEO		168.89	168.89	0.63	0.63		10.73				
	Query NRC, per query		SRC		0 0030998										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		39 27	39.27	33.04	33.04		10.73				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		7.79	7 79	7.38	7.38		10.73				
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		7 79	7.79	7.38	7.38		10.73				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		34 85	34 85	21.97	21.97		10.73				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		73.76	73.76	9.51	9.51		10 73				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0.0029										
	AIN SMS Access Service - Session, Per Minute				0.7985										
	AIN SMS Access Service - Company Performed Session, Per Minute				0 4155										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		39.27	39 27	33.04	33.04		10.73				
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8,406.00	8,406 00				10.73				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt			BAPTT		7.79	7 79	7 38	7 38		10.73				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		7.79	7.79	7.38	7 38		10.73				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		7 79	7 79	7.38	7.38		10 73				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		34.32	34.32	11.66	11 66		10.73				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		34.32	34.32	11 66	11 66		10.73				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		34.32	34.32	11.66	11 66		10 73				
	AIN Toolkit Service - Query Charge, Per Query				0 0509436										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0.0062787										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				0 06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	8.00	7 79	7.79	4.47	4 47		10.73				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	3.85	8 62	8.62				10.73				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	4.26	7 79	7.79	4 47	4 47		10.73				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0.13	8.62	8.62				10.73				
ODUF/EDOUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF, Message Processing, per message				0.013928										
	ADUF Data Transmission (CONNECT DIRECT), per message				0.00012927										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF: Message Processing, per message				0.222451										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF, Recording, per message				0.0000068										
	ODUF, Message Processing, per message				0 006514										
	ODUF, Message Processing, per Magnetic Tape provisioned				46.77										
	ODUF Data Transmission (CONNECT DIRECT), per message				0.00010772										
ENHANCED EXTENDED LINK (EELs)															
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;														
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.														
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)														

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE: In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.68		10.73				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	18.60	115.02	54.58	43.28	5.68		10.73				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	35.18	115.02	54.58	43.28	5.68		10.73				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.171										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73				
	DS1 Channelization System Per Month		UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21		10.73				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	1.42	6.05	4.36								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.68		10.73				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	18.60	115.02	54.58	43.28	5.68		10.73				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	35.18	115.02	54.58	43.28	5.68		10.73				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1.42	6.05	4.36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73				
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21.23	115.02	54.58	43.28	5.68		10.73				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29.41	115.02	54.58	43.28	5.68		10.73				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55.63	115.02	54.58	43.28	5.68		10.73				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.171										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73				
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1.42	6.05	4.36								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21.23	115.02	54.58	43.28	5.68		10.73				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29.41	115.02	54.58	43.28	5.68		10.73				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55.63	115.02	54.58	43.28	5.68		10.73				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	1.42	6.05	4.36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73				
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24.48	115.02	54.58	43.28	5.68		10.73				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33.91	115.02	54.58	43.28	5.68		10.73				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64.14	115.02	54.58	43.28	5.68		10.73				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.171										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73				
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)		UNCDX	1D1DD	2.16	6.05	4.36								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24.48	115.02	54.58	43.28	5.68		10.73				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33.91	115.02	54.58	43.28	5.68		10.73				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64.14	115.02	54.58	43.28	5.68		10.73				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)		UNCDX	1D1DD	2.16	9.08	6.38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73				
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24.48	115.02	54.58	43.28	5.68		10.73				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33.91	115.02	54.58	43.28	5.68		10.73							
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64.14	115.02	54.58	43.28	5.68		10.73							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.171													
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73							
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	151.74	51.63	13.29	1.35	1.21		10.73							
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)		UNCDX	1D1DD	2.16	6.05	4.36											
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24.48	115.02	54.58	43.28	5.68		10.73							
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33.91	115.02	54.58	43.28	5.68		10.73							
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64.14	115.02	54.58	43.28	5.68		10.73							
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)		UNCDX	1D1DD	2.16	6.05	4.36											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73							
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																	
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73							
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	95.89	196.32	109.65	46.38	13.03		10.73							
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	181.38	196.32	109.65	46.38	13.03		10.73							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.171													
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	90.87	157.30	110.42	41.12	16.18		10.73							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10.73							
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																	
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73							
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95.89	196.32	109.65	46.38	13.03		10.73							
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181.38	196.32	109.65	46.38	13.03		10.73							
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	3.57													
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	1,101.00	288.50	124.61	34.80	16.96		10.73							
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	218.70	104.13	50.98	10.96	3.84									
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14.24	6.05	4.36											
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73							
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95.89	196.32	109.65	46.38	13.03		10.73							
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181.38	196.32	109.65	46.38	13.03		10.73							
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14.24	6.05	4.36											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		8.10	8.10	8.10	8.10		10.73							
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																	
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	13.43	115.02	54.58	43.28	5.88		10.73							
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	18.60	115.02	54.58	43.28	5.88		10.73							
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	35.18	115.02	54.58	43.28	5.68		10.73							
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0.0084													
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	26.02	85.38	47.42	40.82	16.25		10.73							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		8.10	8.10	8.10	8.10		10.73							
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)																	
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	21.23	115.02	54.58	43.28	5.68		10.73							
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29.41	115.02	54.58	43.28	5.68		10.73							
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	55.63	115.02	54.58	43.28	5.68		10.73							
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0.0084													
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	23.20	85.38	47.42	40.82	16.25		10.73							
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		8.10	8.10	8.10	8.10		10.73							
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)																	
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	10.06													
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	387.10	220.36	138.50	60.49	23.69									
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	3.57													

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	1,101.00	288 50	124 61	34.80	16.96		10.73				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		8 10	8.10	8.10	8.10		10.73				
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	10 06										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	426.68	220.36	139.50	60 49	23.69						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	3.57										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	1,085.00	288.50	124.81	34.80	16.96		10.73				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		8.10	8.10	8.10	8 10		10 73				
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	20.44	115.02	54 58	43.28	5.68		10.73				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	28.31	115.02	54.58	43 28	5.68		10.73				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	53.56	115.02	54.58	43.28	5.68		10 73				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0.171										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	90.87	157.30	110 42	41 12	16.18		10 73				
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	151.74	51.63	13.29	1 35	1.21						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3.76	6.05	4 36								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	20 44	115.02	54.58	43 28	5.68		10 73				
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	28.31	115.02	54.58	43 28	5.68		10.73				
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	53.56	115.02	54.58	43.28	5.68		10.73				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month		UNCNX	UC1CA	3.76	6.05	4.36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		8.10	8 10	8.10	8.10		10.73				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)														
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69.22	196.32	109.65	46.38	13.03		10.73				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95.89	196 32	109.65	46.38	13.03		10.73				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181.38	196.32	109 65	46.38	13.03		10.73				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	3.57										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	1,085.00	288.50	124 81	34.80	16 96		10.73				
	STS1 to DS1 Channel System combination per month		UNCSX	MQ3	218.70										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14 24	6.05	4 36								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	69.22	196.32	109 65	46.38	13.03		10.73				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	95.89	196 32	109.65	46.38	13.03		10.73				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	181.38	196 32	109 65	46.38	13.03		10.73				
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	14.24	6.05	4.36								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		8.10	8.10	8.10	8.10		10.73				
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	24.48	115.02	54.58	43.28	5.68		10.73				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33.91	115.02	54.58	43.28	5.68		10 73				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	64.14	115 02	54.58	43.28	5.68		10.73				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	19.31	85.38	47 42	40 82	18.25		10.73				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		8.10	8.10	8.10	8.10		10.73				
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	24.48	115.02	54.58	43.28	5.68		10 73				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33.91	115.02	54.58	43.28	5.68		10.73				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	64.14	115 02	54 58	43.28	5.68		10.73				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	19.31	149.56	86.00	71.35	31 91		10.73				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		8.10	8.10	8.10	8.10		10.73				
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Node (SynchroNet)		UNCDX	UNCNT	16 35										
	Node per month										10 73				
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		8.10	8.10	8.10	8.10		10 73				
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		8.10	8.10	8.10	8.10		10 73				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		8.10	8.10	8.10	8.10		10 73				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		8.10	8.10	8.10	8.10		10 73				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		8.10	8.10								
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE: (1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE: (1) Continued. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE: (1) Concluded. CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge.														
	NOTE: (2) Manual Service Order charge, disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3.50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														1.65
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														1.65
	2-WIRE VOICE GRADE LINE PORT RATES (RES)		UEPSR	UEPRL	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRC	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRO	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPAF	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res		UEPSR	UEPAP	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	USASC	0.00	0.00	0.00				10 73				1.65
	Subsequent Activity		UEPSR	UEPVF	2.17	0.00	0.00				10 73				1.65
	FEATURES														1.65
	All Available Vertical Features		UEPSB	UEPBL	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)		UEPSB	UEPBC	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBO	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPB1	1.34	3.37	3.27	1.69	1.62		10 73				1.65
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	USASC	0.00	0.00	0.00								
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPVF	2.17	0.00	0.00				10 73				1.65
	Subsequent Activity														1.65
	FEATURES		UEPEX	UEPP2	8.81	70 69	14.26	37.61	3.84		10 73				1.65
	All Available Vertical Features														
	EXCHANGE PORT RATES (DID & PBX)		UEPDD	UEPDD	52.73	136.24	70 10	44.00	2.80		10 73				
	Exchange Ports - 2-Wire DID Port		UEPTX												
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPSX	U1PMA	8.46	42.22	45.69	24.91	10.75						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)		UEPTX												
	All Features Offered		UEPSX	UEPVF	2.17	0 00	0.00								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	UHUMA	0.00	0.00	0.00				10.73			1.65	
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	79.35	157.42	85.60	44.89	16.43		10.73			1.65	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPPI	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled PBX LD DOD Terminals Port		UEPSP	UEPXC	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXO	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	1.34	35.22	16.39	11.14	0.648		10.73			1.65	
	Subsequent Activity		UEPSP	USASC	0.00	0.00	0.00								
FEATURES			EPSB								10.73			1.65	
	All Available Vertical Features		UEPSE	UEPVF	2.17	0.00	0.00								
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				1.34	3.37	3.27	1.69	1.62		10.73			1.65	
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.														
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU				0.0007341										
	End Office Trunk Port - Shared, Per MOU				0.0001571										
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU				0.0001263										
	Tandem Trunk Port - Shared, Per MOU				0.0002252										
Common Transport															
	Common Transport - Per Mile, Per MOU				0.0000034										
	Common Transport - Facilities Termination Per MOU				0.0004493										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.														
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.														
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
	For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			13.01										
	2-Wire VG Loop/Port Combo - Zone 2	2			17.15										
	2-Wire VG Loop/Port Combo - Zone 3	3			30.45										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11.89										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	16.03										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	29.33										
	2-Wire Voice Grade Line Port Rates (Res)		UEPRX	UEPRL	1.12						10.73			1.65	
	2-Wire voice unbundled port - residence		UEPRX	UEPRC	1.12						10.73			1.65	
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRO	1.12						10.73			1.65	
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPAF	1.12						10.73			1.65	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		UEPRX	UEPAP	1.12										
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)														
	FEATURES		UEPRX	UEPVF	2.17	0.00	0.00				10.73			1.65	
	All Features Offered														
	LOCAL NUMBER PORTABILITY		UEPRX	LNPCX	0.35										
	Local Number Portability (1 per port)														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		UEPRX	USAC2		0.092	0.092				10.73				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.092	0.092				10.73				
	ADDITIONAL NRCs		UEPRX	USAS2	0.00	0.00	0.00				10.73			1.65	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			13.01										
	2-Wire VG Loop/Port Combo - Zone 2	2			17.15										
	2-Wire VG Loop/Port Combo - Zone 3	3			30.45										
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11.89										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	16.03										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	29.33										
	2-Wire Voice Grade Line Port (Bus)		UEPBX	UEPBL	1.12						10.73			1.65	
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBC	1.12						10.73			1.65	
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBO	1.12						10.73			1.65	
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UPEB1	1.12										
	2-Wire voice unbundled incoming only port with Caller ID - Bus														
	LOCAL NUMBER PORTABILITY		UEPBX	LNPCX	0.35										
	Local Number Portability (1 per port)														
	FEATURES		UEPBX	UEPVF	2.17	0.00	0.00				10.73			1.65	
	All Features Offered														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		UEPBX	USAC2		0.092	0.092				10.73			1.65	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is														
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0.092	0.092								
	ADDITIONAL NRCs		UEPBX	USAS2							10.73			1.65	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/Port Combo - Zone 1	1			13.01										
	2-Wire VG Loop/Port Combo - Zone 2	2			17.15										
	2-Wire VG Loop/Port Combo - Zone 3	3			30.45										
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	11.89										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	16.03										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	29.33										
	2-Wire Voice Grade Line Port Rates (RES - PBX)														

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	1.12						10.73			1.65	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3.50										
FEATURES															
	All Features Offered		UEPRG	UEPVF	2.17	0.00	0.00				10.73			1.65	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG	USAC2		7.82	1.72				10.73			1.65	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		7.82	1.72				10.73				
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0.00	0.00	0.00				10.73			1.65	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.09	7.09				10.73			1.65	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			13.01										
	2-Wire VG Loop/Port Combo - Zone 2	2			17.15										
	2-Wire VG Loop/Port Combo - Zone 3	3			30.45										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	11.89										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	16.03										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	28.33										
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	1.12						10.73			1.65	
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	1.12						10.73			1.65	
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	1.12						10.73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	1.12						10.73			1.65	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	1.12						10.73			1.65	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	1.12						10.73			1.65	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	1.12						10.73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	1.12						10.73			1.65	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	1.12						10.73			1.65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	1.12						10.73			1.65	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	1.12						10.73			1.65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	1.12						10.73			1.65	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	1.12						10.73			1.65	
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3.15										
FEATURES															
	All Features Offered		UEPPX	UEPVF	2.17	0.00	0.00				10.73			1.65	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		7.62	1.72				10.73			1.65	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		7.62	1.72				10.73			1.65	
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0.00	0.00	0.00				10.73			1.65	
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.09	7.09				10.73			1.65	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
UNE Port/Loop Combination Rates																		
	2-Wire VG Coin Port/Loop Combo – Zone 1				13.01													
	2-Wire VG Coin Port/Loop Combo – Zone 2				17.15													
	2-Wire VG Coin Port/Loop Combo – Zone 3				30.45													
UNE Loop Rates																		
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	11.89													
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	16.03													
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	29.33													
2-Wire Voice Grade Line Ports (COIN)																		
	2-Wire Coin 2-Way with Operator Screening and Blocking. 011, 900/976, 1+DDD (FL)		UEPCO	UEP2F	1.12						10.73			1.65				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)		UEPCO	UEPFA	1.12						10.73			1.65				
	2-Wire Coin 2-Way with Operator Screening and Blocking. 900/976, 1+DDD, 011+, and Local (FL)		UEPCO	UEPCG	1.12						10.73			1.65				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	1.12						10.73			1.65				
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+ (FL)		UEPCO	UEPOF	1.12						10.73			1.65				
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)		UEPCO	UEPCQ	1.12						10.73			1.65				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	1.12						10.73			1.65				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	1.12						10.73			1.65				
ADDITIONAL UNE COIN PORT/LOOP (RC)																		
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	1.86	0.00	0.00											
LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)		UEPCO	LNPCX	0.35													
FEATURES																		
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		0.092	0.092				10.73			1.65				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		0.092	0.092				10.73			1.65				
ADDITIONAL NRCs																		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0.00	0.00				10.73			1.65				
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																		
UNE Port/Loop Combination Rates																		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			22.22													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			27.39													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			43.79													
UNE Loop Rates																		
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	13.43						10.73			1.65				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	18.60						10.73			1.65				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	35.18						10.73			1.65				
UNE Port Rate																		
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	8.79						10.73			1.65				
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		7.08	1.69				10.73							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		7.08	1.69				10.73							

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	ADDITIONAL NRCs																	
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		29.08	29.08				10.73							
	Telephone Number/Trunk Group Establisment Charges																	
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0.00	0.00	0.00				10.73			1.65				
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPPX	ND2	0.00	0.00	0.00				10.73			1.65				
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0.00	0.00	0.00				10.73			1.65				
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0.00	0.00	0.00				10.73			1.65				
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0.00	0.00	0.00				10.73			1.65				
	Reserve DID Numbers		UEPPX	NDV	0.00	0.00	0.00				10.73			1.65				
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPPX	LNPCP	3.15													
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
	UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		30.29													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		36.51													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		56.45													
	UNE Loop Rates																	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	13.43						10.73			1.65				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	29.44						10.73			1.65				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	49.38						10.73			1.65				
	UNE Port Rate																	
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	7.07						10.73			1.65				
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0.00	27.61	15.33				10.73			1.65				
	ADDITIONAL NRCs																	
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPPB UEPPR	LNPCX	0.35	0.00	0.00											
	B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCA	0.00	0.00	0.00											
	CVS (EWSD)		UEPPB UEPPR	U1UCB	0.00	0.00	0.00											
	CSD		UEPPB UEPPR	U1UCC	0.00	0.00	0.00											
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																	
	USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)		UEPPR	U1UMA	0.00	0.00	0.00											
	VERTICAL FEATURES																	
	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	2.17	0.00	0.00				10.73							
	INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	19.79	42.69	28.66	18.51	6.34		10.73			1.65				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GNM	0 0084	0 00	0.00				10.73			1 65				
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
	UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		148.57													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		175.24													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		260 73													
	UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	69.22						10 73			1.65				
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	95.89						10.73			1.65				
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	181.38						10 73			1.65				
	UNE Port Rate																	
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	79 35						10.73			1.65				
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP	USACP	0.00	61 25	55.34				10.73			1.65				
	ADDITIONAL NRCs																	
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0.4879					10.73			1 65				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TQ		11.46	11 46				10.73			1.65				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		22 92	22.92				10.73			1.65				
	LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPPP	UNPCN	1 75													
	INTERFACE (Provisoning Only)																	
	Voice/Data		UEPPP	PR71V	0.00	0 00	0 00											
	Digital Data		UEPPP	PR71D	0.00	0.00	0 00											
	Inward Data		UEPPP	PR71E	0.00	0.00	0 00											
	New or Additional "B" Channel																	
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0.00	13.96					10.73			1.65				
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0.00	13.96					10.73			1.65				
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0 00	13.96					10.73			1.65				
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0.00	13.96					10.73			19.99				
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0.00	13.96					10.73			1 65				
	CALL TYPES																	
	Inward		UEPPP	PR7C1	0.00	0.00	0.00											
	Outward		UEPPP	PR7C0	0 00	0.00	0.00											
	Two-way		UEPPP	PR7CC	0.00	0.00	0.00											
	Interoffice Channel Mileage																	
	Fixed Each Including First Mile		UEPPP	1LN1A	91.04	95.15	88.78	16.74	14 65		10.73			1.65				
	Each Airline-Fractional Additional Mile		UEPPP	1LN1B	0.171													
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																	
	UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		121 95						10.73			1.65				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		148.62						10.73			1.65				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		234.11						10 73			1.65				
	UNE Loop Rates																	
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	69.22						10.73			1.65				
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC	95.89						10.73			1.65				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	181 38						10 73			1 65				
UNE Port Rate																		
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	52.73						10 73			1 65				
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		71 29	42.11				10.73			1 65				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		71 29	42.11				10.73			1.65				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		71 29	42.11				10.73			1.65				
ADDITIONAL NRCs																		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		14.14	14 14				10.73			1.65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		14.14	14.14				10.73			1 65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		14.14	14.14				10.73			1 65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		14 14	14 14				10 73			1 65				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		14.14	14 14				10.73			1 65				
BIPOLAR 8 ZERO SUBSTITUTION																		
	B8ZS -Superframe Format		UEPDC	CCOSF		0 00	655.00				10 73			1 65				
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0 00	655 00				10.73			1.65				
Alternate Mark Inversion																		
	AMI -Superframe Format		UEPDC	MCOSF		0.00	0.00											
	AMI - Extended SuperFrame Format		UEPDC	MCOPQ		0.00	0.00											
Telephone Number/Trunk Group Establisment Charges																		
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0 00						10 73							
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0 00						10.73							
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0.00						10 73							
	DID Numbers Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPDC	NDZ	0.00	0.00	0 00				10.73							
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0.00						10.73							
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0.00						10 73							
	Reserve Non-Consecutive DID Nos		UEPDC	ND6	0.00	0.00	0.00				10 73							
	Reserve DID Numbers		UEPDC	NDV	0.00	0.00	0.00				10.73							
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																		
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	90 87	95.16	88.78	16.74	14.85		10.73			1 65				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0.171	0 00	0 00											
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0 00	0.00	0 00											
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 171	0 00	0 00											
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNO3	0.00	0.00	0.00	0.00										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	SCS	USOC	RATES ($)					OSS RATES ($)							
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 171	0 00	0.00											
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3.15	0.00	0.00	0.00										
	Central Office Terminating Port		UEPDC	CTG	0 00													
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																	
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																	
	Each System can have up to 24 combinations of rates depending on type and number of ports used																	
	UNE DS1 Loop																	
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	68.22	0 00	0.00											
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	95 89	0.00	0.00											
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	181 38	0 00	0.00											
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																	
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	121 31	0.00	0.00				10 73							
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	242 62	0 00	0.00				10 73							
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	485.24	0 00	0.00				10.73							
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	727.86	0 00	0.00				10 73							
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	970 48	0 00	0 00				10 73							
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1,213 10	0 00	0.00				10.73							
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1,455 72	0.00	0.00				10.73							
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1,940 96	0 00	0.00				10.73							
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2,426.20	0 00	0.00				10.73							
	576 DS0 Channel Capacity - 1 per 24 DS1s		UEPMG	VUM57	2,911 44	0 00	0 00				10.73							
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3,396.68	0 00	0.00				10.73							
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelizion with Port - Conversion Charge Based on a System																	
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																	
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																	
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0.00	72.61	3.82				10.73							
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																	
	New (Not Currently Combined) in Georgia & Tennessee Only																	
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only		UEPMG	VUMD4	0 00	726.11	488.21	145.32	17.24		10.73							
	Bipolar 8 Zero Substitution																	
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0.00	0 00	655.00				10.73							
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0.00	0.00	655.00				10 73							
	Alternate Mark Inversion (AMI)																	
	Superframe Format		UEPMG	MCOSF	0.00	0.00	0.00											
	Extended Superframe Format		UEPMG	MCOPO	0.00	0 00	0 00											
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																	
	Exchange Ports																	
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1.34	0 00	0.00	0.00	0 00		10.73			1 65				
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 34	0 00	0 00	0.00	0 00		10.73			1.65				
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1.34	0 00	0.00	0.00	0.00		10 73			1.65				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	8.81	0.00	0.00	0.00	0.00		10.73			1.85			
	Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		10.73			1.85			
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0.66	78.16	18.42	55.03	10.95		10.73			1.85			
	Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0.00						10.73						
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		UEPPX	ND2	0.00	0.00	0.00				10.73						
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0.00	0.00	0.00				10.73						
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0.00	0.00	0.00				10.73	19.99					
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0.00	0.00	0.00				10.73						
	Reserve DID Numbers		UEPPX	NDV	0.00	0.00	0.00				10.73						
	Local Number Portability																
	Local Number Portability - 1 per port		UEPPX	LNPCP	3.15	0.00	0.00										
	FEATURES - Vertical and Optional																
	Local Switching Features Offered with Line Side Ports Only																
	All Features Available		UEPPX	UEPVF	2.17	0.00	0.00				10.73			1.85			
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																	
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules.																
	These scenarios include:																
	1. Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee.																
	2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines.																
	The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville).																
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.																
	The Market Rate for unbundled ports includes all available features in all states																
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Com Port/Loop Combinations which have a flat rate usage charge (USOC: URECU).																
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			25.89												
	2-Wire VG Loop/Port Combo - Zone 2	2			30.03												
	2-Wire VG Loop/Port Combo - Zone 3	3			43.33												
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11.89												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	16.03												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	29.33												
	2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14.00	90.00	90.00				10.73			1.85			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14.00	90.00	90.00				10.73			1.85			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14.00	90.00	90.00				10.73			1.85			
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		UEPRX	UEPAF	14.00	90.00	90.00				10.73			1.85			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14.00	90.00	90.00				10.73			1.85			
	LOCAL NUMBER PORTABILITY																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)							
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
	Local Number Portability (1 per port)		UEPRX	LNPCX	0.35													
FEATURES																		
	All Features Offered		UEPRX	UEPVF	0.00	0.00	0.00											
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		41.50	41.50				10.73			1.65				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41.50	41.50											
ADDITIONAL NRCs																		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0.00	0.00				10.73			1.65				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																		
UNE Port/Loop Combination Rates																		
	2-Wire VG Loop/Port Combo - Zone 1	1			25.89													
	2-Wire VG Loop/Port Combo - Zone 2	2			30.03													
	2-Wire VG Loop/Port Combo - Zone 3	3			43.33													
UNE Loop Rates																		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11.89													
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	16.03													
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	29.33													
2-Wire Voice Grade Line Port (Bus)																		
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14.00	90.00	90.00				10.73			1.65				
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14.00	90.00	90.00				10.73			1.65				
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14.00	90.00	90.00				10.73			1.65				
LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)		UEPBX	LNPCX	0.35													
FEATURES																		
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPBX	USAC2		41.50	41.50				10.73			1.65				
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC		41.50	41.50											
ADDITIONAL NRCs																		
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0.00	0.00				10.73			1.65				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																		
UNE Port/Loop Combination Rates																		
	2-Wire VG Loop/Port Combo - Zone 1	1			25.89													
	2-Wire VG Loop/Port Combo - Zone 2	2			30.03													
	2-Wire VG Loop/Port Combo - Zone 3	3			43.33													
UNE Loop Rates																		
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	11.89													
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	16.03													
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	29.33													
2-Wire Voice Grade Line Port Rates (RES - PBX)																		
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14.00	90.00	90.00				10.73			1.65				
LOCAL NUMBER PORTABILITY																		
	Local Number Portability (1 per port)		UEPRG	LNPCP	3.15													
FEATURES																		
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPRG	USAC2		41.50	41.50				10.73			1.65				
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPRG	USACC		41.50	41.50											

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Reoccurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
ADDITIONAL NRCs																	
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0.00	0.00										
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.09	7.09				10.73			1.65			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1	1			25.89												
	2-Wire VG Loop/Port Combo - Zone 2	2			30.03												
	2-Wire VG Loop/Port Combo - Zone 3	3			43.33												
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX	11.89												
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX	16.03												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	29.33												
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14.00	90.00	90.00				10.73			1.65			
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14.00	90.00	90.00				10.73			1.65			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPI	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14.00	90.00	90.00				10.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14.00	90.00	90.00				10.73			1.65			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14.00	90.00	90.00				10.73			1.65			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)		UEPPX	LNPCP	3.15												
FEATURES																	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2		41.50	41.50				10.73			1.65			
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPPX	USACC		41.50	41.50										
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		0.00	0.00				10.73			1.65			
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0.00	0.00										
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.09	7.09				10.73			1.65			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Coin Port/Loop Combo – Zone 1				25.89												
	2-Wire VG Coin Port/Loop Combo – Zone 2				30.03												
	2-Wire VG Coin Port/Loop Combo – Zone 3				43.33												
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	11.89												
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	16.03												
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	29.33												
2-Wire Voice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (FL)		UEPCO	UEP2F	14.00	90.00	90.00				10.73			1.65			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)		UEPCO	UEPFA	14.00	90.00	90.00				10.73			1.65			
	2-Wire Coin 2-Way with Operator Screening and Blocking, 900/976, 1+DDD, 011+, and Local (FL)		UEPCO	UEPCG	14.00	90.00	90.00				10.73			1.65			

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)								
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
		2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)		UEPCO	UEPRK	14.00	90.00	90.00				10.73			1.86				
		2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+ (FL)		UEPCO	UEPOF	14.00	90.00	90.00				10.73			1.86				
		2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)		UEPCO	UEPCQ	14.00	90.00	90.00				10.73			1.86				
	LOCAL NUMBER PORTABILITY																		
		Local Number Portability (1 per port)		UEPCO	LNPCX	0.35													
	NONRECURRING CHARGES - CURRENTLY COMBINED																		
		2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPCO	USAC2		41.50	41.50				10.73							
		2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPCO	USACC		41.50	41.50											
	ADDITIONAL NRCs																		
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0.00	0.00				10.73			1.86				
	NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP												18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.21	42.54	31.33					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.41	42.54	31.33					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.08	42.54	31.33								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	14.21	42.54	31.33					18.94	8.42		
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	16.41	42.54	31.33					18.94	8.42		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	26.08	42.54	31.33					18.94	8.42		
	Engineering Information Document (EI)			UEANL			28.72	28.72								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.11	16.11								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		35.74	35.74								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.84	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	19.45	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16.84	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	19.45	104.17	78.10					18.94	8.42		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.92	104.17	78.10					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	4-WIRE ANALOG VOICE GRADE LOOP												18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	22.26	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	25.70	206.95	170.57					18.94	8.42		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	40.66	206.95	170.57								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		35.74									
	2-WIRE ISDN DIGITAL GRADE LOOP												18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	233.38	180.35					18.94	8.42		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	233.38	180.35								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		35.74									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP												18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	1	UDC	UDC2X	21.89	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	1	2	UDC	UDC2X	25.27	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	1	3	UDC	UDC2X	40.17	44.69	31.55	25.65	7.06						

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	I	1	UAL	UAL2W	11.23	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	I	2	UAL	UAL2W	12.97	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	I	3	UAL	UAL2W	20.62	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		35.74									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	UHL2W	7.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL2W	9.09	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL2W	14.46	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	I	1	UHL	UHL4X	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL4X	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	UHL4W	10.39	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL4W	12.00	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL4W	19.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		35.74									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	55.53	429.98	268.18					18.94	8.42		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	64.13	429.98	268.18					18.94	8.42		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	101.93	429.98	268.18					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		35.74									
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	47.27	348.55	241.20					18.94	8.42		

Unbundled Network Elements
GEORGIA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	47.27	348.55	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	25.75	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	29.74	348.55	241.20					18.94	8.42		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	47.27	348.55	241.20					18.94	8.42		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		35.74									
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL2W	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	I	2	UCL	UCL2W	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	I	3	UCL	UCL2W	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.02	44.69	22.40	25.65	7.06			18.94	8.42		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06			18.94	8.42		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06			18.94	8.42		
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		16.11	16.11								
	Engineering Information Document			UEQ			28.72	28.72								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
4-WIRE COPPER LOOP																
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	12.02	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	I	1	UCL	UCL4W	12.02	44.69	31.55	25.65	7.06			18.94	8.42		

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect							
							Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	13.88	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	22.07	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	35.56	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	41.07	44.69	31.55	25.65	7.06			18.94	8.42		
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	65.28	44.69	31.55	25.65	7.06			18.94	8.42		
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.11	16.11								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		0.00	0.00								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		0.00	0.00								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		0.00	0.00								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		421.08	421.08					18.94	8.42		
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		67.10	67.10					18.94	8.42		
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		394.74	394.74					18.94	8.42		
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		154.57	154.57					18.94	8.42		
		Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74						
		Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	2.74	4.96	4.96	3.48	3.48						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN2	9.12	207.01	171.32					18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN4	8.32	219.35	72.99	123.72	28.77			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	1.61	137.03	41.59	115.85	19.17			18.94	8.42		
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT)			UEANL	USBRC	1.37	2.48	2.48	1.74	1.74			18.94	8.42		
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.22	34.22								

Unbundled Network Elements
GEORGIA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC) - Intermediary Access Terminal (IAT)	I		UEANL	USBRD	2.74	4.96	4.96	1.74	1.74			18.94	8.42		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.98	176.46	34.22	122.17	19.57			18.94	8.42		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I	1	UEF	USBMC		34.22	34.22					18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53			18.94	8.42		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	5.54	175.16	55.50	108.86	24.53						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	I	1	UEF	USBMC		34.22	34.22					18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77			18.94	8.42		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	6.89	219.35	72.99	123.72	28.77						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.22	34.22								
Sub-Loop Feeder																
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL ,UDL,UD C	USBFW		421.08									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL ,UDL,UD C	USBFX		67.10	67.10					18.94	8.42		
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		521.57	11.30								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide	SW		UEA	USBFA	8.58	208.44	170.05					18.94	8.42		
	Order Coordination for Specified Conversion Time, per LSR	SW		UEA	OCOSL		34.22									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide	SW		UEA	USBFB	8.58	206.44	170.05					18.94	8.42		
	Order Coordination for Specified Time Conversion, per LSR	SW		UEA	OCOSL		34.22									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide	SW		UEA	USBFC	8.58	206.44	170.05					18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR	SW		UEA	OCOSL		34.22									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Statewide	SW		UEA	USBFD	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR	SW		UEA	OCOSL		34.22									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Statewide	SW		UEA	USBFE	19.91	243.41	81.32	134.77	33.93			18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR	SW		UEA	OCOSL		34.22									
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Statewide	SW		UDN	USBFF	17.73	208.50	62.31	119.68	29.58			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, Per LSR	SW		UDN	OCOSL		34.22						19.99	19.99	19.99	19.99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	SW		UDC	USBFS	79.30	203.69	128.76	124.09	34.80						
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Statewide	SW		USL	USBFG		34.22						18.94	8.42		
	Order Coordination For Specified Conversion Time, Per LSR	SW		USL	OCOSL		34.22									
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Statewide	SW		UCL	USBFH	7.22	195.38	63.15	119.68	29.58			18.94	8.42		
	Order Coordination For Specified Conversion Time, per LSR	SW		UCL	OCOSL		34.22									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Statewide	SW		UCL	USBFJ	13.72	243.41	81.32	134.77	33.93			19.99	19.99	19.99	19.99
	Order Coordination For Specified Conversion Time, per LSR	SW		UCL	OCOSL		34.22									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop	SW		UDL	USBFN	24.50	243.41	81.32	134.77	33.93						

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFO	24 50	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 22									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Statewide		SW	UDL	USBFP	24 50	243 41	81 32	134 77	33 93			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34 22									
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	12 80										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	329 94	3,380 00	406 50	163 61	92 75			18 94	8 42		
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	12 80										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372 78	3,380 00	406 50	163 61	92 75			18 94	8 42		
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	9 71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	57 79										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	524 13	3,380 00	406 50	163 61	92 75			18 94	8 42		
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	11 95										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	519 09										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,570 00	3,380 00	406 50	163 61	92 75			18 94	8 42		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	39 20										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	259 99										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,505 00	3,566 00	406 50	163 61	92 75			18 94	8 42		
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	323 43	787 13	406 50	163 61	92 75			18 94	8 42		
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	1 37	2 48	2 48	1 74	1 74			18 94	8 42		
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86 37	56 69					18 94	8 42		
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		127 93	98 21					18 94	8 42		
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		6 15	6 15								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		6 15	6 15								
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	441 42	650 81	650 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	52 97	271 17	271 17					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	478 93	650 81	650 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	89 26	271 17	271 17								
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 04	126 57	92 14	33 57	9 40			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 00	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 00	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 00	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	11 89	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 09	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	34 67	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10 51	21 07	20 96	10 78	10 71			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10 51	21 07	20 96	10 78	10 71						
	Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data															
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID Installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL, UEF,UEQ,UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC, UDL,UDN,UEA, UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL, UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE: 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	8.90							37.55	37.55	18.03	18.03
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	390.34	639.50	426.40	122.31	119.14						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	421.59	639.50	426.40	122.31	119.14			37.55	37.55	18.03	18.03
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		35.00	35.00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		45.00	45.00								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.075	0.075								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00		0.00				
	Line Sharing - per Line Activation			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20			18.94	8.42	7.00	4.20
	Line Sharing - per Subsequent Activity per Line Rearrangement			ULS	ULSDS		36.23	13.23					36.23	13.23		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		0.00	0.00	0.00	0.00						
UNBUNDLED TRANSPORT																
	NOTE: INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period: below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					DSS RATES ($)					
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month			U1TVX	U1TR2	17.07	79.61	36.08	0.00	0.00			18.94	18.94		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	16.45	79.61	36.08					18.94	18.94		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0222										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	16.45	79.61	36.08	0.00	0.00			18.94	18.94		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.4523										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	78.47	147.07	111.75					18.94	18.94		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.72										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	788.00	511.10	330.77	122.31	119.14			37.55	37.55	18.03	18.03
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	783.63	511.10	449.91	122.31	119.14			61.19	61.19	3.17	3.17
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	13.91	382.95	62.40					18.94	8.42		
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	13.91	382.95	62.40					18.94	18.94		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	14.99	388.44	84.05					18.94	8.42		
	Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1	38.36	356.15	312.89	122.31	119.14			44.22	44.22	18.03	18.03
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	6.92										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	515.91	639.50	426.31	122.31	119.14			37.55	37.55	18.03	18.03
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	6.92										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	517.56	639.50	426.31	122.31	119.14			18.94	18.94		
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	126.22	198.22	123.59	31.03	19.75			14.75	6.55	10.70	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.86	12.02	8.66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3.37	12.02	8.66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	1.17	12.02	8.66								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	182.04	265.91	188.78	72.50	59.96			14.75	6.55	10.60	
	STS1 to DS1 Channel System per month			UXTS1	MQ3	182.04	265.91	188.78	72.50	59.96			18.94	18.94		
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	11.02	12.02	8.66								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	44.22										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,355.29	273.69								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	44.22										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,355.29	273.69	0.00	0.00			18.94	18.94		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	44.22										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,355 29	273.69	0 00	0.00			18.94	18 94		
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184 62	23.78	2 03	0 79			29.33	3 93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184 62	23.78	2 03	0.79			29.33	3 93		
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0004868										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		6 57	0.76					18 94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			12.81	1 45					18.94	18 94		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		12.81	1 45					18 94	18 94		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4 46	2.23					18.94	18.94		
	8XX Access Ten Digit Screening, Multiple interLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.22	2 99					18.94	18 94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7.33	0 76					18.94	18.94		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4.72	4.46					18 94	18 94		
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.0000338										
	LIDB Validation Per Query			OQU		0 0105974										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		50.30						18 94	18 94		
SIGNALING (CCS7)													18 94	18.94		
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	133 99										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 000097							18 94	18 94		
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.05	131 96	131 96					18 94	18.94		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.05	131 96	131.96								
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000354							18.94	18.94		
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	340.67										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40 00	40 00					18.94	18 94		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8 00	8 00					18.94	18.94		
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0 016										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00					18 94	18 94		
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB					1 24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
*WARD OPERATOR SERVICES																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward Operator Svcs - Verification, Per Minute					1.15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1.15										
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00					19.99	19.99	19.99	19.99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00					19.99	19.99		
	Unbranding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.25										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	DIRECTORY TRANSPORT															
	SWA Common transport per Directory Assistance Access Service Call					0.0003										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.00004										
	Access Tandem Switching per Directory Assistance Access Service Call					0.00055										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - DIRECTORY ASSISTANCE																
	Facility Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
	UNEP CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
	Unbranding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						18.00	18.00								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		180.62	180.62					33.87	7.88		
VIRTUAL COLLOCATION																
	Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30								
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop)			usanl,uea,udn,udc,usl,uhl,ucl,ueq	UEAC2	0.0283	24.56	23.58	9.20	8.30			19.99	19.99	19.99	19.99
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.0566	24.75	23.70	9.03	8.10			19.99	19.99	19.99	19.99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	2.88	41.72	30.38	10.43	8.36			2.20	2.20		
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	5.76	51.03	39.67	13.71	11.65			2.20	2.20		
	Virtual Collocatn - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7.50	155.00	14.00								
	Virtual Collocatn - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83								

UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0 0023										
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0 0034										
Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			553 43									
Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			553 43									
Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41 00	25 00								
Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48 00	30 00								
Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55 00	35 00								
Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30 64	30 64								
Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35 77	35 77								
Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40 90	40 90								
VIRTUAL COLLOCATION															
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	VE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 30	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0 50	12 60	12 60					19 99	19 99	19 99	19 99
Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 50	12 60	12 60					19 99	19 99	19 99	19 99
VIRTUAL COLLOCATION															
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0 03	24 56	23 56	9 20	8 30			19 99	19 99	19.99	19 99
AIN SELECTIVE CARRIER ROUTING															
Regional Service Establishment			SRC	SRCEC		391,788 00						19 99	19 99	19 99	19 99
End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		90 25	90 25					18 94	18 94		
AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		29 66	29 66					18 94	18 94		
AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		29 66	29 66					18 94	18.94		
AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		84 43	84 43					18 94	18 94		
AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		35 44	35 44					18 94	18 94		
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0023										
AIN SMS Access Service - Session, Per Minute					0 0795604										
AIN SMS Access Service - Company Performed Session, Per Minute					2 08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		86 74	86 74					18 94	18 94		
AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,348 00	8,348 00					18 94	18 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		19 13	19 13					18 94	18 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		114 80	114 80					18 94	18 94		
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		19 13	19 13					18 94	18 94		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect							
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Elec 1st	Incremental Charge - Manual Svc Order vs. Electronic-Elec Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		70.06	70.06					18.94	18.94		
	AIN Toolkit Service - Query Charge, Per Query					0.0209223										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0053137										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.46										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15.96	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0.0861109	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15.87	22.64	22.64					18.94	18.94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0.0028704	22.64	22.64					18.94	18.94		
ODUF/EODUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF - Message Processing, per message					0.0136327										
	ADUF - Data Transmission (CONNECT:DIRECT), per message					0.0000434										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.0034555										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0001275										
	ODUF - Message Processing, per message					0.0082548										
	ODUF - Message Processing, per Magnetic Tape provisioned					28.85										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000434										
ENHANCED EXTENDED LINK (EELs)																
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;															
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.															
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)															
	NOTE: In GA, TN, KY, & LA the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10					18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10	0.00	0.00			18.94	8.42		
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10	0.00	0.00			18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	48.16			33.63	27.49	19.88	11.85
	DS1 Channalization System Per Month			UNC1X	MQ1	126.22										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1.17	12.02	8.66								
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16.84	104.14	78.10	0.00	0.00			18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10	0.00	0.00			18.94	8.42		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10	0.00	0.00			18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect							
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57					18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57	0.00	0.00			18.94	8.42		
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57	0.00	0.00			18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22	0.00	0.00	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57	0.00	0.00			18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57	0.00	0.00			18.94	8.42		
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57	0.00	0.00			18.94	8.42		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1.17	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20	0.00	0.00			18.94	8.42		
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20	0.00	0.00			18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22	0.00	0.00	0.00	0.00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20	0.00	0.00			18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20	0.00	0.00			18.94	8.42		
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20	0.00	0.00			18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			18.94	8.42		
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20	0.00	0.00			18.94	8.42		
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20	0.00	0.00			18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	126.22	0.00	0.00	0.00	0.00			18.94	8.42		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20	0.00	0.00			18.94	8.42		

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20	0.00	0.00			18.94	8.42		
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20	0.00	0.00			18.94	8.42		
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.86	12.02	8.66								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
		4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69	0.00	0.00			18.94	8.42		
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69	0.00	0.00			18.94	8.42		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.4523										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
		4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69					18.94	8.42		
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69	0.00	0.00			18.94	8.42		
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69	0.00	0.00			18.94	8.42		
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.72										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	788.00	198.45	153.15	95.40	35.99			37.55	37.55	18.03	18.03
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	137.73	103.24	87.41	0.00	18.12						
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66								
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69	0.00	0.00			18.94	8.42		
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69	0.00	0.00			18.94	8.42		
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69	0.00	0.00			18.94	8.42		
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
		2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	18.84	104.14	78.10	0.00	0.00			18.94	8.42		
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	19.45	104.14	78.10	0.00	0.00			18.94	8.42		
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.92	104.14	78.10	0.00	0.00			18.94	8.42		
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0222										
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	17.07	79.61	36.08					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
		4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	22.26	206.95	170.57	0.00	0.00			18.94	8.42		
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	25.70	206.95	170.57	0.00	0.00			18.94	8.42		
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	40.86	206.95	170.57	0.00	0.00			18.94	8.42		
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0222										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	17.07	79.61	36.08					18.94	18.94		
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
		DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	8.90										
		High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	390.34	639.50	426.40	122.31	119.14						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.72										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	788.00	198.45	153.15	95.40	35.99			37.55	37.55	18.03	18.03

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	8.90										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	421.59	639.50	426.40	122.31	119.14						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	783.63	198.45	449.91	95.40	35.99			37.55	37.55	18.03	18.03
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.4523										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	78.47	194.63	141.51	132.25	46.16			33.63	27.49	19.88	11.85
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	126.22	0.00	0.00	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.37	12.02	8.66								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.89	233.38	180.38					18.94	8.42		
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	25.27	233.38	180.38					18.94	8.42		
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	40.17	233.38	180.38					18.94	8.42		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month			UNCNX	UC1CA	3.37	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69	0.00	0.00			18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69	0.00	0.00			18.94	8.42		
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69	0.00	0.00			18.94	8.42		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2.72										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	783.63	198.45	449.91	95.40	35.99			37.55	37.55	18.08	18.03
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	162.04	103.24	87.41	0.00	18.12						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	55.53	443.20	138.69	0.00	0.00			18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	64.13	443.20	138.69	0.00	0.00			18.94	8.42		
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	101.93	443.20	138.69	0.00	0.00			18.94	8.42		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	11.02	12.02	8.66								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	25.75	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	29.74	384.56	241.20					18.94	8.42		
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	47.27	384.56	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0222										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	16.45	147.07	111.75					33.63	27.49	19.88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		12.97	11.27	12.61	12.61			45.46	15.72		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.75	348.55	241.20					18.94	8.42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	29.74	348.55	241.20					18.94	8.42		
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	47.27	348.55	241.20					18.94	8.42		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0222										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	ACS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16 45	147.07	111.75					33 63	27 49	19 88	11.85
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		12.97	11.27	11 27	12.61			45 48	15.72		
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Node (SynchroNet)															
	Node per month			UNCDX	UNCNT	13 98										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		12.97	11.27	12 61	12 61			18 94	18 94		
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		12.97	11.27	12.61	12 61			18 94	18 94		
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		12.97	11.27	12.61	12 61			18 94	18 94		
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		12.97	11.27	12 61	12.61			18.94	18.94		
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		12.97	11.27	12.61	12.61			18.94	18 94		
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	13.91	272.07	60.43					18 94	18 94		
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	14 99	272 07	60 43					18 94	18.94		
	Local Channel - Dedicated - DS1 Per Month			UNC1X	ULDF1	38.36	164.99	113 78								
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE: (1) Continued: The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded: CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge.															
	NOTE: (2) Manual Service Order charge: disconnect, in the state of Florida, to be billed on a per LSR basis															
	Electronic OSS Charge, per LSR, submitted via BST's OSS Interactive interfaces (Regional)				SOMEC		3 50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1 85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1 85	17.16	17 16					18.94	8.42		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1 85	17.16	17.16					18.94	8.42		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 85		17.16					18.94	8.42		
	Subsequent Activity			UEPSR	USASC	0.00	0 00	0 00								
	FEATURES															

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect							
							Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					18.94	8.42		
		2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
		Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.85	17.16	17.16					18.94	8.42		
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.85	17.16	17.16					18.94	8.42		
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.85	17.16	17.16					18.94	8.42		
		Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATURES																
		All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					18.94	8.42		
	EXCHANGE PORT RATES (DID & PBX)																
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	11.35	61.91	61.91					19.99	19.99	19.99	19.99
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	120.80	108.38	60.88					19.99	19.99	19.99	19.99
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	13.47	47.37	47.37					39.98	39.98		
		All Features Offered			UEPTX UEPSX	UEPVF	0.00	0.00	0.00								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
		Exchange Ports - 2-Wire ISDN Port – Channel Profiles			UEPTX UEPSX	U1UMA	0.00	0.00	0.00								
		Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	163.16	186.80	186.80					37.88	37.88		
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.85	17.16	17.16					18.94	8.42		
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.85	17.16	17.16					18.94	8.42		
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.85	17.16	17.16					18.94	8.42		
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.85	17.16	17.16					18.94	8.42		
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.85	17.16	17.16					18.94	8.42		
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.85	17.16	17.16					18.94	8.42		
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.85	17.16	17.16					18.94	8.42		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect								
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.85	17.16	17.16					18.94	8.42			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.85	17.16	17.16					18.94	8.42			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.85	17.16	17.16					18.94	8.42			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.85	17.16	17.16					18.94	8.42			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.85	17.16	17.16					18.94	8.42			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.85	17.16	17.16					18.94	8.42			
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00									
FEATURES				EPSP									18.94	8.42			
	All Available Vertical Features			UEPSE	UEPVF	0.00	0.00	0.00									
EXCHANGE PORT RATES (COIN)																	
	Exchange Ports - Coin Port					2.05	17.16	17.16					18.94	8.42			

NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.

NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.

UNBUNDLED LOCAL SWITCHING, PORT USAGE		
End Office Switching (Port Usage)		
End Office Switching Function, Per MOU		0.0016333
End Office Trunk Port - Shared, Per MOU		0.0001584
Tandem Switching (Port Usage) (Local or Access Tandem)		
Tandem Switching Function Per MOU		0.0006757
Tandem Trunk Port - Shared, Per MOU		0.0002126
Common Transport		
Common Transport - Per Mile, Per MOU		0.000008
Common Transport - Facilities Termination Per MOU		0.0004152

UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES

Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.

Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.

End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.

For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.

2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		
UNE Port/Loop Combination Rates		
2-Wire VG Loop/Port Combo - Zone 1	1	12.59
2-Wire VG Loop/Port Combo - Zone 2	2	14.26
2-Wire VG Loop/Port Combo - Zone 3	3	21.62

CATEGORY	#	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rates																	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
2-Wire Voice Grade Line Port Rates (Res)																	
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
FEATURES																	
		All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					33.67	7.88		
LOCAL NUMBER PORTABILITY																	
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPRX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2.01	0.3108					33.67	7.88		
ADDITIONAL NRCs																	
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
		2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
		2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
		2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE Loop Rates																	
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83										
2-Wire Voice Grade Line Port (Bus)																	
		2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY																	
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																	
		All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					33.67	7.88		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
		2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2.01	0.3108								
ADDITIONAL NRCs																	
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								33.67	7.88	11.17	3.91
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	19.83										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.50										
FEATURES																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					33.67	7.88		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2.01	0.3108					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2.01	0.3108					33.67	7.88		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00					33.67	7.88	11.17	3.91
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			12.59										
	2-Wire VG Loop/Port Combo - Zone 2		2			14.26										
	2-Wire VG Loop/Port Combo - Zone 3		3			21.62										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.79	22.14	15.25	8.45	3.91			37.06	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.79	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Ceiling Port			UEPPX	UEPXM	1 79	22.14	15.25	8 45	3 91			33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Ceiling Port			UEPPX	UEPXO	1.79	22.14	15.25	8.45	3.91			33 67	7 88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.79	22.14	15.25	8 45	3.91			33.67	7 88	11 17	3.91
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES												33.67	7.88		
	All Features Offered			UEPPX	UEPVF	0 00	0.00	0 00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												33.67	7.88	11.17	3 91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.01	0 3108								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.01	0.3108					33 67	7 88		
	ADDITIONAL NRCs												33 67	7.88	11 17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0.00					19.99	19 99	19 99	19 99
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates					12.69										
	2-Wire VG Coin Port/Loop Combo – Zone 1					14.36										
	2-Wire VG Coin Port/Loop Combo – Zone 2					21.72										
	2-Wire VG Coin Port/Loop Combo – Zone 3															
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	19.83										
	2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1 89	22.14	15.25	8.45	3 91			33 67	7.88	11.17	3 91
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1 89	22.14	15.25	8.45	3.91			33.67	7 88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1 89	22.14	15 25	8.45	3 91			33 67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	1 89	22 14	15.25	8 45	3 91			33.67	7 88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.89	22.14	15.25	8.45	3.91			33.67	7 88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.89	22.14	15.25	8.45	3 91			33 67	7.88	11.17	3 91
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.89	22.14	15.25	8.45	3.91			33.67	7.88	11.17	3.91
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 89	22 14	15.25	8.45	3.91			33.67	7.88	11.17	3 91
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 89	22.14	15.25	8.45	3.91						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 59	0 00	0.00								
	LOCAL NUMBER PORTABILITY															

Unbundled Network Elements
GEORGIA

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($) Recurring Res	Recurring First	Recurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES													33 67	7 88	11 17	3 91
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combinabon - Conversion - Switch-as-is			UEPCO	USAC2		2 01	0 3108					33 67	7 88		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		2 01	0 31								
ADDITIONAL NRCs													33 67	7 88	11 17	3 91
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00								
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			28 19										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30 80										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			42 27										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	16 84	104 78	78 10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	19 45	104 78	78 10								
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30 92	104 78	104 10					33 67	7 88	11 17	3 91
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	11 35	61 91	61 91					33 67	7 88		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-Is			UEPPX	USAC1		93 38	93 38					33 67	7 88		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		93 38	93 38								
ADDITIONAL NRCs													19 99	19 99		
				UEPPX	NDT	0 00	0 00	0 00					19 99	19 99		
Telephone Number/Trunk Group Establisment Charges													19 99	19 99		
	DID Trunk Termination (One Per Port)			UEPPX	NDZ	0 00	0 00	0 00					19 99	19 99		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND5	0 00	0 00	0 00					19 99			
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND6	0 00	0 00	0 00								
	Reserve Non-Consecutive DID numbers			UEPPX	NDV	0 00										
	Reserve DID Numbers															
				UEPPX	LNPCP	3 15										
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)															
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		35 38										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		38 74										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		53 64										
UNE Loop Rates													19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	21 89	252 32	188 77					19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	25 27	252 32	188 77								

UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	40.17	252.32	188.77					19.99	19.99	19.99	19.99
UNE Port Rate															
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	13.47	47.37						19.99	19.99	19.99	19.99
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	93.38	93.38					19.99	19.99	19.99	19.99
ADDITIONAL NRCs															
2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy - Non Feature/Add Trunk			UEPPB UEPPR	USASB		165.95						19.99	19.99	19.99	19.99
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CHANNEL USER PROFILE ACCESS:															
CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
USER TERMINAL PROFILE															
User Terminal Profile (EWSD only)			UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FEATURES															
All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
INTEROFFICE CHANNEL MILEAGE															
Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	16.47	79.61	36.08					19.99	19.99	19.99	19.99
Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0222	0.00	0.00				0.00				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		218.89										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		227.29										
4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		265.09										
UNE Loop Rates															
4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	55.53	448.92	276.60					19.99	19.99	19.99	19.99
4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	64.13	448.92	276.60					19.99	19.99	19.99	19.99
4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	101.93	448.92	276.60					19.99	19.99	19.99	19.99
UNE Port Rate															
Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	163.16	186.80	186.80					19.99	19.99	19.99	19.99
NONRECURRING CHARGES - CURRENTLY COMBINED															
4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	269.96	269.96					19.99	19.99	19.99	19.99
ADDITIONAL NRCs															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0.9686						19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.75	22.75					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		45.49	45.49					19.99	19.99	19.99	19.99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.71						19.99	19.99	19.99	19.99
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	28.71						19.99	19.99	19.99	19.99
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	28.71						19.99	19.99	19.99	19.99
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	28.71						19.99	19.99	19.99	19.99
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	28.71						19.99	19.99	19.99	19.99
CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	78.9223	147.07	111.75	0.00				19.99	19.99	19.99	19.99
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.4523										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		176.33							19.99	19.99	19.99	19.99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		184.93							19.99	19.99	19.99	19.99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		222.73							19.99	19.99	19.99	19.99
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	55.53	448.92	276.00					19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	64.13	448.92	276.60					19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	101.93	448.92	276.60					19.99	19.99	19.99	19.99
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	120.80	89.44	52.48					19.99	19.99	19.99	19.99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		269.96	269.96					19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		269.96	269.96					19.99	19.99	19.99	19.99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		269.96	269.96					19.99	19.99	19.99	19.99
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		147.47	147.47								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect							
						Res	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.71	28.71					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.71	28.71					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.71	28.71					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.71	28.71					19.99	19.99	19.99	19.99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28.71	28.71					19.99	19.99	19.99	19.99
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	600.00					19.99	19.99	19.99	19.99
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	600.00					19.99	19.99	19.99	19.99
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establisment Charges																
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00					19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0.00	0.00	0.00					19.99	19.99		
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00					19.99	19.99		
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	78.47	147.07	111.75	0.00	0.00						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.4523	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.4523	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Terminating Point			UEPDC	CTG	0.00										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	55.53	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	64.13	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	101.93	0.00	0.00								
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	102.64	0.00	0.00					19.99	19.99		
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	205.28	0.00	0.00					19.99	19.99		
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	410.56	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	615.84	0.00	0.00					19.99	19.99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	821.12	0.00	0.00					19.99	19.99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,026.40	0.00	0.00					19.99	19.99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,231.68	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,642.24	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,052.80	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,463.36	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,873.92	0.00	0.00					19.99	19.99		
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	328.35	16.52					19.99	19.99		
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only			UEPMG	VUMD4	0.00	738.61	462.53	144.05	17.09			19.99			
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	600.00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	600.00								
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.79	0.00	0.00	0.00	0.00			33.67	7.88	11.17	3.91
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.79	0.00	0.00	0.00	0.00			33.67	7.88	11.17	3.91
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.79	0.00	0.00	0.00	0.00			33.67	7.88	11.17	3.91
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	11.35	0.00	0.00	0.00	0.00			33.67	7.88	11.17	3.91
	Feature Activations - Unbundled Loop Concentration															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25 09	13 25	3 99	3 97			33 67	7.88	11.17	3.91
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	77.21	18 20	56.49	11.04			33.67	7 88		
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00							19.99			
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0 00	0.00	0.00					19.99			
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0 00	0 00					19.99			
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0 00	0.00					19 99			
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0 00					19.99			
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00					19 99			
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0 00	0.00	0 00								
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include:															
	1. Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee.															
	2. Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines.															
	The Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta); LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference.															
	The Market Rate for unbundled ports includes all available features in all states.															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU).															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly.															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	19.83										
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14.00	90.00	90 00					33 67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14.00	90.00	90 00					33 67	7 88	11.17	3.91
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14 00	90.00	90.00					33 67	7.88	11.17	3.91
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14 00	90.00	90.00					33 67	7.88	11 17	3.91
	LOCAL NUMBER PORTABILITY															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATURES																
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41.50	41.50								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	19.83										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41.50	41.50								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	19.83										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15										
FEATURES																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect							
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41.50	41.50								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			24.80										
	2-Wire VG Loop/Port Combo - Zone 2		2			26.47										
	2-Wire VG Loop/Port Combo - Zone 3		3			33.83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	19.83										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41.50	41.50								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64					19.99	19.99	19.99	19.99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Coin Port/Loop Combo – Zone 1					24.80										
	2-Wire VG Coin Port/Loop Combo – Zone 2					26.47										
	2-Wire VG Coin Port/Loop Combo – Zone 3					33.83										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	10.80										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	12.47										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	19.83										
2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS)			UEPCO	UEPRJ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
	2-Wire Coin Outward with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	14.00	90.00	90.00					33.67	7.88	11.17	3.91
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41.50	41.50					33.67	7.88	11.17	3.91
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41.50	41.50								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0.00	0.00					33.67	7.88	11.17	3.91
NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13.54	70.44	44.05	46.93	10.40		19.99				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	19.73	70.44	44.05	46.93	10.40		19.99				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	28.27	70.44	44.05	46.93	10.40		19.99				
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	13.54	70.44	44.05	46.93	10.40		19.99				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	19.73	70.44	44.05	46.93	10.40		19.99				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	28.27	70.44	44.05	46.93	10.40		19.99				
	Engineering Information Document (EI)			UEANL			28.76	28.76								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		16.31	16.31								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		36.18	36.18								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	17.27	236.75	177.10				19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	32.32	236.75	177.10				19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	55.78	236.75	177.10				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	17.27	236.75	177.10				19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	32.32	236.75	177.10				19.99				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	55.78	236.75	177.10				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
	4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	20.92	457.14	348.83				19.99				
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	39.14	457.14	348.83				19.99				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	67.57	457.14	348.83				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		36.18									
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	23.66	541.28	431.61				19.99				
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	44.28	541.28	431.61				19.99				
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	76.42	541.28	431.61				19.99				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		36.18									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	23.66	233.47	158.51				19.99				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	34.83	233.47	158.51				19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	45.56	233.47	158.51				19.99				
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	8.79	713.50	609.44				19.99				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	16.48	713.50	609.44				19.99				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	28.40	713.50	609.44				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36.18									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8.79	205.25	129.42	100.89	15.88		19.99				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	16.48	205.25	129.42	100.89	15.88		19.99				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	28.40	205.25	129.42	100.89	15.88		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		36.18									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	6.29	713.50	609.44				19.99				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.78	713.50	609.44				19.99				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	20.33	713.50	609.44				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36.18									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	6.29	222.58	146.75	100.89	15.88		19.99				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.78	222.58	146.75	100.89	15.88		19.99				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	20.33	222.58	146.75	100.89	15.88		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36.18									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	7.68	748.93	646.17				19.99				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	14.36	748.93	646.17				19.99				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	24.82	748.93	646.17				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36.18									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	7.68	279.79	203.96	109.64	20.64		19.99				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14.36	279.79	203.96	109.64	20.64		19.99				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	24.82	279.79	203.96	109.64	20.64		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		36.18									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	50.28	849.80	523.27				19.99				
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	94.06	849.80	523.27				19.99				
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	162.34	849.80	523.27				19.99				
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		36.18									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	35.92	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.90	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	35.92	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.90	250.99	176.03	116.85	27.85		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		36.18									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	35.92	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.32	250.99	176.03	116.85	27.85		19.99				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.90	250.99	176.03	116.85	27.85		19.99				
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		36.18									
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	14.94	283.77	164.04	120.60	22.45		19.99				
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	15.15	283.77	164.04	120.60	22.45		19.99				
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.73	283.77	164.04	120.60	22.45		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	14.94	203.39	127.56	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	15.15	203.39	127.56	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.73	203.39	127.56	100.89	15.88		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc. inquiry and facility reservation - Zone 1		1	UCL	UCL2L	36.19	270.38	150.65	120.60	22.45		19.99				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL2L	49.31	270.38	150.65	120.60	22.45		19.99				
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL2L	80.78	270.38	150.65	120.60	22.45		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	36.19	190.00	114.17	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	49.31	190.00	114.17	100.89	15.88		19.99				
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	80.78	190.00	114.17	100.89	15.88		19.99				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.01	44.69	22.40	25.65	7.06		19.99				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12.67	44.69	22.40	25.65	7.06		19.99				
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20.22	44.69	22.40	25.65	7.06		19.99				
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		16.31	16.31								
	Engineering Information Document			UEQ			28.76	28.76								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.33	23.33								
4-WIRE COPPER LOOP																
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	25.26	332.20	212.46	130.27	27.51		19.99				
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	23.00	332.20	212.46	130.27	27.51		19.99				

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l			SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19 08	332.20	212.46				18 99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	25 28	251 82	175.99				19 99				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	23.00	251.82	175.99	109 64	20.64		19.99				
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	19.08	251.82	175.99	109 64	20 64		19.99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4L	61 02	318.81	199.07	130 27	27 51		19 99				
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4L	55 74	318 81	199.07	130.27	27 51		19 99				
		4-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4L	88.97	318 81	199 07	130.27	27 51		19.99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16 31	16 31								
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 1		1	UCL	UCL4O	61 02	238 42	162 60	109.64	20.64		19 99				
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 2		2	UCL	UCL4O	55 74	238.42	162.60	109 64	20 64		19.99				
		4-Wire Unbundled Copper Loop/Long - without manual svc. inquiry and facility reservation - Zone 3		3	UCL	UCL4O	88.97	238.42	162.60	109 64	20 64		19.99				
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		16.31	16.31								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65.20	65.20								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		341.64	341.64								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65.20	65.20								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		341 64	341.64								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65.24	65 24								
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		600 03	600.03				19 99				
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45.28	45 28				19.99				
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		379.89	379 89				19 99				
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		111.55	111.55				19 99				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	9.03	131.64	61.93	90 83	13.44		19 99				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	12 25	131 64	61 93	90 83	13 44		19 99				
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	16 71	131.64	61 93	90.83	13 44		19 99				
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	10.18	158.12	88.41	99.10	18 08		19 99				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 44	158.12	88.41	99.10	18.08		19.99				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	13.38	158.12	88 41	99.10	18 08		19 99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.23	106.06	36.35	90.83	13.44		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.28	118.54	46.84	99.10	18.08		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.18	36.18								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	8.01	131.64	61.93	90.83	13.44		19.99				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	9.18	131.64	61.93	90.83	13.44		19.99				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	11.02	131.64	61.93	90.83	13.44		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.18	36.18								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	10.65	158.12	88.41	99.10	18.08		19.99				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	9.71	158.12	88.41	99.10	18.08		19.99				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	8.45	158.12	88.41	99.10	18.08		19.99				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.18	36.18								
	Sub-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL, UDC	USBFW		600.03									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL, UDC	USBFX		45.28	45.28								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		527.96	11.32								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	13.62	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		36.18									
	Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	13.62	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		36.18									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	10.36	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	13.62	184.97	111.91	108.76	26.76		19.99				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	19.69	184.97	111.91	108.76	26.76		19.99				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		36.18									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	30.69	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	36.12	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	22.90	213.56	138.60	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36.18									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	30.69	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	36.12	213.56	138.60	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	22.90	213.56	138.60	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		36.18									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	17.75	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	23.67	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	29.90	211.30	136.34	111.02	26.01		19.99				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		36.18									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	17.75	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	23.67	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	29.90	211.30	136.34	111.02	26.01		19.99				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	75.10	202.14	127.18	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	104.53	202.14	127.18	122.64	33.64		19.99				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	152.36	202.14	127.18	122.64	33.64		19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	SCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		36.18									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	8.29	167.62	92.66	106.42	21.41		19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	7.30	167.62	92.66	106.42	21.41		19.99				
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	6.03	167.62	92.66	106.42	21.41		19.99				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		36.18									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	16.55	202.05	127.09	115.43	26.43		19.99				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	15.35	202.05	127.09	115.43	26.43		19.99				
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	12.52	202.05	127.09	115.43	26.43		19.99				
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		36.18									
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	27.38	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	33.41	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	24.47	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	27.38	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	33.41	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	24.47	202.14	127.18	122.64	33.64		19.99				
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		36.18									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	27.38	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	33.41	202.14	127.18	122.64	33.64		19.99				
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	24.47	202.14	127.18	122.64	33.64		19.99				
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		36.18									
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	15.38										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	348.30	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	15.38										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	372.80	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	11.67										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	58.27										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564.68	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14.36										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	658.35										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,778.00	3,386.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	47.11										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	330.39										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,533.00	3,571.00	407.14	160.86	91.19		19.99				
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	372.76	788.37	407.14	160.86	91.19		19.99				
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		355.83	12.27				19.99				
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		355.83	12.27				19.99				
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		560.74	14.30				19.99				
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.64	62.83	62.83				19.99				
Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.66	57.24				19.99				
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.24	99.52				19.99				
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.78	11.78				19.99				
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.78	11.78				19.99				
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	522.17	651.04	651.04				19.99				
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	63.59	271.27	271.27				19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCB	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	567.21	651.04	651.04				19.99				
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	107.18	271.27	271.27				19.99				
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	8.04	126.61	92.17	33.46	9.37		19.99				
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	9.59	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	9.59	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2.40	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	14.26	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	8.51	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	41.58	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - Digital 19.2 Kbps Data Loop Interface			UDL	ULCC7	12.60	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	12.60	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	12.60	21.08	20.96	10.75	10.68		19.99				
	Unbundled Loop Concentration - Loop Interface For Digital 19.2 Kbps Data															
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL, UEF,UEQ,UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC, UDL,UDN,UEA, UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL, UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
NOTE: 4 month minimum billing period																
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11.53										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	379.72	903.34	528.05	238.20	166.62		19.99				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.53										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	394.76	903.34	528.05	238.20	166.62		19.99				
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		47.98	47.98								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		50.88	50.88								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0.6746	0.6746								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	100.00	300.00	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	25.00	300.00	0.00	0.00	0.00		0.00				
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	16.94	377.71	0.00	0.00	0.00		0.00				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0.61	40.00	22.00	0.00	0.00		19.99				
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		30.00	15.00				19.99				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)	I		ULS	ULSDG		57.72		11.43							
UNBUNDLED TRANSPORT																
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	29.51	81.07	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. - Facility Termination per month			U1TVX	U1TR2	29.51	81.07	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	26.22	81.10	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	21.26	81.11	54.84	33.36	13.75		19.99				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0118										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	21.26	81.11	54.84	33.36	13.75		19.99				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.2407										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	97.38	178.59	163.67	32.59	28.79		19.99				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5.10										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1,191.53	557.69	325.62	120.00	116.54		19.99				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.10										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	1,165.53	557.69	325.62	120.00	116.54		19.99				
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	18.81	386.33	66.35	73.04	6.37		19.99				
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	18.81	386.33	66.35	73.04	6.37		19.99				
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	20.12	387.20	67.22	73.98	7.31		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	44.63	355.06	307.53	44.24	30.42		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	40.74	355.06	307.53	44.24	30.42		19.99				
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	42.95	355.06	307.53	44.24	30.42		19.99				
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8.98										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	583.57	903.34	528.05	238.20	166.62		19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8.98										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	550.34	903.34	528.05	238.20	166.82		19.99				
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	139.65	182.14	125.19	21.00	19.52		19.99				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UDL	1D1DD	1.63	13.16	9.43								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month			UDN	UC1CA	3.50	13.16	9.43								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0.7676	13.16	9.43								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	194.82	356.40	188.00	66.30	63.44		19.99				
	STS1 to DS1 Channel System per month			UXTS1	MQ3	194.82	356.40	188.00	66.30	63.44		19.99				
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	14.53	13.16	9.43								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	48.00										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,278.61	275.82	632.07	394.05		19.99				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	31.51										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,278.61	275.82	632.07	394.05		19.99				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	48.00										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,278.61	275.82	632.07	394.05		19.99				
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184.91	23.82	1.99	0.78		19.99				
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184.91	23.82	1.99	0.78		19.99				
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		10.05	1.19				19.99				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			30.59	3.22				19.99				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		30.59	3.22				19.99				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		6.97	3.49				19.99				
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		8.16	4.67				19.99				
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		11.24	1.19				19.99				
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		6.97					19.99				
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.001										
	8XX Access Ten Digit Screening w/8XX No. Delivery for 8XX Numbers, with Optional Complex Features, per query			OHD		0.0011										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query			OHD		0.001										
	8XX Access Ten Digit Screening w/ POTS No. Delivery, with Optional Complex Features, per query			OHD		0.0011										
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.00006										
	LIDB Validation Per Query			OQU		0.00938										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		107.60					19.99				
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	174.08						19.99				
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000102042										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.31	354.95	354.95	174.08	174.08		19.99				
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.31	354.95	354.95	174.08	174.08		19.99				
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000037893										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	329.98						19.99				
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Site Affected			UDB	CCAPD		8.00	8.00				19.99				
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0.016										
	CNAM for Non DB Owners, Per Query			OQV		0.01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00				19.99				
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper. Call Processing - Oper. Provided, Per Min. - Using BST LIDB					1.20										
	Oper. Call Processing - Oper. Provided, Per Min. - Using Foreign LIDB					1.24										
	Oper. Call Processing - Fully Automated, per Call - Using BST LIDB					0.20										
	Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB					0.20										
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Call					1.00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1.95										
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement				CBAOS		7,000.00	7,000.00				19.99				
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500.00	500.00				19.99	19.99	19.99		
	Unbranding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.10										
	DIRECTORY TRANSPORT															
	SWA Common transport per Directory Assistance Access Service Call					0.000178										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0.000017										
	Access Tandem Switching per Directory Assistance Access Service Call					0.000287										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0.00										
	DS3 to DS1 Multiplexer per DA Access Service Call					0.00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0.04										
	Directory Assistance Data Base Service, per month				DBSOF	150.00										
BRANDING - DIRECTORY ASSISTANCE																
	Facility Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170.00	1,170.00								
	UNEP CLEC															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170.00	1,170.00								
	Unbranding via OLNS for UNEP CLEC															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		229.65	229.65				19.99				
VIRTUAL COLLOCATION																
	Virtual Collocation - Application Cost			CLO	EAF		2,848.30	2,848.30								
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750.00	2,750.00								
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3.20										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3.48										
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13.35										
	Virtual Collocation - 2-wire Cross Connects (loop)			uear,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0.31	54.21	51.07				19.99				
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0.62	54.23	50.96				19.99				
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15.64	41.56	29.82					19.99	19.99	19.99	19.99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28.11	50.53	38.78					19.99	19.99	19.99	19.99
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	1.50	44.07	31.86	12.76	11.53						
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0.0045										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			535.55									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			535.55									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41.00	25.00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48.00	30.00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55.00	35.00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30.64	30.64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35.77	35.77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40.90	40.90								
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.31	54.21	51.07				19.99				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0.62	54.23	50.96				19.99				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.62	54.23	50.96				19.99				
VIRTUAL COLLOCATION																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0.31	54.21	51.07				19.99				
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		391,788.00					19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect							
						Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	End Office Establishment			SRC	SRCEO		320.53	320.53				19.99				
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06				19.99				
	Query NRC, per query			SRC		0.000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
ODUF/EODUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message					0.004										
	ADUF, Data Transmission (CONNECT:DIRECT), per message					0.001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message					0.004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0008611										
	ODUF: Message Processing, per message					0.0032357										
	ODUF, Message Processing, per Magnetic Tape provisioned					55.68										
	ODUF, Data Transmission (CONNECT:DIRECT), per message					0.0000365										
ENHANCED EXTENDED LINK (EELs)																
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FL; Nashville, TN; New Orleans, LA;															
	NOTE, Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge															
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply)															
	NOTE. In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements (No Switch As Is Charge.)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.27										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32.32										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	55.78										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	97.38										
	DS1 Channelization System Per Month			UNC1X	MQ1	139.65										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0.7678										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.27										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32.32										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	55.78										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0.7678										
	Nonrecurring Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	20.92										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	67.57										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	97.38										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7676										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	20.92										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39 14										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	67.57										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13.91	13 91		19.99				
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35.92										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.32										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.90										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	97 38						19 99				
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65										
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs)			UNCDX	1D1DD	1.63										
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35.92						19.99				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.32						19.99				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.90						19 99				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1.63										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19.99				
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35.92										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97.38										
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	139 65										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.63	0 00	0.00								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35 92										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.63										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 19	11 19	13 91	13 91		19.99				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	50.26										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	94.06										
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 2407										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	97.38						19.99				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50.26										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94.06										
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	5.10										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,191.53										
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	194.82										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50.26										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94.06										
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162.34										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)			---	-											
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	17.27										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32.32										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	55.78										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0118										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	29.51						19.99				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	20.92										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	39.14										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	67.57										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0.0118										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	26.22										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11.53										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	379.72										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.10										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	1,191.53										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	11.53										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	394.76										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	5.10										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	1,165.53										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	23.66										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	44.28										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	76.42										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.2407										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	97.38										
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	139.65										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3.50										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	23.66										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	44.28										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	76.42										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaon- per month			UNCNX	UC1CA	3.50										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50.26										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94.06										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162.34										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	5.10										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	1,166.53										
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	194.82										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	50.26										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	94.06										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	162.34										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	14.53										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	35.92										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.32										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.90										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.0118										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	21.26										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	35.92										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.32										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.90										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0.0118										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	21.26										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.															
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11.19	11.19	13.91	13.91		19.99				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11.19	11.19	13.91	13.91		19.99				
	NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE: (1) Electronic Service Order: CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE. (1) Continued. The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE: (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge.															
	NOTE. (2) Manual Service Order charge: disconnect, in the state of Florida, to be billed on a per LSR basis															
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPRM	2.61	24.98	24.98				19.99				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.61	24.98	24.98				19.99				
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	3.39	0.00	0.00				19.99				
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.61	37.55	37.55				19.99				
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPBM	2.61	37.78	37.78				19.99				
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.61	37.55	37.55				19.99				
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	3.39	0.00	0.00				19.99				
	EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	10.97	238.69	37.49	119.40	7.50		19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Common Transport																
	Common Transport - Per Mile, Per MOU					0.0000049										
	Common Transport - Facilities Termination Per MOU					0 000426										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	28.27										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.61	21 21	15 43	2.84	2 66		19 99				
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.61	21 21	15 43	2.84	2 66		19.99				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPRX	UEPRM	2.61	21 21	15 43	2.84	2.66		19.99				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.61	21 21	15.43	2.84	2 66		19.99				
FEATURES																
	All Features Offered			UEPRX	UEPVF	3.39	0.00	0 00				19 99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		10 00	10.00				19.99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		10.00	10.00				19 99				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0.00	0.00				19.99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16 15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30 88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	28 27										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPBX	UEPBM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2.61	21.21	15.43	2.84	2.66		19.99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEATURES																
	All Features Offered			UEPBX	UEPVF	3.39	0.00	0.00				19.99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		10.00	10.00								
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2							19.99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16.15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	28.27										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.50										
FEATURES																
	All Features Offered			UEPRG	UEPVF	3.39	0.00	0.00				19.99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		10.00	10.00				19.99				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00				19.99				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			16.15										
	2-Wire VG Loop/Port Combo - Zone 2		2			22.34										
	2-Wire VG Loop/Port Combo - Zone 3		3			30.88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	28.27										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.61	21.21	15.43	2.84	2.66		19.99				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.61	21.21	15.43	2.84	2.66		19.99				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPPX	UEPXG	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.61	21.21	15.43	2.84	2.66		19.99				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.61	21.21	15.43	2.84	2.66			19.99	19.99		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	3.39	0.00	0.00				19.99				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		10.00	10.00				19.99				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				19.99				
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				19.99				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					16.15										
	2-Wire VG Coin Port/Loop Combo – Zone 2					22.64										
	2-Wire VG Coin Port/Loop Combo – Zone 3					31.09										
UNE Loop Rates																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	13.54										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	19.73										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	28.27										
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.91	21.21	15.43	2.84	2.66		19.99	19.99			
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.91	21.21	15.43	2.84	2.66		19.99				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.91						19.99				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.91						19.99				
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		10.00	10.00				19.99				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		10.00	10.00				19.99				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00				19.99				
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			26.72										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			34.90										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			45.90										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	17.78						19.99				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	23.98						19.99				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	34.96						19.99				
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	10.94	334.92	27.66	131.91	9.28		19.99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 62	3 73				19.99				
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 58	53 58				19.99				
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00				19 99				
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0 00				19 99				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0 00	0 00	0 00				19.99				
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0 00				19.99				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				19.99				
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		35 40										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		44 09										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		55 35										
UNE Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	22.41						19.99				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	31.10						19 99				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	42.36						19.99				
UNE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	12 99	319.40	288 11	91.87	17 49		19 99				
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0.00	77 04	54.04				19.99				
ADDITIONAL NRCs																
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0 00	0.00	0 00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0 00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
	USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPR	U1UMA	0.00	0.00	0.00								
	VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	3.39	0.00	0.00				19.99				
	INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	26.98	142.31	56.21				19.99				
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0301	0.00	0.00				19.99				
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
	UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		219.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		248.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		299.47										
	UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	109.04						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	135.15						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	166.15						19.99				
	UNE Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	113.21	733.57	381.40	158.92	48.65		19.99				
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0.00	238.22	157.17				19.99				
	ADDITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0.9804					19.99				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		23.02	23.02				19.99				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		46.05	46.05				19.99				
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
	INTERFACE (Provisioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
	New or Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	29.06					19.99				
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.06					19.99				
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.06					19.99				
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0.00	29.06					19.99				
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0.00	29.06					19.99				
	CALL TYPES															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0 00	0.00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Interoffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	55 50	298 18	231.23	0 00			19 99				
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.45										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		189 32						19 99				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		218 43						19 99				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		269.54						19 99				
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	106.04						19 99				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	135.15						19.99				
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	186.15						19.99				
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	83.28	777.87	384 20	175.57	16 92		19 99				
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-Is			UEPDC	USAC4		261 15	134.08				19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		261 15	134 08				19.99				
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		261.15	134 08				19.99				
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.96	28.96				19 99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 96	28.96				19 99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 96	28.96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activatron Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28.96	28 96				19.99				
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 96	28 96				19.99				
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00	730.00				19.99				
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00	730.00				19 99				
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establisment Charges																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00						19.99				
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						19.99				
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00						19 99				
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00						19.99				
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00						19 99				
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0 00	0.00				19 99				
	Reserve DID Numbers			UEPDC	NDV	0 00	0.00	0.00				19 99				
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	55.05	298 18	231.23	0.00	0 00		19.99				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0 00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 45	0.00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0 00	0.00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.45	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0 00							
	Central Office Terminating Point			UEPDC	CTG	0.00										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	106 04	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	135.15	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	186.15	0.00	0.00								
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	136.99	0.00	0.00				19.99				
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	273 98	0.00	0.00				19 99				
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	547.96	0 00	0.00				19.99				
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	821.94	0.00	0.00				19.99				
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	1,095.92	0 00	0.00				19.99				
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,369.90	0.00	0 00				19.99				
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,643.88	0.00	0 00				19 99				
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,191.84	0 00	0 00				19.99				
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,739.80	0.00	0 00				19 99				
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,287 76	0.00	0.00				19 99				
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,835.72	0.00	0.00				19 99				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	301.05	16.72				19.99				
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only			UEPMG	VUMD4	0.00	716.36	468.20	149.30	17.71		19.99				
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00	730.00				19.99				
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00	730.00				19.99				
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1.66	0.00	0.00	0.00	0.00		19.99				
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1.66	0.00	0.00	0.00	0.00		19.99				
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1.66	0.00	0.00	0.00	0.00		19.99				
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	10.97	0.00	0.00	0.00	0.00		19.99				
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0.77	25.40	13.41	4.17	4.15		19.99				
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0.77	78.15	19.68	59.05	11.54		19.99				
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00						19.99				
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00				19.99				
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00				19.99	19.99			
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00				19.99				
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00				19.99				
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.39	0.00	0.00				19.99				
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include:															
	1. Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee.															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines.															
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderdale, Miami); GA (Atlanta); LA (New Orleans); NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill); TN (Nashville).															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
	The Market Rate for unbundled ports includes all available features in all states.															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC: URECU).															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly.															
	NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	SCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEAL2	12.90	36.54	16.87				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEAL2	23.33	36.54	16.87				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEAL2	48.43	36.54	16.87				15.20				
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		33.17	33.17								
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		19.28	19.28								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR, UEPSB	UEALS	12.90	36.54	16.87				15.20				
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR, UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00		15.20				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR, UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00		15.20				
	Engineering Information Document (EI)		UEANL			13.04	13.04								
	Manual Order Coordination for UVL-SL1s (per loop)*		UEANL	UEAMC		7.92	7.92								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *		UEANL	OCOSL		17.56	17.56								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	14.93	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	25.35	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	50.46	102.10	65.72				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		17.56									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	14.93	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	25.35	102.10	65.72				15.20				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	50.46	102.10	65.72				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		17.56									
	4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	30.81	127.40	91.02				15.20				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	38.32	127.40	91.02				15.20				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	60.39	127.40	91.02				15.20				
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		17.56									
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	22.09	113.34	76.96				15.20				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	35.28	113.34	76.96				15.20				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	66.18	113.34	76.96				15.20				
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		17.56									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP														
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	UDC	UDC2X	22.09	113.34	76.96				15.20				
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	2	UDC	UDC2X	35.28	113.34	76.96				15.20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	3	UDC	UDC2X	65.18	113.34	76.96				15.20					
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	12.28	117.08	68.36				15.20					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	14.09	117.08	68.36				15.20					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	15.75	117.08	68.36				15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		17.56										
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	UAL	UAL2W	12.28	92.83	56.02				15.20					
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	2	UAL	UAL2W	14.09	92.83	56.02				15.20					
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	3	UAL	UAL2W	15.75	92.83	56.02				15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		17.56										
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.79	125.50	76.77				15.20					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	11.52	125.50	76.77				15.20					
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	12.74	125.50	76.77				15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		17.56										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.79	101.24	64.43				15.20					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	11.52	101.24	64.43				15.20					
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	12.74	101.24	64.43				15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		17.56										
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	16.24	153.28	104.54				15.20					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	16.65	153.28	104.54				15.20					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	17.34	153.28	104.54				15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		17.56										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	16.24	129.00	92.20				15.20					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	16.65	129.00	92.20				15.20					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	17.34	129.00	92.20				15.20					
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		17.56										
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	65.70	245.16	152.98				15.20					
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	194.98	245.16	152.98				15.20					

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	491 94	245 16	152.88				15 20					
	Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL		17 56										
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps	1	UDL	UDL19	30.99	121 86	85 48				15 20					
	4 Wire Unbundled Digital 19 2 Kbps	2	UDL	UDL19	36 78	121 86	85 48				15 20					
	4 Wire Unbundled Digital 19 2 Kbps	3	UDL	UDL19	38 92	121 86	85.48				15 20					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	30 99	121 86	85 48				15 20					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	36.78	121 86	85 48				15.20					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	38 92	121 86	85.48				15 20					
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		17 56										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	30 99	121 86	85 48				15 20					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	36.78	121 86	85.48				15.20					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	38.92	121 86	85 48				15 20					
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		17 56										
	2-WIRE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12 29	116.18	67 46				15 20					
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	14.09	116 18	67 46				15 20					
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	15 75	116 18	67 46				15.20					
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7 92									
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12 29	91 92	55.12				15 20					
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	14.09	91 92	55 12				15.20					
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	15 75	91 92	55.12				15 20					
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7 92									
	2-Wire Unbundled Copper Loop/Long - Includes manual srvc inquiry and facility reservation - Zone 1	1	UCL	UCL2L	17.21	116 18	67.46				15 20					
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 2	2	UCL	UCL2L	24.98	116 18	67.46				15 20					
	2-Wire Unbundled Copper Loop/Long - includes manual svc. inquiry and facility reservation - Zone 3	3	UCL	UCL2L	39 57	116 18	67.46				15.20					
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92									
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL2W	17.21	91.92	55 12				15 20					
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL2W	24 98	91 92	55.12				15.20					
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL2W	39.57	91 92	55.12				15.20					
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7.92									
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	12.40	35 27	15.80				15 20					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	14 32	35 27	15.80				15 20					
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	16 87	35 27	15.80				15 20					
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		7 92	7 92									
	Engineering Information Document		UEQ			13 04	13.04									
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		33 17	33.17									
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		19 28	19 28									
	4-WIRE COPPER LOOP															

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	22 27	139 69	90 96				15 20					
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	18 95	139 69	90 96				15 20					
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	10 99	139 69	90 96				15 20					
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7 92									
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	22 27	115 43	78 63				15 20					
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	18 95	115 43	78 63				15 20					
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	10 99	115 43	78 63				15 20					
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7 92									
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1	1	UCL	UCL4L	28 17	139 69	90 96				15 20					
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2	2	UCL	UCL4L	28 47	139 69	90 96				15 20					
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3	3	UCL	UCL4L	62 93	139 69	90 96				15 20					
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7 92									
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1	1	UCL	UCL4O	26 17	115 43	78 63				15 20					
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2	2	UCL	UCL4O	28 47	115 43	78 63				15 20					
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3	3	UCL	UCL4O	62 93	115 43	78 63				15 20					
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7 92	7 92									
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft		UAL, UHL, UCL, UEQ, ULS	ULM2L		0 00	0 00									
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft		UCL, ULS	ULM2G		0 00	0 00									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft		UHL, UCL	ULM4L		0 00	0 00									
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft		UCL	ULM4G		0 00	0 00									
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		12 15	12 15									
SUB-LOOPS																	
	Sub-Loop Distribution																
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL	USBSA		144 09	144 09				15 20					
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL	USBSB		10 99	10 99				15 20					
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		86 16	86 16				15 20					
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		27 13	27 13				15 20					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	7 57	63 89	30 06				15 20					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	12 75	63 89	30 06				15 20					
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	21 45	63 89	30 06				15 20					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7 92	7 92									
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	11 76	76 75	42 92				15 20					

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	16 84	76 75	42 92				15 20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	19 27	76 75	42 92				15 20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7 92	7 92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	USBR2	2 91	51 48	17 65				15 20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7 92	7 92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		UEANL	USBR4	6 58	57 64	23 71				15 20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7 92	7 92								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6 26	63 89	30 06				15 20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	10 07	63 89	30 06				15 20				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	12 70	63 89	30 06				15 20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		7 92	7 92								
	4 Wire Copper Unbundled Sub-Loop D stribution - Zone 1	1	UEF	UCS4X	8 03	76 75	42 92				15 20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	10 71	76 75	42 92				15 20				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	6 05	76 75	42 92				15 20				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		7 92	7 92								
Sub-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		UEA, UDN,UCL,UDL,UDC	USBFW		144 09									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up		UEA, UDN,UCL,UDL,UDC	USBFX		10 99	10 99								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		USL	USBFZ		566 98	11 30								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1	1	UEA	USBFA	8 71	89 81	54 35				15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFA	13 64	89 81	54 35				15 20				
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3	3	UEA	USBFA	30 21	89 81	54 35				15 20				
	Order Coordination for Specified Conversion Time, per LSR		UEA	OCOSL		17 56									
	Unbundide Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFB	8 71	89 81	54 35				15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFB	13 64	89 81	54 35				15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	3	UEA	USBFB	30 21	89 81	54 35				15 20				
	Order Coordination for Specified Time Conversion, per LSR		UEA	OCOSL		17 56									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1	UEA	USBFC	8 71	89 81	54 35				15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2	UEA	USBFC	13 64	89 81	54 35				15 20				
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3	UEA	USBFC	30 21	89 81	54 35				15 20				
	Order Coordination For Specified Conversion Time, per LSR		UEA	OCOSL		17 56									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1	1	UEA	USBFD	21 44	103 69	67 31				15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFD	24 66	103 69	67 31				15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3	UEA	USBFD	42 84	103 69	67 31				15 20				
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		17 56									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFE	21 44	103 69	67 31				15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFE	24 66	103 69	67 31				15 20				
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	3	UEA	USBFE	42 84	103 69	67 31				15 20				
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		17 56									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	15 44	102 58	66 20				15 20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	2	UDN	USBFF	23 32	102 58	66 20				15 20				
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	3	UDN	USBFF	44 57	102 58	66 20				15 20				
	Order Coordination For Specified Conversion Time, Per LSR		UDN	OCOSL		17 56									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	UDC	USBFG	15 44	102 58	66 20				15 20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	2	UDC	USBFG	23 32	102 58	66 20				15 20				
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	3	UDC	USBFG	44 57	102 58	66 20				15 20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	USL	USBFG	55 38	98 15	61 77				15 20				
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	2	USL	USBFG	167 83	98 15	61 77				15 20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order va Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3	USL	USBFG	469 87	98 15	61 77				15 20					
	Order Coordination For Specified Conversion Time, Per LSR		USL	OCOSL		17 56										
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	UCL	USBFH	6 96	81 36	44 98				15 20					
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2	2	UCL	USBFH	4 97	81 36	44 98				15 20					
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3	3	UCL	USBFH	3 99	81 36	44 98				15 20					
	Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		17 56										
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	UCL	USBFJ	15 68	98 07	61 69				15 20					
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2	UCL	USBFJ	9 68	98 07	61 69				15 20					
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3	UCL	USBFJ	6 39	98 07	61 69				15 20					
	Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		17 56										
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	1	UDL	USBFN	22 61	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	2	UDL	USBFN	22 87	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	3	UDL	USBFN	24 25	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFO	22 61	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFO	22 87	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFO	24 25	98 15	61 77				15 20					
	Order Coordination For Specified Time Conversion, per LSR		UDL	OCOSL		17 56										
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFP	22 61	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFP	22 87	98 15	61 77				15 20					
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFP	24 25	98 15	61 77				15 20					
	Order Coordination For Specified Conversion Time, per LSR		UDL	OCOSL		17 56										
	Sub Loop Feeder - DS3 - Per Mile Per Month		UE3	1L5SL	17 00											
	Sub Loop Feeder - DS3 - Facility Termination Per Month		UE3	USBF1	368 44	3,381 00	406 56	158 98	90 12		15 20					
	Sub Loop Feeder – STS-1 – Per Mile Per Month		UDLSX	1L5SL	17 00											
	Sub Loop Feeder - STS-1 - Facility Termination Per Month		UDLSX	USBF7	395 92	3,381 00	406 56	158 98	90 12		15 20					
	Sub Loop Feeder – OC-3 – Per Mile Per Month		UDLO3	1L5SL	12 90											
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month		UDLO3	USBF5	60 45											
	Sub Loop Feeder - OC-3 - Facility Termination Per Month		UDLO3	USBF2	594 77	3,381 00	406 56	158 98	90 12		15 20					
	Sub Loop Feeder - OC-12 - Per Mile Per Month		UDL12	1L5SL	15 87											
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month		UDL12	USBF6	683 03											
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		UDL12	USBF3	1,922 00	3,381 00	406 56	158 98	90 12		15 20					
	Sub Loop Feeder - OC-48 - Per Mile Per Month		UDL48	1L5SL	52 07											
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month		UDL48	USBF9	341 64											
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		UDL48	USBF4	1,663 00	3,566 00	406 56	158 98	90 12		15 20					
	Sub Loop Feeder - OC-12 Interface On OC-48		UDL48	USBF8	385 45	787 24	406 56	158 98	90 12		15 20					
	Unbundled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		0 00	0 00				15 20					
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		0 00	0.00				15 20					
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		UEF	ULM4T		224 55	4 29				15 20					
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 3454	14 72	14 72				15 20					
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		42 26	27 83				15 20					
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		62 86	48 43				15 20					
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		5 73	5 73				15 20					
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		5 73	5 73				15 20					
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	374 26	316 00	316 00				15 20					

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	53 40	131 67	131 67				15 20					
		Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	412 08	316 00	316 00				15 20					
		Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	89 98	131 67	131 67				15 20					
		Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 12	61 46	44 74				15 20					
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 12	10 23	10 18									
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 12	10 23	10 18									
		Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 03	10 23	10 18									
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	12 07	10 23	10 18									
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 20	10 23	10 16									
		Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	35 19	10 23	10 18				15 20					
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	10 67	10 23	10 18									
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	10 67	10 23	10 18									
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	10 67	10 23	10 18									
		Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data				10 63	10 23	10 18									
UNE OTHER, PROVISIONING ONLY - NO RATE																	
		NID - Dispatch and Service Order for NID installation		UENTW	UNDBX												
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
		Unbundled Contract Name, Provisioning Only - No Rate		UEANL, UEF,UEQ,UENTW	UNECN												
		Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0 00	0 00										
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0 00	0 00										
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0 00	0 00										
		Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0 00	0 00										
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0 00	0 00										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	NOTE 4 month minimum billing period																
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	10 04											
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	362 34	438 46	256 30				15 20					
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	10 04											
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	374 56	438 46	256 30				15 20					
LOOP MAKE-UP																	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		23 29	23 29									
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		24 70	24 70									
		Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 19	0 19									

UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING														
Line Sharing Splitter, per System 96 Line Capacity			ULSDA	187 17	183 33	0 00	0 00	0 00		0 00				
Line Sharing Splitter, per System 24 Line Capacity			ULSDB	46 79	183 33	0 00	0 00	0 00		0 00				
Line Sharing Splitter, Per System, 8 Line Capacity			ULSD8	15 59	183 33	0 00	0 00	0 00		0 00				
Line Sharing - per Line Activation			ULSDC	0 61	17 97	10 29	0 00	0 00		15 20				
Line Sharing - per Subsequent Activity per Line Rearrangement			ULSDS		15 91	7 95				15 20				
Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULSDG		83 98		0 00							
UNBUNDLED TRANSPORT														
NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one and above four months														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE														
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			1L5XX	0 013										
Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TV2	22 60	39 36	26 62				15 20				
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade Rev Bat - Per Mile per month			1L5XX	0 013										
Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TR2	22 60	39 36	26 62	0 00	0 00		15 20				
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			1L5XX	0 013										
Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TV4	19 81	39 36	26 62				15 20				
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			1L5XX	0 013										
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TD5	15 61	39 37	26 62				15 20				
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			1L5XX	0 013										
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TD6	15 61	39 37	26 62	0 00	0 00		15 20				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1														
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			1L5XX	0 2652										
Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TF1	70 47	86 69	79 44				15 20				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3														
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			1L5XX	6 04										
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TF3	650 45	270 69	158 05				15 20				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1														
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			1L5XX	6 04										
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TFS	830 19	270 69	158 05				15 20				
LOCAL CHANNEL - DEDICATED TRANSPORT														
NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months														
Local Channel - Dedicated - 2-Wire Voice Grade Per Month		ULDVX	ULDV2	18 32	187 51	32 21				15 20				
Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month		ULDVX	ULDR2	18 32	187 51	32 21	0 00	0 00		15 20				
Local Channel - Dedicated - 4-Wire Voice Grade per month		LINDVX	ULDV4	19 41	187 94	32 63				15 20				
Local Channel - Dedicated - DS1 per month - Zone 1	1	ULDD1	ULDF1	39 18	172 34	149 27				15 20				
Local Channel - Dedicated - DS1 per month - Zone 2	2	ULDD1	ULDF1	121 58	172 34	149 27				15 20				
Local Channel - Dedicated - DS1 per month - Zone 3	3	ULDD1	ULDF1	70 02	172 34	149 27				15 20				
Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	7 82										
Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	469 44	438 46	256 30				15 20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	7 82											
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	457 22	438 46	256 30	0 00	0 00		15 20					
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System		UXTD1	MQ1	105 09	88 41	60 76				15 20					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL	1D1DD	1 38	6 39	4 58									
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	2 86	6 39	4 58									
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	0 6497	6 39	4 58									
	DS3 to DS1 Channel System per month		UXTD3	MQ3	201 48	172 99	91 25				15 20					
	STS1 to DS1 Channel System per month		UXTS1	MQ3	201 48	172 99	91 25				15 20					
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	11 78	6 39	4 58									
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	52 23											
	NRC Dark Fiber - Local Channel		UDF	UDFC4		620 60	133 88				15 20					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	25 28											
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		620 60	133 88	0 00	0 00		15 20					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	52 23											
	NRC Dark Fiber - Local Loop		UDF	UDFL4		620 60	133 88	0 00	0 00		15 20					
TRANSPORT OTHER																
	Optional Features & Functions															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 65	23 70	1 97	0 77			29 20	3 92			
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 65	23 70	1 97	0 77			29 20	3 92			
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call		OHD		0 0006387											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		2 51	0 43				15 20					
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			5 77	0 78				16 20					
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		5 77	0 78				15 20					
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		2 51	1 26				15 20					
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		2 93	1 68				15 20					
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		2 93	0 43				15 20					
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		2 51					15 20					
	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query		OHD		0 0006387											
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query		OHD		0 0006387											
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query		OQT		0 0000221											
	LIDB Validation Per Query		OQU		0 0135077											
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		33 33					15 20					
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port		UDB	PT8SX	147 60						15 20					
	CCS7 Signaling Usage, Per TCAP Message		UDB		0 000064											
	CCS7 Signaling Connection, Per link (A link)		UDB	TPP++	15 77	34 50					15 20					
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TPP++	15 77	34 50	34 50				15 20					
	CCS7 Signaling Usage, Per ISUP Message		UDB		0 000016											
	CCS7 Signaling Usage Surrogate, per link per LATA		UDB	STU56	732 10						15 20					
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		UDB	CCAPO		28 17	28 17				15 20					
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		UDB	CCAPD		28 17	28 17				15 20					

UNBUNDLED NETWORK ELEMENT	Zon	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
E911 SERVICE														
Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				18 32	187 51	32 21				15 20				
Local Channel - Dedicated - 2-wr Voice Grade - Zone 2				18 32	187 51	32 21				15 20				
Local Channel - Dedicated - 2-wr Voice Grade - Zone 3				18 32	187 51	32 21				15 20				
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				0 013										
Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination				22 60	39 36	26 62				15 20				
Local Channel - Dedicated - DS1 - Zone 1				39 18	172 34	149 27				15 20				
Local Channel - Dedicated - DS1 - Zone 2				121 58	172 34	149 27				15 20				
Local Channel - Dedicated - DS1 - Zone 3				70 02	172 34	149 27				15 20				
Interoffice Transport - Dedicated - DS1 Per Mile				0 2652										
Interoffice Transport - Dedicated - DS1 Per Facility Termination				70 47	86 69	79 44				15 20				
CALLING NAME (CNAM) SERVICE														
CNAM for DB Owners, Per Query		OQV		0 0010217										
CNAM for Non DB Owners, Per Query		OQV		0 0010217										
CNAM For DB Owners - Service Establishment		OQV			22 29					15 20				
CNAM For Non DB Owners - Service Establishment		OQV			22 29					15 20				
CNAM For DB Owners - Service Provisioning With Point Code Establishment		OQV			962 22	711 84				15 20				
CNAM For Non DB Owners - Service Provisioning With Point Code Establishment		OQV			332 43	238 05				15 20				
CNAM (Non-Dalabs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595 00	595 00				15 20				
LNP QUERY SERVICE														
LNP Charge Per query				0 0008559										
LNP Service Establishment Manual					12 16									
LNP Service Provisioning with Point Code Establishment					576 33	294 43								
OPERATOR SERVICES AND DIRECTORY ASSISTANCE														
OPERATOR CALL PROCESSING														
Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 20										
Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24										
Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 20										
Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 20										
INWARD OPERATOR SERVICES														
Inward Operator Services - Verification, Per Minute				1 15										
Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING														
Recording of Custom Branded OA Announcement			CBAOS		7,000 00	7,000 00				15 20				
Loading of Custom Branded OA Announcement per shelf/NAV			CBAOL		500 00	500 00				15 20				
Unbranding via OLNS for UNEP CLEC														
Loading of OA per OCN (Regional)					1,200 00	1,200 00								
DIRECTORY ASSISTANCE SERVICES														
DIRECTORY ASSISTANCE ACCESS SERVICE														
Directory Assistance Access Service Calls, Charge Per Call				0 25										
DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 10										
DIRECTORY TRANSPORT														
SWA Common transport per Directory Assistance Access Service Call				0 0003										
SWA Common Transport per Directory Assistance Access Service Call Mile				0 00004										
Access Tandem Switching per Directory Assistance Access Service Call				0 00055										
Directory Assistance Interconnection per Directory Assistance Access Service Call				0 00										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 to DS1 Multiplexer per DA Access Service Call				0 00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)														
	Directory Assistance Data Base Service Charge Per Listing				0 04										
	Directory Assistance Data Base Service, per month			DBSOF	150 00										
BRANDING - DIRECTORY ASSISTANCE															
	Facility Based CLEC														
	Recording and Provisioning of DA Custom Branded Announcement		AMT	CBADA		6,000 00	6,000 00								
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		1,170 00	1,170 00								
	UNEP CLEC														
	Recording of DA Custom Branded Announcement					3,000 00	3,000 00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN					1,170 00	1,170 00								
	Unbranding via OLNS for UNEP CLEC														
	Loading of DA per OCN (1 OCN per Order)					420 00	420 00								
	Loading of DA per Switch per OCN					16 00	16 00								
SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch			JSRCR		82 25	82 25				15 20				
VIRTUAL COLLOCATION															
	Virtual Collocation - Application Cost		CLO	EAF		1,770 40									
	Virtual Collocation - Cable Installation Cost, per cable		CLO	ESPCX		841 54									
	Virtual Collocation - Floor Space, per sq ft		CLO	ESPVX	3 20										
	Virtual Collocation - Power, per breaker amp		CLO	ESPAX	8 32										
	Virtual Collocation - Cable Support Structure, per entrance cable		CLO	ESPSX	16 02										
	Virtual Collocation - 2-wire Cross Connects (loop)		uean1,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 0296	11 94	11 46				15 20				
	Virtual Collocation - 4-wire Cross Connects (loop)		uea,uhl,ucl,udl	UEAC4	0 0591	**12 04**	**11 53**				**15 20**				
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	2 65	20 29	14 76				15 20				
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	5 31	24 81	19 29				15 20				
	Virtual Collocatin - DS1 Cross Connects		USL,ULC,CLO	CNC1X	1 04	21 39	15 47				15 20				
	Virtual Collocatin - DS3 Cross Connects		USL,ULC,CLO	CND3X	13 21	20 28	14 76				15 20				
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot		AMTFS	PE1ES	0 0024										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft		AMTFS	PE1DS	0 0036										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable		AMTFS			534 79									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable		AMTFS			534 79									
	Virtual Collocatin - Security Escort - Basic, per half hour		CLO	SPTBX		16 44	10 42								
	Virtual Collocatin - Security Escort - Overtime, per half hour		CLO	SPTOX		21 41	13 45								
	Virtual Collocatin - Security Escort - Premium, per half hour		CLO	SPTPX		26 38	16 49								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour		CLO	CTRLX		27 12	10 42								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour		CLO	SPTOM		35 42	13 45								
				SPTPM		43 72	16 49								
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res		UEPSR	E1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res		UEPRX	E1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus		UEPSP	E1R2	0 0296	11 94	11 46				15 20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res		UEPSE	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus		UEPSB	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN		UEPSX	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN		UEPTX	VE1R2	0 0296	11 94	11 46				15 20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1		UEPDD	VE1R4	0 0591	12 04	11 53				15 20				
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1		UEPEX	VE1R4	0 0591	12 04	11 53				15 20				
VIRTUAL COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR, UEPSB	VE1LS	0 0296	11 94	11 46	0 00	0 00		15 20				
AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment		SRC	SRCEC		100,209 33					15 20				
	End Office Establishment		SRC	SRCEO		164 29	164 29				15 20				
	Query NRC, per query		SRC		0 0030293										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		38 30	38 30				15 20				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		7 60	7 60				15 20				
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		7 60	7 60				15 20				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		33 99	33 99				15 20				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		41 39	41 39				15 20				
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0022										
	AIN SMS Access Service - Session, Per Minute				0 5795										
	AIN SMS Access Service - Company Performed Session, Per Minute				0 8104										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		38 30	38 30				15 20				
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		4,175 10	4,175 10				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt			BAPTT		7 60	7 60				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		7 60	7 60				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		7 60	7 60				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTQ		33 47	33 47				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		33 47	33 47				15 20				
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		33 47	33 47				15 20				
	AIN Toolkit Service - Query Charge, Per Query				0 0536446										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				0 06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	10 90	7 60	7 60				15 20				
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	2 80	8 41	8 41				15 20				
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	8 20	7 60	7 60				15 20				
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0 09	8 41	8 41				15 20				
ODUF/EDOUF/ADUF/CMDS															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message				0 007983										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 00012681										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message				0 250015										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message				0 0000117										
	ODUF Message Processing, per message				0 004641										
	ODUF Message Processing per Magnetic Tape provisioned				48 45										
	ODUF Data Transmission (CONNECT DIRECT), per message				0 00010568										
ENHANCED EXTENDED LINK (EELs)															
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft Lauderdale, FLI, Nashville, TN, New Orleans, LA,														
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge.														
	NOTE· In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)														
	NOTE· In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements (No Switch As Is Charge)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	UNCVX	UEAL2	14 93	94 21	45 09				15 20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	2	UNCVX	UEAL2	25 35	94 21	45 09	0 00	0 00		15 20				
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	3	UNCVX	UEAL2	50 46	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	70 47	143 58	103 88				15 20				
	DS1 Channelization System Per Month		UNC1X	MQ1	105 09	59 97	12 96				15 20				
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	0 6497	5 91	4 26								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	14 93	94 21	45 09	0 00	0 00		15 20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	25 35	94 21	45 09	0 00	0 00		15 20				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	50 46	94 21	45 09	0 00	0 00		15 20				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6497	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		5 43	5 43				15 20				
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	30 81	94 21	45 09				15 20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	38 32	94 21	45 09	0 00	0 00		15 20				
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	60 39	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	70 47	143 58	103 88	0 00	0 00		15 20				
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	105 09	59 97	12 96	0 00	0 00						
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6497	5 91	4 26								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	30 81	94 21	45 09	0 00	0 00		15 20				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	38 32	94 21	45 09	0 00			15 20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	60 39	94 21	45 09	0 00	0 00		15 20				
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6497	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	30 99	94 21	45 09				15 20				
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	36 78	94 21	45 09	0 00	0 00		15 20				
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	38 92	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	70 47	143 58	103 88				15 20				
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	105 09	59 97	12 96	0 00	0 00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 38	5 91	4 26								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	30 99	94 21	45 09	0 00	0 00		15 20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	36 78	193 82	92 77	82 08	12 22		15 20				
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	38 92	193 82	92 77	82 08	12 22		15 20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 38	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	30 99	94 21	45 09	0 00	0 00		15 20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	36 78	94 21	45 09	0 00	0 00		15 20				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	38 92	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	70 47	143 58	103 88	0 00	0 00		15 20				
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	105 09	59 97	12 96	0 00	0 00		15 20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 38	5 91	4 26								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	30 99	94 21	45 09	0 00	0 00		15 20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	36 78	94 21	45 09	0 00	0 00		15 20				
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	38 92	94 21	45 09	0 00	0 00		15 20				
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 38	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	85 70	169 22	100 89				15 20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	194 96	169 22	100 89	0 00	0 00		15 20				
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	491 94	169 22	100 89	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2652										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	70 47	143 58	103 88				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		5 43	5 43	0 00	13 91		15 20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	85 70	169 22	100 89				15 20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	194 96	169 22	100 89				15 20				
	First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	491 94	169 22	100 89				15 20				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	6 04										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	850 45	296 68	121 16				15 20				
	DS3 to DS1 Channel System combination per month		UNC3X	MQ3	201 48	107 05	48 07								
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 78	5 91	4 26								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	85 70	169 22	100 89	0 00	0 00		15 20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	194 96	169 22	100 89	0 00	0 00		15 20				
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	491 94	169 22	100 89	0 00	0 00		15 20				
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 78	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	14 93	94 21	45 09				15 20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	25 35	94 21	45 09	0 00	0 00		15 20				
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	50 46	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 013										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	22 60	72 60	41 75				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	30 81	94 21	45 09				15 20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	38 32	94 21	45 09	0 00	0 00		15 20				
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	60 39	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 013										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	19 81	72 60	41 75				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	10 04										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	362 34	188 45	125 51								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	6 04										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	850 45	296 68	121 16				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	10 04										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	374 56	188 45	125 51								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	6 04										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	830 19	296 68	121 16	0 00	0 00		15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	22 09	94 21	45 09				15 20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	35 28	94 21	45 09	0 00	0 00		15 20				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	65 18	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 2652										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month		UNC1X	U1TF1	70 47	143 56	103 88	0 00	0 00		15 20				
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	105 09	59 97	12 96	0 00	0 00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	2 96	5 91	4 26								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	22 09	94 21	45 09	0 00	0.00		15 20				
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	35 28	94 21	45 09	0 00	0 00		15 20				
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	65 18	94 21	45 09	0 00	0 00		15 20				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	2 96	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)														
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	85 70	169 22	100 89	0 00	0 00		15 20				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	194 96	169 22	100 89	0 00	0 00		15 20				
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	491 94	169 22	100 89	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	6 04										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	830 19	296 68	121 16				15 20				
	STS1 to DS1 Channel System conbination per month		UNCSX	MQ3	201 48	107 05	48 07								
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 78	5 91	4 26								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	85 70	169 22	100 89	0 00	0 00		15 20				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	194 96	169 22	100 89	0 00	0 00		15 20				
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	491 94	169 22	100 89	0 00	0 00		15 20				
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	11 78	5 91	4 26								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	30 99	94 21	45 09				15 20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	36 78	94 21	45 09	0 00	0 00		15 20				
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	38 92	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0130										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	15 61	72 60	41 75				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	30 99	94 21	45 09				15 20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	36 78	94 21	45 09	0 00	0 00		15 20				
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	38 92	94 21	45 09	0 00	0 00		15 20				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0130										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	15 61	72 60	41 75				15 20				
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		5 43	5 43	0 00	0 00		15 20				
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.														
	Access to DCS - Customer Reconfiguration (FlexServ)														
	Node (SynchroNet)														
	Node per month		UNCDX	UNCNT	15 43										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		5 43	5 43	0 00	0 00		15 20				
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		5 43	5 43	0 00	0 00		15 20				
	NOTE Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge - disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE· Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAS	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus with Caller ID - Res (RUL)		UEPSR	UEPAG	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	1 52	2 31	2 21				15 20				
	Subsequent Activity		UEPSR	USASC	0 00	0 00	0 00								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	0 00	0 00	0 00				15 20				
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAX	1 52	2 31	2 21				15 20				

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	1 52	2 31	2 21				15 20				
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)		UEPSB	UEPAA	1 52	2 31	2 21				15 20				
	Subsequent Activity		UEPSB	USASC	0 00	0 00	0 00								
FEATURES															
	All Available Vertical Features		UEPSB	UEPVF	0 00	0 00	0 00				15 20				
EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	8 29	115 85	18 20				15 20				
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	68 47	196 18	92 92				15 20				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	10 07	70 76	51 46				15 20				
	All Features Offered		UEPTX UEPSX	UEPVF	0 00	0 00	0 00								
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0 00	0 00	0 00								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	94 82	197 92	98 62				15 20				
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	1 52	30 37	14 42				15 20				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	1 52	30 37	14 42				15 20				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	1 52	30 37	14 42				15 20				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	1 52	30 37	14 42				15 20				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port		UEPSP	UEPL2	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	1 52	30 37	14 42				15 20				
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPSP	UEPXK	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPSP	UEPXP	1 52	30 37	14 42				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	1 52	30 37	14 42					18 14	8 08	8 94	8 94
	Subsequent Activity		UEPSP	USASC	0 00	0 00	0 00								
FEATURES			EPSP												
	All Available Vertical Features		UEPSE	UEPVF	0 00	0 00	0 00				15 20				
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				1 52	2 31	2 21				15 20				
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU				0 001868										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	End Office Trunk Port - Shared, Per MOU				0 00018										
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU				0 0001067										
	Tandem Trunk Port - Shared, Per MOU				0 000222										
Common Transport															
	Common Transport - Per Mile, Per MOU				0 0000032										
	Common Transport - Facilities Termination Per MOU				0 0003748										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports														
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit														
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
	For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2	2			23 75										
	2-Wire VG Loop/Port Combo - Zone 3	3			49 62										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	48 26										
2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	1 36	38 85	19 08				15 20				
	2-Wire voice Grade unbundled Louisiana extended local dialing panty port with Caller ID res		UEPRX	UEPAS	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)		UEPRX	UEPAG	1 36	38 85	19 08				15 20				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	1 36	38 85	19 08				15 20				
FEATURES															
	All Features Offered		UEPRX	UEPVF	0 00	0 00	0 00				15 20				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0 10	0 10				15 20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0 10	0 10				15 20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					0 00					15 20				
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0 00	0 00	0 00				15 20				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 1	1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2	2			23 75									20 00	
	2-Wire VG Loop/Port Combo - Zone 3	3			49 62										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	48 26										
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	1 36	38 85	19 08				15 20				
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus		UEPBX	UEPAX	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBX	UPEB1	1 36	38 85	19 08				15 20				
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)		UEPBX	UEPAA	1 36	38 85	19 08				15 20				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPBX	UEPVF	0 00	0 00	0 00				15 20				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0 10	0 10				15 20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0 10	0 10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					0 00						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2								31 92	7 32		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2	2			23 75										
	2-Wire VG Loop/Port Combo - Zone 3	3			49 62										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	48 26										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	1.36	66 91	31 29				15 20				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 50										
FEATURES															
	All Features Offered		UEPRG	UEPVF	0 00	0 00	0 00				15 20				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG	USAC2		7 68	1 85				15 20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		7 68	1 85					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					0 00						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0 00	0 00	0 00					31 92	7 32		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7 11	7 11					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			13 13										
	2-Wire VG Loop/Port Combo - Zone 2	2			23 75										
	2-Wire VG Loop/Port Combo - Zone 3	3			49 62										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	48 26										
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	1 36	66 91	31 29				15 20				
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	1 36	66 91	31 29				15 20				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port		UEPPX	UEPL2	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPPX	UEPXK	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPPX	UEPXP	1 36	66 91	31 29				15 20				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	1 36	66 91	31 29				15 20	31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	2 15										
FEATURES															
	All Features Offered		UEPPX	UEPVF	0 00	0 00	0 00				15 20				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		7 68	1 85				15 20				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		7 68	1 85					31 92	7 32		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					0 00						5 12			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0 00	0 00	0 00					31 92	7 32		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7 11	7 11					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1				13 13										
	2-Wire VG Coin Port/Loop Combo – Zone 2				23 75										
	2-Wire VG Coin Port/Loop Combo – Zone 3				49 62										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	48 26										
2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	1 36	38 85	19 08				15 20				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		UEPCO	UEPRN	1 36	38 85	19 08				15 20				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)		UEPCO	UEPLA	1 36	38 85	19 08				15 20				
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	1 36	38 85	19 08				15 20				
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	1 36	38 85	19 08				15 20				
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)		UEPCO	UEPNA	1 36	38 85	19 08				15 20				
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)		UEPCO	UEPCB	1 36	38 85	19 08				15 20				
ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	1 81	0 00	0 00								
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
FEATURES															
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		0 10	0 10				15 20				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		0 10	0 10					31 92	7 32		
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0 00	0 00					31 92	7 32		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			23 20											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			33 62											
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			58 73											
	UNE Loop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	14 93	102 10	65 72				15 20					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	25 35	102 10	65 72				15 20					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	50 46	102 10	65 72				15 20					
	UNE Port Rate															
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	8 27	115 85	18 20				15 20					
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		7 10	1 81				15 20					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		7 10	1 81				15 20					
	ADDITIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		26 01	26 01				15 20					
	Telephone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0 00	0 00	0 00				15 20					
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0 00	0 00	0 00				15 20					
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0 00	0 00	0 00				15 20					
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0 00	0 00	0 00				15 20					
	Reserve DID Numbers		UEPPX	NDV	0 00	0 00	0 00				15 20					
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
	UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		27 48											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		40 34											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		70 99											
	UNE Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	19 09	113 34	76 96				15 20					
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	31 95	113 34	76 96				15 20					
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	62 60	113 34	76 96				15 20					
	UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	8 39	70 76	51 46				15 20					
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0 00	37 40	26 23				15 20					
	ADDITIONAL NRCs															
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPB UEPPR	LNPCX	0 35	0 00	0 00									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
B-CHANNEL USER PROFILE ACCESS·															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCA	0 00	0 00	0 00								
	CVS (EWSD)		UEPPB UEPPR	U1UCB	0 00	0 00	0 00								
	CSD		UEPPB UEPPR	U1UCC	0 00	0 00	0 00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS· (AL,KY,LA,MS SC,MS, & TN)															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCD	0 00	0 00	0 00								
	CVS (EWSD)		UEPPB UEPPR	U1UCE	0 00	0 00	0 00								
	CSD		UEPPB UEPPR	U1UCF	0 00	0 00	0 00								
USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)		UEPPR	U1UMA	0 00	0 00	0 00								
VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	0 00	0 00	0 00				15 20				
INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	22 613	39 36	26 62				15 20				
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GNM	0 013	0 00	0 00				15 20				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		180 52										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		289 78										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		586 76										
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	85 70	245 16	152 98				15 20				
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	194 96	245 16	152 98				15 20				
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	491 94	245 16	152 98				15 20				
UNE Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	94 82	197 92	98 62				15 20				
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP	USACP	0 00	115 63	76 29				15 20				
ADDITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0 48					15 20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		11 18	11 18				15 20				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		22 35	22 35				15 20				
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPP	LNPCN	1 75										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
INTERFACE (Provisioning Only)																
	Voice/Data		UEPPP	PR71V	0 00	0 00	0 00									
	Digital Data		UEPPP	PR71D	0 00	0 00	0 00									
	Inward Data		UEPPP	PR71E	0 00	0 00	0 00									
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0 00	14 11					15 20					
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0 00	14 11					15 20					
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0 00	14 11					15 20					
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0 00	14 11					15 20					
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0 00	14 11					15 20					
CALL TYPES																
	Inward		UEPPP	PR7C1	0 00	0 00	0 00									
	Outward		UEPPP	PR7C0	0 00	0 00	0 00									
	Two-way		UEPPP	PR7CC	0 00	0 00	0 00									
Interoffice Channel Mileage																
	Fixed Each Including First Mile		UEPPP	1LN1A	70 7352	86 69	79 44				15 20					
	Each Airline-Fractional Additional Mile		UEPPP	1LN1B	0 2652											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		154 17						15 20					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		263 43						15 20					
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		560 41						15 20					
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	85 70	245 16	152 98				15 20					
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC	194 96	245 16	152 98				15 20					
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	491 94	245 16	152 98				15 20					
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	68 47	196 18	92 92				15 20					
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		125 75	65 08				15 20					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		125 75	65 08				15 20					
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		125 75	65 08				15 20					
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		14 06	14 06				15 20					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		14 06	14 06				15 20					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		14 06	14 06				15 20					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		14 06	14 06				15 20					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		14 06	14 06				15 20					
BIPOLAR 8 ZERO SUBSTITUTION																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	B8ZS -Superframe Format		UEPDC	CCOSF		0 00	605 00				15 20					
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0 00	605 00				15 20					
Alternate Mark Inversion																
	AMI -Superframe Format		UEPDC	MCOSF		0 00	0 00									
	AMI - Extended SuperFrame Format		UEPDC	MCOPO		0 00	0 00									
Telephone Number/Trunk Group Establisment Charges																
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0 00						15 20					
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0 00						15 20					
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0 00						15 20					
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0 00						15 20					
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0 00						15 20					
	Reserve Non-Consecutive DID Nos		UEPDC	ND6	0 00	0 00	0 00				15 20					
	Reserve DID Numbers		UEPDC	NDV	0 00	0 00	0 00				15 20					
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	70 47	86 69	79 44				15 20					
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 2652	0 00	0 00									
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0 00	0 00	0 00									
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 2652	0 00	0 00									
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNO3	0 00	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 2652	0 00	0 00									
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0 00	0 00	0 00								
	Central Office Terminating Point		UEPDC	CTG	0 00											
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
UNE DS1 Loop																
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	85 70	0 00	0 00				15 20					
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	194 96	0 00	0 00				15 20					
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	491 94	0 00	0 00				15 20					
UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	97 35	0 00	0 00				15 20					

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	48 DSO Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	194 70	0 00	0 00				15 20					
	96 DSO Channel Capacity -1per 4 DS1s		UEPMG	VUM96	389 40	0 00	0 00				15 20					
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	584 10	0 00	0 00				15 20					
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	778 80	0 00	0 00				15 20					
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	973 50	0 00	0 00				15 20					
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1,168 20	0 00	0 00				15 20					
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1,557 60	0 00	0 00				15 20					
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	1,947 00	0 00	0 00				15 20					
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2,336 40	0 00	0 00				15 20					
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	2,725 80	0 00	0 00				15 20					
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0 00	146 13	8 12				15 20					
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only		UEPMG	VUMD4	0 00	715 54	467 54				15 20					
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0 00	0 00	605 00				15 20					
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0 00	0 00	605 00				15 20					
	Alternate Mark Inversion (AMI)															
	Superframe Format		UEPMG	MCOSF	0 00	0 00	0 00									
	Extended Superframe Format		UEPMG	MCOPO	0 00	0 00	0 00									
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 52	0 00	0 00	0 00	0 00		15 20					
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 52	0 00	0 00	0 00	0 00		15 20					
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 52	0 00	0 00	0 00	0 00		15 20					
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	8 29	0 00	0 00	0 00	0 00		15 20					
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 6497	25 36	13 40				15 20					
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 6497	78 05	18 40				15 20					
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0 00						15 20					
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0 00	0 00	0 00				15 20					
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0 00	0 00	0 00				15 20					
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0 00	0 00	0 00				15 20					
	Reserve DID Numbers		UEPPX	NDV	0 00	0 00	0 00				15 20					

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Local Number Portability															
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0 00	0 00									
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available		UEPPX	UEPVF	0 00	0 00	0 00				15 20					
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee															
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Com Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			25 77											
	2-Wire VG Loop/Port Combo - Zone 2	2			36 39											
	2-Wire VG Loop/Port Combo - Zone 3	3			62 26											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11 77											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	22 39											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	48 26											
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14 00	90 00	90 00					31 92	7 32			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14 00	90 00	90 00					31 92	7 32			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14 00	90 00	90 00					31 92	7 32			
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res		UEPRX	UEPAS	14 00	90 00	90 00					31 92	7 32			
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)		UEPRX	UEPAG	14 00	90 00	90 00					31 92	7 32			
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (AC7)		UEPRX	UEPAH	14 00	90 00	90 00					31 92	7 32			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14 00	90 00	90 00					31 92	7 32			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
	FEATURES															
	All Features Offered		UEPRX	UEPVF	0 00	0 00	0 00									
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPRX	USAC2		41 50	41 50					31 92	7 32			
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPRX	USACC		41 50	41 50									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0 00	0 00					31 92	7 32		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			25 77										
	2-Wire VG Loop/Port Combo - Zone 2	2			36 39										
	2-Wire VG Loop/Port Combo - Zone 3	3			62 26										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	46 26										
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14 00	90 00	90 00					31 92	7 32		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14 00	90 00	90 00					31 92	7 32		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14 00	90 00	90 00					31 92	7 32		
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus		UEPBX	UEPAX	14 00	90 00	90 00					31 92	7 32		
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)		UEPBX	UEPAA	14 00	90 00	90 00					31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35										
FEATURES															
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is		UEPBX	USAC2		41 50	41 50					31 92	7 32		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change		UEPBX	USACC		41 50	41 50								
ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0 00	0 00					31 92	7 32		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			25 77										
	2-Wire VG Loop/Port Combo - Zone 2	2			36 39										
	2-Wire VG Loop/Port Combo - Zone 3	3			62 26										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	11 77										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	22 39										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	46 26										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14 00	90 00	90 00					31 92	7 32		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15										
FEATURES															

UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRECURRING CHARGES - CURRENTLY COMBINED														
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPRG	USAC2		41 50	41 50					31 92	7 32		
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPRG	USACC		41 50	41 50								
ADDITIONAL NRCs														
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0 00	0 00								
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 84	14 84					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
UNE Port/Loop Combination Rates														
2-Wire VG Loop/Port Combo - Zone 1	1			25 77										
2-Wire VG Loop/Port Combo - Zone 2	2			36 39										
2-Wire VG Loop/Port Combo - Zone 3	3			62 26										
UNE Loop Rates														
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX	11 77										
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX	22 39										
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	48 26										
2-Wire Voice Grade Line Port Rates (BUS - PBX)														
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14 00	90 00	90 00					31 92	7 32		
Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14 00	90 00	90 00					31 92	7 32		
Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 2-Way Combination PBX Louisiana Calling Port		UEPPX	UEPL2	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Calling Port		UEPPX	UEPXK	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port		UEPPX	UEPXP	14 00	90 00	90 00					31 92	7 32		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14 00	90 00	90 00					31 92	7 32		
LOCAL NUMBER PORTABILITY														
Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
FEATURES														
NONRECURRING CHARGES - CURRENTLY COMBINED														
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPPX	USAC2		41 50	41 50					31 92	7 32		
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPPX	USACC		41 50	41 50								
ADDITIONAL NRCs														
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		0 00	0 00					31 92	7 32		
2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0 00	0 00								

UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														
UNE Port/Loop Combination Rates														
2-Wire VG Coin Port/Loop Combo – Zone 1				25 77										
2-Wire VG Coin Port/Loop Combo – Zone 2				36 39										
2-Wire VG Coin Port/Loop Combo – Zone 3				62 26										
UNE Loop Rates														
2-Wire Voice Grade Loop (SL1) - Zone 1		IEPCO	UEPLX	11 77										
2-Wire Voice Grade Loop (SL1) - Zone 2		IEPCO	UEPLX	22 39										
2-Wire Voice Grade Loop (SL1) - Zone 3		IEPCO	UEPLX	48 26										
2-Wire Voice Grade Line Port Rates (Coin)														
2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		IEPCO	UEPRF	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)		IEPCO	UEPRA	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		IEPCO	UEPRB	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		IEPCO	UEPCD	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		IEPCO	UEPRN	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)		UEPCO	UEPLA	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	14 00	90 00	90 00					31 92	7 32		
2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCN	14 00	90 00	90 00					31 92	7 32		
LOCAL NUMBER PORTABILITY														
Local Number Portability (1 per port)		UEPCO	LNPCX	0 35										
NONRECURRING CHARGES - CURRENTLY COMBINED														
2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is		UEPCO	USAC2		41 50	41 50					31 92	7 32		
2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change		UEPCO	USACC		41 50	41 50								
ADDITIONAL NRCs														
2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0 00	0 00					31 92	7 32		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	UEANL	UEAL2	15 58	59 25	43 67	16 35	4 06			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	2	UEANL	UEAL2	20 65	59 25	43 67	16 35	4 06			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	3	UEANL	UEAL2	29 51	59 25	43 67	16 35	4 60			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	4	UEANL	UEAL2	38 94	59 25	43 67	15 35	4 06			25 52	11 34	16 06	16 06
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		23 33	23 33								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR, UEPSB	UEALS	15 58	59 25	43 67	16 35	4 06			25 52	11 34	16 06	16 06
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR, UEPSB	UEALS	20 65	59 25	43 67	16 35	4 06			25 52	11 34	16 06	16 06
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR, UEPSB	UEALS	29 51	59 25	43 67	16 35	4 60			25 52	11 34	16 06	16 06
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4	4	UEPSR, UEPSB	UEALS	38 94	59 25	43 67	16 35	4 06			25 52	11 34	16 06	16 06
	Engineering Information Document (EI)		UEANL			28 72	28 72								
	Manual Order Coordination for UVL-SL1s (per loop)*		UEANL	UEAMC		50 29	50 29								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *		UEANL	OCOSL		45 27	45 27								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	18 35	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	24 33	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	34 77	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	4	UEA	UEAL2	45 88	144 01	107 70	40 98	26 95			25 52	11 34	16 06	
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		45 27									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	18 35	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	24 33	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	34 77	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	4	UEA	UEAR2	45 88	144 01	107 70	40 98	26 95			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		45 27									
	4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	22 38	289 06	238 19	108 14	57 28			25 52	11 34	16 06	16 06
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	29 67	289 06	238 19	108 14	57 28			25 52	11 34	16 06	16 06
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	42 40	289 06	238 19	108 14	57 28			25 52	11 34	16 06	16 06
	4-Wire Analog Voice Grade Loop - Zone 4	4	UEA	UEAL4	55 98	289 06	238 19	108 14	57 28			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		45 27									
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	21 86	326 38	252 00	108 14	57 27			25 52	11 34	16 06	16 06

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	28 97	326 38	252 00	108 14	57 27			25 52	11 34	16 06	16 06
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	41 40	326 38	252 00	108 14	57 27			25 52	11 34	16 06	16 06
	2-Wire ISDN Digital Grade Loop - Zone 4	4	UDN	U1L2X	54 64	326 38	252 00					25 52	11 34	16 06	16 06
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL		45 27									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP														
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1	1	UDC	UDC2X	32 48	233 54	158 71	104 88	20 59			25 52	11 34	16 06	16 06
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2	2	UDC	UDC2X	42 06	233 54	158 71	104 88	20 59			25 52	11 34	16 06	16 06
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3	3	UDC	UDC2X	55 26	233 54	158 71	104 88	20 59			25 52	11 34	16 06	16 06
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 4	4	UDC	UDC2X	71 05	233 54	158 71	104 88	20 59			25 52	11 34	16 06	16 06
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	10 87	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	14 40	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20 58	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4	4	UAL	UAL2X	27 16	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		45 27									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	10 87	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	14 40	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20 58	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4	4	UAL	UAL2W	27 16	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL		45 27									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8 50	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	11 26	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	16 10	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4	4	UHL	UHL2X	21 25	504 82	456 24	105 86	57 25			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		45 27									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8 50	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	11 26	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	16 10	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL	UHL2W	21 25	204 56	128 86	100 05	15 75			25 52	11 34	16 06	16 06
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		45 27									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10 36	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	13 73	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	19 62	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4	4	UHL	UHL4X	25 90	531 21	482 63	105 86	57 25			25 52	11 34	16 06	16 06	
		Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		45 27										
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10 36	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	13 73	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	19 62	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06	
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL	UHL4W	25 90	221 85	146 16	100 05	15 75			25 52	11 34	16 06	16 06	
		Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL		45 27										
	4-WIRE DS1 DIGITAL LOOP																
		4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	50 89	599 09	373 90	133 53	56 25			25 52	11 34	16 06	16 06	
		4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	67 58	599 09	373 90	133 53	56 25			25 52	11 34	16 06	16 06	
		4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	86 58	599 09	373 90	133 53	56 25			25 52	11 34	16 06	16 06	
		4-Wire DS1 Digital Loop - Zone 4	4	USL	USLXX	127 40	599 09	373 90	133 53	56 25			25 52	11 34	16 06	16 06	
		Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL		48 17										
	4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
		4 Wire Unbundled Digital 19 2 Kbps	1	UDL	UDL19	25 61	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital 19 2 Kbps	2	UDL	UDL19	33 94	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital 19 2 Kbps	3	UDL	UDL19	48 51	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital 19 2 Kbps	4	UDL	UDL19	64 02	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	25 61	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	33 94	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	48 51	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	UDL	UDL56	64 02	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		45 27										
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	25 61	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	33 94	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	48 51	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	4	UDL	UDL64	64 02	489 00	337 93	128 36	64 35			25 52	11 34	16 06	16 06	
		Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		45 27										
	2-WIRE Unbundled COPPER LOOP																
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	16 85	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	22 34	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99	
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	31 92	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99	
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 4	4	UCL	UCLPB	42 13	282 94	163 41	119 58	22 26			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	16 85	202 70	127 00	100 05	15 75			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	22 34	202 70	127 00	100 05	15 75			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	31 92	202 70	127 00	100 05	15 75			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 4	4	UCL	UCLPW	42 13	202 70	127 00	100 05	15 75			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1	1	UCL	UCL2L	47 74	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2	2	UCL	UCL2L	70 63	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3	3	UCL	UCL2L	104 29	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 4	4	UCL	UCL2L	112 55	269 92	150 39	119 58	22 26			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL2W	47 74	189 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL2W	70 63	189 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL2W	104 29	189 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99	
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 4	4	UCL	UCL2W	112 55	189 68	113 98	100 05	15 75			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	11 01	44 69	22 40	25 65	7 06			25 52	11 34	16 06	16 06	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	12 67	44 69	22 40	25 65	7 06			25 52	11 34	16 06	16 06	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	20 22	44 69	22 40	25 65	7 06			25 52	11 34	16 06	16 06	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	4	UEQ	UEQ2X	20 22	44 69	22 40	25 65	7 06			25 52	11 34	16 06	16 06	
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		50 29	50 29									
		Engineering Information Document		UEQ			28 72	28 72									
		Loop Testing - Basic 1st Half Hour		UEQ	URET1		78 92	78 92									
		Loop Testing - Basic Additional Half Hour		UEQ	URETA		23 33	23 33									
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	22 24	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	25 82	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28 12	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4S	28 12	331 29	211 76	133 82	28 26			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	22 24	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	25 82	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28 12	251 04	175 34	112 63	21 21			19 99	19 99	19 99	19 99	
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4W	28 12	251 04	175 34	112 63	21 20			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1	1	UCL	UCL4L	82 53	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99	
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2	2	UCL	UCL4L	127 11	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99	
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3	3	UCL	UCL4L	138 69	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99	
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 4	4	UCL	UCL4L	138 69	318 27	198 74	133 82	28 26			19 99	19 99	19 99	19 99	
		Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		50 29	50 29									
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1	1	UCL	UCL4O	82 53	238 02	162 33	112 63	21 20			19 99	19 99	19 99	19 99	
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2	2	UCL	UCL4O	127 11	238 02	162 33	112 63	21 20			19 99	19 99	19 99	19 99	

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UCL	UCL4O	138 69	238 02	162 33	112 63	21 20			19 99	19 99	19 99	19 99
				UCL	UCL4O	138 69	238 02	162 33	112 63	21 20			19 99	19 99	19 99	19 99
				UCL	UCLMC		50 29	50 29								
LOOP MODIFICATION																
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft		UAL, UHL, UCL, UEQ, ULS	ULM2L		65 09	65 09								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft		UCL, ULS	ULM2G		341 07	341 07								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft		UHL, UCL	ULM4L		65 09	65 09								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft		UCL	ULM4G		341 07	341 07								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 13	65 13								
SUB-LOOPS																
	Sub-Loop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL	USBSA		540 53	540 53					25 52	11 34	16 06	16 06
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL	USBSB		45 21	45 21					25 52	11 34	16 06	16 06
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		379 25	379 25					25 52	11 34	16 06	16 06
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		111 97	111 97					25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	10 75	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	14 40	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	18 53	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4	4	UEANL	USBN2	23 19	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 27	45 27								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	11 29	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	19 41	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	20 90	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4	4	UEANL	USBN4	20 90	157 85	105 88	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 27	45 27								
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	USBR2	2 79	105 88	36 29	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 27	45 27								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		UEANL	USBR4	5 39	118 34	48 76	101 80	18 57			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 27	45 27								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	8 74	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	9 31	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	10 60	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	UEF	UCS2X	12 57	131 42	61 83	90 07	13 33			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		45 27	45 27								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	7 46	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	14 58	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	18 61	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	UEF	UCS4X	18 61	157 85	88 26	101 80	18 57			25 52	11 34	16 06	16 06
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		45 27	45 27								
	Sub-Loop Feeder															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		UEA, UDN,UCL,UDL,UDC	USBFW		540 53									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up		UEA, UDN,UCL,UDL,UDC	USBFX		45 21	45 21								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		USL	USBFZ		534 46	11 30								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1	1	UEA	USBFA	12 34	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFA	17 10	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3	3	UEA	USBFA	25 55	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start Loop, Voice Grade - Zone 4	4	UEA	USBFA	32 36	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Order Coordination for Specified Conversion Time, per LSR		UEA	OCOSL		45 27									
	Unbundle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFB	12 34	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFB	17 10	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	3	UEA	USBFB	25 55	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 4	4	UEA	USBFB	32 36	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Order Coordination for Specified Time Conversion, per LSR		UEA	OCOSL		45 27									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1	UEA	USBFC	12 34	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2	UEA	USBFC	17 10	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3	UEA	USBFC	25 55	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 4	4	UEA	USBFC	32 36	185 12	112 19	108 13	26 82			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR		UEA	OCOSL		45 27									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1	1	UEA	USBFD	28 24	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFD	32 51	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3	UEA	USBFD	41 50	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 4	4	UEA	USBFD	41 50	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 27									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFE	28 24	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFE	32 51	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	3	UEA	USBFE	41 50	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Analog Voice Grade Loop-Start Loop - Zone 4	4	UEA	USBFE	41 50	213 89	139 06	126 45	35 02			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 27									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	22 46	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	2	UDN	USBFF	28 25	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	3	UDN	USBFF	37 36	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 4	4	UDN	USBFF	48 23	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		UDN	OCOSL		45 27									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	UDC	USBFS	22 46	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	2	UDC	USBFS	28 25	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	3	UDC	USBFS	37 36	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	4	UDC	USBFS	48 23	211 41	136 58	110 37	26 07			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	USL	USBFG	76 62	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	2	USL	USBFG	178 54	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3	USL	USBFG	224 48	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 4	4	USL	USBFG	538 86	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		USL	OCOSL		45 27									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1	1	UCL	USBFH	7 07	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2	2	UCL	USBFH	6 05	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3	3	UCL	USBFH	5 30	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 4	4	UCL	USBFH	4 13	187 34	92 51	105 53	21 21			19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		45 27									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1	1	UCL	USBFJ	16 34	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2	2	UCL	USBFJ	12 77	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3	3	UCL	USBFJ	11 06	201 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 4	4	UCL	USBFJ	11 06	207 71	126 88	118 58	27 15			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR		UCL	OCOSL		45 27									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	1	UDL	USBFN	28 48	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	2	UDL	USBFN	24 17	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	3	UDL	USBFN	30 57	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop	4	UDL	USBFN	28 90	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFO	28 48	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFO	24 17	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFO	30 57	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 4	4	UDL	USBFO	28 90	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion per LSR		UDL	OCOSL		45 27									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1	1	UDL	USBFP	28 48	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2	2	UDL	USBFP	24 17	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3	3	UDL	USBFP	30 57	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 4	4	UDL	USBFP	28 90	202 50	127 66	126 45	35 02			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR		UDL	OCOSL		45 27									
	Sub Loop Feeder - DS3 - Per Mile Per Month		UE3	1L5SL	18 88										
	Sub Loop Feeder - DS3 - Facility Termination Per Month		UE3	USBF1	349 41	3,380 00	406 45	157 96	89 54			31 26	31 26	3 91	3 91
	Sub Loop Feeder – STS-1 – Per Mile Per Month		UDLSX	1L5SL	18 88										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month		UDLSX	USBF7	376 07	3,380 00	406 45	157 96	89 54			31 26	31 26	3 91	3 91
	Sub Loop Feeder – OC-3 – Per Mile Per Month		UDLO3	1L5SL	14 33										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month		UDLO3	USBF5	58 63										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month		UDLO3	USBF2	569 22	3,380 00	406 45	157 96	89 54			31 26	31 26	3 91	3 91
	Sub Loop Feeder - OC-12 - Per Mile Per Month		UDL12	1L5SL	17 63										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month		UDL12	USBF6	662 39										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month		UDL12	USBF3	1,795 00	3,380 00	406 45	157 96	89 54			31 26	31 26	3 91	3 91
	Sub Loop Feeder - OC-48 - Per Mile Per Month		UDL48	1L5SL	57 83										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month		UDL48	USBF9	331 52										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month		UDL48	USBF4	1,545 00	3,565 00	406 45	157 96	89 54			31 26	31 26	3 91	3 91
	Sub Loop Feeder - OC-12 Interface On OC-48		UDL48	USBF8	374 04	787 04	406 45	157 96	89 54			31 26	31 26	3 91	3 91
Unbundled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR		UEF	ULM2X		355 23	12 25					25 52	11.34	16 06	16 06
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR		UEF	ULM4X		355 23	12 25					25 52	11 34	16 06	16 06
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded		UEF	ULM4T		559 80	14 28					25.52	11 34	16 06	16 06
Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0 37	62 97	62 97					25 52	11 34	16 06	16 06
Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		87 05	57 38					25 52	11 34	16 06	16 06
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		129 67	100 00					25 52	11 34	16 06	16 06
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		11 79	11 79					25 52	11 34	16 06	16 06
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		11 79	11 79					25 52	11 34	16 06	16 06
UNBUNDLED LOOP CONCENTRATION															
	Unbundled Loop Concentration - System A (TR008)		ULC	UCT8A	442 98	649 95	649 95					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)		ULC	UCT8B	57 94	270 81	270 81					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)		ULC	UCT3A	484 01	649 95	649 95					19 99	19 99	19 99	19 99

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	97 64	270 81	270 81					19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 50	126 40	92 02	34 38	9 62			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 74	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 74	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 18	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCGR	12 99	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 75	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	37 85	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	11 47	21 04	20 93	11 04	10 97			19 99	19 99	19 99	19 99	
		Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data															
IE OTHER, PROVISIONING ONLY - NO RATE																	
		NID - Dispatch and Service Order for NID installation		UENTW	UNDBX												
		UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE												
		Unbundled Contract Name, Provisioning Only - No Rate		UEANL, UEF,UEQ,UENTW	UNECN												
		Unbundled Contact Name, Provisioning Only - no rate		UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0 00	0 00										
		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBFQ	0 00	0 00										
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBFR	0 00	0 00										
		Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0 00	0 00										
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0 00	0 00										
GH CAPACITY UNBUNDLED LOCAL LOOP																	
	NOTE 4 month minimum billing period																
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	14 16											
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	398 30	901 82	527 16	244 70	171 16			31 26	31 26	3 91	3 91	
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	14 16											
		High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	411 34	901 82	527 16	244 70	171 16			31 26	31 26	3 91	3 91	
OP MAKE-UP																	
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW												
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP												
		Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	PSUMK		0 6793	0 6793									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING															
	Line Sharing Splitter, per System 96 Line Capacity		ULS	ULSDA	100 00	300 00	0 00	0 00	0 00		0 00				
	Line Sharing Splitter, per System 24 Line Capacity		ULS	ULSDB	25 00	300 00	0 00	0 00	0 00		0 00				
	Line Sharing Splitter, Per System, 8 Line Capacity		ULS	ULSD8	17 21	377 08	0 00	0 00	0 00		0 00				
	Line Sharing - per Line Activation		ULS	ULSDC	0 61	40 00	22 00	0 00	0 00			25 52	11 34	16 06	16 06
	Line Sharing - per Subsequent Activity per Line Rearrangement		ULS	ULSDS		30 00	15 00					25 52	11 34		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)		ULS	ULSDG		57 62		11 33							
UNBUNDLED TRANSPORT															
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months														
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facilty Termination per month		U1TVX	U1TV2	24 75	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facilty Termination per month		U1TVX	U1TR2	24 75	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facilty Termination per month		U1TVX	U1TV4	21 75	80 96	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month		U1TDX	U1TD5	17 24	80 97	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0 0112										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month		U1TDX	U1TD6	17 24	80 97	54 74	34 27	14 12			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0 2293										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month		U1TD1	U1TF1	63 00	178 29	163 40	33 48	29 57			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3														
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	5 43										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	705 42	556 75	325 07	123 28	119 71			31 26	31 26	3 91	3 91
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1														
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	5 43										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month		U1TS1	U1TFS	707 97	556 75	325 07	123 28	119 71			31 26	31 26	3 91	3 91
	LOCAL CHANNEL - DEDICATED TRANSPORT														
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months														
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month		ULDVX	ULDV2	16 39	385 68	67 24	75 04	6 55			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month		ULDVX	ULDR2	16 39	385 68	67 24	75 04	6 55			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - 4-Wire Voice Grade per month		UNDVX	ULDV4	17 59	386 55	67 11	76 00	7 51			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS1 per month - Zone 1	1	ULDD1	ULDF1	41 40	354 47	307 02	45 45	31 25			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS1 per month - Zone 2	2	ULDD1	ULDF1	47 27	354 47	307 02	45 45	31 25			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS1 per month - Zone 3	3	ULDD1	ULDF1	553 26	354 47	307 02	45 45	30 52			31 26	31 26	3 91	3 91
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3	1L5NC	11 02										
	Local Channel - Dedicated - DS3 - Facility Termination per month		ULDD3	ULDF3	455 69	901 82	527 16	244 70	171 16			31 26	31 26	3 91	3 91

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - STS-1- Per Mile per month		ULDS1	1L5NC	11 02										
	Local Channel - Dedicated - STS-1 - Facility Termination per month		ULDS1	ULDFS	449 26	901 82	527 16	244 70	171 16			31 26	31 26	3 91	3 91
MULTIPLEXERS															
	Channelization - DS1 to DS0 Channel System		UXTD1		125 29	181 84	124 98	21 57	20 05			31 26	31 26	3 91	3 91
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UDL		1 49	13 13	9 41								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month		UDN	UC1CA	3 19	13 13	9 41								
	Voice Grade COCI - DS1 to DS0 Channel System - per month		UEA	1D1VG	0 6988	13 13	6 41								
	DS3 to DS1 Channel System per month		UXTD3		207 87	355 80	187 69	68 11	65 17			31 26	31 26	3 91	3 91
	STS1 to DS1 Channel System per month		UXTS1		207 87	355 80	187 69	68 11	65 17			31 26	31 26	3 91	3 91
	DS3 Interface Unit (DS1 COCI) used with Loop per month		USL	UC1D1	15 78	13 13	9 41								
DARK FIBER															
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	1L5DC	66 94										
	NRC Dark Fiber - Local Channel			UDFC4		1,276 46	275 36	649 31	404 80			31 26	31 26	3 91	3 91
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	1L5DF	32 13										
	NRC Dark Fiber - Interoffice Channel		UDF	UDF14		1,276 46	275 36	649 31	404 80			31 26	31 26	3 91	3 91
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	1L5DL	66 94										
	NRC Dark Fiber - Local Loop		UDF	UDFL4		1,276 46	275 36	649 31	404 80			31 26	31 26	3 91	3 91
TRANSPORT OTHER															
	Optional Features & Functions														
	lear Channel Capabi ty (B8ZS/ESF) Option - Subsequent - per DS1 Channel		UNC1X	CCOEF		184 60	23 78	1 96	0 76			29 33	3 93		
	lear Channel Capabi ty (B8ZS/SF) Option - Subsequent - per DS1 Channel		UNC1X	CCOSF		184 60	23 78	1 96	0 76			29 33	3 93		
OX ACCESS TEN DIGIT S	REENING														
	8XX Access Ten Digit Screening, Per Call		OHD		0 0005321										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved		OHD	N8R1X		8 46	0 96					25 52	25 52	16 05	16 05
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations		OHD			17 04	1 93	11 32	0 96			25 52	25 52	16 05	16 05
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations		OHD	N8FTX		17 04	1 93	11 32	0 96			25 52	25 52	16 05	16 05
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number		OHD	N8FCX		5 63	2 81					25 52	25 52	16 05	16 05
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No		OHD	N8FMX		6 59	3 77					25 52	25 52	16 05	16 05
	8XX Access Ten Digit Screening, Change Charge Per Request		OHD	N8FAX		9 42	0 96					25 52	25 52	16 05	16 05
	8XX Access Ten Digit Screening, Call Handling and Destination Features		OHD	N8FDX		5 63	5 63					25 52	25 52	16 05	16 05
I	NE INFORMATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query		OQT		0 0000446										
	LIDB Validation Per Query		OQU		0 0142132										
	LIDB Originating Point Code Establishment or Change		OQT, OQU	NRPBX		63 63						25 52	25 52	16 05	16 05
SIGNALING (CCS7)															
	CCS7 Signaling Termination, Per STP Port		UDB	PT8SX	161 12							25 52	25 52	16 05	16 05
	CCS7 Signaling Usage, Per TCAP Message		UDB		0 0001115										
	CCS7 Signaling Connection, Per link (A link)		UDB	TPP++	21 58	169 72	169 72	134 08	134 08			25 52	25 52	16 05	16 05
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TPP++	21 58	169 72	169 72	134 08	134 08			25 52	25 52	16 05	16 05
	CCS7 Signaling Usage, Per ISUP Message		UDB		0 0000456										
	CCS7 Signaling Usage Surrogate, per link per LATA		UDB	STU56	406 53							25 52	25 52	16 05	16 05
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		UDB	CCAPD		40 00	40 00					25 52	25 52	16 05	16 05
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		UDB	CCAPD		8 00	8 00					25 52	25 52	16 05	16 05
E	11 SERVICE														

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CALLING NAME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query		OQV		0 016										
	CNAM for Non DB Owners, Per Query		OQV		0 01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)		OQV	CDDCH		595 00	595 00					25 52	25 52	16 05	16 05
LNP QUERY SERVICE															
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE														
OPERATOR CALL PROCESSING															
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB				1 20										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB				1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB				0 20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB				0 20										
INWARD OPERATOR SERVICES															
	Inward Operator Services - Verification, Per Minute				1 15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute				1 15										
BRANDING - OPERATOR CALL PROCESSING															
	Recording of Custom Branded OA Announcement			CBAOS		7,000 00	7,000 00					19 99	19 99	19 99	19 99
	Loading of Custom Brended OA Announcement per shelf/NAV			CBAOL		500 00	500 00					19 99	19 99		
	Unbranding via OLNS for UNEP CLEC														
	Loading of OA per OCN (Regional)					1,200 00	1,200 00								
DIRECTORY ASSISTANCE SERVICES															
	DIRECTORY ASSISTANCE ACCESS SERVICE														
	Directory Assistance Access Service Calls, Charge Per Call				0 271744										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)														
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt				0 10										
	DIRECTORY TRANSPORT														
	SWA Common transport per Directory Assistance Access Service Call				0 000178										
	SWA Common Transport per Directory Assistance Access Service Call Mile				0 000017										
	Access Tandem Switching per Directory Assistance Access Service Call				0 000287										
	Directory Assistance Interconnection per Directory Assistance Access Service Call				0 00										
	DS3 to DS1 Multiplexer per DA Access Service Call				0 00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)														
	Directory Assistance Data Base Service Charge Per Listing				0 04										
	Directory Assistance Data Base Service, per month			DBSOF	150 00										
BRANDING - DIRECTORY ASSISTANCE															
	Facility Based CLEC														
	Recording and Provisioning of DA Custom Branded Announcement		AMT	CBADA		6,000 00	6,000 00								
	Loading of Custom Branded Announcement per DRAM Card/Switch		AMT	CBADC		1,170 00	1,170 00								
	UNEP CLEC														
	Recording of DA Custom Branded Announcement					3,000 00	3,000 00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN					1,170 00	1,170 00								
	Unbranding via OLNS for UNEP CLEC														
	Loading of DA per OCN (1 OCN per Order)					420 00	420 00								
	Loading of DA per Switch per OCN					16 00	16 00								
SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch			USRCR		227 99	227 99					43 52	9 99		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
VIRTUAL COLLOCATION																
	Virtual Collocation - Application Cost		CLO	EAF		1,212 25		0 51								
	Virtual Collocation - Cable Installation Cost, per cable		CLO	ESPCX		926 27		22 62								
	Virtual Collocation - Floor Space, per sq ft		CLO	ESPVX	5 74											
	Virtual Collocation - Power, per breaker amp		CLO	ESPAX	7 33											
	Virtual Collocation - Cable Support Structure, per entrance cable		CLO	ESPSX	15 24											
	Virtual Collocation - 2-wire Cross Connects (loop)		ueanl,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation - 4-wire Cross Connects (loop)		uea,uhl,ucl,udl	UEAC4	0 0536	12 47	11 94	6 59	5 91		15 75					
	Virtual Collocation - 2-Fiber Cross Connects		CLO	CNC2F	2 91	21 01	15 29	7 61	6 10		15 75					
	Virtual Collocation - 4-Fiber Cross Connects		CLO	CNC4F	5 82	25 70	19 97	10 01	8 50		15 75					
	Virtual Collocatin - DS1 Cross Connects		USL,ULC CLO	CNC1X	1 14	22 16	16 02	6 60	5 97		15 75					
	Virtual Collocatin - DS3 Cross Connects		USL,ULC,CLO	CND3X	14 49	21 01	15 29	7 61	6 10		15 75					
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot		AMTFS	PE1ES	0 0025											
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft		AMTFS	PE1DS	0 0037											
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable		AMTFS			534 65										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable		AMTFS			534 65										
	Virtual Collocatin - Security Escort - Basic, per half hour		CLO	SPTBX		17 02	10 79									
	Virtual Collocatin - Security Escort - Overtime, per half hour		CLO	SPTOX		22 17	13 94									
	Virtual Collocatin - Security Escort - Premium, per half hour		CLO	SPTPX		27 32	17 08									
	Virtual Collocatin - Maintenance in CO - Basic, per half hour		CLO	CTRLX		28 09	10 79									
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour		CLO	SPTOM		36 69	13 94									
	Virtual Collocatin - Maintenance in CO - Premium per half hour		CLO	SPTPM		45 28	17 08									
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res		UEPSR	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res		UEPRX	PE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus		UEPSP	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res		UEPSE	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus		UEPSB	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN		UEPSX	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN		UEPTX	VE1R2	0 0268	12 37	11 87	6 04	5 45		15 75					
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1		UEPDD	VE1R4	0 0536	12 47	11 94	6 59	5 91		15 75					
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1		UEPEX	VE1R4	0 0536	12 47	11 94	6 59	5 91		15 75					
VIRTUAL COLLOCATION																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR, UEPSB	VE1LS	0 0268	12 37	11 87	6 04	5 45			19 99	19 99	19 99	19 99	
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment		SRC	SRCEC		391,788 00						19 99	19 99	19 99	19 99	
	End Office Establishment		SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99	
	Line/Port NRC, per end user		SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99	
	Query NRC, per query		SRC		0 000448											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			CAMSE		174 03	174 03	135 96	135 96			25 52	25 52	16 05	16 05	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Port Connection - Dial/Shared Access			CAMDP		53 47	53 47	37 70	37 70			25 52	25 52	16 05	16 05
	AIN SMS Access Service - Port Connection - ISDN Access			CAM1P		53 47	53 47	37 70	37 70			25 52	25 52	16.05	16 05
	AIN SMS Access Service - User Identification Codes - Per User ID Code			CAMAU		129 83	129 83	79 91	79 91			25 52	25 52	16 05	16 05
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			CAMRC		131 54	131 54	45 77	45 77			25 52	25 52	16 05	16 05
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0 0029										
	AIN SMS Access Service - Session, Per Minute				0 097565										
	AIN SMS Access Service - Company Performed Session, Per Minute				2 09										
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			BAPSC		169 31	169 31	135 96	135 96			25 52	25 52	16 05	16 05
	AIN Toolkit Service - Training Session, Per Customer			BAPVX		8,379 00	8,379 00					25 52	25 52	16 05	16 05
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt			BAPTT		39 30	39 30	37 70	37 70			25 52	25 52	16 05	16 05
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay			BAPTD		39 30	39 30	37 70	37 70			25 52	25 52	16.05	16.05
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate			BAPTM		39 30	39 30	37 70	37 70			25 52	25 52	16 05	16 05
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP			BAPTO		106 90	106 90	48 44	48 44			25 52	25 52	16 05	16 05
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP			BAPTC		106 90	106 90	48 44	48 44			25 52	25 52	16 05	16 05
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code			BAPTF		106 90	106 90	48 44	48 44			25 52	25 52	16.05	16 05
	AIN Toolkit Service - Query Charge, Per Query				0 0256138										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query				0 0085161										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes				1 79										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription			BAPMS	16 01	44 02	44 02	31 28	31 28			25 52	25 52	16 05	16.05
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			BAPLS	0 0810536	47 21	47 21					25 52	25 52	16 05	16.05
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			BAPDS	15 93	44 02	44 02	31 28	31 28			25 52	25 52	16.05	16 05
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription			BAPES	0 0027018	47 21	47 21					25 52	25 52	16 05	16.05
ODUF/EDOUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF Message Processing, per message				0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message				0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)														
	EODUF Message Processing, per message				0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF Recording, per message				0 0001179										
	ODUF Message Processing, per message				0 0032089										
	ODUF Message Processing, per Magnetic Tape provisioned				54 62										
	ODUF Data Transmission (CONNECT DIRECT), per message				0 0000354										
ENHANCED EXTENDED LINK (EELs)															
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL, Miami, FL, Ft Lauderdale, FL!, Nashville, TN, New Orleans, LA,														
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge														
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply.)														

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements (No Switch As Is Charge)														
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1	1	UNCVX	UEAL2	18 35										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2	2	UNCVX	UEAL2	24 33										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3	3	UNCVX	UEAL2	34 77										
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 4	4	UNCVX	UEAL2	44 77										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	63 00										
	DS1 Channelization System Per Month		UNC1X	MQ1	125 29										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month		UNCVX	1D1VG	0 6988										
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	18 35										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	24 33										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	34 77										
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL2	44 77										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6988										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 38										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 67										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42 40										
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	55 96										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 - Facilty Termination Per Month		UNC1X	U1TF1	63 00										
	Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	125 29										
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month		UNCVX	1D1VG	0 6988										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 38										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 67										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42 40										
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	55 96										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61										
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 94										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	48 51										
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										

UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	63 00							31 26	31 26	3 91	3 91
Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	125 29										
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61							31 26	31 26	3 91	3 91
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 94							31 26	31 26	3 91	3 91
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	48 51							31 26	31 26	3 91	3 91
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 94										
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	48 51										
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UND64	64 02										
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	63 00										
Channelization - Channel System DS1 to DS0 combination Per Month		UNC1X	MQ1	125 29										
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 49	0 00	0 00								
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 94										
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	48 51										
Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	64 02										
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	1 49										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 18	14 29	14 29			31 26	31 26	3 91	3 91
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)														
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 1	1	UNC1X	USLXX	50 99										
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 2	2	UNC1X	USLXX	67 58										
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3	3	UNC1X	USLXX	96 58										
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 4	4	UNC1X	USLXX	127 40										
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 2293										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	63 00										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58										
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58										
First DS1Loop in DS3 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 40										
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	5 43										
Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	705 42										
DS3 to DS1 Channel System combination per month		UNC3X	MQ3	207 87										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78										
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58										
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58										
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 40										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL2	18 35										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL2	24 33										
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL2	34 77										
	A1 2 2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL2	45 88										
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0112										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV2	24 75							31 26	31 26	3 91	3 91
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)														
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	22 38										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	29 67										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	42 40										
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 4	4	UNCVX	UEAL4	55 96										
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month		UNCVX	1L5XX	0 0112										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month		UNCVX	U1TV4	21 75										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month		UNC3X	1L5ND	14 16										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month		UNC3X	UE3PX	396 30										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	5 43										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month		UNC3X	U1TF3	705 42										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)														
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month		UNCSX	1L5ND	14 16										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month		UNCSX	UDLS1	411 34										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month		UNCSX	1L5XX	5 43										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month		UNCSX	U1TFS	707 97										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	21 86										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	28 97										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	41 40										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 4	4	UNCNX	U1L2X	54 64										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0 2293										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month		UNC1X	U1TF1	63 00										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - Channel System DS1 to DS0 combination - per month		UNC1X	MQ1	125 29										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month		UNCNX	UC1CA	3 19										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	21 88										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	28 97										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	41 40										
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 4	4	UNCNX	U1L2X	54 64										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month		UNCNX	UC1CA	3 19										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)														
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 56										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 40										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month		UNCSX	1L5XX	5 43										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination		UNCSX	U1TFS	707 97										
	STS1 to DS1 Channel System combination per month		UNCSX	MQ3	207 87										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	50 99										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	67 58										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	96 58										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 4	4	UNC1X	USLXX	127 40										
	DS3 Interface Unit (DS1 COCI) combination per month		UNC1X	UC1D1	15 78										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	25 61										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	33 94										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	48 51										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 4	4	UNCDX	UDL56	64 02										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile		UNCDX	1L5XX	0 0112										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination		UNCDX	U1TD5	17 24										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)														
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	25 61										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	33 94										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	48 51										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 4	4	UNCDX	UDL64	64 02										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile		UNCDX	1L5XX	0 0112										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination		UNCDX	U1TD6	17 24										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
ADDITIONAL NETWORK ELEMENTS															
	When used as a part of a currently combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply.														
	When used as ordinarilty combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not														
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)														

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCVX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNCDX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC1X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge		UNC3X	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge		UNCSX	UNCCC		11 17	11 17	14 29	14 29			31 26	31 26	3 91	3 91
	NOTE, Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months														
OPERATIONAL SUPPORT SYSTEMS															
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions														
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge														
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge														
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis														
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)			SOMEC		3 50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	Exchange Ports														
	NOTE Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs														
	2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports - 2-Wire Analog Line Port- Res		UEPSR	UEPRL	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Res		UEPSR	UEPAT	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Subsequent Activity		UEPSR	USASC	0 00	0 00	0 00								
	FEATURES														
	All Available Vertical Features		UEPSR	UEPVF	6 75	0 00	0 00					25 52	11 34	16 06	16 06
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.		UEPSB	UEPBC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exchange Ports - 2-Wire VG unbundled MS extended local dialing parity Port with Caller ID - Bus		UEPSB	UEPAY	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPB1	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Subsequent Activity		UEPSB	USASC	0 00	0 00	0 00								
	FEATURES														
	All Available Vertical Features		UEPSB	UEPVF	6 75	0 00	0 00					25 52	11 34	16 06	16 06
	EXCHANGE PORT RATES (DID & PBX)														
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9 43	238 29	37 43	122 66	7 71			25 52	11 34	16 06	16 06

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability		UEPDD	UEPDD	72 96	403 50	191 12	148 66	5 04			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX UEPSX	U1PMA	17 14	145 35	105 83	95 12	21 37			53 87	53 87	11 34	11 34
	All Features Offered		UEPTX UEPSX	UEPVF	6 75	0 00	0 00								
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
	Exchange Ports - 2-Wire ISDN Port -- Channel Profiles		UEPTX UEPSX	U1UMA	0 00	0 00	0 00								
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPEX	UEPEX	105 79	407 08	202 84	162 15	41 07			51 03	51 03	8 51	8 51
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPP1	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Vice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port		UEPSP	UEPXQ	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port		UEPSP	UEPXR	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2 11	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	Subsequent Activity		UEPSP	USASC	0 00	0 00	0 00								
FEATURES			EPSP												
	All Available Vertical Features		UEPSE	UEPVF	6 75	0 00	0 00					25 52	11 34	16 06	
EXCHANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port				2 32	22 98	22 98	6 56	6 56			25 52	11 34	16 06	16 06
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports														
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process														
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU				0 0023771										
	End Office Trunk Port - Shared, Per MOU				0 0001927										
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU				0 0007834										
	Tandem Trunk Port - Shared, Per MOU				0 0002834										
Common Transport															
	Common Transport - Per Mile, Per MOU				0 0000091										
	Common Transport - Facilities Termination Per MOU				0 0004281										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations															
	For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
	2-Wire VG Loop/Port Combo - Zone 4	4			38 59											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRX	UEPLX	36 47											
	2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	2 12							43 52	9 99			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	2 12							43 52	9 99			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	2 12							43 52	9 99			
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - res		UEPRX	UEPAT	2 12							43 52	9 99			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	2 12							43 52	9 99			
	FEATURES															
	All Features Offered		UEPRX	UEPVF	6 75	0 00	0 00					43 52	9 99			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		5 20	0 41					43 52	9 99			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		5 20	0 41					43 52	9 99			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 87						6 88				
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0 00	0 00	0 00					43 52	9 99			
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPBX	UEPLX	36 47											

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	2 12							43 52	9 99		
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	2 12							43 52	9 99		
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	2 12							43 52	9 99		
	2-Wire voice Grade unbundled Mississippi extended local dialing parity port with Caller ID - bus		UEPBX	UEPAY	2 12							43 52	9 99		
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBX	UPEB1	2 12							43 52	9 99		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35										
FEATURES															
	All Features Offered		UEPBX	UEPVF	6 75	0 00	0 00					43 52	9 99		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		5 20	0 41					43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		5 20	0 41								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 87						6 88			
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2								43 52	9 99		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71										
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45										
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75										
	2-Wire VG Loop/Port Combo - Zone 4	4			38 59										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL 1) - Zone 4	4	UEPRG	UEPLX	36 47										
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2 12							43 52	9 99		
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 50										
FEATURES															
	All Features Offered		UEPRG	UEPVF	6 75	0 00	0 00					43 52	9 99		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG	USAC2		5 20	0 41					43 52	9 99		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		5 20	0 41					43 52	9 99		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 87						6 88			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0 00	0 00	0 00					43 52	9 99			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14.64					19 99	19 99	19 99	19 99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			16 71											
	2-Wire VG Loop/Port Combo - Zone 2	2			21 45											
	2-Wire VG Loop/Port Combo - Zone 3	3			29 75											
	2-Wire VG Loop/Port Combo - Zone 4	4			38 59											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL 1) - Zone 4	4	UEPPX	UEPLX	36 47											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	2 12							43 52	9 99			
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	2 12							43 52	9 99			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	2 12							43 52	9 99			
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	2 12							43 52	9 99			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	2 12							43 52	9 99			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2 12							43 52	9 99			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	2 12							43 52	9 99			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2 12							43 52	9 99			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	2 12							43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2 12							43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	2 12							43 52	9 99			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	2 12							43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port		UEPPX	UEPXQ	2 12							43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port		UEPPX	UEPXR	2 12							43 52	9 99			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	2 12							43 52	9 99			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
FEATURES																
	All Features Offered		UEPPX	UEPVF	6 75	0 00	0 00					43 52	9 99			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		5 20	0 41					43 52	9 99			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		5 20	0 41					43 52	9 99			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update					2 87						6 88				
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0 00	0 00	0 00					43 52	9 99			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1				17 06											
	2-Wire VG Coin Port/Loop Combo – Zone 2				21 80											
	2-Wire VG Coin Port/Loop Combo – Zone 3				30 10											
	2-Wire VG Coin Port/Loop Combo – Zone 4				38 94											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4		UEPCO	UEPLX	36 47											
	2-Wire Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	2 47							43 52	9 99			
	2-Wire Coin 2-Way without Operator Screening and without Blocking, with Dialing Parity (Note 3) (MS)		UEPCO	UEPMC	2 47							43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2 47							43 52	9 99			
	2-Wire Coin 2-W with Operator Screening and Blocking 011, 900/976, 1+DDD, with Dialing Parity (MS)		UEPCO	UEPMA	2 47							43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	2 47							43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (MS)		UEPCO	UEPMB	2 47							43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	2 47							43 52	9 99			
	2-Wire Coin 2-W Operator Screening 900 Block 900/976, 1+DDD 011+, Local, with Dialing Parity (MS)		UEPCO	UEPCJ	2 47							43 52	9 99			
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		UEPCO	UEPRN	2 47							43 52	9 99			
	2-Wire Coin Outward without Blocking and without Operator Screening, With Dailing Parity (MS)		UEPCO	UEPME	2 47							43 52	9 99			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)		UEPCO	UEPRJ	2 47							43 52	9 99			
	2-Wire Coin Outward with Operator Screening and 011 Blocking, with Dialing Parity (MS)		UEPCO	UEPMD	2 47							43 52	9 99			
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	2 47							43 52	9 99			
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	2 47							43 52	9 99			
	2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD, 011+, and Local, with Dialing Parity (MS)		UEPCO	UEPCS	2 47							43 52	9 99			
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	2 47							43 52	9 99			
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	2 47							43 52	9 99			
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	4 62	0 00	0 00									
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		5 20	0 41					43 52	9 99			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPCO	USACC		5 20	0 41					43 52	9 99		
	ADDITIONAL NRCs														
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0 00	0 00					43 52	9 99		
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
	UNE Port/Loop Combination Rates														
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1	1			31 12										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	2			39 60										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	3			52 14										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4	4			63 91										
	UNE Loop Rates														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	21 71										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	30 19										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	42 73										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4	4	UEPPX	UECD1	54 50	210 42	135 59	104 08	20 59						
	UNE Port Rate														
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9 41							43 52	9 99		
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		14 59	3 72					43 52	9 99		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		14 59	3 72					43 52	9 99		
	ADDITIONAL NRCs														
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		53 49	53 49					43 52	9 99		
	Telephone Number/Trunk Group Establisment Charges														
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0 00	0 00	0 00					19 99	19 99		
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0 00	0 00	0 00					19 99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPPX	ND5	0 00	0 00	0 00					19 99			
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0 00	0 00	0 00					19 99	19 99		
	Reserve DID Numbers		UEPPX	NDV	0 00	0 00	0 00				19 99				
	LOCAL NUMBER PORTABILITY														
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15										
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT														
	UNE Port/Loop Combination Rates														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1	1	UEPPB UEPPR		42 99										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2	2	UEPPB UEPPR		53 29										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3	3	UEPPB UEPPR		67 27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 4	4			106 55										
	UNE Loop Rates														
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	28 66							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	38 96							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	52 94							19 99	19 99	19 99	19 99
	2-Wire ISDN Digital Grade Loop - UNE Zone 4	4	UEPPB UEPPR	USL2X	106 55	233 54	158 71	104 88	20 59			19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port Rate															
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB UEPPR	UEPPB	14 33							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0 00	76 91	42 99					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPB UEPPR	LNPCX	0 35	0 00	0 00								
B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCA	0 00	0 00	0 00								
	CVS (EWSD)		UEPPB UEPPR	U1UCB	0 00	0 00	0 00								
	CSD		UEPPB UEPPR	U1UCC	0 00	0 00	0 00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
	CVS/CSD (DMS/5ESS)		UEPPB UEPPR	U1UCD	0 00	0 00	0 00								
	CVS (EWSD)		UEPPB UEPPR	U1UCE	0 00	0 00	0 00								
	CSD		UEPPB UEPPR	U1UCF	0 00	0 00	0 00								
USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)		UEPPR	U1UMA	0 00	0 00	0 00								
VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	6 75	0 00	0 00					43 52	9 99		
INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	M1GNC	20 67	106 72	48 83					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	M1GNM	0 0323	0 00	0 00				0 00				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1	1	UEPPP		212 84										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2	2	UEPPP		318 50										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3	3	UEPPP		356 97										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 4	4	UEPPP		672 23						19 99				
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPPP	USL4P	107 50							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPPP	USL4P	212 71							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPPP	USL4P	251 18							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 4	4	UEPPP	USL4P	566 44	504 26	315 65	91 54	23 97			19 99	19 99	19 99	19 99
UNE Port Rate															
	Exchange Ports - 4-Wire ISDN DS1 Port		UEPPP	UEPPP	105 79							19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is		UEPPP	USACP	0 00	237 82	156 90					19 99	19 99	19 99	19 99
ADDITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance		UEPPP	PR7TF		0 9788						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)		UEPPP	PR7TO		23 02	23 02					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance		UEPPP	PR7ZT		46 05	46 05					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPP	LNPCN	1 75										
INTERFACE (Provisioning Only)															
	Voice/Data		UEPPP	PR71V	0 00	0 00	0 00								
	Digital Data		UEPPP	PR71D	0 00	0 00	0 00								
	Inward Data		UEPPP	PR71E	0 00	0 00	0 00								
New or Additional "B" Channel															
	New or Additional - Voice/Data B Channel		UEPPP	PR7BV	0 00	29 01						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel		UEPPP	PR7BF	0 00	29 01						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel		UEPPP	PR7BD	0 00	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel		UEPPP	PR7BS	0 00	29 01						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel		UEPPP	PR7BU	0 00	29 01						19 99	19 99	19 99	19 99
CALL TYPES															
	Inward		UEPPP	PR7C1	0 00	0 00	0 00								
	Outward		UEPPP	PR7C0	0 00	0 00	0 00								
	Two-way		UEPPP	PR7CC	0 00	0 00	0 00								
Interoffice Channel Mileage															
	Fixed Each Including First Mile		UEPPP	1LN1A	75 0598	196 28	147 31	26 56				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile		UEPPP	1LN1B	0 6598										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	1	UEPDC		180 01							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	2	UEPDC		285 67							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	3	UEPDC		324 14							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4	4	UEPDC		639 40							19 99	19 99	19 99	19 99
UNE Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1	1	UEPDC	USLDC	50 99							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2	2	UEPDC	USLDC	212 70							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3	3	UEPDC	USLDC	251 18							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 4	4	UEPDC	USLDC	566 44	504 26	315 65	91 54	23 97			19 99	19 99	19 99	19 99
UNE Port Rate															
	4-Wire DDITS Digital Trunk Port		UEPDC	UDD1T	72 98							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is		UEPDC	USAC4		259 07	134 08					19 99	19 99	19 99	19 99	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes		UEPDC	USAWA		258 63	133 85					19 99	19 99	19 99	19 99	
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk		UEPDC	USAWB		258 63	133 85					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk		UEPDC	UDTTA		28 91	28 91					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk		UEPDC	UDTTB		28 91	28 91					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID		UEPDC	UDTTC		28 91	28 91					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID		UEPDC	UDTTD		28 91	28 91					19 99	19 99	19 99	19 99	
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans		UEPDC	UDTTE		28 91	28 91					19 99	19 99	19 99	19 99	
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format		UEPDC	CCOSF		0 00	600 00					19 99	19 99	19 99	19 99	
	B8ZS - Extended Superframe Format		UEPDC	CCOEF		0 00	600 00					19 99	19 99	19 99	19 99	
Alternate Mark Inversion																
	AMI -Superframe Format		UEPDC	MCOSF		0 00	0 00									
	AMI - Extended SuperFrame Format		UEPDC	MCOPO		0 00	0 00									
Telephone Number/Trunk Group Establisment Charges																
	Telephone Number for 2-Way Trunk Group		UEPDC	UDTGX	0 00							19 99	19 99			
	Telephone Number for 1-Way Outward Trunk Group		UEPDC	UDTGY	0 00							19 99	19 99			
	Telephone Number for 1-Way Inward Trunk Group Without DID		UEPDC	UDTGZ	0 00							19 99	19 99			
	DID Numbers for each Group of 20 DID Numbers		UEPDC	ND4	0 00							19 99	19 99			
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPDC	ND5	0 00							19 99	19 99			
	Reserve Non-Consecutive DID Nos		UEPDC	ND6	0 00	0 00	0 00					19 99	19 99			
	Reserve DID Numbers		UEPDC	NDV	0 00	0 00	0 00					19 99	19 99			
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)		UEPDC	1LNO1	74 40	196 28	147 31	26 56	21 61							
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		UEPDC	1LNOA	0 6598	0 00	0 00									
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)		UEPDC	1LNO2	0 00	0 00	0 00									
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles		UEPDC	1LNOB	0 6598	0 00	0 00									
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)		UEPDC	1LNO3	0 00	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		UEPDC	1LNOC	0 6598	0 00	0 00									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Local Number Portability, per DS0 Activated		UEPDC	LNPCP	3 15	0 00	0 00	0 00								
	Central Office Terminating Point		UEPDC	CTG	0 00											
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1	1	UEPMG	USLDC	107 05	0 00	0 00									
	4-Wire DS1 Loop - UNE Zone 2	2	UEPMG	USLDC	212 70	0 00	0 00									
	4-Wire DS1 Loop - UNE Zone 3	3	UEPMG	USLDC	251 18	0 00	0 00									
	4-Wire DS1 Loop - UNE Zone 4	4	UEPMG	USLDC	566 44	0 00	0 00					19 99	19 99	19 99	19 99	
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1		UEPMG	VUM24	115 78	0 00	0 00					19 99	19 99			
	48 DS0 Channel Capacity - 1 per 2 DS1s		UEPMG	VUM48	231 56	0 00	0 00					19 99	19 99			
	96 DS0 Channel Capacity -1per 4 DS1s		UEPMG	VUM96	463 12	0 00	0 00					19 99	19 99			
	144 DS0 Channel Capacity - 1 per 6 DS1s		UEPMG	VUM14	694 68	0 00	0 00					19 99	19 99			
	192 DS0 Channel Capacity -1 per 8 DS1s		UEPMG	VUM19	926 24	0 00	0 00					19 99	19 99			
	240 DS0 Channel Capacity - 1 per 10 DS1s		UEPMG	VUM20	1,157 80	0 00	0 00					19 99	19 99			
	288 DS0 Channel Capacity - 1 per 12 DS1s		UEPMG	VUM28	1,389 36	0 00	0 00					19 99	19 99			
	384 DS0 Channel Capacity - 1 per 16 DS1s		UEPMG	VUM38	1,852 48	0 00	0 00					19 99	19 99			
	480 DS0 Channel Capacity - 1 per 20 DS1s		UEPMG	VUM40	2,315 60	0 00	0 00					19 99	19 99			
	576 DS0 Channel Capacity -1 per 24 DS1s		UEPMG	VUM57	2,778 72	0 00	0 00					19 99	19 99			
	672 DS0 Channel Capacity - 1 per 28 DS1s		UEPMG	VUM67	3,241 84	0 00	0 00					19 99	19 99			
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		UEPMG	USAC4	0 00	300 55	16 70					19 99	19 99			
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) In Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only		UEPMG	VUMD4	0 00	715 15	327 39	148 05	17 56			19 99				
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only		UEPMG	CCOSF	0 00	0 00	600 00									
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only		UEPMG	CCOEF	0 00	0 00	600 00									
	Alternate Mark Inversion (AMI)															
	Superframe Format		UEPMG	MCOSF	0 00	0 00	0 00									
	Extended Superframe Format		UEPMG	MCOPO	0 00	0 00	0 00									
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business		UEPPX	UEPCX	1 76	0 00	0 00	0 00	0 00			43 52	9 99			
	Line Side Outward Channelized PBX Trunk Port - Business		UEPPX	UEPOX	1 76	0 00	0 00	0 00	0 00			43 52	9 99			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Inward Only Channelized PBX Trunk Port without DID		UEPPX	UEP1X	1 76	0 00	0 00	0 00	0 00			43 52	9 99		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port		UEPPX	UEPDM	9 43	0 00	0 00	0 00	0 00			43 52	9 99		
Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank		UEPPX	1PQWM	0 70	25 36	13 39	4 29	4 26			43 52	9 99		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank		UEPPX	1PQWU	0 70	78 03	18 39	60 66	11 85			43 52	9 99		
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)		UEPPX	NDT	0 00							19 99			
	DID Numbers - groups of 20 - Valid all States		UEPPX	ND4	0 00	0 00	0 00					19 99			
	Non-Consecutive DID Numbers - per number		UEPPX	ND5	0 00	0 00	0 00					19 99			
	Reserve Non-Consecutive DID Numbers		UEPPX	ND6	0 00	0 00	0 00					19 99			
	Reserve DID Numbers		UEPPX	NDV	0 00	0 00	0 00					19 99			
Local Number Portability															
	Local Number Portability - 1 per port		UEPPX	LNPCP	3 15	0 00	0 00								
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available		UEPPX	UEPVF	6 75	0 00	0 00					43 52	9 99		
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES															
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules														
	These scenarios include														
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee														
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines														
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)														
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference														
	The Market Rate for unbundled ports includes all available features in all states														
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)														
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59										
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33										
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63										
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47										
UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	14 59										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	19 33										
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	27 63										
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRX	UEPLX	36 47										
2-Wire Voice Grade Line Port (Res)															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	14 00	90 00	90 00					43 52	9 99			
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	14 00	90 00	90 00					43 52	9 99			
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	14 00	90 00	90 00					43 52	9 99			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	14 00	90 00	90 00					43 52	9 99			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPRX	LNPCX	0 35											
FEATURES																
	All Features Offered		UEPRX	UEPVF	0 00	0 00	0 00									
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPRX	USAS2		0 00	0 00					43 52	9 99			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33											
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63											
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPBX	UEPLX	36 47											
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	14 00	90 00	90 00					43 52	9 99			
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPBX	UEPBC	14 00	90 00	90 00					43 52	9 99			
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBO	14 00	90 00	90 00					43 52	9 99			
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)		UEPBX	LNPCX	0 35											
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent		UEPBX	USAS2		0 00	0 00					43 52	9 99			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33											
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63											
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47							43 52	9 99			
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	27 63											

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPRG	UEPLX	36 47											
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	14 00	90 00	90 00					43 52	9 99			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPRG	LNPCP	3 15											
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1	1			28 59											
	2-Wire VG Loop/Port Combo - Zone 2	2			33 33											
	2-Wire VG Loop/Port Combo - Zone 3	3			41 63											
	2-Wire VG Loop/Port Combo - Zone 4	4			50 47											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPPX	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPPX	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPPX	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4	4	UEPPX	UEPLX												
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	14 00	90 00	90 00					43 52	9 99			
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	14 00	90 00	90 00					43 52	9 99			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy Calling Port		UEPPX	UEPXQ	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional Calling Port		UEPPX	UEPXR	14 00	90 00	90 00					43 52	9 99			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	14 00	90 00	90 00					43 52	9 99			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPPX	LNPCP	3 15											
	FEATURES															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPPX	USAS2		0 00	0 00					43 52	9 99			
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring					0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					14 64	14 64					19 99	19 99	19 99	19 99	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1				28 59											
	2-Wire VG Coin Port/Loop Combo – Zone 2				33 33											
	2-Wire VG Coin Port/Loop Combo – Zone 3				41 63											
	2-Wire VG Coin Port/Loop Combo – Zone 4				50 47											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPCO	UEPLX	14 59											
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPCO	UEPLX	19 33											
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPCO	UEPLX	27 63											
	2-Wire Voice Grade Loop (SL1) - Zone 4		UEPCO	UEPLX	36 47							43 52	9 99			
	2-Wire Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin 2-Way without Operator Screening and without Blocking, with Dialing Parity (Note 3) (MS)		UEPCO	UEPMC	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)		UEPCO	UEPRA	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin 2-W with Operator Screening and Blocking 011, 900/976, 1+DDD, with Dialing Parity (MS)		UEPCO	UEPMA	14 00							43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (MS)		UEPCO	UEPMB	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin 2-W Oper Screen & Blocking 900/976, 1+DDD, 011+, and Local, with Dialing Parity (MS)		UEPCO	UEPCJ	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		UEPCO	UEPRN	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Outward without Blocking and without Operator Screening, with Dialing Parity (MS)		UEPCO	UEPME	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS)		UEPCO	UEPRJ	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Outward with Operator Screening and 011 Blocking, with Dialing Parity (MS)		UEPCO	UEPMD	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCN	14 00	90 00	90 00					43 52	9 99			
	2-Wire Coin Out Operator Screen & Blocking 900/976, 1+DDD, 011+, & Local, with Dialing Parity (MS)		UEPCO	UEPCS	14 00	90 00	90 00					43 52	9 99			
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)		UEPCO	LNPCX	0 35											
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															

CATEGORY		UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent		UEPCO	USAS2		0 00	0 00					43 52	9 99			
	NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Statewide		SW	UEANL	UEAL2	15 88	57 99	42 37					26 94	12 76		
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 33	23 33								
	2 Wire Analog Voice Grade Loop -Service Level 1-Statewide- Line Splitting			UEPSR, UEPSB	UEALS	15 88	57 99	42 37					26 94	12 76		
	Engineering Information Document (EI)			UEANL			28 74	28 74								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		61 38	61 38								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45 34	45 34								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Statewide		SW	UEA	UEAL2	19 50	142 97	106 56					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling-Statewide		SW	UEA	UEAR2	19 50	142 97	106 56					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
	4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Statewide		SW	UEA	UEAL4	27 49	288 47	237 45					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 34									
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Statewide		SW	UDN	U1L2X	24 98	325 91	251 31					26 94	12 76		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 34									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Statewide		SW	UDC	UDC2X	24 98	325 91	251 31					26 94	12 76		
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Statewide		SW	UAL	UAL2X	14 60	504 90	456 17					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34									
	2 Wire Unbundled ADSL Loop without manual service inquiry and facility reservation - Statewide		SW	UAL	UAL2W	14 60	203 85	128 42					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 34									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide		SW	UHL	UHL2X	11 98	504 90	456 17					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide		SW	UHL	UHL2W	11 98	221 08	145 65					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Statewide		SW	UHL	UHL4X	13 97	531 35	482 62					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Statewide		SW	UHL	UHL4W	13 97	277 99	202 56					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 34									
	4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Statewide		SW	USL	USLXX	62 78	714 84	421 47					42 19	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 31									
	4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19 2 Kbps		SW	UDL	UDL19	32 67	489 04	337 51					19 99	19 99	19 99	19 99
	4 Wire Unbundled Digital Loop 56 Kbps		SW	UDL	UDL56	32 67	489 04	337 51					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34									
	4 Wire Unbundled Digital Loop 64 Kbps - Statewide		SW	UDL	UDL64	32 67	489 04	337 51					26 94	12 76		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 34									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13 40	281 95	162 85					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	21 76	281 95	162 85					19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	25 01	281 95	162 85					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13 40	250 17	174 74					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	21 76	250 17	174 74					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	25 01	250 17	174 74					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	37 79	268 96	149 86					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	63 16	268 96	149 86					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	73 02	268 96	149 86					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	37 79	189 00	113 57					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	63 16	189 00	113 57					19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	73 02	189 00	113 57					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	2-Wire Unbundled Copper Loop Non-Designed - SW	!	sw	UEQ	UEQ2X	15 86	57 99	42 37					26 94	26 94		
	Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		61 38	61 38								
	Engineering Information Document			UEQ			28 74	28 74								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
4-WIRE COPPER LOOP																
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17 63	330 13	211 02					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	28 89	330 13	211 02					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	33 28	330 13	211 02					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17 63	250 17	174 74					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	28 89	250 17	174 74					19 99	19 99	19 99	19 99
	4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	33 28	250 17	174 74					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	53 68	317 14	198 03					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	90 07	317 14	198 03					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	104 23	317 14	198 03					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	53 68	237 18	161 75					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	90 07	237 18	161 75					19 99	19 99	19 99	19 99
	4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	104 23	237 18	161 75					19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61 38	61 38								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		64 85	64 85								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k			UCL, ULS	ULM2G		339 84	339 84								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		64 85	64 85								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		339 84	339 84								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		64 90	64 90								
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		498 09	498 09					26 94	12 76		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		45 04	45 04					26 94	12 76		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		313 01	313 01					26 94	12 76		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		108 06	108 06					26 94	12 76		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	I	1	UEANL	USBN2	7 99	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	12 63	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	14 43	126 03	54 54	71 13	10 16			26 94	12 76	15 12	15 12
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	9 23	156 52	79 66	78 56	13 53			26 94	12 76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	14 63	156 52	79 66	78 56	13 53			26 94	12 76		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	16 73	156 52	79 66	78 56	13 53			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3 50	114 05	37 20	76 58	10 81			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	3 75	127 67	50 82	78 71	10 69			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		45 34	45 34								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	7 33	137 10	60 24	76 58	10 81			26 94	12 76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	10 95	137 10	60 24	76 58	10 81			26 94	12 76		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12 36	137 10	60 24	76 58	10 81			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 34	45 34								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7 14	162 24	85 38	78 56	13 53			26 94	12 76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	11 09	162 24	85 38	78 56	13 53			26 94	12 76		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	12 63	162 24	85 38	78 56	13 53			26 94	12 76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		45 34	45 34								
	Sub-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,UCL,UDL,UDC	USBFW		498 09									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,UCL,UDL,UDC	USBFX		45 04	45 04								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		523 51	11 31								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1		1	UEA	USBFA	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFA	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3		3	UEA	USBFA	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		45 34									
	Unbundlde Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFB	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFB	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3		3	UEA	USBFB	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1		1	UEA	USBFC	11 43	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2		2	UEA	USBFC	18 35	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3		3	UEA	USBFC	21 04	122 52	46 61	149 46	59 37			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21 91	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	35 92	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	41 37	226 36	144 28					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21 91	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	35 92	226 36	144 28					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	41 37	226 36	144 28					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45 34									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	19 63	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	31 61	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	36 27	202 01	105 88					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		45 34									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	19 63	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	31 61	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	36 27	202 01	105 88					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39 69	393 01	153 37					42 19	12 76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	67 36	393 01	153 37					42 19	12 76		
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	78 12	393 01	153 37					42 19	12 76		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		45 34									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	10 66	172 89	90 81					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	16 44	172 89	90 81					19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	18 89	172 89	90 81					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14 68	207 14	134 77					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	23 74	207 14	134 77					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	27 26	207 14	134 77					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 71	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	44 07	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	50 83	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 71	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	44 07	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	50 83	215 00	132 92					19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 34									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 71	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	44 07	215 00	132 92					19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	50 83	215 00	132 92					19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 34									
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	16 03										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	350 32	3,383 00	406 81	164 08	93 01			26 94	12 76		
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	16 03										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	376 06	3,383 00	406 81	164 08	93 01			26 94	12 76		
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	12 16										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	56 60										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	564 14	3,383 00	406 81	164 08	93 01			26 94	12 76		
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	14 97										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	639 50										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,841 00	3,383 00	406 81	164 08	93 01			26 94	12 76		
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	49 10										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	319 92										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,603 00	3,569 00	406 81	160 39	90 92			26 94	12 76		
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	360 95	787 73	406 81	160 39	90 92			26 94	12 76		
	Unbundled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		353 95	12 20					**26.94**	**12.76**		
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		353 95	12 20					**26 94**	**12.76**		
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		557 78	14 23					**26.94**	**12.76**		
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 44	64 98	64 98					26 94	12 76		
	Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines	I		UENTW	UND12		86 37	56 69					26 94	12 76		
	Network Interface Device (NID) - 1-6 lines	I		UENTW	UND16		127 93	98 21					26 94	12 76		
	Network Interface Device Cross Connect - 2 W	I		UENTW	UNDC2		11 68	11 68					26 94	12 76		
	Network Interface Device Cross Connect - 4W	I		UENTW	UNDC4		11 68	11 68					26 94	12 76		
UNBUNDLED LOOP CONCENTRATION																
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398 41	652 26	652 26					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58 36	271 78	271 78					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439 73	652 25	652 26					19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	BCS	USOC	RATES ($)					OSS RATES ($)					
					Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - System B (TR303)		ULC	UCT3B	98 34	271 78	271 78					19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - DS1 Loop Interface Card		ULC	UCTCO	5 52	126 85	92 35	33 65	9 42			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)		UDN	ULCC1	8 77	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)		UDC	ULCCU	8 77	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)		UEA	ULCC2	2 19	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)		UEA	ULCCR	13 03	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)		UEA	ULCC4	7 77	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - TEST CIRCUIT Card		ULC	UCTTC	37 98	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface		UDL	ULCC7	11 51	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface		UDL	ULCC5	11 51	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface		UDL	ULCC6	11 51	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99
	Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data														
UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation		UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQ,UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate		UAL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate		UEA,UDN,UCL,UDC	USBEQ	0 00	0 00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate		UEA,USL,UCL,UDL	USBER	0 00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0 00	0 00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0 00	0 00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	NOTE 4 month minimum billing period														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1L5ND	11 12										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	404 98	1,124 48	699 60					53 48	53 48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	11 12										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	417 70	1,124 48	699 60					53 48	53 48		
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		-----	UMKLW		56 34	56 34								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		-----	UMKLP		58 56	58 56								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)		-----	PSUMK		1 04	1 04								
LINE SHARING															
	Line Sharing Splitter, per System 96 Line Capacity	I	-----	ULSDA	100 00	300 00	0 00				0 00				
	Line Sharing Splitter, per System 24 Line Capacity	I	-----	ULSDB	25 00	300 00	0 00				0 00				
	Line Sharing Splitter, Per System, 8 Line Capacity	I	-----	ULSD8	12 73	424 61	0 00				0 00				
	Line Sharing - per Line Activation	I	-----	ULSDC	0 61	40 00	22 00					19 99	12 76		
	Line Sharing - per Subsequent Activity per Line Rearrangement	I	-----	ULSDS		30 00	15 00					19 99	12 76		
UNBUNDLED TRANSPORT															
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one			d above four months											
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE														
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			1L5XX	0 0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month		U1TVX	U1TV2	18 00	137 48	52 58					38 07	38 07		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month		U1TVX	1L5XX	0 0282										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	18 00	137 48	52 58	0 00	0 00			38 07	38 07		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0282										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	22 16	106 11	65 95					38 07	38 07		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17 40	137 48	52 58					38 07	38 07		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 40	137 48	52 58	0 00	0 00			38 07	38 07		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	71 29	217 17	163 75					38 07	38 07		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	**1L5XX**	**12 98**										
	Interoffice Channel - Dedicated Transport - DS3 - *Facility Termination per*			U1TD3	**U1TF3**	**720 38**	**794 94**	**579 55**					91 26	91 26		
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	**1L5XX**	**6 14**										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	790 37	642 23	408 89					53 48	53 48		
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, **DS3 and above**=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2								42 17	12 76		
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 1		1	ULDVX	ULDV2	12 51	553 80	89 69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 2		2	ULDVX	ULDV2	21 23	553 80	89 69								
	Local Channel - Dedicated - 2-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV2	24 62	553 80	89 69								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 1		1	UNDVX	ULDV4	13 40	562 23	92 67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 2		2	UNDVX	ULDV4	22 73	562 23	92 67								
	Local Channel - Dedicated - 4-Wire Voice Grade per month - Zone 3		3	UNDVX	ULDV4	26 37	562 23	92 67								
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	30 12	534 48	462 69					42 17	12 76		
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	51 11	534 48	462 69					42 17	12 76		
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	59 28	534 48	462 69					42 17	12 76		
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	8 66										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	496 76	562 25	527 88					56 25	56 25		
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	8 66										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	484 06	1,071 00	646 12					38 07	38 07		
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	146 69	197 78	140 06					24 85	8 16		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)				1D1DD	2 00	13 09	9 38								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month				UC1CA	3 59	13 09	9 38								
	Voice Grade COCI - DS1 to DS0 Channel System - per month				1D1VG	1 27	13 09	9 38								
	DS3 to DS1 Channel System per month			**UXTD3**	MQ3	233 10	403 97	234 40					24 78	7 42		
	STS1 to DS1 Channel System per month			**UXTS1**	MQ3	233 10	403 97	234 40					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	16 07	13 09	9 38								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	53 86										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,807 00	562 98					38 07	38 07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	27 71										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,807 00	562 98	0 00	0 00			38 07	38 07		
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	53 86										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,807 00	562 98	0 00	0 00			38 07	38 07		
TRANSPORT OTHER																
	Optional Features & Functions:															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		184 76	23 60	1 99	0 78			**29 33**	**3 93**		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		184 76	23 60	1 99	0 78			**29 33**	**3 93**		
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0 0005										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		7 05	0 96					26 94	26 94		
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			23 82	2 73					26 94	26 94		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		23 82	2 73					26 94	26 94		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5 63	2 82					26 94	26 94		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		6 59	3 77					26 94	26 94		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8 01	0 96					26 94	26 94		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		5 63						26 94	26 94		
	8XX Access Ten Digit Screening, w/ 8XX No Delivery, per query			OHD		0 00365										
	8XX Access Ten Digit Screening w/8XX No Delivery for 8XX Numbers, with Optional Complex Features, per query			OHD		0 00431										
	8XX Access Ten Digit Screening, w/ POTS No Delivery, per query			OHD		0 00383										
	8XX Access Ten Digit Screening w/ POTS No Delivery, with Optional Complex Features, per query			OHD		0 00431										
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0 0003										
	LIDB Validation Per Query			OQU		0 0134										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		62 26					62 26	26 94	26 94		
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port			UDB	PTSSX	132 83							19 99	19 99	19 99	19 99
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 00009										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18 22	278 02	278 02					19 99	19 99	19 99	19 99
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18 22	278 02	278 02					19 99	19 99	19 99	19 99
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 00004										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338 98							19 99	19 99	19 99	19 99
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40 00	40 00					19 99	19 99	19 99	19 99
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8 00	8 00					19 99	19 99	19 99	19 99
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0 016										
	CNAM for Non DB Owners, Per Query			OQV		0 01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595 00	595 00					26 94	26 94		
LNP QUERY SERVICE																
	OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 20										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20										
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Call					0 80										
	Inward Operator Services - Verification, Per Minute					1 15										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					0 85										
	Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1 15										
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00					19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shell/NAV				CBAOL		500 00	500 00					19 99	19 99		
	Unbranding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200 00	1,200 00								
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0 25										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 062										
	DIRECTORY TRANSPORT															
	SWA Common transport per Directory Assistance Access Service Call					0 0003										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0 00004										
	Access Tandem Switching per Directory Assistance Access Service Call					0 00055										
	Directory Assistance Interconnection per Directory Assistance Access Service Call					0 00269										
	DS3 to DS1 Multiplexer per DA Access Service Call					0 00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150 00										
BRANDING - DIRECTORY ASSISTANCE																
	Facility Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000 00	6,000 00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170 00	1,170 00								
	UNEP CLEC															
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170 00	1,170 00								
	Unbranding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420 00	420 00								
	Loading of DA per Switch per OCN						16 00	16 00								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		229 65	229 65					40 18	9 45		
VIRTUAL COLLOCATION																
	Virtual Collocation - Application Cost			CLO	EAF		2,848 30	2,848 30								
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750 00	2,750 00								
	Virtual Collocation - Floor Space, per sq ft			CLO	ESPVX	3 20										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3 48										
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13 35										
	Virtual Collocation - 2-wire Cross Connects (loop)			ueanl,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 09	41 78	39 23	4.75	4 75			19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl ucl, udl	UEAC4	0 18	41 91	39 25	4 73	4 73			19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15 99	67 34	48 55					19 99	19 99	19 99	19 99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28 74	82 35	63 56					19 99	19 99	19 99	19 99
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	0 97	71 02	51 08								
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56 25	151 90	11 83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0 0028										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0 0041										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			532 72									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			532 72									
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41 00	25 00								
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48 00	30 00								
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55 00	35 00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30 64	30 64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35 77	35 77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40 90	40 90								
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0 09	41 78	39.23					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0 09	41 78	39 23					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 09	41 78	39 23					19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 09	41 78	39 23					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 09	41 78	39 23					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 09	41 78	39 23					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 09	41 78	39 23					19 99	19 99	19 99	19 99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0 18	41 91	39 25					19 99	19 99	19 99	19 99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 18	41 91	39 25					19 99	19 99	19 99	19 99
VIRTUAL COLLOCATION																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0 09	41 78	39 23	4 75	4 75			19 99	19 99	19 99	19 99
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		391,788 00						19 99	19 99	19 99	19 99
	End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		294 77	294 77					26 94	26 94		
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		86 94	86 94					26 94	26 94		
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		86 94	86 94					26 94	26 94		
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		200 83	200 83					26 94	26 94		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		172 05	172 05					26 94	26 94		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0023										
	AIN SMS Access Service - Session, Per Minute					0 0791										
	AIN SMS Access Service - Company Performed Session, Per Minute					2 08										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		290 05	290 05					26 94	26 94		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,363 00	8,363 00					26 94	26 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		72 76	72 76					26 94	26 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72 76	72 76					26 94	26 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		72 76	72 76					26 94	26 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		149 95	149 95					26 94	26 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149 95	149 95					26 94	26 94		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		149 95	149 95					26 94	26 94		
	AIN Toolkit Service - Query Charge, Per Query					0 02										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 005										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 45										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15 98	71 80	71 80					26 94	26 94		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 08	47 20	47 20					26 94	26 94		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 90	71 80	71 80					26 94	26 94		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 003	47 20	47 20					26 94	26 94		
ODUF/EDOUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF Message Processing, per message					0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message					0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message					0 0003										
	ODUF Message Processing, per message					0 0032										
	ODUF Message Processing, per Magnetic Tape provisioned					54 61										
	ODUF Data Transmission (CONNECT DIRECT), per message					0 00004										
ENHANCED EXTENDED LINK (EELs)																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE. New EELs available in State of Georgia, density zone 1 of following SMAs. Orlando, FL, Miami, FL; Ft. Lauderdale, FLI, Nashville, TN, New Orleans, LA;															
	NOTE: Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge															
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply)															
	NOTE: In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop - Service Level 2/DS1 Interofficed Transport Combination - Statewide		sw	UNCVX	UEAL2	19 50	142 97	106 56					38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	DS1 Channelization System Per Month			UNC1X	MQ1	146 69	197 78	140 06					38 07	38 07		
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	1 27	13 09	9 38								
	Each Additional 2-Wire Vg Loop(SL2) in The Same Ds1 Interoffice Transport Combination Per Month			UNCVX	UEAL2	19 50	142 97	108 56					21 75	21 75	31 26	10 96
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2											
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire Analog Voice Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	288 47	237 45					21 75	21 75	31 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 69	197 78	140 06								
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38								
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	288 47	237 45					38 07	38 07		
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	1 27	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 56Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37 67	489 04	337 51					21 75	21 75	32 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 69	197 78	140 06								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL56	37 67	489 04	337 51					21 75	21 75	32 26	10 96
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 4-Wire 64Kbps Digital Grade Loop/DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37 67	489 04	337 51					21 75	21 75	32 26	10 98
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	146 69	197 78	140 06					38 07	38 07		
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Statewide		sw	UNCDX	UDL64	37 67	489 04	337 51					21 75	21 75	12 61	12 61
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	2 00	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					21 75	21 75	32 26	10 96
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	ns	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	First DS1Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					118 20	104 02		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	12 98										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	720 38	794 94	579 55					118 20	104 02		
	DS3 to DS1 Channel System combination per month			UNC3X	MQ3	233 10	403 97	234 40								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Additional DS1Loop in DS3 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 78	714 84	421 47					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL2	18 50	142 97	106 56								
	Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	18 00	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
	4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Statewide		sw	UNCVX	UEAL4	27 49	268 47	237 45	82 08	12 22						
	Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	22 16	106 11	65 95					22 32	22 32		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	11 12										
	High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	404 98	1,071 00	646 12								
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	12 98										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	720 38	794 94	579 55					91 28	91 28		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	11 12										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	417 70	1,071 00	646 12								
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	6 14										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	790 37	794 94	579 55					53 48	53 48		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop/DS1 Interoffice Combination Transport - Statewide		sw	UNCNX	U1L2X	24 98	325 91	251 31					38 07	38 07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	71 29	217 17	163 75					38 07	38 07		
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	146 69	197 78	140 06								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 59	15 76	11 28								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Statewide		sw	UNCNX	U1L2X	24 98	325 91	251 31					38 07	38 07		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination- per month			UNCNX	UC1CA	3 59	15 76	11 28								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 71	714 84	757 03					53 48	53 48		
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	6 14										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	790 37	794 94	579 55					53 48	53 48		
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	233 10	403 90	234 40								
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Statewide		sw	UNC1X	USLXX	62 71	714 84	757 03					38 07	38 07		
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	16 07	13 09	9 38								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge Manual Svc Order vs. Electronic Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Statewide		SW	UNCDX	UDL56	37 67	489 04	337 51								
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	17 40	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Statewide		SW	UNCDX	UDL64	32 67	489 04	337 51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	17 40	137 48	52 58					38 07	38 07		
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply															
	When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not															
	Node (SynchroNet)															
	Node per month			UNCDX	UNCNT	16 00										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		21 75	21 75	32 28	10 96			38 07	38 07		
	NOTE Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis															
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3 50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	2 19	21 60	21 60					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 19	21 60	21 60					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 19	21 60	21 60					26 94	12 76		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2 19	21 60	21 60					26 94	12 76		
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00								
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	3 40	0 00	0 00					26 94	12 76		
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2 19	21 60	21 60					26 94	12 76		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	2 19	21 60	21.60					26 94	12 76		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	2 19	21 60	21 60					26 94	12 76		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2 19	21 60	21 60					26 94	12 76		
	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00								
FEATURES																
	All Available Vertical Features			UEPSB	UEPVF	3 40	0 00	0 00					26 94	12 76		
EXCHANGE PORT RATES (DID & PBX)																
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	12 36	108 78	84 60					26 94	12 76		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	123 65	143 53	82 68					19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	24 50	117 59	117 59					55 30	55 30		
	All Features Offered			UEPTX UEPSX	UEPVF	3 40	0 00	0 00								
	NOTE Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE· Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
	Exchange Ports - 2-Wire ISDN Port – Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	179 75	241 63	241 63					53 89	53 89		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2 18	21 60	21 60					26 94	12 76		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2 18	21 60	21 60					26 94	12 76		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2 18	21 60	21 60					26 94	12 76		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2 18	21 60	21 60					26 94	12 76		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2 18	21 60	21 60					26 94	12 76		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2 18	21 60	21 60					26 94	12 76		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2 18	21 60	21 60					26 94	12 76		
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00								
FEATURES																
	All Available Vertical Features			UEPSE	UEPVF	3 40	0 00	0 00					26 94	12 76		
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					2 59	21 60	21 60					26 94	12 76		
	NOTE· Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0015										
	End Office Trunk Port - Shared, Per MOU					0 00023										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 0006										
	Tandem Trunk Port - Shared, Per MOU					0 0003										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 00001										
	Common Transport - Facilities Termination Per MOU					0 00034										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports															
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Com Port/Loop Combinations															
	For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			16 46										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPRX	UEPLX	14 18										
	2-Wire Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2 28							40 18	9 45		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2 28							40 18	9 45		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2 28							40 18	9 45		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2 28							40 18	9 45		
	FEATURES															
	All Features Offered			UEPRX	UEPVF	3 40	0 00	0 00					40 18	9 45		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00	0 00					40 18	9 45		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			16 46										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide		SW	UEPBX	UEPLX	14 18										
	2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 28							40 18	9 45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2 28							40 18	9 45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2 28							40 18	9 45		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	2 28							40 18	9 45		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	3 40	0 00	0 00					40 18	9 45		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2 77	0 40								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								40 18	9 45		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		SW			16 46										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPRG	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2 28							40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 50										
FEATURES																
	All Features Offered			UEPRG	UEPVF	3 40	0 00	0 00					40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00					40 18	9 45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		SW			16 46										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Statewide		SW	UEPPX	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 28							40 18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 28							40 18	9 45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 28							40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 28							40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 28							40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 28							40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 28							40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	3 40	0 00	0 00					40 18	9 45		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2 77	0 40					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1 42						10 27			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00					40 18	9 45		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99

UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect							
					Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Dis Add'l
										SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE Port/Loop Combination Rates															
2-Wire VG Coin Port/Loop Combo – Statewide					16 80										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Statewide			UEPCO	UEPLX	14 18										
2-Wire Voice Grade Line Ports (COIN)															
2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	2 62							40 18	9 45		
2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2 62							40 18	9 45		
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2 62							40 18	9 45		
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2 62							40 18	9 45		
2-Wire Coin 2-Way with Operator Screening 900 Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2 62							40 18	9 45		
2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)															
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	**2 62**							**40 18**	**9 45**		
2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 62							40 18	9 45		
2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 62							40 18	9 45		
ADDITIONAL UNE COIN PORT/LOOP (RC)															
UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 70	0 00	0 00								
Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES															
			UEPCO	USAC2		2 77	0 40					40 18	9 45		
change			UEPCO	USACC		2 77	0 40					40 18	9 45		
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00					40 18	9 45		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
2-Wire VG Loop/2-Wire DID Trunk Port Combo - Statewide		SW			31 07										
UNE Loop Rates															
2-Wire Analog Voice Grade Loop - (SL2) - Statewide		SW			**19 50**	**142 97**	**106 56**								
UNE Port Rate															
Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	12 36							40 18	9 45		
NONRECURRING CHARGES - CURRENTLY COMBINED															
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		13 26	8 39					40 18	9 45		
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		13 26	8 39					40 71	9 45		
ADDITIONAL NRCs															
2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 49						40 18	9 45		
Telephone Number/Trunk Group Establisment Charges															
DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00					19 99	19 99		
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0 00	0 00	0 00					19 99	19 99		
Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00					19 99	19 99		
DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0 00	0 00	0 00					19 99			
Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00					19 99	19 99		
Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00				19 99				
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - Statewide		sw	UEPPB UEPPR		44 49										
UNE Loop Rates																
	2-Wire ISDN Digital Grade Loop - Statewide		sw	UEPPB UEPPR	USL2X	20 12	325 91	251 31				19 99				
UNE Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	24 37							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0 00	174 35	174 35					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0 00	0 00								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0 00	0 00	0 00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0 00	0 00	0 00								
	CSD			UEPPB UEPPR	U1UCC	0 00	0 00	0 00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS. (AL,KY,LA,MS SC,MS, & TN)																
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	U1UMA	0 00	0 00	0 00								
VERTICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	3 40	0 00	0 00					40 18	9 45		
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	17 42	137 48	52 58					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0282	0 00	0 00				0 00				
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Statewide		sw	UEPPP		241 72										
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P											
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	179 01							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0 00	481 51	481 51					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - NC Only			UEPPP	PR7TG		1 17	1 17					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28 17	28 17					19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		56 33	56 33					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0 00	0 00	0 00								
	Digital Data			UEPPP	PR71D	0 00	0 00	0 00								
	Inward Data			UEPPP	PR71E	0 00	0 00	0 00								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	36 92						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	36 92						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	36 92						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0 00	36 92						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0 00	36 92						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward			UEPPP	PR7C1	0 00	0 00	0 00								
	Outward			UEPPP	PR7C0	0 00	0 00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Interoffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	71 3683	217 17	163 75	0 00				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 0783										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - Statewide		sw	UEPDC		186 23							19 99	19 99	19 99	19 99
UNE Loop Rates																
	4-Wire DS1 Digital Loop - Statewide		sw	UEPDC	USLDC	62 71	714 84	482 62					19 99	19 99	19 99	19 99
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	123 65							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-			UEPDC	USAC4		288 86	133 87					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		288 86	133 37					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		288 86	133 37					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		127 63	127 63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28 81	28 81					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28 81	28 81					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28 81	28 81					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		28 81	28 81					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		28 81	28 81					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF		0 00	615 00					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	615 00					19 99	19 99	19 99	19 99
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00							19 99	19 99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00							19 99	19 99		
	Telephone Number for 1-Way Inward Trunk Group Witnout DID			UEPDC	UDTGZ	0 00							19 99	19 99		
	DID Numbers, Establish Trunk Group and Prov de First Group of 20 DID Numbers			UEPDC	NDZ	0 00	0 00	0 00					19 99	19 99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00							19 99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00							19 99	19 99		
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00					19 99	19 99		
	Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0 00					19 99	19 99		
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	71 29	217 17	163 75	0 00	0 00						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 0783	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Terminal on)			UEPDC	1LNO2	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 0783	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 0783	0 00	0 00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00							
	Central Office Terminating Point			UEPDC	CTG	0 00										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-wire DS1 Loop UNE - Statewide		SW	UEPMG	USLDC	62 71						19 99				
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)															
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	123 06	0 00	0 00					19 99	19 99		
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246 12	0 00	0 00					19 99	19 99		
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492 24	0 00	0 00					19 99	19 99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	738 36	0 00	0 00					19 99	19 99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	984 48	0 00	0 00					19 99	19 99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,230 60	0 00	0 00					19 99	19 99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,476 72	0 00	0 00					19 99	19 99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968 96	0 00	0 00					19 99	19 99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,461 20	0 00	0 00					19 99	19 99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953 44	0 00	0 00					19 99	19 99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445 68	0 00	0 00					19 99	19 99		
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0 00	330 61	16 64					19 99	19 99		
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY & TN Only			UEPMG	VUMD4	0 00	743 74	326 22	149 02	17 68			19 99			
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0 00	0 00	615 00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	615 00								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00								
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	2 28	0 00	0 00	0 00	0 00			40 18	9 45		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	2 28	0 00	0 00	0 00	0 00			40 18	9 45		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	2 28	0 00	0 00	0 00	0 00			40 18	9 45		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	13 26	0 00	0 00	0 00	0 00			40 18	9 45		
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 65	25 27	13 34	4 15	4 12			40 18	9 45		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 65	77 75	18 33	58 74	11 48			40 18	9 45		
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00							19 99			
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0 00	0 00	0 00					19 99			
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00					19 99			
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00					19 99			
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00					19 99			
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00					19 99			
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3 40	0 00	0 00					40 18	9 45		
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee															
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft. Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing diff															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU) For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Statewide		sw			28 18										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPRX	UEPLX	14 18										
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90 00					40 18	9 45		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14 00	90 00	90 00					40 18	9 45		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14 00	90 00	90 00					40 18	9 45		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14 00	90 00	90 00					40 18	9 45		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41 50	41 50					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 50	41 50								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0 00	0 00					40 18	9 45		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		sw			28 18										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPBX	UEPLX	14 18										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00					40 18	9 45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00					40 18	9 45		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00					40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 50	41 50					40 18	9 45		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 50	41 50								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0 00	0 00					40 18	9 45		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates													40 18	9 45	20 00	20 00
	2-Wire VG Loop/Port Combo - Statewide		sw			28 18										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPRG	UEPLX	14 18										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14 00	90 00	90 00					40 18	9 45		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 50	41 50					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 50	41 50								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Statewide		sw			28 18										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Statewide		sw	UEPPX	UEPLX	14 18										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00					40 18	9 45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00					40 18	9 45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			**UEPPX**	**UEPXL**	**14 00**	**90 00**	**90 00**					**40 18**	**9 45**		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			**UEPPX**	**UEPXM**	**14 00**	**90 00**	**90 00**					**40 18**	**9 45**		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14 00	90 00	90 00					40 18	9 45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14 00	90 00	90 00					40 18	9 45		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 50	41 50					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 50	41 50								
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0 00	0 00					40 18	9 45		
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Statewide					28 18										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Statewide			UEPCO	UEPLX	14 18										
	2-Wire Voice Grade Line Port Rates (Coin)															
	2-Wire Coin 2-Way without Operator Screening and without Blocking (NC)			UEPCO	UEPND	14 00	90 00	90 00					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	14 00	90 00	90 00					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)			**UEPCO**	**UEPRP**	**14 00**							**40 18**	**9 45**		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	14 00	90 00	90 00					40 18	9 45		
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			**UEPCO**	**UEPCA**	**14 00**	**90 00**	**90 00**					**40 18**	**9 45**		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			**UEPCO**	**UEPNE**	**14 00**	**90 00**	**90 00**					**40 18**	**9 45**		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	14 00	90 00	90 00					40 18	9 45		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 50	41 50					40 18	9 45		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 50	41 50								
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0 00					40 18	9 45		

NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm																
UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	18 48	70 44	44 05					44 22	13 55			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	27 87	70 44	44 05					44 22	13 55			
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	36 91	70 44	44 05					44 22	13 55			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78 92	78 92									
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 33	23 33									
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	18 48	70 44	44 05					44 22	13 55			
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	27 87	70 44	44 05					44 22	13 55			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	36 91	70 44	44 05					44 22	13 55			
	Engineering Information Document (EI)			UEANL			28 82	28 82									
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		62 10	62 10									
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		45 43	45 43									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	21 57	178 12	128 80					44 42	13 55			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	32 53	178 12	128 80					44 42	13 55			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	43 08	178 12	128 80					44 42	13 55			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	21 57	178 12	128 80					44 42	13 55			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	32 53	178 12	128 80					44 42	13 55			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	43 08	178 12	128 80					44 42	13 55			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43										
	4-WIRE ANALOG VOICE GRADE LOOP																
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	29 47	383 39	286 77					44 06	13 55			
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	44 44	383 39	286 77					44 06	13 55			
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	58 85	383 39	286 77					44 06	13 55			
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45 43										
	2-WIRE ISDN DIGITAL GRADE LOOP																
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	26 68	423 04	301 75					44 42	13 55			
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	40 24	423 04	301 75					44 42	13 55			
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	53 85	423 04	301 75					44 42	13 55			
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45 43										
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP																
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	31 51	235 15	160 05	106 09	21 21			44 42	13 55			
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	40 95	235 15	160 05	106 09	21 21			44 42	13 55			
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	47 12	235 15	160 05	106 09	21 21			44 42	13 55			
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	17 10	600 61	507 33					44 42	13 55			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	25 79	600 61	507 33					44 42	13 55			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	34 15	600 61	507 33					44 42	13 55			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 43										
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	17 10	205 28	129 32	100 74	15 86			44 42	13 55			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	25 79	205 25	129 32	100 74	15 86			44 42	13 55			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	34 15	205 28	129 32	100 74	15 86			44 42	13 55			
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45 43										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	12.21	600 61	507 33					44 06	13 55		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	18 41	600 61	507 33					44 06	13 55		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	24 39	600 61	507 33					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	12 21	222 65	146 68	100 74	15 86			44 06	13 55		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	18 41	222 65	146 68	100 74	15 86			44 06	13 55		
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	24 39	222 65	146 68	100 74	15 86			44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16 21	625 11	532 78					44 06	13 55		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	24 45	625 11	532 78					44 06	13 55		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	32 38	625 11	532 78					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	16 21	279 96	203 99	110 24	20 75			44 06	13 55		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	24 45	279 96	203 99	110 24	20 75			44 06	13 55		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	32 38	279 96	203 99	110 24	20 75			44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45 43									
4-WIRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59 61	715 77	421 50					43 77	13 55		
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	89 90	715 77	421 50					43 77	13 55		
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	119 06	715 77	421 50					43 77	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48 47									
4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	34 26	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	51 67	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	68 43	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	34 26	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	51 67	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	68 43	602 73	393 50					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 43									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	34 26	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	51 67	602 73	393 50					44 06	13 55		
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	68 47	602 73	393 50					44 06	13 55		
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45 43									
2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	15 24	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17 14	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99
	2 Wire Unbundled Copper Loop/Short including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	17 68	283 95	163 99	120 42	22 42			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	15 24	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17 14	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Short without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	17 68	203 42	127 45	100 74	15 86			19 99	19 99	19 99	19 99
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
	2-Wire Unbundled Copper Loop/Long - includes manual srvc inquiry and facility reservation - Zone 1		1	UCL	UCL2L	47 77	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99
	2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL2L	69 16	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL2L	84 94	270 89	150 93	120 42	22 42			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL2W	47 77	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL2W	69 16	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99
		2-Wire Unbundled Copper Loop/Long - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL2W	84 94	190 36	114 39	100 74	15 86			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	11 01	44 69	22 40	25 65	7 06			44 22	13 55		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	I	2	UEQ	UEQ2X	12 67	44 69	22 40	25 65	7 06			44 22	13 55		
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	20 22	44 69	22 40	25 65	7 06			44 22	13 55		
		Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		62 10	62 10								
		Engineering Information Document			UEQ			28 82	28 82								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	24 55	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	26 13	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	24 17	332 47	212 51	130 98	27 68			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	24 55	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	26 13	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	24 17	251 94	175 94	110 24	20 75			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4L	96 61	319 41	199 45	130 98	27 66			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4L	148 48	319 41	199 45	130 98	27 66			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4L	180 12	319 41	199 45	130 98	27 66			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 1		1	UCL	UCL4O	96 61	238 87	162 90	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 2		2	UCL	UCL4O	148 48	238 87	162 90	110 24	20 75			19 99	19 99	19 99	19 99
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Zone 3		3	UCL	UCL4O	180 12	238 87	162 90	110 24	20 75			19 99	19 99	19 99	19 99
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		62 10	62 10								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft			UAL, UHL, UCL, UEQ, ULS	ULM2L		65 32	65 32								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS	ULM2G		342 29	342 29								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft			UHL, UCL	ULM4L		65 32	65 32								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft			UCL	ULM4G		342 29	342 29								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 37	65 37								
SUB-LOOPS																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL	USBSA		507 75	507 75					44 22	13 55		
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL	USBSB		45 37	45 37					44 22	13 55		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		380 60	380 60					44 22	13 55		
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		111 15	111 15					44 22	13 55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	11 09	131 88	62 05	90 69	13 42			44 22	13 55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	15 72	131 88	62 05	90 69	13 42			44 22	13 55		
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	18 49	131 88	62 05	90 69	13 42			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 43	45 43								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	17 64	158 41	88 58	99 64	18 17			44 22	13 55		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	24 25	158 41	88 58	99 64	18 17			44 22	13 55		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	23 63	158 41	88 58	99 64	18 17			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 43	45 43								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	USBR2	3 01	106 26	36 42	90 69	13 42			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 43	45 43								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		UEANL	USBR4	6 70	118 76	48 93	99 64	18 17			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		45 43	45 43								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	8 59	131 88	62 05	90 69	13 42			44 22	13 55		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	12 29	131 88	62 05	90 69	13 42			44 22	13 55		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	13 10	131 88	62 05	90 69	13 42			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		45 43	45 43								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	9 81	158 41	88 58	99 64	18 17			44 22	13 55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	17 71	158 41	88 58	99 64	18 17			44 22	13 55		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	15 80	158 41	88 58	99 64	18 17			44 22	13 55		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		45 43	45 43								
Sub-Loop Feeder															
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up		UEA, UDN, UCL, UDL, UDC	USBFW		507 75									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up		UDN, UCL, UDL, UDC	USBFX		45 37	45 37								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination		USL	USBFZ		523 87	11 34								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground Start, Voice Grade - Zone 1	1	UEA	USBFA	11 16	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFA	14 67	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, Per 2 Wire Ground-Start, Voice Grade - Zone 3	3	UEA	USBFA	18 43	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Order Coordination for Specified Conversion Time, per LSR		UEA	OCOSL		45 43									
	Unbundldle Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFB	11 16	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFB	14 67	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Start Loop, Voice Grade - Zone 3	3	UEA	USBFB	18 43	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Order Coordination for Specified Time Conversion, per LSR		UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 1	1	UEA	USBFC	11 16	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade - Zone 2	2	UEA	USBFC	14 67	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2 Wire Analog Reverse Battery, Voice Grade - Zone 3	3	UEA	USBFC	18 43	186 56	113 37	109 36	27 48			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR		UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1	1	UEA	USBFD	27 04	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2	2	UEA	USBFD	34 46	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3	3	UEA	USBFD	32 55	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1	1	UEA	USBFE	27 04	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2	2	UEA	USBFE	34 46	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3	3	UEA	USBFE	32 55	215 82	140 72	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL		45 43									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1	1	UDN	USBFF	21 31	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2	2	UDN	USBFF	26 15	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3	3	UDN	USBFF	29 36	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		UDN	OCOSL		45 43									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	1	UDC	USBFS	21 31	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	2	UDC	USBFS	26 15	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)	3	UDC	USBFS	29 36	212 94	137 84	111 61	26 73			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1	1	USL	USBFG	79 79	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2	2	USL	USBFG	155 94	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3	3	USL	USBFG	290 50	204 38	129 38	124 52	35 03			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR		USL	OCOSL		45 43									

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	7 47	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	6 00	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99	
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	5 74	167 94	92 84	106 27	21 38			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 43										
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	16 51	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	10 35	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	10 52	202 43	127 33	116 06	26 57			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		45 43										
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	26 62	204 38	129 29	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	26 62	204 38	129 29	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		45 43										
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 27	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	26 62	204 38	129 29	124 52	35 03			19 99	19 99	19 99	19 99	
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	25 21	204 38	129 28	124 52	35 03			19 99	19 99	19 99	19 99	
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		45 43										
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	20 44											
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	348 12	3,392 00	407 90	160 83	91 17			31 38	31 38	3 94	3 94	
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	20 44											
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	369 07	3,392 00	407 90	160 83	91 17			31 38	31 38	3 94	3 94	
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	15 51											
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	56 04											
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	565 50	3,392 00	407 90	160 83	91 17			31 38	31 38	3 94	3 94	
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	19 08											
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	689 82											
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,840 00	3,392 00	407 90	160 83	91 17			31 38	31 38	3 94	3 94	
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	62 60											
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	326 16											
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,560 00	3,678 00	407 90	160 83	91 17			31 38	31 38	3 94	3 94	
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	366 86	789 85	407 90	160 83	91 17			31 38	31 38	3 94	3 94	
	Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		356 50	12 29					**44 22**	**13 55**			
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		356 50	12 29					**44 22**	**13 55**			
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		561 80	14 33					**44 22**	**13 55**			
	Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0 41	62 71	62 71					44 22	13 55			
	Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		87 36	57 58					44 22	13 55			
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		128 84	99 06					44 22	13 55			
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11 83	11 83					44 22	13 55			
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11 83	11 83					44 22	13 55			
UNBUNDLED LOOP CONCENTRATION																	
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	398 41	652 26	652 26					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	58 36	271 78	271 78					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	439 73	652 26	652 26					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	98 34	271 78	271 78					19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	5 52	126 85	92 35	33 65	9 42			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 77	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 77	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 19	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	13 03	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 77	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	37 98	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	11 51	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11 51	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11 51	21 11	21 00	10 81	10 74			19 99	19 99	19 99	19 99	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data															
UNE OTHER, PROVISIONING ONLY - NO RATE																
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX											
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE											
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL, UEF,UEQ,UENTW	UNECN											
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0 00	0 00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC	USBFQ	0 00	0 00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,USL,UCL,UDL	USBFR	0 00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0 00	0 00									
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
	NOTE 4 month minimum billing period															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	15 33										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	382 95	905 04	529 05	239 50	167 53			31 38	31 38	3 94	3 94
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	15 33										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	391 86	905 04	529 05	239 50	167 53			31 38	31 38	3 94	3 94
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)			UMK	UMKLW		48 07	48 07								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK	UMKLP		50 97	50 97								
	Loop Makeup--With or Without Reservation, per working or spare facility queried (Mechanized)			UMK	PSUMK		0 6873	0 6873								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	100 00	300 00	0 00	0 00	0 00		0 00				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	25 00	300 00	0 00	0 00	0 00		0 00				
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	18 02	378 42	0 00	0 00	0 00		0 00				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	40 00	22 00	0 00	9 85			44 22	13 55		
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		30 00	15 00					44 22	13 56		
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)	I		ULS	ULSDG		57 83		11 41							
UNBUNDLED TRANSPORT																
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	24 30	81 25	54 94	33 54	13 82			31 38	31 38	9 80	9 80
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	24 30	81 25	54 94	33 54	13 82			31 38	31 38	9 80	9 80
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	21 29	81 25	54 94	33 54	13 82			31 38	31 38	3 94	3 94

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facilty Termination per month			U1TDX	U1TD5	16 76	81 26	54 94	33 54	13 82			31 38	31 38	3 94	3 94
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facilty Termination per month			U1TDX	U1TD6	16 76	81 26	54 94	33 54	13 82			31 38	31 38	9 80	9 80
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77 14	178 93	163 98	32 77	28 95			31 38	31 38	3 94	3 94
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	8 02										
	Interoffice Channel - Dedicated Transport - DS3 - Facilty Termination per			U1TD3	U1TF3	880 65	558 74	326 23	120 66	117 17			31 38	31 38	3 94	3 94
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	8 02										
	Interoffice Channel - Dedicated Transport - STS-1 - Facilty Termination per month			U1TS1	U1TFS	880 55	558 74	326 26	120 66	117 17			31 38	31 38	3 94	3 94
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	15 33	387 05	66 48	73 44	6 41			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	15 33	387 05	66 48	73 44	6 41			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	16 54	387 93	67 35	74 38	7 35			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - DS1 per month - Zone 1		1	ULDD1	ULDF1	42 62	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - DS1 per month - Zone 2		2	ULDD1	ULDF1	70 32	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - DS1 per month - Zone 3		3	ULDD1	ULDF1	190 68	355 73	308 11	44 48	30 59			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	11 93										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	446 00	905 04	529 05	239 50	167 53			31 38	31 38	3 94	3 94
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	11 93										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	435 10	905 04	529 05	239 50	167 53			31 38	31 38	3 94	3 94
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	134 46	182 48	125 42	21 12	19 82			31 38	31 38	3 947	3 94
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	1 49	13 18	9 45								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3 20	13 18	9 45								
	Voice Grade COC - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 7012	13 18	9 45								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	180 03	357 07	188 36	66 66	63 79			31 38	31 38	3 94	3 94
	STS1 to DS1 Channel System per month			UXTS1	MQ3	180 03	357 07	188 36	66 66	63 79			31 38	31 38	3 94	3 94
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	10 80	13 18	9 45								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	97 65										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,281 02	276 34	635 52	396 21			31 26	31 26	3 94	3 94
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	36 41										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,281 02	276 34	635 52	396 21			31 38	31 38	3 94	3 94
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	97 65										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,281 02	276 34	635 52	396 21			31 38	31 38	3 94	3 94
TRANSPORT OTHER																
	Optional Features & Functions.															
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		185 26	23 86	1 99	0 78			29 33	3 93		
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		185 26	23 86	1 99	0 78			29 33	3 93		
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0 0005227										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		6 38	0 9583					27 84	27 84		
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			22 63	2 73					27 84	27 84		
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		22 63	2 73					27 84	27 84		
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5 64	2 62					27 84	27 84		
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		6 60	3 78					27 84	27 84		
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		7 34	0 9583					27 84	27 84		
	8XX Access Ten Digit Screening, Call Handling and Destination Features			**OHD**	**N8FDX**		**5 64**						27 84	27 84		

UNBUNDLED NETWORK ELEMENT	Interim	Zone	RCR	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE INFORMATION DATA BASE ACCESS (LIDB)															
LIDB Common Transport Per Query			OQT		0 0000442										
LIDB Validation Per Query			OQU		0 0145288										
LIDB Originating Point Code Establishment or Change			OQT, OQU	NRPBX		61 62						27 84	27 84		
SIGNALING (CCS7)															
CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	156 33							19 99	19 99	19 99	19 99
CCS7 Signaling Usage, Per TCAP Message			UDB		0 0001108										
CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	21 79	277 07	277 07					19 99	19 99	19 99	19 99
CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	21 79	277 07	277 07					19 99	19 99	19 99	19 99
CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000452										
CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	396 55							19 99	19 99	19 99	19 99
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40 00	40 00					19 99	19 99	19 99	19 99
CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8 00	8 00					19 99	19 99	19 99	19 99
E911 SERVICE															
CALLING NAME (CNAM) SERVICE															
CNAM for DB Owners, Per Query			OQV		0 016										
CNAM for Non DB Owners, Per Query			OQV		0 01										
CNAM (Non-Datab Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595 00	595 00					27 84	27 84		
LNP QUERY SERVICE															
OPERATOR SERVICES AND DIRECTORY ASSISTANCE															
OPERATOR CALL PROCESSING															
Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 20										
Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24										
Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20										
INWARD OPERATOR SERVICES															
Inward Operator Services - Verification, Per Minute					1 15										
Inward Operator Services - Verification and Emergency Interrupt - Per Minute					1 15										
BRANDING - OPERATOR CALL PROCESSING															
Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00					19 99	19 99	19 99	19 99
Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500 00	500 00					19 99	19 99		
Unbranding via OLNS for UNEP CLEC															
Loading of OA per OCN (Regional)						1,200 00	1,200 00								
DIRECTORY ASSISTANCE SERVICES															
DIRECTORY ASSISTANCE ACCESS SERVICE															
Directory Assistance Access Service Calls, Charge Per Call					0 25										
DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 10										
DIRECTORY TRANSPORT															
SWA Common Transport per Directory Assistance Access Service Call					0 0003										
SWA Common Transport per Directory Assistance Access Service Call Mile					0 00004										
Access Tandem Switching per Directory Assistance Access Service Call					0 00055										
Directory Assistance Interconnection per Directory Assistance Access Service Call					0 00										
DS3 to DS1 Multiplexer per DA Access Service Call					0 00018										
DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
Directory Assistance Data Base Service Charge Per Listing					0 04										
Directory Assistance Data Base Service, per month				DBSOF	150 00										
BRANDING - DIRECTORY ASSISTANCE															
Facility Based CLEC															
Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000 00	6,000 00								
Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170 00	1,170 00								
UNEP CLEC															

354 f 63

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170 00	1,170 00								
	Unbranding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420 00	420 00								
	Loading of DA per Switch per OCN						16 00	16 00								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		226 22	226 22					43 19	9 91		
VIRTUAL COLLOCATION																
	Virtual Collocation - Application Cost			CLO	EAF		2,848 30	2,848 30								
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750 00	2 750 00								
	Virtual Collocation - Floor Space, per sq ft			CLO	ESPVX	3 20										
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3 48										
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13 35										
	Virtual Collocation - 2-wire Cross Connects (loop)			ueaan,uea,udn,udc,ual,uhl,ucl,ueq	UEAC2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation - 4-wire Cross Connects (loop)			uea,uhl,ucl,udl	UEAC4	0 7297	41 56	38 90					19 99	19 99	19 99	19 99
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15 06	69 28	48 89					19 99	19 99	19 99	19 99
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	27 08	84 07	63 68					19 99	19 99	19 99	19 99
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	7 50	155 00	14 00								
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56 25	151 90	11 83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0 0022										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0 0033										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			536 56									
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			536 56									
	Virtual Collocatin - Securty Escort - Basic, per half hour			CLO	SPTBX		41 00	25 00								
	Virtual Collocatin - Securty Escort - Overtime, per half hour			CLO	SPTOX		48 00	30 00								
	Virtual Collocatin - Securty Escort - Premium, per half hour			CLO	SPTPX		55 00	35 00								
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30 64	30 64								
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35 77	35 77								
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40 90	40 90								
VIRTUAL COLLOCATION																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	VE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPTX	VE1R2	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0 7297	41 56	38 90					19 99	19 99	19 99	19 99
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 7297	41 56	38 90					19 99	19 99	19 99	19 99
VIRTUAL COLLOCATION																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	VE1LS	0 3648	41 50	38 94					19 99	19 99	19 99	19 99
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		391,788 00						19 99	19 99	19 99	19 99
	End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99
	Query NRC, per query			SRC		0 000448										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		296 16	296 16					27 84	27 84		
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		87 29	87 29					27 84	27 84		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		87 29	87 29					27 84	27 84		
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		202 08	202 08					27 84	27 84		
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		172 26	172 26					27 84	27 84		
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0028										
	AIN SMS Access Service - Session, Per Minute					0 0942966										
	AIN SMS Access Service - Company Performed Session, Per Minute					2 07										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup				BAPSC		291 41	291 41					27 84	27 84		
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,333 00	8,333 00					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		73 02	73 02					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		73 02	73 02					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		73 02	73 02					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		150 25	150 25					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		150 25	150 25					27 84	27 84		
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		150 25	150 25					27 84	27 84		
	AIN Toolkit Service - Query Charge, Per Query					0 0250862										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0062979										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 73										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	15 93	72 15	72 15					27 84	27 84		
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 0872769	47 35	47 35					27 84	27 84		
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	15 84	72 15	72 15					27 84	27 84		
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription				BAPES	0 0029092	47 35	47 35					27 84	27 84		
ODUF/EDOUF/ADUF/CMDS																
	ACCESS DAILY USAGE FILE (ADUF)															
	ADUF - Message Processing, per message					0 004										
	ADUF - Data Transmission (CONNECT DIRECT), per message					0 001										
	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF - Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF - Recording, per message					0 0002862										
	ODUF - Message Processing, per message					0 0032344										
	ODUF - Message Processing, per Magnetic Tape provisioned					54 72										
	ODUF - Data Transmission (CONNECT DIRECT), per message					0 0000357										
ENHANCED EXTENDED LINK (EELs)																
	NOTE New EELs available in State of Georgia, density zone 1 of following SMAs Orlando, FL, Miami, FL, Ft Lauderdale, FLI, Nashville, TN, New Orleans, LA,															
	NOTE Charlotte-Gastonia-Rockhill, NC, Greensboro-Winston Salem-High Point, NC Use all rates below except Switch As Is Charge															
	NOTE In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates A Switch As Is Charge applies to currently combined facilities converted to UNEs (Non-recurring rates do not apply)															
	NOTE In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements (No Switch As Is Charge)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	21 57										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	32 53										
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	43 08										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 3415										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77 14										
	DS1 Channelization System Per Month			UNC1X	MQ1	134 46										
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 7012										

	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNGVX	UEAL2	21 67											
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	32 53											
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	43 08											
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7012											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
	4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 47											
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44 44											
	First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58 85											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3415											
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month			UNC1X	U1TF1	77 14											
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	134 46											
	Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 7012											
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29 47											
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	44 44											
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	58 85											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
	4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	34 26											
	First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	51 67											
	First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68 43											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3415											
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	77 14							31 38	31 38	3 94	3 94	
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	134 46											
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 49											
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	34 26							31 38	31 38	3 94	3 94	
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	51 67							31 38	31 38	3 94	3 94	
	Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68 43							31 38	31 38	3 94	3 94	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 49											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	
	4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)																
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	34 26											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	51 67											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68 43											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3415											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77 14											
	Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	134 46											
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 49	0 00	0 00									
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	34 26											
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	51 67											
	Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68 43											
	OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 49											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94	

UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		1	UNC1X	USLXX	59 61										
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		2	UNC1X	USLXX	89 90										
4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone		3	UNC1X	USLXX	119 06										
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3415										
Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77 14										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	59 61										
First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	89 90										
First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	119 06										
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	8 02										
Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	880 65										
DS3 to DS1 Channel System combination per month			UNC3X	MQ3	180 03										
DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	10 80										
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	59 61										
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	89 90										
Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	119 06										
DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	10 80										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		1	UNCVX	UEAL2	21 57										
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		2	UNCVX	UEAL2	32 53										
2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone		3	UNCVX	UEAL2	43 08										
Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0167										
Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	24 30							31 38	31 38	3 94	3 94
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		1	UNCVX	UEAL4	29 47										
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		2	UNCVX	UEAL4	44 44										
4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone		3	UNCVX	UEAL4	58 85										
Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0167										
Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	21 29										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	15 33										
High Capacity Unbundled Local Loop - DS3 combination - Facility Termination per month			UNC3X	UE3PX	382 95										
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	8 02										
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	880 65										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	15 33										
High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	391 86										
Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	8 02										
Interoffice Transport - Dedicated - STS1 combination - Facility Termination per month			UNCSX	U1TFS	880 55										
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	26 68										
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	40 24										
First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	53 85										
Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 3415										
Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	77 14										
Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	134 46										
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 20										
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	26 68										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire IDSN Loop in same DS1/interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	40 24										
	Additional 2-wire IDSN Loop in same DS1/interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	53 85										
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3 20										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	59 61										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	89 90										
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	119 06										
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	8 02										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	880 56										
	STS1 to DS1 Channel System combination per month			UNCSX	MQ3	180 03										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	10 80										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	59 61										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	89 90										
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	119 06										
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	10 80										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	34 26										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	51 67										
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	68 43										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0 0167										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	16 76										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	34 26										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	51 67										
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	68 47										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 0167										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	16 76										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurrng charges do not apply, but a Switch As Is charge does apply															
	When used as ordinarily combined network elements in Georgia, the non-recurrng charges apply and the Switch As Is Charge does not															
	Node (SynchroNet)															
	Node per month			UNCDX	UNCNT	14 55										
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		11 21	11 21	13 99	13 99			31 38	31 38	3 94	3 94
	NOTE. Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months															
OPERATIONAL SUPPORT SYSTEMS																
	NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions															
	NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge															
	NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge															
	NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3 50									
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
	Exchange Ports															
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs															
	2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing panty Port with Caller ID - Res			UEPSR	UEPAU	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2 35	24 98	24 98					44 42	14 63		
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00								
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	6 29	0 00	0 00					44 42	14 63		
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing panty Port with Caller ID - Bus			UEPSB	UEPAZ	2 35	24 98	24 98					44 42	14 63		
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2 35	24 98	24 98					44 42	14 63		
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	2 35	24 98	24 98					44 42	14 63		
	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00								
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	6 29	0 00	0 00					44 42	14 63		
	EXCHANGE PORT RATES (DID & PBX)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 86	239 14	37 56	120 05	7 54			67 52	67 52		
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	73 62	404 94	191 80	145 50	4 93			19 99	19 99	19 99	19 99
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	13 38	145 86	106 21	95 79	21 52			67 52	67 52		
	All Features Offered			UEPTX UEPSX	UEPVF	6 29	0 00	0 00								
	NOTE' Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports															
	NOTE Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process															
	Exchange Ports - 2-Wire ISDN Port – Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00								
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	107 44	408 53	203 56	158 70	21 52			65 48	65 48		
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2 35	24 36	24 36					41 86	14 46		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2 35	24 36	24 36					41 86	14 46		
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2 35	24 36	24 36					41 86	14 46		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2 35	24 36	24 36					41 86	14 46		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2 35	24 36	24 36					41 86	14 46		
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2 35	24 36	24 36					41 86	14 46		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2 35	24 36	24 36					41 86	14 46		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPSP	UEPXT	2 35	24 36	24 36					41 86	14.46		
	Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00								
FEATURES																
	All Available Vertical Features			UEPSE	UEPVF	6 29	0 00	0 00					41 86	14 48		
EXCHANGE PORT RATES (COIN)																
	Exchange Ports - Coin Port					2 77	24 75	24 75					43 48	14 57		
Local Switching Features offered with Port																
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																
	Exchange port - 4-wire ISDN trunk port -all available features included				UEPEX	251 00	311 73	311 73					65 48	65 48		
	Exchange Port - 2-wire ISDN digital line side port with three features included				U1PMA	36 01	70 32	70 32					67 52	67 52		
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU					0 0019295										
	End Office Trunk Port - Shared, Per MOU					0 0002581										
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU					0 0006843										
	Tandem Trunk Port - Shared, Per MOU					0 0004034										
Common Transport																
	Common Transport - Per Mile, Per MOU					0 0000121										
	Common Transport - Facilities Termination Per MOU					0 0004672										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37 88										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 99										
2-Wire Voice Grade Line Port Rates (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	3 69							43 19	9 91		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	3 69							43 19	9 91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	3 69							43 19	9 91		
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	3 69							43 19	9 91		
	2-Wire voice unbundled South Carolina Area Calling port with Caller ID - res (LW8)			UEPRX	UEPAJ	3 69							43 19	9 91		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	3 69							43 19	9 91		
FEATURES																
	All Features Offered			UEPRX	UEPVF	6 29	0 00	0 00					43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1 59	0 40					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1 59	0 40					43 19	9 91		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71						8 91			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00	0 00					43 19	9 91		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37 68										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 99										
	2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	3 69							43 19	9 91		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	3 69							43 19	9 91		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	3 69							43 19	9 91		
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus			UEPBX	UEPAZ	3 69							43 19	9 91		
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	3 69							43 19	9 91		
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	3 69							43 19	9 91		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	8 29	0 00	0 00					43 19	9 91		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is			UEPBX	USAC2		1 59	0 40					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1 59	0 40								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						71 00						8 91			
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								43 19	9 91		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37 68										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	33 99										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	3 69							43 19	9 91		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 50										
	FEATURES															
	All Features Offered			UEPRG	UEPVF	6 29	0 00	0 00					43 19	9 91		
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1 59	0 40					43 19	9 91		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1 59	0 40					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71						8 91			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00					43 19	9 91		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			20 71										
	2-Wire VG Loop/Port Combo - Zone 2		2			29 35										
	2-Wire VG Loop/Port Combo - Zone 3		3			37 68										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33 99										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	3 69							43 19	9 91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	3 69							43 19	9 91		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	3 69							43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	3 69							43 19	9 91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	3 69							43 19	9 91		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	3 69							43 19	9 91		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	3 69							43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	3 69							43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	3 69							43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	3 69							43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	3 69							43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	3 69							43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	3 69							43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPPX	UEPXT	3 69							43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES																
	All Features Offered			UEPPX	UEPVF	6 29	0 00	0 00					43 19	9 91		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		1 59	0 40					43 19	9 91		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		1 59	0 40					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 71						8 91			
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00					43 19	9 91		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					21 06										
	2-Wire VG Coin Port/Loop Combo – Zone 2					29 70										
	2-Wire VG Coin Port/Loop Combo – Zone 3					28 03										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	33 99										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Line Ports (COIN)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	4 04							43 19	9 91		
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	4 04							43 19	9 91		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	4 04							43 19	9 91		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (SC)			UEPCO	UEPSC	4 04							43 19	9 91		
	2-Wire Coin 2-Way with Operator Screening and 900 Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	4 04							43 19	9 91		
	2-Wire Coin 2-W Operator Screen 900 Block 900/976, 1+DDD, 011+, Local, Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	4 04							43 19	9 91		
	2-Wire Coin 2-W Operator Screen 900 Block 900/976, 1+DDD, 011+, Local, Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	4 04							43 19	9 91		
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	4 04							43 19	9 91		
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	4 04							43 19	9 91		
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	4 04							43 19	9 91		
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	4 04							43 19	9 91		
	2-Wire Coin Out Operator Screen & Block 900/976, 1+DDD, 011+, Local, Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	4 04							43 19	9 91		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	4 04							43 19	9 91		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	4 04							43 19	9 91		
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4 05	0 00	0 00								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1 59	0 40					43 19	9 91		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1 59	0 40					43 19	9 91		
ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00					43 19	9 91		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			29 68										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			37 74										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44 40										
UNE Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	20 85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	28 91										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	35 57										
UNE Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 83							43 19	9 91		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		14 62	3 73					43 19	9 91		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		14 62	3 73					43 19	9 91		
ADDITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53 68						43 19	9 91		
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00					19 99	19 99		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ		0 00	0 00					19 99	19 99		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00					19 99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5		0 00	0 00					19 99			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00					19 99	19 99			
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00				19 99					
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		38 58											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		48 25											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		55 29											
UNE Loop Rates																	
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	27 38							19 99	19 99	19 99	19 99	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X								19 99	19 99	19 99	19 99	
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	44 09							19 99	19 99	19 99	19 99	
UNE Port Rate																	
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	11 20							19 99	19 99	19 99	19 99	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0 00	77 18	54 15					19 99	19 99	19 99	19 99	
ADDITIONAL NRCs																	
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0 00	0 00									
B-CHANNEL USER PROFILE ACCESS																	
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0 00	0 00	0 00									
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0 00	0 00	0 00									
	CSD			UEPPB UEPPR	U1UCC	0 00	0 00	0 00									
B-CHANNEL AREA PLUS USER PROFILE ACCESS· (AL,KY,LA,MS SC,MS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0 00	0 00	0 00									
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0 00	0 00	0 00									
	CSD			UEPPB UEPPR	U1UCF	0 00	0 00	0 00									
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	U1UMA	0 00	0 00	0 00									
VERTICAL FEATURES																	
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	6 29	0 00	0 00					43 19	9 91			
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	20 74	136 44	51 37					19 99	19 99	19 99	19 99	
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 0373	0 00	0 00				0 00					
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		221 03										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		301 73										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		434 80										
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	113 59							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	194 29							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	327 36							19 99	19 99	19 99	19 99
UNE Port Rate																
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	107 44							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0 00	238 67	157 46					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0 9822						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		23 02	23 02					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		46 05	46 05					19 99	19 99	19 99	19 99
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
	Voice/Data			UEPPP	PR71V	0 00	0 00	0 00								
	Digital Data			UEPPP	PR71D	0 00	0 00	0 00								
	Inward Data			UEPPP	PR71E	0 00	0 00	0 00								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	29 11						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	29 11						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	29 11						19 99	19 99	19 99	19 99
	New or Additional Usage Sensitive Voice Data B Channel			UEPPP	PR7BS	0 00	29 11						19 99	19 99	19 99	19 99
	New or Additional Usage Sensitive Digital Data B Channel			UEPPP	PR7BU	0 00	29 11						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward			UEPPP	PR7CI	0 00	0 00	0 00								
	Outward			UEPPP	PR7CO	0 00	0 00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Interoffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	95 7398	216 27	162 70	0 00				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 7598										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		187 21							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		267 91							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		400 98							19 99	19 99	19 99	19 99
UNE Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	113 59							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	194 29							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	327 36							19 99	19 99	19 99	19 99
UNE Port Rate																
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	73 62							19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		259 56	134 33					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		259 56	134 33					19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		259 56	134 33					19 99	19 99	19 99	19 99
	ADDITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		29 01	29 01					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		29 01	29 01					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		29 01	29 01					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		29 01	29 01					19 99	19 99	19 99	19 99
	BIPOLAR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0 00	605 00					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	605 00					19 99	19 99	19 99	19 99
	Alternate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00								
	Telephone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00							19 99	19 99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00							19 99	19 99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00							19 99	19 99		
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPDC	NDZ	0 00	0 00	0 00					19 99	19 99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00							19 99	19 99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00							19 99	19 99		
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00					19 99	19 99		
	Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0 00					19 99	19 99		
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	94 98	216 27	162 70	0 00	0 00						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 7598	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 7598	0 00	0 00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 7598	0 00	0 00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00							
	Central Office Terminating Point			UEPDC	CTG	0 00										
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	Each System can have up to 24 combinations of rates depending on type and number of ports used															
	UNE DS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	113 59	0 00	0 00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	194 29	0 00	0 00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	327 36	0 00	0 00								
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	103 47	0 00	0 00					19 99	19 99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	206 94	0 00	0 00					19 99	19 99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	413 88	0 00	0 00					19 99	19 99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	620 82	0 00	0 00					19 99	19 99		
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0 00	0 00					19 99	19 99		
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,034 70	0 00	0 00					19 99	19 99		
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,241 64	0 00	0 00					19 99	19 99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,655 52	0 00	0 00					19 99	19 99		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,069 40	0 00	0 00					19 99	19 99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,483 28	0 00	0 00					19 99	19 99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,897 16	0 00	0 00					19 99	19 99		
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0 00	301 62	16 76					19 99	19 99		
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and															
	New (Not Currently Combined) in Georgia & Tennessee Only															
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only			UEPMG	VUMD4	0 00	717 71	425 81	149 08	17 69			19 99			
	Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0 00	0 00	605 00								
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0 00	0 00	605 00								
	Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00								
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00								
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
	Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 65	0 00	0 00	0 00	0 00			43 19	9 91		
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 65	0 00	0 00	0 00	0 00			43 19	9 91		
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 65	0 00	0 00	0 00	0 00			43 19	9 91		
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 86	0 00	0 00	0 00	0 00			43 19	9 91		
	Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 70	25 45	13 44	4 20	4 17			43 19	9 91		
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 70	78 31	18 46	59 37	11 60			43 19	9 91		
	Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00							19 99			
	Estab Trk Grp and Provide 1st 20 DID Nos (FL,GA, NC,& SC)			UEPPX	NDZ	0 00	0 00	0 00					19 99			
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00					19 99			
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00					19 99			
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00					19 99			
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00					19.99			
	Local Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00								
	FEATURES - Vertical and Optional															
	Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	6 29	0 00	0 00					43 19	9 91		
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee															

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines																
The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)																
BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section. In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference																
The Market Rate for unbundled ports includes all available features in all states																
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations which have a flat rate usage charge (USOC URECU)																
For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	33 99										
2-Wire Voice Grade Line Port (Res)																
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14 00	90 00	90 00					43 19	8 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
FEATURES																
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0 00	0 00					43 19	9 91		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33 99										
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - bus			UEPBX	UEPAZ	14 00	90 00	90 00					43 19	9 91		
	2-Wire voice unbundled South Carolina Bus Area Calling Port with Caller ID (LMB)			UEPBX	UEPAB	14 00	90 00	90 00					43 19	9 91		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0 00	0 00					43 19	9 91		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	33 99										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14 00	90 00	90 00					43 19	9 91		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			31 02										
	2-Wire VG Loop/Port Combo - Zone 2		2			39 66										
	2-Wire VG Loop/Port Combo - Zone 3		3			47 99										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	17 02										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	25 66										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	33 99										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00					43 19	9 91		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00					43 19	9 91		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14 00	90 00	90 00					43 19	9 91		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14 00	90 00	90 00					43 19	9 91		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
	FEATURES															
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0 00	0 00					43 19	9 91		
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
	UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo – Zone 1					31 02											
	2-Wire VG Coin Port/Loop Combo – Zone 2					39 66											
	2-Wire VG Coin Port/Loop Combo – Zone 3					47 99											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	17 02											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	25 66											
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	33 99											
	2-Wire Voice Grade Line Port Rates (Coin)																
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSO	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS, SC)			UEPCO	UEPRA	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	14 00	90 00	90.00					43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking, with Dialing Parity (SC)			UEPCO	UEPSC	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin 2-W Oper Screen & Blocking 900/976, 1+DDD, 011+ & Local, Enhanced Calling OPT 3YV (SC)			UEPCO	UEPCE	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin 2-W Oper Screen & Block 900/976, 1+DDD, 011+, & Local, Enhanced Calling OPT AP7 (SC)			UEPCO	UEPCF	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin Outward with Operator Screening and Blocking 900/976 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	14 00	90 00	90 00					43 19	9 91			
	2-Wire Coin Out Oper Screen & Block 900/976, 1+DDD, 011+, & Local , w/ Enhanced Call OPT 3YW (SC)			UEPCO	UEPCP	14 00	90 00	90 00					43 19	9 91			
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0 00					43 19	9 91			
	NOTE If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm															
UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		78 92	78 92								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23 33	23 33								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR, UEPSB	UEALS	13 19	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2		2	UEPSR, UEPSB	UEALS	17 23	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR, UEPSB	UEALS	22 53	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
	Engineering Information Document (EI)			UEANL			28 80	28 80								
	Manual Order Coordination for UVL-SL1s (per loop)*			UEANL	UEAMC		36 46	36 46								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR) *			UEANL	OCOSL		36 52	36 52								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16 56	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	16 56	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	21 63	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28 28	75 06	48 20	28 70	17 64			20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
	4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	24 70	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	32 25	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	42 17	122 76	85 57	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34 29									
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22 00	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13 32
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29 02	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13 32
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37 95	142 76	88 88	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34 29									
	2-WIRE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 1		1	UDC	UDC2X	21 15	142 76	152 42	76 35	21 63			20 35	10 54	13 32	13 32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 2		2	UDC	UDC2X	27 62	142 76	152 42	76 35	21 63			20 35	10 54	13 32	13 32
	2-Wire Universal Digital Channel (UDC) Compatible Loop - Zone 3		3	UDC	UDC2X	36 12	142 76	152 42	76 35	21 63			20 35	10 54	13 32	13 32
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															

UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
					Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13 82	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18 05	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	23 60	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34 29										
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	I	1	UAL	UAL2W	13 82	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2	I	2	UAL	UAL2W	18 05	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3	I	3	UAL	UAL2W	23 60	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34 29										
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	10 83	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	14 15	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18 50	270 01	234 63	74 54	39 14			20 35	10 54	13 32	13 32	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29										
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1		UHL2W	10 83	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL2W	14 15	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3		UHL2W	18 50	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29										
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13 93	279 60	244 22	74 54	39 14			20 35	10 54	13 32	13 32	
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	18 20	279 60	244 22	74 54	39 14			20 35	10 54	13 32	13 32	
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3		UHL4X	23 80	279 60	244 22	74 54	39 14			20 35	10 54	13 32	13 32	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29										
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	I	1	UHL	UHL4W	13 93	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL4W	18 20	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	I	3	UHL	UHL4W	23 80	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34 29										
4-WIRE DS1 DIGITAL LOOP																
4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	57 73	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11 95	
4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	75 40	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11 95	
4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	98 59	313 08	219 72	96 86	40 45			18 98	8 43	11 95	11 95	
Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34 59										
4-WIRE 19 2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
4 Wire Unbundled Digital 19 2 Kbps		1	UDL	UDL19	31 10	207 01	141 38	90 70				20 35	10 54	13 32	13 32	
4 Wire Unbundled Digital 19 2 Kbps		2	UDL	UDL19	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32	
4 Wire Unbundled Digital 19 2 Kbps		3	UDL	UDL19	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	31 10	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32	

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic 1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31 10	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40 61	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53 11	207 01	141 38	90 70	44 18			20 35	10 54	13 32	13 32
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34 29									
	2-WIRE Unbundled COPPER LOOP																
		2 Wire Unbundled Copper Loop/Short including manual service inquiry & fac reservation - Statewide	1	sw	UCL	UCLPB	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		2-Wire Unbundled Copper Loop/Short without manual svc inquiry and facility reservation - Statewide	1	sw	UCL	UCLPW	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		2-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Statewide	1	sw	UCL	L	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		36 52	36 52								
		2-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Statewide	1	sw	UCL	U	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	U		36 52	36 52								
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	13 19	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	17 23	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1	3	UEQ	L	22 53	31 99	20 02	10 65	1 41			19 99	19 99	19 99	19 99
		Order Coord nat on 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		36 52	36 52								
		Engineering Information Document			UEQ			28 80	28 80								
		Loop Testing - Basic 1st Half Hour			UEQ	L		78 92	78 92								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		23 33	23 33								
	4-WIRE COPPER LOOP																
		4-Wire Copper Loop/Short - including manual service inquiry and facility reservation - Statewide	1	sw	UCL	UCL4S	12 16	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		36 52	36 52								
		4-Wire Copper Loop/Short - without manual service inquiry and facility reservation - Statewide	1	sw	UCL	UCL4W	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		36 52	36 52								
		4-Wire Unbundled Copper Loop/Long - includes manual svc inquiry and facility reservation - Statewide	1	sw	UCL	UCL4L	12 15	131 99	120 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36 52	36 52								
		4-Wire Unbundled Copper Loop/Long - without manual svc inquiry and facility reservation - Statewide	1	sw	UCL	UCL4O	12 16	31 99	20 02	10 65	1 41			20 35	10 54	13 32	13 32
		Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		36 52	36 52								
LOOP MODIFICATION																	
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft	1		UAL, UHL, UCL, UEQ, ULS	ULM2L		65 40	65 40								
		Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft	1		UCL, ULS	ULM2G		710 71	23 77								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft	1		UHL, UCL	ULM4L		65 40	65 40								

374 of 3

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l ROMAN
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft	I		UCL	ULM4G		710 71	23 77								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, UEF, ULS	ULMBT		65 44	65 44								
UB-LOOPS																
Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		517 25	517 25					20 35	10 54	13 32	13 32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		42 68	42 68					20 35	10 54	13 32	13 32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		313 01	313 01					20 35	10 54	13 32	13 32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		108 06	108 06					20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide		SW	UEANL	USBN2	10 02	148 84	112 34	73 14	36 65			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7 30	147 93	75 11	99 96	16 98			20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 54	147 93	75 11	99 96	16 98			20 35	10 54	13 32	13 32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12 47	147 93	75 11	99 96	16 98			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1 35	94 56	29 35	94 41	13 09			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2 26	116 14	37 10	99 96	16 98			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34 29	34 29								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS2X	5 16	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS2X	6 74	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8 81	110 71	37 89	94 41	13 09			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	6 52	117 12	44 30	99 96	16 98			20 35	10 54	13 32	13 32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I	2	UEF	UCS4X	8 52	117 12	44 30	99 96	16 98			20 35	10 54	13 32	13 32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	11 14	117 12	44 30	99 96	16 98			20 35	10 54	13 32	13 32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34 29	34 29								
Sub-Loop Feeder																
	USL-Feeder, DS0 Set-up per Cross Box location - CLEC Distribution Facility set-up			UEA, UDN,U CL,UDL, UDC	USBFW		517 25									
	USL Feeder - DS0 Set-up per Cross Box location - per 25 pair set-up			UEA, UDN,U CL,UDL, UDC	USBFX		42 68	42 68								
	USL Feeder DS1 Set-up at DSX location, per DS1 termination			USL	USBFZ		531 04	11 34								
	Unbundled Sub-Loop Feeder Loop, 2 Wire Ground-Start, Voice Grade- Statewide		SW	UEA	USBFA	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Loop-Start, Voice Grade - Statewide		SW	UEA	USBFB	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire Reverse Battery, Voice Grade Loop - Statewide		SW	UEA	USBFC	12 05	122 24	85 05	76 35	39 16			20 35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 1		1	UEA	USBFD	21 52	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground-Start, Voice Grade - Zone 2		2	UEA	USBFD	28 11	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Ground Start, Voice Grade - Zone 3		3	UEA	USBFD	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 1		1	UEA	USBFE	21 52	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 2		2	UEA	USBFE	28 11	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32
	Unbundled Sub-Loop Feeder Loop, 4 Wire Loop-Start, Voice Grade - Zone 3		3	UEA	USBFE	36 76	137 31	61 93	118 04	30 13			20 35	10 54	13 32	13 32

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring			Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34 29									
	Unbundled Sub-Loop Feeder Loop, 2 Wire ISDN BRI - Zone 1		1	UDN	USBFF	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 2		2	UDN	USBFF	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire ISDN BRI - Zone 3		3	UDN	USBFF	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		34 29									
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		1	UDC	USBFS	16 11	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		2	UDC	USBFS	21 04	142 83	67 45	104 67	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder, 2 Wire UDC (IDSL compatible)		3	UDC	USBFS	27 51	142 83	67 45	104 64	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 1		1	USL	USBFG	39 74	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 2		2	USL	USBFG	51 90	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 4-Wire DS1 - Zone 3		3	USL	USBFG	67 86	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34 29									
	Unbundled Sub-Loop Feeder, 2-Wire Copper Loop - Zone 1		1	UCL	USBFH	9 52	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 2		2	UCL	USBFH	12 43	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
	Unbundled Sub-Loop Feeder Loop, 2-Wire Copper Loop - Zone 3		3	UCL	USBFH	16 26	114 27	38 89	104 64	18 53			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 29									
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 1		1	UCL	USBFJ	14 37	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 2		2	UCL	USBFJ	18 76	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire Copper Loop - Zone 3		3	UCL	USBFJ	24 53	123 41	48 03	110 44	22 53			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34 29									
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		1	UDL	USBFN	26 06	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		2	UDL	USBFN	34 03	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 19 2 Kbps Digital Grade Loop		3	UDL	USBFN	44 50	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFO	26 06	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFO	34 03	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 56 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFO	44 50	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Time Conversion, per LSR			UDL	OCOSL		34 29									
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 1		1	UDL	USBFP	26 06	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 2		2	UDL	USBFP	34 03	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Sub-Loop Feeder - Per 4-Wire 64 Kbps Digital Grade Loop - Zone 3		3	UDL	USBFP	44 50	116 00	40 62	106 82	18 91			19 99	19 99	19 99	19 99
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34 29									
	Sub Loop Feeder - DS3 - Per Mile Per Month			UE3	1L5SL	14 11										
	Sub Loop Feeder - DS3 - Facility Termination Per Month			UE3	USBF1	333 26	3,390 00	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder – STS-1 – Per Mile Per Month			UDLSX	1L5SL	14 11										
	Sub Loop Feeder - STS-1 - Facility Termination Per Month			UDLSX	USBF7	359 02	3,390 00	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder – OC-3 – Per Mile Per Month			UDLO3	1L5SL	10 71										
	Sub Loop Feeder - OC-3 - Facility Termination Protection Per Month			UDLO3	USBF5	56 64										
	Sub Loop Feeder - OC-3 - Facility Termination Per Month			UDLO3	USBF2	546 31	3,390 00	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder - OC-12 - Per Mile Per Month			UDL12	1L5SL	13 18										
	Sub Loop Feeder - OC-12 - Facility Termination Protection Per Month			UDL12	USBF6	639 98										
	Sub Loop Feeder - OC-12 - Facility Termination Per Month			UDL12	USBF3	1,697 00	3,390 00	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder - OC-48 - Per Mile Per Month			UDL48	1L5SL	43 22										
	Sub Loop Feeder - OC-48 - Facility Termination Protection Per Month			UDL48	USBF9	320 36										
	Sub Loop Feeder - OC-48 - Facility Termination Per Month			UDL48	USBF4	1,457 00	3,576 00	407 68	165 17	501 31			20 35	10 54	13 32	
	Sub Loop Feeder - OC-12 Interface On OC-48			UDL48	USBF8	361 44	789 41	407 68	165 17	501 31						
Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		335 35	7 82					20 34	10 54	13 32	13 32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335 36	7 82					20 35	10 54	13 32	13 32
	Unbundled Sub-loop Modification - 2-w/4-w Copper Dist Bridged Tap Removal, per PR unloaded			UEF	ULM4T		528 48	9 74					20 35	10 54	13 32	13 32
Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair	I		UENTW	UENPP	0 45	2 48	2 48					20 35	10 54	13 32	13 32

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
Network Interface Device (NID)																	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89 69	54 56					20 35	10 54	13 32	13 32	
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129 65	94 51					20 35	10 54	13 32	13 32	
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		0 74	0 74					20 35	10 54	13 32	13 32	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		0 74	0 74					20 35	10 54	13 32	13 32	
UNBUNDLED LOOP CONCENTRATION																	
	Loop Channelization System			ULC	ULCCS	307 07	307 34	74 37	4 18				20 35	10 54	13 32	13 32	
	CO Channel Interface - 2-Wire Voice Grade			ULC	ULCC2	1 20	9 57	9 52	8 66	8 60			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - System A (TR008)			ULC	UCT8A	500 18	613 60	613 60					20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - System B (TR008)			ULC	UCT8B	54 82	255 67	255 67					20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - System A (TR303)			ULC	UCT3A	539 00	613 60	613 60					20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - System B (TR303)			ULC	UCT3B	92 37	255 67	255 67					20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - DS1 Loop Interface Card			ULC	UCTCO	6 23	74 39	53 07	30 23	8 48			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - ISDN Loop Interface (Brite Card)			UDN	ULCC1	8 46	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - UDC Loop Interface (Brite Card)			UDC	ULCCU	8 46	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - -2 Wire Voice-Loop Start or Ground Start Loop Interface (POTS Card)			UEA	ULCC2	2 32	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - 2 Wire Voice - Reverse Battery Loop Interface (SPOTS Card)			UEA	ULCCR	12 45	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - 4 Wire Voice Loop Interface (Specials Card)			UEA	ULCC4	7 53	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 332	
	Unbundled Loop Concentration - TEST CIRCUIT Card			ULC	UCTTC	35 77	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - Digital 19 2 Kbps Data Loop Interface			UDL	ULCC7	11 03	8 069	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - Digital 56 Kbps Data Loop Interface			UDL	ULCC5	11 03	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - Digital 64 Kbps Data Loop Interface			UDL	ULCC6	11 03	8 69	8 65	9 71	9 65			20 35	10 54	13 32	13 32	
	Unbundled Loop Concentration - Loop Interface For Digital 19 2 Kbps Data																
UNE OTHER, PROVISIONING ONLY - NO RATE																	
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX												
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE												
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL, UEF,UE Q,UENT W	UNECN												
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UC L,UDC, UDL,UD N,UEA, UHL,UL C	UNECN	0 00	0 00										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			UEA,UD N,UCL, UDC	USBFQ	0 00	0 00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,US L,UCL,U DL	USBFR	0 00	0 00										
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0 00	0 00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0 00	0 00										
HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
NOTE 4 month minimum billing period																	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9 19											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	374 24	595 67	304 50	234 83	170 16			36 84	36 84	19 01	19 01	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	9 19										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	389 35	595 37	304 50	215 82	151 15			36 84	36 84	19 01	19 01
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)	I		UMK	UMKLW		74 46	74 46								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)	I		UMK	UMKLP		77 18	77 18								
	Loop Makeup–With or Without Reservation, per working or spare facility queried (Mechanized)	I		UMK	PSUMK		0 6880	0 6880								
LINE SHARING																
	Line Sharing Splitter, per System 96 Line Capacity	I		ULS	ULSDA	100 00	150 00	0 00	150 00	0 00		0 00				
	Line Sharing Splitter, per System 24 Line Capacity	I		ULS	ULSDB	25 00	150 00	0 00	150 00	0 00		0 00				
	Line Sharing Splitter, Per System, 8 Line Capacity	I		ULS	ULSD8	8 33	150 00	0 00	150 00	0 00		0 00				
	Line Sharing - per Line Activation	I		ULS	ULSDC	0 61	40 00	21 39					19 99	10 54	13 32	13 32
	Line Sharing - per Subsequent Activity per Line Rearrangement	I		ULS	ULSDS		30 00	15 00					19 99	10 54		
UNBUNDLED TRANSPORT																
	NOTE INTEROFFICE CHANNEL - DEDICATED TRANSPORT - minimum billing period below DS3 = one month, DS3 and above four months															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV2	18 58	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10 54
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat - Facility Termination per month			U1TVX	U1TR2	18 58	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10 54
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0 0054										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination per month			U1TVX	U1TV4	24 09	37 87	26 02	30 78	13 07			15 08	15 08	8 66	8 66
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			U1TDX	U1TD5	17 98	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10 54
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0 0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			U1TDX	U1TD6	17 98	55 39	17 37	27 96	3 51			20 35	21 09	9 80	10 54
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0 3525										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			U1TD1	U1TF1	77 86	112 40	76 27	19 55	14 99			20 35	21 09	9 80	10 54
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3															
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848 99	395 29	176 56	109 04	105 91			36 84	36 84	19 01	19 01
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- STS-1															
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2 34										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination per month			U1TS1	U1TFS	849.30	395 29	176 56	109 04	105 91			36 84	36 84	19 01	19 01
	LOCAL CHANNEL - DEDICATED TRANSPORT															
	NOTE· LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period - below DS3=one month, DS3 and above=four months															
	Local Channel - Dedicated - 2-Wire Voice Grade Per Month			ULDVX	ULDV2	19 43	199 33	24 16	54 81	4 80			20 35	10 54	13 32	13 32
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat per month			ULDVX	ULDR2	19 43	199 33	24 16	54 81	4 80			20 35	21 09	9 80	10 54

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNDVX	ULDV4	20 56	201 53	24 83	55 52	5 51			20 35	20 35	13 32	13 32
	Local Channel - Dedicated - DS1 per month			ULDD1	ULDF1	40 99	277 35	233 26	33 18	22 30			45 68	1 76	21 75	1 76
	Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3	1L5NC	7 15										
	Local Channel - Dedicated - DS3 - Facility Termination per month			ULDD3	ULDF3	611 30	595 37	304 50	215 82	151 15			36 84	36 84	19 01	19 01
	Local Channel - Dedicated - STS-1- Per Mile per month			ULDS1	1L5NC	7 15										
	Local Channel - Dedicated - STS-1 - Facility Termination per month			ULDS1	ULDFS	599 59	588 07	297 20	215 82	151 15			20 35	21 09	9 80	10 54
MULTIPLEXERS																
	Channelization - DS1 to DS0 Channel System			UXTD1	MQ1	80 77	141 67	77 11	44 47	42 62			20 35	9 80	11 49	1.18
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UDL	1D1DD	1 82	6 07	4 66								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month			UDN	UC1CA	3 10	6 07	4 66								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	1D1VG	0 91	6 07	4 66								
	DS3 to DS1 Channel System per month			UXTD3	MQ3	222 98	308 03	108 47	6 34	4 23			20 35	9 80	11 49	1 18
	STS1 to DS1 Channel System per month			UXTS1	MQ3	222 98	308 03	108 47	6 34	4 23			20 35	21 09	9 80	9 80
	DS3 Interface Unit (DS1 COCI) used with Loop per month			USL	UC1D1	17 58	6 07	4 66								
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF	1L5DC	53 23										
	NRC Dark Fiber - Local Channel			UDF	UDFC4		1,219 22	169 75	453 22	339 34			20 35	21 09	9 80	10 54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel			UDF	1L5DF	53 23										
	NRC Dark Fiber - Interoffice Channel			UDF	UDF14		1,219 22	169 75	453 22	339 34			20 35	21 09	9 80	10 54
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF	1L5DL	53 23										
	NRC Dark Fiber - Local Loop			UDF	UDFL4		1,219 22	169 75	453 22	339 34			20 35	21 09	9 80	10 54
TRANSPORT OTHER																
	Clear Channel Capability (B8ZS/ESF) Option - Subsequent - per DS1 Channel			UNC1X	CCOEF		185 16	23 85	2 03	0 79			20 35	21 09	9 80	10 54
	Clear Channel Capability (B8ZS/SF) Option - Subsequent - per DS1 Channel			UNC1X	CCOSF		185 16	23 85	2 03	0 79			20 35	21 09	9 80	10 54
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0 0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		5 21	0 76					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Per 8XX No Established W/O POTS Translations			OHD			11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Per 8XX No Established With POTS Translations			OHD	N8FTX		11 47	1 46	7 34	0 7602			20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4 47	2 24					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No			OHD	N8FMX		5 23	3 00					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5 97	0 76					20 35	20 35	13 28	13 28
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		4 47						20 35	20 35	13 28	13 28
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0 0000354										
	LIDB Validation Per Query			OQU		0 0117403										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRP8X		49 03						20 35	20 35	13 28	13 28
SIGNALING (CCS7)																
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138 41							20 35	20 35	13 32	13 32
	CCS7 Signaling Usage, Per TCAP Message			UDB		0 0000916										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17 84	130 84	130 84					20 35	20 35	13 32	13 32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0 0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352 30							20 35	20 35	13 32	13 32
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40 00	40 00					20 35	20 35	13 32	13 32
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		8 00	8 00					20 35	20 35	13 32	13 32

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
E911 SERVICE																
CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners, Per Query			OQV		0 016										
	CNAM for Non DB Owners, Per Query			OQV		0 01										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595 00	595 00					20 35	20 35	13 28	13 28
LNP QUERY SERVICE																
OPERATOR CALL PROCESSING																
	Oper Call Processing - Oper Provided, Per Min - Using BST LIDB					1 20										
	Oper Call Processing - Oper Provided, Per Min - Using Foreign LIDB					1 24										
	Oper Call Processing - Fully Automated, per Call - Using BST LIDB					0 20										
	Oper Call Processing - Fully Automated, per Call - Using Foreign LIDB					0 20										
INWARD OPERATOR SERVICES																
	Inward Operator Services - Verification, Per Call					1 00										
	Inward Operator Services - Verification and Emergency Interrupt - Per Call					1 95										
BRANDING - OPERATOR CALL PROCESSING																
	Recording of Custom Branded OA Announcement				CBAOS		7,000 00	7,000 00					19 99	19 99	19 99	19 99
	Loading of Custom Branded OA Announcement per shelf/NAV				CBAOL		500 00	500 00					19 99	19 99		
	Unbranding via OLNS for UNEP CLEC															
	Loading of OA per OCN (Regional)						1,200 00	1,200 00								
DIRECTORY ASSISTANCE SERVICES																
	DIRECTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0 25										
	DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0 10										
	DIRECTORY TRANSPORT															
	SWA Common transport per Directory Assistance Access Service Call					0 0003										
	SWA Common Transport per Directory Assistance Access Service Call Mile					0 00004										
	Access Tandem Switching per Directory Assistance Access Service Call					0 00055										
	DS3 to DS1 Multiplexer per DA Access Service Call					0 00018										
	DIRECTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing					0 04										
	Directory Assistance Data Base Service, per month				DBSOF	150 00										
BRANDING - DIRECTORY ASSISTANCE																
	Facility Based CLEC															
	Recording and Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000 00	6,000 00								
	Loading of Custom Branded Announcement per DRAM Card/Switch			AMT	CBADC		1,170 00	1,170 00								
	UNEP CLEC															
	Recording of DA Custom Branded Announcement						3,000 00	3,000 00								
	Loading of DA Custom Branded Announcement per DRAM Card/Switch per OCN						1,170 00	1,170 00								
	Unbranding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420 00	420 00								
	Loading of DA per Switch per OCN						16 00	16 00								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		179 60	179 60					30 89	7 03		
VIRTUAL COLLOCATION																
	Virtual Collocation - Application Cost			CLO	EAF		2,848 30	2,848 30								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Virtual Collocation - Cable Installation Cost, per cable			CLO	ESPCX		2,750 00	2,750 00									
	Virtual Collocation - Floor Space, per sq. ft.			CLO	ESPVX	3 20											
	Virtual Collocation - Power, per breaker amp			CLO	ESPAX	3 48											
	Virtual Collocation - Cable Support Structure, per entrance cable			CLO	ESPSX	13 35											
	Virtual Collocation - 2-Fiber Cross Connects			CLO	CNC2F	15 64	41 56	29 82									
	Virtual Collocation - 4-Fiber Cross Connects			CLO	CNC4F	28 11	50 53	38 78									
	Virtual Collocatin - DS1 Cross Connects			USL,ULC,CLO	CNC1X	1 319	32 22	17 76	10 46	8 75							
	Virtual Collocatin - DS3 Cross Connects			USL,ULC,CLO	CND3X	56 25	151 90	11 83									
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	PE1ES	0 0031											
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	PE1DS	0 0045											
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS			555 03										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS			555 03										
	Virtual Collocatin - Security Escort - Basic, per half hour			CLO	SPTBX		41 00	25 00									
	Virtual Collocatin - Security Escort - Overtime, per half hour			CLO	SPTOX		48 00	30 00									
	Virtual Collocatin - Security Escort - Premium, per half hour			CLO	SPTPX		55 00	35 00									
	Virtual Collocatin - Maintenance in CO - Basic, per half hour			CLO	CTRLX		30 64	30 64									
	Virtual Collocatin - Maintenance in CO - Overtime, per half hour			CLO	SPTOM		35 77	35 77									
	Virtual Collocatin - Maintenance in CO - Premium per half hour			CLO	SPTPM		40 90	40 90									
VIRTUAL COLLOCATION																	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade Res			UEPRX	PE1R2	0 30	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0 30	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0 30	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0 30	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	VE1R2	0 30	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0 30	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire DS1			UEPDD	VE1R4	0 50	19 20	19 20					19 99	19 99	19 99	19 99	
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0 50	19 20	19 20					19 99	19 99	19 99	19 99	
VIRTUAL COLLOCATION																	
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			SRC	SRCEC		391,788 00						19 99	19 99	19 99	19 99	
	End Office Establishment			SRC	SRCEO		320 53	320 53					19 99	19 99	19 99	19 99	
	Line/Port NRC, per end user			SRC	SRCLP		2 06	2 06					19 99	19 99	19 99	19 99	
	Query NRC, per query			SRC		0 000448											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				CAMSE		135 56	135 56					20 35	20 35	13 28	13 28	
	AIN SMS Access Service - Port Connection - Dial/Shared Access				CAMDP		41 75	41 75					20 35	20 35	13 28	13 28	
	AIN SMS Access Service - Port Connection - ISDN Access				CAM1P		41 75	41 75					20 35	20 35	13 28	13 28	
	AIN SMS Access Service - User Identification Codes - Per User ID Code				CAMAU		96 63	96 63					20 35	20 35	13 28	13 28	
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				CAMRC		113 67	113 67					20 35	20 35	13 28	13 28	
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0 0024											
	AIN SMS Access Service - Session, Per Minute					0 0820123											
	AIN SMS Access Service - Company Performed Session, Per Minute					2 27											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service - Service Establishment Charge, Per State, Inital Setup				BAPSC		132 04	132 04					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915 00	7,915 00					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term Attempt				BAPTT		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31 21	31 21					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		85 24	85 24					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85 24	85 24					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		85 24	85 24					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Query Charge, Per Query					0 0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0 0054774										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1 50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription				BAPMS	17 43	33 52	33 52					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription				BAPLS	0 1321116	36 23	36 23					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription				BAPDS	17 35	33 52	33 52					20 35	20 35	13 28	13 28
	AIN Toolkit Service - Call Event Specia Study - Per AIN Toolkit Service Subscription				BAPES	0 0511435	36 23	36 23					20 35	20 35	13 28	13 28
ODUF/EDOUF/ADUF/CMDS																
	ADUF Message Processing, per message					0 004										
	ADUF Data Transmission (CONNECT DIRECT), per message					0 001										
	EODUF Message Processing, per message					0 004										
	OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF Recording, per message					0 0000044										
	ODUF Message Processing, per message					0 0027366										
	ODUF Message Processing, per Magnetic Tape provisioned					52 75										
	ODUF Data Transmission (CONNECT DIRECT), per message					0 0000339										
ENHANCED EXTENDED LINK (EELs)																
	NOTE: New EELs available in State of Georgia, density zone 1 of following SMAs: Orlando, FL; Miami, FL; Ft. Lauderdale, FLI, Nashville, TN; New Orleans, LA;															
	NOTE: Charlotte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC. Use all rates below except Switch As Is Charge.															
	NOTE: In all states, EEL network elements shown below also apply to currently combined facilities which are converted to UNE rates. A Switch As Is Charge applies to currently combined facilities converted to UNEs.(Non-recurring rates do not apply.)															
	NOTE: In GA, TN, KY, & LA, the EEL network elements apply to ordinarily combined network elements.(No Switch As Is Charge.)															
	2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire VG Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	First 2-Wire VG Grade Loop(SL2) in a DS1 Interofficed Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 3525										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
	DS1 Channelization System Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 60			20 35	21 09	9 80	10 54
	Voice Grade COCI - DS1 To Ds0 Interface - Per Month			UNCVX	1D1VG	0 91	5 70	4 42								
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 56	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54

UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	INCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 70	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
First 4-Wire Analog Voice Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 - Facilty Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 60						
Voice Grade COCI - DS1 to DS0 Channel System combination - per month			UNCVX	1D1VG	0 91	5 70	4 42								
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Voice Grade COCI - DS1 to DS0 Channe System combinat on - per month			UNCVX	1D1VG	0 91	5 70	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
First 4-Wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
First 4-wire 56Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
First 4-Wire 56Kbps Digital Grade Loop in a DS1 interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 - combination Facilty Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 60						
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 70	4 42								
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Additional 4-Wire 56Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
OCU-DP COCI (data) - DS1 to DS0 Channel System - combination per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 70	4 42								
Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 3525										
Interoffice Transport - Dedicated - DS1 combination - Facilty Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
Channelization - Channel System DS1 to DS0 combination Per Month			UNC1X	MQ1	80 77	214 52	49 95	75 98	13 60			20 35	21 09	9 80	10 54
OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 70	4 42								

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
		Additional 4-Wire 64Kbps Digital Grade Loopin same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
		OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64kbs)			UNCDX	1D1DD	1 82	5 70	4 42								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	4-WIRE DS1 D	EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT (EEL)															
		4-Wire DS1 Digital Loop n Combinat on with DS1 Interoffice Transport - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		4-Wire DS1 Digital Loop in Combinat on with DS1 Interoffice Transport - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		4-Wire DS1 Digital Loop in Combination with DS1 Interoffice Transport - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		Interoffice Transport - Dedicated - DS1 comb nat on - Per Mi e Per Month			UNC1X	1L5XX	0 3525										
		Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	4-WIRE DS1	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		First DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2 34										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	848 99	428 10	153 81	64 43	35 43			20 35	21 09	9 80	10 54
		DS3 to DS1 Channel System combination per month			UNC3X	MQ3	222 98	319 48	126 63	45 53	17 05						
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	6 52	2 58								
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
		DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	6 52	2 58								
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	2-WIRE VOICE	GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	16 58	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	21 63	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
		2-WireVG Loop used with 2-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	28 28	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
		Interoffice Transport - Dedicated - 2-wire VG combination - Per Mile Per Month			UNCVX	1I	0 0174										
		Interoffice Transport - Dedicated - 2- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV2	18 58	79 86	44 06	69 32	31 00			20 35	21 09	9 80	10 54
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	4-WIRE VOICE	GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT (EEL)															
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24 70	108 75	35 47	72 94	10 85			20 35	21 09	9 80	10 54
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	32 25	108 75	35 47	72 94	10 85			20 35	21 09	9 80	10 54
		4-WireVG Loop used with 4-wire VG Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42 17	108 75	35 47	72 94	10 85			20 35	21 09	9 80	10 54
		Interoffice Transport - Dedicated - 4-wire VG combination - Per Mile Per Month			UNCVX	1L5XX	0 0054										
		Interoffice Transport - Dedicated - 4- Wire Voice Grade combination - Facility Termination per month			UNCVX	U1TV4	24 09	79 83	44 06	69 32	31 00			20 35	21 09	9 80	10 54
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	DS3 DIGITAL	EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT (EEL)															
		High Capacity Unbundled Local Loop - DS3 combination - Per Mile per month			UNC3X	1L5ND	9 19										
		' gh Capacity Unbundled Local Loop - DS3 combination - Facility Termination per onth			UNC3X	UE3PX	374 24	240 23	180 87	106 78	45 24						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2 34										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per per month			UNC3X	U1TF3	848 99	428 01	153 81	64 43	35 43			20 35	21 09	9 80	10 54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	STS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TRANSPORT (EEL)															
	High Capacity Unbundled Local Loop - STS1 combination - Per Mile per month			UNCSX	1L5ND	9 19										
	High Capacity Unbundled Local Loop - STS1 combination - Facility Termination per month			UNCSX	UDLS1	389 35	240 23	180 87	106 78	45 24						
	Interoffice Transport - Dedicated - STS1 combination - Per Mile per month			UNCSX	1L5XX	2 34										
	Interoffice Transport - Dedicated - STS1 combination - Facilty Termination per month			UNCSX	U1TFS	849 30	428 01	153 81	64 43	35 43			20 35	21 09	9 80	10 54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNCNX	U1L2X	22 00	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0 3525										
	Interoffice Transport - Dedicated - DS1 combintion - Facility Termination per month			UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35	21 09	9 80	10 54
	Channelization - Channel System DS1 to DS0 combination - per month			UNC1X	MQ1	80 77	49 95	75 98	13 60							
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combination - per month			UNCNX	UC1CA	3 10	6 16	0 60								
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	22 00	108 76	35.47	72 94	10 86			20 35	21 09	9 80	10 54
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	29 02	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Additional 2-wire IDSN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37 95	108 76	35 47	72.94	10 86			20 35	21 09	9 80	10 54
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System combintaion- per month			UNCNX	UC1CA	3 10	6 16	0 60								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT (EEL)															
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
	First DS1 Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
	Interoffice Transport - Dedicated - STS1 combination - Per Mile Per Month			UNCSX	1L5XX	2 34										
	Interoffice Transport - Dedicated - STS1 combination - Facility Termination			UNCSX	U1TFS	849 30	426 01	153 61	64 43	35 43			20 35	21 09	9 80	10 54
	STS1 to DS1 Channel System conbination per month			UNCSX	MQ3	222 98	428 01	153 81	64 43	25 43						
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	57 73	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75 40	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
	Additional DS1Loop in STS1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	98 59	228 40	161 74	79 87	24 88			20 35	21 09	9 80	10 54
	DS3 Interface Unit (DS1 COCI) combination per month			UNC1X	UC1D1	17 58	5 70	4 42								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	4-wire 56 kbps Loop/4-wire 56 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile			UNCDX	1L5XX	0.174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination			UNCDX	U1TD5	22 10	58 54	38 32	13 98	8 59			20 35	21 09	9 80	10 54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54
	4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT (EEL)															
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54
	4-wire 64 kbps Loop/4-wire 64 kbps Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86			20 35	21 09	9 80	10 54

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile			UNCDX	1L5XX	0 174											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination			UNCDX	U1TD6	22 10	58 54	38 32	13 98	8 59			20 35	21 09	9 80	10 54	
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54	
ADDITIONAL NETWORK ELEMENTS																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																	
When used as ordinarily combined network elements in Georgia, the non-recurring charges apply and the Switch As Is Charge does not.																	
Node (SynchroNet)																	
	Node per month			UNCDX	UNCNT	17 11											
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																	
	2/4-Wire VG Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCVX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54	
	56/64 kbps Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNCDX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54	
	DS1 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC1X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54	
	DS3 Interoffice Channel used in a COMBINATION - "Switch As Is" Conversion Charge			UNC3X	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54	
	STS1 Interoffice or Local Loop used in a COMBINATION - "Switch As Is" Conversion Charge			UNCSX	UNCCC		52 73	24 62	9 12	9 12			20 35	21 09	9 80	10 54	
NOTE: Local Channel - Dedicated Transport - minimum billing period - Below DS3=one month, DS3 and above=four months																	
	Local Channel - Dedicated - 2-Wire Voice Grade per month			UNCXV	ULDV2	19 43											
	Local Channel - Dedicated - 4-Wire Voice Grade per month			UNCXV	ULDV4	20 56											
	Local Channel - Dedicated - DS1 Per Month			UNC1X	ULDF1	40 00											
OPERATIONAL SUPPORT SYSTEMS																	
NOTE (1) Electronic Service Order CLEC-1 should contact its contract negotiator if it prefers the state specific electronic service ordering charges as ordered by the State Commissions																	
NOTE (1) Continued The electronic service ordering charge currently contained in this rate exhibit is the BellSouth regional electronic service ordering charge																	
NOTE (1) Concluded CLEC-1 may elect either the state specific Commission ordered rates for the electronic service ordering charges, or CLEC-1 may elect the regional electronic service ordering charge																	
NOTE (2) Manual Service Order charge disconnect, in the state of Florida, to be billed on a per LSR basis																	
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3 50										
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http //www interconnection bellsouth com/become_a_clec/html/interconnection htm																	
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																	
Exchange Ports																	
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																	
2-WIRE VOICE GRADE LINE PORT RATES (RES)																	
	Exchange Ports - 2-Wire Analog Line Port- Res			UEPSR	UEPRL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res			UEPSR	UEPRO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Res			UEPSR	UEPAQ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus with Caller ID - Res (AC7)			UEPSR	UEPAH	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (F2R)			UEPSR	UEPAK	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACER)			UEPSR	UEPAL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (TACSR)			UEPSR	UEPAM	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling port with Caller ID - Res (2MR)			UEPSR	UEPAQ	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Subsequent Activity			UEPSR	USASC	0 00	0 00	0 00									
FEATURES																	
	All Available Vertical Features			UEPSR	UEPVF	0 00	0 00	0 00					20 35	10 54	13 32	1 40	
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																	
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus			UEPSB	UEPBC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus			UEPSB	UEPBO	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing panty Port with Caller ID - Bus			UEPSB	UEPAV	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1 89	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	Subsequent Activity			UEPSB	USASC	0 00	0 00	0 00									
FEATURES																	
	All Available Vertical Features			UEPSB	UEPVF	0 00	0 00	0 00					20 35	10 54	13 32	1 40	
EXCHANGE PORT RATES (DID & PBX)																	
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8 97	47 75	47 01	9 21	8 47			20 35	10 54	13 32	1 40	
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID capability			UEPDD	UEPDD	35 74	75 93	38 15	8 77	8 04			19 99	19 99	19 99	19 99	
	Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTX UEPSX	U1PMA	16 26	30 23	29 49	4 10	4 10			41 43	42 17	9 80	9 80	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process																	
	Exchange Ports - 2-Wire ISDN Port – Channel Profiles			UEPTX UEPSX	U1UMA	0 00	0 00	0 00									
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPEX	UEPEX	75 04	148 66	147 18	38 46	36 98			40 69	42 17	9 07	10 54	
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire TN Outward Calling Plan PBX Trunk - Bus			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPSP	UEPTO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	
B 1 7	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40	

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	B 1 7	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9 93	9.19	3 66	2.92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	B 1 7	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPSP	UEPXV	1 79	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
		Subsequent Activity			UEPSP	USASC	0 00	0 00	0 00								
	FEATURES				EPSP												
		All Available Vertical Features			UEPSE	UEPVF	0 00	0 00	0 00					20 35	10 54	13 32	1 40
	EXCHANGE PORT RATES (COIN)																
		Exchange Ports - Coin Port					2 11	9 93	9 19	3 66	2 92			20 35	10 54	13 32	1 40
	NOTE. Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports																
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.																
UNBUNDLED LOCAL SWITCHING, PORT USAGE																	
	End Office Switching (Port Usage)																
		End Office Switching Function, Per MOU					0 0008041										
	Tandem Switching (Port Usage) (Local or Access Tandem)																
		Tandem Switching Function Per MOU					0 0009778										
	Common Transport																
		Common Transport - Per Mile, Per MOU					0 0000064										
		Common Transport - Facilities Termination Per MOU					0 0003871										
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
	For Georgia, Kentucky, Louisiana and Tennessee, the recurring UNE Port and Loop charges listed apply to Currently Combined and Not Currently Combined Combos and the first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos in GA, KY, LA, TN and all other states, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
	UNE Port/Loop Combination Rates																
		2-Wire VG Loop/Port Combo - Zone 1		1			14 18										
		2-Wire VG Loop/Port Combo - Zone 2		2			18 01										
		2-Wire VG Loop/Port Combo - Zone 3		3			23 02										
	UNE Loop Rates																
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12 48										
		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 31										
		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21 32										
	2-Wire Voice Grade Line Port Rates (Res)																
		2-Wire voice unbundled port - residence			UEPRX	UEPRL	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1 70	22 14	15 25	8 45	3 91			30 89	7 03		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice Grade unbundled Tennessee extended local dialing panty port with Caller ID - res			UEPRX	UEPAQ	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Area Plus with Caller ID - res (AC7)			UEPRX	UEPAH	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
FEATURES																	
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00					30 89	7 03			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35											
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		1 03	0 29					30 89	7 03			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPRX	USACC		1 03	0 29					30 89	7 03			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97				
ADDITIONAL NRCs																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0 00	0 00	0 00					30 89	7 03			
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18											
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01											
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 48											
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 31											
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21 32											
2-Wire Voice Grade Line Port (Bus)																	
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22 14	15 25	8.45	3 91			30 89	7 03			
	2-Wire voice Grade unbundled Tennessee extended local dialing panty port with Caller ID - bus			UEPBX	UEPAV	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UPEB1	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35											
FEATURES																	
	All Features Offered			UEPBX	UEPVF	0 00	0 00	0 00					30 89	7 03			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		1 03	0 29					30 89	7 03			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1 03	0 29									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97				
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2								30 89	7 03			
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18											
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01											
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12 48											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16 31											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	21 32											
	2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 50											
	FEATURES																
	All Features Offered			UEPRG	UEPVF	0 00	0 00	0 00					30 89	7 03			
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		1 03	0 29					30 89	7 03			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		1 03	0 29					30 89	7 03			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97				
	ADDITIONAL NRCs																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0 00	0 00	0 00					30 89	7 03			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			14 18											
	2-Wire VG Loop/Port Combo - Zone 2		2			18 01											
	2-Wire VG Loop/Port Combo - Zone 3		3			23 02											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	12 48											
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	16 31											
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	21 32											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1 70	22 14	15 25	8 45	3 91			30 89	7 03			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70	22 14	15 25	8 45	3 91			30 89	7 03			

UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
						Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1 70	22 14	15 25	8 45				30 89	7 03		
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPPX	UEPXV	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
LOCAL NUMBER PORTABILITY															
Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
FEATURES															
All Features Offered			UEPPX	UEPVF	0 00	0 00	0 00					30 89	7 03		
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		1 03	0 29					30 89	7 03		
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0 76						7 97			
ADDITIONAL NRCs															
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00					30 89	7 03		
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
UNE Port/Loop Combination Rates															
2-Wire VG Coin Port/Loop Combo – Zone 1					14 18										
2-Wire VG Coin Port/Loop Combo – Zone 2					18 01										
2-Wire VG Coin Port/Loop Combo – Zone 3					23 02										
UNE Loop Rates															
2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12 48										
2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 31										
2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	21 32										
2-Wire Voice Grade Line Ports (COIN)															
2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTA	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin 2-Way with Operator Screening 900 Blocking 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1 70	22 14	15 25	8 45	3 91			30 89	7 03		
2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1 88							30 89	7 03		
2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1 88							30 89	7 03		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDITIONAL UNE COIN PORT/LOOP (RC)																
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3 45	0 00	0 00								
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35										
FEATURES																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		1 03	0 29					30 89	7 03		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00					30 89	7 03		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			18 38										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19 87										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			24 78										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	9 60										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	11 09										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	16 00										
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8 78	45 44	29 94	8 45	3 91			30 89	7 03		
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USAC1		8 76	5 75					30 89	7 03		
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		8 76	5 75					30 89	7 03		
Telephone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0 00	0 00	0 00					19 99	19 99		
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0 00	0 00	0 00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0 00	0 00	0 00					19 99			
	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0 00	0 00	0 00					19 99	19 99		
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00								
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																
UNE Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB UEPPR		32 27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB UEPPR		34 78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB UEPPR		44 32										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	16 20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	18 71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	28 25										
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	18 07	141 75	118 37	49 20	43 26			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB UEPPR	USACB	0 00	117 23	117 23					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy - Non Feature/Add Trunk			UEPPB UEPPR	USASB		212 88						19 99	19 99	19 99	19 99
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPB UEPPR	LNPCX	0 35	0 00	0 00								
	B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0 00	0 00	0 00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0 00	0 00	0 00								
	CSD			UEPPB UEPPR	U1UCC	0 00	0 00	0 00								
	B-CHANNEL AREA PLUS USER PROFILE ACCESS· (AL,KY,LA,MS SC,MS, & TN)															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0 00	0 00	0 00								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0 00	0 00	0 00								
	CSD			UEPPB UEPPR	U1UCF	0 00	0 00	0 00								
	USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPR	U1UMA	0 00	0 00	0 00								
	VERTICAL FEATURES															
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	0 00	0 00	0 00								
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	M1GNC	17 91	53 99	17 37					19 99	19 99	19 99	19 99
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0 173	0 00	0 00				0 00				
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
	UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		132 58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		150 25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 3		3	UEPPP		173 44										
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	57 73										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	75 40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	98 59										
	Exchange Ports - 4-Wire ISDN DS1 Port			UEPPP	UEPPP	74 85	415 53	366 90	89 28	77 43			19 99	19 99	19 99	19 99
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion -Switch-as-is			UEPPP	USACP	0 00	328 53	328 53					19 99	19 99	19 99	19 99
	ADDITIONAL NRCs															
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way tel nos within Std Allowance			UEPPP	PR7TF		0 94						19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22 36	22 36					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Nos Above Std Allowance			UEPPP	PR7ZT		44 71	44 70					19 99	19 99	19 99	19 99
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPP	LNPCN	1 75										
	INTERFACE (Provisioning Only)															
	Voice/Data			UEPPP	PR71V	0 00	0 00	0 00								

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Digital Data			UEPPP	PR71D	0 00	0 00	0 00								
	Inward Data			UEPPP	PR71E	0 00	0 00	0 00								
New or Additional "B" Channel																
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0 00	28 39						19 99	19 99	19 99	19 99
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0 00	29 11						19 99	19 99	19 99	19 99
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0 00	29 39						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Voice Data B Channel			UEPPP	PR7BS	0 00	28 39						19 99	19 99	19 99	19 99
	New or Additional Useage Sensitive Digital Data B Channel			UEPPP	PR7BU	0 00	28 39						19 99	19 99	19 99	19 99
CALL TYPES																
	Inward			UEPPP	PR7C1	0 00	0 00	0 00								
	Outward			UEPPP	PR7C0	0 00	0 00	0 00								
	Two-way			UEPPP	PR7CC	0 00	0 00	0 00								
Interoffice Channel Mileage																
	Fixed Each Including First Mile			UEPPP	1LN1A	76 1825	145 98	109 85	19 55				19 99	19 99	19 99	19 99
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0 3525										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		93 28							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		110 95							19 99	19 99	19 99	19 99
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		134 14							19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57 53										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	75 40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98 59										
	4-Wire DDITS Digital Trunk Port			UEPDC	UDD1T	35 55	342 80	257 87	61 41	48 49			19 99	19 99	19 99	19 99
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is			UEPDC	USAC4		312 91	312 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes			UEPDC	USAWA		312 91	312 91					19 99	19 99	19 99	19 99
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk			UEPDC	USAWB		312 91	312 91					19 99	19 99	19 99	19 99
ADDITIONAL NRCs																
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		94 88	94 88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108 67	108 67					19 99	19 99	19 99	19 99
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108 67	108 67					19 99	19 99	19 99	19 99
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF		0 00	590 00					19 99	19 99	19 99	19 99
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0 00	590 00					19 99	19 99	19 99	19 99
Alternate Mark Inversion																

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
						Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	AMI -Superframe Format			UEPDC	MCOSF		0 00	0 00									
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0 00	0 00									
	Telephone Number/Trunk Group Establisment Charges																
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0 00							19 99	19 99			
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0 00							19 99	19 99			
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0 00							19 99	19 99			
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0 00							19 99	19 99			
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0 00							19 99	19 99			
	Reserve Non-Consecutive DID Nos			UEPDC	ND6	0 00	0 00	0 00									
	Reserve DID Numbers			UEPDC	NDV	0 00	0 00	0 00									
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	75 83	145 98	109 85	19 66	14 99							
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0 3525	0 00	0 00									
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0 00	0 00	0 00									
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0 3525	0 00	0 00									
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0 00	0 00	0 00	0 00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0 3525	0 00	0 00									
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3 15	0 00	0 00	0 00								
	Central Office Terminating Point			UEPDC	CTG	0 00											
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
	Each System can have up to 24 combinations of rates depending on type and number of ports used																
	UNE DS1 Loop																
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57 73	0 00	0 00									
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75 40	0 00	0 00									
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98 59	0 00	0 00									
	UNE DS0 Channelization Capacities (D4 Channel Bank Configurations)																
	24 DS0 Channel Capacity - 1 per DS1			UEPMG	VUM24	131 87	0 00	0 00					19 99	19 99			
	48 DS0 Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263 74	0 00	0 00					19 99	19 99			
	96 DS0 Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527 48	0 00	0 00					19 99	19 99			
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791 42	0 00	0 00					19 99	19 99			
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827 76	0 00	0 00					19 99	19 99			
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM20	1,318 70	0 00	0 00					19 99	19 99			
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,582 44	0 00	0 00					19 99	19 99			
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	2,109 92	0 00	0 00					19 99	19 99			

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	460 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM40	2,637 40	0 00	0 00					19 99	19 99			
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164 88	0 00	0 00					19 99	19 99			
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,692 36	0 00	0 00					19 99	19 99			
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																	
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.																	
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																	
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0 00	303 61	15 74					19 99	19 99			
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																	
New (Not Currently Combined) in Georgia & Tennessee Only																	
	1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - New GA, LA, KY &TN Only			UEPMG	VUMD4	0 00	704 68	441 48	138 36	16 41			19 99				
Bipolar 8 Zero Substitution																	
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0 00	0 00	590 00									
	Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only			UEPMG	CCOEF	0.00	0 00	590 00									
Alternate Mark Inversion (AMI)																	
	Superframe Format			UEPMG	MCOSF	0 00	0 00	0 00									
	Extended Superframe Format			UEPMG	MCOPO	0 00	0 00	0 00									
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																	
Exchange Ports																	
	Line Side Combination Channelized PBX Trunk Port - Business			UEPPX	UEPCX	1 79	0 00	0 00	0 00	0 00			30 89	7 03			
	Line Side Outward Channelized PBX Trunk Port - Business			UEPPX	UEPOX	1 79	0 00	0 00	0 00	0 00			30 89	7 03			
	Line Side Inward Only Channelized PBX Trunk Port without DID			UEPPX	UEP1X	1 79	0 00	0 00	0 00	0 00			30 89	7 03			
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8 97	0 00	0 00	0 00	0 00			30 89	7 03			
Feature Activations - Unbundled Loop Concentration																	
	Feature (Service) Activation for each Line Side Port Terminated in D4 Bank			UEPPX	1PQWM	0 66	23 94	12 64	3 82	3 80			30 89	7 03			
	Feature (Service) Activation for each Trunk Side Port Terminated in D4 Bank			UEPPX	1PQWU	0 66	73 67	17 37	54 09	10 57			30 89	7 03			
Telephone Number/ Group Establishment Charges for DID Service																	
	DID Trunk Termination (1 per Port)			UEPPX	NDT	0 00											
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0 00	0 00	0 00									
	Non-Consecutive DID Numbers - per number			UEPPX	ND5	0 00	0 00	0 00									
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0 00	0 00	0 00									
	Reserve DID Numbers			UEPPX	NDV	0 00	0 00	0 00									
Local Number Portability																	
	Local Number Portability - 1 per port			UEPPX	LNPCP	3 15	0 00	0 00									
FEATURES - Vertical and Optional																	
Local Switching Features Offered with Line Side Ports Only																	
	All Features Available			UEPPX	UEPVF	0 00	0 00	0 00									
UNBUNDLED PORT LOOP COMBINATIONS - MARKET RATES																	

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Market Rates shall apply where BellSouth is not required to provide unbundled local switching or switch ports per FCC and/or State Commission rules															
	These scenarios include															
	1 Unbundled port/loop combinations that are Not Currently Combined in all of the BellSouth states except as noted for Georgia, Kentucky, Louisiana and Tennessee															
	2 Unbundled port/loop combinations that are Currently Combined or Not Currently Combined in Zone 1 of the Top 8 MSAS in BellSouth's region for end users with 4 or more DS0 equivalent lines															
	The Top 8 MSAs in BellSouth's region are FL (Orlando, Ft Lauderdale, Miami), GA (Atlanta), LA (New Orleans), NC (Greensboro-Winston Salem-Highpoint/Charlotte-Gastonia-Rock Hill), TN (Nashville)															
	BellSouth currently is developing the billing capability to mechanically bill the recurring and non-recurring Market Rates in this section In the interim, BellSouth shall bill the rates in the Cost-Based section preceding in lieu of the Market Rates and reserves the right to true-up the billing difference															
	The Market Rate for unbundled ports includes all available features in all states															
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Com Port/Loop Combinations which have a flat rate usage charge (USOC URECU)															
	For Not Currently Combined scenarios where Market Rates apply, the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section Additional NRCs may apply also and are categorized accordingly															
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	21 32										
	2-Wire Voice Grade Line Port (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice Grade unbundled Tennessee extended local dialing parity port with Caller ID - res			UEPRX	UEPAQ	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (F2R)			UEPRX	UEPAK	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACER)			UEPRX	UEPAL	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (TACSR)			UEPRX	UEPAM	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (1MF2X)			UEPRX	UEPAN	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Area Calling port with Caller ID - res (2MR)			UEPRX	UEPAO	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	14 00	90 00	90 00					30 89	7 03		
	LOCAL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRX	LNPCX	0 35										
	FEATURES															
	All Features Offered			UEPRX	UEPVF	0 00	0 00	0 00								
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPRX	USAC2		41 50	41 50					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPRX	USACC		41 50	41 50								
	ADDITIONAL NRCs															
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPRX	USAS2		0 00	0 00					30 89	7 03		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21 32										

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice Grade unbundled Tennessee extended local dialing panty port with Caller ID - bus			UEPBX	UEPAV	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	14 00							30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	14 00	90 00	90 00					30 89	7 03		
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	14 00							30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPBX	LNPCX	0 35										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Switch-as-is			UEPBX	USAC2		41 50	41 50					30 89	7 03		
	2-Wire Voice Grade Loop / Line Port Combination - Switch with change			UEPBX	USACC		41 50	41 50								
ADDITIONAL NRCs																
	NRC - 2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0 00	0 00					30 89	7 03		
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			26 48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRG	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRG	UEPLX	21 32										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	14 00	90 00	90 00					30 89	7 03		
LOCAL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPRG	LNPCP	3 15										
FEATURES																
NONRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPRG	USAC2		41 50	41 50					30 89	7 03		
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPRG	USACC		41 50	41 50								
ADDITIONAL NRCs																
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1		1			26.48										
	2-Wire VG Loop/Port Combo - Zone 2		2			30 31										
	2-Wire VG Loop/Port Combo - Zone 3		3			35 32										
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPPX	UEPLX	12 48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPPX	UEPLX	16 31										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPPX	UEPLX	21 32										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	14 00	90 00	90 00					30 89	7 03		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	14 00	90 00	90 00					30 89	7 03		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	14 00	90 00	90 00					30 89	7 03		

CATEGORY	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee Calling Port			UEPPX	UEPT2	14 00							30 89	7 03			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee Calling Port			UEPPX	UEPTO	14 00							30 89	7 03			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 1-W Out PBX Hotel/Hospital Economy Administrative Calling Port TN			UEPPX	UEPXN	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	14 00	90 00	90 00					30 89	7 03			
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ Calling Port			UEPPX	UEPXV	14 00	90 00	90 00					30 89	7 03			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPPX	LNPCP	3 15											
FEATURES																	
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPPX	USAC2		41 50	41 50					30 89	7 03			
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPPX	USACC		41 50	41 50									
ADDITIONAL NRCs															20 00	20 00	
	2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPPX	USAS2		0 00	0 00					30 89	7 03			
	2 Wire Loop/Line Side Port Combination - Non feature - Subsequent Activity-Nonrecurring						0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14 64	14 64					19 99	19 99	19 99	19 99	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
UNE Port/Loop Combination Rates																	
	2-Wire VG Coin Port/Loop Combo – Zone 1					26 48											
	2-Wire VG Coin Port/Loop Combo – Zone 2					30 31											
	2-Wire VG Coin Port/Loop Combo – Zone 3					35 32											
UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPLX	12 48											
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPLX	16 31											
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	21 32											
2-Wire Voice Grade Line Port Rates (Coin)																	
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	14 00	90 00	90 00					30 89	7 03			
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	14 00							30 89	7 03			
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTA	14.00	90 00	90 00					30 89	7 03			
	2-Wire Coin 2-Way with Operator Screening and Blocking. 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	14 00	90 00	90 00					30 89	7 03			
	2-Wire Coin Outward with Operator Screening and 011 Blocking (TN)			UEPCO	UEPTC	14 00	90 00	90 00					30 89	7 03			
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	14 00	90 00	90 00					30 89	7 03			
LOCAL NUMBER PORTABILITY																	
	Local Number Portability (1 per port)			UEPCO	LNPCX	0 35											
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/ Line Port Combination - Switch-As-Is			UEPCO	USAC2		41 50	41 50					30 89	7 03			
	2-Wire Voice Grade Loop/ Line Port Combination - Switch with Change			UEPCO	USACC		41 50	41 50									
ADDITIONAL NRCs																	

CATEGORY		UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)						
							Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
		2-Wire Voice Grade Loop/ Line Port Combination - Subsequent			UEPCO	USAS2		0 00	0 00					30 89	7 03			
	NOTE: If no rate is identified in the contract, the rates for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																	

ATTACHMENT 3

NETWORK INTERCONNECTION

TABLE OF CONTENTS

1. GENERAL 3

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT) 3

3. NETWORK INTERCONNECTION 4

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES 6

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION 13

6. LOCAL DIALING PARITY 15

7. INTERCONNECTION COMPENSATION 16

8. FRAME RELAY SERVICE INTERCONNECTION 21

9. OPERATIONAL SUPPORT SYSTEMS (OSS) 24

Rates	**Exhibit A**
Basic Architecture	**Exhibit B**
One Way Architecture	**Exhibit C**
Two Way Architecture	**Exhibit D**
Supergroup Architecture	**Exhibit E**

NETWORK INTERCONNECTION

1. GENERAL

1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:

2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

2.1 For purposes of this attachment only, the following terms shall have the definitions set forth below:

2.1.1 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).

2.1.2 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).

2.1.3 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.

2.1.4 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide ("LERG").

2.1.5 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.

2.1.6 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch.

2.1.7 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.

2.1.8 **Interconnection Point ("IP")** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and Covad.

2.1.9 **ISP-bound Traffic** is as defined in Section 7 of this Attachment.

2.1.10 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center.

2.1.11 **Local Traffic** is as defined in Section 7 of this Attachment.

2.1.12 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP.

2.1.13 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching.

2.1.14 **Transit Traffic** is traffic originating on Covad's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to Covad's network.

3. NETWORK INTERCONNECTION

3.1 This Attachment pertains only to the provision of network interconnection where Covad owns and provides its switch(es).

3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in this Agreement.

3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic and ISP-bound Traffic.

3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic and ISP-bound Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic and ISP-bound Traffic to the other Party for Call Transport and Termination by the terminating Party.

3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, the Parties must agree to the location of the IP(s).

3.3 **Interconnection via Dedicated Facilities**

3.3.1 **Local Channel Facilities.** As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.

3.3.2 **Dedicated Interoffice Facilities.** As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.

3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request ("ASR") process.

3.4 **Fiber Meet**

3.4.1 If Covad elects to interconnect with BellSouth pursuant to a Fiber Meet, Covad and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network ("SONET") transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission

system. However, Covad's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.

3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.

3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the Covad Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification ("CLLI") code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

3.4.4 Upon verbal request by Covad, BellSouth shall allow Covad access to the fusion splice point for the Fiber Meet point for maintenance purposes on Covad's side of the Fiber Meet point.

3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. Covad shall be billed for a mixed use of the Local Channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by Covad. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

4.1 BellSouth and Covad shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the LERG.

4.2 Covad shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of Covad's originated Local Traffic and for the receipt and delivery of Transit Traffic. To the extent Covad desires to deliver Local Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which Covad has established interconnection trunk groups, Covad shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.

4.2.1 Notwithstanding the forgoing, Covad shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Covad has

homed (i.e. assigned) its NPA/NXXs. Covad shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. Covad shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.

4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on Covad's NXX access tandem homing arrangement as specified by Covad in the LERG.

4.4 Any Covad interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to Covad from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require Covad to submit a Bona Fide Request/New Business Request (BFR/NBR) via the BFR/NBR Process as set forth in this Agreement.

4.5 Recurring and non-recurring rates associated with interconnecting trunk groups between BellSouth and Covad are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.

4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and facilities. Covad shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.

4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

4.8 In cases where Covad is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).

4.9 Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Local Interconnection Switching Center (LISC) Project Management Group and Covad's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

4.10 **Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic**

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic. Covad shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic to the other Party.

4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem ("Intratandem Access"). Access tandem interconnection is available for any of the following access tandem architectures

4.10.1.1 **Basic Architecture**

In the basic architecture, Covad's originating Local Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between Covad and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between Covad and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Covad desires to exchange traffic. This trunk group also carries Covad originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Covad. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

4.10.1.2 **One-Way Trunk Group Architecture**

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for Covad-originated Local Traffic destined for BellSouth end-users. A second one-way trunk group carries BellSouth-originated Local Traffic destined for Covad end-users. A two-way trunk group provides Intratandem Access for Covad's originating and terminating Transit Traffic. This trunk group carries Transit

Traffic between Covad and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Covad desires to exchange traffic. This trunk group also carries Covad originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic is transported on a separate single one-way trunk group terminating to Covad. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

4.10.1.3 **Two-Way Trunk Group Architecture**

Upon agreement of the Parties as set forth in Section 0 above, the two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic between Covad and BellSouth. In addition, a separate two-way transit trunk group must be established for Covad's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between Covad and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Covad desires to exchange traffic. This trunk group also carries Covad originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Covad. However, where Covad is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

4.10.1.4 **Supergroup Architecture**

Upon agreement of the Parties as set forth in Section 0 above, the Parties may establish a supergroup architecture. In the supergroup architecture, the Parties' Local Traffic and Covad's Transit Traffic are exchanged on a single two-way trunk group between Covad and BellSouth to provide Intratandem Access to Covad. This trunk group carries Transit Traffic between Covad and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which Covad desires to exchange traffic. This trunk group also carries Covad originated Transit Traffic transiting a single BellSouth access tandem destined to

third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to Covad. However, where Covad is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

4.10.1.5 Multiple Tandem Access Interconnection

4.10.1.5.1 Where Covad does not choose access tandem interconnection at every BellSouth access tandem within a LATA, Covad may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA Covad must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route Covad's originated Local Traffic for LATA wide transport and termination. Covad must also establish an interconnection trunk group(s) at all BellSouth access tandems where Covad NXXs are homed as described in Section 4.2.1 above. If Covad does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, Covad can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate Covad's Local Traffic to end-users served through those BellSouth access tandems where Covad does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.

4.10.1.5.2 Covad may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to Covad will be delivered to and from IXCs based on Covad's NXX access tandem homing arrangement as specified by Covad in the LERG.

4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.

4.10.1.5.4 To the extent Covad does not purchase MTA in a LATA served by multiple access tandems, Covad must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent Covad routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, Covad shall pay BellSouth the associated MTA charges.

4.10.2 **Local Tandem Interconnection**

4.10.2.1 Local Tandem Interconnection arrangement allows Covad to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Covad-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.

4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, Covad must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Covad may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Covad may deliver Local Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Covad does not choose to establish an interconnection trunk group(s). It is Covad's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Covad's codes. Likewise, Covad shall obtain its routing information from the LERG.

4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Covad must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Covad has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).

4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that Covad has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

4.10.3 **Direct End Office-to-End Office Interconnection**

4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic and ISP-bound Traffic to the terminating Party on a direct end office-to-end office basis.

4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:

4.10.3.2.1 Tandem Exhaust - If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Covad and BellSouth.

4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between Covad's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

4.10.4 **Transit Traffic Trunk Group**

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Covad to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

4.10.4.1 **Toll Free Traffic**

4.10.4.1.1 If Covad chooses BellSouth to perform the Service Switching Point ("SSP") Function (i.e., handle Toll Free database queries) from BellSouth's switches, all Covad originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.

4.10.4.1.2 Covad may choose to perform its own Toll Free database queries from its switch. In such cases, Covad will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, Covad will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, Covad will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and Covad shall provide to BellSouth a Toll Free billing record when appropriate. If the query reveals the call

is an interLATA Toll Free call, Covad will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to Covad's network but that are connected to BellSouth's access tandem.

4.10.5 All post-query Toll Free calls for which Covad performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

5.1 Network Management and Changes. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.

5.2 Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where Covad chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling ("SS7"), SS7 connectivity is required between the Covad switch and the BellSouth Signaling Transfer Point ("STP"). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.

5.3 Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.

5.4 Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

5.5 SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification

("ANI"), originating line information ("OLI") calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.

5.6 Signaling Call Information. BellSouth and Covad will send and receive 10 digits for Local Traffic. Additionally, BellSouth and Covad will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

5.7 **Forecasting for Trunk Provisioning**

5.7.1 Within six (6) months after execution of this Agreement, Covad shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of Covad's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.

5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Covad-to-BellSouth one-way trunks ("Covad Trunks"), BellSouth-to-Covad one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities.

5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"); trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Covad location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).

5.7.2 Once initial interconnection trunk forecasts have been developed, Covad shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Covad shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The

Parties shall continue to develop Reciprocal Trunk and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.

5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

5.8 **Trunk Utilization**

5.8.1 BellSouth and Covad shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized reciprocal trunk(s) and the Party whose trunks are disconnected shall refund to the other Party associated trunk and facility charges paid by such other Party, if any.

5.8.1.1 BellSouth's Local Interconnection Switching Center (LISC) will notify Covad of any under-utilized reciprocal trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated Covad interface. Covad will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which Covad expects to need such trunks. BellSouth's LISC Project Manager and Circuit Capacity Manager will discuss the information with Covad to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to Covad. The due date of these orders will be four weeks after Covad was first notified in writing of the underutilization of the trunk groups.

5.8.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

6. LOCAL DIALING PARITY

6.1 BellSouth and Covad shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

7. INTERCONNECTION COMPENSATION

7.1 Compensation for Call Transportation and Termination for Local Traffic and ISP-bound Traffic

7.1.1 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.

7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.

7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction..

7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Covad agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Covad that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Covad further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Covad that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.

7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.

7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.

7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.

7.1.7 If Covad assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to Covad end users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a Covad customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, Covad agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to Covad at BellSouth's switched access tariff rates.

7.2 If Covad does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Covad NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if Covad can provide sufficient information for BellSouth to determine whether or not said traffic is Local Traffic.

7.3 **Jurisdictional Reporting**

7.3.1 **Percent Local Use.** Each Party shall report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of local minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every local call and every long distance call, excluding Transit Traffic. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PLU factor, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

7.3.2 **Percent Local Facility.** Each Party shall report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and

reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

7.3.3 **Percent Interstate Usage**. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Covad. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use (PIUs, PLU, and PLF) for the past three months ending the last day of December, March, June and September. Notwithstanding the foregoing, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information, in lieu of the PIU and PLU factors, shall at the terminating Party's option be utilized to determine the appropriate local usage compensation to be paid.

7.3.4 Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.

7.3.5 **Audits.** On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Covad shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

7.4 **Compensation for 8XX Traffic**

7.4.1 Compensation for 8XX Traffic. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. Covad will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.

7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.

7.4.3 8XX Access Screening. BellSouth's provision of 8XX Toll Free Dialing ("TFD") to Covad requires interconnection from Covad to BellSouth's 8XX Signal Channel Point ("SCP"). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. Covad shall establish SSS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Covad desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

7.5 **Mutual Provision of Switched Access Service**

7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.

7.5.2 If the BellSouth end user chooses Covad as their presubscribed interexchange carrier, or if the BellSouth end user uses Covad as an interexchange carrier on a 101XXXX basis, BellSouth will charge Covad the appropriate BellSouth tariff charges for originating switched access services.

7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating,

switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.

7.5.4 When Covad's end office switch provides an access service connection to or from an interexchange carrier ("IXC") by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by <customer name> as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The parties shall utilize a thirty (30) day billing period.

7.5.4.1 When <customer name>'s end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to <customer name>, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.

7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.

7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.

7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.

7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.

7.5.9 Covad agrees not to deliver switched access traffic to BellSouth for termination except over Covad ordered switched access trunks and facilities.

7.6 **Transit Traffic**

7.6.1 BellSouth shall provide tandem switching and transport services for Covad's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between Covad and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Covad and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that Covad is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Covad. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic,Covad shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

8. FRAME RELAY SERVICE INTERCONNECTION

8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Covad's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which Covad is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Covad and BellSouth Frame Relay Switches in the same LATA.

8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("IP(s)") within the LATA. All IPs shall be within the

same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.

8.3 Upon the request of either Party, such interconnection will be established where BellSouth and Covad have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.

8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.

8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:

8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").

8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").

8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Covad may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Covad that it has found that this method does not adequately represent the PLCU.

8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.

8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Covad will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Covad will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Covad's PLCU.

8.6 The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1 Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and Covad will pay, the total non-recurring and recurring charges for the NNI port. Covad will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed non-recurring and recurring charges for the NNI port by Covad's PLCU.

8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).

8.8 For the PVC segment between the Covad and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.

8.9 Compensation for PVC rate elements will be calculated as follows:

8.9.1 If Covad orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Covad Frame Relay switch, BellSouth will invoice, and Covad will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Covad Frame Relay switches. If the VC is a Local VC, Covad will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Covad for the PVC segment.

8.9.2 If BellSouth orders a Local VC connection between a Covad subscriber's PVC segment and a PVC segment from the Covad Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Covad will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Covad Frame Relay switches. If the VC is a Local VC, Covad will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Covad for the PVC segment.

8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.

8.9.4 If Covad requests a change, BellSouth will invoice and Covad will pay a Feature Change charge for each affected PVC segment.

8.9.4.1 If BellSouth requests a change to a Local VC, Covad will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.

8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.

8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.

8.10 Covad will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.

8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

9. OPERATIONAL SUPPORT SYSTEMS (OSS)

9.1 The terms, conditions and rates for OSS are as set forth in FCC Tariff for Access Service Records.

Basic Architecture

Exhibit B





Exhibit C

One-Way Architecture



Two-Way Architecture

Exhibit D





Exhibit E

Supergroup Architecture



CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE. "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0005692bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0 0005692bk										
		Tandem Intermediary Charge, per MOU*			OHD		0 0015										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges																
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		333 69	56 91								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0 00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000026bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0003685bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 0101										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	24 15	81 07	54 82	33 47	13 79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0101										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	17 28	81 08	54 82	33 47	13 79						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0101										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	17 28	81 08	54 82	33 47	13 79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1MS	1L5NL	0 2067										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1MS	1L5NL	68 75	178 53	163 61	32 70	28 88						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3MS	1L5NM	4 67										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3MS	1L5NM	804 02	557 49	325 51	120 39	116 91						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHM	TEFV2	15 96	386 19	66 33	73 28	6 39						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	17 06	387 06	67 20	74 22	7 33						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	41 52	354 94	307 43	44 38	30 52						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	476 04	903 03	527 87	238 97	167 16						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1MS	SATN1	122 50	182 08	125 14	21 07	19 58						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	201 37	356 28	187 94	66 51	63 65						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	15 39	13 15	9 43								
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0005767bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0005767bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		336 43	57 38								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.0000034bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004493bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 0084										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	26 02	42 69	28 66	16 51	6.34						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0084										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	18.95	42 69	28.66	16 51	6 34						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.0084										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	18 95	42.69	28.66	16 51	6.34						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1MS	1L5NL	0 171										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1MS	1L5NL	90 87	95 16	88 78	16.74	14 85						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3MS	1L5NM	3.57										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3MS	1L5NM	1,101.00	302 43	197 70	64.94	63 61						
	LOCAL CHANNEL - DEDICATED TRANSPORT																

LOCAL INTERCONNECTION
Florida

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHM	TEFV2	21.42	239.67	42.34	33.93	3.61						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	21.91	240.30	42.97	34.47	4.15						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	34.49	195.33	165.48	21.90	15.28						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	554.83	501.59	309.24	125.43	87.30						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1MS	SATN1	151.74	91.44	64.57	10.00	9.46						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	218.70	179.66	106.96	36.37	35.22						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	14.24	9.08	6.38								
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE. "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0011009bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0011009bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		333 28	56.84								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0 00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 000008bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 0004152bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.0222										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	17.07	79.61	36 08								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0222										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	16 45	79.61	36 08		0.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0222										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	16.45	79 61	36.08	0 00	0.00						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0 4523										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	78 47	147 07	111 75								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	2 72										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	788 00	511.10	330 77	122 31	119 14						

LOCAL INTERCONNECTION
Georgia

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHM	TEFV2	13.91	382.95	62 40							
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHM	TEFV4	14 99	368 44	64.05							
		Local Channel - Dedicated - DS1 per month			OH1		TEFHG	38.36	356 15	312.89							
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3		TEFHJ	515 91	639 50	426 31	122.31	119.14					
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1M	SATN1	126 22	198 22	123 59	31 03	19.75					
		DS3 to DS1 Channel System per month			OH3	OH3MS	SATNS	182 04	280.66	195 33	83.10	59 96					
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS	SATCO	11.02	12 02	8.66							
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0007555bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0007555bk										
		Tandem Intermediary Charge, per MOU*			OHD		0 001096										
	* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.																
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		334 09	57 12								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0 00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000031bk										
		Common Transport - Facilities Termination Per MOU			OHD		0 000757bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.0118										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	29.51	81.10	54.84	33.36	13 75						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0118										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	21 26	81 11	54 84	33 36	13.75						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0118										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	21.26	81.11	54.84	33.36	13 75						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0.2407										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	97.38	178 59	163 67	32.59	28.79						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																

LOCAL INTERCONNECTION
Kentucky

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3	OH3M1L5NM	5.10										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3	OH3M1L5NM	1,191.53	557 69	325.62	120 00	116.54						
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHM1TEFV2	18.81	386 33	66.35	73.04	6.37						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHM1TEFV4	20.12	387 20	67 22	73.98	7.31						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	44 63	355 06	307.53	44 24	30.42						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	583.57	903.34	528.05	238 20	166 62						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1M1SATN1	139.65	182 14	125.19	21.00	19.52						
		DS3 to DS1 Channel System per month			OH3	OH3MS SATNS	194.82	356 40	188 00	66 30	63 44						
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS SATCO	14.43	13.16	9 43								
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.																

LOCAL INTERCONNECTION
Louisiana

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0006289bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0006289bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		334.94	56.98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0 00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.0000037bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004332bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.013										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	22.60	39.36	26.62								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	15 61	39 37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 013										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	15 61	39.37	26.62	0 00	0.00						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0 2652										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	70.47	86 69	79 44								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	6.04										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	850 45	270.69	158.05								

LOCAL INTERCONNECTION
Louisiana

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
		LOCAL CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHM TEFV2	18.32	187.51	32.21								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHM TEFV4	19.41	187.94	32.63								
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	39.18	172.34	149.27								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	469.44	438.46	256.30								
		LOCAL INTERCONNECTION MID-SPAN MEET															
		NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable															
		MULTIPLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1	OH1M SATN1	105.09	88.41	60.76								
		DS3 to DS1 Channel System per month			OH3MS	SATNS	201.48	172.99	91.25								
		DS3 Interface Unit (DS1 COCI) per month			OH1MS	SATCO	11.78	6.39	4.58								
		Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.															

LOCAL INTERCONNECTION
Mississippi

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usag						As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.										
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0006733bk										
		Multiple Tandem Switching, per MOU (applies to					0.0006733bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		334.11	56.98								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.000003bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.000499bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.0112										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	24.75	80.96	54.74	34.27	14.12						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0.0112										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	17.24	80.97	54.74	34.27	14.12						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.0112										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	17.24	80.97	54.74	34.27	14.12						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0.2293										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	63.00	178.29	163.40	33.48	29.57						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	5.43										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	705.42	556.75	325.07	123.28	119.71						

LOCAL INTERCONNECTION
Mississippi

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
		LOCAL CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHM TEFV2	16.39	385.68	66.24	75.04	6 55						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHM TEFV4	17.59	385 55	67.11	76.00	7.51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	41.40	354.47	307 02	45.45	31.25						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	455 69	901 82	527.16	244.70	171 16						
		LOCAL INTERCONNECTION MID-SPAN MEET															
		NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
		MULTIPLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1	OH1M SATN1	125 29	181 84	124.98	21 57	20.05						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	207.87	355 80	187.69	68 11	65.17						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	15.78	13.13	9 41								
		Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.															

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0.0012bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0012bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		333.54	56.88								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0.00001bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.00034bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.0282										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	18.00	137.48	52.58								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58		0.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.0282										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	17.40	137.48	52.58	0.00	0.00						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0.5753										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	71.29	217.17	163.75								
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	12.98										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	720.38	794.94	579.55								

LOCAL INTERCONNECTION
North Carolina

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL OHM	TEFV2	14.82	553 80	89 69								
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL OHM	TEFV4	15.87	562.23	92.67								
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35 68	534.48	462 69								
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	498.87	562.25	527 88								
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1M	SATN1	146.69	197.78	140 06								
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	233 10	403 97	234 40								
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	16.07	13 09	9 38								
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff																

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0014911bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0014911bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		335 14	57 16								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0 00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000121bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004672bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0.0167										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	24.30	81.25	54.94	33.54	13 82						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0167										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	16.76	81.26	54.94	33 54	13.82						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.0167										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	16.76	81 26	54 94	33 54	13.82						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0 3415										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	77 14	178 93	163 98	32 77	28 95						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	8 02										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	880 65	558 74	326.23	120 66	117.17						

LOCAL INTERCONNECTION
South Carolina

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL	OHM TEFV2	15.33	387 05	66.48	73 44	6.41						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL	OHM TEFV4	16.54	387 93	67 35	74.38	7.35						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42 62	355.73	308 11	44.48	30 59						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446.00	905 04	529 05	239 50	167.53						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1	OH1M SATN1	134 46	182.48	125 42	21 12	19 62						
		DS3 to DS1 Channel System per month			OH3	OH3MS SATNS	180.03	357 07	188 36	66 66	63.79						
		DS3 Interface Unit (DS1 COCI) per month			OH1	OH1MS SATCO	10 80	13 18	9 45								
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff																

LOCAL INTERCONNECTION
Tennessee

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																	
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep on usage. As such, the element will be assessed for transit and MTA traffic, and not for non-transit and non-MTA traffic.																
	TANDEM SWITCHING																
		Tandem Switching Function Per MOU			OHD		0 0009778bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0009778bk										
	TRUNK CHARGE																
		Installation Trunk Side Service - per DS0			OHD	TPP++		334.29	57.01								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0 00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0 00										
	** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
LOCAL INTERCONNECTION (TRANSPORT)																	
	COMMON TRANSPORT (Shared)																
		Common Transport - Per Mile, Per MOU			OHD		0 0000064bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - VOICE GRADE																
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			OHL, OHM	1L5NF	0 0174										
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination per month			OHL, OHM	1L5NF	18.58	55.39	17 37	27.96	3 51						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - 56/64 KBPS																
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			OHL, OHM	1L5NK	0 0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			OHL, OHM	1L5NK	17 98	55.39	17.37	27 96	3 51						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0 0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			OHL, OHM	1L5NK	17.98	55 39	17 37	27 96	3.51						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT - DS1																
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			OH1 OH1M	1L5NL	0 3562										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1 OH1M	1L5NL	77.86	112 40	76 27	19 55	14 99						
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT- DS3																
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3 OH3M	1L5NM	2 34										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3 OH3M	1L5NM	848.99	395 29	176.56	109 04	105.91						

LOCAL INTERCONNECTION
Tennessee

CATEGORY	NOTES	LOCAL INTERCONNECTION	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LOCAL CHANNEL - DEDICATED TRANSPORT																
		Local Channel - Dedicated - 2-Wire Voice Grade per month				OHL OHM TEFV2	19.02	199.33	24.16	54 81	4.80						
		Local Channel - Dedicated - 4-Wire Voice Grade per month				OHL OHM TEFV4	20.56	201.53	24 83	55 52	5.51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.99	277.35	233 26	33 18	22.30						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15						
	LOCAL INTERCONNECTION MID-SPAN MEET																
	NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	MULTIPLEXERS																
		Channelization - DS1 to DS0 Channel System			OH1 OH1M	SATN1	80.77	141.87	77 11	44 47	42 62						
		DS3 to DS1 Channel System per month			OH3 OH3MS	SATNS	222.98	308 03	108.47	6 34	4 23						
		DS3 Interface Unit (DS1 COCI) per month			OH1 OH1MS	SATCO	17.58	6 07	4 66								
	Notes: If no rate is identified in the contract, the rates, terms and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.																

Attachment 4

Physical Collocation

BELLSOUTH
PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Covad is occupying the Collocation Space as a sole occupant or as a Host within a Premises location in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, or Tennessee pursuant to Section 4. This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to collocation and the provisioning of Collocation Space.

1.2 Right to Occupy. Subject to Section 4 of this Attachment, BellSouth allows Covad to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Covad and agreed to by BellSouth (hereinafter "Collocation Space"). Premises as defined by the Code of Federal Regulation ("CFR") are BellSouth's central offices and serving wire centers, as well as all buildings or similar structures owned or leased by BellSouth that house its network facilities, and all structures that house BellSouth facilities on public rights-of-way, including containing but not limited to vaults containing loop concentrators or similar structures. For purposes of this Attachment, BellSouth Premises include BellSouth Central Offices and Serving Wire Centers. For Remote Site collocation, the rates, terms, and conditions are set forth in Attachment 4-Remote Site Physical Collocation. The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises or Remote Sites shall be negotiated upon request for collocation at such location(s). The size specified by Covad may contemplate a request for space sufficient to accommodate Covad's growth within a two-year period which are the same requirements that BellSouth applies to itself.

1.2.1 In the state of Florida, the size specified by Covad may contemplate a request for space sufficient to accommodate Covad's growth within an eighteen (18) month period.

1.2.2 Virtual Collocation. Virtual Collocation will be provided in accordance with the Terms and Conditions of the applicable BellSouth State Tariff and if not available, then in accordance with BellSouth's FCC No. 1 Tariff. Virtual collocation rates are as set forth in Attachment 2 of this Agreement.

1.3 Space Reclamation. In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Covad will be responsible for any justification of unutilized space within its space, if such justification is required by the appropriate State Commission.

1.4 Use of Space. Covad shall use the Collocation Space for the purposes of installing, maintaining and operating Covad's equipment (to include testing and monitoring equipment) that is necessary, for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services, as specifically set forth in this Attachment. Pursuant to Section 5 following, Covad may at its option, place Covad-owned fiber entrance facilities to the Collocation Space. The Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

1.5 Rates and Charges. Covad agrees to pay the rates and charges identified in Exhibit C attached hereto.

1.6 Due Dates. If any due date contained in this Attachment falls on a weekend or holiday, then the due date will be the next business day thereafter.

1.7 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

1.8 Space Allocation. BellSouth shall attempt to accommodate Covad's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Covad's cost or materially delay Covad's occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service the Covad wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may require separation of collocated equipment from its own equipment only if the proposed separated space is: (a) available in the same or a shorter time frame as non-separated space; (b) at a cost not materially higher than the cost of non-separated space; and (c) is comparable, from a technical and engineering standpoint to non-separated space. BellSouth may require such separation measures only where legitimate security concerns, or operation constraints, unrelated to BellSouth's or any of its affiliates' or subsidiaries' competitive concerns, warrants them. BellSouth may require Covad to use a separate entrance to its collocation space only where a separate entrance already exists or where construction of such an entrance is technically feasible

and will neither artificially delay collocation provisioning nor materially increase Covad's costs. Additionally, BellSouth may require construction of a separated entrance only where legitimate security concerns, or operational constraints unrelated to the incumbent's or any of its affiliate's or subsidiaries competitive concerns, warrants it.

2. Space Notification

2.1 Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit Covad to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Premises, unless BellSouth has determined that there is no space available due to space limitations or that physical collocation is not practical for technical reasons.

2.1.1 Availability Notification. Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. This interval excludes National Holidays. If the amount of space requested is not available, BellSouth will notify Covad of the amount of space that is available.

2.1.2 Availability Notification (FL). BellSouth will respond to a Florida Application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. If the amount of space requested is not available, BellSouth will notify Covad of the amount of space that is available.

2.1.3 Availability Notification (LA). BellSouth will respond to a Louisiana Application within ten (10) calendar days for space availability for one (1) to ten (10) Applications; fifteen (15) calendar days for eleven (11) to twenty (20) Applications; and for more than twenty (20) Applications, it is increased by five (5) calendar days for every five additional Applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Covad of the amount of space that is available.

2.2 Space Availability Report. Upon request from Covad, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability report does not reserve space at the premises.

2.2.1 The request from Covad for a Space Availability Report must be written and must include the Premises and Common Language Location Identification ("CLLI") code of the Premises. Such information regarding Premises and CLLI code is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4.

2.2.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request.

2.3 Denial of Application. After notifying Covad that BellSouth does not have space to accommodate the particular type of collocation arrangement or that a lesser amount of space is available in the requested Premises ("Denial of Application"), BellSouth will allow Covad, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application. If the request for the tour is not received within six (6) business days, Covad in entitled to tour the Premises within 20 business days of its request.

2.4 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6) in accordance with applicable requirements. However, in the absence of any Commission requirement, BellSouth will file a Petition for Waiver within thirty (30) calendar days after the date of Denial of Application.

2.5 Waiting List. Unless otherwise specified, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. Covad must submit an updated, complete, and correct Application to BellSouth within 30 calendar days of such notification or notify BellSouth in writing within that time that Covad wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If Covad does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Covad from the waiting list. Upon request, BellSouth will advise Covad as to its position on the list.

2.5.1 Waiting List (FL). In Florida, on a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of telecommunications carrier on said waiting list. If not known sixty (60) days in advance, BellSouth shall notify the

Florida PSC and the telecommunications carriers on the waiting list within two days of the determination that space is available.

2.6 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5

2.7 State Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals applicable to Covad that are different from procedures or intervals set forth in this section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof or as otherwise agreed to by the Parties.

3. Collocation Options

3.1 Cageless. BellSouth shall allow Covad to collocate Covad's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Covad to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single bay increments pursuant to Section 7. Except where Covad's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups. For equipment requiring special technical considerations, Covad must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.5 following.

3.2 Cages. BellSouth shall construct enclosures in compliance with Covad's collocation request. At Covad's request, BellSouth shall permit Covad to subcontract the construction of physical collocation arrangements with a contractor certified by BellSouth ("BellSouth Certified Contractor"), provided however, that BellSouth shall not unreasonably withhold approval of contractors.

3.3 When Covad subcontracts the construction, Covad must arrange with a BellSouth Certified Contractor to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation and at Covad's sole expense. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more

stringent than BellSouth's standard enclosure specification, Covad and Covad's BellSouth Certified Contractor must comply with the more stringent local building code requirements. Covad's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Covad and provide, at Covad's expense, the documentation, including architectural drawings, necessary for Covad to obtain the zoning, permits and/or other licenses. BellSouth shall pass on to Covad the costs of providing the documentation. The BellSouth Certified Contractor shall bill Covad directly for all work performed for Covad pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Covad must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Covad's locked enclosure prior to notifying Covad.

3.3.1 BellSouth may elect to review Covad's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Covad indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Covad has indicated it's desire to construct it's own enclosure. If Covad's Initial Application does not indicate it's desire to construct it's own enclosure, but it's subsequent firm order does indicate it's desire to construct it's own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Covad shall be able to design caged enclosures in amounts as small as sufficient to house and maintain a single rack or bay of equipment. The review of the plans and specifications shall not impose delay on the construction of the enclosure, unless BellSouth notifies Covad in writing that its plans and specifications do not conform to the plans and specifications provided by BellSouth. The notice shall state how the specifications provided by Covad do not conform with BellSouth's specifications. If BellSouth reviews Covad's plans and specifications prior to construction, then BellSouth will have the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review Covad's plans and specifications prior to construction, Covad will be entitled to request BellSouth to review; and in the event Covad does not request a BellSouth review, BellSouth shall have the right to inspect the enclosure after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require Covad to remove or correct within seven (7) calendar days at Covad's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

3.4 Shared (Subleased) Caged Collocation. Covad may allow other telecommunications carriers to share Covad's caged collocation arrangement pursuant to terms and conditions agreed to by Covad ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Premises is

located within a leased space and BellSouth is prohibited by said lease from offering such an option. Covad shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) business days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Covad that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Covad.

3.4.1 Covad shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall prorate the costs of the collocation space based on the number of collocators and the space used by each. In all states other than Florida, and in addition to the foregoing, Covad shall be the responsible party to BellSouth for the purpose of submitting Applications for initial and additional equipment placement of Guest. In the event the Host and Guest jointly submit an initial Application, only one Application Fee will be assessed. A separate initial Guest application shall require the assessment of a Subsequent Application Fee, as set forth in Exhibit C, if this application is not the initial application made for the arrangement. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements

3.4.2 Covad shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Covad's Guests in the Collocation Space except to the extent caused by BellSouth's gross negligence, or willful misconduct.

3.5 Adjacent Collocation. BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property where space within the Premises is legitimately exhausted, subject to technical feasibility, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property and where permitted by zoning and other applicable state and local regulations. The Adjacent Arrangement shall be constructed or procured by Covad and in conformance with BellSouth's design and construction specifications. Further, Covad shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.

3.5.1 Should Covad elect such option, Covad must arrange with a BellSouth Certified Contractor to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Covad and Covad's BellSouth Certified Contractor must comply with the more stringent local

building code requirements. Covad's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Covad's BellSouth Certified Contractor shall bill Covad directly for all work performed for Covad pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Covad must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Covad's locked enclosure prior to notifying Covad.

3.5.2 Covad must submit its plans and specifications to BellSouth with its Firm Order. BellSouth may elect to review Covad's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days. If BellSouth reviews Covad's plans and specifications prior to construction, then BellSouth will have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to the submitted plans and specifications. If BellSouth elects not to review Covad's plans and specifications prior to construction, Covad will be entitled to request BellSouth to review; and in the event Covad does not request a BellSouth review, BellSouth shall have the right to inspect the Adjacent Arrangement after construction to make sure it is constructed according to BellSouth's guidelines and specifications. BellSouth may require Covad to remove or correct within seven (7) calendar days at Covad's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications

3.5.3 Covad shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Covad's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Covad's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.

3.5.4 BellSouth shall allow Shared (Subleased) Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.4 proceeding.

3.6 Co-carrier cross-connect (CCXC). Covad shall not obtain collocation from BellSouth for the primary or sole purpose of cross-connecting to other competitive carriers BellSouth will permit Covad to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross-connect language.

3.6.1 The CCXC, shall be provisioned through facilities owned by Covad. Such connections to other carriers may be made using either optical or electrical facilities. Covad may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. Covad may not self provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. Covad is responsible for ensuring the integrity of the signal.

3.6.2 Covad shall be responsible for obtaining authorization from the other CLEC(s) involved. Covad must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. Covad-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, Covad may have the option of constructing its own dedicated support structure.

4. Occupancy

4.1 Commencement Date. The "Commencement Date" shall be the day Covad's equipment becomes operational as described in Article 4.2, following.

4.2 Occupancy. BellSouth will notify Covad in writing that the Collocation Space is ready for occupancy. Covad must notify BellSouth in writing, including electronically, that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, Covad's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.

4.3 Termination of Occupancy. In addition to any other provisions addressing Termination of Occupancy in this Attachment, Termination of Occupancy may occur in the following circumstances:

4.3.1 Covad may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy.

4.3.2 Upon termination of such occupancy, Covad at its expense shall remove its equipment and other property from the Collocation Space. Covad shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Covad's Guests; provided, however, that Covad shall continue payment of monthly fees to BellSouth until such date as Covad has fully vacated the Collocation Space. Should Covad or Covad's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and other property of Covad or Covad's Guest at Covad's expense and with no liability for damage or injury to Covad or Covad's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of Covad's right to occupy Collocation Space, Covad shall surrender such Collocation Space to BellSouth in the

same condition as when first occupied by Covad except for ordinary wear and tear, unless otherwise agreed to by the Parties. Covad shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Collocation Space

5.1 Equipment Type. BellSouth permits the collocation of any type of equipment that is necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by the FCC 47 C.F.R. Section 51.323 (b).

5.1.1 When BellSouth responds to an application for collocation, BellSouth will determine if the equipment Covad seeks to collocate is necessary based on the criteria established by the FCC. If, in BellSouth's opinion, equipment Covad seeks to collocate is not necessary for interconnection or access to unbundled network elements, BellSouth shall inform Covad in writing within the time period set forth in Section 2.1 of this attachment. If disagreement exists between the parties regarding whether the equipment Covad seeks to collocate is necessary for interconnection or access to unbundled network elements pursuant to FCC rules, either party may seek to resolve the issue pursuant to the dispute resolution provisions of this agreement. Whenever BellSouth objects to collocation of equipment by Covad for the purposes within the scope of Section 251(c)(6) of the Act, BellSouth shall prove to the Commission that the equipment is not "necessary" for the purpose of obtaining interconnection or access to unbundled network elements in accordance with the FCC's rules. BellSouth may not object to the collocation of equipment on the grounds that the equipment does not comply with safety or engineering standards that are more stringent than the safety or engineering standards that BellSouth applies to its own equipment. BellSouth may not object to the collocation of equipment on the grounds that the equipment fails to comply with National Equipment and Building Specifications performance standards. If BellSouth denies collocation of Covad's equipment, citing safety standards, BellSouth must provide to Covad within five (5) business days of the denial a list of all equipment that BellSouth locates within the Premises in question, together with an affidavit attesting that all of that equipment meets or exceeds the safety standard that BellSouth contends Covad's equipment fails to meet. This affidavit must set forth in detail: the exact safety requirement that Covad's equipment does not satisfy; BellSouth's basis for concluding that Covad's equipment does not meet this safety requirement; and BellSouth's basis for concluding why collocation of equipment not meeting this safety requirement would compromise network safety.

5.1.2 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal

heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards.

5.1.3 Covad shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement and that is capable of or used to originate and/or terminate traffic. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Covad submits an application for terminations that exceed the total capacity of the collocated equipment, Covad will be informed of the discrepancy and will be required to submit a revision to the application.

5.1.4 Covad shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Collocation Space or on the grounds of the Premises.

5.1.5 Covad shall place a plaque or other identification affixed to Covad's equipment necessary to identify Covad's equipment, including a list of emergency contacts with telephone numbers.

5.2 Entrance Facilities. Covad may elect to place Covad-owned or Covad-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault which are physically accessible by both Parties. Covad will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Covad will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced, which will extend from the splice location to Covad's equipment in the Collocation Space. In the event Covad utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Covad must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Covad is responsible for maintenance of the entrance facilities. At Covad's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office termination point.

5.2.1 Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Covad with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s)

is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Covad's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.

5.2.2 Shared Use. Covad may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another Covad collocation arrangement within the same BellSouth Premises. Covad must arrange with BellSouth for BellSouth to splice the utilized entrance facility capacity to Covad-provided riser cable.

5.3 Demarcation Point. Except as otherwise stated, for new collocation spaces or for non-contiguous space augments after execution of this Agreement, BellSouth will designate the point(s) of demarcation between Covad's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame. Covad shall be responsible for providing, and a supplier certified by BellSouth ("Covad's BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling, the common block, and necessary cabling pursuant to Section 6.5. For all other terminations, BellSouth shall designate a demarcation point on a per arrangement basis. Covad or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.3, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. At Covad's option and expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space, but will not serve as the demarcation point. Covad must make arrangements with a BellSouth Certified Supplier for such placement.

5.3.1 Demarcation Point (Florida and Tennessee). At Covad's expense, a Point of Termination ("POT") bay or frame may be placed in the Collocation Space in Covad's designated equipment line-up, and shall serve as the demarcation point, provided that BellSouth has twenty-four (24) hours a day, seven (7) days a week unrestricted access for purposes of testing and maintenance. BellSouth will identify each cable extension (i.e., T-1, T-3, DSO) by correctly stenciling and labeling each cable extension as to its corresponding termination point(s) on the BellSouth network frame or bay. Covad or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, except as provided above, and may self-provision cross-connects that may be required within the collocation space to activate service requests. This demarcation point arrangement shall be utilized unless otherwise agreed to by the Parties.

5.3.2 Existing point(s) of Demarcation – Covad provided Pot Bay. BellSouth will grandfather existing point(s) of Demarcation established at a Covad provided POT Bay pursuant to contract. Covad shall order services using the existing remaining terminations in the POT bay that has the Demarcation Point until the POT bay is at space exhaust, and it is no longer technically feasible to add additional capacity to the existing point of demarcation, at which time BellSouth will designate the point(s) of demarcation pursuant to Sections 5.3, and 5.3.1 of this Attachment respectively.

5.3.3 Existing point(s) of Demarcation – BellSouth provided POT Bay. BellSouth will grandfather POT bay rates and cross connect rates from previous contract for existing Covad arrangements. Covad shall order services using the existing remaining terminations in the BellSouth provided POT bay that has the Demarcation Point until the POT bay is at space exhaust, and it is no longer technically feasible to add additional capacity to the existing point of demarcation, at which time BellSouth will designate the point(s) of demarcation pursuant to Sections 5.3, and 5.3.1 of this Attachment respectively. There will be a non-recurring charge for additional terminations ordered by Covad subsequent to the effective date of this Agreement. Non recurring charges will be at the rates in Exhibit C to this Attachment. .

5.3.4 Irrespective of where the demarcation point in a central office is located, BellSouth shall provide Covad with access to that demarcation point pursuant to Section 5.6 of this Attachment. To address access issues that arise on an emergency basis, BellSouth shall provide Covad with unescorted twenty-four (24) hours a day, seven (7) days a week unrestricted access for purposes of testing and maintenance at the Demarcation Point in accordance with terms of this Attachment 4. The BellSouth Access Customer Advocacy Center (ACAC) emergency access contact numbers will be provided to Covad for access related issues.

5.4 Covad's Equipment and Facilities. Covad, or if required by this Attachment, Covad's Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Covad within the collocation space assigned by BellSouth. All work performed by or for Covad shall conform to both BellSouth's guidelines and standards and generally accepted industry guidelines and standards.

5.5 BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Covad at least 48 hours before access to the Collocation Space is required. Covad may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Covad will not bear any of the expense associated with this work.

5.6 Access. Pursuant to Section 11, Covad shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Covad agrees to provide the

name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Covad or Covad's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. Covad agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Covad employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Covad or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.

5.6.1 Lost or Stolen Access Keys. Covad shall notify BellSouth in writing within 24 hours of becoming aware in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Covad shall pay for all reasonable costs associated with the re-keying or deactivating the card.

5.7 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Covad shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Covad violates the provisions of this paragraph, BellSouth shall give written notice to Covad, which notice shall direct Covad to cure the violation within forty-eight (48) hours of Covad's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.

5.7.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Covad fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Covad's equipment. BellSouth will provide notice to Covad as soon as possible after taking such action and shall have no liability to Covad for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

5.7.2 For purposes of this Section 5.7, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of

other advanced services or traditional voice band services and Covad fails to take curative action within 48 hours then BellSouth will establish before the relevant State Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Covad or, if subsequently necessary, the relevant State Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Covad shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.

5.8 Personalty and its Removal. Subject to requirements of this Attachment, Covad may place or install in or on the Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business; provided that such equipment is telecommunications equipment, does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Facilities and equipment placed by Covad in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Covad at any time. Any damage caused to the Collocation Space by Covad's employees, agents or representatives during the removal of such property shall be promptly repaired by Covad at its expense.

5.9 Alterations. In no case shall Covad or any person acting on behalf of Covad make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Covad. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require a Subsequent Application and Subsequent Application Fee, pursuant to sub-section 6.2.2.

5.10 Janitorial Service. Covad shall be responsible for the general upkeep of the Collocation Space. Covad shall arrange directly with a BellSouth Certified Contractor for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such contractors on a site-specific basis upon request.

6. Ordering and Preparation of Collocation Space

6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to Covad that are different from procedures or intervals set forth in this

section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted after the effective date thereof unless otherwise agreed by the Parties.

6.2 Application for Space. Covad shall submit an application document when Covad or Covad's Guest(s), as defined in Section 3.4, desires to request or modify the use of the Collocation Space.

6.2.1 Initial Application. For Covad or Covad's Guest(s) initial equipment placement, Covad shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in Covad's Collocation Space(s) and an estimate of the amount of square footage required.

6.2.2 Subsequent Application. In the event Covad or Covad's Guest(s) desires to modify the use of the Collocation Space after Bona Fide Firm Order, ("Augmentation"), Covad shall complete an Application document ("Subsequent Application") detailing all information regarding the modification to the Collocation Space. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Covad in the Application. Such necessary modifications to the Premises may include but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.

6.2.3 Subsequent Application Fee. The fee paid by Covad for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. Where the Subsequent Application does not require assessment for provisioning or construction work by BellSouth, no Subsequent Application Fee will be required. . The fee for a Subsequent Application where the modification requested has limited effect (e.g., does not require assessment related to capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. If the modification requires capital expenditure assessment, a full Application Fee shall apply. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. Upon request, BellSouth shall submit documentation to support the amount of the Subsequent Application Fee being assessed to Covad.

6.3 Space Preferences. If Covad has previously requested and received a Space Availability Report for the Premises, Covad may submit up to three (3) space preferences on their application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth cannot accommodate the Covad's preference(s), Covad may elect to accept the space

allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an application fee will apply.

6.4 Application Response. In Alabama, Kentucky, and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.

6.4.1 Application Response (South Carolina). Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, the following will apply. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

6.4.2 Application Response (Tennessee). BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.

6.4.3 Application Response (Florida). Within fifteen (15) calendar days of receipt of a Bona Fide Application, BellSouth will respond as to whether space is available or not available within a particular Premises. Additionally, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Covad to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. When Covad submits ten (10) or more Applications

within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

6.4.4 Application Response (Georgia and Mississippi) In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available for caged or cageless arrangements, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.

6.4.5 Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond as to whether space is available or not available within a particular Premises in accordance with Section 2. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7. BellSouth will respond with a full Application Response within thirty (30) calendar days for one to ten Applications; thirty-five (35) calendar days for eleven to twenty Applications; and for requests of more than twenty Application it is increased by five calendar days for every five Applications received within five business days.

6.5 Application Modifications. If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, for Physical Collocation or the Bona Fide Application for Adjacent Collocation, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Covad or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application for purposes of the provisioning interval and BellSouth shall charge Covad an Application Fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. Major changes such as requesting additional space or adding equipment may require Covad to submit the Application with an Application Fee. Upon request, BellSouth shall submit documentation to support the amount of the Application Fee being assessed to Covad.

6.6 Bona Fide Firm Order. In Alabama, Kentucky, North Carolina, and Tennessee, Covad shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Covad has

completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Covad's Bona Fide Application.. If the Bona Fide Firm Order is not received by BellSouth within five (5) business days after BellSouth's Application Response to Covad's Bona Fide Application, the provisioning interval will be increased by one (1) business day for each business day after the initial five (5) business days. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Covad's Bona Fide Application or the Application will expire

6.6.1 Bona Fide Firm Order. Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Covad shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Covad has completed the Application/Inquiry process described in Section 6.2, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Covad's Bona Fide Application or the Application will expire.

6.6.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Covad's Bona Fide Firm Order within seven (7) calendar days of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

6.6.3 BellSouth will permit one accompanied site visit to Covad's designated collocation arrangement location after receipt of the Bona Fide Firm Order without charge to Covad, otherwise, access shall be pursuant to Section 7.8 of this Attachment.

6.6.4 Covad must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of 30 calendar days prior to the date Covad desires access to the Collocation Space.

6.7

6.7.1 Construction and Provisioning Interval. In Alabama (Caged Only), Kentucky, and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of

extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Covad submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Covad submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Covad submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Covad at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.

To be considered a timely and accurate forecast, Covad must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit B attached hereto, containing the following information: Central Office/Serving Wire Center CLLI, number of Caged square feet and/or Cageless bays, number of DS0, DS1, DS3 frame terminations, number of fused amps and planned application date.

6.7.2 In Alabama (Cageless), BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.7.3 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or

as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Covad cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the Bona Fide Firm Order for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.

6.7.4 Construction and Provisioning Interval (Georgia and Mississippi). BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a Bona Fide Firm Order and ninety (90) calendar days for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Covad or seek a waiver from this interval from the Commission.

6.7.5 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a Bona Fide Firm Order for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred and twenty (120) calendar days for caged and ninety (90) for cageless from the receipt of a Bona Fide Firm Order. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternate provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.7.6 Construction and Provisioning Interval (South Carolina). BellSouth will complete the construction and provisioning activities for cageless and caged collocation arrangements as soon as possible, but no later than ninety (90) calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an

alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.7.7 Construction and Provisioning Interval (Tennessee). BellSouth will complete construction for collocation arrangements under Ordinary Conditions as follows: (i) for caged collocation arrangements, within a maximum of 90 calendar days from receipt of an Bona Fide Firm Order, or as agreed to by the Parties; (ii) for cageless collocation arrangements, within 30 calendar days from receipt of a Bona Fide Firm Order when there is conditioned space and Covad installs the bays/racks. In no event shall the provisioning interval for cageless collocation exceed 90 calendar days from the receipt of a Bona Fide Firm Order, or as agreed to by the parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Covad or seek a waiver from this interval from the Commission. For the purpose of defining conditioned space as referenced in the TRA order setting intervals for cageless collocation in Tennessee, conditioned space is defined as follows: i) floor space must be available; ii) floor space must be equipped with adequate air conditioning to accommodate equipment listed on application; iii) Cable racking, any fiber duct, riser cable support structure and power cable support structure must be in place to support equipment listed on the application; and iv) power plant capacity at BDFB or main power board must be available. If LGX or DGX equipment is requested on the application and adequate existing capacity is not available then conditioned is considered unavailable. If BellSouth is required by the application to place power cabling, conditioned space is considered unavailable.

6.8 Joint Planning. Joint planning between BellSouth and Covad will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a Bona Fide Firm Order. The Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and affirmed in the Bona Fide Firm Order. The Collocation Space completion time period will be provided to Covad during joint planning. BellSouth will complete design work related to work for which BellSouth is responsible following joint planning.

6.9 Permits. BellSouth shall use its best efforts to assign Covad collocation space within BellSouth Premises that has existing infrastructure such as HVAC, lighting, and available power. To the extent that BellSouth is required to perform any work in connection with Covad's collocation arrangement, upon completion of the detailed engineering and architectural plans and upon request from Covad, BellSouth shall provide Covad information from which the determination of a permit requirement was made as soon as possible but no later than 20 calendar days, and advise Covad of the permitting authority and permit processing number(s) to enable Covad to check the progress on obtaining any necessary permit(s).

6.10 Acceptance Walk Through. Covad will contact BellSouth within seven (7) days of collocation space being ready to schedule and complete an acceptance walk through of each Collocation Space requested from BellSouth by Covad. BellSouth will correct

any deviations to Covad's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

6.11 Use of BellSouth Certified Supplier. Covad shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. All work performed by or for Covad shall conform to both BellSouth's guidelines and standards and generally accepted industry guidelines and standards. In some cases, Covad must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Covad with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Covad's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Covad upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Covad directly for all work performed for Covad pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall consider certifying Covad or any supplier proposed by Covad.

6.12 Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Covad shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Covad's Collocation Space. Upon request, BellSouth will provide Covad with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Covad. Both Parties shall use best efforts to notify the other of any verified environmental hazard known to that Party.

6.13 Basic Telephone Service. Upon request of Covad, BellSouth will provide basic telephone service to the Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested. BellSouth also shall provide Covad employees, contractors, agents, and representatives with reasonable access to basic facilities, such as restroom facilities, parking, and temporary, occasional use of electrical convenience outlets where available, while at BellSouth's premises.

6.14 Virtual to Physical Collocation Transition. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and that physical Collocation Space has subsequently become available, Covad may transition its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Covad, such information will be provided to Covad in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Covad within 180 calendar days of BellSouth's written

denial of Covad's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Covad was not informed in the written denial that physical Collocation Space would become available within such 180 calendar days, then Covad may transition its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Covad must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

6.15 Virtual to Physical Conversion (In Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. The application fee for the conversion from virtual to in-place, physical collocation is as set forth in Exhibit C. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days.

6.15.1 In Florida, for Virtual to Physical conversions in place that require no physical changes, the only applicable charges shall cover the administrative, billing, and engineering records updates.

6.15.2 In Tennessee, BellSouth will complete Virtual to Physical conversions in place within thirty (30) calendar days.

6.16 Cancellation. If, at anytime prior to space acceptance, Covad cancels its order for the Collocation Space(s), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Covad cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Covad for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled..

6.17 Licenses. Covad, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.

6.18 Environmental Compliance. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

7. Rates and Charges

7.1 BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 2. Payment of said Application Fee will be due as dictated by Covad's current billing cycle and is non-refundable.

7.1.1 In Tennessee the applicable Application Fee is the Planning Fee for both Applications and Subsequent Applications placed by Covad.

7.2 Recurring Charges for Space Preparation. The recurring charges for space preparation begin on the date that Covad executes the written document accepting the Collocation Space pursuant to Section 6.10, or on the date Covad first occupies the Collocation Space, whichever is sooner. If Covad fails to schedule and complete a walkthrough pursuant to Section 6.10 within 15 days after BellSouth releases the space for occupancy, then BellSouth shall begin billing Covad for recurring charges as of the sixteenth (16) day after BellSouth's releases the Collocation Space. Recurring charges for space preparation will not apply to the extent that such space preparation fees have previously been paid by Covad on a non-recurring basis.

7.2.1 Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Covad shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Covad opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Covad as prescribed in Section 7.7

7.3 Space Preparation Fee in Florida. Space preparation fees include a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot, and Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation. Covad shall remit payment of the nonrecurring Firm Order Processing Fee coincident with submission of a Bona Fide Firm Order. The recurring charges for space preparation apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Covad first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Covad opts for cageless space, space preparation fees will be assessed based on the total floor space dedicated to Covad as prescribed in Section 7.7.

7.4 Space Preparation Fee in Georgia. In Georgia, the Space Preparation Fee is a one-time fee, assessed per arrangement, per location. It recovers a portion of costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, power, building and support systems. This is a set fee of $100 per square foot as established by the Georgia Public Service Commission Order in Docket No. 7061-U. . In the event Covad opts for non-enclosed space, the space preparation fee will be assessed based on the total floor space dedicated to Covad as prescribed in Section 7.7

7.5 Space Preparation Fee in North Carolina. In North Carolina, space preparation fees consist of monthly recurring charges for Central Office Modifications, assessed per arrangement, per square foot; Common Systems Modifications, assessed per arrangement, per square foot for cageless and per cage for caged collocation; and Power, assessed per the nominal –48V DC ampere requirements specified by Covad on the Bona Fide Application. The space preparation charges apply beginning on the date on which BellSouth releases the Collocation Space for occupancy or on the date Covad first occupies the Collocation Space, whichever is sooner. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Covad opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Covad as described in Section 7.7.

7.6 Cable Installation. Cable Installation Fee(s) are assessed per entrance cable placed.

7.7 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not recover any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Covad shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Covad shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Covad's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Covad shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement. Floor space charges begin on the date that Covad executes the written document accepting the Collocation Space pursuant to Section 6.10, or on the date Covad first occupies the Collocation Space, whichever is sooner. If Covad fails to schedule and complete a walkthrough pursuant to Section 6.10 within 15 days after BellSouth releases the space for occupancy, then BellSouth shall begin billing Covad for recurring charges as of the sixteenth (16) day after BellSouth's releases the Collocation Space.

7.8 Power. BellSouth shall make available –48 Volt (-48V) DC power for Covad's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay ("BDFB") at Covad's option within the Premises. BellSouth shall deliver power (including all necessary cabling) to Covad's collocation space or adjacent arrangement within the interval for preparation of space set forth in section 6.

7.8.1 Recurring charges for -48V DC power will be assessed per ampere per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Covad's equipment or space enclosure. When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Covad's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Covad's BellSouth Certified power Supplier. Covad is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Covad's equipment. At Covad's option, Covad may request that BellSouth run the power cabling from the BellSouth Power Board or Battery Distribution Fuse Board ("BDFB") to Covad's Collocation Space. Cables delivered should be of adequate length to terminate anywhere within that collocation arrangement. There will be a non-recurring charge for such cabling. Covad shall have responsibility for routing and terminating the cabling within its Collocation Space. Covad shall provide notification to BellSouth that such power cables have been terminated, and upon such notification BellSouth will install the appropriate protection devices.

Determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Covad must provide BellSouth a copy of the engineering power specification prior to the day on which Covad's equipment becomes operational ("Commencement Date"). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and Covad's arrangement area. Covad shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Covad's arrangement; power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified power Supplier. Covad shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia (BellCore) and ANSI Standards regarding power cabling.

7.8.2 If BellSouth has not previously invested in power plant capacity for collocation at a specific site, Covad has the option to add its own dedicated power plant; provided, however, that such work shall be performed by a BellSouth Certified Supplier who shall comply with BellSouth's guidelines and specifications. Where the addition of Covad's dedicated power plant results in construction of a new power plant room, upon termination of Covad's right to occupy collocation space at such site, Covad

shall have the right to remove its equipment from the power plant room, but shall otherwise leave the room intact.

7.8.3 If Covad elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Covad's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Covad's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Covad's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date At Covad's option, Covad may request that BellSouth run the power cabling from the BellSouth Power Board or Battery Distribution Fuse Board ("BDFB") to Covad's Collocation Space. Cables delivered should be of adequate length to terminate anywhere within that collocation arrangement. There will be a non-recurring charge for such cabling. Non recurring charges shall consist of BellSouth engineering time and any vendor engineering and installation expenses, to include vendor labor, materials, and other expenses billed to BellSouth for supplying power cabling to Covad's Collocation Space. Covad shall be entitled to review the documentation supporting these charges. Covad shall have responsibility for routing and terminating the cabling within its Collocation Space. Covad shall provide notification to BellSouth that such power cables have been terminated, and upon such notification BellSouth will install the appropriate protection devices.

7.8.4 Charges for AC power shall be assessed pursuant to the rates specified in Exhibit C. AC power voltage and phase ratings shall be determined on a per location basis. At Covad's option, Covad may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

7.8.5 In Tennessee, Recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable rack to Covad's equipment or space enclosure. Covad shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within Covad's arrangement and terminations of cable within the collocation space.

7.8.6 In Tennessee, Non recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Covad's arrangement area.

7.8.7 In Louisiana, Covad has the option to purchase power directly from an electric utility company. Under such an option, Covad is responsible for contracting with the electric utility company for their own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The

actual work to install this arrangement must be performed by a certified vendor hired by Covad must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. Any floor space, cable racking, etc utilized by Covad in provisioning said power will be billed on an ICB basis.

7.9 Security Escort. A security escort will be required whenever Covad or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 6.5.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit C beginning with the scheduled escort time. Either Party will wait for one-half (1/2) hour after the scheduled time for such an escort and shall pay the other for such half-hour charges in the event either Party fails to show up.

7.10 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by an effective order, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Covad shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Covad. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

7.11 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Late payment charges are as set forth in Attachment 7.

8 Insurance

8.1 Covad shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

8.2 Covad shall maintain the following specific coverage:

8.2.1 Commercial General Liability coverage in the amount of ten million dollars ($10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars ($10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars ($100,000.00) each accident, one hundred thousand dollars ($100,000.00) each employee by disease, and five hundred thousand dollars ($500,000.00) policy limit by disease.

8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Covad's real and personal property situated on or within BellSouth's Central Office location(s).

8.2.4 Covad may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

8.5 All policies purchased by Covad shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Covad's property has been removed from BellSouth's Premises, whichever period is longer. If Covad fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Covad.

8.4 Covad shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Covad shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Covad's insurance company. Covad shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375

8.5 Covad must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

8.6 Self-Insurance. If Covad's net worth exceeds five hundred million dollars ($500,000,000), Covad may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.3. Covad shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Covad in the event that self-insurance status is not granted to Covad. If BellSouth approves Covad for self-insurance, Covad shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Covad's corporate officers. The ability to self-insure shall continue so long as the Covad meets all of the requirements of this Section. If the Covad subsequently no longer satisfies this Section, Covad is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.3.

8.7 BellSouth shall procure and maintain insurance coverage, or will maintain a program of self insurance, at equivalent or higher levels as those imposed upon Covad under this Section.

8.8 The net worth requirements set forth in Section 8.6 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Covad to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

8.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9 Mechanics Liens

9.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Covad), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10 Inspections

10.1 BellSouth may periodically conduct an inspection of Covad's equipment and facilities in the Collocation Space(s) to check quality of engineering/installation of the Certified Vendor. BellSouth's inspection shall not delay activation of Covad's equipment

unless violation of BellSouth TR-73503 standards are discovered and communicated expressly and in writing by BellSouth to Covad. In such instances, Covad may activate service upon notice to BellSouth of the cure of such safety violation, if any. BellSouth may conduct an inspection if Covad adds equipment and may otherwise conduct routine inspections of safety measures at reasonable intervals as mutually agreed upon by the Parties, however, such routine inspections shall not exceed once a quarter. BellSouth shall provide Covad with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance written notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11 Security and Safety Requirements

11.1 The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own premises either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and authorized employees, authorized Guests, pursuant to Section 3.4, preceding, or authorized agents of Covad will be permitted in the BellSouth Premises. Covad shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Covad name. BellSouth reserves the right to remove from its premises any employee of Covad not possessing identification issued by Covad or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Covad shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Covad shall be solely responsible for ensuring that any Guest of Covad is in compliance with all subsections of this Section 11.

11.1.1 Covad will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Covad employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Covad employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. This requirement will not apply if Covad has performed a pre-employment statewide investigation of criminal history records, or where state law does not permit an investigation of the applicable counties for the Covad employee seeking access, for the states/counties where the Covad employee has worked and lived for the past five years.

11.1.2 Covad will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth. BellSouth will administer security training to its personnel assigned to the BellSouth Premises.

11.1.3 Covad shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Covad shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Covad personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Covad chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Covad may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

11.1.4 For each Covad employee hired by Covad within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, Covad shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Covad will disclose the nature of the convictions to BellSouth at that time. In the alternative, Covad may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

11.1.5 For all other Covad employees requiring access to a BellSouth Premises pursuant to this Attachment, Covad shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 11.1.4 above and that security training was completed by the employee.

11.2 At BellSouth's request, Covad shall promptly remove from the BellSouth's Premises any employee of Covad BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of Covad is seen interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

11.3 Notification to BellSouth. BST reserves the right to interview Covad's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Covad's Security contact of such interview. Covad and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Covad's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Covad for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Covad's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Covad for BellSouth property

which is stolen or damaged where an investigation determines the culpability of Covad's employees, agents, or contractors and where Covad agrees, in good faith, with the results of such investigation. Covad shall notify BellSouth in writing immediately in the event that Covad discovers one of its employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Covad shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

11.3.1 Notification to Covad. Covad reserves the right to interview BellSouth's employees, agents, or contractors in the event of wrongdoing in or around Covad's property or involving Covad's personnel, provided that Covad shall provide at least two business days' notice, unless otherwise agreed to by the parties, to BellSouth's Security contact of such interview. BellSouth and its contractors shall reasonably cooperate with Covad's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving BellSouth's employees, agents, or contractors. Additionally, Covad reserves the right to bill BellSouth for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that BellSouth's employees, agents, or contractors are responsible for the alleged act. Covad shall bill BellSouth for Covad property which is stolen or damaged where an investigation determines the culpability of BellSouth's employees, agents, or contractors and where BellSouth agrees, in good faith, with the results of such investigation. BellSouth shall provide Covad timely notification in the event that BellSouth discovers one of its employees is a possible security risk to Covad property. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices.

11.4 Use of Supplies. Unauthorized use of telecommunications equipment or supplies either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

11.5 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

11.6 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12 Destruction of Collocation Space

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Covad's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate its occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Covad's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Covad, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Covad may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Covad's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Covad. Where allowed and where practical, Covad may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Covad shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Covad's permitted use, until such Collocation Space is fully repaired and restored and Covad's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Covad has placed an Adjacent Arrangement pursuant to Section 3.5, Covad shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13 Eminent Domain

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Covad shall each have the right to terminate this Attachment with

respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14 Nonexclusivity

14.1 Covad understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

1. GENERAL PRINCIPLES

1.1 Compliance with Applicable Law. BellSouth and Covad agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.

1.2 Notice. BellSouth and Covad shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Covad should contact 1-800-743-6737 for BellSouth MSDS sheets.

1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Covad to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Covad will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Covad when operating in the BellSouth Premises.

1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Covad space with proper notification. BellSouth reserves the right to stop any Covad work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Covad are owned by Covad. Covad will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial

new safety or environmental hazards can be created by Covad or different hazardous materials used by Covad at BellSouth Facility. Covad must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Covad to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and Covad will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Covad will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Covad must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and Covad shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Covad agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Covad further agrees to cooperate with BellSouth to ensure that Covad's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Covad, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	• Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	• Std T&C 450 • Std T&C 450-B • (Contact E/S for copy of appropriate E/S M&Ps.) • Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees and equipment	• Std T&C 450 • 29CFR 1910.147 (OSHA Standard) • 29CFR 1910 Subpart O (OSHA Standard)

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	• P&SM Manager - Procurement • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 • BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

THREE MONTH CLEC FORECAST

CLEC NAME _____ **DATE** _____

STATE	Central Office/City	CAGED Sq. Ft.	CAGELESS # Bays		FRAME TERMINATIONS	CLEC Provided BDFB—Amps Load	BST Provided BDFB—Amps Load	Heat Dissipation BTU/Hour	Entrance Facilities # sheaths & # fibers	Proposed Application Date	NOTES
			Standard Bays*	Non-Standard Bays**							

*Standard bays are defined as racks, bays or cabinets, including equipment and cable, with measurements equal to or less than the following: Width - 26", Depth - 25". The standard height for all collocated equipment bays in BellSouth is 7' 0".
** Any forecast for non-standard cageless bays must include an attachment describing the quantity and width and depth measurements.

Notes: Forecast information will be used for no other purpose than collocation planning.
Forecast with application dates greater than 3 months from the date of submission will not guarantee the reservation of space in the office requested.

Remote Site Physical Collocation

BELLSOUTH

REMOTE SITE PHYSICAL COLLOCATION

1. Scope of Attachment

1.1 Scope of Attachment. The rates, terms, and conditions contained within this Attachment shall only apply when Covad is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to Section 4.

All the negotiated rates, terms and conditions set forth in this Attachment pertain to Remote Site Collocation and the provisioning of Remote Collocation Space.

1.2 Right to occupy. BellSouth shall offer to Covad Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, BellSouth hereby grants to Covad a right to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, of a size which is specified by Covad and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for other BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions at the request for Remote Site collocation at BellSouth remote locations other than those specified above. The size specified by Covad may contemplate a request for space sufficient to accommodate Covad's growth within a two year period.

1.2.1 Virtual Collocation. Virtual Collocation will be provided in accordance with the Terms and Conditions of the applicable BellSouth State Tariff and if not available, then in accordance with BellSouth's FCC No. 1 Tariff. Virtual collocation rates are as set forth in Attachment 2 of this Agreement.

1.3 Third Party Property. If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled

by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this Agreement. Additionally, where BellSouth notifies Covad that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Covad's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Covad. Covad agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Covad. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Agreement and BellSouth, despite its best efforts, is unable to secure such access and use rights for Covad as above, Covad shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Covad in obtaining such permission.

1.4 Space Reclamation. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any vacant space in the Remote Site Location. Covad will be responsible for any justification of vacant space within its Remote Collocation Space, if such justification is required by the appropriate State Commission.

1.5 Use of Space. Covad shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Covad's equipment (to include testing and monitoring equipment) that is necessary for interconnection with BellSouth services and facilities, including access to unbundled network elements, for the provision of telecommunications services, as specifically set forth in this Attachment The Remote Collocation Space may be used for no other purposes except as specifically described herein or authorized in writing by BellSouth.

1.6 Rates and charges. Covad agrees to pay the rates and charges identified in Exhibit B attached hereto, on an interim basis, subject to true-up, when effective rates of these elements are set by State Commissions.

2. Space Notification

2.1 Availability of Space. Upon submission of an Application pursuant to Section 6, BellSouth will permit Covad to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site collocation is not practical for technical reasons. BellSouth will respond to an Application within ten (10) business days as to whether space is available or not available

within a BellSouth Remote Site Location. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 6.5.2 shall apply, or BellSouth may elect to deny space in accordance with this section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Covad of the amount of space that is available.

2.3 Space Availability Report. Upon request from Covad, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability report does not reserve space at the premises.

2.3.1 The request from Covad for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving central office. Such information regarding the CLLI code for the serving central offices located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4 and for the Remote Site Location may be obtained from Telecordia Technologies. If Covad is unable to obtain the CLLI code, from for example a site visit to the remote site, Covad may request the CLLI code from BellSouth. To obtain a CLLI code for a remote site directly from BellSouth, Covad should submit to BellSouth a Remote Site Interconnection Request for Remote Site CLLI Code prior to submitting its request for a Space Availability Report. Covad should complete all the requested information and submit the Request with the applicable fee to BellSouth.

2.3.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) business days of receipt of such request.

2.4 Remote Terminal information. Upon request, BellSouth will provide Covad with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.

2.4.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Covad request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Covad, up to a maximum of thirty (30) wire centers per Covad request per month per state and up to for a maximum of 120 wire centers total per month per state for all CLECs; and (iii) Covad agrees to pay the costs incurred by BellSouth in providing the information.

2.5 Denial of Application. After notifying Covad that BellSouth has no available space in the requested Remote Site Location ("Denial of Application"), BellSouth will allow Covad, upon request, to tour the Remote Site Location within ten (10) business days of such Denial of Application. In order to schedule said tour within ten (10) business days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) business days of the Denial of Application. Any request for a tour which BellSouth receives later than (5) business days after the Denial of Application shall be granted within ten (10) business days of the request.

2.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6).

2.7 Waiting List. On a first-come, first-served basis governed by the date of receipt of an Application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list when space becomes available according to how much space becomes available and the position of telecommunications carrier on said waiting list. Covad must submit an updated, complete, and correct Application to BellSouth within 30 business days or notify BellSouth in writing that Covad wants to maintain its place on the waiting list either without accepting such space or accepting an amount of space less than its original request. If Covad does not submit such an Application or notify BellSouth in writing as described above, BellSouth will offer such space to the next CLEC on the waiting list and remove Covad from the waiting list. Upon request, BellSouth will advise Covad as to its position on the list.

2.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site

Locations that are without available space. BellSouth shall update such document within ten (10) business days of the date BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list. BellSouth shall allocate said available space pursuant to the waiting list referenced in Section 2.5.

2.9 State Agency Procedures. Notwithstanding the foregoing, should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to Covad, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all Applications submitted for the first time after the effective date thereof for that jurisdiction.

3. Collocation Options

3.1 Compliance. The parties agree to comply with all applicable federal, state, county, local and administrative laws, orders, rules, ordinances, regulations, and codes in the performance of their obligations hereunder.

3.2 Cageless. BellSouth shall allow Covad to collocate Covad's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Covad to have direct access to its equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments pursuant to Section 6. For equipment requiring special technical considerations, Covad must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in BellCore (Telcordia) GR-63-Core and shall be responsible for constructing all special technical requirements associated with such equipment pursuant to Section 6.8 following. Subject to space availability and technical feasibility, at Covad's option, Covad may enclose its equipment.

3.3 Shared (Subleased) Collocation. Covad may allow other telecommunications carriers to share Covad's Remote Site collocation arrangement pursuant to terms and conditions agreed to by Covad ("Host") and other telecommunications carriers ("Guests") and pursuant to this section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Covad shall notify BellSouth in writing upon execution of any agreement between

the Host and its Guest within ten (10) business days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Covad that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Covad.

3.3.1 Covad shall be the sole interface and responsible Party to BellSouth for the purpose of submitting Applications for initial and additional equipment placements of Guest; for assessment of rates and charges contained within this Attachment; and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. In the event the Host and Guest jointly submit an Application, only one Application Fee will be assessed. A separate Guest Application shall require the assessment of an Application Fee, as set forth in Exhibit B. Notwithstanding the foregoing, Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and Guest and for the provision of the services and access to unbundled network elements.

3.3.2 Covad shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Covad's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

3.4 Adjacent Collocation. BellSouth will provide approval for adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") where space within the Remote Site Location is legitimately exhausted, subject to technical feasibility, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property and where permitted by zoning and other applicable state and local regulations. The Remote Site Adjacent Arrangement shall be constructed or procured by Covad and in conformance with BellSouth's design and construction specifications. Further, Covad shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.

3.4.1 Should Covad elect such an option, Covad must arrange with a BellSouth Certified Contractor to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Covad and Covad's BellSouth

Certified Contractor must comply with local building code requirements. Covad's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Covad's BellSouth Certified Contractor shall bill Covad directly for all work performed for Covad pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor. Covad must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Covad's locked enclosure prior to notifying Covad.

3.4.2 BellSouth maintains the right to review Covad's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s). BellSouth may inspect the Remote Site Adjacent Arrangement(s) following construction and prior to the Commencement Date, as defined in Section 4.1 following, to ensure the design and construction comply with BellSouth's guidelines and specifications. BellSouth may require Covad, at Covad's sole cost, to correct any deviations from BellSouth's guidelines and specifications found during such inspection(s), up to and including removal of the Remote Site Adjacent Arrangement, within five (5) business days of BellSouth's inspection, unless the Parties mutually agree to an alternative time frame.

3.4.3 Covad shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of interconnection. At Covad's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. Covad's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement.

3.4.4 BellSouth shall allow Shared (Subleased) Caged Collocation within an Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.3 preceding.

3.5 Co-carrier cross-connect (CCXC). Covad shall not obtain collocation from BellSouth for the primary or sole purpose of cross-connecting to other competitive carriers. BellSouth will permit Covad to interconnect between its virtual or physical collocation arrangements and those of another collocated CLEC whose Agreement contains co-carrier cross-connect language.

3.5.1 The CCXC shall be provisioned through facilities owned by Covad. Such connections to other carriers may be made using either optical or electrical facilities. Covad may deploy such optical or electrical connections directly between its own facilities and the facilities of other CLEC(s) without being routed through BellSouth equipment. Covad may not self-provision CCXC on any BellSouth distribution frame, Pot Bay, DSX or LGX. Covad is responsible for ensuring the integrity of the signal.

3.5.2 Covad shall be responsible for obtaining authorization from the other CLEC(s) involved. Covad must use a BellSouth Certified Supplier to place the CCXC. There will be a recurring charge per linear foot of common cable support structure used. Covad-provisioned CCXC shall utilize common cable support structure. In the case of two contiguous collocation arrangements, Covad may have the option of constructing its own dedicated support structure.

3.5.3 CCSXs that run between different enclosures at the remote site must comply with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Covad and Covad's BellSouth Certified Contractor must comply with local building code requirements. Covad's BellSouth Certified Contractor shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Covad's BellSouth Certified Contractor shall bill Covad directly for all work performed for Covad pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Contractor.

4. Occupancy

4.1 Commencement Date. The "Commencement Date" shall be the day Covad's equipment becomes operational as described in Article 4.2, following.

4.2 Occupancy. BellSouth will notify Covad in writing that the Remote Collocation Space is ready for occupancy. Covad must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for interconnected service until receipt of such notice. For purposes of this paragraph, Covad's telecommunications equipment will be deemed operational when connected to BellSouth's network for the purpose of service provision.

4.3 Termination. Except where otherwise agreed to by the Parties, Covad may terminate occupancy in a particular Remote Collocation Space upon thirty (30) business days prior written notice to BellSouth. Upon termination of such occupancy, Covad at its expense shall remove its equipment and other property from the Remote Collocation Space. Covad shall have thirty (30) business days from the termination date to complete such removal, unless the parties agree to extend that interval, including the removal of all equipment and facilities of Covad's Guests; provided, however, that Covad shall continue payment of monthly fees to BellSouth until such date as Covad has fully vacated the Remote Collocation Space. Should Covad or Covad's Guest fail to vacate the Remote Collocation Space within thirty (30) business days from the termination date, BellSouth shall have the right to remove the equipment and other property of Covad or Covad's Guest at Covad's expense and with no liability for damage or injury to Covad or Covad's Guest's property unless caused by the gross negligence or intentional misconduct of BellSouth. Upon termination of occupancy with respect to a Remote Collocation Space, Covad shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Covad except for ordinary wear and tear unless otherwise agreed to by the Parties. Covad shall be responsible for the cost of removing any enclosure, together with all support structures (e.g., racking, conduits), of a Remote Site Adjacent Arrangement at the termination of occupancy and restoring the grounds to their original condition.

5. Use of Remote Collocation Space

5.1 Equipment Type. BellSouth permits the collocation of any type of equipment that is necessary for interconnection to BellSouth's network or for access to unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b).

5.1.1 When BellSouth responds to an application for collocation, BellSouth will determine if the equipment Covad seeks to collocate is necessary based on the criteria established by the FCC. If, in BellSouth's opinion, equipment Covad seeks to collocate is not necessary for interconnection or access to unbundled network elements, BellSouth shall inform Covad in writing within the time period set forth in Section 2.1 of this attachment. If disagreement exists between the parties regarding whether the equipment Covad seeks to collocate is necessary for interconnection or access to unbundled network elements pursuant to FCC rules, either party may seek to resolve the issue pursuant to the dispute resolution provisions of this agreement. Whenever BellSouth objects to collocation of equipment by Covad for the purposes within the scope of Section

251(c)(6) of the Act, BellSouth shall prove to the Commission that the equipment is not "necessary" for the purpose of obtaining interconnection or access to unbundled network elements in accordance with the FCC's rules. BellSouth may not object to the collocation of equipment on the grounds that the equipment does not comply with safety or engineering standards that are more stringent than the safety or engineering standards that BellSouth applies to its own equipment. BellSouth may not object to the collocation of equipment on the grounds that the equipment fails to comply with National Equipment and Building Specifications performance standards. If BellSouth denies collocation of Covad's equipment, citing safety standards, BellSouth must provide to Covad within five (5) business days of the denial a list of all equipment that BellSouth locates within the Premises in question, together with an affidavit attesting that all of that equipment meets or exceeds the safety standard that BellSouth contends Covad's equipment fails to meet. This affidavit must set forth in detail: the exact safety requirement that Covad's equipment does not satisfy; BellSouth's basis for concluding that Covad's equipment does not meet this safety requirement; and BellSouth's basis for concluding why collocation of equipment not meeting this safety requirement would compromise network safety.

5.1.2 Such equipment must at a minimum meet the following BellCore (Telcordia) Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in the BellCore (Telcordia) Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards.

5.1.3 Covad shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.

5.1.4 Covad shall place a plaque or other identification affixed to Covad's equipment necessary to identify Covad's equipment, including a list of emergency contacts with telephone numbers.

5.1.5 All Covad equipment installation shall comply with BellSouth TR 73503-11, Section 8, "Grounding - Engineering Procedures." Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the remote collocation site. All copper conductor pairs, working and non-working, shall be equipped with

a solid state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.

5.2 Entrance Facilities. Covad may elect to place Covad-owned or Covad-leased entrance facilities into the Remote Collocation Space from Covad's point of presence. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space which is physically accessible by both Parties. Covad will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Covad must contact BellSouth for instructions prior to placing the entrance facility cable. Covad is responsible for maintenance of the entrance facilities.

5.2.1 Shared Use. Covad may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to another Covad collocation arrangement within the same BellSouth Remote Site Location.

5.3 Demarcation Point. BellSouth will designate the point(s) of demarcation between Covad's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Covad or its agent must perform all required maintenance to Covad equipment/facilities on its side of the demarcation point, pursuant to Section 5.4, following

5.4 Covad's Equipment and Facilities. Covad, or if required by this Attachment, Covad's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Covad.

5.5 BellSouth's Access to Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications

5.6 Access. Pursuant to Section 11, Covad shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Covad agrees to provide the name and social security number or date of birth or driver's license number of each employee, contractor, or agents of Covad or Covad's Guests provided with access keys ("Access Keys") prior to the issuance of said Access Keys. Access Keys shall not be duplicated under any circumstances. Covad agrees to be responsible for all Access Keys and for the return of all said Access Keys in the

possession of Covad employees, contractors, Guests, or agents after termination of the employment relationship, contractual obligation with Covad or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.

5.7 Lost or Stolen Access Keys. Covad shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations as a result of a lost Access Key(s) or for failure to return an Access Key(s), Covad shall pay for all reasonable costs associated with the re-keying.

5.8 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Covad shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Covad violates the provisions of this paragraph, BellSouth shall give written notice to Covad, which notice shall direct Covad to cure the violation within forty-eight (48) hours of Covad's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement. Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Covad fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Covad's equipment. BellSouth will provide notice to Covad as soon as possible after taking such action and shall have no liability to Covad for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

5.9 Presence of Facilities. Facilities and equipment placed by Covad in the Remote Collocation Space shall not become a part of the Remote Site

Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain its status as personality and may be removed by Covad at any time. Any damage caused to the Remote Collocation Space by Covad's employees, agents or representatives shall be promptly repaired by Covad at its expense.

5.10 Alterations. In no case shall Covad or any person acting on behalf of Covad make any rearrangement, modification, improvement, addition, repair, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Covad. Any material rearrangement, modification, improvement, addition, repair, or other alteration shall require an Application Fee, pursuant to sub-section 6.2.2.

5.11 Upkeep of Remote Collocation Space. Covad shall be responsible for the general upkeep of the Remote Collocation Space. Covad shall be responsible for removing any Covad debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

6. Ordering and Preparation of Remote Collocation Space

6.1 State or Federal Regulatory agency impose procedures or intervals. Should any state or federal regulatory agency impose procedures or intervals different than procedures or intervals set forth in this section applicable to Covad, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for all applications submitted for the first time after the effective date thereof for that jurisdiction.

6.2 Application for Space. Covad shall submit a Remote Site Collocation Application when Covad or Covad's Guest(s), as defined in Section 3.3, desires to request or modify the use of the Remote Collocation Space.

6.2.1 Initial Application. For Covad or Covad's Guest(s) equipment placement, Covad shall submit to BellSouth an Application,. The Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Application are completed with the appropriate type of information. The Bona Fide Application shall contain a detailed description and schematic drawing of the equipment to be placed in Covad's Remote Collocation Space(s).

6.2.2 Application Fee. BellSouth will assess an Application Fee on a service order which shall be issued at the time BellSouth responds that space is available pursuant to Section 2.1.

6.3 Application Response.

6.3.1 Application Response. In Alabama, Kentucky, and North Carolina, when space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty-three (23) business days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.

6.3.2 Application Response (South Carolina) Except as otherwise provided, for all States that have ordered provisioning intervals but not application response intervals, The following will apply. In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

6.3.3 When multiple applications are submitted in a state within a fifteen (15) calendar day window, BellSouth will respond to the Bona Fide Applications as soon as possible, but no later than the following: within thirty (30) calendar days for Bona Fide Applications 1-5; within thirty-six (36) calendar days for Bona Fide Applications 6-10; within forty-two (42) calendar days for Bona Fide Applications 11-15. Response intervals for multiple Bona Fide Applications submitted within the same timeframe for the same state in excess of 15 must be negotiated. All negotiations shall consider the total volume from all requests from telecommunications companies for collocation.

6.3.4 Application Response (Tennessee). BellSouth will provide a written response ("Application Response") within thirty (30) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 7.

6.3.5 Application Response (Florida). When space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide a written response ("Application Response") including sufficient information to enable Covad to place a Firm Order. When Covad submits ten (10) or more Applications within ten (10) calendar days, the initial fifteen (15) day response period will increase by ten (10) days for every additional ten (10) Applications or fraction thereof.

6.3.6 Application Response (Georgia and Mississippi). In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. When space has been determined to be available, BellSouth will provide a written response ("Application Response") within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the estimated provisioning interval, any additional engineering charges, if applicable, and any other additional information that may extend the ordinary interval to extraordinary interval status, together with sufficient information to explain such extension.

6.3.7 Application Response (Louisiana). In addition to the notice of space availability pursuant to Section 2.1, BellSouth will respond as to whether the Application is Bona Fide, and if it is not Bona Fide, the items necessary to cause the Application to become Bona Fide. BellSouth will respond with a full Application Response within thirty (30) calendar days for one (1) to ten (10) Applications; thirty (35) calendar days for eleven (11) to twenty (20) Applications; and for requests of more than twenty (20) Applications, it is increased by five (5) calendar days for every five Applications received within five (5) business days. The Application Response will include, at a minimum, the estimated provisioning interval, and any additional engineering charges, if applicable, together with sufficient information to explain such extension.

6.4 Application Modifications.

6.4.1 If a modification or revision is made to any information in the Bona Fide Application prior to Bona Fide Firm Order, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Covad or necessitated by technical considerations, said Application shall be considered a new Application and shall be handled as a new Application with respect to response and provisioning intervals and BellSouth may charge Covad an application fee. Where the Application Modification does not require assessment for provisioning or construction work by BellSouth, no

application fee will be required. The fee for an Application Modification where the modification requested has limited effect (e.g., requires limited assessment and no capital expenditure by BellSouth) shall be the Subsequent Application Fee as set forth in Exhibit C. Major changes such as requesting additional space or adding equipment may require Covad to submit the Application with an Application Fee. Upon request, BellSouth shall submit documentation to support the amount of the Application Fee being assessed to Covad.

6.5 Bona Fide Firm Order.

6.5.1 Bona Fide Firm Order. In Alabama, Kentucky, North Carolina, and Tennessee, Covad shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Covad has completed the Application/Inquiry process described in Section 6.2, preceding, and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than five (5) business days after BellSouth's Application Response to Covad's Bona Fide Application. If the Bona Fide Firm Order is not received by BellSouth within five (5) business days after BellSouth's Application Response to Covad's Bona Fide Application, the provisioning interval will be increased by one (1) business day for each business day after the initial five (5) business days. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Covad's Bona Fide Application or the Application will expire

6.5.2 Except as otherwise provided, in all States that have ordered provisioning intervals but not addressed Firm Order intervals, the following shall apply. Covad shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Physical Expanded Interconnection Firm Order document ("Firm Order") to BellSouth. A Firm Order shall be considered Bona Fide when Covad has completed the Application/Inquiry process described in this Section 6, preceding and has submitted the Firm Order document indicating acceptance of the Application Response provided by BellSouth. The Bona Fide Firm Order must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Covad's Bona Fide Application or the Application will expire.

6.5.3 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a Bona Fide Firm Order. BellSouth will acknowledge the receipt of Covad's Bona Fide Firm Order within seven (7) calendar days

of receipt indicating that the Bona Fide Firm Order has been received. A BellSouth response to a Bona Fide Firm Order will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a Bona Fide Firm Order.

6.6 BellSouth will permit one accompanied site visit to Covad's designated Remote Collocation Space after receipt of the Bona Fide Firm Order without charge to Covad.

6.7 Construction and Provisioning

6.7.1 Construction and Provisioning Intervals.

6.7.1.1 Construction and Provisioning Intervals (Alabama (Caged only), Kentucky, and North Carolina, BellSouth will complete construction for collocation arrangements within seventy-six (76) business days from receipt of an Application or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for collocation arrangements within ninety-one (91) business days. Examples of extraordinary conditions include, but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. In the event Covad submits a forecast as described in the following section three (3) months or more prior to the application date, the above intervals shall apply. In the event Covad submits such a forecast between two (2) months and three (3) months prior to the application date, the above intervals may be extended by one (1) additional month. In the event Covad submits such a forecast less than two (2) months prior to the application date, the above intervals may be extended by sixty (60) calendar days. BellSouth will attempt to meet standard intervals for unforecasted requests and any interval adjustments will be discussed with Covad at the time the application is received. Raw space, which is space lacking the necessary infrastructure to provide collocation space including but not limited to HVAC, Power, etc.), conversion time frames fall outside the normal intervals and are negotiated on an individual case basis. Additionally, installations to existing collocation arrangements for line sharing or line splitting, which include adding cable, adding cable and splitter, and adding a splitter, will be forty five (45) business days from receipt of an Application.

6.7.1.1.1 To be considered a timely and accurate forecast, Covad must submit to BellSouth the CLEC Forecast Form, as set forth in exhibit B attached

hereto, containing the following information: Central Office/Serving Wire Center CLLI, Remote Site CLLI, number of bays, number of DS0, DS1, DS3 terminations, equipment power requirements (power drain) and planned application date.

6.7.1.2 Construction and Provisioning Interval (Florida). BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. For changes to collocation space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Covad cannot agree upon a completion date, within 45 calendar days of receipt of the Bona Fide Firm Order for an initial request, and within 30 calendar days for Augmentations, BellSouth may seek an extension from the Florida PSC.

6.7.1.3 Construction and Provisioning Interval (Georgia, and Mississippi). BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.7.1.4 Construction and Provisioning Interval (Louisiana). BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a Bona Fide Firm Order for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.7.1.5 Construction and Provisioning Interval (South Carolina). BellSouth will complete the construction and provisioning activities for collocation arrangements as soon as possible, but no later than 90 calendar days from receipt of a bona fide firm order. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

6.7.1.6 Construction and Provisioning Interval (Tennessee). BellSouth will complete construction for collocation arrangements under Ordinary

Conditions within a maximum of 90 calendar days from receipt of a Bona Fide Firm Order, or as agreed to by the Parties. Under extraordinary conditions, BellSouth may elect to renegotiate an alternative provisioning interval with Covad or seek a waiver from this interval from the Commission.

6.7.1.7 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Covad with the estimated completion date in its Response.

6.8 Permits. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.

6.9 Acceptance Walk Through. Covad will contact BellSouth within seven (7) days of collocation space being ready to schedule and complete an acceptance walk through of each Collocation Space requested from BellSouth by Covad. BellSouth will correct any deviations to Covad's original or jointly amended requirements within seven (7) calendar days after the walk through, unless the Parties jointly agree upon a different time frame.

6.10 Use of BellSouth Certified Supplier. Covad shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. All work performed by or for Covad shall conform to both BellSouth's guidelines and standards and generally accepted industry guidelines and standards. In some cases, Covad must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Covad with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Covad's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Covad upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Covad directly for all work performed for Covad pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified

Supplier. BellSouth shall consider certifying Covad or any supplier proposed by Covad.

6.11 Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Placement of these alarms will not impede Covad's access to the Remote Collocation Space. Covad shall be responsible for placement, monitoring and removal of alarms used to service Covad's Remote Collocation Space and for ordering the necessary services therefore. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.

6.12 Basic Telephone Service. Upon request of Covad, BellSouth will provide basic telephone service to the Remote Collocation Space under the rates, terms and conditions of the current tariff offering for the service requested.

6.13 Virtual Remote Site Collocation Transition. BellSouth offers Virtual Collocation pursuant to the terms and conditions set forth in its F.C.C. Tariff No. 1 for Remote Site Collocation locations. The rates shall be the same as provided in this Exhibit B of this agreement. For the interconnection to BellSouth's network and access to BellSouth unbundled network elements, Covad may purchase 2-wire and 4-wire cross-connects as set forth the service inquiry procedures established for sub loop unbundling as set forth in Attachment 2 of the Interconnection Agreement, and Covad may place within its Virtual Collocation arrangements the telecommunications equipment set forth in Section 5.1. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and that physical Remote Collocation Space has subsequently become available, Covad may transition its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Covad, such information will be provided to Covad in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Covad within 180 calendar days of BellSouth's written denial of Covad's request for physical collocation, and (ii) Covad was not informed in the written denial that physical Remote Collocation Space would become available within such 180 calendar days, then Covad may transition its virtual Remote Site collocation arrangement to a physical Remote Site

collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Covad must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.

6.14 Cancellation. If, at anytime prior to space acceptance, Covad cancels its order for the Collocation Space(s), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Covad cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Covad for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled...

6.15 Licenses. Covad, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.

6.16 Environmental Hazard Guidelines. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified as Exhibit A attached hereto.

7. Rates and Charges

7.1 Recurring Fees. Recurring fees for space occupancy shall be billed upon space completion or space acceptance, whichever occurs first. Other charges shall be billed upon request for the services. All charges shall be due within 20 days of the bill date.

7.2 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Covad's equipment. Covad shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

7.3 Power. BellSouth shall make available –48 Volt (-48V) DC power for Covad's Remote Collocation Space at a BellSouth Power Board (Fuse and Alarm Panel) or BellSouth Battery Distribution Fuse Bay ("BDFB") at Covad's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If

the power requirements for Covad's equipment exceeds the capacity for the rack/bay, then such power requirements shall be assessed on a recurring per amp basis for the individual case.

7.3.1 Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Covad's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Covad's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Covad's option, Covad may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

7.4 Security Escort. A security escort will be required whenever Covad or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 6.4.2 prior to completing BellSouth's Security Training requirements and/or prior to Space Acceptance. Rates for a security escort are assessed in one-half (1/2) hour increments according to the schedule appended hereto as Exhibit B.

7.5 Rate "True-Up". The Parties agree that the prices reflected as interim herein shall be "trued-up" (up or down) based on final prices either determined by further agreement or by effective order, including any appeals, in a proceeding involving BellSouth before the regulatory authority for the state in which the services are being performed or any other body having jurisdiction over this Agreement (hereinafter "Commission"). Under the "true-up" process, the interim price for each service shall be multiplied by the volume of that service purchased to arrive at the total interim amount paid for that service ("Total Interim Price"). The final price for that service shall be multiplied by the volume purchased to arrive at the total final amount due ("Total Final Price"). The Total Interim Price shall be compared with the Total Final Price. If the Total Final Price is more than the Total Interim Price, Covad shall pay the difference to BellSouth. If the Total Final Price is less than the Total Interim Price, BellSouth shall pay the difference to Covad. Each Party shall keep its own records upon which a "true-up" can be based and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. [3/6/01 CLOSED] In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties agree that the body having jurisdiction

over the matter shall be called upon to resolve such differences, or the Parties may mutually agree to submit the matter to the Dispute Resolution process in accordance with the provisions of Section 12 of the General Terms and Conditions and Attachment 1 of the Agreement.

7.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party. Late payment charges are as set forth in Attachment 7.

8. **Insurance**

8.1 Covad shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section 8 and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.

8.2 Covad shall maintain the following specific coverage:

8.2.1 Commercial General Liability coverage in the amount of ten million dollars ($10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars ($10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

8.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars ($100,000.00) each accident, one hundred thousand dollars ($100,000.00) each employee by disease, and five hundred thousand dollars ($500,000.00) policy limit by disease.

8.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Covad's real and personal property situated on or within BellSouth's Central Office location(s).

8.2.4 Covad may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.

8.3 All policies purchased by Covad shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Covad's property has been removed from BellSouth's Premises, whichever period is longer. If Covad

fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Covad.

8.4 Covad shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Covad shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Covad's insurance company. Covad shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc.
Attn.: Risk Management Coordinator
17H53 BellSouth Center
675 W. Peachtree Street
Atlanta, Georgia 30375

8.5 Covad must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.

8.6 Self-Insurance. If Covad's net worth exceeds five hundred million dollars ($500,000,000), Covad may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 8.2.1 and 8.2.3. Covad shall provide audited financial statements to BellSouth thirty (30) days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Covad in the event that self-insurance status is not granted to Covad. If BellSouth approves Covad for self-insurance, Covad shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Covad's corporate officers. The ability to self-insure shall continue so long as the Covad meets all of the requirements of this Section. If the Covad subsequently no longer satisfies this Section, Covad is required to purchase insurance as indicated by Sections 8.2.1 and 8.2.3.

8.7 BellSouth shall procure and maintain insurance coverage, or will maintain a program of self insurance, at equivalent or higher levels as those imposed upon Covad under this Section.

8.8 The net worth requirements set forth in Section 8.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) days' notice to Covad to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.

8.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

9. Mechanics Liens

9.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Covad), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

10. Inspections

10.1 BellSouth may periodically conduct an inspection of Covad's equipment and facilities in the Collocation Space(s) to check quality of engineering/installation of the Certified Vendor. BellSouth's inspection shall not delay activation of Covad's equipment unless violation of BellSouth TR-73503 standards are discovered and communicated expressly and in writing by BellSouth to Covad. In such instances, Covad may activate service upon notice to BellSouth of the cure of such safety violation, if any. BellSouth may conduct an inspection if Covad adds equipment and may otherwise conduct routine inspections of safety measures at reasonable intervals as mutually agreed upon by the Parties, however, such routine inspections shall not exceed once a quarter. BellSouth shall provide Covad with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance written notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

11. Security and Safety Requirements

11.1 The security and safety requirements set forth in this section are as stringent as the security requirements BellSouth maintains at its own premises either for their own employees or for authorized contractors. Only BellSouth employees, BellSouth Certified Contractors and

authorized employees, authorized Guests, pursuant to Section 3.4, preceding, or authorized agents of Covad will be permitted in the BellSouth Premises. Covad shall provide its employees and agents with picture identification which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo Identification card shall bear, at a minimum, the employee's name and photo, and the Covad name. BellSouth reserves the right to remove from its premises any employee of Covad not possessing identification issued by Covad or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Covad shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises. Covad shall be solely responsible for ensuring that any Guest of Covad is in compliance with all subsections of this Section 11.

11.1.1 Covad will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Covad employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Covad employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. This requirement will not apply if Covad has performed a pre-employment statewide investigation of criminal history records, or where state law does not permit an investigation of the applicable counties for the Covad employee seeking access, for the states/counties where the Covad employee has worked and lived for the past five years.

11.1.2 Covad will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth. BellSouth will administer security training to its personnel assigned to the BellSouth Premises.

11.1.3 Covad shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Covad shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any Covad personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Covad chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Covad may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

11.1.4 For each Covad employee hired by Covad within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, Covad shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Covad will disclose the nature of the convictions to BellSouth at that time. In the alternative, Covad may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.

11.1.5 For all other Covad employees requiring access to a BellSouth Premises pursuant to this Attachment, Covad shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 11.1.4 above and that security training was completed by the employee.

11.2 At BellSouth's request, Covad shall promptly remove from the BellSouth's Premises any employee of Covad BellSouth does not wish to grant access to its premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation in the event that an employee of Covad is seen interfering with the property or personnel of BellSouth or another CLEC, provided that an investigation shall promptly be commenced by BellSouth.

11.3 Notification to BellSouth. BST reserves the right to interview Covad's employees, agents, or contractors in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another CLEC's property or personnel, provided that BellSouth shall provide reasonable notice to Covad's Security contact of such interview. Covad and its contractors shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Covad's employees, agents, or contractors. Additionally, BellSouth reserves the right to bill Covad for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that Covad's employees, agents, or contractors are responsible for the alleged act. BellSouth shall bill Covad for BellSouth property which is stolen or damaged where an investigation determines the culpability of Covad's employees, agents, or contractors and where Covad agrees, in good faith, with the results of such investigation. Covad shall notify BellSouth in writing immediately in the event that Covad discovers one of its

employees already working on the BellSouth premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from the BellSouth Premises, any employee found to have violated the security and safety requirements of this section. Covad shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth premises.

11.3.1 Notification to Covad. Covad reserves the right to interview BellSouth's employees, agents, or contractors in the event of wrongdoing in or around Covad's property or involving Covad's personnel, provided that Covad shall provide at least two business days' notice, unless otherwise agreed to by the parties, to BellSouth's Security contact of such interview. BellSouth and its contractors shall reasonably cooperate with Covad's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving BellSouth's employees, agents, or contractors. Additionally, Covad reserves the right to bill BellSouth for all reasonable costs associated with investigations involving its employees, agents, or contractors if it is established and mutually agreed in good faith that BellSouth's employees, agents, or contractors are responsible for the alleged act. Covad shall bill BellSouth for Covad property which is stolen or damaged where an investigation determines the culpability of BellSouth's employees, agents, or contractors and where BellSouth agrees, in good faith, with the results of such investigation. BellSouth shall provide Covad timely notification in the event that BellSouth discovers one of its employees is a possible security risk to Covad property. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices.

11.4 Use of Supplies. Unauthorized use of telecommunications equipment or supplies either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

11.5 Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

11.6 Accountability. Full compliance with the Security requirements of this section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

12. Destruction of Collocation Space

12.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered partially or wholly unsuitable for Covad's permitted use hereunder, then either Party may elect within ten (10) business days after such damage, to terminate its use of the affected Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Covad's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Covad, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Covad may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Contractor is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Covad's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Covad. Where allowed and where practical, Covad may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Covad shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Covad's permitted use, until such Collocation Space is fully repaired and restored and Covad's equipment installed therein (but in no event later than thirty (30) business days after the Collocation Space is fully repaired and restored). Where Covad has placed an Adjacent Arrangement pursuant to Section 3.5, Covad shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this section, BellSouth will restore the associated services to the Adjacent Arrangement.

13. Eminent Domain

13.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or

Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Covad shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) business days after such taking.

14. Nonexclusivity

14.1 Covad understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Remote Site Collocation arrangements.

1. GENERAL PRINCIPLES

1.1 Compliance with Applicable Law. BellSouth and Covad agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.

1.2 Notice. BellSouth and Covad shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Covad should contact 1-800-743-6737 for BellSouth MSDS sheets.

1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Covad to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and contractors of BellSouth for environmental protection. Covad will require its contractors, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Covad when operating in the BellSouth Premises.

1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the Covad space with proper notification. BellSouth reserves the right to stop any Covad work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Facility.

1.5 Hazardous Materials Brought On Site. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Covad are owned by Covad. Covad will indemnify BellSouth for claims, lawsuits or damages to persons or property

caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Covad or different hazardous materials used by Covad at BellSouth Facility. Covad must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Facility.

1.6 Spills and Releases. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Covad to BellSouth.

1.7 Coordinated Environmental Plans and Permits. BellSouth and Covad will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Covad will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Covad must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.

1.8 Environmental and Safety Indemnification. BellSouth and Covad shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, contractors, or employees concerning its operations at the Facility.

2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

When performing functions that fall under the following Environmental categories on BellSouth's Premises, Covad agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Covad further agrees to cooperate with BellSouth to ensure that Covad's employees, agents, and/or subcontractors are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Covad, its employees, agents and/or subcontractors.

The most current version of reference documentation must be requested from BellSouth.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Emergency response	Hazmat/waste release/spill firesafety emergency	• Fact Sheet Series 1700 • Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations Performance of services in accordance with BST's environmental M&Ps Insurance	• Std T&C 450 • Std T&C 450-B • (Contact E/S for copy of appropriate E/S M&Ps.) • Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet Series 17000 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Maintenance/operations work which may produce a waste Other maintenance work	Compliance with all application local, state, & federal laws and regulations Protection of BST employees and equipment	• Std T&C 450 • 29CFR 1910.147 (OSHA Standard) • 29CFR 1910 Subpart O (OSHA Standard)

Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations All Hazardous Material and Waste Asbestos notification and protection of employees and equipment	• P&SM Manager - Procurement • Fact Sheet Series 17000 • GU-BTEN-001BT, Chapter 3 • BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations Pollution liability insurance EVET approval of contractor	• Std T&C 450 • Fact Sheet 14050 • BSP 620-145-011PR Issue A, August 1996 • Std T&C 660-3 • Approved Environmental Vendor List (Contact E/S Management)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	• GU-BTEN-001BT, Chapter 3

3. DEFINITIONS

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

Hazardous Chemical. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in section 1004 of RCRA.

Imminent Danger. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

4. ACRONYMS

E/S – Environmental/Safety

EVET - Environmental Vendor Evaluation Team

DEC/LDEC - Department Environmental Coordinator/Local Department Environmental Coordinator

GU-BTEN-001BT - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

P&SM - Property & Services Management

Std. T&C - Standard Terms & Conditions

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,760.00	3,760.00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,134.00	3,134.00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		1,211.00	1,211.00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	2.24										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	I		CLO	PE1SL	3.01										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	102.16										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		1,751.00	1,751.00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	3.68										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	19.67										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	9.00										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5.63										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11.26										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.89										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.99										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL, UEA,UDN,UDC, UAL,UHL,UCL,UEQ	PE1P2	0.031	33.68	31.79								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR, UEPSB	PE1LS	0.031	33.68	31.79								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0.28	30.76	29.40								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0.28	30.76	29.40								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0.28	30.76	29.40								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0.28	30.76	29.40								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0.28	30.76	29.40								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0.28	30.76	29.40								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0.28	30.76	29.40								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0.56	31.01	29.58								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0.56	31.01	29.58								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0.062	33.63	31.67								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1.28	52.93	39.87								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	16.27	51.99	38.59								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3.23	52.00	38.60								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5.73	64.54	51.14								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	178 65										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	17.52										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	54.14										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0.0607	46 20	46 20	8.72	8 72						
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 40	15 40								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 02	45.02								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 19	26.19								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 19	26 19								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,150 00	2,150.00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, CLO	PE1PE	0 08										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	0.17										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	0.69										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	4.74										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	32 02										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	40 48										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1,518 57	976.22	265.99	265.99						
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		653.83	653 83	378 24	378 24						
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		9 62	9.62	11.79	11 79						
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		4 50	4 50	5.52	5 52						
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		15 75	15 75	19.32	19 32						
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		168 97	168.97	154 25	154.25						
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		33.85	21 45								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		44.09	27.71								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		54.33	33 96								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0026										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per ln ft	I		CLO	PE1DS	0.0038										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			535 37									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			535 37									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 2542										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	5 44										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 0598	24 95	23.97	12 80	11 67						

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL,UDL,UCL,CLO	PE1P4	0.1196	25.14	24.11	13.18	11 96						
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	1.04	44 19	32.13	12 94	11.82						
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	14.12	41.93	30.69	14.72	12.05						
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 39	41.93	30 69	14 72	12.06						
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	4.57	51 14	39.90	18 97	16 30						
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		1,555 00		0.99							
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 39										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	10 79										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16.18										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	37 37										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		608 17	608.17	323.44	323.44						
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	224 82										
		Physical Collocation in the Remote Site - Security Access - Key *	I		CLORS	PE1RD		25.88	25 88								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		229.02	229 02								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		74 22	74.22								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		233.38									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I" = Interim rates																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial			CLO	PE1BA		2,597.00	2,597 00	1.01	1 01						
		Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		2,236 00	2,236.00	1.01	1.01						
		Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		288.33	288.33								
		Physical Collocation - Space Preparation - C O Modification per square ft			CLO	PE1SK	$2 3800										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless			CLO	PE1SL	$0.0000										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	$92 5500										
		Physical Collocation - Cable Installation			CLO	PE1BD		1,750 00	1,750 00	45.16	45.16						
		Physical Collocation - Floor Space per Sq Ft			CLO	PE1PJ	$7.8600										
		Physical Collocation - Cable Support Structure			CLO	PE1PM	$18 9600										
		Physical Collocation - Power per Fused Amp			CLO	PE1PL	$7 8000										
		Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	$5 3200										
		Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	$10.7700										
		Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	$16 1500										
		Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	$37.3000										
		Physical Collocation - 2-Wire Cross-Connects			UEANL, UEA,UDN,UDC,UAL, UHL,UCL,UEQ	PE1P2	$0.0276	8.22	7.22	5 74	4.58						
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS	$0 0276	8 22	7.22	5.74	4.58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res			UEPSR	PE1R2	$0 0276	8 22	7.22	5 74	4.58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res			UEPRX	PE1R2	$0.0276	8.22	7 22	5.74	4.58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	$0.0276	8 22	7 22	5.74	4 58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	$0 0276	8 22	7.22	5 74	4.58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus			UEPSB	PE1R2	$0.0276	8.22	7.22	5 74	4.58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	$0 0276	8.22	7 22	5.74	4 58						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	$0.0276	8 22	7.22	5 74	4.58						
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire			UEPDD	PE1R4	$0 0552	8 42	7 36	5.90	4 66						
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	$0 0552	8 42	7.36	5 90	4.66						
		Physical Collocation - 4-Wire Cross-Connects			CLO	PE1P4	$0.0552	8 42	7.36	5 90	4 66						
		Physical Collocation - DS1 Cross-Connects			CLO	PE1P1	$1 3200	27.77	15 52	5.93	4 77						
		Physical Collocation - DS3 Cross-Connects			CLO	PE1P3	$16 8100	25.48	14.05	7 77	5.01						
		Physical Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$3 3400	41 94	30.52	13 91	11 16						
		Physical Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5 9200	51.30	39 87	18 29	15.54						

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft			CLO	PE1BW	$189 4500										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft			CLO	PE1CW	$18.5800										
		Physical Collocation - Security System Per Central Office Per Assignable Sq Ft			CLO	PE1AX	$0.0105										
		Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	$0.0577	55.80	55 80								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card			CLO	PE1AA		15 65	15 65								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45 75	45.75								
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30	26 30								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26 30	26 30								
		Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,159 00	2,159.00								
		Collocation Cable Records - per request			CLO	PE1CR		1,525 00	980 22	267.08	267.08						
		Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PR1CD		656 50	656 50	379 78	379.78						
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9 66	9 66	11.84	11 84						
		Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
		Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15 82	15 82	19 4	19.4						
		Collocation Cable Records - Fiber Cable, per cable record			CLO	PE1CB		169.67	169.67	154.89	154.89						
		Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		16 99	16.99								
		Physical Collocation - Security Escort - Overtime, Per Quarter Hour			CLO	PE1OQ		22.13	22.13								
		Physical Collocation - Security Escort - Premium, Per Quarter Hour			CLO	PE1PQ		27.27	27.27								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft			CLO	PE1ES	$0.0028										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin ft			CLO	PE1DS	$0.0041										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable			CLO			535 54	535 54								
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			CLO			535 54	535 54								
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft			CLO	PE1JA	$0 0164										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft			CLO	PE1JC	$5.1100										
		Adjacent Collocation - 2-Wire Cross-Connects			CLO	PE1P2	$0.0213	24 69	23.69	11.77	10.62						
		Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL,CLO	PE1P4	$0.0426	24 88	23 83	12.04	10 80						
		Adjacent Collocation - DS1 Cross-Connects			USL,CLO	PE1P1	$1.2200	44.24	31 98	12 07	10 91						
		Adjacent Collocation - DS3 Cross-Connects			CLO	PE1P3	$16.5600	41.94	30 52	13.91	11.15						
		Adjacent Collocation - 2-Fiber Cross-Connect			CLO	PE1F2	$2 8100	41.94	30 52	13 91	11 18						
		Adjacent Collocation - 4-Fiber Cross-Connect			CLO	PE1F4	$5.3600	51 30	39.87	18.29	15.54						
		Adjacent Collocation - Application Fee			CLO	PE1JB		2,785 00	2,785 00	1 01	1.01						

COLLOCATION
Florida

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FB	$5.3800										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FD	$10 7700										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FE	$16.1500										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLO	PE1FG	$37.3000										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91	617 91	328.81	328.81						
		Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	$219 4900										
		Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.20	26.20								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232 69	232.69								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75 41	75 41								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51	233.51								
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	$6 2700										
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	$0.1340										
	"I" = Interim rate																
	NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,755 00	3,755 00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,130 00	3,130 00								
		Physical Collocation - Space Preparation Fee Per Square Ft	I		CLO	PE1BB		100 00	100 00								
		Physical Collocation - Cable Installation	I		CLO	PE1BD		1,693 00	1,693 00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	4 47										
		Physical Collocation - Floor Space - Zone B per Sq Ft	I		CLO	PE1PK	4 47										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	19 26										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	5 00										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 52										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11 05										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16 58										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38 27										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 03	33 76	31 86								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 03	33 76	31 86								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0 30	12 60	12 60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 30	12 60	12 60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 30	12 60	12 60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 30	12 60	12 60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 30	12 60	12 60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 30	12 60	12 60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 30	12 60	12 60								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 50	12 60	12 60								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 50	12 60	12 60								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 061	33 77	31 80								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1 13	53 05	39 99								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	14 43	52 14	38 71								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 86	52 14	38 72								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 08	64 74	51 31								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	187 36										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	18 38										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	40 00										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 058	55 51	55 51								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 56	15 56								

COLLOCATION
Georgia

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 50	45 50								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 16	26 16								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 16	26 16								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,148 00	2,148 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 40										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	1 20										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	1 20										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	8 00										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	38 79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	52 31										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1,706 00	1,164 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		922 38	922 38								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		18 00	18 00								
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		8 43	8 43								
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		29 49	29 49								
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		278 61	278 61								
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		33 81	21 42								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		44 03	27 67								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		54 26	33 92								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0023										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin ft	I		CLO	PE1DS	0 0034										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			553 43									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			553 43									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 119										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	5 76										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 03	33 76	31 86								
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL,UDL,UCL,CLO	PE1P4	0 061	33 77	31 80								
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	1 13	53 05	39 99								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	14 43	52 14	38 71								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 86	52 14	38 72								
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 08	64 74	51 31								
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		3,150 00									

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 52										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	11 05										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16 58										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	38 27										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		931 61	931 61								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	224 82										
		Physical Collocation in the Remote Site - Security Access - Key *	I		CLORS	PE1RD		25 88	25 88								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		229 02	229 02								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		74 22	74 22								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		232 88									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I" = Interim rates																
	NOTE If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

COLLOCATION
Kentucky

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,761 00	3,761 00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,135 00	3,135 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		1,202 00	1,202 00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	2 38										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Caged/ess	I		CLO	PE1SL	3 30										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	112 11										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		1,755 00	1,755 00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	8 20										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	20 14										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	8 77										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 58										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11 16										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16 74										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38 65										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 037	33 67	31 78								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 037	33 67	31 78								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0 31	54 21	51 07								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 31	54 21	51 07								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 31	54 21	51 07								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 31	54 21	51 07								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 31	54 21	51 07								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 31	54 21	51 07								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 31	54 21	51 07								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 62	54 23	50 96								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 62	54 23	50 96								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 075	33 66	31 70								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1 51	52 97	39 90								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	19 15	52 04	38 62								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3 80	52 04	38 63								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	6 75	64 59	51 18								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	189 85										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	18 62										

COLLOCATION
Kentucky

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	78 11										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 059	55 59	55 59								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 59	15 59								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 58	45 58								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 20	26 20								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 20	26 20								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,151 00	2,151 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 06										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	0 15										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	0 58										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	4 51										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	38 79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	52 31										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1,709 00	1,166 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		923 83	923 83								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		18 03	18 03								
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		8 44	8 44								
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		29 54	29 54								
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		279 05	279 05								
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		33 86	21 46								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		44 10	27 72								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		54 35	33 97								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 003										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin ft	I		CLO	PE1DS	0 0045										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			535 55									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			535 55									
ADJACENT	LOCATION																
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 018										
		Adjacent Collocation - Electrical Facility Charge per Linear	I		CLO	PE1JC	6 01										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 037	33 67	31 78								
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL UDL,UCL CLO	PE1P4	0 075	33 66	31 70								

COLLOCATION
Kentucky

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	1 51	52 97	39 90								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	19 15	52 04	38 62								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3 80	52 04	38 63								
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	6 75	64 59	51 18								
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		3,155 00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 58										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	11 16										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16 74										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	38 65										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		868 91	868 91								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	224 41										
		Physical Collocation in the Remote Site - Security Access - Key *	I		CLORS	PE1RD		26 60	26 60								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		231 82	231 82								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		75 13	75 13								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		233 42									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I"=Interim rates																
	NOTE If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		1,837 24	1,837 24								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		1,533 41	1,533 41								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		583 33	583 33								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	2 31										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Caageless	I		CLO	PE1SL	2 70										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	91 60										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		841 54	841 54								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	5 30										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	18 31										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	8 32										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 45										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	10 92										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16 37										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	37 80										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 0318	11 94	11 46								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 036	33 61	31 76								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0 26	23 04	22 11								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 26	23 04	22 11								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 26	23 04	22 11								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 26	23 04	22 11								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 26	23 04	22 11								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 26	23 04	22.11								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 26	23 04	22 11								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 52	23 23	22 24								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 52	23 23	22 24								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 0636	12 04	11 53								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1 04	21 39	15 47								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	13 21	20 28	14 76								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 62	20 28	14 76								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	4 65	24 81	19 29								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	184 50										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft.	I		CLO	PE1CW	18 10										

COLLOCATION
Louisiana

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Security System Per Central Office Per Assignable Sq Ft	I		CLO	PE1AX	0 0224										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	60 60										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 0579	27.50									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		7 74	7 74								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		22 64	22 64								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		13 01	13 01								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		13 01	13 01								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		1,044 07	1,044 07								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 079										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	0 158										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	1 12										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	9 95										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	33 96										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	45 80										
		Collocation Cable Records - per request *	I		CLO	PE1CR	10 97										
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD	5 29										
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO	0 08										
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1	0 04										
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3	0 13										
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB	1 37										
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		16 44	10 42								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		21 41	13 45								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		26 38	16 49								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0024										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per ln ft	I		CLO	PE1DS	0 0036										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			534 79									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			534 79									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 0552										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	5 61										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 0245	11 94	11 46								

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL, UDL,UCL, CLO	PE1P4	0 0491	12 04	11 53								
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	0 9605	21 39	15 47								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	13 01	20 28	14 76								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 20	20 28	14 76								
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	4 21	24 81	19 29								
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		1,543 20									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 45										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	10 92										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16 37										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	37 80										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		298 80	298 80								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	225 39										
		Physical Collocation in the Remote Site - Security Access - Key *	I		CLORS	PE1RD		13 01	13 01								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		112 52	112 52								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		36 47	36 47								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		233 21									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I"= Interim rates																
	NOTE If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

COLLOCATION
Mississippi

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,755 00	3,755 00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,130 00	3,130 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		1,200 00	1,200 00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	2 61										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Caageless	I		CLO	PE1SL	2 88										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	97 85										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		1,871 00	1,871 00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	6 53										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	19 90										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	8 96										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 61										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11 23										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16 84										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38 89										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 038	33 65	31 77								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 038	33 65	31 77								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0 3966	30 93	29 59								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 3996	30 93	29 59								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 3996	30 93	29 59								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 3996	30 93	29 59								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 3996	30 93	29 59								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 3996	30 93	29 59								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 3996	30 93	29 59								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 7992	31 17	29 77								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 7992	31 17	29 77								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 076	33 46	31 52								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1 30	52 73	39 70								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	16 55	51 78	38 43								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3 28	51 78	38 43								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 83	64 27	50 91								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	208 30										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	20 43										

COLLOCATION
Mississippi

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	85 54										
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 061	55 50	55 50								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 56	15 56								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 50	45 50								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 16	26 16								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 16	26 16								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,147 00	2,147 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 1195										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	0 2389										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	0 9862										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	5 81										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	38 79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	52 31										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1 706 00	1,164 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		922 28	922 28								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		18 00	18 00								
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		8 42	8 42								
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		29 49	29 49								
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		278 58	278 58								
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		33 80	21 42								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		44 03	27 67								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		54 26	33 92								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0025										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin ft	I		CLO	PE1DS	0 0037										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			534 65									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			534 65									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 08										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	6 25										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 038	33 65	31 77								
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL,UDL,UCL,CLO	PE1P4	0 076	33 46	31 52								

COLLOCATION
Mississippi

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	1 30	52 73	39 70								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	16 55	51 78	38 43								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3 28	51 78	38 43								
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 83	64 27	50 91								
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		2,659 00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 61										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	11 23										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16 84										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	38 89										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		868 60	868 60								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	241 11										
		Physical Collocation in the Remote Site - Security Access - Key *	I		CLORS	PE1RD		26 16	26 16								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		231 43	231 43								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		75 01	75 01								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		233 14									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I" = Interim rates																
	NOTE If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,850 00	3,850 00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,119 00	3,119 00								
		Physical Collocation - Space Preparation - C O. Modification per square ft	I		CLO	PE1SK	1 57										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Caageless	I		CLO	PE1SL	3 26										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	110 79										
		Space Preparation Fees - Power Per Nominal -48V Dc Amp	I		CLO	PEIFH	5 76										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		2,305 00	2,305 00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	3 45										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	21 33										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	6 65										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 50										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11 01										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16 51										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38 12										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 32	41 78	39 23								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 32	41 78	39 23								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 32	41 78	39 23								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 64	41 91	39 25								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 64	41 91	39 25								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 64	41 91	39 25								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	2 34	71 02	51 08								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	42 84	69 84	49 43								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 94	51 97	38 59								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 62	64 53	51 15								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	102 76										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	10 44										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	41 03										

COLLOCATION
North Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 062	55 30	55 30								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 51	15 51								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 34	45 34								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 18	26 18								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 18	26 18								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,140 00	2,140 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 10										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	0 19										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	0 79										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	4 85										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	45 30										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	61 09										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1,707 00	1,165 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		923 08	923 08								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		18 02	18 02								
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		8 43	8 43								
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		29 51	29 51								
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		278 82	278 82								
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		42 92	25 56								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		54 51	32 44								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		66 10	39 32								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0028										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per lin ft	I		CLO	PE1DS	0 0041										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			532 72									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			532 72									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0.179										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	5 96										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 32	41 78	39 23								
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL,UDL,UCL,CLO	PE1P4	0 64	41 91	39 25								
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	2 34	71 02	51 08								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	42 84	69 84	49 43								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 94	51 97	38 59								

COLLOCATION
North Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 62	84 53	51 15								
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		3,153 00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 50										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	11 01										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16 51										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	38 12										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocatron in the Remote Site - Application Fee *	I		CLORS	PE1RA		865 34	865 34								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	254 02										
		Physical Collocation in the Remote Site - Securrty Access - Key *	I		CLORS	PE1RD		26 06	26 06								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		230 60	230 60								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		74 74	74 74								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		232 94									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I"= Interim rates																
	NOTE If Securrty Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

COLLOCATION
South Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,768 00	3,768 00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,141 00	3,141 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		1,204 00	1,204 00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	2 75										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	I		CLO	PE1SL	3 24										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	110 17										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		1,621 00	1,621 00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	3 95										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	21 33										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	9 19										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 67										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11 36										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	17 03										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	39 33										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 034	33 75	31 86								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 034	33 75	31 86								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0.3648	41 50	38 94								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 3648	41 50	38 94								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 3648	41 50	38 94								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 3648	41 50	38 94								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 3648	41 50	38 94								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 3648	41 50	38 94								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 3648	41 50	38 94								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 7297	41 56	38 90								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 7297	41 56	38 90								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 068	33 71	31 75								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1 12	53.05	39 96								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	14 21	52 11	38 68								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 82	52 11	38 69								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 01	64 69	51 26								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	219 19										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	21 50								•		
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	74 12										

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 06	55 70	55 70								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 62	15 62								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 66	45 66								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 25	26 25								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 25	26 25								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,155 00	2,155 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 1091										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	0 2181										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	0 9004										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	5 64										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	37 36										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	50 38										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1,712 00	1,168 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		925 57	925 57								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		18 06	18 06								
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		8 45	8 45								
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		29 59	29 59								
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		279 57	279 57								
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		33 92	21 50								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		44 19	27 77								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		54 45	34 04								
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0022										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per ln ft	I		CLO	PE1DS	0 0033										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			536 56									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			536 56									
DJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 094										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	6 40										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 034	33 75	31 86								
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL UDL,UCL CLO	PE1P4	0 068	33 71	31 75								
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	1 12	53 05	39 96								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	14 21	52 11	38 68								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	2 82	52 11	38 69								
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	5 01	64 69	51 26								

COLLOCATION
South Carolina

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l SOMAN
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		3,161 00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 67										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	11 36										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	17 03										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	39 33										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		871 12	871 12								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	246 44										
		Physical Collocation in the Remote Site - Security Access - Key *	I		CLORS	PE1RD		26 25	26 25								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		232 25	232 25								
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		75 27	75 27								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		234 50									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I"= Interim rates																
	NOTE If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION																	
		Physical Collocation - Application Fee - Initial	I		CLO	PE1BA		3,767 00	3,767 00								
		Physical Collocation - Application Fee - Subsequent	I		CLO	PE1CA		3,140 00	3,140 00								
		Physical Collocation - Space Preparation - Firm Order Processing	I		CLO	PE1SJ		1,204 00	1,204 00								
		Physical Collocation - Space Preparation - C O Modification per square ft	I		CLO	PE1SK	2 74										
		Physical Collocation - Space Preparation - Common Systems Modification per square ft - Cageless	I		CLO	PE1SL	2 95										
		Physical Collocation - Space Preparation - Common Systems Modification per Cage	I		CLO	PE1SM	100 14										
		Physical Collocation - Cable Installation	I		CLO	PE1BD		1,757 00	1,757 00								
		Physical Collocation - Floor Space per Sq Ft	I		CLO	PE1PJ	6 75										
		Physical Collocation - Cable Support Structure	I		CLO	PE1PM	19 80										
		Physical Collocation - Power per Fused Amp	I		CLO	PE1PL	8 87										
		Physical Collocation - 120V, Single Phase Standby Power Rate	I		CLO	PE1FB	5 60										
		Physical Collocation - 240V, Single Phase Standby Power Rate	I		CLO	PE1FD	11 22										
		Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16 82										
		Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38 84										
		Physical Collocation - 2-Wire Cross-Connects	I		UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ	PE1P2	0 033	33 82	31 92								
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	I		UEPSR,UEPSB	PE1LS	0 033	33 82	31 92								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Res	I		UEPSR	PE1R2	0 30	19 20	19 20								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade - Res	I		UEPRX	PE1R2	0 30	19 20	19 20								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Line Side PBX Trunk - Bus	I		UEPSP	PE1R2	0 30	19 20	19 20								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res	I		UEPSE	PE1R2	0 30	19 20	19 20								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog - Bus	I		UEPSB	PE1R2	0 30	19 20	19 20								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPSX	PE1R2	0 30	19 20	19 20								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN	I		UEPTX	PE1R2	0 30	19 20	19 20								
		Physical Collocation 4-Wire Cross Connect, Exchange Port DDITS 4-Wire	I		UEPDD	PE1R4	0 50	19 20	19 20								
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	I		UEPEX	PE1R4	0 50	19 20	19 20								
		Physical Collocation - 4-Wire Cross-Connects	I		CLO	PE1P4	0 066	33 94	31 95								
		Physical Collocation - DS1 Cross-Connects	I		CLO	PE1P1	1 51	53 27	40 16								
		Physical Collocation - DS3 Cross-Connects	I		CLO	PE1P3	19 26	52 37	38 89								
		Physical Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3 82	52 37	38 89								
		Physical Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	6 79	65 03	51 55								
		Physical Collocation - Welded Wire Cage - First 100 Sq Ft	I		CLO	PE1BW	218 53										
		Physical Collocation - Welded Wire Cage - Add'l 50 Sq Ft	I		CLO	PE1CW	21 44										
		Physical Collocation - Security Access System - Security System per Central Office	I		CLO	PE1AX	55 99										

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring							
										Disconnect							
							Rec	First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - Security Access System - New Access Card Activation, per Card	I		CLO	PE1A1	0 059	55 67	55 67								
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Card	I		CLO	PE1AA		15 61	15 61								
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card	I		CLO	PE1AR		45 64	45 64								
		Physical Collocation - Security Access - Initial Key, per Key	I		CLO	PE1AK		26 24	26 24								
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key	I		CLO	PE1AL		26 24	26 24								
		Physical Collocation - Space Availability Report per premises	I		CLO	PE1SR		2,154 00	2,154 00								
		POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,CLO	PE1PE	0 40										
		POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			CLO	PE1PF	1 20										
		POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			CLO	PE1PG	1 20										
		POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			CLO	PE1PH	8 00										
		POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			CLO	PE1B2	38 79										
		POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			CLO	PE1B4	52 31										
		Collocation Cable Records - per request *	I		CLO	PE1CR		1,711 00	1,168 00								
		Collocation Cable Records - VG/DS0 Cable, per cable record *	I		CLO	PR1CD		925 06	925 06								
		Collocation Cable Records - VG/DS0 Cable, per each 100 pair *	I		CLO	PE1CO		18 05	18 05								
		Collocation Cable Records - DS1, per T1TIE *	I		CLO	PE1C1		8 45	8 45								
		Collocation Cable Records - DS3, per T3TIE *	I		CLO	PE1C3		29 57	29 57								
		Collocation Cable Records - Fiber Cable, per cable record *	I		CLO	PE1CB		279 42	279 42								
		Physical Collocation - Security Escort - Basic, per Half Hour	I		CLO	PE1BT		33 91	21 49								
		Physical Collocation - Security Escort - Overtime, per Half Hour	I		CLO	PE1OT		44 17	27 76								
		Physical Collocation - Security Escort - Premium, per Half Hour	I		CLO	PE1PT		54 42	34 02								
		Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PEIAC	16 16	2,903 66	2,903 66								
		Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4 32										
		Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		142 40									
		Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185 72									
		Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		242 05									
		Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq ft			CLO	PE1S1	110 97										
		Physical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq ft			CLO	PE1S5	55 49										
		Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft			CLO	PE1CP	0 0156										
		Physical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ		944 27									
		Physical Caged Collocation-Floor Space-Land & Buildings, per sq ft			CLO	PE1FS	4 14										

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21 47										
		Pihysical Caged Collocation-Power-Power Construction, per amp DC plantD			CLO	PE1PN	3 55										
		Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2 03										
		Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt			CLO	PE12C	0 0475	7 69									
		Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt			CLO	PE14C	0 0475	7 69									
		Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt			CLO	PE11S	7 68	41 65									
		Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt			CLO	PE11X	0 38	41 65									
		Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt			CLO	PE13S	53 96	298 03									
		Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt			CLO	PE13X	9 32	298 03									
		Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76 10									
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft	I		CLO	PE1ES	0 0031										
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per ln ft	I		CLO	PE1DS	0 0045										
		Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	I		CLO			555 03									
		Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable	I		CLO			555 03									
ADJACENT COLLOCATION																	
		Adjacent Collocation - Space Charge per Sq Ft	I		CLO	PE1JA	0 069										
		Adjacent Collocation - Electrical Facility Charge per Linear Ft	I		CLO	PE1JC	6 05										
		Adjacent Collocation - 2-Wire Cross-Connects	I		CLO	PE1P2	0 033	33 82	31 92								
		Adjacent Collocation - 4-Wire Cross-Connects	I		UEA,UHL, UDL,UCL, CLO	PE1P4	0 066	33 94	31 95								
		Adjacent Collocation - DS1 Cross-Connects	I		USL,CLO	PE1P1	1 51	53 27	40 16								
		Adjacent Collocation - DS3 Cross-Connects	I		CLO	PE1P3	19 26	52 37	38 89								
		Adjacent Collocation - 2-Fiber Cross-Connect	I		CLO	PE1F2	3 82	52 37	38 89								
		Adjacent Collocation - 4-Fiber Cross-Connect	I		CLO	PE1F4	6 79	65 03	51 55								
		Adjacent Collocation - Application Fee	I		CLO	PE1JB		3,160 00									
		Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FB	5 60										
		Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FD	11 22										
		Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FE	16 82										
		Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLO	PE1FG	38 84										
PHYSICAL COLLOCATION IN THE REMOTE SITE																	
		Physical Collocation in the Remote Site - Application Fee *	I		CLORS	PE1RA		872 95	872 95								
		Cabinet Space in the Remote Site per Bay/ Rack *	I		CLORS	PE1RB	219 37										
		Physical Collocation in the Remote Site - Secunty Access - Key *	I		CLORS	PE1RD		26 23	26 23								
		Physical Collocation in the Remote Site - Space Availability Report per Premises Requested *	I		CLORS	PE1SR		232 12	232 12								

COLLOCATION
Tennessee

CATEGORY	NOTE	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested *	I		CLORS	PE1RE		75 23	75 23								
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	I		CLORS	PE1RR		234 15									
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	I		CLORS	PE1RS	6 27										
		Remote Site-Adjacent Collocation - Real Estate, per square foot	I		CLORS	PE1RT	0 134										
	"I"= Interim rates																
	NOTE If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates																

Attachment 5

Access to Numbers and Number Portability

TABLE OF CONTENTS

1. Non-Discriminatory Access To Telephone Numbers 3

2. Number Portability Permanent Solution 3

3. Service Provider Number Portability 4

4. SPNP Implementation 4

5. Transition To Permanent Number Portability 7

6. True-Up 7

7. Operational Support System (OSS) Rates 7

Rates ..... Exhibit A

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. Non-Discriminatory Access to Telephone Numbers

All the negotiated rates, terms and conditions set forth in this Attachment pertain to the provisioning of local number portability.

1.1 During the term of this Agreement, Covad shall contact the North American Numbering Plan Administrator, Neustar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Covad will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).

1.2 For the purposes of the resale of BellSouth's telecommunications services by Covad, BellSouth will provide Covad with on line access to telephone numbers for reservation on a first come first served basis. Such reservations of telephone numbers, on a pre-ordering basis shall be for a period of ninety (90) days. Covad acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth may request that Covad cancel its reservations of numbers. Covad shall comply with such request.

1.3. Further, upon Covad request and for the purposes of the resale of BellSouth's telecommunications services by Covad, BellSouth will reserve up to 100 telephone numbers per Common Language Location Identifier Code (CLLIC), for Covad's sole use. Such telephone number reservations shall be transmitted to Covad via electronic file transfer. Such reservations shall be valid for ninety (90) days from the reservation date. Covad acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and in such instances BellSouth shall use its best efforts to reserve for a ninety (90) day period a sufficient quantity for Covad's reasonable need in that particular CLLIC.

2. Number Portability Permanent Solution

2.1 The FCC, the Commissions, and industry forums have developed and BellSouth is implementing a permanent approach to providing service provider number portability. Both Parties will implement a permanent approach as developed and approved by the Commission, the FCC and industry forums. Consistent with the requirements to move to Permanent Number Portability (PNP) as set forth in Section 5 of this Attachment, Interim Service Provider Number Portability (SPNP) may be available only until such permanent solution is implemented in an end office.

2.2 End User Line Charge. Recovery of charges associated with implementing PNP through a monthly charge assessed to end users has been authorized by the FCC. This end user line charge will be as filed in FCC No. 1 and will be billed to Covad where

Covad is a subscriber to local switching or where Covad is a reseller of BellSouth telecommunications services. This charge will not be discounted.

3. Service Provider Number Portability

3.1 Definition. Until the industry-wide permanent solution is implemented in an end office, BellSouth shall provide Service Provider Number Portability ("SPNP"). SPNP is an interim service arrangement whereby an end user who switches subscription of his local exchange service from BellSouth to a CLEC, or vice versa, is permitted to retain the use of his existing assigned telephone number, provided that the end user remains at the same location for his local exchange service or changes locations and service providers but stays within the same serving wire center of his existing number.

3.2 Methods of Providing Number Portability. SPNP is available through either remote call forwarding or direct inward dialing trunks, at the election of Covad. Remote call forwarding (SPNP-RCF) is an existing switch-based BellSouth service that redirects calls within the telephone network. Direct inward dialing trunks (SPNP-DID) allow calls to be routed over a dedicated facility to the Covad switch that serves the subscriber.

3.3 Signaling Requirements. SS7 Signaling is required for the provision of SPNP services. SPNP-DID is available from BellSouth on a per DS0, DS1, or DS3 basis. Where SPNP-DID is technically feasible and is provided on a DS1 or a DS3 basis, the applicable channelization rates are those specified in Section E6 in BellSouth's Intrastate Access Tariffs, incorporated herein by this reference. SPNP is available only for basic local exchange service.

3.4 Rates

Rates for SPNP are set out in Exhibit A to this Attachment. If no rate is identified in the Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

4. SPNP Implementation

4.1 SPNP is available only where a CLEC or BellSouth is currently providing, or will begin providing concurrent with provision of SPNP, basic local exchange service to the affected end user. SPNP for a particular telephone number is available only from the central office originally providing local exchange service to the end user. SPNP for a particular assigned telephone number will be disconnected when any end user, Commission, BellSouth, or CLEC initiated activity (*e.g.*, a change in exchange boundaries) would normally result in a telephone number change had the end user retained his initial local exchange service.

4.2 SPNP-RCF, as contemplated by this Agreement, is a telecommunications service whereby a call dialed to an SPNP-RCF equipped telephone number is automatically forwarded to an assigned seven- or ten- digit telephone number within the local calling

area as defined in BellSouth's General Subscriber Services Tariff. The forwarded-to number shall be specified by the CLEC or BellSouth, as appropriate. The forwarding Party will provide identification of the originating telephone number, via SS7 signaling, to the receiving Party. Identification of the originating telephone number to the SPNP-RCF end user cannot be guaranteed, however. SPNP-RCF provides a single call path for the forwarding of no more than one simultaneous call to the receiving Party's specified forwarded-to number.

4.3 SPNP-DID service, as contemplated by this Agreement, provides trunk side access to end office switches for direct inward dialing to the other Party's premises equipment from the telecommunications network to lines associated with the other Party's switching equipment and must be provided on all trunks in a group arranged for inward service. A SPNP-DID trunk termination charge, provided with SS7 Signaling only, applies for each trunk voice grade equivalent. In addition, direct facilities are required from the end office where a ported number resides to the end office serving the ported end user customer. The rates for a switched local channel and switched dedicated transport apply as contained in BellSouth's Intrastate Access Services tariff, as said tariff is amended from time to time. Transport mileage will be calculated as the airline distance between the end office where the number is ported and the Point of Interface ("POI") using the V&H coordinate method. SPNP-DID must be established with a minimum configuration of two channels and one unassigned telephone number per switch, per arrangement for control purposes. Transport facilities arranged for SPNP-DID may not be mixed with any other type of trunk group, with no outgoing calls placed over said facilities. SPNP-DID will be provided only where such facilities are available and where the switching equipment of the ordering Party is properly equipped. Where SPNP-DID service is required from more than one wire center or from separate trunk groups within the same wire center, such service provided from each wire center or each trunk group within the same wire center shall be considered a separate service. Only customer-dialed sent-paid calls will be completed to the first number of a SPNP-DID number group; however, there are no restrictions on calls completed to other numbers of a SPNP-DID number group. Sent-paid calls refer to those calls placed by an end user who physically deposits currency in a public telephone. Interface group arrangements provided for terminating the switched transport at the Party's terminal location are as set forth in of BellSouth's Intrastate Access Services Tariff, § E6.1.3.A as amended from time to time.

4.3.1 SPNP-DID Service requires ordering consecutive telephone numbers in blocks of twenty. To order non-consecutive telephone numbers or telephone numbers in less than blocks of twenty, the NBR process must be used. SS7 Signaling is required for the provision of either of these services.

4.4 The calling Party shall be responsible for payment of the applicable charges for sent-paid calls to the SPNP number. For collect, third-party, or other operator-assisted non-sent paid calls to the ported telephone number, BellSouth or the CLEC shall be responsible for the payment of charges under the same terms and conditions for which the end user would have been liable for those charges. Either Party may request that

the other block collect and third party non-sent paid calls to the SPNP-assigned telephone number. If a Party does not request blocking, the other Party will provide itemized local usage detail for the billing of non-sent paid calls on the monthly bill of usage charges provided at the individual end user account level. The detail will include itemization of all billable usage. Each Party shall have the option of receiving this usage data on a daily basis via a data file transfer arrangement. This arrangement will utilize the existing industry uniform standard, known as EMR standards, for exchange of billing data. Files of usage data will be created daily for the optional service. Usage originated and recorded in the sending BellSouth RAO will be provided in unrated or rated format, depending on processing system. CLEC usage originated elsewhere and delivered via CMDS to the sending BellSouth RAO shall be provided in rated format.

4.5 Each Party shall be responsible for obtaining authorization from the end user for the handling of the disconnection of the end user's service, the provision of new local service and the provision of SPNP services. Each Party shall be responsible for coordinating the provision of service with the other to assure that its switch is capable of accepting SPNP ported traffic. Each Party shall be responsible for providing equipment and facilities that are compatible with the other's service parameters, interfaces, equipment and facilities and shall be required to provide sufficient terminating facilities and services at the terminating end of an SPNP call to adequately handle all traffic to that location and shall be solely responsible to ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment, or service of the other Party or any of its end users. In the event that either Party determines in its reasonable judgment that the other Party will likely impair or is impairing, or interfering with any equipment, facility or service or any of its end users, that Party may either refuse to provide SPNP service or may terminate SPNP service to the other Party after providing appropriate notice.

4.6 Each Party shall be responsible for providing an appropriate intercept announcement service for any telephone numbers subscribed to SPNP services for which it is not presently providing local exchange service or terminating to an end user. Where either Party chooses to disconnect or terminate any SPNP service, that Party shall be responsible for designating the preferred standard type of announcement to be provided.

4.7 Each Party shall be the other Party's single point of contact for all repair calls on behalf of each Party's end user. Each Party reserves the right to contact the other Party's customers if deemed necessary for maintenance purposes.

4.8 Neither Party shall be responsible for adverse effects on any service, facility or equipment from the use of SPNP services. End-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over SPNP facilities and the fact that another carrier is involved in the provisioning of service. Therefore, end-to-end transmission characteristics cannot be specified by either Party for such calls. Neither Party shall be responsible to the other if any

necessary change in protection criteria or in any of the facilities, operation, or procedures of either renders any facilities provided by the other Party obsolete or renders necessary modification of the other Party's equipment.

4.9 For terminating IXC traffic ported to either Party which requires use of either Party's tandem switching, the tandem provider will bill the IXC tandem switching, the interconnection charge, and a portion of the transport, and the other Party will bill the IXC local switching, the carrier common line and a portion of the transport. If the tandem provider is unable to provide the necessary access records to permit the other Party to bill the IXC directly for terminating access to ported numbers, then the tandem provider will bill the IXC full terminating switched access charges at the tandem provider's rate and will compensate the other Party at the tandem Party's tariff rates via a process used by BellSouth to estimate the amount of ported switched access revenues due the other Party. If an intraLATA toll call is delivered, the delivering Party will pay terminating access rates to the other Party. This subsection does not apply in cases where SPNP-DID is utilized for number portability.

5. Transition to Permanent Number Portability

5.1 Once a PNP is implemented in an end office both Parties must withdraw their SPNP offerings. The transition from existing SPNP arrangements to PNP shall occur within one hundred twenty (120) days from the date PNP is implemented in the end office. Neither Party shall charge the other Party for conversion from SPNP to PNP. The Parties shall comply with any SPNP/PNP transition processes established by the FCC and State commissions and appropriate industry number portability work groups.

5.2 Notwithstanding the foregoing, the Parties acknowledge that the FCC has determined once LNP has been deployed pursuant to the FCC's orders, rules and regulations, that all local exchange carriers (LECs) have the duty to provide LNP. Therefore, either Party, at any time, may seek appropriate legal or regulatory relief concerning the transition from INP to LNP or other related issues.

6. True-up

The terms and conditions for Tennessee true-up and other rates that are interim or expressly subject to true-up under this attachments are as set forth in Section 13 of Attachment 2.

7. Operational Support System (OSS) Rates

The terms, conditions and rates for OSS are as set forth in Section 2.9 of Attachment 2.

SERVICE PROVIDER NUMBER PORTABILITY
Alabama

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line), 10 paths				TNPBL											
		RCF, per number ported (Business Line)				TNPBL	2.13	0.65		0.07							
		RCF, per number ported (Residence Line), 6 paths				TNPRL											
		RCF, per number ported (Residence Line)				TNPRL	2 13	0.65		0 07							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0.32										
		RCF, per service order, per location (Business)				TNPBD		1 44	1.44	1 44	1.44	3.50		19.99	19 99	19 99	19 99
		RCF, per service order, per location (Residence)				TNPRD		1.44	1.44	1 44	1 44	3 50		19 99	19.99	19 99	19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		1.18		1.18							
		DID per number ported (Business)				TNPDB		1.18		1.18							
		DID per service order, per location (Residence)				TNPRD		1.44	1.44	1.44	1 44	3.50		19 99	19 99	19 99	19 99
		DID per service order, per location (Business)				TNPBD		1.44	1 44	1.44	1.44	3 50		19 99	19.99	19 99	19.99
		DID, per trunk termination, Initial				TNPT2	11 84	173 73		50 43		3.50		19.99	19 99	19.99	19.99
		DID, per trunk termination, Subsequent				TNPT2	11.84	51.35		25 00		3 50		19 99	19 99	19.99	19.99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

SERVICE PROVIDER NUMBER PORTABILITY
Florida

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	1 97	0.3738	0.3738	0 0374	0 0374	3.50	10.73			1.65	
		RCF, per number ported (Residence Line)				TNPRL	1 97	0 3738	0.3738	0.0374	0 0374	3.50	10.73			1 65	
		RCF, Per Additional Path					0.6878										
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		0.6242	0 6242	0 6242	0 6242	3 50	10 73			1.65	
		DID per number ported (Business)				TNPDB		0.6242	0 6242	0 6242	0.6242	3 50	10.73			1 65	
		DID, per trunk termination, Initial				TNPT2	52 73	145.42	145 42	29.51	29.51	3 50	10 73			1.65	
		DID, per trunk termination, Subsequent				TNPT2	52.73	72 65	72 65	29.51	29.51	3.50	10.73			1 65	
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
		RIPH, Functionality, Per Rearrangement						18 11	18.11				10 73			1.65	
		RIPH, Per Number Ported					1.75	0.1952	0 1952	0 0195	0 0195		10 73			1 65	
		RIPH, Functionality, Per Central Ofc						81.56	81.56	2.29	2 29		10 73			1 65	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

SERVICE PROVIDER NUMBER PORTABILITY
Georgia

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	2 03	0 51									
		RCF, per number ported (Residence Line)				TNPRL	2 03	0.51									
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0.2836										
		RCF, per service order, per location (Business)				TNPBD		2.10	2.10			3 50		19 99	19.99	19 99	19 99
		RCF, per service order, per location (Residence)				TNPRD		2.10	2 10			3 50		19.99	19 99	19 99	19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		0.93									
		DID per number ported (Business)				TNPDB		0 93									
		DID per service order, per location (Residence)				TNPRD		2.10	2 10								
		DID per service order, per location (Business)				TNPBD		2 10	2 10			3.50		19.99	19 99	19.99	19.99
		DID, per trunk termination, Initial				TNPT2	10 73	135 47				3.50		19 99	19.99	19 99	19 99
		DID, per trunk termination, Subsequent				TNPT2	10.73	39 53				3 50		19 99	19 99	19 99	19.99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

SERVICE PROVIDER NUMBER PORTABILITY
Kentucky

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	2) BellSouth and CLEC will each bear their own costs of providing remote call forwarding as an interim number portability option (KY)																

SERVICE PROVIDER NUMBER PORTABILITY
Louisiana

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	2.29	0.49		0.05							
		RCF, per number ported (Residence Line)				TNPRL	2.29	0 49		0.05							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0.38										
		RCF, per service order, per location (Business)				TNPBD		2.02	2.02	2 01	2.01	3.50		19 99	19 99	19 99	19.99
		RCF, per service order, per location (Residence)				TNPRD		2 02	2.02	2 01	2.01	3.50		19 99	19 99	19.99	19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		0.89		0 90							
		DID per number ported (Business)				TNPDB		0 89		0 90							
		DID per service order, per location (Residence)				TNPRD		2 02	2.02	2.01	2 01	3 50		19 99	19 99	19.99	19.99
		DID per service order, per location (Business)				TNPBD		2 02	2 02	2.01	2.01	3.50		19 99	19.99	19.99	19 99
		DID, per trunk termination, Initial				TNPT2	12.46	129.69		37.85		3.50		19.99	19 99	19 99	19 99
		DID, per trunk termination, Subsequent				TNPT2	12.46	37.85		18 75		3 50		19.99	19.99	19.99	19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

SERVICE PROVIDER NUMBER PORTABILITY
Mississippi

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	2 34	0.6441		0.0644							
		RCF, per number ported (Residence Line)				TNPRL	2 34	0.6441		0.0644							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0 3838										
		RCF, per service order, per location (Business)				TNPBD		2.84	2 84	2 84	2 84	3.50		19.99	19.99	19 99	19 99
		RCF, per service order, per location (Residence)				TNPRD		2 84	2.84	2 84	2.84	3 50		19.99	19 99	19.99	19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		1 17		1 17							
		DID per number ported (Business)				TNPDB		1 17		1 17							
		DID per service order, per location (Residence)				TNPRD		2.84	2 84	2 84	2.84	3.50		19 99	19 99	19.99	19.99
		DID per service order, per location (Business)				TNPBD		2 84	2.84	2 84	2.84	3.50		19 99	19.99	19 99	19 99
		DID, per trunk termination, Initial				TNPT2	13 78	171.68		49.86		3 50		19 99	19 99	19.99	19.99
		DID, per trunk termination, Subsequent				TNPT2	13 78	50 69		24.71		3 50		19 99	19 99	19.99	19.99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

SERVICE PROVIDER NUMBER PORTABILITY
North Carolina

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line), 10 paths				TNPBL	2 25										
		RCF, per number ported (Business Line)				TNPBL	1 66	0.71		0.50							
		RCF, per number ported (Residence Line), 6 paths				TNPRL	1.15										
		RCF, per number ported (Residence Line)				TNPRL	1.66	0.71		0.50							
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0 32										
		RCF, per service order, per location (Business)				TNPBD		2.73	2.73			3.50		19.99	19 99	19 99	19.99
		RCF, per service order, per location (Residence)				TNPRD		2.73	2.73			3 50		19 99	19 99	19.99	19 99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		2 25									
		DID per number ported (Business)				TNPDB		2 25									
		DID per service order, per location (Residence)				TNPRD		2 73	2 73			3 50		19 99	19 99	19 99	19.99
		DID per service order, per location (Business)				TNPBD		2.73	2 73			3.50		19 99	19 99	19 99	19 99
		DID, per trunk termination, Initial				TNPT2	11.43	217.88				3 50		19.99	19.99	19.99	19.99
		DID, per trunk termination, Subsequent				TNPT2	11 43	73 56				3 50		19 99	19.99	19 99	19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

SERVICE PROVIDER NUMBER PORTABILITY
South Carolina

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	2.17	0 7046									
		RCF, per number ported (Residence Line)				TNPRL	2 17	0.7046									
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0.3854										
		RCF, per service order, per location (Business)				TNPBD		1 37	1.37			3 50		19.99	19 99	19.99	19.99
		RCF, per service order, per location (Residence)				TNPRD		1.37	1.37			3 50		19 99	19 99	19.99	19.99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
		DID per number ported (Residence)				TNPDR		2.25									
		DID per number ported (Business)				TNPDB		2 25									
		DID per service order, per location (Residence)				TNPRD		1 37	1.37	44.70	44 70	3.50		19 99	19 99	19 99	19 99
		DID per service order, per location (Business)				TNPBD		1 37	1.37	44.70	44.70	3.50		19 99	19 99	19.99	19.99
		DID, per trunk termination, Initial				TNPT2	13.16	218 03				3 50		19.99	19.99	19.99	19.99
		DID, per trunk termination, Subsequent				TNPT2	13 16	73.63				3 50		19 99	19 99	19.99	19 99
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

SERVICE PROVIDER NUMBER PORTABILITY
Tennessee

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim Indicator	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - RCF																	
		RCF, per number ported (Business Line)				TNPBL	1.50										
		RCF, per number ported (Residence Line)				TNPRL	1.25										
		RCF, add'l capacity for simultaneous call forwarding, per additional path					0.50										
		RCF, per service order, per location (Business)				TNPBD		25.00	25.00					19.99	19.99	19.99	19.99
		RCF, per service order, per location (Residence)				TNPRD		25.00	25.00					19.99	19.99	19.99	19.99
INTERIM SERVICE PROVIDER NUMBER PORTABILITY - DID																	
SERVICE PROVIDER NUMBER PORTABILITY (RIPH)																	
	Note: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

Attachment 6

Ordering and Provisioning

TABLE OF CONTENTS

1. **Quality of Ordering And Provisioning** 3

2. **Access To Operational Support Systems** 4

3. **Miscellaneous Ordering And Provisioning Guidelines** 9

ORDERING AND PROVISIONING

1. Quality of Ordering and Provisioning

1.1 All the negotiated terms and conditions set forth in this Attachment pertain to ordering and provisioning.

1.2 BellSouth shall provide ordering and provisioning services to Covad that are equal to the ordering and provisioning services BellSouth provides to itself or any other CLEC, where technically feasible. The guidelines for ordering and provisioning are set forth in the various ordering and provisioning guides at the time of execution of this agreement. The guides may be referenced at the following site: http://www.interconnection.bellsouth.com/guides/guides_p.html. The provisioning intervals for Covad orders are set forth in Attachment 2.

Where Covad requests work to be performed outside of normal working hours as defined below, Covad will be billed and will pay overtime charges except as provided for in 1.3.1.

1.3 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday –	8:00 a.m. – 5:00 p.m.	(Excluding Holidays) (Resale/UNE non-coordinated, coordinated orders and order coordinated-time specific)
Saturday -	8:00 a.m. – 5:00 p.m.	(Excluding Holidays) (Resale/UNE non-coordinated orders)

The above hours represent the hours for those BellSouth employees performing physical wire work. Times are either Eastern standard or Central standard times depending on the location of the work being performed.

1.3.1 It is understood and agreed that BellSouth technicians involved in provisioning service to Covad may work shifts outside of BellSouth's regular working hours as defined in Section 1.3 above (e.g., the employee's shift ends at 7:00 p.m. during daylight savings time). To the extent that Covad requests that work necessarily required in the provisioning of service to be performed outside BellSouth's regular working hours and that work is performed by a BellSouth technician during his or her scheduled shift such that BellSouth does not incur any additional costs in performing the work on behalf of Covad, BellSouth will not assess Covad additional charges beyond the rates and charges specified in this Agreement.

BellSouth provides COVAD access to the LCSC for ordering support at parity with the same hours BellSouth provides ordering support to its customers, its affiliates or any other CLEC. BellSouth's current hours of operation are:

Monday through Saturday

Consumer: (Residential Service)

Atlanta: 7:00 a.m. until 7:00 p.m. EST.
Birmingham: 7:00 a.m. until 7:00 p.m. CST

Monday through Friday

UNE LCSC

Atlanta: 8:00 a.m. until 6:00 p.m. EST
Birmingham: 8:00 a.m. until 6:00 p.m. CST

Business Resale/Complex LCSC

Atlanta: 8:00 a.m. until 6:00 p.m. EST
Birmingham: 8:00 a.m. until 6:00 p.m. CST

Complex Resale Support Group

8 a.m. to 5 p.m. CST

The LCSC will be closed in observance of the following holidays: New Years Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, and Christmas Day.

Changes to the above hours may be made by BellSouth from time to time as changes occur to the hours BellSouth provides ordering support to its own end users. BellSouth will provide 30 days notice to Covad of any change in hours of operation.

BellSouth provides maintenance support for trouble reporting and repair 24 hours a day seven days a week.

2. Access to Operations Support Systems

2.1 BellSouth shall provide Covad access to operations support systems ("OSS") functions for pre-ordering, ordering and provisioning, maintenance and repair and billing. Access to the OSS is available through a variety of means, including electronic interfaces. BellSouth also provides manual options. The OSS functions available to CLECs through electronic interfaces are:

2.2 Pre-Ordering. BellSouth provides electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, and upon Commission approval of confidentiality protections, to customer record information. Access is provided through the Local Exchange Navigation System (LENS) interface or the Telecommunications Access Gateway (TAG) interface.

BellSouth shall make mechanized pre-ordering interface available through the industry standard EDI in the fourth quarter of 2000.

2.3 Customer record information includes but is not limited to, customer specific information in CRIS and RSAG. The parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission and further agrees that Covad and BellSouth will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the State in which the service is provided. In addition, Covad and BellSouth shall provide to each other, access to customer record information including electronic access where available. Otherwise, either party at the request of the other party shall provide paper copies of customer record information within 8 business hours for faxed requests which are less that 50 pages and via US mail or overnight delivery for requests larger than 50 pages. Overnight delivery charges will be paid by the requesting party.

2.4 Service Ordering and Provisioning. BellSouth provides electronic options for the exchange of ordering and provisioning information. BellSouth provides an Electronic Data Interchange (EDI) interface, the TAG ordering interface for non-complex and certain complex resale requests and certain network elements. The EDI interface can be integrated with the TAG pre-ordering interface by Covad or the TAG ordering interface. BellSouth provides integrated pre-ordering, ordering and provisioning capability through the LENS interface for non-complex and certain complex resale service requests. BellSouth shall make available on a commercial basis mechanized ordering for xDSL loops by December 2000 using an Electronic Data Interchange (EDI) interface.

2.5 BellSouth shall provide service ordering and provisioning to Covad in the following manner:

2.5.1 When Covad submits a Local Service Request ("LSR") BellSouth shall return to Covad a Firm Order Completion ("FOC") as follows:

BellSouth will deliver a FOC as follows:

Fully mechanized 95% in 4 hours or less

Partially mechanized and manual 85% in less than 48 hours

2.5.2 When Covad submits a Local Service Request ("LSR") that requires a clarification, BellSouth shall return the request for clarification as follows:

BellSouth will deliver a reject or clarification notice as follows:

For fully mechanized requests, 95% within 1 hour

For partially mechanized and manual requests 85% in less than 48 hours

BellSouth's measurement of reject/clarification notice performance as stated above will be as set forth in Attachment 9 incorporated herein by this reference.

2.5.3 BellSouth's measurement of FOC/reject/clarification performance will be as set forth in 2.5.1 and 2.5.2 unless BellSouth is ordered by a Commission to provide a different level of performance, in which event BellSouth shall perform at the Commission ordered level.

2.5.4 BellSouth will review the current version of the LSR and will note all fields, inputs or other information on the LSR that must be revised by Covad to enable Covad to submit a correct and complete LSR. Clarifications may be sent after the FOC in cases where CFA information submitted by Covad is in conflict with BellSouth data bases.

2.5.5 BellSouth shall provide Covad with an alternative method for initiating service orders in the event of some disruption in service with BellSouth's primary service ordering process, including, but not limited to, an additional facsimile number and or other methods mutually agreed to which new orders can be submitted during the disruption in service in BellSouth's primary process.

2.5.6 BellSouth shall provide notices to Covad of facility shortages utilizing BellSouth's interfaces and or via the PF report accessed via the internet. BellSouth will provide notice and information pertaining to the reason for the facility jeopardy along with an estimated service date at intervals and at parity with the information and intervals BellSouth provides such information to itself, it's affiliates and to any other CLEC.

2.5.7 When BellSouth conducts a service inquiry on a Covad order, BellSouth will advise Covad, based on BellSouth's facility records, whether a facility exists that will support the particular loop ordered by Covad. In the response to the service inquiry, BellSouth will also provide any Special Construction charges or Loop Modification requirements which may be required to accommodate Covad's service request. BellSouth will use its best efforts to identify and resolve all facilities issues associated with a particular order at the same time. Nonetheless, BellSouth's facility record check is not an absolute that a facility jeopardy will not occur. Facility jeopardies may occur due to record errors, defective plant, or conditions encountered at the end user premises.

2.5.8 BellSouth shall resolve pending facilities issues within 30 business days. If BellSouth cannot meet this interval, BellSouth shall notify Covad and provide an explanation for why the interval cannot be met and will further provide an estimated completion date for the loop. BellSouth's failure to meet the interval set forth herein shall not be deemed a material breach of this Agreement provided that BellSouth notifies Covad as set forth above.

2.5.9 BellSouth may cancel an LSR when submitted with a Service Inquiry where BellSouth determines that a facility is not available to provision the loop requested by Covad and/or Covad declines to pay for Special Construction required to provision the loop. BellSouth shall not cancel a Covad order until BellSouth receives a supplement advising BellSouth to cancel the order, unless more than thirty (30) calendar days have elapsed since BellSouth requested a clarification on a Covad order.

2.6 When BellSouth misses an installation appointment because of matters solely within the control of BellSouth (i.e. work load or scheduling issues), BellSouth shall be solely responsible for rescheduling that order installation and informing Covad of the next available installation date. BellSouth shall use its best efforts to insure that such installations are rescheduled within three (3) business days.

2.7 BellSouth shall use technicians trained to install loops which meet the requirements of TR73600 for the particular loop being installed.

2.8 Covad will receive completion notices via the interface used to submit the local service request. For manually submitted requests, Covad will determine completion status using the CSOTS report accessible via the internet.

2.9 Service Trouble Reporting and Repair. Service trouble reporting and repair allows Covad to report and monitor service troubles and obtain repair services. BellSouth shall offer Covad service trouble reporting in a non-discriminatory manner that provides Covad the equivalent ability to report and monitor service troubles that BellSouth provides to itself. BellSouth also provides Covad an estimated time to repair (commitment time) on trouble reports. BellSouth shall provide to Covad by November 2000 non-discriminatory access to to Trouble Analysis Facilitation Interface (TAFI) for reporting troubles on line sharing loops. This interface shall allow Covad to open a trouble ticket electronically and enable Covad to perform mechanized loop tests (MLTs) on line sharing loops. In addition, BellSouth offers an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth provides non-discriminatory trouble reporting via ECTA Gateway. BellSouth also offers ECTA functionality through the human-to-machine EC-CPM/TA interface. If the CLEC requests BellSouth to repair a trouble after normal working hours, the CLEC will be billed the appropriate overtime charges associated with this request pursuant to BellSouth's tariffs.

2.10 BellSouth and Covad agree to adhere to BellSouth's Operational Understanding and as it is amended from time to time during this agreement which may be accessed via the internet @ http://www.interconnection.bellsouth.com/guides/other_guides.html.

BellSouth's intervals for repairing UNE's are outlined in this guide. BellSouth shall repair loops at intervals that BellSouth repairs similar loops for itself, its affiliates or any other CLEC. BellSouth's performance for trouble resolution duration is measured as per BellSouth's Performance Measures outlined in Attachment 9 and incorporated herein by this reference.

BellSouth shall adhere to normal acceptance testing and completion guidelines for maintenance turn up and acceptance as set forth in Attachment 2, Section 1.7 and incorporated herein by this reference.

BellSouth will provide Covad at close out with the steps taken to determine that a no trouble found condition has been encountered on the loop. Covad will not be responsible for paying for "no trouble found" conditions which within 30 days of the initial report were determined to have been found and resolved in the BellSouth network.

BellSouth and Covad will mutually agree on the need for and will, if necessary, schedule a time or window of time for any joint meeting of the parties to resolve maintenance issues. Both parties will use best efforts to ensure any such meeting takes place at or within the scheduled time or window of time as agreed to by both parties.

2.11 Change Management. BellSouth provides a collaborative process for change management of the electronic interfaces through the Electronic Interface Change Control Process ("EICCP). Guidelines for this process are set forth in the EICCP document, and as it is amended from time to time during this agreement.

2.12 Migration of Covad to New Software Releases for National Standard Machine-to-Machine Electronic Interfaces. Pursuant to the change management process, BellSouth will issue new software releases for new industry standards for its industry standard, machine-to-machine electronic interfaces. When a new release of new industry standards is implemented, BellSouth will continue to support both the new release (N) and the prior release (N-1). When BellSouth makes the next release (N+1), BellSouth will eliminate support for the (N-1) release and support the two newest releases (N and N+1). Thus, BellSouth will always support the two most current releases. BellSouth will issue documents to Covad as determined in the CCP process incorporated herein by this reference and available via the internet at the BellSouth Interconnection web site. This will allow Covad to make the necessary changes to its systems and operations to migrate to the newest release in a timely fashion.

2.13 Rates. All costs incurred by BellSouth to develop and implement operational interfaces to the OSS shall be recovered from the carriers that use the services. Charge for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement.

3. Miscellaneous Ordering and Provisioning Guidelines

3.1 Single Point of Contact. Covad will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Covad to provide services to its end users, except that BellSouth may accept an order directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Covad and BellSouth shall each execute a blanket letter of authorization with respect to customer orders. The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for orders, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes including Un-PIC. Pursuant to such an order, BellSouth may disconnect any network element associated with the service to be disconnected and being used by Covad to provide service to that end user and reuse such network elements or facilities to enable such other LEC to provide service to the end user. BellSouth will notify Covad that such an order has been processed, but will not be required to notify Covad in advance of such processing.

3.2 Use of Facilities. When a customer of a CLEC elects to discontinue service and transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to CLEC by BellSouth for retail or resale service, loop and/or port for that customer. In addition, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received an order to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility.

3.2.1 Upon receipt of a service order, BellSouth will do the following:

3.2.1.1 Process disconnect and reconnect orders to provision the service which shall be due dated using current interval guidelines.

3.2.1.2 Reuse the serving facility for the retail, resale service, or network element at the same location.

3.2.1.3 Notify Covad after the disconnect order has been completed.

3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation wide contact numbers for the purpose of ordering, provisioning and maintenance of services.

3.4 Subscription Functions. In cases where BellSouth performs subscription functions for an inter-exchange carrier (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected inter-exchange carriers with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.

3.5 Expedite Charges. For expedited requests by Covad, expedited charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply.

3.6 Cancellation Charges. The terms, conditions and rates for Cancellation Charges are as set forth in Section 2.1.8 of Attachment 2.

Attachment 7

Billing and Billing Accuracy Certification

TABLE OF CONTENTS

1. Payment and Billing Arrangements 3

2. Billing Accuracy Certification 6

3. Billing Disputes 7

4. RAO Hosting 9

5. Optional Daily Usage File 12

6. Access Daily Usage File 15

7. Enhanced Optional Daily Usage File 18

Rates ..... Exhibit A

BILLING AND BILLING ACCURACY CERTIFICATION

1. Payment and Billing Arrangements

All negotiated rates, terms and conditions set forth in this Attachment pertain to billing and billing accuracy certifications.

1.1 Billing. BellSouth agrees to provide billing through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) that Covad requests. BellSouth will bill and record in accordance with this Agreement those charges Covad incurs as a result of Covad purchasing from BellSouth Network Elements and Other Services as set forth in this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service ordered. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the industry forum.

1.1.1 For any service(s) BellSouth orders from Covad, Covad shall bill BellSouth in CABS format.

1.1.2 If either Party requests multiple billing media or additional copies of bills, the Billing Party will provide these at a reasonable cost.

1.2 Master Account. After receiving certification as a local exchange company from the appropriate regulatory agency, Covad will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish a master account for Local Interconnection, Network Elements and Other Services, and/or resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA"), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Address (ACNA) and a tax exemption certificate, if applicable.

1.3 Payment Responsibility. Payment of all charges will be the responsibility of Covad. Covad shall make payment to BellSouth for all services billed. BellSouth is not responsible for payments not received by Covad from Covad's customer. BellSouth will not become involved in billing disputes that may arise between Covad and Covad's customer. Payments made to BellSouth as payment on account will be credited to an accounts receivable master account and not to an end user's account.

1.4 Payment Due. BellSouth shall send to Covad within ten (10) business days of the bill date the entire bill in electronic and paper form, unless otherwise agreed by the parties. If both the electronic and paper form of the bill are not sent to Covad within ten (10) business days of the bill date, Covad shall only be obligated to pay that bill within thirty (30) days of receipt of whichever copy of the bill arrives later.

1.5 Payment Due. The payment will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds, except as set forth in section 1.4.

If the payment due date falls on a Sunday or on a Holiday which is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If payment is not received by the payment due date, a late payment penalty, as set forth in Section 1.7, below, shall apply.

1.6 Tax Exemption. Upon proof of tax exempt certification from Covad, the total amount billed to Covad will not include those taxes or fees for which the CLEC is exempt. Covad will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Covad. Once tax exempt certification and an accounting of reimbursable fees is presented to BellSouth, BellSouth shall promptly discontinue taxes and provide a credit where appropriate within thirty (30) days from the date that BellSouth receives tax exemption notice.

1.7 Late Payment. If any portion of the payment is received by BellSouth after the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment penalty shall be due to BellSouth. The late payment penalty shall be the portion of the payment not received by the payment due date times a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, whichever BellSouth determines is appropriate. Covad will be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law. For Collocation, Covad will pay a late payment charge of one and one-half percent (1-1/2%) assessed monthly on any balance which remains unpaid after the payment due date.

1.8 Discontinuing Service to Covad. The procedures for discontinuing service to Covad are as follows:

1.8.1 BellSouth reserves the right to suspend or terminate service for nonpayment of services or in the event of prohibited, unlawful or improper use of BellSouth facilities or service or any other violation or noncompliance by Covad of the rules and regulations contained in BellSouth's tariffs.

1.8.2 If payment of account is not received by the bill date in the month after the original bill date, BellSouth may provide written notice to Covad that additional applications for service will be refused and that any pending orders for service will not be completed if payment is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, give thirty (30) days notice to Covad at the billing address to discontinue the provision of existing services to Covad at any time thereafter.

1.8.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.

1.8.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Covad's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Covad without further notice.

1.8.5 If payment is not received or satisfactory arrangements made for payment by the date given in the written notification, Covad's services will be discontinued. Upon discontinuance of service on Covad's account, service to Covad's end users will be denied. BellSouth will reestablish service at the request of the end user or Covad for BellSouth to reestablish service upon payment of the appropriate connection fee and subject to BellSouth's normal application procedures. Covad is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after an end user's service has been denied and no arrangements to reestablish service have been made consistent with this subsection, the end user's service will be disconnected.

1.9 Deposit Policy. When purchasing services from BellSouth, Covad will be required to complete the BellSouth Credit Profile and provide information regarding credit worthiness. Based on the results of the credit analysis, the Company reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in its sole discretion, some other form of security. Any such security deposit shall in no way release Covad from his obligation to make complete and timely payments of his bill. Such security shall be required prior to the inauguration of service. If circumstances so warrant and/or gross monthly billings increased beyond the level initially used to determine the level of security, then BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in Covad's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff.

In determining whether a security deposit is required, BellSouth will review Covad's Dun & Bradstreet rating and report details, Covad's payment history with BellSouth and payment history with others as available; the number of years Covad has been in

business; Covad's management history and managers' length of service with Covad; liens, suits and judgments against Covad; UCC-1 filings against Covad's assets; and to the extent available, Covad's financial information. Upon the conclusion of this review, if BellSouth continues to insist on additional security, at Covad's written request, BellSouth will provide an explanation in writing to Covad justifying the decision for additional deposit.

1.10 Rates. Rates for Optional Daily Usage File (ODUF), Enhanced Optional Daily Usage File (EODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

2. Billing Accuracy Certification

2.1 Upon request, BellSouth and Covad will agree upon a billing quality assurance program for all billing elements covered in this Agreement that will eliminate the need for post-billing reconciliation. Appropriate terms for access to any BellSouth documents, systems, records, and procedures for the recording and billing of charges will be part of that program.

2.2 As part of the billing quality assurance program, BellSouth and Covad will develop standards, measurements, and performance requirements for a local billing measurements process. On a regular basis BellSouth will provide Covad with mutually agreed upon performance measurement data that substantiates the accuracy, reliability, and integrity of the billing process for local billing. In return, Covad will pay all bills received from BellSouth in full by the payment due date.

2.3 Local billing discrepancies will be addressed in an orderly manner via a mutually agreed upon billing exemption process.

2.3.1 Each Party agrees to notify the other Party upon identifying a billing discrepancy. The Parties shall endeavor to resolve any billing discrepancy within thirty (30) calendar days of the notification date. A mutually agreed upon escalation process will be established for resolving local billing discrepancies as part of the billing quality assurance program.

2.3.2 Closure of a specific billing period will occur by joint agreement of the Parties whereby the Parties agree that such billing period is closed to any further analysis and financial transactions except those resulting from regulatory mandates. Closure will take place within a mutually agreed upon time interval from the bill date. The month being closed represents those charges that were billed or should have been billed by the designated bill date. "Closure" shall mean no new Covad accounts shall be added to the bill for the billing period at issue.

3. Billing Disputes

3.1 Where the Parties have not agreed upon a billing quality assurance program, billing disputes shall be handled pursuant to the terms of this section.

3.1.1 Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute.

3.2 As set forth in Sections 1.8.1 and 1.8.2 above, BellSouth reserves the right upon thirty (30) days written notice to Covad to suspend or terminate service for nonpayment of undisputed amounts or amounts that were the subject of a Bona Fide Dispute that has been resolved in BellSouth's favor pursuant to the terms of this Attachment, or in the event of a prohibited, unlawful or improper use of the facilities or service, abuse of the facilities, or any other violation or noncompliance by Covad of the rules and regulations of BellSouth's Tariffs. For purposes of this Attachment 7, Bona Fide Dispute means a dispute of a specific amount of money actually billed by BellSouth. Covad shall provide a clear explanation of the dispute, including documentation supporting such dispute, and shall either (1) itemize the dispute to show the Q account and earning number against with the disputed amount applies, or (2) provide documentation evidencing an error that applies to all bills (e.g., an error caused by an incorrect rate being applied to a particular service for all bill periods). BellSouth reserves the right to request additional information from Covad to assist in BellSouth's investigation of the Bona Fide Dispute. By way of example and not by limitation, a Bona Fide Dispute does not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a Bona Fide Dispute include the refusal to pay other amounts owed by Covad until the dispute is resolved. Covad shall not be obligated to pay billed items subject to a Bona Fide Dispute. Claims by Covad for damages of any kind will not be considered a Bona Fide Dispute for purposes of this Section 3.2. Once the Bona Fide Dispute is processed in accordance with Sections 3.3 and 3.3.1, Covad will make immediate payment on any of the disputed amount owed to BellSouth, plus interest and/or late payment charges at the rates set forth in BellSouth's applicable tariffs. Notwithstanding the foregoing, if BellSouth fails to conclude its investigation of the dispute and provide that conclusion to Covad within 45 days after BellSouth receives the dispute, the disputed charges will not be subject to late payment charges for the period between 45 days after BellSouth's receipt of the Bona Fide Dispute and BellSouth's response to Covad (the "Exemption Period"); provided, however, that such late payment charges applicable to the Exemption Period shall be billed to and paid by Covad with each bill. The Parties will meet twice each calendar year during the term of this Agreement at a time mutually acceptable to the Parties to adjust the late payment charges so paid, if applicable, and any such adjustment will be reflected as a semi-annual credit on Covad's bill. On disputed amounts resolved in favor of Covad, any applicable late payment charges will be adjusted from the date BellSouth receives the dispute to the date the dispute is resolved. If Covad fails to pay, BellSouth shall have the right to

pursue normal collection procedures, including termination or suspension for nonpayment pursuant to Section 1.8 hereof; provided however, BellSouth may not exercise such termination, suspension or other collection procedures (nor refuse to accept new applications or to process pending service orders) during the pendency of the Bona Fide Dispute. Any credits due to Covad that are the subject of a Bona Fide Dispute, will be applied to Covad's account by BellSouth immediately upon resolution of the dispute. In the event that Covad pays a bill that is subsequently disputed, and the dispute is resolved in Covad's favor, in whole or in part, then upon Covad's request, BellSouth will calculate and pay interest at the rate set forth in BellSouth's applicable tariff from the date BellSouth received the dispute to the date the dispute is resolved; provided, however, that the Parties will meet twice each calendar year during the term of this Agreement at a time mutually acceptable to the Parties to calculate all interest payments applicable to Covad under this Section, and such interest shall be applied to Covad's bill as a semi-annual credit thereon. The Bona Fide Dispute provisions are in addition to (and not in lieu of) any remedies available to either Party in connection with the dispute and either Party may seek relief pursuant to the Dispute Resolution provision of this Agreement.

3.3 In the event of a billing dispute, the Parties will endeavor to resolve the dispute within thirty (30) calendar days of the notification date. Resolution of a Bona Fide Dispute is expected to occur at the first level of management resulting in a recommendation for settlement of the Bona Fide Dispute and closure of a specific billing period. If BellSouth is investigating a dispute on behalf of Covad, BellSouth must respond to a Covad inquiry regarding the status of that investigation within seven (7) days of the inquiry. If the issues are not resolved within the allotted time frame as specified in this Section, the following resolution procedure will begin:

3.3.1 Either Party may ask to escalate the billing dispute in writing (including electronically) at any time. That dispute will then proceed to the next level of management, up to and including the Operations Assistant Vice President of Billing. Each level of management shall be allowed to review the dispute for at least 10 days before the other Party requests further escalation. After 75 days from the notification of the dispute, either Party may seek resolution of the dispute pursuant to the dispute resolution provisions of this Agreement.

3.4 If a Party disputes a charge and does not pay such charge by the payment due date, or pays a disputed charge under protest, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment penalty shall be assessed by the billing Party, subject to the terms of this Attachment. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date times the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff

for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. In no event, however, shall interest be assessed by either Party on any previously assessed late payment charges. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

4. RAO Hosting

4.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Covad by BellSouth will be in accordance with the methods and practices regularly adopted and applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.

4.2 Covad shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.

4.3 Compensation amounts, if applicable, will be billed by BellSouth to Covad on a monthly basis in arrears. Amounts due from one Party to the other (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.

4.4 Covad must have its own unique hosted RAO code. Requests for establishment of RAO status where BellSouth is the selected Centralized Message Distribution System (CMDS) interfacing host, require written notification from Covad to the BellSouth RAO Hosting coordinator at least eight (8) weeks prior to the proposed effective date. The proposed effective date will be mutually agreed upon between the Parties with consideration given to time necessary for the completion of required Telcordia (formerly BellCore) functions. BellSouth will request the assignment of an RAO code from its connecting contractor, currently Telcordia (formerly BellCore), on behalf of Covad and will coordinate all associated conversion activities.

4.5 BellSouth will receive messages from Covad that are to be processed by BellSouth, another LEC or CLEC in the BellSouth region or a LEC outside the BellSouth region.

4.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Covad.

4.7 All data received from Covad that is to be processed or billed by another LEC or CLEC within the BellSouth region will be distributed to that LEC or CLEC in

accordance with the Agreement(s) which may be in effect between BellSouth and the involved LEC or CLEC.

4.8 All data received from Covad that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) which may be in effect between BellSouth and its connecting contractor (currently Telcordia (formerly BellCore)).

4.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Covad and will forward them to Covad on a daily basis.

4.10 Transmission of message data between BellSouth and Covad will be via CONNECT:Direct.

4.11 All messages and related data exchanged between BellSouth and Covad will be formatted in accordance with accepted industry standards for EMI formatted records and packed between appropriate EMI header and trailer records, also in accordance with accepted industry standards.

4.12 Covad will ensure that the recorded message detail necessary to recreate files provided to BellSouth will be maintained for back-up purposes for a period of three (3) calendar months beyond the related message dates.

4.13 Should it become necessary for Covad to send data to BellSouth more than sixty (60) days past the message date(s), Covad will notify BellSouth in advance of the transmission of the data. If there will be impacts outside the BellSouth region, BellSouth will work with its connecting contractor and Covad to notify all affected Parties.

4.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, both Parties will work together to determine the source of the problem. Once the cause of the problem has been jointly determined and the responsible Party (BellSouth or Covad) identified and agreed to, the company responsible for creating the data (BellSouth or Covad) will make every effort to have the affected data restored and retransmitted. If the data cannot be retrieved, the responsible Party will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the end users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the date of problem resolution, or as mutually agreed upon by the Parties.

4.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Covad, the entire pack containing the affected data will not be

processed by BellSouth. BellSouth will notify Covad of the error condition. Covad will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Covad will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

4.16 In association with message distribution service, BellSouth will provide Covad with associated intercompany settlements reports (CATS and NICS) as appropriate.

4.17 In no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Agreement.

4.18 RAO Compensation

4.18.1 Rates for message distribution service provided by BellSouth for Covad are as set forth in Exhibit A to this Attachment.

4.18.2 Rates for data transmission associated with message distribution service are as set forth in Exhibit A to this Attachment.

4.18.3 Data circuits (private line or dial-up) will be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties.

4.18.4 All equipment, including modems and software, that is required on the Covad end for the purpose of data transmission will be the responsibility of Covad.

4.19 Intercompany Settlements Messages

4.19.1 This Section addresses the settlement of revenues associated with traffic originated from or billed by Covad as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Covad and the involved company(ies), unless that company is participating in NICS.

4.19.2 Both traffic that originates outside the BellSouth region by Covad and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Covad, is covered by this Agreement (CATS). Also covered is traffic that either is originated by or billed by Covad, involves a company other than Covad, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

4.19.3 Once Covad is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via Telcordia (formerly BellCore)'s, its successor or assign, NICS system.

4.19.4 BellSouth will receive the monthly NICS reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Covad. BellSouth will distribute copies of these reports to Covad on a monthly basis.

4.19.5 BellSouth will receive the monthly Calling Card and Third Number Settlement System (CATS) reports from Telcordia (formerly BellCore), its successor or assign, on behalf of Covad. BellSouth will distribute copies of these reports to Covad on a monthly basis.

4.19.6 BellSouth will collect the revenue earned by Covad from the Bell operating company in whose territory the messages are billed (CATS), less a per message billing and collection fee of five cents ($0.05), on behalf of Covad. BellSouth will remit the revenue billed by Covad to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents ($0.05), on behalf on Covad. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Covad via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

4.19.7 BellSouth will collect the revenue earned by Covad within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents ($0.05), on behalf of Covad. BellSouth will remit the revenue billed by Covad within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents ($0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Covad via a monthly Carrier Access Billing System (CABS) miscellaneous bill.

BellSouth and Covad agree that monthly netted amounts of less than fifty dollars ($50.00) will not be settled.

5. Optional Daily Usage File

5.1 Upon written request from Covad, BellSouth will provide the Optional Daily Usage File (ODUF) service to Covad pursuant to the terms and conditions set forth in this section.

5.2 Covad shall furnish all relevant information required by BellSouth for the provision of the Optional Daily Usage File.

5.3 The Optional Daily Usage Feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Covad customer.

Charges for delivery of the Optional Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

5.4 The Optional Daily Usage Feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

5.5 Messages that error in the billing system of Covad will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with Covad to determine the source of the errors and the appropriate resolution.

5.6 The following specifications shall apply to the Optional Daily Usage Feed.

5.6.1 Usage To Be Transmitted

5.6.1.1 The following messages recorded by BellSouth will be transmitted to Covad:

- Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, ETC.)
- Measured billable Local
- Directory Assistance messages
- IntraLATA Toll
- WATS & 800 Service
- N11
- Information Service Provider Messages
- Operator Services Messages
- Operator Services Message Attempted Calls (Network Element only)
- Credit/Cancel Records
- Usage for Voice Mail Message Service

5.6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on Optional Daily Usage File. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.

5.6.1.3 BellSouth will perform duplicate record checks on records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Covad.

5.6.1.4 In the event that Covad detects a duplicate on Optional Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth).

5.6.2 Physical File Characteristics

5.6.2.1 The Optional Daily Usage File will be distributed to Covad via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a variable block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

5.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Covad end for the purpose of data transmission will be the responsibility of Covad.

5.6.3 Packing Specifications

5.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

5.6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

The data will be packed using ATIS EMI records.

5.6.4 Pack Rejection

5.6.4.1 Covad will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Covad will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Covad by BellSouth.

5.6.5 Control Data

Covad will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Covad received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Covad for reasons stated in the above section.

5.6.6 Testing

5.6.6.1 Upon request from Covad, BellSouth shall send test files to Covad for the Optional Daily Usage File. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that Covad set up a production (LIVE) file. The live test may consist of Covad's employees making test calls for the types of services Covad requests on the Optional Daily Usage File. These test calls are logged by Covad, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

6. Access Daily Usage File

6.1. Upon written request from Covad, BellSouth will provide the Access Daily Usage File (ADUF) service to Covad pursuant to the terms and conditions set forth in this section.

6.2 Covad shall furnish all relevant information required by BellSouth for the provision of the Access Daily Usage File.

6.3 The Access Daily Usage Feed will contain access messages associated with a port that Covad has purchased from BellSouth.

6.4 Charges for delivery of the Access Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

6.5 Messages that error in the billing system of Covad will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with Covad to determine the source of the errors and the appropriate resolution.

6.6 Usage To Be Transmitted

6.6.1 The following messages recorded by BellSouth will be transmitted to Covad:

Originating and terminating interstate and intrastate access records associated with a port.

Terminating access records for undetermined jurisdiction access records associated with a port.

6.6.2 When Covad purchases Network Element ports from BellSouth and calls are made using these ports, BellSouth will handle the calls as follows:

Originating from Network Element and carried by Interexchange Carrier:

BellSouth will bill network element to CLEC and send access record to the CLEC via ADUF

Originating from network element and carried by BellSouth (Covad is BellSouth's toll customer):

BellSouth will bill resale toll rates to Covad and send toll record for the end user toll billing purposes via ODUF (Optional Daily Usage File). Access record will be sent to Covad via ADUF.

Terminating on network element and carried by Interexchange Carrier:

BellSouth will bill network element to Covad and send access record to Covad.

Terminating on network element and carried by BellSouth:

BellSouth will bill network element to Covad and send access record to Covad.

6.6.3 BellSouth will perform duplicate record checks on records processed to the Access Daily Usage File. Any duplicate messages detected will be dropped and not sent to Covad.

6.6.4 In the event that Covad detects a duplicate on the Access Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth.)

6.6.5 Physical File Characteristics

6.6.5.1 The Access Daily Usage File will be distributed to Covad via an agreed medium with CONNECT:Direct being the preferred transport method. The Daily Usage Feed will be a fixed block format (2476) with an LRECL of 2472. The data on the Daily Usage Feed will be in a non-compacted EMI format (210 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays). Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.

6.6.5.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Covad end for the purpose of data transmission will be the responsibility of Covad.

6.6.6 Packing Specifications

6.6.6.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

6.6.6.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

The data will be packed using ATIS EMI records.

6.6.7 Pack Rejection

6.6.7.1 Covad will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. Covad will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Covad by BellSouth.

6.6.8 Control Data

Covad will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Covad received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Covad for reasons stated in the above section.

6.6.9 Testing

6.6.9.1 Upon request from Covad, BellSouth shall send test files to Covad for the Access Daily Usage File. Testing shall consist of actual calls made from live accounts. A call log shall be supplied along with test request information. The Parties agree to review and discuss the file's content and/or format.

7. Enhanced Optional Daily Usage File

7.1 Upon written request from Covad, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to Covad pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.

7.2 Covad shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.

7.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.

Charges for delivery of the Enhanced Optional Daily Usage File will appear on Covads' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

7.4 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.

7.5 Messages that error in the billing system of Covad will be the responsibility of Covad. If, however, Covad should encounter significant volumes of errored messages that prevent processing by Covad within its systems, BellSouth will work with Covad to determine the source of the errors and the appropriate resolution.

7.6 The following specifications shall apply to the Optional Daily Usage Feed.

7.6.1 Usage To Be Transmitted

7.6.1.1 The following messages recorded by BellSouth will be transmitted to Covad:

Customer usage data for flat rated local call originating from CLEC end user lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call
From Number
To Number
Connect Time
Conversation Time
Method of Recording
From RAO
Rate Class
Message Type
Billing Indicators
Bill to Number

7.6.1.2 BellSouth will perform duplicate record checks on EODUF records processed to Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to Covad.

7.6.1.3 In the event that Covad detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, Covad will drop the duplicate message (Covad will not return the duplicate to BellSouth).

7.6.2 Physical File Characteristics

7.6.2.1 The Enhanced Optional Daily Usage Feed will be distributed to Covad over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among Covad's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).

7.6.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Covad for the purpose of data transmission. Where a dedicated line is required, Covad will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Covad will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on a case by case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Covad. Additionally, all message toll charges associated with the use of the dial circuit by Covad will be the responsibility of Covad. Associated equipment on the BellSouth end, including a modem, will be negotiated on a case by case basis between the Parties. All equipment, including modems and software, that is required on Covad end for the purpose of data transmission will be the responsibility of Covad.

7.6.3 Packing Specifications

7.6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

7.6.3.2 The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Covad which BellSouth RAO that is sending the message. BellSouth and Covad will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Covad and resend the data as appropriate.

The data will be packed using ATIS EMI records.

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($) Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	0.004										
		ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF: Recording, per message				N/A	0.0002										
		ODUF Message Processing, per message				N/A	0 0033										
		ODUF, Message Processing, per Magnetic Tape provisioned				N/A	55 19										
		ODUF, Data Transmission (CONNECT:DIRECT), per message				N/A	0 00004										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS: Message Processing, per message				N/A	0 004										
		CMDS, Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF Message Processing, per message															
		ADUF Data Transmission (CONNECT DIRECT), per message															
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF Recording, per message				N/A	0 0000068										
		ODUF Message Processing, per message				N/A	0 006614										
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	48 77										
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 00010772										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS Message Processing, per message				N/A	0 004										
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
										Disconnect							
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	0.0136327										
		ADUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0.0000434										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF Recording, per message				N/A	0.0001275										
		ODUF. Message Processing, per message				N/A	0 0082548										
		ODUF. Message Processing, per Magnetic Tape provisioned				N/A	28.85										
		ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0 0000434										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS: Message Processing, per message				N/A	0 004										
		CMDS. Data Transmission (CONNECT:DIRECT), per message				N/A	0 001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF Message Processing, per message				N/A	0 004										
		ADUF. Data Transmission (CONNECT DIRECT), per message				N/A	0.001										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF. Recording, per message				N/A	0.0008611										
		ODUF. Message Processing, per message				N/A	0.0032357										
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	55.68										
		ODUF. Data Transmission (CONNECT DIRECT), per message				N/A	0 0000365										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS. Message Processing, per message				N/A	0.004										
		CMDS Data Transmission (CONNECT DIRECT), per message				N/A	0 001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	Disconnect First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF Message Processing, per message				N/A	0 007983										
		ADUF. Data Transmission (CONNECT DIRECT), per message				N/A	0.00012681										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF: Recording, per message				N/A	0.0000117										
		ODUF. Message Processing, per message				N/A	0 004641										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.45										
		ODUF Data Transmission (CONNECT.DIRECT), per message				N/A	0 00010568										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS. Message Processing, per message				N/A	0 004										
		CMDS. Data Transmission (CONNECT.DIRECT), per message				N/A	0 001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF Message Processing, per message				N/A	0.004										
		ADUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0.001										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF. Recording, per message				N/A	0.0000063										
		ODUF: Message Processing, per message				N/A	0 0047070										
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	49 04										
		ODUF. Data Transmission (CONNECT.DIRECT), per message				N/A	0 0001067										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS Message Processing, per message				N/A	0.004										
		CMDS Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	0.004										
		ADUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0.001										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF: Recording, per message				N/A	0.0003										
		ODUF Message Processing, per message				N/A	0.0032										
		ODUF: Message Processing, per Magnetic Tape provisioned				N/A	54.61										
		ODUF Data Transmission (CONNECT:DIRECT), per message				N/A	0.0004										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS Message Processing, per message				N/A	0.004										
		CMDS Data Transmission (CONNECT.DIRECT), per message				N/A	0.001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($) Nonrecurring Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	OSS RATES ($) Svc Order Submitted Elec per LSR SOMEC	Svc Order Submitted Manually per LSR SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Add'l SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	ACCESS DAILY USAGE FILE (ADUF)																
		ADUF: Message Processing, per message				N/A	0 004										
		ADUF: Data Transmission (CONNECT.DIRECT), per message				N/A	0 001										
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF. Recording, per message				N/A	0 0002862										
		ODUF. Message Processing, per message				N/A	0.0032344										
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	54.72										
		ODUF. Data Transmission (CONNECT DIRECT), per message				N/A	0.0000357										
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS. Message Processing, per message				N/A	0.004										
		CMDS. Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

CATEGORY	NOTES	UNBUNDLED NETWORK ELEMENT	Interim	Zone	BCS	USOC	RATES ($)					OSS RATES ($)					
								Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/EDOUF/ADUF/CMDS																	
	OPTIONAL DAILY USAGE FILE (ODUF)																
		ODUF Recording, per message				N/A	0 0000044										
		ODUF Message Processing, per message				N/A	0 0027366										
		ODUF Message Processing, per Magnetic Tape provisioned				N/A	52 75										
		ODUF Data Transmission (CONNECT DIRECT), per message				N/A	0 0000339										
	Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party																

Attachment 8

Rights-of-Way, Conduits and Pole Attachments

Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

Attachment 9

Performance Measurements

Performance Measurements

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. BellSouth will provide electronic access to Performance Measurement data.

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
COVAD
BellSouth Standard Interconnection Agreement

Agreement Effective Date:	**Agreement Expiration Date:**
Account Manager:	**Account Manager Tel No:**

Attachment Name/Number	Section Number	Version Date	Planned Activities
Terms/Conditions PartA	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	
	7	2/29/00	
	8	2/29/00	
	9	2/29/00	
	10	2/29/00	
	11	2/29/00	
	12	2/29/00	
	13	2/29/00	
	14	2/29/00	
	15	2/29/00	
	16	2/29/00	
	17	2/29/00	
	18	2/29/00	
	19	2/29/00	
	20	2/29/00	
	21	2/29/00	
	22	2/29/00	
	23	2/29/00	
	24	2/29/00	
	25	2/29/00	
	26	2/29/00	
Terms/Conditions Part B		2/29/00	

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
COVAD
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
1-Resale	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	
	7	2/29/00	
	8	2/29/00	
	9	2/29/00	
	10	2/29/00	
	11	2/29/00	
	12	2/29/00	
	13	2/29/00	
	Exhibit A	2/29/00	
	Exhibit B	2/29/00	
	Exhibit C	2/29/00	
	Exhibit D	2/29/00	
	Exhibit E	2/29/00	
	Exhibit F	2/29/00	
	Exhibit G	2/29/00	
		2/29/00	
2-Network Elements & Other Services	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	
	7	2/29/00	
	8	2/29/00	
	9	2/29/00	

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
COVAD
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	10	2/29/00	
	11	2/29/00	
	12	2/29/00	
	13	2/29/00	
	14	2/29/00	
	15	2/29/00	
	16	2/29/00	
	17	2/29/00	
	Exhibit A	2/29/00	
	Exhibit B	2/29/00	
	Exhibit C	2/29/00	
3-Local Interconnection	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	
	7	2/29/00	
	8	2/29/00	
	Exhibit A	2/29/00	
	Exhibit B	2/29/00	
	Exhibit C	2/29/00	
	Exhibit D	2/29/00	
	Exhibit E	2/29/00	
4-Physical Collocation	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
COVAD
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	7	2/29/00	
	8	2/29/00	
	9	2/29/00	
	10	2/29/00	
	11	2/29/00	
	12	2/29/00	
	13	2/29/00	
	14	2/29/00	
	Exhibit A	2/29/00	
	Exhibit B	2/29/00	
5-Access to Numbers & Number Portability	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	
	7	2/29/00	
	8	2/29/00	
	Exhibit A	2/29/00	
6-Ordering/Provisioning	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
7-Billing & Billing Accuracy Certification	1	2/29/00	
	2	2/29/00	
	3	2/29/00	
	4	2/29/00	
	5	2/29/00	
	6	2/29/00	
	7	2/29/00	

AGREEMENT IMPLEMENTATION TEMPLATE (Residence)
for
COVAD
BellSouth Standard Interconnection Agreement

Attachment Name/Number	Section Number	Version Date	Planned Activities
	Exhibit A	2/29/00	
8-ROW/Conduits/PoleAtt	1	2/29/00	
9-Perf Measurement	Pre-Ordering	2/29/00	
	Ordering	2/29/00	
	Provisioning	2/29/00	
	Maint/Repair	2/29/00	
	Billing	2/29/00	
	Opr Svcs/DA	2/29/00	
	E911	2/29/00	
	Trunk Grp Perf	2/29/00	
	Collocation	2/29/00	
	Appendix A	2/29/00	
	Appendix B	2/29/00	
	Appendix C	2/29/00	
10-Executive Summary		2/29/00	
		2/29/00	
11-Disaster Recovery		2/29/00	
		2/29/00	

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
DIECA
BellSouth Standard Interconnection Agreement

Agreement Effective Date:	**Agreement Expiration Date:**
Account Manager:	**Account Manager Tel No:**

Attachment Name	Section No.	Version Date	Planned Activities
Terms/Conditions PartA	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	19		
	20		
	21		
	22		
	23		
	24		
	25		
	26		
Terms/Conditions Part B			

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
DIECA
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
1-Resale	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		
	11		
	12		
	13		
	Exhibit A		
	Exhibit B		
	Exhibit C		
	Exhibit D		
	Exhibit E		
	Exhibit F		
	Exhibit G		
	Exhibit H		
2-Network Elements & Other Services	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
DIECA
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	Exhibit A		
	Exhibit B		
	Exhibit C		
3-Local Interconnection	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
4-Physical Collocation	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	9		
	10		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
DIECA
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	11		
	12		
	13		
	14		
	Exhibit A		
	Exhibit B		
5-Access to Numbers & Number Portability	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
	Exhibit A		
6-Ordering/Provisioning	1		
	2		
	3		
7-Billing & Billing Accuracy Certification	1		
	2		
	3		
	4		
	5		
	6		
	7		
	Exhibit A		
8-ROW/Conduits/PoleAtt	1		
9-Perf Measurement	Pre-Ordering		
	Ordering		

AGREEMENT IMPLEMENTATION TEMPLATE (Business)
for
DIECA
BellSouth Standard Interconnection Agreement

Attachment Name	Section No.	Version Date	Planned Activities
	Provisioning		
	Maint/Repair		
	Billing		
	Opr Svcs/DA		
	E911		
	Trunk Grp Perf		
	Collocation		
	Appendix A		
	Appendix B		
	Appendix C		

Attachment 11
BellSouth Disaster Recovery Plan

2000
BELLSOUTH

DISASTER RECOVERY PLANNING

For

CLECS

CONTENTS

PAGE

1.0 Purpose 4
2.0 Single Point of Contact 4
3.0 Identifying the Problem 4
3.1 Site Control 5
3.2 Environmental Concerns 6
4.0 The Emergency Control Center (ECC) 6
5.0 Recovery Procedures 7
5.1 CLEC Outage 7
5.2 BellSouth Outage 7
5.2.1 Loss of Central Office 8
5.2.2 Loss of a Central Office with Serving Wire Center Functions 8
5.2.3 Loss of a Central Office with Tandem Functions 8
5.2.4 Loss of a Facility Hub 9
5.3 Combined Outage (CLEC and BellSouth Equipment) 9
6.0 T1 Identification Procedures 9
7.0 Root Cause Analysis 10
8.0 Acronyms 11

1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed to hasten the recovery process. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

BellSouth's NMC will directly inform Covad's NMC using a mutually agreed to method of communication about all Abnormal Condition Reports (ARDs) that affect Covad circuits or put Covad circuits, equipment or employees at risk. This includes, but is not limited to T1, DS3, Node failures and SONET outages. The contact number for the Covad NOC (NMC) is 888-801-6285 or 408-434-2100. The BellSouth reporting party should ask for the Covad Duty Director or Duty Manager when making such report.

3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only; BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used

will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

BellSouth and Covad agree to work cooperatively to establish a working agreement between the BellSouth and Covad Network Management Center. The agreement will include at a minimum, method of informing Covad that an ECC is activated or put on alert status, timing of such contact intervals, escalation contacts, and reporting criteria.

3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire & life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to insure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.

2. Asbestos containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.

3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.

4. Mercury and other regulated compounds resident in telephone equipment.

5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Colonnade Building in Birmingham, Alabama. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involve with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available; leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of who's equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service for Hospitals, Police and other emergency agencies; and

e) Begin restoring service to CLECs and other customers.

5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in section 5.2.1.

5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service for Hospitals, Police and other emergency agencies;

e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;

f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

g) Begin restoring service to CLECs and other customers.

5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

a) Placing specialists and emergency equipment on notice;

b) Inventorying the damage to determine what equipment and/or functions are lost;

c) Moving containerized emergency equipment to the stricken area, if necessary;

d) Reconnecting service for Hospitals, Police and other emergency agencies; and

e) Restoring service to CLECs and other customers. If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently then normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

7.0 ROOT CAUSE ANALYSIS

Upon request and on a case by case basis, BellSouth shall provide Covad with documentation about the Abnormal Condition Reports or disaster related events that effected or put Covad's equipment, network or employees at risk. The documentation should include, but is not limited to, the following:

Description of the incident or outage
Date of Incident:
Time of Incident:
Duration of Outage:
Geographic Area Affected:
CLLI:
Estimated Number of Customers Affected:
Type of Services Affected:

Cause of the Incident, Including Name and Type of Equipment Involved and Specific Part(s) of the Network Affected:
Root Cause Analysis:
Direct Cause:
Consequential Effects
Affected Element:
Outage Cause:
Duration Cause: (include appropriate "Log" timeline entries --OSLOG, DOLOG, etc)
Root Cause Finding:
Methods Used to Restore Service:
Steps Taken to Prevent Recurrence:
Follow up Contact information on the person who supplied the report

This information should be emailed to the Covad NOC Director. This will enable Covad and BellSouth to work together to improve future disaster recovery plans and procedures.

8.0 ACRONYMS

CO	-	Central Office (BellSouth)
DS3	-	Facility that carries 28 T1s (672 circuits)
ECC	-	Emergency Control Center (BellSouth)
CLEC	-	Competitive Local Exchange Carrier
NMC	-	Network Management Center
SWC	-	Serving Wire Center (BellSouth switch)
T1	-	Facility that carries 24 circuits

Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.