Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C.. Flows to be Used for for

Section 1 - Division of Records and Repo...ng (RAR) Completes

000154-SU

Docket No.

Wastewater Treatment Plant Used and Useful Calculations. Company: SU Official Filing Date: Expiration: Last Day to Suspend: AFA (APP) CAF CMU EAG GCL LEG RAR PAI WAW Referred to: X ("()" indicates OPR) X Time Schedule Section 2 - OPR Completes and returns to RAR in 10 workdays. WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT. IT IS TENTATIVE AND SUBJECT TO REVISION. FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Current CASR revision level Program/Module A19 Staff Assignments Due Dates OPR Staff Previous Current 2 Staff Counsel 5 OCRs ( ) 8 10 11. 12. 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 Recommended assignments for hearing 31 32 and/or deciding this case: 33 Commission Panel 34 Full Commission Hearing Examiner \_\_\_\_ Staff 35 36 37 Date filed with RAR: 38 Initials: OPR 39 Staff Counsel 40. Section 3 - Chairman Completes Assignments are as follows: - Prehearing Officer - Hearing Officer(s) Hrg. Commissioners ADM. Commissioners Staff DOCUMENT NO. Exam. DS JC ALL GR DS CL JN JC GR CL JN Where panels are assigned the senior Commissioner is Panel Chairman; Approved: the identical panel decides the case. Where one Commissioner, a Hearing Examiner or a Staff Member is

PSC/RAR-15 (Rev. 1/98)

assigned the full Commission decides the case.

\* COMPLETED EVENTS

Date: / /

## Section 1 - Division of Records and Reporting (RAR) Completes

Docket No. 000154-SU

Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations.

Company: Wastewater Utilities

Official Filing Last Day to Susp		Expi	ration:		_								
Referred to: ("()" indicates	OPR)			PP) CAF	CMU	EAG	GCL	LEG X	RAR	PAI	WAW X		
Section 2 - OPR	Completes and retur	ns to RAF	in 10	workdays.				Tim	e Sched	ule			
Program/Module	A19			ARNING: TH						DOCUMENT	<u>r.</u>		
OPR Staff	Staff Assignment		F	T IS TENTA OR UPDATES Current CA	CONTACT	THE REGION Leve	CORDS S			413-6770		Due Da	<u>tes</u> Current
Staff Counsel  OCRs (WAW)	B Crouch, M Willis			1. Staff 2. Agenda 3. FAW No 4. RAR No 5. FAW No 6. Reques 7. File R	- Regul tice Fil tice tice Pub t for He	ar ed lished aring/C	omments				NON NON NON	E   0-	4/06/2000 4/18/2000 4/25/2000 4/28/2000 5/04/2000 5/25/2000
(AFA)	C Hewitt			8 9 10 11 12 13									6/09/2000
(LEG)	R Jaeger			14. 15. 16. 17. 18.									
( )				20. 21. 22. 22. 23.									
( )				25 26 27 28									
Recommended assi and/or deciding	gnments for hearing this case:			30. 31. 32.							_		
Full Commission Hearing Examin	on X Commissio	n Panel	_	35							_		
	RAR: 02/18/2000			37							_		
Initials: OPR Staff	Counsel			38. 39. 40.									

### Section 3 - Chairman Completes

Assignments are as follows:

#### - Hearing Officer(s)

	Comm	ission	ners			Hrg. Exam.	Staff
ALL	GR	DS	CL	JN	JC	LAdilla	
х							

Where panels are assigned the senior Commissioner is Panel Chairman; the identical panel decides the case. Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

- Prehearing Officer

	Comm	issio	ners		ADM
GR	DS	CL	JN	JC	
		х			-

Approved:

Date: 02/18/2000

Section 1 - Division of Records and Reporting (RAR) Completes

Docket No. 000154-SU

Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations.

Company: Wastewater Utilities

Official Filing Last Day to Sus			Ex	piratio	on: _									
Referred to: ("()" indicates	OPR)		ADM	AFA X	(APP)	CAF		EAG	GCL	LEG X	RAR	PAI	WAW X	
Section 2 - OPR	Completes	s and retu	rns to	RAR in	10 work	days.				Tim	e Sched	<u>lule</u>		,
Program/Module	A19				WARNI	NG: THI	S SCHED	ULE IS	AN INTE	RNAL PL	ANNING	DOCUMEN	<u>T.</u>	
OPR Staff	Staf C Moore	ff Assignme			FOR U	PDATES	CONTACT	SUBJEC THE REsion lev	CORDS S	VISION. ECTION:	(850)	413-677		<u>Dates</u>
							1						Previous	Current
Staff Counsel OCRs (WAW)	B Crouch,	, M Willis			2. 3. 4. 5. 6. 7. 8.	Staff R Agenda FAW Not RAR Not FAW Not Request File Ru	ice Fil ice ice Pub for He	ed lished earing/C	omments ASR	Due			04/18/2000 04/25/2000 04/28/2000 05/04/2000	05/09/2000 06/08/2000 06/20/2000 06/27/2000 06/30/2000 07/07/2000 07/28/2000 08/11/2000
(AFA)					10. 11. 12. 13.									
(LEG)	R Jaeger				15. 16. 17. 18.									
( )					21.									
( )			-		25. 26. 27. 28.									
Recommended assand/or deciding			9		31.									
Full Commission Hearing Examin	on <u>X</u> ner	Commission Staff	on Pane	1 _	34.									
Date filed with	RAR: <u>04/0</u>	07/2000			37.									
Initials: OPR Staf	f Counsel	-			39.									
Section 3 - Cha	irman Comp	oletes						allous.						

Assignments are as follows:

- Hearing Officer(s)

	Comm	ission	ners			Hrg. Exam.	Staff
ALL	GR	DS	CL	JC	JB	EXaiii.	
Χ							

Where panels are assigned the senior Commissioner is Panel Chairman; the identical panel decides the case. Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

- Prehearing Officer

	Comm <sup>-</sup>	ission	ners		ADM
GR	DS	CL	JC	JB	
		Χ			

Approved:

Date: 04/11/2000

(RAR) Completes

Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations. Docket No. 000154-SU Date Docketed: 02/07/2000 Title: Company: Wastewater Utilities Official Filing Date: Last Day to Suspend: Expiration: Referred to: ("()" indicates OPR) ADM AFA (APP) CAF CMU EAG GCL LEG RAR PAI WAW X Χ Section 2 - OPR Completes and returns to RAR in 10 workdays. Time Schedule WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT. IT IS TENTATIVE AND SUBJECT TO REVISION. FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Program/Module A19 Staff Assignments Current CASR revision level Due Dates OPR Staff C Moore Previous Current Revised CASR Due 1. 2. 3. NONE 11/15/2000 4 Staff Counsel 5. OCRs (WAW) B Crouch, M Willis 6 8. 9 10. (AFA) C Hewitt 11. 12. 13. 14. 15. (LEG) R Jaeger 16. 17 18. 19. 20. 21. 22. 23. 24. 25 26 27 28. 29. 30. Recommended assignments for hearing 31. and/or deciding this case: 32 33 Full Commission X 34 Commission Panel Hearing Examiner 35 Staff 36 Date filed with RAR: 05/16/2000 37. 38. 39 Initials: OPR Staff Counsel 40. Section 3 - Chairman Completes Assignments are as follows: - Hearing Officer(s) - Prehearing Officer Hrg. Commissioners Staff Commissioners **ADM** Exam. ALL GR DS CL JC JB GR DS CL JC JB Χ χ Where panels are assigned the senior Commissioner is Panel Chairman;

PSC/RAR-15 (Rev. 2/00)

the identical panel decides the case.

assigned the full Commission decides the case.

Where one Commissioner, a Hearing Examiner or a Staff Member is

Section 1 - Division of Records and Report.

\* COMPLETED EVENTS

Approved:

Date: 05/16/2000

N

## Section 1 - Bureau of Records and Hearing Services Completes

Docket No. 000154-SU

Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations.

Company: Wastewater Utilities

Official Filing Last Day to Susp	Date: pend:	Expiration:	
Referred to: ("()" indicates	OPR)	(APP) CAF CCA CMP ECR GCL LEG PAI RGO SER  X X X	
Section 2 - OPR	Completes and returns t	o CCA in 10 workdays. <u>Time Schedule</u>	
Program/Module	A19 <u>Staff Assignments</u>	WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENTIT IS TENTATIVE AND SUBJECT TO REVISION. FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Current CASR revision level	<del>_</del>
OPR Staff	C Moore	1. Staff Recommendation 2. Agenda 3. FAW Notice Filed 4. Notice Proposing Rulemaking	Previous Current    NONE   10/04/2001     NONE   10/16/2001     NONE   10/30/2001     NONE   11/02/2001
Staff Counsel OCRs (LEG)	R Jaeger	5. Notice to JAPC 6. FAW Notice Published 7. Request for Hearing/Comments Due 8. File Rule or Revise CASR	NONE 11/05/2001
(ECR)	B Crouch, C Hewitt, M W	illis	
( )		19. 20. 21. 22.	
( )		24. 25. 26.	
( )			
and/or deciding	ignments for hearing this case:  on X Commission Paner Staff	32. 33. nel 34.	
Date filed with	CCA: <u>08/07/2001</u>	36. 37. 38.	_
Staft Section 3 - Char	f Counsel	40.	

Assignments are as follows:

### - Hearing Officer(s)

	Comm	ission	ners			Hrg. Exam.	Staff
ALL	JC	DS	JB	BZ	PL	LAdiii.	
Χ							

Where panels are assigned the senior Commissioner is Panel Chairman; the identical panel decides the case. Where one Commissioner, a Hearing Examiner or a Staff Member is

assigned the full Commission decides the case.

- Prehearing Officer

	-	Comm	ission	ners		ADM
	JC	DS	JB	BZ	PL	
					Χ	
1				01		

Approved:

Date: 08/07/2001

Section 1 - Bureau of Records and Hearing	Section	1	_	Bureau	of	Records	and	Hearing
---	---------	---	---	--------	----	---------	-----	---------

vices Completes

Docket	No.	000154-SU

Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations.

Company: Wastewater Utilities

Official Filing Last Day to Sus		xpiration:	
Referred to: ("()" indicates		APP) CAF CCA CMP ECR GCL LEG PAI RGO SER  X X X	
Section 2 - OPR	Completes and returns to	CCA in 10 workdays. <u>Time Schedule</u>	
Program/Module	A19 <u>Staff Assignments</u>	WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT. IT IS TENTATIVE AND SUBJECT TO REVISION. FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Current CASR revision level	Due Dates
OPR Staff	C Moore		Previous Current
Staff Counsel  OCRs (LEG)	R Jaeger	2. Agenda 3. FAW Notice Filed 4. Notice Proposing Rulemaking 5. Notice to JAPC 6. FAW Notice Published 7. Request for Hearing/Comments Due	10/04/2001 10/16/2001 10/30/2001 11/02/2001 11/05/2001 11/05/2001 11/09/2001 11/30/2001 11/30/2001 12/21/2001 11/30/2001 12/21/2001 12/28/2001 12/21/2001 12/21/2001
(ECR)	B Crouch, C Hewitt, M Wi	11. 12. 13. 14.	
( )		15. 16. 17. 18.	
( )		20. 21. 22.	
( )		24. 25. 26.	
( )		28. 29. 30.	
Recommended ass and/or deciding	ignments for hearing this case:	31	
Full Commissi Hearing Exami	on X Commission Pane ner Staff	35.	
Date filed with	CCA: 10/08/2001	36. 37.	
Initials: OPR Staf	f Counsel	38. 39. 40.	
Section 3 - Cha	irman Completes		

Assignments are as follows:

- Hearing Officer(s)

	Comm	ission	ners			Hrg. Exam.	Staff
ALL	JC	DS	JB	BZ	PL	EXaiii.	
Χ							

Where panels are assigned the senior Commissioner is Panel Chairman;

the identical panel decides the case.

Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

- Prehearing Officer

	ADM				
JC	DS	JB	BZ	PL	
				Χ	

Approved:

Section 1 - Bureau of Records and Hearing of ices Completes

Docket No. 000154-SU Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations. Company: Wastewater Utilities Official Filing Date: Last Day to Suspend: Expiration: (APP) CAF CCA CMP ECR GCL LEG PAI RGO SER Referred to: ("()" indicates OPR) \_\_\_\_X \_\_\_X Section 2 - OPR Completes and returns to CCA in 10 workdays. Time Schedule WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT.
IT IS TENTATIVE AND SUBJECT TO REVISION.
FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Program/Module A19 Staff Assignments Current CASR revision level Due Dates OPR Staff C Moore 5 Previous Current 1. Staff Recommendation 11/19/2001 01/10/2002 Agenda 12/04/2001 01/22/2002 12/18/2001 01/29/2002 3. FAW Notice Filed 12/21/2001 02/04/2002 4. Notice Proposing Rulemaking 5. Notice to JAPC 12/27/2001 12/28/2001 02/04/2002 Staff Counsel FAW Notice Published 02/08/2002 Request for Hearing/Comments Due 01/18/2002 03/01/2002 OCRs (LEG) File Rule or Revise CASR 01/31/2002 03/18/2002 R Jaeger 10. 11. (ECR) C Hewitt, M Wetherington, 12. M Willis 13. 14. 15. 16. 17. 18. 19. 20. 21. 22 23. 24. ) 25. 26 . 27 . ) 28. 29 30. Recommended assignments for hearing 31. and/or deciding this case: 32. 33 Hearing Examiner 34 Commission Panel Staff 35. 36 Date filed with CCA: 11/20/2001 37. 38. Initials: OPR 39. Staff Counsel 40. Section 3 - Chairman Completes Assignments are as follows: - Hearing Officer(s) - Prehearing Officer Commissioners Hrg. Staff ADM Commissioners Exam. ALL JC DS BZ PL PL JC JB BZ X Where panels are assigned the senior Commissioner is Panel Chairman: the identical panel decides the case. Approved:

PSC/CCA015-C (Rev. 10/01)

Where one Commissioner, a Hearing Examiner or a Staff Member is

assigned the full Commission decides the case.

Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for

Wastewater Treatment Plant Used and Useful Calculations.

ces Completes

Company: Wastewater Utilities Official Filing Date: Last Day to Suspend: Expiration: (APP) CAF CCA CMP ECR GCL LEG PAI RGO SER Referred to: ("()" indicates OPR) Section 2 - OPR Completes and returns to CCA in 10 workdays. Time Schedule WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT. IT IS TENTATIVE AND SUBJECT TO REVISION. FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Program/Module A19 Staff Assignments Current CASR revision level Due Dates OPR Staff C Moore 6 Previous Current Staff Recommendation 01/10/2002 03/07/2002 01/22/2002 03/19/2002 2. Agenda 3. 01/29/2002 02/04/2002 03/26/2002 FAW Notice Filed Notice Proposing Rulemaking Notice to JAPC 4. 03/29/2002 02/04/2002 03/29/2002 5. 02/08/2002 03/01/2002 04/05/2002 Staff Counsel FAW Notice Published Request for Hearing/Comments Due File Rule or Revise CASR 04/26/2002 OCRs (LEG) 03/18/2002 8. 05/14/2002 R Jaeger 9 10. 11 Hewitt, M Wetherington, (ECR) 12. 13. M Willis 14 15. 16 17 18. 19 20 21. 22 23. 25 26 27. 28. 29 30. Recommended assignments for hearing 31 and/or deciding this case: 32 33. Full Commission X Hearing Examiner \_\_\_ 34 Commission Panel 35 Staff 36 Date filed with CCA: 01/15/2002 37 38. 39 Initials: OPR Staff Counsel 40. Section 3 - Chairman Completes Assignments are as follows: - Prehearing Officer - Hearing Officer(s) Commissioners Hrg. Staff Commissioners **ADM** Exam ALL JB DS PL BD BZ JB DS BZ PL BD Χ Χ Where panels are assigned the senior Commissioner is Panel Chairman; the identical panel decides the case.

PSC/CCA015-C (Rev. 01/02)

Where one Commissioner, a Hearing Examiner or a Staff Member is

assigned the full Commission decides the case.

Section 1 - Bureau of Records and Hearing S

Docket No. 000154-SU

\* COMPLETED EVENTS

Approved:

Section 1 - Bureau of Records and Hearing Section 1 - Completes

Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations. Docket No. 000154-SU Date Docketed: 02/07/2000 Title:

Company: Wastewater Utilities

Official Filing Date:	Expiration:	
Referred to: ("()" indicates OPR)	AUS CAF CCA CMP ECR EXT (GCL) MMS PIF	
Section 2 - OPR Completes	s and returns to CCA in 10 workdays. <u>Time Schedule</u>	
Program/Module A19 Staff OPR Staff C Moore,	### WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT IT IS TENTATIVE AND SUBJECT TO REVISION.  FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-677 Current CASR revision level  7	70  Due Dates  Previous Current
Staff Counsel	1. Staff Recommendation 2. Agenda 3. FAW Notice Filed 4. Notice Proposing Rulemaking 5. Notice to JAPC 6. FAW Notice Published 7. Request for Hearing/Comments Due 8. File Rule or Revise CASR	03/29/2002 05/31/2002 03/29/2002 05/31/2002 04/05/2002 06/07/2002
( )	9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27.	
Recommended assignments f and/or deciding this case  Full Commission X Hearing Examiner  Date filed with CCA: 03/0  Initials: OPR Staff Counsel	20.   29.   30.   31.	

#### Section 3 - Chairman Completes

Assignments are as follows:

- Hearing Officer(s)

	Commissioners					Hrg. Exam.	Staff
ALL	JB	DS	BZ	PL	BD	LAdiii.	
Χ							

Where panels are assigned the senior Commissioner is Panel Chairman; the identical panel decides the case. Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

- Prehearing Office	er
---------------------	----

	ADM				
JB	DS	BZ	PL	BD	
			Χ		

Approved:

Date Docketed: 02/07/2000 Title: Proposed Rule 25-30.432, F.A.C., Flows to be Used for

Wastewater Treatment Plant Used and Useful Calculations.

Section 1 - Bureau of Records and Hearing \_\_\_\_ices Completes

Docket No. 000154-SU

Company: Wastewater Utilities Official Filing Date: Last Day to Suspend: Expiration: Referred to: AUS CAF CCA CMP ECR EXT (GCL) MMS PIF ("()" indicates OPR) Section 2 - OPR Completes and returns to CCA in 10 workdays. Time Schedule Program/Module A19 WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT. IT IS TENTATIVE AND SUBJECT TO REVISION. Staff Assignments FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Current CASR revision level Due Dates OPR Staff C Moore, R Jaeger 8 Previous Current Staff Recommendation 05/09/2002 05/21/2002 06/06/200 Agenda FAW Notice Filed 06/18/2002 3. 06/28/2002 4. Notice Proposing Rulemaking 05/31/2002 5. Notice to JAPC 06/28/2002 FAW Notice Published Staff Counsel 06/07/2002 06/28/2002 Request for Hearing/Comments Due OCRs (ECR) C Hewitt, M Wetherington, 8. File Rule or Revise CASR 07/16/2002 08/14/2002 M Willis 10. 11 ( ) 12 13. 14. 15. 16. 17 18. 19. 20 21. 22 23 24 25 26 27. ( ) 28. 29 30. Recommended assignments for hearing 31. and/or deciding this case: 32 33. Full Commission X Hearing Examiner 34 Commission Panel 35 36. Date filed with CCA: 05/09/2002 37. 38 Initials: OPR 39 Staff Counsel 40. Section 3 - Chairman Completes Assignments are as follows: - Hearing Officer(s) - Prehearing Officer Commissioners Hrg. Staff Commissioners ADM Exam. ALL JB DS BZ PL BD JB DS ΒZ PL X X Where panels are assigned the senior Commissioner is Panel Chairman: the identical panel decides the case. Approved: Where one Commissioner, a Hearing Examiner or a Staff Member is

PSC/CCA015-C (Rev. 01/02)

assigned the full Commission decides the case.

\* COMPLETED EVENTS

Date: Pending

5/14/02

# Section 1 - Bureau of Records and Hearing Services Completes

Docket No. 000154-SU

Date Docketed: 02/07/2000 Title:

Proposed Rule 25-30.432, F.A.C., Flows to be Used for Wastewater Treatment Plant Used and Useful Calculations.

Company: Wastewater Utilities

Referred to: ("()" indicates OPR)	AUS CAF CCA CMP ECR EXT (GCL) MMS PIF	
Section 2 - OPR Completes and returns t	CCA in 10 workdays.	
Program/Module A19	WARNING: THIS SCHEDULE IS AN INTERNAL PLANNING DOCUMENT.	
Staff Assignments  OPR Staff	FOR UPDATES CONTACT THE RECORDS SECTION: (850) 413-6770 Current CASR revision level	<u>Due Dates</u>
	1. Staff Recommendation 2. Agenda 3. FAW Notice Filed 4. Notice Proposing Rulemaking	Previous Current  06/06/2002 06/27/2002 06/18/2002 07/09/2002 06/25/2002 07/16/2002 06/28/2002 07/19/2002
Staff Counsel	6. FAW Notice Published	06/28/2002 07/19/2002 07/05/2002 07/26/2002
OCRs (ECR)  C Hewitt, M Wetherington M Willis	8. File Rule or Revise CASR 9.	07/26/2002 08/14/2002 09/05/2002
( )	11. 12. 13. 14.	
( )	15 16	
( )	20. 21. 22.	
( )	23. 24. 25. 26.	
( )		
Recommended assignments for hearing and/or deciding this case:	31	
Full Commission X Commission Par Hearing Examiner Staff	35.	
Date filed with CCA: 06/06/2002	36. 37. 38.	
Initials: OPR Staff Counsel	30.	1 1
Section 3 - Chairman Completes	Assignments are as follows:	Tagloriki, L

### - Hearing Officer(s)

	Comm	ission	ners			Hrg. Exam.	Staff
ALL	JB	DS	BZ	PL	BD	LAdill.	
Χ							

Where panels are assigned the senior Commissioner is Panel Chairman; the identical panel decides the case.

Where one Commissioner, a Hearing Examiner or a Staff Member is assigned the full Commission decides the case.

PSC/CCA015-C (Rev. 01/02)

- Prehearing Officer

	ADM				
JB	DS	BZ	PL	BD	
			Χ		

Approved:

RECEIVED FPSC man 230.

# MEMORANDUM

March 29, 1999

00 MAR 30 AM 8: 28

RECORDS AND REPORTING

DIVISION OF RECORDS & REPORTING

FROM:

CHRISTIANA T. MOORE, ASSOCIATE GENERAL COUNSEL

RE :

DOCKET NO. 000154-SU - PROPOSED RULE 25-30.432, F.A.C.,

FLOWS TO BE USED FOR WASTEWATER TREATMENT PLANT USED

AND USEFUL CALCULATIONS

Enclosed is a Notice of Workshop. Industry distribution is Wastewater. This document must be issued within three (3) working days.

NR30342.CTM Attachment cc: File

W. Terrell

pg 1+2



P.O. Box 609520 Orlando, Florida 32860 Phone: (407) 880-0058 FAX: (407) 598-4241

# VIA FAX TO:

To:

PSC - Division of Records & Reporting

951056

Fax No:

850-413-6770

970657

From:

Sarah Crockett

980212 000 154

Date:

March 16, 2000

Re:

Docket No.: 000154

### CONFIDENTIALITY NOTICE:

This facsimile, along with any documents, files or attachments, may contain information that is confidential, privileged, or otherwise exempt from disclosure. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, copying, printing, distribution or use of any information contained in or attached to this facsimile is STRICTLY PROHIBITED. If you have received this facsimile in error, please immediately notify us by facsimile or by telephone at the numbers stated below, and destroy the original facsimile and its attachments without reading, printing, or saving in any manner. Your cooperation is appreciated. Thank you.

In reference to the above -mentioned recently opened docket, please add Florida Water Services Corporation to the mailing list. Our Company and contact information are as follows:

Company Name: Florida Water Services Corporation

Contact Name: Matthew Feil, Esq.

Address: P.O. Box 609520, Orlando, FL 32703 Phone number: 407-598-4260 or 407-598-4267

Fax number: 407-598-4241

Number of pages including fax: You may reach me at (407) 598-4267

Jone 3-16-00 ? 32 uplates

# **Hong Wang**

> the request on
> to our Records dept.

> Chris Moore

From: Chris Moore Sent: Wednesday, December 12, 2001 12:51 PM To: Hong Wang Subject: FW: Docket 000154-SU mailing list Please add Mr. Knight to the above mailing list. Thanks. Robert A. Knight Director, Office of Utility Regulation for Citrus County 3600 W. Sovereign Path, Suite 269 Lecanto, FL 34461 Telephone: 352-527-5442 352-527-5319 Fax No.: e-mail: Robert.Knight@bocc.citrus.fl.us > ----Original Message----> From: Robert Knight [mailto:Robert.Knight@bocc.citrus.fl.us] > Sent: Wednesday, December 12, 2001 9:58 AM > To: CMoore@PSC.STATE.FL.US > Subject: Re: Docket 000154-SU mailing list > Great! > Robert A. Knight > Director, Office of Utility Regulation for Citrus County > 3600 W. Sovereign Path, Suite 269 > Lecanto, FL 34461 >>>> Chris Moore <CMoore@PSC.STATE.FL.US> 12/12/01 09:01AM >>> > To be added to the mailing list for this docket, just respond > to this e-mail > with your name, title, and mailing address. I have your phone no. as > 352-527-5442, and your fax no. as 352-527-5319. I will pass

**Matilda Sanders** 

0978 NOR

From:

Mary Diskerud

Sent:

Thursday, July 18, 2002 8:55 AM

To: Subject: CCA - Orders / Notices Order / Notice Submitted

Order / Notice Submitte

Date and Time: Docket Number:

7/18/02 8:52:00 AM

000154-SU

Filename / Path:

NOR30432.CTM

copied to gcorders. distribution is wastewater only (SU)

17

# **Matilda Sanders**

PSC-02-0988-NOR-SU

From:

Mary Diskerud

Sent:

Friday, July 19, 2002 2:23 PM

To:

CCA - Orders / Notices

Subject:

Order / Notice Submitted

Date and Time: Docket Number:

7/19/02 2:20:00 PM

000154-SU

Filename / Path:

NOR30432.CTM

copied to gcorders. distribution is wastewater only.

134/17

# NOTICE

YOU ARE RECEIVING THE ATTACHED ORDER OR NOTICE

DUE TO THE POSSIBILITY THAT

THE DOCUMENT MAY HAVE NOT BEEN SUCCESSFULLY FAXED

TO YOU EARLIER THIS WEEK.

PLEASE DISCARD IF YOU HAVE RECEIVED A FAXED COPY.

**THANK YOU!** 

Order 02-0988-NOK 178 mailed 7/25/02

# **CCA Official Filing:**

# **Matilda Sanders**

From:

Mary Diskerud

Sent:

Thursday, November 07, 2002 11:30 AM

To: Subject: CCA - Orders / Notices Order / Notice Submitted

Date and Time:

11/7/02 11:29:00 AM

**Docket Number:** 

000154-SU

Filename / Path:

ordchg30432.ctm

copied to gcorders. Distribution is Wastewater Util. (SU) within 2 working days please.

128/20

# 

Matilda Sanders 1719 For

From:

Mary Diskerud

Sent:

Monday, December 09, 2002 10:19 AM

To: Subject: CCA - Orders / Notices Order / Notice Submitted

Date and Time:

12/9/02 10:18:00 AM

Docket Number: Filename / Path:

000154-SU NOA30432.CTM

copied to gcorders. distribution is wastewater only. issue within 48 hours.

128/20

3